

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

JANUARY,

1923.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE
ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER
REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF


T. F. CLAXTON, F.R.A.S.,
DIRECTOR.

QC
990
. H85
M38
1923



LIBRARY


N.O.A.A.
U.S. Dept. of Commerce



HONGKONG:

PRINTED BY NORONHA & CO.
GOVERNMENT PRINTERS.

1923.



Price 60c. 1

National Oceanic and Atmospheric Administration
Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

ROYAL OBSERVATORY, HONGKONG.

Latitude..... $22^{\circ} 18' 13\frac{1}{2}'$ North.
Longitude.... $7^{\circ} 36' 41\frac{1}{2}'$ East.

MONTHLY METEOROLOGICAL BULLETIN, 1923.

INTRODUCTION.

§ 1. *Buildings and Instruments.*

A detailed description of the Observatory and Instruments is contained in the Introduction for 1913 and 1914.

In March, 1917, a Richard dry-and wet bulb thermograph was substituted for the old Kew thermograph, as the latter was found unsuitable for use in an open shelter. The shelter is of the "Indian" pattern, 25 feet long by 20 feet wide, with improved ventilation and double thatching with an air space of 6 inches between the inner and outer thatch. The roof is gabled and slopes from a height of 9 feet at the ridgepole to $3\frac{1}{2}$ feet at the eaves.

§ 2. *Reduction of the Observations.*

The continuous records of the temperature of the air and of evaporation, and direction of the wind are measured at each hour of the day, from 1^h to 24^h of Hongkong standard time. Those of wind velocity and amount of rainfall are measured at 30 minutes before the above hours, so as to obtain the value of these elements at the hour. The records of the duration of sunshine are measured so as to include the amount of sunshine recorded from 30 minutes before to 30 minutes after each hour of local apparent time.

The hourly values of the principal meteorological elements are given in Tables I to VII. Three-hourly observations of the character and direction of motion of the clouds are given in Table VIII and a list of phenomena observed during the month at the foot of Table IX. The daily values of the meteorological elements are collected in Table IX and the mean hourly values for the month in Table XI. The normals given in Tables IX and X refer to the periods 1884-1918.

The values given in Table I, barometric pressure, are derived from the hourly readings of the Kew pattern Station barometer No. 1323. The results are corrected for index error and reduced to the temperature 32° F. They are not reduced to sea level, nor to the gravity at latitude 45°. The height of the barometer cistern above mean sea level is 109 feet.

The temperature of the air and of evaporation (Tables II and III) are derived from the hourly measures of the Richard dry-and wet bulb thermograph. The highest and lowest temperatures given in Tables IX and X are the highest and lowest points on the thermograms. The records are obtained on plain paper, on which a base-line for each day's register is laid down from the eye observations of rotating thermometers. The registers are time-scaled electrically; an electromagnet operated by the hourly time signal lifts the pens from the paper, and

clock work apparatus, adapted by Mr. Evans in January, locks them until the 3rd minute when they are released and fall back on to the paper. The thermometers are aspirated from the 55th to the 60th minute of each hour by an electric fan, operated by a contact on one of the electric dials, air being drawn into the shelter through a 14-inch zinc pipe.

The index corrections of all thermometers in use are determined near mid-summer and mid-winter, by comparison in water with a standard thermometer (Kew No. 647) constructed at the Kew Observatory. Comparisons with a Griffin standard thermometer, purchased in the year 1914, indicate that Kew No. 674 reads $0^{\circ}10$ F. too high. No correction has been applied on this account, however.

The vapour tension and relative humidity given in Tables IX and XI have been derived from the Hygrometric Tables in use in the India Meteorological Department.

In Table VIII the cloud classification adopted by the London Meteorological Office is used. Where the names of upper and lower clouds are given, but only one direction, the latter refers to the lower clouds.

The amount of sunshine given in Table V is derived from the hourly measures of the Campbell-Stokes Universal Sunshine Recorder, Lecky No. c51. The percentage of possible sunshine given in Tables IX and XI is obtained by dividing the observed amount by the number of hours the Sun's centre is above the horizon, using $34'$ as the mean refraction on the horizon.

The shadow of the wireless mast, erected in the summer of 1917, falls on the sunshine recorder for a few minutes in the afternoon from January 16 to March 29 and September 16 to November 28. The mast has a skeleton frame the ribs of which partially eclipse the Sun and occasionally cause a slight loss of register. A more serious loss occurs when the sun passes behind the joints of the mast (which are steel plates 3 feet square) or when the Sun sets behind the mast. A list of corrections to the sunshine values in Tables V and IX of the Monthly Meteorological Bulletin, for the years 1917-19, on account of this interruption, is given in the Bulletin for December, 1919. The correction is never large enough to affect the values given in Table XI.

A second recorder, similar to the Lecky instrument, was obtained from Messrs. J. Hicks and set up on the south-west corner of the Main Building on January 6, 1921. The records of this instrument furnish the necessary corrections to those of the old Lecky instrument, as the interruption by the mast occurs at a different time.

The amount of rainfall given in Table VI is derived from the hourly measures of the Nakamura pluviograph, corrected when necessary by observation of the standard rain-gauge. In order to contrast the dry and wet hours the former are indicated by three dots, thus, ... and the same symbol has been used to indicate clear sky (Tables IV and VIII), no sunshine (Table V), and calms (Table VII). In Table VI the letter *d* indicates that drizzle occurred but that the amount was too small to be recorded on the pluviogram. As regards the duration of rain given in Tables IX-XI, it should be mentioned that frequently in the winter months very fine drizzle occurs at intervals during the day, but the amount collected in the gauge is less than 0.005 inch.

The direction and velocity of the wind (Table VII) are derived from the hourly measures of the Beckley anemograms. These measures are resolved into north and east components by the aid of a table giving the components for every point of direction and every mile of velocity, the values in the table being increased by 100 to avoid minus signs. The mean daily direction and velocity, and the mean hourly values in each month, given in Tables IX-XII, are derived from the north and east components by the aid of Table III (B).

in Chapter VI of the International Meteorological Tables. For the sake of continuity Dr. Robinson's factor (3) has been retained for converting the velocity of the cups into wind velocity, in the above Tables.

Beginning with the year 1916, the daily and mean hourly values of the principal meteorological elements in each month have been published in both C.G.S. and British Units. (Tables IX-XII). It should be noted that before converting the barometric pressure given in Tables IX and XI into millibars the readings have been reduced to sea level and gravity at 45° , and also that the vapour tension has been reduced to latitude 45° . The wind components and velocity have been multiplied by $\frac{3}{5}$ before converting them into C.G.S. Units, in order to reduce them to the International Standard.

The conversion tables following the Introduction have been extracted from the *British Meteorological and Magnetic Year-Book for 1913*.

The unit of atmospheric pressure in the C.G.S. system is the megadyne per square centimetre, which is called the "bar" and is equivalent to a pressure of 750·076 millimetres of mercury (or 29·5306 inches) at the freezing point of water in latitude 45° .

The unit of rainfall measurement is the millimetre of rain.

The unit of wind velocity is the metre per second.

Temperature is measured in Centigrade degrees from the absolute Zero, or 273° below the zero of the Centigrade scale.

T. F. CLAXTON.

ROYAL OBSERVATORY, HONGKONG.

TABLES FOR CONVERTING FROM BRITISH TO C.G.S. UNITS.

TABLE I.—PRESSURE.

Inches of mercury (at 32° F. and 45° Latitude) to Millibars.

The fundamental equations are:—

acceleration of gravity in latitude 45° = 980·617 cm./sec.².

density of mercury at normal freezing-point of water = 13·5955.

1 mercury-inch = 33·8632 millibars.

1000 millibars = 1 bar = 29·5306 mercury inches = 750·076 mercury millimetres
using 1 inch = 2·54000 cm.

Hundredths.	00	'01	'02	'03	'04	'05	'06	'07	'08	'09
Inches and Tenths.	Millibars.									
27.0	914·31	914·65	914·98	915·32	915·66	916·00	916·34	916·68	917·02	917·35
27.1	917·69	918·03	918·37	918·71	919·05	919·39	919·72	920·06	920·40	920·74
27.2	921·08	921·42	921·76	922·09	922·43	922·77	923·11	923·45	923·79	924·13
27.3	924·47	924·80	925·14	925·48	925·82	926·16	926·50	926·84	927·17	927·51
27.4	927·85	928·19	928·53	928·87	929·21	929·54	929·88	930·22	930·56	930·90
27.5	931·24	931·58	931·92	932·25	932·59	932·93	933·27	933·61	933·95	934·29
27.6	934·62	934·96	935·30	935·64	935·98	936·32	936·66	936·99	937·33	937·67
27.7	938·01	938·35	938·69	939·03	939·37	939·70	940·04	940·38	940·72	941·06
27.8	941·40	941·74	942·07	942·41	942·75	943·09	943·43	943·77	944·11	944·44
27.9	944·78	945·12	945·46	945·80	946·14	946·48	946·82	947·15	947·49	947·83
28.0	948·17	948·51	948·85	949·19	949·52	949·86	950·20	950·54	950·88	951·22
28.1	951·56	951·89	952·23	952·57	952·91	953·25	953·59	953·93	954·26	954·60
28.2	954·94	955·28	955·62	955·96	956·30	956·64	956·97	957·31	957·65	957·99
28.3	958·33	958·67	959·01	959·34	959·68	960·02	960·36	960·70	961·04	961·38
28.4	961·71	962·05	962·39	962·73	963·07	963·41	963·75	964·09	964·42	964·76
28.5	965·10	965·44	965·78	966·12	966·46	966·79	967·13	967·47	967·81	968·15
28.6	968·49	968·83	969·16	969·50	969·84	970·18	970·52	970·86	971·20	971·54
28.7	971·87	972·21	972·55	972·89	973·23	973·57	973·91	974·24	974·58	974·92
28.8	975·26	975·60	975·94	976·28	976·61	976·95	977·29	977·63	977·97	978·31
28.9	978·65	978·99	979·32	979·66	980·00	980·34	980·68	981·02	981·36	981·69
29.0	982·03	982·37	982·71	983·05	983·39	983·73	984·06	984·40	984·74	985·08
29.1	985·42	985·76	986·10	986·44	986·77	987·11	987·45	987·79	988·13	988·47
29.2	988·81	989·14	989·48	989·82	990·16	990·50	990·84	991·18	991·51	991·85
29.3	992·19	992·53	992·87	993·21	993·55	993·88	994·22	994·56	994·90	995·24
29.4	995·58	995·92	996·26	996·59	996·93	997·27	997·61	997·95	998·29	998·63
29.5	998·96	999·30	999·64	999·98	1000·32	1000·66	1001·00	1001·33	1001·67	1002·01
29.6	1002·35	1002·69	1003·03	1003·37	1003·71	1004·04	1004·38	1004·72	1005·06	1005·40
29.7	1005·74	1006·08	1006·41	1006·75	1007·09	1007·43	1007·77	1008·11	1008·45	1008·78
29.8	1009·12	1009·46	1009·80	1010·14	1010·48	1010·82	1011·16	1011·49	1011·83	1012·17
29.9	1012·51	1012·85	1013·19	1013·53	1013·86	1014·20	1014·54	1014·88	1015·22	1015·56
30.0	1016·90	1016·23	1016·57	1016·91	1017·25	1017·59	1017·93	1018·27	1018·61	1018·94
30.1	1019·28	1019·62	1019·96	1020·30	1020·64	1020·98	1021·31	1021·65	1021·99	1022·33
30.2	1022·67	1023·01	1023·35	1023·68	1024·02	1024·36	1024·70	1025·04	1025·38	1025·72
30.3	1026·05	1026·39	1026·73	1027·07	1027·41	1027·75	1028·09	1028·43	1028·76	1029·10
30.4	1029·44	1029·78	1030·12	1030·46	1030·80	1031·13	1031·47	1031·81	1032·15	1032·49
30.5	1032·83	1033·17	1033·50	1033·84	1034·18	1034·52	1034·86	1035·20	1035·54	1035·88
30.6	1036·21	1036·55	1036·89	1037·23	1037·57	1037·91	1038·25	1038·58	1038·92	1039·26
30.7	1039·60	1039·94	1040·28	1040·62	1040·95	1041·29	1041·63	1041·97	1042·31	1042·65
30.8	1042·99	1043·33	1043·66	1044·00	1044·34	1044·68	1045·02	1045·36	1045·70	1046·03
30.9	1046·37	1046·71	1047·05	1047·39	1047·73	1048·07	1048·40	1048·74	1049·08	1049·42

Thousands of an Inch.

Inch.	0	'001	'002	'003	'004	'005	'006	'007	'008	'009
Millibars.	0	'03	'07	'10	'14	'17	'20	'24	'27	'30
27.0	914·31	914·65	914·98	915·32	915·66	916·00	916·34	916·68	917·02	917·35
27.1	917·69	918·03	918·37	918·71	919·05	919·39	919·72	920·06	920·40	920·74
27.2	921·08	921·42	921·76	922·09	922·43	922·77	923·11	923·45	923·79	924·13
27.3	924·47	924·80	925·14	925·48	925·82	926·16	926·50	926·84	927·17	927·51
27.4	927·85	928·19	928·53	928·87	929·21	929·54	929·88	930·22	930·56	930·90
27.5	931·24	931·58	931·92	932·25	932·59	932·93	933·27	933·61	933·95	934·29
27.6	934·62	934·96	935·30	935·64	935·98	936·32	936·66	936·99	937·33	937·67
27.7	938·01	938·35	938·69	939·03	939·37	939·70	940·04	940·38	940·72	941·06
27.8	941·40	941·74	942·07	942·41	942·75	943·09	943·43	943·77	944·11	944·44
27.9	944·78	945·12	945·46	945·80	946·14	946·48	946·82	947·15	947·49	947·83
28.0	948·17	948·51	948·85	949·19	949·52	949·86	950·20	950·54	950·88	951·22
28.1	951·56	951·89	952·23	952·57	952·91	953·25	953·59	953·93	954·26	954·60
28.2	954·94	955·28	955·62	955·96	956·30	956·64	956·97	957·31	957·65	957·99
28.3	958·33	958·67	959·01	959·34	959·68	960·02	960·36	960·70	961·04	961·38
28.4	961·71	962·05	962·39	962·73	963·07	963·41	963·75	964·09	964·42	964·76
28.5	965·10	965·44	965·78	966·12	966·46	966·79	967·13	967·47	967·81	968·15
28.6	968·49	968·83	969·16	969·50	969·84	970·18	970·52	970·86	971·20	971·54
28.7	971·87	972·21	972·55	972·89	973·23	973·57	973·91	974·24	974·58	974·92
28.8	975·26	975·60	975·94	976·28	976·61	976·95	977·29	977·63	977·97	978·31
28.9	978·65	978·99	979·32	979·66	980·00	980·34	980·68	981·02	981·36	981·69
29.0	982·03	982·37	982·71	983·05	983·39	983·73	984·06	984·40	984·74	985·08
29.1	985·42	985·76	986·10	986·44	986·77	987·11	987·45	987·79	988·13	988·47
29.2	988·81	989·14	989·48	989·82	990·16	990·50	990·84	991·18	991·51	991·85
29.3	992·19	992·53	992·87	993·21	993·55	993·88	994·22	994·56	994·90	995·24
29.4	995·58	995·92	996·26	996·59	996·93	997·27	997·61	997·95	998·29	998·63
29.5	998·96	999·30	999·64	999·98	1000·32	1000·66	1001·00	1001·33	1001·67	1002·01
29.6	1002·35	1002·69	1003·03	1003·37	1003·71	1004·04	1004·38	1004·72	1005·06	1005·40
29.7	1005·74	1006·08	1006·41	1006·75	1007·09	1007·43	1007·77	1008·11	1008·45	1008·78
29.8	1009·12	1009·46	1009·80	1010·14	1010·48	1010·82	1011·16	1011·49	1011·83	1012·17
29.9	1012·51	1012·85	1013·19	1013·53	1013·86	1014·20	1014·54	1014·88	1015·22	1015·56
30.0	1016·90	1016·23	1016·57	1016·91	1017·25	1017·59	1017·93	1018·27	1018·61	1018·94
30.1	1019·28	1019·62	1019·96	1020·30	1020·64	1020·98	1021·31	1021·65	1021·99	1022·33
30.2	1022·67	1023·01	1023·35	1023·68	1024·02	1024·36	1024·70	1025·04	1025·38	1025·72
30.3	1026·05	1026·39	1026·73	1027·07	1027·41	1027·75	1028·09	1028·43	1028·76	1029·10
30.4	1029·44	1029·78	1030·12	1030·46	1030·80	1031·13	1031·47	1031·81	1032·15	1032·49
30.5	1032·83	1033·17	1033·50	1033·84	1034·18	1034·52	1034·86	1035·20	1035·54	1035·88
30.6	1036·21	1036·55	1036·89	1037·23	1037·57	1037·91	1038·25	1038·58	1038·92	1039·26
30.7	1039·60	1039·94	1040·28	1040·62	1040·95	1041·29	1041·63	1041·97	1042·31	1042·65
30.8	1042·99	1043·33	1043·66	1044·00						

TABLE II.—TEMPERATURE.

*Degrees Fahrenheit to Degrees Absolute.*The equations are $A = 273 + 5/9(F - 32)$, $F = 32 + 9/5(A - 273)$.

Tenths.	0	1	2	3	4	5	6	7	8	9
Degrees Fahr.	Degrees Absolute.									
	200° +	200° +	200° +	200° +	200° +	200° +	200° +	200° +	200° +	200° +
32	73°0	73°1	73°2	73°3	73°4	73°5	73°6	73°7	73°8	73°9
33	73°6	73°6	73°7	73°7	73°8	73°9	73°9	73°9	73°9	74°0
34	74°1	74°2	74°2	74°3	74°4	74°4	74°5	74°5	74°5	74°6
35	74°7	74°7	74°8	74°8	74°9	74°9	75°0	75°1	75°1	75°2
36	75°2	75°3	75°3	75°4	75°4	75°5	75°6	75°6	75°7	75°7
37	75°8	75°8	75°9	75°9	76°0	76°1	76°2	76°2	76°3	76°3
38	76°3	76°4	76°4	76°5	76°6	76°6	76°7	76°7	76°8	76°8
39	76°9	76°9	77°0	77°1	77°1	77°2	77°2	77°3	77°3	77°4
40	77°4	77°5	77°6	77°6	77°7	77°7	77°8	77°8	77°9	77°9
41	78°0	78°1	78°1	78°2	78°2	78°3	78°3	78°4	78°4	78°5
42	78°6	78°6	78°7	78°7	78°8	78°8	78°9	78°9	79°0	79°1
43	79°1	79°2	79°2	79°3	79°3	79°4	79°4	79°5	79°6	79°6
44	79°7	79°7	79°8	79°9	79°9	80°0	80°0	80°1	80°1	80°2
45	80°2	80°3	80°3	80°4	80°4	80°5	80°6	80°6	80°7	80°7
46	80°8	80°8	80°9	80°9	81°0	81°1	81°2	81°2	81°3	81°3
47	81°3	81°4	81°4	81°5	81°6	81°6	81°7	81°7	81°8	81°8
48	81°9	81°9	82°0	82°1	82°1	82°2	82°2	82°3	82°3	82°4
49	82°4	82°5	82°6	82°6	82°7	82°7	82°8	82°9	82°9	82°9
50	83°0	83°1	83°1	83°2	83°2	83°3	83°3	83°4	83°4	83°5
51	83°6	83°6	83°7	83°7	83°8	83°8	83°9	83°9	84°0	84°1
52	84°1	84°2	84°2	84°3	84°3	84°4	84°4	84°5	84°6	84°6
53	84°7	84°7	84°8	84°8	84°9	84°9	85°0	85°1	85°2	85°2
54	85°2	85°3	85°3	85°4	85°4	85°5	85°6	85°6	85°7	85°7
55	85°8	85°8	85°9	85°9	86°0	86°1	86°1	86°2	86°2	86°3
56	86°3	86°4	86°4	86°5	86°6	86°6	86°7	86°7	86°8	86°8
57	86°9	86°9	87°0	87°1	87°1	87°2	87°2	87°3	87°3	87°4
58	87°4	87°5	87°6	87°6	87°7	87°7	87°8	87°8	87°9	87°9
59	88°0	88°1	88°1	88°2	88°2	88°3	88°3	88°4	88°4	88°5
60	88°6	88°6	88°7	88°7	88°8	88°8	88°9	88°9	89°0	89°1
61	89°1	89°2	89°2	89°3	89°3	89°4	89°4	89°5	89°6	89°6
62	89°7	89°7	89°8	89°8	89°9	89°9	90°0	90°1	90°2	90°2
63	90°2	90°3	90°3	90°4	90°4	90°5	90°6	90°6	90°7	90°7
64	90°8	90°8	90°9	90°9	91°0	91°1	91°1	91°2	91°2	91°3
65	91°3	91°4	91°4	91°5	91°6	91°6	91°7	91°7	91°8	91°8
66	91°9	91°9	92°0	92°1	92°1	92°2	92°2	92°3	92°3	92°4
67	92°4	92°5	92°6	92°6	92°7	92°7	92°8	92°8	92°9	92°9
68	93°0	93°1	93°1	93°2	93°2	93°3	93°3	93°4	93°4	93°5
69	93°6	93°6	93°7	93°7	93°8	93°8	93°9	93°9	94°0	94°1
70	94°1	94°2	94°2	94°3	94°3	94°4	94°4	94°5	94°6	94°6
71	94°7	94°7	94°8	94°8	94°9	94°9	95°0	95°1	95°1	95°2
72	95°2	95°3	95°3	95°4	95°4	95°5	95°6	95°6	95°7	95°7
73	95°8	95°8	95°9	95°9	96°0	96°1	96°2	96°2	96°3	96°3
74	96°3	96°4	96°4	96°5	96°6	96°6	96°7	96°7	96°8	96°8
75	96°9	96°9	97°0	97°1	97°1	97°2	97°2	97°3	97°3	97°4
76	97°4	97°5	97°6	97°6	97°7	97°7	97°8	97°8	97°9	97°9
77	98°0	98°1	98°1	98°2	98°2	98°3	98°3	98°4	98°4	98°5
78	98°6	98°6	98°7	98°7	98°8	98°8	98°9	98°9	99°0	99°1
79	99°1	99°2	99°2	99°3	99°3	99°4	99°4	99°5	99°6	99°6
80	99°7	99°7	99°8	99°8	99°9	99°9	100°0	100°1	100°1	100°2
81	100°2	100°3	100°3	100°4	100°4	100°5	100°6	100°7	100°7	100°7
82	100°8	100°8	100°9	100°9	101°0	101°1	101°2	101°2	101°3	101°3
83	101°3	101°4	101°4	101°5	101°6	101°6	101°7	101°7	101°8	101°8
84	101°9	101°9	102°0	102°1	102°1	102°2	102°2	102°3	102°3	102°4
85	102°4	102°5	102°6	102°6	102°7	102°7	102°8	102°8	102°9	102°9
86	103°0	103°1	103°1	103°2	103°2	103°3	103°3	103°4	103°4	103°5
87	103°6	103°6	103°7	103°7	103°8	103°8	103°9	103°9	104°0	104°1
88	104°1	104°2	104°2	104°3	104°3	104°4	104°4	104°5	104°6	104°6
89	104°7	104°7	104°8	104°8	104°9	104°9	105°0	105°1	105°1	105°2
90	105°2	105°3	105°3	105°4	105°4	105°5	105°6	105°7	105°7	105°7
91	105°8	105°8	105°9	105°9	106°0	106°1	106°1	106°2	106°2	106°3
92	106°3	106°4	106°4	106°5	106°6	106°6	106°7	106°7	106°8	106°8
93	106°9	106°9	107°0	107°1	107°1	107°2	107°2	107°3	107°3	107°4
94	107°4	107°5	107°6	107°6	107°7	107°7	107°8	107°8	107°9	107°9
95	108°0	108°1	108°1	108°2	108°2	108°3	108°3	108°4	108°4	108°5
96	108°6	108°6	108°7	108°7	108°8	108°8	108°9	108°9	109°0	109°1
97	109°1	109°2	109°2	109°3	109°3	109°4	109°4	109°5	109°6	109°6
98	109°7	109°7	109°8	109°8	109°9	109°9	110°0	110°1	110°1	110°2
99	110°2	110°3	110°3	110°4	110°4	110°5	110°6	110°7	110°7	110°7
100	110°8	110°8	110°9	110°9	111°0	111°1	111°1	111°2	111°2	111°3

TABLE III.
RAINFALL. *Inches to Millimetres.*

Inches.	0	1	2	3	4	5	6	7	8	9
	Millimetres.									
0.0	0.0	0.3	0.5	0.8	1.0	1.3	1.5	1.8	2.0	2.3
0.1	2.5	2.8	3.0	3.3	3.6	3.8	4.1	4.3	4.6	4.8
0.2	5.1	5.3	5.6	5.8	6.1	6.4	6.6	6.9	7.1	7.4
0.3	7.6	7.9	8.1	8.4	8.6	8.9	9.1	9.4	9.7	9.9
0.4	10.2	10.4	10.7	10.9	11.2	11.4	11.7	11.9	12.2	12.4
0.5	12.7	13.0	13.2	13.5	13.7	14.0	14.2	14.5	14.7	15.0
0.6	15.2	15.5	15.7	16.0	16.3	16.5	16.8	17.0	17.3	17.5
0.7	17.8	18.0	18.3	18.5	18.8	19.1	19.3	19.6	19.8	20.1
0.8	20.3	20.6	20.8	21.1	21.3	21.6	21.8	22.1	22.4	22.6
0.9	22.9	23.1	23.4	23.6	23.9	24.1	24.4	24.6	24.9	25.1
1.0	25.4	25.7	25.9	26.2	26.4	26.7	26.9	27.2	27.4	27.7
1.1	27.9	28.2	28.4	28.7	29.0	29.2	29.5	29.7	30.0	30.2
1.2	30.5	30.7	31.0	31.2	31.5	31.8	32.0	32.3	32.5	32.8
1.3	33.0	33.3	33.5	33.8	34.0	34.3	34.5	34.8	35.1	35.3
1.4	35.6	35.8	36.1	36.3	36.6	36.8	37.1	37.3	37.6	37.8
1.5	38.1	38.4	38.6	38.9	39.1	39.4	39.6	39.9	40.1	40.4
1.6	40.6	40.9	41.1	41.4	41.7	41.9	42.2	42.4	42.7	42.9
1.7	43.2	43.4	43.7	43.9	44.2	44.5	44.7	45.0	45.2	45.5
1.8	45.7	46.0	46.2	46.5	46.7	47.0	47.2	47.5	47.8	48.0
1.9	48.3	48.5	48.8	49.0	49.3	49.5	49.8	50.0	50.3	50.5
2.0	50.8	51.1	51.3	51.6	51.8	52.1	52.3	52.6	52.8	53.1

TABLE IV.
WIND VELOCITY.
Miles per Hour into Metres per Second.

1 mile per hour = 0.44704 metres per second.

Miles per Hour.	0	1	2	3	4	5	6	7	8	9
	Metres per Second.									
0	0.0	0.4	0.9	1.3	1.8	2.2	2.7	3.1	3.6	4.0
10	4.5	4.9	5.4	5.8	6.3	6.7	7.2	7.6	8.0	8.5
20	8.9	9.4	9.8	10.3	10.7	11.2	11.6	12.1	12.5	13.0
30	13.4	13.9	14.3	14.8	15.2	15.6	16.1	16.5	17.0	17.4
40	17.9	18.3	18.8	19.2	19.7	20.1	20.6	21.0	21.5	21.9
50	22.4	22.8	23.2	23.7	24.1	24.6	25.0	25.5	25.9	26.4
60	26.8	27.3	27.7	28.2	28.6	29.1	29.5	30.0	30.4	30.8
70	31.3	31.7	32.2	32.6	33.1	33.5	34.0	34.4	34.9	35.3
80	35.8	36.2	36.7	37.1	37.6	38.0	38.4	38.9	39.3	39.8
90	40.2	40.7	41.1	41.6	42.0	42.5	42.9	43.4	43.8	44.3
100	44.7	45.2	45.6	46.0	46.5	46.9	47.4	47.8	48.3	48.7
110	49.2	49.6	50.1	50.5	51.0	51.4	51.9	52.3	52.8	53.2
120	53.6	54.1	54.5	55.0	55.4	55.9	56.3	56.8	57.2	57.7
130	58.1	58.6	59.0	59.5	59.9	60.4	60.8	61.2	61.7	62.1
140	62.6	63.0	63.5	63.9	64.4	64.8	65.3	65.7	66.2	66.6

ROYAL OBSERVATORY, HONGKONG.

RESULTS

O F

METEOROLOGICAL OBSERVATIONS.

JANUARY,

1923.

HOURLY VALUES OF BAROMETRIC PRESSURE AND AIR TEMPERATURE,

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of JANUARY, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30°094	30°087	30°088	30°085	30°085	30°097	30°113	30°142	30°169	30°173	30°148	30°127	1
2	30°158	30°154	30°149	30°150	30°155	30°170	30°192	30°208	30°227	30°238	30°235	30°214	2
3	30°237	30°223	30°215	30°214	30°210	30°224	30°243	30°257	30°267	30°282	30°217	30°250	3
4	30°208	30°203	30°189	30°184	30°182	30°194	30°215	30°230	30°256	30°253	30°255	30°225	4
5	30°262	30°257	30°247	30°231	30°233	30°229	30°233	30°249	30°263	30°265	30°258	30°233	5
6	30°183	30°162	30°146	30°131	30°123	30°126	30°139	30°155	30°171	30°179	30°168	30°139	6
7	30°072	30°053	30°046	30°044	30°050	30°062	30°069	30°072	30°091	30°101	30°091	30°050	7
8	29°987	29°977	29°975	29°981	29°986	30°001	30°018	30°032	30°048	30°055	30°052	30°011	8
9	30°023	30°024	30°012	30°012	30°017	30°032	30°056	30°080	30°113	30°120	30°104	30°074	9
10	30°118	30°120	30°118	30°127	30°139	30°154	30°166	30°181	30°203	30°196	30°185	30°142	10
11	30°072	30°056	30°045	30°045	30°049	30°058	30°057	30°070	30°081	30°091	30°071	30°044	11
12	29°982	29°972	29°962	29°952	29°958	29°960	29°976	29°989	30°020	30°027	30°015	29°985	12
13	29°962	29°958	29°949	29°949	29°943	29°963	29°978	29°999	30°025	30°029	30°002	29°984	13
14	29°929	29°927	29°921	29°911	29°911	29°920	29°933	29°951	29°972	29°977	29°971	29°925	14
15	29°887	29°883	29°879	29°877	29°885	29°897	29°912	29°916	29°944	29°951	29°943	29°916	15
16	30°044	30°051	30°045	30°046	30°052	30°052	30°083	30°106	30°126	30°139	30°120	30°093	16
17	30°177	30°173	30°173	30°165	30°165	30°173	30°190	30°208	30°226	30°224	30°203	30°162	17
18	30°157	30°160	30°159	30°157	30°155	30°166	30°178	30°183	30°207	30°206	30°190	30°148	18
19	30°801	30°067	30°059	30°057	30°049	30°057	30°075	30°086	30°105	30°122	30°103	30°062	19
20	30°053	30°049	30°035	30°032	30°040	30°045	30°051	30°067	30°079	30°097	30°081	30°057	20
21	29°983	29°977	29°981	29°981	29°982	29°986	29°996	30°005	30°022	30°036	30°022	29°986	21
22	29°916	29°910	29°914	29°922	29°938	29°930	29°969	29°992	30°011	30°014	29°999	29°968	22
23	29°942	29°936	29°932	29°932	29°940	29°936	29°967	29°993	30°020	30°035	30°009	29°938	23
24	29°980	29°984	29°984	29°987	29°996	30°016	30°043	30°063	30°083	30°094	30°087	30°063	24
25	30°076	30°075	30°073	30°079	30°089	30°114	30°126	30°142	30°161	30°180	30°171	30°142	25
26	30°139	30°136	30°130	30°128	30°141	30°148	30°163	30°185	30°203	30°209	30°197	30°167	26
27	30°186	30°192	30°178	30°167	30°163	30°174	30°185	30°201	30°224	30°234	30°227	30°204	27
28	30°207	30°207	30°187	30°188	30°190	30°192	30°213	30°231	30°244	30°239	30°241	30°227	28
29	30°228	30°221	30°209	30°197	30°181	30°202	30°215	30°229	30°244	30°250	30°226	30°187	29
30	30°159	30°150	30°140	30°133	30°124	30°140	30°149	30°170	30°177	30°193	30°184	30°156	30
31	30°214	30°221	30°196	30°193	30°169	30°201	30°211	30°234	30°250	30°267	30°252	30°244	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30°084	30°065	30°048	30°057	30°076	30°095	30°098	30°117	30°133	30°142	30°146	30°148	1
2	30°186	30°164	30°153	30°149	30°150	30°162	30°174	30°198	30°221	30°228	30°235	30°244	2
3	30°208	30°192	30°158	30°157	30°164	30°174	30°194	30°210	30°225	30°232	30°232	30°219	3
4	30°195	30°154	30°142	30°144	30°160	30°181	30°212	30°231	30°248	30°259	30°262	30°260	4
5	30°193	30°158	30°136	30°129	30°132	30°145	30°154	30°174	30°183	30°201	30°203	30°193	5
6	30°095	30°078	30°056	30°066	30°068	30°086	30°088	30°093	30°097	30°097	30°082	30°082	6
7	30°001	29°972	29°944	29°936	29°947	29°960	29°968	29°992	29°997	29°997	29°992	29°992	7
8	29°979	29°952	29°940	29°936	29°954	29°965	29°982	29°994	30°011	30°018	30°020	30°020	8
9	30°045	30°016	29°997	29°995	30°009	30°043	30°066	30°085	30°097	30°110	30°113	30°115	9
10	30°099	30°073	30°044	30°036	30°046	30°054	30°063	30°082	30°086	30°094	30°094	30°082	10
11	29°998	29°974	29°947	29°946	29°956	29°964	29°979	29°990	30°000	29°999	29°993	29°985	11
12	29°946	29°910	29°883	29°880	29°908	29°923	29°941	29°959	29°959	29°957	29°971	29°961	12
13	29°954	29°918	29°906	29°904	29°919	29°936	29°947	29°957	29°964	29°968	29°966	29°946	13
14	29°897	29°868	29°848	29°843	29°845	29°848	29°850	29°854	29°860	29°880	29°882	29°884	14
15	29°890	29°878	29°866	29°872	29°890	29°916	29°927	29°960	29°976	29°993	30°010	30°020	15
16	30°079	30°053	30°043	30°056	30°071	30°085	30°102	30°105	30°118	30°133	30°152	30°166	16
17	29°125	30°097	30°082	30°095	30°112	30°128	30°131	30°140	30°141	30°143	30°151	30°151	17
18	30°096	30°070	30°056	30°059	30°073	30°079	30°084	30°095	30°101	30°089	30°083	30°083	18
19	30°040	30°012	30°007	30°014	30°017	30°029	30°031	30°049	30°041	30°053	30°059	30°056	19
20	30°030	30°005	29°983	29°991	29°997	30°001	30°003	30°008	30°011	29°999	29°997	29°993	20
21	29°952	29°916	29°898	29°897	29°910	29°932	29°942	29°951	29°945	29°929	29°918	29°918	21
22	29°935	29°916	29°903	29°899	29°904	29°919	29°931	29°944	29°952	29°952	29°942	29°940	22
23	29°985	29°961	29°933	29°930	29°941	29°962	29°978	30°002	30°010	30°005	29°997	29°981	23
24	30°035	29°999	29°984	29°984	29°991	30°004	30°018	30°041	30°059	30°078	30°075	30°076	24
25	30°098	30°072	30°055	30°062	30°074	30°082	30°106	30°117	30°136	30°153	30°147	30°147	25
26	30°124	30°094	30°072	30°063	30°074	30°092	30°113	30°130	30°160	30°177	30°189	30°189	26
27	30°167	30°142	30°122	30°122	30°133	30°148	30°167	30°187	30°201	29°208	30°203	30°207	27
28	30°199	30°153	30°136	30°136	30°148	30°158	30°187	30°211	30°217	30°222	30°228	30°228	28
29	30°146	30°115	30°094	30°076	30°081	30°082	30°101	30°112	30°136	30°161	30°163	30°161	29
30	30°124	30°098	30°079	30°081	30°089	30°108	30°134	30°156	30°184	30°213	30°204	30°212	30
31	30°180	30°152	30°119	30°121	30°136	30°144	30°161	30°187	30°203	30°209	30°227	30°223	31

TABLE II.—TEMPERATURE of the AIR at every Hour of the Day, in the Month of JANUARY, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	59·8	59·8	59·9	59·3	59·1	58·6	59·2	59·7	60·8	63·8	64·9	66·6	1
2	60·0	59·8	59·6	59·4	58·3	56·8	56·2	57·5	59·0	60·0	61·1	61·1	2
3	53·1	52·4	51·9	50·9	49·7	48·9	47·9	48·7	50·0	52·5	54·3	57·3	3
4	49·2	48·4	47·3	47·8	47·3	46·7	46·4	46·1	49·5	54·3	55·2	56·7	4
5	54·9	54·7	54·9	54·8	54·4	54·3	54·2	54·7	56·8	60·1	61·9	62·8	5
6	56·5	56·3	55·8	55·5	56·0	55·9	55·8	56·6	58·9	60·9	61·5	62·7	6
7	58·9	58·9	58·6	58·9	58·8	58·7	58·8	59·9	60·9	61·9	62·8	64·8	7
8	62·0	62·0	62·1	62·0	62·5	62·5	63·1	63·7	65·9	69·3	70·3	71·6	8
9	62·0	61·3	61·1	61·0	61·2	60·8	62·8	64·4	64·5	65·9	65·4	67·3	0
10	59·3	59·0	58·8	58·1	57·8	57·4	57·3	58·2	60·4	62·3	63·0	63·5	10
11	57·6	57·7	57·3	57·1	57·0	57·1	57·1	57·3	59·3	59·7	61·1	62·7	11
12	60·8	61·0	61·4	61·1	61·0	61·4	61·3	62·6	63·2	65·3	66·9	69·2	12
13	61·8	61·8	61·8	62·7	62·5	63·7	64·0	65·0	67·5	70·7	71·9	69·0	13
14	61·0	60·6	60·3	60·0	60·2	60·8	60·8	60·4	61·5	63·4	62·8	63·0	14
15	63·0	63·7	63·5	63·5	63·6	64·0	63·8	64·7	67·2	68·6	73·6	71·1	15
16	62·3	59·5	60·2	59·8	58·9	58·3	57·9	57·5	57·9	58·3	61·5	61·9	16
17	57·6	56·5	56·0	55·7	55·3	54·9	54·6	54·8	56·7	59·4	61·6	62·2	17
18	56·8	57·2	57·1	56·9	56·6	55·7	54·0	55·4	57·5	59·5	61·3	63·0	18
19	57·2	57·3	57·4	57·4	57·2	57·7	58·0	58·2	60·3	60·4	61·4	62·5	19
20	60·2	59·9	59·9	60·5	61·6	62·1	62·7	63·0	63·2	63·3	64·0	64·2	20
21	64·4	64·9	65·5	65·9	66·1	66·2	66·6	66·2	66·9	67·5	68·8	68·6	21
22	64·6	65·1	64·9	65·1	65·1	65·3	65·2	65·8	66·0	65·7	68·0	68·9	22
23	65·1	65·2	65·5	65·2	65·3	65·2	65·0	64·9	67·6	69·3	70·0	66·8	23
24	61·6	60·6	60·6	60·2	60·6	61·0	61·2	61·5	62·4	64·2	65·8	67·0	24
25	60·1	58·5	57·8	57·4	56·1	55·0	54·0	54·3	55·6	57·6	59·8	60·5	25
26	56·9	56·6	56·4	55·0	53·3	49·8	49·2	50·4	53·7	57·6	58·8	60·9	26
27	55·2	54·6	54·2	52·5	52·0	51·8	52·0	52·6	53·4	54·3	57·4	57·0	27
28	56·2	55·9	55·5	55·1	54·0	52·7	51·2	52·2	53·4	57·6	59·0	59·0	28
29	54·1	53·9	53·5	52·5	51·0	49·8	48·6	50·4	52·7	55·2	57·5	58·7	29
30	52·8	53·3	53·4	53·7	53·1	52·9	52·5	52·9	54·2	55·3	56·8	57·5	30
31	55·7	54·0	53·3	53·0	52·1	51·7	51·0	51·4	55·1	57·6	59·3	58·8	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	0	0	0	0	0	0	0	0	0	0	0	0	1
2	68·3	67·2	65·5	64·6	62·2	60·9	60·2	60·8	60·5	60·5	60·6	60·6	2
3	61·3	62·9	62·2	61·2	60·0	58·8	58·0	57·8	57·6	56·4	55·2	54·4	3
4	57·5	56·6	56·4	55·5	55·1	53·2	52·0	51·9	51·8	51·2	50·8	50·7	4
5	57·9	58·4	58·2	57·6	55·9	54·7	54·1	53·1	54·7	55·5	55·4	55·7	5
6	64·0	63·0	63·8	62·1	60·0	58·3	57·6	56·5	55·8	55·4	53·5	54·8	6
7	63·2	62·5	62·9	62·2	60·9	59·9	59·2	59·0	59·1	59·1	59·2	59·1	7
8	65·0	65·1	65·0	65·5	61·5	61·8	61·8	61·7	61·8	62·0	61·8	61·8	8
9	71·7	71·2	71·0	70·0	68·4	66·6	65·8	64·7	63·7	62·5	62·8	61·8	9
10	66·7	66·2	65·0	64·5	63·5	62·3	61·2	60·9	60·5	60·2	59·9	59·7	10
11	62·3	62·3	62·0	61·0	59·7	58·8	58·4	58·4	58·2	58·0	58·0	57·9	11
12	63·1	62·8	62·8	61·8	60·9	60·0	59·3	59·1	59·0	59·1	59·4	59·9	12
13	70·0	71·4	68·8	67·0	65·4	63·9	63·4	63·3	63·3	63·3	63·2	62·5	13
14	68·0	67·0	66·1	65·0	64·1	62·7	61·7	61·1	60·8	60·6	60·9	60·8	14
15	64·0	64·0	63·9	63·9	62·8	61·9	61·6	61·6	62·0	61·8	61·9	62·5	15
16	72·0	71·5	71·6	71·2	70·7	69·0	68·4	67·0	65·9	64·6	64·0	63·6	16
17	62·2	62·2	62·5	61·8	59·7	58·3	57·2	56·7	56·6	56·5	56·6	56·8	17
18	62·1	62·2	62·0	59·9	58·8	57·9	57·6	57·7	57·7	57·2	57·1	57·1	18
19	63·6	64·3	63·7	62·2	61·9	60·5	60·0	59·9	59·8	59·9	60·1	60·4	19
20	65·0	64·4	65·0	64·6	64·7	64·4	63·9	64·3	65·0	64·7	64·5	63·9	20
21	67·6	67·2	66·3	65·4	64·5	63·2	62·5	63·0	63·5	63·5	63·6	64·3	21
22	70·1	70·0	69·3	68·7	67·5	66·4	65·9	65·6	65·3	65·1	65·2	65·7	22
23	64·6	64·0	64·3	63·6	63·5	63·0	62·5	62·6	62·6	63·1	63·1	62·8	23
24	67·7	68·0	67·6	67·2	66·8	66·0	64·5	63·5	62·8	62·3	62·0	61·5	24
25	62·0	62·5	61·5	60·9	60·4	59·3	58·8	57·2	57·3	57·2	56·3	56·1	25
26	61·0	61·0	61·5	61·0	60·4	59·0	56·9	56·2	55·7	55·0	54·4	55·0	26
27	58·4	59·3	58·7	57·6	56·8	55·6	55·0	54·8	55·0	55·8	56·9	56·8	27
28	58·4	59·1	59·4	60·4	59·6	58·0	56·2	55·6	55·4	55·4	55·5	54·2	28
29	59·9	60·1	61·3	61·2	59·5	57·5	55·9	54·2	53·5	52·9	53·4	53·2	29
30	58·1	60·0	59·8	59·0	57·2	56·6	56·0	55·3	55·0	54·8	54·9	54·7	30
31	60·9	62·2	62·0	60·9	59·8	58·2	56·8	55·6	55·0	54·0	52·6	51·8	31

12 HOURLY VALUES OF THE TEMPERATURE OF EVAPORATION, AMOUNT OF CLOUD, AND SUNSHINE.

TABLE III.—TEMPERATURE OF EVAPORATION at every Hour of the Day, in the Month of JANUARY, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	56.3	56.1	56.2	56.7	55.3	54.0	52.9	53.0	52.4	54.0	54.3	55.0	1
2	54.9	54.5	54.0	54.1	51.6	49.7	49.0	48.5	49.0	49.7	49.8	50.5	2
3	44.8	44.5	44.2	43.5	42.5	41.0	40.1	40.9	41.9	43.5	44.5	46.8	3
4	42.0	41.2	40.5	40.7	40.0	39.2	38.8	39.0	41.8	44.7	45.0	45.7	4
5	48.5	46.4	45.0	44.5	44.3	43.5	43.4	43.7	44.6	46.9	48.3	49.0	5
6	51.0	50.4	49.4	47.8	47.7	47.6	48.3	49.3	50.6	51.5	51.2	51.5	6
7	55.3	55.0	54.8	54.2	54.4	53.7	54.4	54.8	54.8	56.1	56.3	55.7	7
8	57.8	57.8	57.9	58.1	58.2	58.7	59.1	60.0	61.9	63.7	64.4	64.7	8
9	59.5	59.8	59.6	59.5	59.7	59.5	60.0	60.6	60.2	61.0	61.0	61.9	9
10	55.3	54.8	54.4	54.0	53.9	53.5	53.6	54.0	55.3	55.6	56.2	56.0	10
11	53.8	53.7	53.6	53.2	52.9	52.7	52.3	52.6	53.1	53.6	53.9	54.4	11
12	54.5	54.8	54.9	54.5	54.4	55.0	55.3	56.7	57.3	57.9	58.0	59.6	12
13	55.9	56.3	56.0	56.2	57.3	56.7	57.5	58.6	60.2	60.9	60.7	59.8	13
14	57.1	57.3	57.8	57.3	57.5	57.7	58.0	58.3	58.9	59.6	58.9	59.3	14
15	61.6	62.0	61.8	61.6	61.7	62.0	62.0	62.6	64.0	63.8	65.8	64.9	15
16	53.4	50.8	51.3	50.8	49.9	49.5	49.0	48.7	49.0	49.2	51.0	50.8	16
17	50.2	47.7	46.5	46.6	46.1	45.8	45.4	46.2	47.1	49.0	50.0	50.9	17
18	52.9	52.8	52.6	52.3	52.3	50.5	48.3	48.5	49.8	51.2	52.0	52.7	18
19	54.2	53.6	52.9	52.7	52.1	52.0	52.6	53.1	54.2	53.8	54.4	55.4	19
20	56.3	56.4	56.7	56.9	57.0	57.0	57.2	58.0	58.1	58.6	58.2	58.4	20
21	60.2	60.9	61.3	61.7	62.2	62.3	62.8	62.8	62.9	62.8	63.5	63.4	21
22	63.0	62.4	62.5	62.7	62.8	63.0	63.0	63.4	63.2	63.2	64.1	64.6	22
23	64.1	64.0	64.2	63.8	63.8	63.7	63.3	63.3	64.6	65.0	65.2	63.1	23
24	59.5	58.7	58.4	58.4	58.4	58.6	58.6	59.3	59.5	60.1	60.9	61.6	24
25	55.5	54.0	53.0	52.6	51.2	49.9	49.1	49.3	49.9	51.1	52.2	53.3	25
26	51.2	50.4	50.7	49.5	47.4	44.6	43.9	44.4	46.4	48.8	49.3	50.0	26
27	49.1	48.7	48.4	46.8	46.1	45.9	45.4	47.0	47.3	47.7	49.3	49.0	27
28	52.0	51.4	51.3	50.5	49.3	47.6	46.1	46.6	47.7	49.6	50.8	51.3	28
29	48.7	48.7	48.2	47.4	46.0	44.9	43.6	44.8	46.0	47.1	48.0	49.2	29
30	46.7	47.4	47.5	47.8	47.5	47.1	46.5	46.7	47.5	48.5	49.0	49.3	30
31	50.7	48.3	45.9	44.5	43.5	43.2	42.9	42.8	45.6	47.0	47.5	45.8	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	56.2	57.2	57.0	56.8	55.5	54.9	54.7	55.2	55.7	55.7	55.5	55.9	1
2	50.8	51.7	51.1	50.3	49.8	49.1	48.6	48.0	47.2	46.5	45.8	45.0	2
3	46.5	45.5	45.0	44.3	44.2	42.7	42.2	41.8	41.7	41.7	42.0	42.9	3
4	45.8	47.5	47.5	47.6	47.0	46.3	46.6	46.2	48.3	49.0	49.5	49.7	4
5	49.5	49.0	49.9	50.0	49.3	49.3	49.0	49.5	49.6	49.2	49.5	49.3	5
6	52.8	53.4	54.5	54.6	54.3	54.8	54.8	55.1	55.0	55.0	55.0	55.0	6
7	55.2	56.5	56.1	55.9	55.5	55.7	56.2	57.0	57.2	57.4	57.6	57.9	7
8	64.6	64.2	63.7	63.2	63.5	62.4	62.2	61.2	61.0	60.4	60.4	59.8	8
9	61.6	61.5	60.7	60.0	59.1	58.7	58.4	58.2	57.5	57.0	56.8	56.2	9
10	55.4	55.1	54.6	54.5	54.2	53.8	53.6	53.6	53.9	54.1	53.9	54.0	10
11	53.9	54.2	53.9	53.9	54.0	53.7	54.2	54.7	55.2	55.3	54.9	54.5	11
12	58.8	60.5	60.4	59.5	58.7	56.7	57.2	56.9	56.0	56.7	56.2	56.2	12
13	60.0	60.1	59.9	59.6	59.4	58.7	58.4	58.0	57.9	57.7	57.4	57.4	13
14	59.9	59.9	59.7	60.0	59.7	59.1	58.9	59.1	59.7	60.0	60.6	60.6	14
15	65.0	65.2	64.9	54.7	63.4	62.7	60.9	59.6	58.0	55.7	55.8	55.7	15
16	51.1	51.3	51.7	51.7	51.5	51.4	52.6	53.2	53.3	53.9	54.0	54.0	16
17	50.7	51.5	51.0	51.3	51.2	51.6	51.8	52.3	52.5	52.7	53.1	53.1	17
18	52.4	52.7	53.1	52.5	52.2	52.8	52.6	53.2	53.7	53.8	54.0	53.9	18
19	56.5	56.4	56.2	55.8	55.9	55.9	56.4	56.5	56.5	56.9	56.6	56.6	19
20	58.7	58.5	58.5	58.6	58.6	58.8	59.9	60.3	60.7	60.3	60.3	60.2	20
21	63.7	63.8	63.5	63.3	62.6	62.3	62.1	62.9	63.1	63.0	62.9	63.1	21
22	65.4	65.7	65.2	64.9	64.5	64.0	63.9	63.8	63.7	63.7	64.0	64.0	22
23	61.1	61.2	60.6	60.1	59.9	60.0	60.1	60.0	60.3	60.0	59.7	59.7	23
24	61.8	62.2	62.3	61.9	61.7	61.1	60.8	60.5	59.9	59.6	59.7	59.2	24
25	53.6	53.6	53.3	53.4	53.3	53.1	53.6	52.9	53.1	53.1	52.9	52.4	25
26	50.5	50.5	51.0	50.4	50.4	49.5	49.2	48.0	47.2	47.0	46.9	47.8	26
27	50.1	50.2	50.0	49.4	49.2	49.5	49.9	49.5	49.9	50.5	51.5	51.6	27
28	51.3	52.8	52.8	53.0	51.6	50.9	53.1	51.1	51.5	51.7	51.6	48.6	28
29	49.0	49.8	51.0	50.7	49.3	48.0	46.9	46.3	45.2	45.0	45.4	45.0	29
30	49.9	51.2	51.0	50.9	50.1	50.0	50.0	50.0	50.1	50.2	50.5	50.5	30
31	47.3	48.0	47.7	46.9	46.1	45.3	45.0	44.7	43.5	43.0	42.5	42.3	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of JANUARY, 1923.
(... = Clear Sky.)

Days of the Month	Hours, Hongkong Standard Time.																								Days of the Month	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Min.		
1	2	7	8	10	4	2	5	8	10	6	2	6	1	1	2	10	10	10	10	10	10	10	10	1
2	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	2
3	10	10	10	10	10	10	10	10	10	10	10	9	8	2	1	3	5	4	3	2	10	10	9	1	...	3
4	...	8	2	1	...	3	1	2	2	8	4	2	1	2	10	10	10	10	10	10	10	4
5	10	10	10	10	10	10	10	10	10	10	8	8	6	7	5	2	3	4	6	3	3	7	5	
6	9	10	9	8	9	9	7	6	3	3	1	4	6	3	1	1	...	6	
7	4	1	1	1	1	8	4	8	7	9	10	8	7	6	7	6	10	10	10	10	10	10	10	10	7	
8	10	10	10	10	10	10	10	10	10	10	10	4	5	3	2	1	1	1	1	1	8	
9	1	1	2	1	1	1	2	2	1	1	1	1	...	1	9	
10	...	1	...	1	...	2	4	5	2	...	1	1	...	1	2	...	10		
11	4	8	9	9	10	10	10	10	7	8	5	2	1	2	2	4	7	3	2	3	4	4	2	...	11	
12	3	10	10	10	10	10	10	10	10	10	10	8	9	10	10	10	10	10	9	6	3	1	1	...	12	
13	...	1	...	6	8	7	7	8	8	...	1	1	2	7	9	8	3	13	
14	1	2	1	...	2	4	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	14	
15	10	10	10	9	10	9	8	2	...	2	4	5	6	6	5	4	1	...	1	10	10	9	9	9	15	
16	10	10	10	10	10	10	10	10	10	10	9	8	7	8	9	8	7	9	10	10	10	10	10	10	16	
17	10	10	10	10	10	10	9	10	7	1	1	2	17	
18	5	10	8	8	9	10	4	1	2	1	18	
19	1	1	5	3	2	9	8	8	8	10	10	9	8	2	2	7	6	6	9	2	1	2	10	8	19	
20	10	10	9	10	10	10	10	10	10	10	10	10	9	9	9	10	10	8	10	10	10	10	10	10	20	
21	10	8	7	9	9	8	10	8	8	8	9	6	4	4	6	8	9	10	10	10	10	10	10	10	21	
22	10	10	9	10	10	10	10	10	10	10	10	7	8	7	7	3	5	4	6	5	4	...	2	2	22	
23	1	1	7	6	10	8	6	3	3	8	3	4	9	8	4	2	1	1	4	3	8	9	5	...	23	
24	8	10	10	10	10	10	9	8	8	7	8	10	10	9	9	10	10	10	10	10	10	10	10	4	24	
25	...	7	6	10	9	10	10	10	10	10	9	1	4	9	...	25		
26	9	10	10	10	9	2	1	1	5	9	26		
27	10	10	10	10	10	10	10	10	10	10	10	9	8	4	2	1	1	1	1	10	10	10	10	10	27	
28	10	10	10	10	10	10	5	4	3	1	...	1	1	1	1	1	1	1	2	9	4	28		
29	10	10	10	10	10	10	10	10	10	10	10	5	...	2	1	29		
30	2	10	10	10	10	10	10	10	10	10	10	9	4	10	30		
31	6	10	9	10	6	3	4	3	4	2	...	2	1	4	...	4	...	31		

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of JANUARY, 1923.
(... = No Sunshine recorded.)

Days of the Month	Hours, Hongkong Apparent Time.												Days of the Month	
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
1	...	0'1	0'7	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'5	1
2	0'3	0'1	0'3	0'2	2
3	0'2	0'8	0'9	1'0	1'0	1'0	1'0	1'0	0'9	0'2	...	3
4	0'2	0'6	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'4	0'4	...	4
5	...	0'4	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'3	0'3	...	5
6	0'2	0'8	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'6	6
7	0'1	0'7	0'1	...	0'2	0'6	1'0	1'0	0'9	0'8	0'1	7
8	...	0'5	0'8	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'5	8
9	0'5	1'0	1'0	0'7	1'0	1'0	1'0	1'0	1'0	1'0	0'1	9
10	...	0'6	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'3	0'3	...	10
11	...	0'7	0'6	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'8	0'4	...	11
12	0'2	0'4	...	0'3	...	0'1	...	0'1	12
13	0'4	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'5	0'5	...	13
14	...	0'2	0'4	...	0'1	0'1	14
15	0'2	0'5	1'0	1'0	0'8	1'0	1'0	1'0	1'0	1'0	0'5	0'4	...	15
16	0'4	0'7	0'8	0'7	0'5	0'2	0'4	16
17	...	0'1	1'0	0'9	1'0	1'0	1'0	1'0	1'0	1'0	0'4	0'4	...	17
18	0'4	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'5	18
19	...	0'8	0'6	0'3	0'6	0'6	1'0	1'0	0'4	0'2	0'2	19
20	0'1	0'3	0'1	0'1	0'1	0'1	20
21	0'2	0'8	1'0	1'0	1'0	1'0	1'0	1'0	0'5	0'2	...	21
22	0'7	0'7	0'7	1'0	1'0	1'0	1'0	1'0	0'1	...	22
23	0'2	1'0	0'9	0'5	1'0	0'2	0'4	0'5	0'3	1'0	1'0	0'7	...	23
24	...	0'1	0'3	0'7	0'9	0'4	0'7	0'3	0'2	0'2	0'2	24
25	0'8	1'0	1'0	1'0	1'0	1'0	1'0	0'8	...	25
26	0'8	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'8	...	26
27	0'4	...	0'4	0'9	1'0	1'0	1'0	1'0	1'0	0'5	...	27
28	0'3	0'8	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'6	...	28
29	...	0'2	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'8	...	29
30	0'5	1'0	1'0	1'0	1'0	1'0	0'7	...	30
31	...	0'4	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'7	...	31

HOURLY VALUES OF RAINFALL AND WIND,

TABLE VI.—AMOUNT OF RAINFALL registered in each HOUR of the DAY, in the MONTH of JANUARY, 1923.
 (d = Unregistered Drizzle. = No Rainfall.)

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the
MONTH of JANUARY, 1923.
(The Direction is given in points, and the Velocity in miles per hour.)
(8 = East. 16 = South, &c. = Calm.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.											
	1	2	3	4	5	6	7	8	9	10	11	Noon.												
1	Dir. 7	Vel. 18	Dir. 7	Vel. 25	Dir. 7	Vel. 24	Dir. 7	Vel. 26	Dir. 7	Vel. 23	Dir. 8	Vel. 27	Dir. 8	Vel. 27	Dir. 9	Vel. 20	Dir. 10	Vel. 17	Dir. 10	Vel. 14	Dir. 10	Vel. 11	1	
2	7	23	7	18	7	13	4	11	3	7	2	10	1	11	1	10	1	9	32	9	31	11	32	8
3	1	13	32	13	1	11	1	15	2	17	1	17	1	15	1	15	1	13	32	14	1	13	1	9
4	1	2	1	8	1	6	1	10	2	12	2	9	1	4	3	6	5	5	7	11	9	11	4	
5	4	4	3	7	2	11	2	11	2	4	1	5	32	6	31	4	32	12	1	11	3	10	5	
6	10	3	6	2	...	1	6	6	7	9	7	8	7	7	8	9	9	12	9	13	9	16	9	
7	7	19	8	21	8	19	9	14	9	10	9	8	9	11	9	13	9	12	9	13	9	14	7	
8	8	20	9	16	9	10	10	4	11	2	...	1	10	2	11	2	10	5	10	8	9	13	9	
9	9	
10	7	21	7	21	7	25	7	22	7	17	7	9	7	10	8	13	9	10	10	13	11	11	10	
11	7	22	7	22	7	20	8	17	7	20	7	22	7	21	7	16	7	18	8	23	8	22	8	
12	10	15	10	12	10	5	10	2	9	8	9	11	10	12	10	11	7	
13	13	
14	8	32	8	30	8	28	8	25	8	31	9	28	8	24	9	17	9	19	9	16	8	17	9	
15	10	6	10	2	...	10	2	...	1	...	1	...	1	...	1	15	2	21	5	25	4	23	10	
16	1	15	1	22	1	12	1	13	1	14	1	8	1	9	32	8	1	11	1	11	1	10	3	
17	1	9	1	12	1	11	2	6	2	6	2	7	1	7	1	6	32	13	2	8	6	8	17	
18	7	13	7	14	7	13	6	11	4	6	3	5	3	5	4	6	7	9	10	12	10	12	18	
19	7	18	7	20	6	18	6	15	7	18	7	21	7	19	7	20	8	18	8	20	9	19	19	
20	7	18	8	9	9	9	10	6	9	8	8	13	9	12	9	15	9	18	9	21	8	22	8	
21	9	13	8	13	9	15	8	11	9	14	8	15	8	21	8	20	8	22	8	24	8	21	21	
22	9	18	9	17	9	18	9	16	9	14	9	14	9	15	9	11	9	10	9	14	9	13	22	
23	10	3	9	7	10	8	9	6	9	9	10	9	9	12	10	13	9	10	9	17	9	20	23	
24	7	23	7	24	7	24	7	27	8	25	8	22	8	16	9	19	8	18	9	17	9	17	24	
25	30	8	31	12	2	9	3	8	2	7	2	5	1	4	1	9	1	7	1	3	32	4	25	
26	1	5	1	6	2	5	2	6	1	10	1	12	1	14	1	13	1	12	2	7	3	8	9	
27	5	11	5	7	4	4	4	5	4	5	4	5	4	5	4	5	3	5	6	4	6	5	27	
28	8	25	7	14	6	14	5	11	4	6	3	9	3	11	5	9	7	7	9	11	9	14	28	
29	32	3	32	4	32	3	32	8	32	9	1	13	32	11	1	11	2	11	3	27	4	29	29	
30	3	4	...	1	3	5	2	6	2	3	...	1	2	2	...	1	2	5	3	4	6	4	30	
31	3	8	2	14	2	9	2	10	1	10	1	11	1	14	1	10	1	9	1	11	1	13	21	
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.											
1	Dir. 10	Vel. 7	Dir. 16	Vel. 8	Dir. 22	Vel. 11	Dir. 31	Vel. 6	Dir. 9	Vel. 11	Dir. 10	Vel. 13	Dir. 8	Vel. 11	Dir. 8	Vel. 12	Dir. 7	Vel. 19	Dir. 8	Vel. 15	Dir. 7	Vel. 18	Dir. 7	22
2	1	8	2	6	1	10	1	13	1	12	1	13	2	11	2	11	1	12	1	18	32	17	1	16
3	2	8	2	4	2	8	5	10	4	7	2	8	1	11	1	11	1	4	2	
4	10	12	11	11	10	11	10	13	9	14	7	11	5	6	4	5	3	5	5	4	5	4	4	
5	11	5	10	11	9	10	11	11	10	11	10	9	10	6	10	2	10	2	10	6	10	6	3	
6	9	17	10	15	9	14	9	15	9	17	8	16	8	15	7	14	6	13	7	14	7	17	6	
7	9	24	9	22	9	17	9	20	9	16	9	15	10	19	10	15	10	14	9	15	8	17	7	
8	9	5	8	10	8	10	7	10	3	5	28	4	25	3	24	2	2	8	
9	9	15	9	14	9	16	9	11	8	12	8	15	8	16	7	14	8	14	7	19	8	23	9	
10	10	18	9	16	10	15	9	16	9	16	9	15	8	16	8	17	7	20	7	24	7	10	10	
11	9	23	9	19	9	17	9	20	8	17	9	15	9	15	9	14	9	14	9	12	9	14	13	
12	11	4	11	5	9	10	6	11	7	9	8	13	10	13	11	11	11	12	9	12	6	...	1	
13	10	23	9	21	9	20	9	20	8	21	8	22	8	23	7	25	8	29	8	37	8	37	13	
14	9	15	9	14	10	15	10	15	10	13	10	16	10	14	10	15	9	15	10	13	12	11	9	
15	24	10	23	10	24	9	23	10	22	8	28	2	2	7	2	10	1	15	1	6	32	6	7	
16	6	6	8	13	10	15	10	19	10	15	10	13	8	14	7	10	7	10	8	16	8	17	12	
17	8	12	9	11	9	10	9	11	8	13	8	15	7	16	7	13	7	12	7	11	7	12	17	
18	10	12	10	14	9	15	9	15	9	16	9	18	8	13	8	15	7	17	8	14	7	18	18	
19	8	18	9	18	10	13	10	14	9	14	9	17	9	18	8	17	7	15	7	15	7	16	19	
20	8	23	7	17	7	21	7	22	7	20	7	18	8	16	9	16	9	12	9	12	9	14	20	
21	8	22	8	23	9	22	8	23	8	22	8	18	9	17	9	16	9	19	8	21	9	18	8	
22	8	15	9	17	9	17	9	18	9	20	9	15	9	14	10	12	10	14	10	11	10	11	7	
23	9	22	9	16	9	17	9	18	10	16	9	14	9	10	8	14	8	16	7	17	7	18	23	
24	11	11	11	8	12	6	15	4	19	4	20	2	20	3	19	6	16	14	10	10	7	4	8	
25	31	8	30	11	24	12	25	10	25	7	25	4	23	2	19	4	13	8	9	6	5	2	3	25
26	19	6	24	9	26	6	32	2	2	6	2	3	2	5	3	7	4	10	5	8	6	
27	16	5	24	7	26	7	26	6	22	4	16	8	10	6	7	5	6	7	6	8	7	17	27	
28	9	15	10	13	15	8	20	2	20	5	18	4	11	10	8	11	8	9	7	7	5	7	28	
29	24	5	25	7	18	6	6	2	10	1	9	1	9	3	32	4	1	6	2	5	2	9	29	
30	9	11	10	9	10	8	10	15	9	15	9	13	8	12	7	12	6	11	6	8	5	9	30	
31	1	9	1	2	10	2	11	1	14	1	9	1	9	1	9	32	9	1	18	2	17	2	13	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS,
in the MONTH of JANUARY, 1923.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	E	a-cu en	WSW E	eu	ENE	ou	ENE	cu	NNE	a-cu	WSW	a-cu cu	S E
2	en	NE	eu	NE	st-cu	SSE	eu	S	a-cu en	SSE	a-cu	SSW	eu	SSE	eu	SSE
3	en	S	eu	SSE	a-cu	WSW	a-cu	WSW	ci-st	W	ci-cu	WSW	a-cu	WSW	a-cu	WSW
4	ci-st	SW	ci-st	WSW	ei-st	WSW	eu	W
5	a-cu en	WSW W	a-cu en	sw w	a-cu	SW	a-cu	SW	ci-st	WSW	ci-st	W	ci-st	W
6	a-cu	SSW	a-cu	WSW	ci-st	SW	ci-st	SW	a-cu	WSW
7	a-en	SW	ci-st	WSW	ou	SE	eu	SE	eu	SE	eu	SE	cu	SSE	eu	SE
8	en	SSE	en-nb	SE	st-cu	SE	eu	NW	eu	NNE	eu	NNW	en	N
9	a-cu en	w E	eu	E	eu	E
10	eu	E	a-cu en	NW E
11	ou	E	a-cu en	sw E	a-cu	SW	a-cu	SSW	a-cu	SSW	a-cu	SSW	a-cu	WSW	a-cu	SW
12	a-cu	SW	eu	SE	st-cu	SSE	eu	SSE	eu	S	eu	SSE	eu	SE	eu	SE
13	eu	SE	a-cu en	NW SSE	a-cu	NE	eu	SE
14	en	ENE	st-cu	E	eu-nb	ENE	eu	SSE	eu-nb	ESE	eu	ESE	eu	ESE
15	eu-nb	E	eu	ESE	eu	E	eu	E	eu	ENE	st	ESE
16	st-cu	E	st-cu	E	st-en	ENE	eu	SE	a-cu	WSW	a-cu en	sw se	eu	ESE	eu	ESE
17	eu	E	en	E	a-cu en	sw ne	ci-st	SW
18	eu	E	eu	E	eu	E	a-cu	sw
19	eu	E	eu	E	eu	E	eu	ESE	a-cu en	sw	st-cu	WNW	eu	E
20	eu	E	eu	E	eu	E	eu	SE	a-cu en	ws	st-cu	E	st-ou	E	eu	E
21	nb	E	eu	E	nb	ESE	eu-nb	E	eu	E	eu	E	eu	nb	SE	...
22	eu-nb	SE	eu-nb	ESE	nb	E	nb	E	eu	ESE	eu	ESE	eu	ESE
23	eu	E	eu	E	eu	E	eu-nb	E	eu	E	eu	E	eu	E	eu	E
24	eu	E	eu-nb	E	eu	E	eu	NE	a-cu en	sw ese	a-cu	SSW	eu	SW	eu	SSW
25	eu	SW	st-cu	ENE	st-cu	NE	eu	NNE
26	st	NNE	st	NNE	eu	ENE
27	st-cu	ENE	st-cu	NE	st-cu	E	eu	ESE	eu	E	eu	E	eu	E	eu	ENE
28	st-cu	E	st-cu	E	a-cu	WNW	ci-st	E	eu	E	eu	WSW	ch	E
29	eu	E	eu	E	eu	NNE
30	eu	ESE	st	ESE	ou	E	ou	NE	a-cu	SW
31	eu	S	eu	NNE	a-cu	sw	ci-st	WSW

TABLE IX.—DAILY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH OF JANUARY, 1923.
(British Units.)

Days of the Month.	Mean Barometric Pressure.	Temperature.						Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Daily Duration.	Percentage of possible amount.	Rainfall.	Wind.								
		OF THE AIR			Mean Range.	Mean.	Mean Vapour Tension.						Components.		Resultant.							
		Highest.	Lowest.	Range.									North.	East.	Direction.	Velocity.	Observed Velocity					
1	30°109	68·7	58·5	10·2	61·8	55·3	0·353	63	52	7·3	68	...	— 0·2	+ 14·9	91	14·9	16·6					
2	30°188	63·0	54·4	8·6	58·7	50·0	1·247	49	100	0·9	8	...	+ 9·9	+ 4·4	24	10·8	12·0					
3	30°219	58·1	47·7	10·4	52·5	43·3	1·161	40	70	7·0	65	...	+ 9·7	+ 2·8	16	10·1	10·2					
4	30°220	59·2	45·7	13·5	52·8	44·6	1·188	46	32	9·2	85	...	+ 2·8	+ 5·7	64	6·4	8·4					
5	30°207	64·4	53·8	10·6	57·7	47·6	1·198	41	63	7·7	71	...	+ 2·0	+ 4·2	64	4·7	7·0					
6	30°116	64·0	54·7	9·3	59·1	52·1	1·298	59	37	9·6	89	...	— 0·2	+ 11·9	91	11·9	12·0					
7	30°021	66·1	58·6	7·5	61·6	55·7	1·367	67	70	4·7	44	...	— 2·5	+ 15·5	99	15·7	15·6					
8	29°996	73·1	61·8	11·3	65·7	61·2	1·482	76	46	8·8	81	...	— 0·5	+ 4·9	96	4·9	6·0					
9	30°057	68·8	59·7	9·1	62·8	59·5	1·466	81	6	9·3	86	...	— 1·1	+ 11·5	95	11·6	11·7					
10	30°113	63·7	57·2	6·5	59·6	54·5	1·359	70	8	8·9	82	...	— 0·4	+ 16·2	91	16·2	16·4					
11	30°020	63·6	56·9	6·7	59·5	53·8	1·340	67	52	8·1	75	...	— 0·2	+ 18·4	91	18·4	18·4					
12	29°959	72·0	60·0	12·0	64·2	57·0	1·371	62	79	1·0	9	...	— 2·5	+ 6·9	110	7·4	7·7					
13	29°960	72·6	60·3	12·3	64·2	58·4	1·414	69	35	7·9	73	...	— 1·5	+ 14·4	96	14·5	14·7					
14	29°900	64·5	59·8	4·7	61·9	58·9	1·459	83	79	0·8	7	...	— 3·2	+ 18·4	100	18·7	18·9					
15	29°920	74·0	62·8	11·2	67·1	61·9	1·487	73	58	8·4	77	...	+ 1·4	+ 1·8	303	2·3	5·6					
16	30°088	63·9	57·4	6·5	59·6	51·4	1·273	53	93	3·7	34	...	+ 5·2	+ 7·8	56	9·4	12·7					
17	30°153	63·6	54·3	9·3	58·0	49·7	1·248	51	37	8·5	78	...	+ 4·2	+ 7·3	60	8·4	10·3					
18	30°126	63·3	53·7	9·6	58·1	52·2	1·311	64	24	9·9	91	...	+ 0·4	+ 11·5	88	11·5	12·0					
19	30°055	64·8	57·2	7·6	60·1	54·8	1·361	70	57	5·6	51	...	+ 1·0	+ 17·1	87	17·1	17·3					
20	30°029	65·3	59·8	5·5	63·3	58·4	1·425	73	97	0·6	6	...	- 0·3	+ 15·6	91	15·6	15·6					
21	29°961	69·4	62·4	7·0	65·5	62·6	1·530	85	83	5·7	52	...	— 1·1	+ 18·8	93	18·8	18·8					
22	29°944	71·1	64·1	7·0	66·4	63·8	1·559	86	69	6·2	56	0·130	5	— 3·1	+ 14·5	102	14·9	14·7				
23	29°974	70·8	62·4	8·4	64·8	62·1	1·523	85	47	7·4	67	...	— 1·9	+ 13·7	98	13·8	13·8					
24	30°030	69·0	59·7	9·3	63·6	60·1	1·475	80	92	3·8	35	...	— 1·9	+ 11·4	100	11·6	13·7					
25	30°108	62·9	54·0	8·9	58·2	52·5	1·321	66	48	5·6	51	...	+ 4·0	- 0·6	351	4·0	6·8					
26	30°143	61·9	48·9	13·0	56·2	48·5	1·237	51	27	10·6	96	...	+ 5·3	+ 1·6	17	5·5	7·0					
27	30°181	59·6	51·3	8·3	55·3	48·9	1·263	60	70	5·2	47	...	+ 1·3	+ 4·0	72	4·2	7·1					
28	30°195	60·5	51·2	9·3	56·2	50·5	1·294	65	40	9·7	88	...	+ 1·1	+ 7·7	82	7·8	10·0					
29	30°167	61·6	48·5	13·1	55·0	47·3	1·226	51	32	10·0	90	...	+ 5·7	+ 0·3	3	5·7	7·2					
30	30°148	60·4	52·2	8·2	55·4	49·0	1·264	60	56	4·2	38	...	+ 1·0	+ 6·2	81	6·3	7·3					
31	30°197	62·5	50·4	12·1	56·0	45·4	1·166	37	27	10·1	91	...	+ 10·9	+ 3·0	15	11·3	11·2					
Means	30°080	65·4	56·1	9·3	60·0	53·9	0·344	64	54	20·6	61	0·130	10	+ 1·5	+ 9·3	81	9·4	11·8				
Normals	30°049	64·4	56·1	8·3	59·8	55·2	0·386	73	62	14·8	3	44	1·373	47	+ 2·5	+ 10·0	76	10·3	13·2			
Absolute Max.	30°282	74·0	... 13·5	...	66·4	0·590	10·6	96	0·130	5	37·0†				
Day.	3	15	...	4	...	15	22	...	26	26	22	22	13·7/31·6 8·2/18·6				
Absolute Min.	29°845	...	45·7	4·7	...	38·8	0·119	24				
Day.	14	...	4	14	...	4	4	5				

Phenomena :—

Lunar corona :—on the 3rd, 4th, 6th, 7th, 11th, and 31st.

Slight fog :—on the 13th, 15th and 21st.

Haze :—on the 4th, 8th, 9th, 12th and 24th.

Unusual visibility :—on the 26th.

Rainbow :—on the 20th.

Lightning :—on the 19th, 21st, 23rd and 27th.

Rain fell on 1 day. The mean hourly intensity was 0·013^{in.}, and the maximum fall in one hour was 0·080^{in.} at 7^h on the 22nd.The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 47 miles per hour at 0^h 58^m on the 14th.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1923.
(C. G. S. Units:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure, m.b.	Temperature.					Mean Vapor Tension, m.b.	Rainfall.		Wind.				Observed Velocity, m.p.s.		
		of the Air.			Mean, °	Of Evaporation, °		Amount, mm.	Duration, hrs.	Components.		Resultant.				
		Highest, °	Lowest, °	Range, °						North,	East,	Velocity, m.p.s.				
1	1021.7	293.4	287.7	5.7	289.6	285.9	11.9	- 0.1	+ 4.9	91	4.9	5.4		
2	1024.4	290.2	285.4	4.8	287.8	283.0	8.3	+ 3.2	+ 1.4	24	3.5	3.9		
3	1025.5	287.5	281.7	5.8	284.4	279.3	5.4	+ 3.2	+ 0.9	16	3.3	3.3		
4	1025.2	288.1	280.6	7.5	284.6	280.0	6.3	+ 0.9	+ 1.9	64	2.1	2.8		
5	1025.0	291.0	285.1	5.9	287.3	281.7	6.6	+ 0.7	+ 1.4	64	1.5	2.3		
6	1021.9	290.8	285.6	5.2	288.1	284.2	10.0	- 0.1	+ 3.9	91	3.9	3.9		
7	1018.7	291.9	287.8	4.1	289.4	286.2	12.4	- 0.8	+ 5.1	99	5.1	5.1		
8	1017.8	295.8	289.6	6.2	291.7	289.2	16.2	- 0.2	+ 1.6	96	1.6	2.0		
9	1019.9	293.4	288.4	5.0	290.1	288.3	15.7	- 0.4	+ 3.8	96	3.8	3.8		
10	1021.8	290.6	287.0	3.6	288.3	285.5	12.1	- 0.1	+ 5.3	91	5.3	5.4		
11	1018.7	290.6	286.8	3.8	288.3	285.1	11.4	- 0.1	+ 6.0	91	6.0	6.0		
12	1016.6	295.2	288.6	6.6	290.9	286.9	12.5	- 0.8	+ 2.3	110	2.4	2.5		
13	1016.6	295.6	288.7	6.9	290.9	287.7	13.9	- 0.5	+ 4.7	96	4.8	4.8		
14	1014.6	291.1	288.4	2.7	289.6	287.9	15.5	...	2	- 1.0	+ 6.0	100	6.1	6.2		
15	1015.2	296.3	290.1	6.2	292.5	289.6	16.4	...	1	+ 0.5	- 0.6	308	0.8	1.8		
16	1021.0	290.7	287.1	3.6	288.3	283.8	9.2	+ 1.7	+ 2.6	56	3.1	4.2		
17	1023.2	290.6	285.4	5.2	287.4	282.8	8.3	+ 1.4	+ 2.4	60	2.8	3.4		
18	1022.3	290.4	285.1	5.3	287.6	284.2	10.5	+ 0.1	+ 3.8	68	3.8	3.9		
19	1019.9	291.2	287.0	4.2	288.6	285.7	12.1	+ 0.3	+ 5.6	87	5.6	5.7		
20	1018.9	291.5	288.4	3.1	290.4	287.7	14.3	- 0.1	+ 5.1	91	5.1	5.1		
21	1016.6	293.8	289.9	3.9	291.6	290.0	17.9	...	1	- 0.4	+ 6.2	93	6.2	6.2		
22	1016.0	294.7	290.8	3.9	292.1	290.7	18.9	3.3	5	- 1.0	+ 4.8	102	4.9	4.8		
23	1017.1	294.6	289.9	4.7	291.2	289.7	17.6	- 0.6	+ 4.5	98	4.5	4.5		
24	1019.0	293.6	288.4	5.2	290.6	288.6	16.0	- 0.6	+ 3.7	100	3.8	4.5		
25	1021.7	295.2	285.2	5.0	287.6	284.4	10.8	+ 1.3	-- 0.2	351	1.3	2.2		
26	1022.9	289.6	282.4	7.2	286.6	282.2	8.0	+ 1.7	+ 0.5	17	1.8	2.3		
27	1024.2	288.3	283.7	4.6	285.9	282.4	8.8	+ 0.4	+ 1.3	72	1.4	2.3		
28	1024.7	288.8	285.7	5.1	286.4	283.3	9.9	+ 0.4	+ 2.5	82	2.6	3.3		
29	1023.7	289.4	282.2	7.2	285.8	281.5	7.6	+ 1.9	+ 0.1	3	1.9	2.4		
30	1023.1	288.8	284.2	4.6	286.0	282.4	8.9	+ 0.3	+ 2.0	81	2.1	2.4		
31	1024.7	289.9	283.2	6.7	286.3	280.4	5.6	+ 3.6	+ 1.0	15	3.7	3.7		
Means.	1020.7	291.6	286.4	5.2	288.6	285.2	11.6	3.3	Sum.	Hour.	...	81	3.1	3.9		
Normals.	1019.6	291.0	286.4	4.6	288.4	285.9	13.0	34.9	+	0.5	+ 3.0	76	3.4	4.3		
Absolute Maximum.	1027.6	296.3	...	7.5	...	292.1	...	3.3	5	12.1†		
Day.	3	15	...	4	...	15	...	22	22	13.7 22.6 & 34.7		
Absolute Minimum.	1012.7	...	280.6	2.7	...	276.8		
Day.	14	...	4	14	...	4		

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1923.
(British Units.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature.				Mean Amount of Cloud (0.000)	Percentage of Possible Sunshine.	Rainfall. Percentage of Total			Wind.			
		Ins.	° of Ahr.	Of Evaporation.	Degrees of Humidity			Amount.	Duration	Components.	Resultant.			
		ins.	°	ins.	%	%	%	m.p.h.	m.p.h.	Direction *	Velocity.	Observed Velocity.		
1	30°088	58.7	54.1	0.367	71	60	...	8	+ 2.9	+ 10.7	75	11.1	12.6	
2	30°083	58.4	53.6	0.357	70	76	...	4	+ 3.9	+ 9.9	68	10.7	12.7	
3	30°075	58.2	53.3	0.352	70	74	8	10	+ 3.3	+ 9.2	70	9.8	11.3	
4	30°073	58.0	52.9	0.343	68	77	+ 3.9	+ 8.1	64	9.0	10.6	
5	30°075	57.7	52.5	0.336	68	77	...	6	+ 3.5	+ 7.8	66	8.6	10.3	
6	30°086	57.4	51.9	0.324	66	78	...	4	7	+ 3.5	+ 7.4	65	8.2	10.2
7	30°100	57.2	51.7	0.321	66	75	12	61	11	+ 3.5	+ 7.5	65	8.3	10.5
8	30°117	57.7	52.2	0.328	66	71	40	+	9	+ 2.5	+ 7.9	72	8.3	10.6
9	30°137	59.4	53.1	0.330	62	63	54	23	14	+ 2.5	+ 8.3	73	8.7	11.0
10	30°144	61.3	54.0	0.330	58	59	65	...	5	+ 1.6	+ 9.1	80	9.2	12.2
11	30°132	62.8	54.6	0.327	55	52	73	+ 1.3	+ 10.3	83	10.4	12.7
Noon.	30°103	63.4	55.0	0.330	54	47	75	- 0.5	+ 10.5	93	10.5	12.7
13	30°067	63.9	55.1	0.327	53	42	82	- 1.4	+ 10.1	98	10.2	12.7
14	30°040	63.9	55.5	0.338	55	37	84	- 1.5	+ 8.9	100	9.0	12.5
15	30°021	63.6	55.4	0.340	56	34	78	- 1.5	+ 8.0	101	8.1	12.5
16	30°020	62.8	55.1	0.342	57	37	70	...	+	- 1.0	+ 9.5	96	9.6	12.7
17	30°030	61.7	54.7	0.344	60	39	36	+ 9.8	90	9.8	12.7
18	30°044	60.5	54.3	0.349	63	37	- 0.2	+ 9.7	91	9.7	11.8
19	30°057	59.7	54.2	0.357	67	35	+ 0.2	+ 9.7	89	9.7	11.5
20	30°074	59.3	54.2	0.363	69	37	...	8	+	+ 0.8	+ 9.2	85	9.2	11.1
21	30°085	59.1	54.1	0.362	69	44	+ 1.8	+ 9.8	80	10.0	12.6
22	30°093	58.9	54.0	0.362	70	47	...	7	+	1.6	+ 10.1	81	10.2	11.9
23	30°095	58.8	54.1	0.366	71	54	...	7	+	1.8	+ 10.8	80	11.0	12.3
Midn.	30°093	58.6	53.9	0.363	71	54	...	4	+	2.8	+ 10.6	75	11.0	12.3

TABLE XII.—MEAN HOURLY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1923.
(C. G. S. Units:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature.				Mean Vapour Tension.	Wind.			Observed Velocity.	
		° of Ahr.	Of Evaporation.	Components.	Resultant.						
		m.b.	°	0		m.b.	North.	East.	Direction *	Velocity.	
1	1021.0	287.8	285.3	12.4	+	1.0	+	3.5	75	3.6	4.1
2	1020.8	287.7	285.0	12.0	+	1.3	+	3.2	68	3.5	4.2
3	1020.6	287.6	284.8	11.8	+	1.1	+	3.0	70	3.2	3.7
4	1020.5	287.4	284.6	11.5	+	1.3	+	2.7	64	3.0	3.5
5	1020.6	287.3	284.4	11.3	+	1.1	+	2.6	66	2.8	3.4
6	1020.9	287.1	284.1	10.9	+	1.1	+	2.4	65	2.7	3.3
7	1021.4	287.0	283.9	10.8	+	1.1	+	2.5	65	2.7	3.4
8	1022.0	287.3	284.2	11.0	+	0.8	+	2.6	72	2.7	3.5
9	1022.7	288.2	284.7	11.1	+	0.8	+	2.7	73	2.9	3.6
10	1022.9	289.3	285.2	11.1	+	0.5	+	3.0	80	3.0	4.0
11	1022.5	290.1	285.6	11.0	+	0.4	+	3.4	83	3.4	4.2
Noon.	1021.5	290.4	285.8	11.1	-	0.2	+	3.4	93	3.4	4.2
13	1020.2	290.7	285.8	11.0	-	0.5	+	3.3	98	3.3	4.2
14	1019.3	290.7	286.1	11.4	-	0.5	+	2.9	100	3.0	4.1
15	1018.7	290.6	286.0	11.4	-	0.5	+	2.6	101	2.7	4.1
16	1018.7	290.1	285.8	11.5	-	0.3	+	3.1	96	3.1	4.2
17	1019.0	289.5	285.6	11.6	...		+	3.2	90	3.2	4.2
18	1019.5	288.8	285.4	11.7	-	0.1	+	3.2	91	3.2	3.9
19	1019.9	288.4	285.3	12.0	+	0.1	+	3.2	89	3.2	3.8
20	1020.5	288.2	285.3	12.2	+	0.3	+	3.0	85	3.0	3.6
21	1020.9	288.1	285.3	12.2	+	0.6	+	3.2	80	3.3	4.1
22	1021.2	287.9	285.2	12.2	+	0.5	+	3.3	81	3.3	3.9
23	1021.2	287.9	285.3	12.3	+	0.6	+	3.5	80	3.6	4.0
Midn.	1021.2	287.8	285.2	12.2	+	0.9	+	3.5	75	3.6	4.0

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

JANUARY,

1923.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

31ST DECEMBER, 1922.

1ST JANUARY, 1923.

STATION.	HONGKONG STANDARD TIME.						HONGKONG STANDARD TIME.							
	BAROMETER AT SEA LEVEL		TEMPER- ATURE		HUMIDIT.		BAROMETER AT SEA LEVEL		TEMPER- ATURE		HUMIDIT.			
	Inches.	Millrs.				Direction.	Force.		Inches.	Millrs.		Direction.	Force.	WEATHER.
Vladivostock, .	12	29.99	761.8	9	..	NNW	5	b	6	30.05	763.2	-4	..	o
Nemuro,	11	29.31	744.5	W	2	..	5
Hokodate,	"	29.53	750.0	W	1	..	"
Tokio,	"	29.70	754.5	NNE	1	..	"
Kochi,	"	30.02	762.5	NW	2	..	"
Nagasaki,	"	30.20	767.0	NNW	4	..	"
Kagoshima,	"	30.15	766.0	NNW	4	..	"
Oshima,	"	30.12	765.0	N	4	..	"
Naha,	"	30.16	766.0	N	3	..	"
Ishigakijima,	"	30.16	766.0	NNE	4	..	"
Bonin Island,	"	30.04	763.0	WNW	1	..	"
Weihaiwei,	14	6	30.53	775.4	24	87	r
Hankow,	15	"
Iohang,	"	"
Changsha,	"	"
Shanghai,	11	30.45	773.4	48	25	NNW	2	b	"	30.60	777.3	32	..	b
Gutzlaff,	"	30.37	771.4	50	100	N	1	b	"	30.48	774.2	40	100	b
Sharp Peak,	15	30.16	765.0	60	71	ENE	4	b	7	30.22	767.6	54	87	b
Amoy,	14	30.11	764.8	65	78	E	4	b	6	30.18	766.6	52	93	o
Swatow,	"	"
Taihoku,	12	30.24	768.0	59	81	E	6	r	"	30.22	767.7	55	88	o
Taichu,	"	30.15	765.9	66	0	b	"	30.10	764.4	57	..	o
Tainan,	"	30.14	765.6	68	..	N	4	b	"	30.07	763.8	54	..	b
Koshun,	"	30.11	764.7	75	..	NE	4	b	"	30.06	763.5	66	..	o
Pescadores,	"	30.19	766.8	68	..	NE	6	b	"	30.12	765.0	61	..	o
Canton,	15	30.08	764.0	72	38	NW	2	b	"	30.16	766.0	53	86	o
Hongkong,	14	30.08	764.0	68	42	E	4	b	"	30.16	766.0	59	76	b
Gap Rock,	"	30.08	764.0	ENE	4	c	"	30.13	765.3	o
Macao,	"	30.06	763.5	66	46	NE	2	c	"	30.14	765.6	59	81	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	30.06	763.5	73	52	ESE	2	o	7	30.11	764.7	64	71	o
Tourane,	"	30.00	762.0	65	..	NW	4	o	7	30.01	762.3	64	..	of
Cape St. James,	"	29.84	757.8	82	..	SSE	2	o	"	29.86	758.4	73	..	o
Aparri,	14	29.94	760.5	79	66	NE	4	o	6	29.95	760.8	75	96	o
Dagupan,	"	"
Manila,	"	29.80	756.9	86	58	NE	2	o	"	29.85	758.1	70	92	o
Legaspi,	"	29.79	756.6	84	77	NE	4	o	"	29.81	757.2	77	88	o
Tacloban,	"	"	29.81	757.2	75	96	o
Illoilo,	"	"	29.78	756.3	73	48	o
Surigao,	"	"
Guam,	12.20	29.75	755.7	E	4	o	4.20	29.80	756.9	o
Yap,	12.47	4.47
Labuan,	14	29.79	756.6	86	76	N	2	b	6	29.76	755.9	76	94	b

January 1d. 11h. 50m.—Pressure has increased moderately from Shanghai to Weihaiwei and slightly at Hongkong. It has decreased slightly over the Philippines, Formosa and Indo-China.

The anticyclone over China has strengthened.

Strong monsoon may be expected along the coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lameeks, N.E. winds, fresh to strong; fine at first, some drizzle or mist later.
- 3.—Hongkong to Gap Rock, N.E. winds, fresh to strong; fine at first, some drizzle or mist later.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	1ST JANUARY, 1923.							2ND JANUARY, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		
	Inches.	Mills.	Direct- ion.	Force.				Inches.	Mills.	Direct- ion.	Force.					
Vladivostock, ..	12	30.01	762.3	0	...	NW	4	0	6	30.32	770.1	7	...	N	3	o
Nemuro,	11	29.33	745.0	WSW	2	...	5	29.25	743.0	NNW	6	..
Hokodate,	"	29.51	749.5	W	2	...	"	29.51	749.5	NNW	5	..
Tokio,	"	29.63	752.5	WSW	3	...	"	29.80	757.0	WSW	1	..
Kochi,	"	30.02	762.5	WNW	3	...	"	30.20	767.0	0	..
Nagasaki,	"	30.24	768.0	NW	4	...	"	30.28	769.0	NNW	3	..
Kagoshima,	"	30.18	766.5	NNW	5	...	"	30.28	769.0	N	3	..
Oshima,	"	30.20	767.0	N	5	...	"	30.22	769.0	N	6	..
Naha,	"	30.20	767.0	NNE	4	...	"	30.30	769.5	NNE	3	..
Ishigakijima,	"	30.18	766.5	N	4	...	"	29.96	761.0	W	4	..
Bonin Island,	"	30.12	765.0	NNW	1	...	"
Weihaiwei,	14	30.60	777.2	N	6	0	6	30.68	779.3	24	73	N	4	o
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.60	777.3	39	44	N	1	b	"	30.75	780.9	25	...	NNW	4	o
Gutzlaff,	"	30.55	779.9	40	100	N	4	0	"	30.68	779.3	30	100	N	6	o
Sharp Peak,	15	30.24	768.1	58	67	ENE	4	b	7	30.41	772.4	44	76	ENE	4	o
Amoy,	14	30.13	765.3	64	100	ENE	6	b	6	30.32	770.1	50	100	ENE	4	o
Swatow,	"	"
Taihoku,	12	30.27	768.9	59	73	E	4	0	"	30.41	772.5	50	92	ENE	4	r
Taichu,	"	30.13	765.3	66	...	N	4	b	"	30.20	767.1	52	...	NNW	4	o
Tainan,	"	30.13	765.3	66	...	N	4	b	"	30.15	765.9	54	...	NNE	6	o
Koshun,	"	30.07	763.8	70	...	NE	8	b	"	30.08	764.1	63	...	NE	10	o
Pescadores,	"	30.18	766.5	66	...	NE	7	0	"	30.23	767.7	55	...	NE	10	o
Canton,	15	30.11	764.8	70	40	N	2	b	"	30.29	769.3	52	53	N	2	o
Hongkong,	14	30.13	765.3	67	50	E	2	b	"	30.23	767.8	57	55	NNE	2	o
Gap Rock,	"	30.12	765.0	ENE	5	b	"	30.21	767.3	ENE	5	o
Macao,	"	30.13	765.3	63	56	NNE	2	b	"	30.21	767.4	55	49	N	2	o
Wuchow,	15	"
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	30.08	764.1	72	54	ENE	4	0	7
Tourane,	"	30.00	762.0	56	...	WNW	4	r	"
Capo St. James,	"	29.85	758.1	79	...	ENE	6	b	"
Aparri,	14	29.93	760.2	79	66	ENE	4	0	6	30.00	762.0	50	79	NE	4	o
Dagupan,	"	29.81	757.2	86	65	NW	2	b	"
Manila,	"	29.80	756.9	82	67	WSW	2	0	"	29.84	757.8	72	82	NNE	1	b
Legaspi,	"	29.78	756.3	81	89	NE	4	0	"
Tacloban,	"	"
Illoilo,	"	"
Surigao,	"	"
Guam,	12.20	29.78	756.3	E	2	r	4.20	29.79	756.6	NE	2	o
Yap,	12.47	4.47
Labuan,	14	29.84	757.9	84	83	NE	2	bf	6	29.75	755.6	77	94	S	2	b

January 2d. 2h. 55m.—Warning to Hongkong, Coast Ports, &c.:—N.E. gale in Formosa Channel.

January 2d. 11h. 23m.—Pressure has increased moderately from Shanghai to Hongkong, and from Formosa to S.W. Japan. It has decreased moderately over N.E. Japan.

A strong anticyclone covers S.E. Mongolia and China, and a deep depression is central to the east of Hokkaido.

Strong monsoon may be expected along the coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. monsoon gale.
- 2.—South coast of China between Hongkong and Lamock, } N.E. winds, fresh to strong; cloudy at first, then fine.
- 3.—Hongkong to Gap Rock, }
- 4.—South coast of China between Hongkong and Hainan, .. }

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	2ND JANUARY, 1923.							3RD JANUARY, 1923.																		
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.		HUMID.	WIND.		WEATHER.				HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.		HUMID.	WIND.		WEATHER.			
			Inches.	Millrs.				Dir. ct. ion.	Force.														Dir. ct. ion.	Force.		
Vladivostock, .	12	30.17	766.4		7		...	NNW	4	b				6	30.15	765.8	— 2	...					NNE	4	b	
Nemuro, .	11	29.31	744.5		NW	6	...				5	
Hokodate, .	"	29.57	751.0		NNW	5	...				"	
Tokio, .	"	29.82	757.5		NNW	6	...				"	
Kochi, .	"	30.18	766.5		W	2	...				"	
Nagasaki, .	"	30.35	771.0		N	5	...				"	
Kagoshima, .	"	30.28	769.0		NNW	3	...				"	
Oshima, .	"	30.30	769.5		N	7	...				"	
Naha, .	"	30.47	774.0		N	6	...				"	
Ishigakijima, .	"	30.33	770.5		NNE	6	...				"	
Bonin Island, .	"	29.92	760.0		NNW	5	...				"	
Weihaiwei, .	14	30.01	762.2	66	35		...	NNW	4	o				6	29.58	776.7	24	84	N	2	r					
Hankow, .	15				"	
Ichang, .	"				"	
Changsha, .	"				"	
Shanghai, .	11	30.78	781.8	28		NNW	4	b				"	30.71	780.0	18	...	NW	5	b					
Gutzlaff, .	"	30.67	779.0	30	100		...	NNW	6	o				"	30.62	777.8	24	100	NNW	6	b					
Sharp Peak, .	15	30.32	770.1	48	63		...	ENE	4	h				7	30.34	770.6	38	77	NNW	4	b					
Amoy, .	14	30.30	769.6	58	100		...	E	4	b				6	30.34	770.6	44	100	NNE	2	b					
Swatow, .	"				"	
Taihoku, .	12	30.45	773.4	52	85		...	E	4	r				"	30.37	771.3	48	92	E	4	r					
Taichu, .	"	30.23	767.7	59	NNW	4	o				"	30.20	767.1	50	...	NNE	4	o					
Tainan, .	"				"	30.17	766.2	50	...	NNE	4	o					
Koshun, .	"	30.15	765.9	64	NE	10	o				"	30.14	765.6	61	...	NE	8	o					
Pescadores, .	"	30.28	769.2	55	NE	10	o				"	30.24	768.0	54	...	NE	10	o					
Canton, .	15	30.27	768.8	60	44		...	NNE	2	o				"	30.37	771.4	42	50	N	2	c					
Hongkong, .	14	30.23	767.8	63	41		...	NE	2	o				"	30.29	769.3	49	44	N	3	o					
Gap Rock, .	"	30.23	767.8	NE	4	o				"	30.27	768.8	N	4	o					
Macao, .	"	30.21	767.4	57	46		...	N	4	o				"	30.28	769.2	46	52	N	4	o					
Wuchow, .	15				"	9
Pakhoi, .	"				"
Hoibow, .	"				"
Phulien, .	"	30.15	765.9	68	43		...	ENE	4	b				7	30.27	768.9	52	63	ENE	6	b					
Tourane, .	"	30.04	762.9	58	NE	4	o				"	30.04	762.9	66	...	ENE	6	of					
Cape St. James, .	"	29.82	757.5	75	ENE	6	of				"	29.85	758.1	70	...	N	2	o					
Aparri, .	14	29.98	761.4	72	84		...	NE	6	r				6	30.02	762.6	70	77	NE	6	r					
Dagupan, .	"				"
Manila, .	"	29.78	756.3	82	60		...	ENE	4	o				"	29.84	757.8	72	89	N	1	r					
Legaspi, .	"				"	29.82	757.5	73	92	NE	7	o					
Tacloban, .	"	29.71	754.5	77	96		...	o	r	...				"
Ililo, .	"	29.68	753.9	75	94		...	N	4	r				"
Surigao, .	"				"
Guam, .	12.20				4.20
Yap, .	12.47				4.47
Labuan, .	14	29.75	755.6	86	78		...	N	4	b				6	29.69	754.1	80	87	SW	4	b					

January 3d. 11h. 17m.—Pressure has decreased moderately at Vladivostock and slightly from Weihaiwei to Foochow. It has increased slightly from Hongkong to Haiphong and is nearly stationary over the Philippines and S. Indo-China.

The Mongolian anticyclone is probably moving eastward, leaving a separate anticyclone over China.

Strong monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

DISTRICT. FORECAST.

- 1.—Formosa Channel, N.E. monsoon gale.
- 2.—South coast of China between Hongkong and Lamock, } N.E. winds, fresh; fine.
- 3.—Hongkong to Gap Rock, } N.E. winds, fresh; fine.
- 4.—South coast of China between Hongkong and Hainan, }

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	3RD JANUARY, 1923.							4TH JANUARY, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.
	HONGKONG STANDARD TIME.	Inches.	Millrs.	Direct. ion.					HONGKONG STANDARD TIME.	Inches.	Millrs.	Direct. ion.				
Vladivostock, .	12	30.10	764.5	14	N	b	6	30.30	769.5	8	...	N	2	b
Nemuro, .	11	29.29	744.0	W	6	5	29.49	749.0	W	5	...
Hokodate, .	"	29.57	751.0	WNW	5	29.61	752.0	WNW	6	...	
Tokio, .	"	29.90	759.5	NW	3	30.08	764.0	NNW	1	...	
Kochi, .	"	30.18	766.5	SE	1	30.30	769.5	SW	1	...	
Nagasaki, .	"	30.37	771.5	NW	2	30.37	771.5	NNW	2	...	
Kagoshima, .	"	29.31	770.0	N	4	30.36	771.0	NNW	1	...	
Oshima, .	"	30.28	769.0	N	4	30.30	769.5	NNW	2	...	
Naha, .	"	30.28	769.0	NNE	3	30.28	769.0	NE	2	...	
Ishigakijima, .	"	30.31	770.0	NNE	3	30.30	769.5	NNE	3	...	
Bonin Island, .	"	30.00	762.0	WNW	2	30.16	766.0	WNW	1	...	
Weihaiwei, .	14	30.45	773.4	26	75	W	4	b	6
Hankow, .	15
Ichang, .	"
Changsha, .	"
Shanghai, .	11	30.65	778.5	28	...	NW	2	b	30.59	777.0	18	...	NW	1	b	
Gutzlaff, .	"	30.54	775.7	32	100	NNW	4	o	30.59	777.0	28	100	N	2	b	
Sharp Peak, .	15	30.33	770.4	48	63	ENE	4	b	7
Amoy, .	14	30.15	765.8	52	66	NE	2	b	6	30.31	769.9	46	100	0	0	b
Swatow, .	"
Taihoku, .	12	30.39	771.9	54	86	E	4	r	30.32	770.1	52	95	E	4	o	
Taichu, .	"	30.24	768.0	57	...	N	4	o	30.20	767.1	50	...	NNE	2	b	
Tainan, .	"	30.19	766.8	59	...	N	4	o	30.18	766.5	50	...	NNE	4	o	
Koshun, .	"	30.18	766.5	64	...	NE	7	o	30.15	765.9	61	...	NE	6	o	
Pescadores, .	"	30.28	769.2	55	...	NNE	8	o	30.22	767.7	55	...	NNE	7	o	
Canton, .	15	30.29	769.3	58	32	N	2	b	30.32	770.1	40	48	N	2	b	
Hongkong, .	14	30.25	768.3	57	33	NE	2	b	30.26	768.6	47	45	NNE	2	b	
Gap Rock, .	"	30.24	768.1	NE	4	b	30.24	768.1	NE	4	b	
Macao, .	"	30.24	768.0	50	38	NNE	4	b	30.25	768.3	45	51	N	4	b	
Wuchow, .	15
Pakhoi, .	"
Hoihow, .	"
Phulien, .	"	30.22	767.7	63	43	WNW	1	o	7
Tourane, .	"	30.05	763.2	57	...	ENE	7	rf	6	30.05	763.2	70	82	NE	4	r
Cape St. James, .	"	29.82	757.5	82	...	SE	2	o	6
Aparri, .	14	6	29.88	759.0	68	88	0	b	...
Dagupan, .	"	6	29.88	759.0	68	88	0	b	...
Manila, .	"	29.85	758.1	75	71	ESE	1	o	6	29.88	759.0	68	88	0	b	...
Legaspi, .	"	6	29.88	759.0	68	88	0	b	...
Taoloban, .	"	29.74	755.4	77	91	NW	2	o	6	29.80	756.9	73	98	SW	1	o
Iloilo, .	"	6	29.80	756.9	73	98	SW	1	o
Surigao, .	"	29.72	754.8	84	77	ENE	1	b	4.20
Guam, .	12.20	6	29.80	756.9	73	98	SW	1	o
Yap, .	12.47	6	29.47	754.4	77	91	N	2	o
Labuan, .	14	29.80	756.9	84	79	N	2	b	6	29.70	754.4	77	91	N	2	o

January 4d. 11h. 13m.—Pressure has increased slightly to moderately over Japan and slightly over the Philippines. It has decreased moderately at Shanghai and slightly at Hongkong. The anticyclone over China has weakened.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock. }
- 3.—Hongkong to Gap Rock, } N.E. winds, fresh; fine.
- 4.—South coast of China between Hongkong and Hainan, .. }

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	4TH JANUARY, 1923.							5TH JANUARY, 1923.							
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	
	Inches.	Millrs.	Direct- ion.	Force.				Inches.	Millrs.	Direct- ion.	Force.				
Vladivostock,	12	30.26	768.5	16	NNW	2	b	6	30.30	769.6	b
Nemuro,.....	11	29.59	751.5	NW	5	...	5	29.84	758.0	...	W	3
Hokodate,.....	"	29.90	759.5	W	6	...	5	30.06	763.5	...	W	...
Tokio,.....	"	30.10	764.5	SSW	1	...	"	30.39	772.0	...	N	1
Kochi,.....	"	29.30	769.5	N	1	...	"	30.43	773.0	...	SW	1
Nagasaki,.....	"	30.41	772.5	N	3	...	"	29.41	772.5	...	NNW	1
Kagoshima,.....	"	30.37	771.5	NNW	2	...	"	30.33	770.5	...	NW	1
Oshima,.....	"	30.35	771.0	"	30.30	769.5	...	SSE	1
Naha,.....	"	30.33	770.5	NE	2	...	"	30.26	768.5	...	NNE	1
Ishigakijima,.....	"	"	30.26	768.5	...	NNE	2
Bonin Island,.....	"	30.18	766.5	NW	1	...	"	30.26	768.5	...	N	1
Weihaiwei,.....	14	30.45	773.4	34	79	W	2	b	6	30.41	772.4	28	76	W	1
Hankow,.....	15	"
Ichang,.....	"	"
Changsha,.....	"	"
Shanghai,.....	11	30.66	778.8	36	25	NNW	1	b	"	30.50	774.6	28	...	NNE	1
Gutzlaff,.....	"	30.57	776.5	42	100	N	1	b	"	30.51	774.9	34	100	N	0
Sharp Peak,.....	15	30.29	769.3	50	65	NNE	7	b	7	30.30	769.6	47	77	NNW	2
Amoy,.....	14	30.14	765.5	60	100	N	1	b	6	30.31	769.9	52	100	...	0
Swatow,.....	"	"	30.29	769.3	43	59	N	2
Taihoku,.....	12	30.36	771.0	59	79	E	7	b	"	30.31	769.8	54	88	E	4
Taichu,.....	"	30.25	758.3	63	...	W	2	b	"	30.26	768.6	52	0
Tainan,.....	"	30.23	767.7	64	...	N	4	b	"	30.20	767.1	54	...	NNE	4
Kochun,.....	"	30.19	766.8	68	...	NE	10	b	"	30.19	766.8	63	...	NNE	4
Pescadores,.....	"	30.30	769.5	59	...	NE	7	o	"	30.26	768.6	54	...	NE	7
Canton,.....	15	30.24	768.1	61	35	N	2	b	"	0
Hongkong,.....	14	30.22	767.6	59	37	E	2	b	"	30.29	769.3	54	37	N	1
Gap Rock,.....	"	30.22	767.6	ENE	5	b	"	30.28	769.1	54	...	NE	5
Macao,.....	"	30.17	766.2	52	41	NE	4	b	"	30.27	768.9	52	41	N	4
Wuchow,.....	15	"
Pakhoi,.....	"	"
Hoikow,.....	"	"
Phulien,.....	"	30.21	767.4	61	24	E	2	b	7
Torane,.....	"	30.07	763.8	65	...	ENE	7	o	"
Cape St. James,.....	"	29.85	758.1	77	...	S	2	o	"
Aparri,.....	14	30.03	763.2	72	78	NE	5	o	6	30.08	764.1	70	87	E	4
Dagupan,.....	"	29.85	758.1	86	52	ENE	2	o	"	0
Manila,.....	"	29.86	758.4	82	60	NNW	2	o	"	29.91	759.6	72	82	NE	1
Legaspi,.....	"	"	0
Tacloban,.....	"	"
Iloilo,.....	"	"
Surigao,.....	"	29.79	756.6	75	90	NNE	4	b	"	29.80	756.9	75	96	...	0
Guam,.....	12.20	4.20
Yap,.....	12.47	4.47
Labuan,.....	14	29.73	755.1	86	80	NE	2	b	6	29.77	756.1	78	91	N	6

January 5d. 11h. 32m.—Pressure has increased considerably over N.E. Japan and slightly from S.W. Japan to Hongkong and the Philippines. It has decreased slightly at Shanghai.

The anticyclone has again weakened, and spread eastward.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, c.c.o inch. Total since January 1st, o.c.o inches, against an average of o.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.
 DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; fine.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	5TH JANUARY, 1923.							6TH JANUARY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	Humid.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	Humid.	WIND.			
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.		
Wladivostock, .	12	30.22	767.7	26	...	N	1	b	6	30.01	762.3	23	...	ESE	4	o
Nemuro, .	11	29.90	759.5	W	5	...	5	30.12	765.0	SW	1	...
Hokodate, .	"	30.14	765.5	E	5	...	29.14	765.5	NNW	1	...	
Tokio, .	"	30.28	769.0	NE	1	...	30.30	769.5	NW	1	...	
Kochi, .	"	30.39	772.0	WSW	1	...	30.36	771.0	WSW	1	...	
Nagasaki, .	"	30.45	773.5	NW	2	...	30.32	770.0	N	4	...	
Kagoshima, .	"	ENE	2	...	30.32	770.0	NW	1	...	
Oshima, .	"	30.31	770.0	N	1	...	30.26	768.5	
Naba, .	"	29.30	769.5	ESE	2	...	30.24	768.0	E	1	...	
Ishigakijima, .	"	30.28	769.0	E	3	...	30.20	767.0	ENE	3	...	
Bonin Island, .	"	30.26	768.5	NNE	1	...	30.28	769.0	E	1	...	
Weihaiwei, .	14	30.18	766.6	38	54	S	2	o	6	30.32	770.1	32	79	N	4	b
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	29.50	774.6	43	34	SW	2	b	"	30.37	771.3	28	...	SW	1	b
Gutzlaff, .	"	30.42	772.6	46	100	SW	2	b	"	30.38	771.6	40	100	SW	2	b
Sharp Peak, .	15	30.26	768.6	64	70	E	1	b	7	30.25	768.3	47	79	WNW	1	b
Amoy, .	14	30.19	766.8	64	95	SW	1	b	6	30.24	768.1	52	100	o	o	o
Swatow, .	"	"	
Taihoku, .	12	30.32	770.1	66	67	ENE	6	b	"	30.27	768.9	57	93	E	4	o
Taichu, .	"	30.26	768.6	64	...	WNW	4	b	"	30.21	767.4	52	o	b
Tainan, .	"	30.25	768.3	64	...	N	4	b	"	30.18	766.5	55	...	NNE	4	o
Koshun, .	"	30.15	765.9	70	...	NE	7	o	"	30.15	765.9	66	...	NNE	4	o
Pescadores, .	"	30.30	769.5	61	...	NNE	7	o	"	30.21	767.4	61	...	NE	6	b
Canton, .	15	30.23	767.8	66	28	N	2	b	"	
Hongkong, .	14	30.22	767.6	63	28	ESE	2	c	"	30.19	766.8	56	49	ENE	1	o
Gap Rock, .	"	30.23	767.8	NE	4	b	"	30.17	766.3	ENE	4	o
Macao, .	"	30.23	767.7	57	32	NNE	4	o	"	30.18	766.5	52	63	N	4	o
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	30.22	767.7	68	43	SSW	2	b	7	30.21	767.4	54	80	NNE	2	o
Tourane, .	"	30.14	765.6	61	...	NNE	6	r	"	30.08	764.1	63	...	NNW	4	o
Cape St. James, .	"	29.87	758.7	79	...	NW	2	o	"	29.87	758.7	68	...	NW	2	b
Aparri, .	14	30.04	762.9	70	92	NE	4	r	6	30.04	762.9	72	89	E	2	o
Dugupan, .	"	29.87	758.7	84	64	N	4	o	"	
Manila, .	"	29.87	758.7	79	69	N	4	o	"	29.91	759.6	72	95	o	o	o
Legaspi, .	"	"	29.87	758.7	75	96	o	o	o
Tacloban, .	"	"	
Iloilo, .	"	"	
Surigao, .	"	"	
Guam, .	12.20	4.20	
Yap, .	12.47	4.47	
Labuan, .	14	29.75	755.6	86	80	E	2	b	6	29.75	755.6	78	94	N	2	b

January 6d, 11h. o.zm.—Pressure has increased considerably over N.E. Japan and decreased moderately to slightly in other districts. The anticyclone has weakened further. It is now central over S.W. Japan.

The monsoon is interrupted to the north of Foochow. It remains fresh over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamocks,
- 3.—Hongkong to Gap Rock, N.E. winds, moderate; fine.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	6TH JANUARY, 1923.							7TH JANUARY, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMID.	WIND.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMID.	WIND.	WEATHER.	
	Hongkong Inches.	Millrs.			Direction.	Force.		Hongkong Inches.	Millrs.			Direction.	Force.		
Wladivostock, .	12	29.96	760.9	32	...	WSW	3	6	30.28	769.1	8	o	
Nemuro,	11	30.10	764.5	...	SE	1	...	5	29.84	758.0	SSE	1	
Hokodate,	"	30.04	763.5	...	NNE	1	...	"	30.02	762.5	W	6	
Tokio,	"	30.20	767.0	"	30.14	765.5	SSE	1	
Kochi,	"	30.28	769.0	...	NE	1	...	"	30.28	769.0	WSW	1	
Nagasaki,	"	30.31	770.0	...	SSE	1	...	"	30.30	769.5	
Kagoshima,	"	29.30	769.5	...	W	5	...	"	30.28	769.0	NW	1	
Oshima,	"	30.24	768.0	...	NNW	1	...	"	30.26	768.5	SSE	1	
Naha,	"	30.26	768.5	...	N	2	...	"	30.22	767.5	
Ishigakijima,	"	30.24	768.0	...	ENE	5	...	"	30.16	766.0	E	2	
Bonin Island,	"	30.26	768.5	...	NE	1	...	"	30.22	767.5	0	
Weihaiwei,	14	30.32	770.1	34	98	N	1	b	6	30.32	770.1	36	70	S	1
Hankow,	15	"	
Ichang,	"	"	
Changsha,	"	"	30.20	767.1	34	96	SE	1	
Shanghai,	11	30.40	772.2	50	27	SW	1	"	30.24	768.1	46	100	SSE	4	
Gutzlaff,	"	30.36	771.1	50	100	SW	2	"	30.11	764.8	47	81	...	of	
Sharp Peak,	15	30.21	767.3	67	64	E	1	b	7	
Amoy,	14	30.12	765.0	66	91	NE	1	b	6	
Swatow,	"	"	
Taihoku,	12	30.27	768.9	66	67	E	6	b	"	30.13	765.3	61	96	E	6
Taichu,	"	30.20	767.1	68	...	NNW	2	b	"	30.12	765.0	54	0
Tainan,	"	30.18	766.5	70	...	N	4	b	"	30.10	764.4	57	0
Koshun,	"	30.15	765.9	72	...	NE	7	b	"	30.07	763.8	70	...	NE	4
Pescadores,	"	30.22	767.7	66	...	NE	7	b	"	30.11	764.7	61	...	NE	6
Canton,	15	30.14	765.5	68	95	NW	1	b	"	30.15	765.8	50	86	...	0
Hongkong,	14	30.14	765.5	62	52	E	3	b	"	30.13	765.3	59	70	ENE	1
Gap Rock,	"	30.14	765.5	ENE	4	b	"	30.10	764.5	ENE	4
Macao,	"	30.13	765.3	63	43	ESE	4	b	"	30.08	764.1	54	92	NNW	2
Wuchow,	15	9	cf	
Pakhoi,	"	"	
Hoikow,	"	"	
Phulien,	"	30.14	765.6	70	43	NNW	0	0	7	30.10	764.4	55	71	ENE	4
Tourane,	"	30.06	763.5	64	...	E	4	2	"	30.01	762.3	64	...	NW	2
Cape St. James,	"	29.86	758.4	81	2	0	"	29.88	759.0	72	...	NE	2
Aparri,	14	30.00	762.0	72	89	NE	4	0	6	
Lagupan,	"	29.82	757.5	86	65	NW	2	0	"	29.88	759.0	75	85	E	2
Manila,	"	29.85	758.1	82	74	SSE	1	0	"	29.89	759.3	73	91	...	0
Legaspi,	"	29.85	758.1	77	92	NE	4	0	"	
Tacloban,	"	"	
Iloilo,	"	29.76	756.0	86	71	NE	6	0	"	29.81	757.2	75	91	N	4
Surigao,	"	29.78	756.3	50	62	ENE	4	0	"	b	
Guam,	12.20	4.20	
Yap,	12.47	4.47	
Labuan,	14	29.76	755.9	88	73	E	2	b	6	

January 7d. 10h. 49m.—Pressure has decreased moderately to slightly at the majority of reporting stations.

The anticyclone remains stationary over S.W. Japan. Another appears to be forming over S.E. Mongolia.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

DISTRICT.

FORECAST.

- | | |
|---|---|
| 1.—Formosa Channel, | N.E. winds, strong. |
| 2.—South coast of China between Hongkong and Lamoeks, | N.E. winds, moderate; cloudy, some drizzle or mist. |
| 3.—Hongkong to Gap Rock, | |
| 4.—South coast of China between Hongkong and Hainan, | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	7TH JANUARY, 1923.							8TH JANUARY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.		
Vladivostock, .	12	W	2	...	6	S*	
Nemuro, .	11	29.80	757.0	W	7	...	5	30.10	764.5	
Hokodate, .		30.08	764.0	NNW	1	...	"	30.12	765.0	WNW	2	
Tokio, .	"	30.14	765.5	W	0	...	"	30.18	766.5	NW	1	
Kochi, .	"	30.24	768.0	ENE	1	...	"	30.18	766.5	WSW	1	
Nagasaki, .	"	30.26	768.5	N	1	...	"	30.06	763.5	SE	6	
Kagoshima, .	"	30.26	768.5	ENE	1	...	"	30.12	765.0	NW	1	
Oshima, .	"	30.24	768.0	E	2	...	"	30.10	764.5	...	0	
Naha, .	"	30.22	767.5	NE	4	...	"	30.14	765.5	SE	1	
Ishigakijima, .	"	30.16	766.0	E	2	...	"	30.06	763.5	NE	1	
Bonin Island, .	"	30.14	765.5	S	2	...	"	30.16	766.0	NNE	1	
Weihaiwei, .	14	30.15	765.8	40	82	SSE	1	0	6	30.17	766.3	40	98	SSE	1	b
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.11	764.8	57	46	S	6	b	"	30.15	765.9	39	67	NW	1	o
Gutzlaff, .	"	30.10	764.5	54	100	S	4	b	"	30.15	765.8	42	100	NNW	4	o
Sharp Peak, .	15	30.07	763.8	62	72	...	0	o	7	30.07	763.8	58	88	...	0	o
Amoy, .	14	29.98	761.5	64	100	N	1	o	6	30.08	764.0	58	100	NW	1	o
Swatow, .	"	29.92	759.9	61	100	ESE	1	e	"
Taihoku, .	12	30.13	765.3	73	75	E	4	b	"	30.10	764.4	57	98	...	0	of
Taichu, .	"	30.11	764.7	72	0	b	"	30.06	763.5	57	0	o
Tainan, .	"	30.11	764.7	72	...	NE	0	b	"	30.02	762.6	52	...	NNE	2	of
Koshun, .	"	30.08	764.1	73	...	NNE	4	o	"	30.00	762.0	68	...	NE	2	o
Pescadores, .	"	30.15	765.9	64	6	o	"	30.01	762.3	63	...	NNE	4	ub
Canton, .	15	30.02	762.5	69	52	W	1	o	"	30.06	764.0	60	82	...	0	o
Hongkong, .	14	30.03	762.7	65	55	E	4	c	"	30.06	763.5	63	78	E	1	o
Gap Rock, .	"	30.01	762.2	ENE	5	o	"	30.06	763.5	ENE	4	c
Macao, .	"	30.02	762.6	63	60	ENE	2	o	"	30.04	762.9	61	79	NNE	2	o
Wuchow, .	15	"	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.01	762.3	68	68	ESE	2	o	7	30.02	762.6	63	94	E	4	o
Tourane, .	"	29.94	760.5	66	...	NNW	2	o	"	29.95	760.8	68	...	NW	2	o
Cape St. James, .	"	29.80	756.9	77	...	ENE	2	o	"	29.86	758.4	73	...	ENE	4	o
Aparri, .	14	29.82	759.9	73	92	NE	4	r	6	29.93	760.2	72	96	...	0	o
Dagupan, .	"	29.80	756.9	90	57	SSE	4	o	"	29.86	758.4	73	79	SE	2	o
Mauli, .	"	29.81	757.2	86	61	SE	4	o	"	29.88	759.0	68	95	NE	1	b
Legaspi, .	"	29.82	757.5	82	83	NE	4	o	"	29.84	757.8	77	91	NE	4	b
Facloban, .	"	"	29.80	756.9	65	94	NW	2	o
Ililo, .	"	29.75	755.7	86	65	NE	6	b	"
Surigao, .	"	29.76	756.0	82	84	ENE	4	o	"	29.78	756.3	77	91	E	2	o
Guam, .	12.20	4.20
Yap, .	12.47	4.47
Labuan, .	14	29.77	756.1	82	79	NW	2	b	6	29.76	755.9	77	94	N	2	b

January 8d. 11h. 03m.—Pressure has increased considerably over N.E. Japan. It has decreased moderately over the Loochoos and slightly from Shanghai to Hongkong and the Philippines.

The anticyclone is now shown as an area of relatively high pressure from China to N.E. Japan with shallow gradients.

Another anticyclone may be forming over China.

The monsoon will freshen along the coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamocks,
- 3.—Hongkong to Gap Rock, N.E. winds, moderate; fine.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

8TH JANUARY, 1923.

STATION.	HONGKONG STANDARD TIME		BAROMETER AT SEA LEVEL.		TEMPER. ATMUS.	HUMIDITY.	WIND.		WEATHER.
	Inches.	Millrs.	Direct. ion.	Force.			Wind. Direction.	Force.	
Vladivostock, -	12	30.11	764.9	20	...	N	4	b	
Nemuro,	11	30.04	763.0	...	W	1	...		
Hokodate,	"	30.04	763.0	...	NNW	2	...		
Tokio,	"	30.08	764.0	...	W	1	...		
Kochi,	"	30.02	762.5	...	SW	1	...		
Nagasaki,	"	29.98	761.5	...	W	6	...		
Kagoshima,	"	30.02	762.5		
Oshima,	"	30.08	764.0		
Naha,	"	30.08	764.0	...	NNE	1	...		
Ishigakijima,	"		
Bonin Island,	"	30.12	765.0	...	SSW	1	...		
Weihaiwei,	14	30.28	769.1	32	58	N	4	b	
Hankow,	15	
Ichang,	"	
Changsha,	"	
Shanghai,	11	30.28	769.2	34	56	NNW	2	b	
Gutzlaff,	"	30.24	768.1	48	100	N	4	b	
Sharp Peak,	15	30.02	762.5	66	73	...	0	o	
Amoy,	14	29.97	761.2	63	83	...	0	b	
Swatow,	"	
Taihoku,	12	30.08	764.1	73	58	...	0	b	
Taichu,	"	30.05	763.2	73	...	NNE	2	b	
Tainan,	"	30.06	763.5	70	...	NNE	4	b	
Koshun,	"	30.02	762.6	81	...	NNE	4	b	
Pescadores,	"	30.08	764.1	70	...	N	4	b	
Canton,	15	30.02	762.5	78	50	W	1	b	
Hongkong,	14	30.01	762.2	71	68	E	2	b	
Gap Rock,	"	30.02	762.5	NE	3	b	
Macao,	"	30.00	762.0	72	70	ESE	2	b	
Wuchow,	15	
Pakhoi,	"	
Hoihow,	"	
Phulien,	"	30.01	762.3	72	65	...	0	o	
Tourane,	"	29.94	760.5	70	...	NW	2	o	
Cape St. James,	"	29.81	757.2	78	...	ENE	4	o	
Aparsi,	14	29.87	758.7	79	84	NE	4	b	
Dagupan,	"	29.80	756.9	90	60	NW	4	o	
Manila,	"	29.79	756.6	86	65	NNW	2	o	
Legaspi,	"	
Tacloban,	"	29.76	756.0	77	94	...	0	r	
Iloilo,	"	29.75	755.7	82	74	NE	6	o	
Surigao,	"	29.73	755.1	81	90	ESE	4	r	
Guam,	12.20	
Yap,	12.47	
Labuan,	14	29.76	755.9	84	81	E	2	b	

9TH JANUARY, 1923.

STATION.	HONGKONG STANDARD TIME		BAROMETER AT SEA LEVEL.		TEMPER. ATMUS.	HUMIDITY.	WIND.		WEATHER.
	Inches.	Millrs.	Direct. ion.	Force.			Wind. Direction.	Force.	
Vladivostock, -	6	30.25	768.4	1	N	6	b
Nemuro,	5	29.80	757.0	NE	2	..
Hokodate,	"	29.82	757.5	N	4	..
Tokio,	"	29.75	755.5	NNW	1	..
Kochi,	"	29.96	761.0	SW	1	..
Nagasaki,	"	30.12	765.0	N	3	..
Kagoshima,	"	30.08	764.0	NW	1	..
Oshima,	"	30.08	764.0	N	3	..
Naha,	"	30.08	764.0	N	3	..
Ishigakijima,	"	30.08	764.0	NNE	4	..
Bonin Island,	"	29.98	761.5	SW	1	..
Weihaiwei,	6	30.44	773.2	28	88	NW	2	b	
Hankow,	"	
Ichang,	"	
Changsha,	"	
Shanghai,	"	30.38	771.6	32	96	NNE	1	b	
Gutzlaff,	"	30.32	770.1	42	100	NE	4	b	
Sharp Peak,	7	30.17	766.3	52	86	NNE	1	b	
Amoy,	6	30.16	766.0	58	90	ENE	2	b	
Swatow,	"	
Taihoku,	"	30.17	766.2	64	92	ESE	4	o	
Taichu,	"	30.08	764.1	63	...	NNE	4	o	
Tainan,	"	30.06	763.5	64	...	NE	6	o	
Koshun,	"	30.04	762.9	72	...	N	7	o	
Pescadores,	"	30.11	764.7	63	...	N	7	o	
Canton,	"	30.12	765.0	61	77	N	2	bm	
Hongkong,	"	30.09	764.3	61	93	...	3	b	
Gap Rock,	"	30.07	763.8	NE	3	o	
Macao,	"	30.08	764.1	61	96	N	2	o	
Wuchow,	"	9	
Pakhoi,	"	
Hoihow,	"	
Phulien,	"	7	30.12	765.0	63	92	NW	4	o
Tourane,	"	30.01	762.3	68	...	ENE	2	o	
Cape St. James,	"	29.85	758.1	73	...	E	4	o	
Aparsi,	"	6	29.95	760.8	70	96	...	o	
Dagupan,	"	...	29.88	759.0	72	94	...	o	
Manila,	"	...	29.87	758.7	72	95	ENE	1	o
Legaspi,	"	...	29.85	758.1	77	88	NNE	2	o
Tacloban,	"	
Iloilo,	"	...	29.84	757.8	75	94	N	4	o
Surigao,	"	...	29.79	756.6	73	98	...	o	b
Guam,	4.20
Yap,	4.47
Labuan,	6	29.77	756.1	74	100	N	2	b	

January 9d. 11h. 15m.—Pressure has decreased considerably over central and N.E. Japan. It has increased considerably from Weihaiwei to Shanghai and slightly from Formosa to Haiphong.

A depression lies to the east of Tokio and an anticyclone covers S.E. Mongolia and China.

Fresh to strong monsoon may be expected along the coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.21 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

DISTRICT. FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks,
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; fine to cloudy, becoming cooler.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	9TH JANUARY, 1923.							10TH JANUARY, 1923.									
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.			THIN- KNESS ATMOS.	Humid.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.			THIN- KNESS ATMOS.	Humid.	WIND.		
		Inches.	Millrs.	Wind.			Dir- ec- tion.	Force.		Inches.	Millrs.	Wind.			Dir- ec- tion.	Force.	
Vladivostock, .	12	30.25	768.3	5	...	NNE	5	c	6	30.34	770.6	—	4	...	N	3	b
Nemuro,	11	29.69	754.0	NE	3	...	5	29.63	752.5	W	1	a
Hokodate,	"	29.76	756.0	N	4	...	"	29.80	757.0	WNW	5	...
Tokio,	"	29.72	755.0	E	2	...	"	29.90	759.5	NNW	3	...
Kochi,	"	29.94	760.5	SW	2	...	"	30.16	766.0	E	1	...
Nagasaki,	"	30.59	777.0	NNW	5	...	"	30.28	769.0	NNW	3	...
Kagoshima,	"	30.10	764.5	NNW	4	...	"	30.26	768.5	N	1	...
Oshima,	"	30.10	764.5	N	5	...	"	30.20	767.5	N	6	...
Naha,	"	30.14	765.5	N	4	...	"	30.22	767.5	N	4	...
Ishigakijima,	"	30.16	766.0	NNE	4	...	"	30.22	767.5	NNE	4	...
Bonin Island,	"	29.94	760.5	SW	3	...	"	29.94	760.5	W	2	...
Weihaiwei,	14	30.40	772.1	30	100	N	2	b	6	30.47	773.9	24	73	S	1	b	
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.45	773.4	46	46	NE	1	b	"	30.50	774.6	28	...	ENE	1	b	
Gutzlaff,	"	30.42	772.6	48	100	N	2	b	"	30.50	774.7	38	100	NNE	1	b	
Sharp Peak,	15	30.18	766.6	58	79	ENE	4	b	7	30.29	769.3	47	85	N	1	b	
Amoy,	14	30.07	763.8	66	100	NE	1	b	6	30.26	768.6	54	80	NE	2	b	
Swatow,	"	30.02	762.5	63	100	ESE	2	c	"
Taihoku,	12	30.21	767.4	73	80	E	4	o	"	30.28	769.2	55	79	E	4	o	
Taichu,	"	30.10	764.4	70	...	N	4	b	"	30.15	765.9	55	...	N	2	b	
Taiman,	"	30.10	764.4	72	...	N	4	b	"	30.12	765.0	55	...	NNE	4	o	
Koschun,	"	30.06	763.5	75	...	NE	6	o	"	30.10	764.4	64	...	NE	8	o	
Pescadores,	"	30.18	766.5	64	...	NE	8	o	"	30.19	766.8	59	...	NE	8	b	
Canton,	15	30.09	764.3	76	38	N	2	b	"	30.22	767.6	57	58	N	2	o	
Hongkong,	14	30.08	764.0	66	76	E	3	b	"	30.22	767.6	57	76	ENE	1	b	
Gap Rock,	"	30.08	764.0	ENE	4	b	"	30.20	767.1	ENE	5	b	
Macao,	"	30.06	763.5	72	75	SE	2	b	"	30.17	766.2	59	83	ESE	2	o	
Wuchow,	15	"	
Pakhoi,	"	"	
Hoihow,	"	"	
Phulien,	"	30.06	763.5	77	54	SE	2	b	7	30.15	765.9	63	61	ENE	6	o	
Tourane,	"	30.00	762.0	72	...	NW	2	o	"	30.07	763.8	68	...	ENE	2	o	
Cape St. James,	"	29.82	757.5	77	...	ENE	6	b	"	29.86	758.4	72	...	ENE	4	o	
Aparri,	14	29.89	759.3	79	84	NE	4	o	6	30.01	762.3	72	96	NE	6	r	
Lagupan,	"	29.80	756.9	86	61	NW	2	b	"	29.89	759.3	72	92	E	1	b	
Manila,	"	29.81	757.2	79	80	...	0	r	"	29.89	759.3	72	94	...	0	o	
Legaspi,	"	29.79	756.6	84	77	ENE	4	o	"	29.86	758.4	79	84	NNE	4	b	
Taoloban,	"	"	
Ililo,	"	29.74	755.4	86	68	NE	6	b	"	29.80	756.9	75	98	N	4	o	
Surigao,	"	29.74	755.4	81	87	ENE	4	o	"	29.80	756.9	79	89	ENE	2	o	
Guam,	12.20	4.20	
Yap,	12.47	4.47	
Labuan,	14	29.79	756.5	81	74	N	2	b	6	29.79	756.6	75	94	S	2	b	

January 10d. 11h. 03m.—Pressure has decreased moderately at Nemuro. It has increased moderately at Shanghai and from S.W. Japan to Hongkong. Over N. Annam and Luzon it has increased slightly.

The anticyclone has strengthened slightly.

A depression lies to the east of Nemuro.

Fresh to strong monsoon may be expected along the coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.
DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, N.E. winds, fresh; fine.
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; fine.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

10TH JANUARY, 1923.

STATION.	HONGKONG		BAROMETER AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
	STANDARD	TIME.	Inches.	Millrs.			Direct. ion.	Force.	
Wladivostock, .	12	30.28	769.0	8	NNE	3	c
Nemuro, .	11	29.69	754.0	NNW	5	...
Hokodate, .	"	29.86	758.5	N	5	...
Tokio, .	"	30.00	762.0	N	6	...
Kochi, .	"	30.24	768.0
Nagasaki, .	"	30.33	770.5	NNW	2	...
Kagoshima, .	"	30.30	769.5	N	1	...
Oshima, .	"	30.24	768.0	N	6	...
Naha, .	"	30.26	768.5	N	2	...
Ishigakijima, .	"	30.26	768.5	NE	5	...
Bonin Island, .	"	29.94	760.5	WSW	3	...
Weihaiwei, .	14	30.41	772.4	34	98	SSW	2	b	6
Hankow, .	15	6
Ichang, .	"
Changsha, .	"
Shanghai, .	11	30.49	774.3	46	46	E	1	b	6
Gutzlaff, .	"	30.21	767.3	47	100	NNE	2	b	6
Sharp Peak, .	15	30.20	767.1	62	67	N	1	b	6
Amoy, .	14	30.14	765.5	64	84	NE	2	b	6
Swatow, .	"	6
Taihoku, .	12	30.31	769.8	59	73	E	6	o	6
Taichu, .	"	30.18	766.5	64	...	N	4	o	6
Tainan, .	"	30.17	766.2	64	...	NNE	4	o	6
Koshun, .	"	30.14	765.6	68	...	NE	7	o	6
Pescadores, .	"	30.22	767.7	63	...	NE	8	b	6
Canton, .	15	30.12	765.0	69	43	W	1	e	6
Hongkong, .	14	30.13	765.3	62	61	E	3	b	6
Gap Rock, .	"	30.14	765.5	ENE	5	b	6
Macao, .	"	30.12	765.0	66	54	ESE	2	b	6
Wuchow, .	15	6
Pakhoi, .	"	6
Hoihow, .	"	6
Phulien, .	"	30.08	764.1	72	54	E	2	b	6
Tourane, .	"	30.01	762.3	72	...	E	2	o	6
Cape St. James, .	"	29.82	757.5	77	...	ENE	6	o	6
Aparri, .	14	29.94	760.5	73	86	NE	4	r	6
Dagupan, .	"	29.81	757.2	86	65	NNW	4	b	6
Manila, .	"	29.81	757.2	82	70	SW	1	o	6
Legaspi, .	"	29.80	756.9	82	70	NE	4	o	6
Tacloban, .	"	6
Illoilo, .	"	29.75	755.7	81	85	N	4	o	6
Surigao, .	"	29.74	755.4	84	77	ENE	4	b	6
Guam, .	12.20	4.20
Yap, .	12.47	4.47
Labuan, .	14	29.79	756.6	86	76	E	2	b	6

11TH JANUARY, 1923.

STATION.	HONGKONG		BAROMETER AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
	STANDARD	TIME.	Inches.	Millrs.			Direct. ion.	Force.	
Wladivostock, .	6	29.94	760.4	NNE	1	f
Nemuro, .	5	30.08	764.0	SW	1	..
Hokodate, .	"	30.12	765.0	NW	1	..
Tokio, .	"	30.02	762.5	0	..
Kochi, .	"	30.32	770.0	NNE	1	..
Nagasaki, .	"	30.30	769.5	0	..
Kagoshima, .	"	30.30	769.5	NW	1	..
Oshima, .	"	30.24	768.0	SSE	1	..
Naha, .	"	30.20	767.0	NE	1	..
Ishigakijima, .	"	30.16	766.0	ENE	2	..
Bonin Island, .	"	30.16	766.0	NE	1	..
Weihaiwei, .	6	30.47	773.9	38	98	S	2	b	6
Hankow, .	"	6
Ichang, .	"	6
Changsha, .	"	6
Shanghai, .	"	30.18	766.5	36	93	SE	2	b	6
Gutzlaff, .	"	30.20	767.1	44	100	S	4	b	6
Sharp Peak, .	7	30.13	765.3	47	85	W	1	b	6
Amoy, .	6	30.15	765.8	52	93	NW	1	b	6
Swatow, .	"	6
Taihoku, .	"	30.13	765.3	53	85	E	4	b	6
Taichu, .	"	30.12	765.0	50	0	6
Tainan, .	"	30.07	763.8	55	...	NNE	4	0	6
Koshun, .	"	30.06	763.5	64	...	NE	6	0	6
Pescadores, .	"	30.06	763.5	61	...	NE	6	0	6
Canton, .	"	30.14	765.5	50	93	...	0	1	6
Hongkong, .	"	30.12	765.0	57	73	E	5	0	6
Gap Rock, .	"	30.08	764.0	ENE	5	b	6
Macao, .	"	30.06	763.5	59	73	ESE	2	0	6
Wuchow, .	"	30.08	764.0	6
Pakhoi, .	"	30.08	764.0	6
Hoihow, .	"	30.06	763.5	59	73	6
Phulien, .	"	30.04	762.9	61	93	E	4	0	6
Tourane, .	"	29.99	761.7	66	...	SE	2	0	6
Cape St. James, .	"	29.87	758.7	70	...	ENE	2	b	6
Aparri, .	6	29.98	761.4	72	89	E	4	r	6
Dagupan, .	"	6
Manila, .	"	29.88	759.0	72	91	ESE	1	o	6
Legaspi, .	"	29.85	758.1	75	91	NE	4	o	6
Tacloban, .	"	6
Illoilo, .	"	6
Surigao, .	"	29.79	756.6	73	96	ESE	1	o	6
Guam, .	4.20	4.20
Yap, .	4.47	4.47
Labuan, .	6	29.77	756.1	78	94	SW	2	b	6

January 11d. 10h. 40m. — Pressure has increased considerably over N.E. Japan. It has decreased considerably at Wladivostock and Shanghai, moderately from Foochow to Haiphong and slightly from Formosa to N. Luzon.

The anticyclone has weakened and moved eastward. It is now central over S.W. Japan.

The monsoon is interrupted to the north of Amoy and has probably moderated over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

DISTRICT.

FORECAST.

- | | | |
|---|-----|-----------------------------|
| 1.—Formosa Channel, . | ... | N.E. winds, fresh. |
| 2.—South coast of China between Hongkong and Lamoeks, . | ... | ... |
| 3.—Hongkong to Gap Rock, . | ... | N.E. winds, moderate; fair. |
| 4.—South coast of China between Hongkong and Hainan, . | ... | ... |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	11TH JANUARY, 1923.							12TH JANUARY, 1923.								
	HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.		
Vladivostock, .	12	29.83	757.6	29	...	SSW	2	6	30.02	762.5	NNW	2	s	
Nemuro, .	11	30.08	764.0	S	2	5	29.82	757.5	SW	6	...	
Hokodate, .	"	30.06	763.5	WSW	4	"	29.82	757.5	WSW	1	...	
Tokio, .	"	30.26	768.5	NW	1	"	30.14	763.5	NW	1	...	
Kochi, .	"	30.28	769.0	SE	1	"	30.16	766.0	WSW	1	...	
Nagasaki, .	"	30.30	769.5	SE	3	"	30.06	763.5	SSE	4	...	
Kagoshima, .	"	30.28	769.0	ESE	1	"	30.12	765.0	NW	1	...	
Oshima, .	"	30.24	768.0	N	1	"	30.14	765.5	SSE	1	...	
Naha, .	"	30.20	767.0	NE	2	"	30.10	764.5	ENE	1	...	
Ishigakijima, .	"	30.16	766.0	SE	2	"	30.06	763.5	ENE	2	...	
Bonin Island, .	"	30.18	766.5	NNE	2	"	30.02	767.0	NNW	1	...	
Weihaiwei, .	14	29.98	761.5	40	74	SE	1	6	30.17	766.3	30	67	NNW	1	b	
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	30.13	765.5	52	47	S	4	"	30.13	765.3	43	70	WNW	1	o	
Gutzlaff, .	"	30.10	764.5	50	100	S	4	"	30.15	765.8	47	100	NW	2	o	
Sharp Peak, .	15	30.07	763.8	70	70	N	1	7	30.05	763.2	58	81	W	2	b	
Amoy, .	14	30.04	763.0	67	91	N	2	6	58	94	NW	1	o	
Swatow, .	"	29.99	761.7	63	94	ESE	2	"	
Taihoku, .	12	30.12	765.0	72	57	E	6	"	30.07	763.8	55	98	...	0	o	
Taichu, .	"	30.11	764.7	66	0	"	30.05	763.2	55	0	o	
Tainan, .	"	30.10	764.4	70	...	NNE	2	"	30.02	762.6	61	...	N	4	o	
Koshun, .	"	30.08	764.1	72	...	ENE	4	"	30.00	762.0	68	...	NNE	4	o	
Pescadores, .	"	30.13	765.3	66	...	NE	6	"	30.04	762.9	63	...	NE	4	b	
Canton, .	15	30.03	762.7	70	57	S	1	"	30.04	763.0	58	88	...	0	o	
Hongkong, .	14	30.03	762.7	63	53	ESE	4	"	30.02	762.5	61	65	...	0	o	
Gap Rock, .	"	30.03	762.7	ENE	5	"	30.01	762.2	ENE	4	o	
Macao, .	"	30.05	763.5	66	59	ESE	2	"	30.01	762.3	59	68	NW	2	o	
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.97	761.1	70	65	ESE	4	7	29.99	761.7	63	94	ESE	4	o	
Tourane, .	"	29.92	759.9	73	...	ESE	2	"	29.93	760.2	68	...	SE	2	b	
Cape St. James, .	"	29.80	756.9	77	...	ENE	4	"	29.85	758.1	70	...	ENE	4	4	
Aparri, .	14	29.89	759.3	79	76	ENE	4	6	29.93	760.2	72	94	E	2	o	
Dagupan, .	"	"	
Manila, .	"	29.81	757.2	82	70	SW	1	0	"	29.85	758.1	68	94	N	1	b
Legaspi, .	"	29.80	756.9	81	80	NE	4	0	"	29.82	757.5	77	...	NE	2	o
Taoloban, .	"	"	
Hoilo, .	"	29.75	755.7	86	71	NE	4	0	"	
Surigao, .	"	29.74	755.4	84	77	E	4	0	"	29.73	755.1	79	90	ENE	4	o
Guam, .	12.20	29.75	755.7	NE	4	0	4.20	
Yap, .	12.47	4.47	
Labuan, .	14	29.77	756.1	86	76	NE	4	6	29.73	755.1	78	94	E	2	b	

January 12d. 11h. 11m.—Pressure is highest over the Bonins. It has decreased considerably over Japan and slightly at the majority of other reporting stations.

A depression is shown to the north of Hokkaido.

Another anticyclone may be forming over China.

Moderate to fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH:

DISTRICT.

FORECAST.

- | | | |
|---|-----|--|
| 1.—Formosa Channel, . | ... | N.E. winds, fresh to strong. |
| 2.—South coast of China between Hongkong and Lamocks, . | ... | |
| 3.—Hongkong to Gap Rock, . | ... | N.E. winds, moderate; generally cloudy, some drizzle or mist |
| 4.—South coast of China between Hongkong and Hainan, . | ... | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	12TH JANUARY, 1923.								13TH JANUARY, 1923.							
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	
	Inches.	Millrs.	Direct- ion.	Force.			Inches.	Millrs.			Direct- ion.	Force.			Direct- ion.	Force.
Wladivostock, .	12	29.97	761.3	15	...	NE	4	b	6	30.23	767.7	4	...	NW	4	o
Nemuro, .	11	29.76	756.0	SSW	4	...	5	29.70	756.0	NW	4	..
Hokodate, .	"	29.80	757.0	NW	1	...	"	29.88	759.0	NNW	6	..
Tokio, .	"	29.98	761.5	1	...	"	29.90	759.5	W	1	..
Kochi, .	"	30.06	763.5	SW	1	...	"	30.10	764.5	SW	1	..
Nagasaki, .	"	30.04	763.0	WSW	5	...	"	30.22	767.5	NW	3	..
Kagoshima, .	"	30.05	763.5	NNW	1	...	"	30.18	766.5	NW	1	..
Oshima, .	"	30.10	764.5	SSE	1	...	"	30.10	764.5	0	..
Naha, .	"	30.10	764.5	SSE	1	...	"	30.10	764.5	NE	3	..
Ishigakijima, .	"	30.10	764.5	ENE	1	...	"	30.04	763.0	SE	3	..
Bonin Island, .	"	30.14	765.5	ENE	1	...	"	30.10	764.5
Weihaiwei, .	14	30.24	768.1	38	72	NNW	1	b	6	30.47	773.9	30	67	N	2	b
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"	30.32	760.1	43	79	NE	1	o
Shanghai, .	11	30.19	766.8	52	47	NW	1	b	"	30.31	769.9	44	100	ENE	4	o
Gutzlaff, .	"	30.15	765.8	50	100	NNW	1	o	"	30.10	764.5	56	81	NNE	1	o
Sharp Peak, .	15	29.98	761.5	72	67	E	1	b	7	30.06	763.5	48	87	...	0	o
Amoy, .	14	29.95	760.7	70	75	N	1	o	"
Swatow, .	"	29.89	759.2	63	100	ESE	2	o	"
Taihoku, .	12	30.07	763.8	68	77	...	0	o	"	30.02	762.6	64	80	SE	2	o
Taichu, .	"	30.04	762.9	70	...	N	2	o	"	30.02	762.6	63	0	o
Tainan, .	"	30.00	762.0	75	...	N	4	o	"	29.98	761.4	64	...	NNE	4	o
Koshun, .	"	30.00	762.0	75	...	NE	4	o	"	29.97	761.1	68	...	NE	4	o
Pescadores, .	"	30.04	762.9	68	...	NNE	4	o	"	30.04	762.9	64	...	NNE	6	o
Canton, .	15	29.96	761.0	76	45	SW	1	b	"	30.04	763.0	54	94	ESE	1	b
Hongkong, .	14	29.97	761.2	71	48	...	0	o	"	30.02	762.5	63	66	...	0	c
Gap Rock, .	"	29.97	761.2	N	4	o	"	30.01	762.2	ENE	4	b
Macao, .	"	29.97	761.1	70	57	...	0	o	"	30.00	762.0	61	64	N	2	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.94	760.5	72	70	SE	2	o	7	30.00	762.0	63	94	E	2	o
Tourane, .	"	29.91	756.9	73	...	SE	2	o	"	29.94	760.5	68	...	SE	2	o
Cape St. James, .	"	29.82	757.5	79	...	ENE	4	b	"	29.86	758.4	72	...	ENE	4	b
Aparri, .	14	29.86	758.4	79	76	N	2	o	6	29.92	759.9	73	85	...	0	o
Dagupan, .	"	"
Manila, .	"	29.79	756.6	86	61	W	2	o	"	29.86	758.4	70	94	NE	1	o
Legaspi, .	"	29.78	756.3	82	77	NE	4	o	"	29.82	757.5	77	84	NE	4	o
Tacloban, .	"	"
Iloilo, .	"	29.73	755.1	82	77	NE	4	o	"
Surigao, .	"	"
Guam, .	12.20	29.74	755.4	NE	4	r	4.20	29.80	756.9	NE	1	r
Yap, .	12.47	4.47
Labuan, .	14	29.74	755.4	86	80	E	4	b	6	29.73	755.1	78	91	NE	2	b

January 13d. 10h. 59m.—Pressure has increased considerably at Wladivostock, Weihaiwei and Shanghai. Changes in the South are slight.

A depression lies to the N.E. of Japan.

An anticyclone has formed over China and S.E. Mongolia.

The monsoon will freshen along the coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, } N.E. winds, fresh; fine.
- 4.—South coast of China between Hongkong and Hainan, }

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	13TH JANUARY, 1923.								14TH JANUARY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER. ATMIS.	HUMIDIT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER. ATMIS.	HUMIDIT.	WIND.		WEATHER.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.		
Wladivostock, .	12	30.33	770.4	4	...	NNW	4	b	6	30.52	775.1	-3	...	NNE	4	g	
Nemuro, .	11	29.78	756.5	SW	1	...	5	30.04	763.0	WNW	7	...	
Hokodate, .	"	29.88	759.0	W	4	...	"	30.22	767.5	NW	2	...	
Tokio, .	"	29.90	759.5	NE	1	...	"	30.26	768.5	NW	3	...	
Kochi, .	"	NW	1	...	"	30.34	770.5	SW	1	...	
Nagasaki, .	"	30.30	769.5	NNW	5	...	"	30.32	770.0	E	3	...	
Kagoshima, .	"	30.22	767.5	N	2	...	"	30.30	769.5	NW	1	...	
Oshima, .	"	30.16	766.0	NNW	4	...	"	30.20	767.0	SSE	1	...	
Naha, .	"	30.12	765.0	NNE	4	...	"	30.14	765.5	NE	3	...	
Ishigakijima, .	"	30.08	764.0	ESE	3	...	"	30.02	762.5	SE	6	...	
Bonin Island, .	"	30.02	762.5	N	1	...	"	30.06	763.5	N	2	...	
Weihaiwei, .	14	30.51	774.9	32	79	N	1	b	6	30.38	771.6	34	42	SE	1	b	
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	13	30.38	771.6	48	54	NE	4	o	"	30.25	768.3	43	85	E	1	o	
Gutzlaff, .	"	30.35	770.9	47	100	NE	4	o	"	30.24	768.1	44	100	ESE	4	o	
Sharp Peak, .	15	30.09	764.3	58	81	N	4	o	7	30.07	763.8	54	94	N	4	r	
Amoy, .	14	30.03	762.7	66	91	NE	4	o	6	30.05	763.2	60	94	NE	1	r	
Swatow, .	"	"	
Taihoku, .	12	30.11	764.7	64	92	...	o	r	"	29.99	761.7	64	94	E	4	b	
Taichu, .	"	30.06	763.5	66	...	N	4	o	"	30.00	762.0	63	...	N	0	o	
Tainan, .	"	30.04	762.9	70	...	NNE	6	o	"	29.99	761.7	63	...	4	o	o	
Koshun, .	"	30.02	762.6	72	...	NE	4	r	"	29.98	761.4	70	...	ENE	6	o	
Pescadores, .	"	30.08	764.1	64	...	NE	2	r	"	30.01	762.3	63	...	NE	4	o	
Canton, .	15	29.95	760.7	79	40	...	o	o	"	30.00	762.0	56	94	SE	1	b	
Hongkong, .	14	29.98	761.5	67	66	E	4	b	"	29.98	761.5	61	81	E	5	o	
Gap Rock, .	"	29.97	761.2	ENE	4	b	"	29.97	761.2	ENE	5	o	
Macao, .	"	29.97	761.1	73	62	SE	2	b	"	29.93	760.8	61	87	ESE	2	o	
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	72	70	ENE	4	ef	7	29.95	760.8	63	98	ESE	4	bf
Tourane, .	"	29.92	759.9	72	...	NNW	2	o	"	29.91	759.6	66	...	SE	2	o	
Cape St. James, .	"	29.81	757.2	79	...	ENE	4	o	"	29.85	758.1	72	...	ENE	4	o	
Aparri, .	14	29.86	758.4	81	66	NE	4	o	6	29.92	759.9	68	92	...	0	o	
Dagupan, .	"	"	
Manila, .	"	29.80	756.9	86	56	NW	1	o	"	29.82	757.5	66	94	NNE	1	b	
Legaspi, .	"	29.76	756.0	82	70	NE	6	o	"	29.81	757.2	75	92	NE	4	o	
Tacloban, .	"	"	
Iloilo, .	"	29.73	755.1	79	92	N	4	o	"	
Surigao, .	"	29.69	754.2	79	90	ENE	2	o	"	
Guam, .	12.20	29.71	754.5	NE	4	o	4.20	29.76	756.0	NE	1	o	
Yap, .	12.47	4.47	
Labuan, .	14	29.72	754.9	82	83	N	4	b	6	29.71	754.6	76	94	E	2	b	

January 14d. 11h. 35m.—Pressure has increased considerably from Wladivostock to N.E. Japan and slightly over the Loochoos. It has decreased slightly from Weihaiwei to Indo-China and from Guam to the Bonins.

The anticyclone is now central to the north of Wladivostock.

Moderate monsoon may be expected along the coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

DISTRICT.

FORECAST.

- | | | | |
|---|-----|---|---|
| 1.—Formosa Channel, . | ... | { | N.E. winds, moderate; generally cloudy, some drizzle or mist. |
| 2.—South coast of China between Hongkong and Lamocks, . | ... | | |
| 3.—Hongkong to Gap Rock, . | ... | | |
| 4.—South coast of China between Hongkong and Hainan, . | ... | | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	14TH JANUARY, 1923.							15TH JANUARY, 1923.								
	HONGKONG STANDARD TIME		BAROMETER AT SEA LEVEL.		TEMPER. ATURE.	HUMIDIT.	WIND.	WEATHER.	HONGKONG STANDARD TIME		BAROMETER AT SEA LEVEL.		TEMPER. ATURE.	HUMIDIT.	WIND.	WEATHER.
	Inches.	Millrs.	Direct. ion.	Force.					Inches.	Millrs.	Direct. ion.	Force.				
Vladivostock, .	12	30.35	770.8	10	...	NNE	4	o	6	30.08	763.9	4	...	N	6	f
Nemuro, .	11	30.10	764.5	W	2	...	5	30.08	764.0	WSW	1	...
Hokodate, .	"	30.28	769.0	SW	6	...	"	30.12	765.0	WNW	1	...
Tokio, .	"	30.30	769.5	NNE	4	...	"	30.16	766.0	N	2	...
Kochi, .	"	30.31	770.0	SE	1	...	"	30.04	763.0	SW	1	...
Nagasaki, .	"	30.26	768.5	E	3	...	"	29.73	755.0	SE	9	...
Kagoshima, .	"	30.26	768.5	NE	2	...	"	29.82	757.5	SSE	3	...
Oshima, .	"	30.16	766.0	SE	1	...	"	29.90	759.5	SSE	3	...
Naha, .	"	30.10	764.5	NE	3	...	"	29.94	760.5	S	2	...
Ishigakijima, .	"	30.06	763.5	S	6	...	"	29.96	761.0	N	2	...
Bonin Island, .	"	30.08	764.0	NNE	3	...	"	30.10	764.5	ENE	1	...
Weihaiwei, .	14	30.23	767.8	28	88	SE	2	r	6	30.13	765.3	30	77	NW	2	r
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"	30.13	765.3	39	84	NW	6	o
Shanghai, .	11	30.11	764.7	54	95	SE	4	o	"	30.10	764.5	40	100	N	7	o
Gutzlaff, .	"	30.04	763.0	50	100	SSE	2	o	"	29.93	760.2	56	94	...	0	b
Sharp Peak, .	15	29.93	760.2	58	81	N	1	o	7	29.93	760.2	60	100	WSW	2	o
Amoy, .	14	6	29.93	760.2	60	100
Swatow, .	"	"
Taihoku, .	12	29.99	761.7	79	66	SW	2	b	"	30.00	762.0	61	96	...	0	o
Taichu, .	"	30.02	762.6	64	0	o	"	30.01	762.3	64	...	SE	1	o
Tainan, .	"	29.99	761.7	73	...	NNE	4	b	"	61	...	NNE	4	o
Koshun, .	"	29.99	761.7	75	...	E	4	b	"	29.91	759.6	66	0	b
Pescadores, .	"	30.01	762.3	68	...	NNE	6	o	"	66	...	NE	4	o
Canton, .	15	29.92	759.9	69	70	SSE	1	o	"	29.98	761.5	60	94	N	1	b
Hongkong, .	14	29.93	760.2	64	78	E	3	o	"	29.96	761.0	64	89	...	0	om
Gap Rock, .	"	29.91	759.7	ENE	5	o	"	29.96	761.0	ENE	5	o
Macao, .	"	29.92	759.9	68	73	...	2	o	"	29.94	760.5	63	96	NNW	2	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.87	758.7	70	74	SSE	4	o	7	29.97	761.1	64	96	ENE	2	cf
Tourane, .	"	29.86	758.4	73	...	NNW	2	o	"	29.88	759.0	66	...	SW	2	b
Cape St. James, .	"	29.79	756.6	81	...	ENE	2	b	"	29.82	757.5	72	...	NE	2	b
Aparri, .	14	29.84	757.8	81	66	NE	2	o	6	29.88	759.0	66	96	S	2	b
Dagupan, .	"	"
Manila, .	"	29.76	756.0	86	46	E	1	o	"	29.82	757.5	70	92	N	1	o
Legaspi, .	"	29.74	755.4	81	43	NE	4	o	"	29.80	756.9	79	92	NE	1	o
Tacloban, .	"	"
Iloilo, .	"	29.68	753.9	84	71	NE	6	o	"
Surigao, .	"	29.74	755.4	79	92	ESE	2	o	"
Guam, .	12.20	29.73	755.1	NE	2	o	4.20	29.75	755.7	NE	4	b
Yap, .	12.47	4.47
Labuan, .	14	29.69	754.1	84	79	N	4	b	6	29.75	755.6	78	94	N	6	b

January 15d. 11h. 08m.—Pressure has decreased very considerably over S.W. Japan, under the influence of a depression which formed over the lower Yangtze Valley yesterday and is now approaching Nagasaki.

Changes in southern districts are slight.

Another anticyclone may be forming over N. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

DISTRICT. FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamocks, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- N.W. to N.E. winds, freshening; fine to cloudy.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	15TH JANUARY, 1923.							16TH JANUARY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direct. ion.	Force.		Inches.	Millrs.			Direct. ion.	Force.		
Vladivostock, .	12	29.95	760.6	9	...	N	4	0	6	30.17	766.3	-8	...	NNE	4	b
Nemuro, .	13	30.18	766.5	SSW	1	...	5	28.90	734.0	NNE	8	...
Hokodate, .	12	29.90	759.5	ENE	2	...	5	29.13	740.0	N	4	...
Tokio, .	12	29.94	760.5	NNW	1	...	5	24.61	752.0	NW	6	...
Kochi, .	12	29.70	754.5	SE	4	...	5	29.92	760.0	W	1	...
Nagasaki, .	12	29.65	753.0	W	7	...	5	30.12	765.0	NNW	4	...
Kagoshima, .	12	29.70	754.5	WNW	5	...	5	30.08	764.0	NNW	2	...
Oshima, .	12	29.86	758.5	S	3	...	5	30.06	763.5	N	6	...
Naha, .	12	29.96	761.0	WSW	3	...	5	30.10	764.5	N	6	...
Ishigakijima, .	12	30.06	763.5	S	6	...	5	30.16	766.0	N	4	...
Bonin Island, .	12	29.98	761.5	ESE	6	...	5	29.86	758.5	WSW	2	...
Weibaiwei, .	14	30.29	769.3	24	73	WNW	6	0	6	30.43	772.9	24	73	W	1	b
Hankow, .	15	5
Ichang, .	12	5
Changsha, .	12	5
Shanghai, .	12	30.33	770.4	37	72	NW	6	0	5	30.52	775.2	28	...	NNW	2	b
Gutzlaff, .	12	30.30	769.6	38	100	NNW	7	0	5	30.49	774.4	34	...	NNW	4	o
Sharp Peak, .	15	30.00	762.0	58	93	NNE	2	0	5	30.28	769.1	47	77	ENE	4	o
Amoy, .	14	29.94	760.5	71	85	...	0	b	6	30.19	766.8	52	100	ENE	4	o
Swatow, .	12	5
Taihoku, .	12	29.97	761.1	75	63	NW	2	b	5	30.30	769.5	55	86	E	4	o
Taichu, .	12	29.98	761.4	75	0	b	5	30.07	763.8	55	...	N	4	o
Tainan, .	12	29.97	761.1	82	...	NNW	2	b	5	30.06	763.5	55	...	ENE	6	o
Koskun, .	12	29.98	761.4	84	...	E	4	o	5	30.04	762.9	63	...	NE	8	o
Pescadores, .	12	29.99	761.7	73	...	N	4	b	5
Canton, .	15	29.99	761.7	73	51	N	2	b	5
Hongkong, .	14	29.94	760.5	72	69	WSW	2	0	5	30.12	765.0	58	50	NNE	2	o
Gap Rock, .	12	29.94	760.5	NNW	3	b	5	30.12	765.0	N	4	o
Macao, .	12	29.93	760.2	72	62	NNE	2	o	5	30.12	765.0	55	55	N	4	o
Wuchow, .	15	5
Pakhoi, .	12	5
Hoihow, .	12	5
Phulien, .	12	29.98	761.4	73	66	...	0	o	5	30.11	764.7	64	71	ENE	4	o
Tourane, .	12	29.91	759.6	68	...	NNW	4	o	5	29.99	761.7	66	...	NW	4	o
Cape St. James, .	12	29.76	756.0	82	...	S	2	o	5	29.82	758.5	72	...	N	2	r
Aparri, .	14	29.84	757.8	81	69	NE	4	b	6	29.95	760.8	75	71	NE	4	o
Dugupan, .	12	6
Maulia, .	12	29.76	756.0	86	61	ESE	1	o	6	29.85	758.1	73	96	...	o	o
Legaspi, .	12	29.76	756.0	86	75	NE	2	o	6	29.84	757.8	75	96	E	1	o
Tacloban, .	12	6
Iloilo, .	12	29.73	755.1	86	71	NE	4	o	6
Surigao, .	12	29.71	754.5	82	81	ENE	4	o	6
Guam, .	12.20	29.69	754.2	NE	4	o	6
Yap, .	12.47	6	4.47
Labuan, .	14	29.71	754.6	86	76	NW	2	b	6	29.71	754.6	77	93	E	4	b

January 16th 10h. 09m.—Pressure has decreased very considerably over N.E. Japan. It has increased considerably from Weibaiwei to Amoy, moderately from Formosa to Tongking and slightly over the Philippines.

The depression has moved rapidly to the north-east of Japan, developing into a severe typhoon.

Another anticyclone has formed over China and S.E. Mongolia.

Fresh to strong monsoon may be expected along the coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

DISTRICT.

FORECAST.

- | | |
|--|----------------------------|
| 1.—Formosa Channel, | N.E. winds, strong. |
| 2.—South coast of China between Hongkong and Lamock, . | } N.E. winds, fresh; fine. |
| 3.—Hongkong to Gap Rock, | |
| 4.—South coast of China between Hongkong and Hainan, . | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG

DAILY WEATHER REPORT.

STATION.	16TH JANUARY, 1923.								17TH JANUARY, 1923.								
	HONOKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TRAPPE- ATTEN.		WIND.		HONOKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TRAPPE- ATTEN.		WIND.		
			Inches.	Millrs.		Number.	Direct- ion.	Force.			Inches.	Millrs.		Number.	Direct- ion.	Force.	WEATHER.
Wladivostock, .	12	30.12	765.0		7	...	NNE	5	b	6	30.23	767.9	-3	0	b
Nemuro, .	11	29.11	739.5		NW	9	...	5
Hokodate, .	"	29.49	749.0		NNW	9	...	"	29.76	756.0	WNW	5	...
Tokio, .	"	29.74	755.5		N	5	...	"	29.94	760.5	N	1	...
Kochi, .	"	30.00	762.0		NW	2	...	"	30.08	764.0	WNW	1	...
Nagasaki, .	"	30.18	766.5		N	4	...	"	30.28	769.0	NNW	6	...
Kagoshima, .	"	30.14	765.5		NNW	4	...	"	30.38	770.5
Oshima, .	"	30.10	764.5		N	6	...	"	30.22	767.5	N	4	...
Naha, .	"	30.16	766.0		N	5	...	"	30.22	767.5	N	4	...
Ishigakijima, .	"	29.82	757.5		NE	2	...	"	30.24	768.0	ENE	5	...
Boniu Island, .	"	29.82	757.5		WSW	4	...	"	29.96	761.0
Weihaiwei, .	14	30.37	771.4	28	76	NNE	4	r	6	30.50	774.7	24	73	WSW	5	b	
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"	30.53	775.5	25	...	NNW	1	b
Shanghai, .	11	30.54	775.8	37	...	NNW	1	b	"	30.52	775.2	32	100	N	4	o	
Gutzlaff, .	"	30.49	774.4	38	100	NNW	4	o	"	30.30	769.6	46	77	N	1	o	
Sharp Peak, .	15	30.22	767.0	52	73	NE	1	b	7	30.29	769.3	47	100	ENE	4	o	
Annoy, .	14	30.18	766.6	58	81	ENE	1	o	6	30.20	767.1	49	100	NE	1	b	
Swatow, .	""	"	30.30	769.5	52	95	E	2	o
Taihoku, .	12	30.31	769.8	54	78	E	4	o	"	30.19	766.8	54	...	NNW	2	o	
Taichu, .	"	30.11	764.7	61	...	N	4	o	"	30.15	765.9	55	...	NNE	4	o	
Tainan, .	"	30.11	764.7	61	...	N	4	o	"	30.14	765.0	63	...	NE	7	o	
Kohun, .	"	30.10	764.4	66	...	NE	8	o	"	30.20	767.1	57	...	NE	8	o	
Pescadores, .	"	30.17	766.2	57	...	NE	8	o	"	
Canton, .	15	30.14	765.5	67	41	N	2	b	"	
Hongkong, .	14	30.11	764.8	63	41	E	2	o	"	30.24	768.1	55	44	NNE	1	o	
Gap Rock, .	"	30.11	764.8	NE	4	o	"	30.24	768.1	55	44	NE	4	o	
Macao, .	"	30.11	764.7	57	46	NNE	4	o	"	30.21	767.4	54	53	N	4	o	
Wuchow, .	15	9	
Pakboi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	30.07	763.8	72	51	SSE	4	o	7	30.19	766.8	61	64	ENE	4	o	
Tourane, .	"	29.98	761.4	70	...	NE	4	o	"	30.04	762.9	68	...	ENE	6	o	
Cape St. James, .	"	29.81	757.2	70	...	NW	4	r	"	29.86	758.4	70	...	N	2	o	
Aparri, .	14	29.92	759.9	77	76	NE	4	o	6	30.02	762.6	72	78	ENE	4	r	
Dagupan, .	"	"	
Manila, .	"	29.80	756.9	82	70	NNW	1	o	"	29.92	759.9	68	94	W	1	b	
Legaspi, .	"	29.79	756.6	77	89	NE	2	o	"	29.91	759.6	77	76	NE	4	b	
Taoloban, .	"	"	
Ililo, .	"	29.73	755.1	86	65	NE	4	o	"	29.86	758.4	73	91	N	4	o	
Surigao, .	"	29.74	755.4	81	80	ENE	2	r	"	29.84	757.8	73	98	SW	1	o	
Guam, .	12.20	29.71	754.5	NE	4	o	4.20	29.80	756.9	NE	1	r	
Yap, .	12.47	4.47	
Labuan, .	14	29.73	755.1	84	79	E	4	b	6	29.82	757.4	78	94	NE	2	r	

January 17d. 11h. 57m.—Pressure has increased very considerably over N.E. Japan, moderately over the Loochooos, and slightly at the majority of other reporting stations.

The anticyclone remains stationary over China and S.E. Mongolia.

Fresh to strong monsoon may be expected along the coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks, } N.E. winds, fresh ; fine.
- 3.—Hongkong to Gap Rock, }
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	17TH JANUARY, 1923.							18TH JANUARY, 1923.								
	HONGKONG STANDARD TIME		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.	HONGKONG STANDARD TIME		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.
	Inches.	Millrs.	Inches.	Millrs.					Inches.	Millrs.	Inches.	Millrs.				
Vladivostock, .	12	30.13	765.4	18	WSW	0	6	30.13	765.3	2	o	
Nemuro, .	11	29.59	751.5	W	2	...	5	29.92	760.0	b	
Hokodate, .	"	29.82	757.5	NW	7	...	"	30.00	762.0	N	1	
Tokio, .	"	29.98	761.5	WNW	5	...	"	30.20	767.0	NNW	1	
Kochi, .	"	30.16	766.0	N	2	...	"	30.28	769.0	SW	1	
Nagasaki, .	"	30.31	770.0	NW	3	...	"	30.30	769.5	N	1	
Kagoshima, .	"	30.26	768.5	NW	3	...	"	30.30	769.5	NW	1	
Oshima, .	"	30.22	767.5	N	4	...	"	30.24	768.0	SSE	1	
Naha, .	"	30.26	768.5	N	4	...	"	30.22	767.5	NE	1	
Ishigakijima, .	"	30.26	768.5	N	0	...	"	30.22	767.5	NE	1	
Bonin Island, .	"	29.98	761.5	NW	2	...	"	30.12	765.0	NNW	1	
Weihaiwei, .	14	30.38	771.6	30	77	WNW	4	b	6	30.27	768.8	24	73	WSW	2	
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	30.56	776.1	37	28	NW	1	b	"	30.44	773.1	21	o	
Gutzlaff, .	"	30.48	774.2	40	100	NNW	2	b	"	30.45	773.4	32	100	o	b	
Sharp Peak, .	15	30.23	767.8	52	73	E	4	b	7	30.25	768.3	46	77	N	1	
Amoy, .	14	30.18	766.6	62	90	FNE	2	b	6	30.26	768.6	47	100	ENE	2	
Swatow, .	"	"	
Taihoku, .	12	30.31	769.8	59	83	E	4	o	"	30.25	768.3	54	85	E	2	
Taichu, .	"	30.21	767.4	59	...	N	4	o	"	30.18	766.5	54	...	N	2	
Taiuan, .	"	30.19	66.8	63	...	N	4	h	"	30.15	765.9	55	...	NNE	4	
Koshun, .	"	30.15	765.9	68	...	NE	7	b	"	30.12	765.0	64	...	NE	6	
Pescadores, .	"	30.24	768.0	57	...	NNE	7	o	"	30.19	766.8	59	...	NE	6	
Canton, .	15	30.19	766.8	67	33	N	2	b	"	30.27	768.8	47	55	N	2	
Hongkong, .	14	30.15	766.0	63	41	E	3	b	"	30.23	767.8	56	69	...	o	
Gap Rock, .	"	30.16	766.0	ENE	4	b	"	30.22	767.6	ENE	4	
Macao, .	"	30.15	765.9	57	41	NNE	4	b	"	30.19	766.8	57	67	NNW	4	
Wuchow, .	15	"	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	30.13	765.3	66	46	7	30.20	767.1	57	72	ENE	4	
Tourane, .	"	29.99	761.7	68	...	ENE	6	o	"	30.07	763.8	66	...	ENE	6	
Cape St. James, .	"	29.80	756.9	79	...	WSW	2	o	"	29.87	758.7	73	...	NE	2	
Aparri, .	14	29.98	761.4	75	71	ENE	4	o	6	30.06	763.5	70	82	E	2	
Dagupan, .	"	"	
Manila, .	"	29.85	758.1	79	73	SE	1	o	"	29.94	760.5	70	91	E	1	
Legaspi, .	"	29.84	757.8	84	64	NNE	4	b	"	29.93	760.2	77	79	NE	4	
Tacloban, .	"	"	
Hoilo, .	"	29.78	756.3	82	74	NE	4	o	"	29.87	758.7	73	91	N	4	
Surigao, .	"	29.76	756.0	84	71	ENE	4	o	"	29.81	757.2	77	91	ENE	4	
Guam, .	12.20	29.72	754.8	NE	2	o	4.20	29.78	756.3	NE	2	
Yap, .	12.47	6	29.81	757.2	77	94	r	...	
Labuan, .	14	29.79	756.6	82	83	SW	2	b	6	29.81	757.2	77	94	N	b	

January 18d. 11h. 21m. Pressure has increased considerably over central and N.E. Japan and moderately over the Bonins. It has decreased moderately at Weihaiwei and slightly at Shanghai.

The anticyclone has weakened and moved eastward. It is now central near Shanghai.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.
DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamoeks,
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; fine.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	18TH JANUARY, 1923.							19TH JANUARY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.		
Vladivostock, .	12	30.06	763.4	24	...	N	2	o	6	30.30	769.6	2	...	N	1	b
Nemuro, .	11	29.92	760.0	W	3	...	5	30.02	762.5	SW	1	...
Hokodate, .	"	30.02	762.5	NW	4	...	"	30.08	764.0	WNW	1	...
Tokio, .	"	30.18	766.5	NNE	1	...	"	30.14	765.5	NNW	1	...
Kochi, .	"	30.24	768.0	SW	1	...	"	30.32	770.0	SW	1	...
Nagasaki, .	"	30.33	770.5	N	2	...	"	30.34	770.5	0	...
Kagoshima, .	"	30.30	769.5	W	1	...	"	30.34	770.5	NW	1	...
Oshima, .	"	30.28	769.0	N	2	...	"	30.28	769.0	SSE	1	...
Naha, .	"	30.28	769.0	N	2	...	"	30.26	768.5	NE	1	...
Ishigakijima, .	"	30.26	768.5	E	5	...	"	30.18	766.5	ENE	4	...
Bonin Island, .	"	30.14	765.5	NW	1	...	"	30.20	767.0	NW	1	...
Weihaiwei, .	14	30.27	768.8	36	61	WNW	4	bf	6	30.35	770.9	26	75	WNW	1	b
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.46	773.7	43	22	W	1	b	"	30.34	770.6	28	...	ESE	1	b
Gutzlaff, .	"	30.39	771.9	42	100	W	1	b	"	30.35	770.9	40	100	SSE	2	b
Sharp Peak, .	15	30.21	767.3	58	70	E	4	b	7	30.18	766.6	50	72	NW	4	o
Amoy, .	14	30.17	766.3	62	94	FNE	2	b	6	30.17	766.3	52	100	ENE	2	o
Swatow, .	"	30.03	762.7	60	88	ESE	3	b	"
Taihoku, .	12	30.27	768.9	61	79	E	6	o	"	30.17	766.2	57	93	NE	7	b
Taihu, .	"	30.19	766.8	66	...	NNW	2	b	"	30.13	765.3	57	...	NE	1	b
Tainan, .	"	30.14	765.6	68	...	W	4	b	"	30.10	764.4	55	...	N	2	b
Koshun, .	"	30.14	765.6	70	...	NE	6	b	"	30.10	764.4	64	...	NE	6	b
Pescadores, .	"	30.22	767.7	63	...	NE	7	o	"	30.13	765.3	60	...	NE	6	b
Canton, .	15	30.15	765.8	65	40	W	2	b	"	30.16	766.0	48	85	...	0	b
Hongkong, .	14	30.13	765.3	62	49	ESE	3	bf	"	30.12	765.0	58	63	ENE	3	o
Gap Rock, .	"	30.14	765.5	NE	4	...	"	30.09	764.3	ENE	0	o
Macao, .	"	30.12	765.0	59	43	NE	4	b	"	30.10	764.4	55	79	NNE	2	o
Wuchow, .	15	"
Pakhol, .	"	"
Hoikow, .	"	"
Phulien, .	"	30.11	764.7	70	49	SSE	4	b	7	30.06	763.5	59	81	ESE	2	o
Tourane, .	"	30.01	762.3	68	...	ENE	6	o	"	30.01	762.3	66	...	ENE	4	o
Cape St. James, .	"	29.82	757.5	77	...	ENE	4	o	"	29.88	759.0	70	...	NE	2	o
Aparri, .	14	30.00	762.0	75	63	SE	2	o	6	30.04	762.9	70	82	...	0	o
Dagupan, .	"	"
Manila, .	"	29.88	759.0	84	55	ENE	1	o	"	29.94	760.5	72	86	E	1	o
Legaspi, .	"	29.88	759.0	79	76	NNE	4	o	"	29.94	760.5	75	79	NNE	4	b
Tacloban, .	"	"
Hoilo, .	"	29.82	757.5	82	67	N	6	o	"
Surigao, .	"	"
Guam, .	12.20	29.75	755.7	ESE	1	o	4.20	29.76	756.0	NE	2	o
Yap, .	12.47	4.47
Labuan, .	14	29.80	756.9	84	79	N	2	b	6	29.82	757.4	80	87	SW	2	b

January 19d. 11h. 27m.—Pressure has increased moderately at Vladivostock and slightly over Japan. It has decreased moderately from Shanghai to Haiphong, and is nearly stationary in southern districts.

A new anticyclone over S.E. Mongolia has absorbed the Chinese anticyclone.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

DISTRICT.

FORECAST.

- | | | |
|--|-----|---|
| 1.—Formosa Channel, . | ... | N.E. winds, fresh. |
| 2.—South coast of China between Hongkong and Lamock, . | ... | N.E. winds, moderate; generally cloudy, some drizzle or mist later. |
| 3.—Hongkong to Gap Rock, . | ... | ... |
| 4.—South coast of China between Hongkong and Hainan, . | ... | ... |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	19TH JANUARY, 1923.							20TH JANUARY, 1923.									
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDITY.	WIND.				
		Inches.	Millrs.			Direct. ion.	Force.		Inches.	Millrs.			Direct. ion.	Force.			
Vladivostock, .	12	30.35	760.8	22	...	ENE	3	b	6	30.27	768.8	24	...	E	4	o	
Nemuro, .	11	5	30.39	772.0	SW	1	...	
Hokodate, .	"	30.12	765.0	NNW	1	...	5	30.59	777.0	NNW	1	...	
Tokio, .	"	30.16	766.0	SE	1	...	5	30.47	774.0	NNW	1	...	
Kochi, .	"	30.31	770.0	SSE	1	...	5	30.43	773.0	WSW	1	...	
Nagasaki, .	"	30.37	771.5	N	3	...	5	30.38	771.5	ESE	2	...	
Kagoshima, .	"	30.35	771.0	ENE	1	...	5	30.38	771.5	NW	1	...	
Oshima, .	"	30.30	769.5	NNE	2	...	5	30.32	770.0	SSE	1	...	
Naha, .	"	30.26	768.5	NNE	2	...	5	30.24	768.0	NNE	1	...	
Ishigakijima, .	"	30.20	767.0	ESE	4	...	5	30.18	766.5	SE	6	...	
Bonin Island, .	"	30.18	766.5	NW	1	...	5	30.28	769.0	N	1	...	
Weihaiwei, .	14	30.30	769.6	38	63	S	1	b	6	
Hankow, .	15	6	
Ichang, .	"	6	
Changsha, .	"	6	
Shanghai, .	11	30.37	771.3	48	54	ESE	2	o	6	30.25	768.3	45	97	SSE	1	b	
Gutzlaff, .	"	30.31	769.9	48	100	SE	4	o	6	30.27	768.8	48	100	SSE	4	o	
Sharp Peak, .	15	30.16	766.0	62	77	N	2	b	6	30.17	766.3	55	88	N	2	o	
Amoy, .	14	30.13	765.3	66	91	WSW	1	b	6	30.17	766.3	56	100	ENE	2	o	
Swatow, .	"	6	
Taihoku, .	12	30.15	765.9	72	62	E	4	b	6	30.17	766.2	57	96	...	0	r	
Taichu, .	"	30.14	765.6	70	...	NW	2	b	6	30.14	765.6	57	...	NW	2	o	
Tainan, .	"	30.12	765.0	73	0	b	6	
Koshun, .	"	30.12	765.0	70	...	NE	6	o	6	
Pescadores, .	"	30.18	766.5	64	...	NNE	6	o	6	
Canton, .	15	30.09	764.3	71	53	SW	1	b	6	30.12	765.0	60	88	...	0	o	
Hongkong, .	14	30.07	763.8	64	59	ESE	4	b	6	30.11	764.8	62	71	E	2	o	
Gap Rock, .	"	30.08	764.0	NE	5	o	6	30.08	764.0	NE	5	o	
Macao, .	"	30.06	763.5	66	59	SE	2	o	6	30.08	764.1	61	87	NE	4	o	
Wuchow, .	15	6	
Pakhoi, .	"	6	
Hoikow, .	"	6	
Phulien, .	"	30.05	763.2	64	82	6	30.08	764.1	61	87	ENE	2	o	
Tourau, .	"	29.98	761.4	66	...	NW	4	o	6	30.00	762.0	66	...	NW	2	o	
Cape St. James, .	"	29.82	757.5	77	...	ENE	6	o	6	29.88	759.0	73	...	ENE	4	o	
Aparri, .	14	29.99	761.7	75	71	E	2	o	6	30.06	763.5	68	91	...	0	o	
Dagupan, .	"	6	
Manila, .	"	29.88	759.0	84	52	ENE	2	o	6	29.97	761.1	66	92	...	0	o	
Legaspi, .	"	29.88	759.0	81	66	ENE	4	o	6	29.94	760.5	75	83	NNE	4	o	
Tacloban, .	"	6	
Hoilo, .	"	29.84	757.8	82	67	N	4	o	6	
Surigao, .	"	29.80	756.9	81	76	ENE	4	o	6	
Guam, .	12.20	29.75	755.7	NE	4	o	6	4.20	29.76	756.0	NE	4	r
Yap, .	12.47	6	4.47	
Labuan, .	14	29.79	756.6	86	76	SW	2	b	6	29.82	757.4	78	91	S	2	b	

January 20d. 11h. 03m.—Pressure has increased considerably over N.E. Japan and decreased slightly from Shanghai to Haiphong. It is nearly stationary in southern districts.

The anticyclone is now central to the north of Tokio.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.63 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21ST.
DISTRICT.

- | | | | |
|--|-----|---|-----------------------------|
| 1.—Formosa Channel, . | ... | } | N.E. winds, moderate; fair. |
| 2.—South coast of China between Hongkong and Lamock, . | ... | | |
| 3.—Hongkong to Gap Rock, . | ... | | |
| 4.—South coast of China between Hongkong and Hainan, . | ... | | |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	20TH JANUARY, 1923.							21ST JANUARY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE ATM.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE ATM.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Dir- ec- tion.	Force.		Inches.	Millrs.			Dir- ec- tion.	Force.		
Vladivostock,	12	30.20	767.1	30	...	ESE	4	0	6	30.01	762.3	29	...	E	2	0
Nemuro,	11	30.39	772.0	SSW	1	...	5	30.26	768.5	SW	4	...
Hokodate,	"	30.39	772.0	WSW	3	...	"	30.24	768.0	S	1	...
Tokio,	"	30.47	774.0	NNW	1	...	"	30.45	773.5	NNW	0	...
Kochi,	"	30.41	772.5	SE	1	...	"	30.41	772.5	SW	1	...
Nagasaki,	"	30.39	772.0	ENE	1	...	"	30.32	770.0	SE	0	...
Kagoshima,	"	30.37	771.5	SE	1	...	"	30.41	772.5	0	...
Oshima,	"	30.30	769.5	E	2	...	"	30.30	769.5	0	...
Naha,	"	30.24	768.0	SSE	3	...	"	30.24	768.0	ESE	1	...
Ishigakijima,	"	30.22	767.5	SE	1	...	"	30.18	766.5	SSE	4	...
Bonin Island,	"	30.24	768.0	"	30.30	769.5	NE	1	...
Weihaiwei,	14	30.15	765.8	42	75	S	1	0	6	30.09	764.3	40	82	ESE	2	0
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.22	767.7	61	69	S	1	b	"	30.12	765.0	54	95	SSE	2	b
Gutzlaff,	"	30.16	766.0	56	100	SE	4	b	"	30.15	765.8	54	100	S	4	b
Sharp Peak,	15	30.08	764.0	76	69	NE	1	b	7	30.07	763.8	62	83	...	0	b
Amoy,	14	30.07	763.8	68	95	SSE	4	b	6	30.08	764.0	58	100	SSE	1	b
Swatow,	"	"
Taihoku,	12	30.17	766.2	77	54	E	4	b	"	30.14	765.6	55	98	...	0	b
Taichu,	"	30.15	765.9	68	0	b	"	30.13	765.3	68	0	b
Tainan,	"	30.20	767.1	68	...	NNW	4	o	"	30.10	764.4	55	...	NNE	2	o
Koshun,	"	30.14	765.6	75	...	ENE	4	b	"	30.06	763.5	68	...	ENE	7	b
Pescadores,	"	30.18	766.5	64	...	NE	4	o	"	30.13	765.3	61	...	NE	4	b
Canton,	15	30.06	763.5	66	84	...	0	o	"
Hongkong,	14	30.07	763.8	64	69	E	4	o	"	30.05	763.2	66	79	E	2	o
Gap Rock,	"	30.06	763.5	ENE	5	o	"	30.04	763.0	ENE	4	c
Macao,	"	30.00	762.0	63	88	ESE	2	o	"	30.02	762.6	64	88	NE	2	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phaliens,	"	30.01	762.3	73	62	SSE	4	b	7	30.00	762.0	63	96	ESE	4	a
Tourane,	"	29.97	761.1	68	...	NW	2	o	"	29.97	761.1	66	0	b
Cape St. James,	"	29.85	758.1	77	...	ENE	6	o	"	29.89	759.3	72	...	NE	4	b
Aparri,	14	30.01	762.3	75	63	ENE	4	o	6	30.01	762.3	66	94	S	2	o
Dagupan,	"	"
Manila,	"	29.89	759.3	86	46	ENE	1	b	"	29.92	759.9	66	90	...	0	b
Legaspi,	"	29.89	759.3	72	70	NNE	4	o	"
Tacloban,	"	"
Illoilo,	"	29.85	758.1	82	70	NE	6	o	"	29.85	758.1	72	88	N	4	o
Surigao,	"	29.80	756.9	79	89	NNE	4	o	"
Guam,	12.20	29.72	754.8	NE	6	r	4.20
Yap,	12.47	4.47
Labuan,	14	29.79	756.6	86	76	E	2	b	6

January 21st. 10h. 38m.—Pressure has decreased moderately to slightly at the majority of reporting stations.

The anticyclone remains central near Tokio.

The monsoon is interrupted to the north of Amoy, and is probably moderate over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.00 inches, against an average of 0.68 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- } N.E. winds, moderate; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	21ST JANUARY, 1923.							22ND JANUARY, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	WEATHER.
	Inches.	Mills.	Direction.	Force.					Inches.	Mills.	Direction.	Force.				
Wladivostock, .	12	30.17	766.4	16	...	NNE	5	0	6	30.59	776.9	-3	...	N	6	b
Nemuro, .	11	30.12	765.0	SSW	6	...	5	28.92	760.0	NW	6	..
Hokodate, .	"	30.04	763.0	SW	2	...	"	30.06	763.5	NW	3	6
Tokio, .	"	30.35	771.0	E	1	...	"	30.00	762.0	S	6	..
Kochi, .	"	30.33	770.5	WSW	1	...	"	30.22	767.5	WSW	1	..
Nagasaki, .	"	30.24	768.0	S	6	...	"	30.16	766.0	SSE	5	..
Kagoshima, .	"	30.28	769.0	"	30.30	769.5	NW
Oshima, .	"	30.26	768.5	SE	3	...	"	30.20	767.0	S	1	..
Naha, .	"	30.22	767.5	SE	2	...	"	30.16	766.0	ESE	1	..
Ishigakijima, .	"	30.18	766.5	SSE	6	...	"	30.10	764.5	SSE	2	..
Bonin Island, .	"	30.30	769.5	E	2	...	"	30.22	767.5	NE	1	..
Weihaiwei, .	14	30.22	767.6	32	79	N	6	0	6	30.45	773.4	24	73	N	7	o
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.04	762.9	70	94	S	4	0	"	30.13	765.3	46	94	NNE	4	o
Gutzlaff, .	"	30.03	762.7	58	100	S	6	0	"	30.10	764.5	48	100	NNW	2	of
Sharp Peak, .	15	30.02	762.5	78	70	...	0	b	7	30.02	762.5	60	82	...	0	b
Amoy, .	14	6	30.07	763.8	60	100	SSE	1	o
Swatow, .	"	"
Taihoku, .	12	30.11	764.7	75	60	...	0	b	"	30.07	763.8	57	96	WNW	4	b
Taichu, .	"	30.10	764.4	70	...	0	0	b	"	30.08	764.1	54	0	b
Tainan, .	"	30.11	764.7	72	...	0	0	b	"	30.06	763.5	55	0	b
Koshun, .	"	30.11	764.7	75	...	NE	6	b	"	30.04	762.9	68	...	NE	4	b
Pescadores, .	"	30.12	765.0	66	...	ENE	4	0	"	30.07	763.8	61	...	N	4	b
Canton, .	15	29.96	761.0	77	65	SSE	2	c	"	30.01	762.2	62	100	...	0	or
Hongkong, .	14	29.98	761.5	67	83	E	5	c	"	30.01	762.2	66	84	E	3	ed
Gap Rock, .	"	29.96	761.0	ENE	4	c	"	30.01	762.2	ENE	4	o
Macao, .	"	29.97	761.1	73	75	SE	2	b	"	29.97	761.1	64	96	NE	2	of
Wuchow, .	15	9
Pakhui, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.92	759.9	72	75	SE	4	0	7	29.94	760.5	66	92	ESE	4	o
Tourane, .	"	29.88	759.0	75	...	ESE	2	b	"	29.91	759.6	70	...	SSW	2	b
Cape St. James, .	"	29.84	757.8	77	...	ENE	10	0	"	29.89	759.3	75	...	ENE	4	o
Aparri, .	14	29.94	760.5	77	64	E	4	0	6	30.00	762.0	66	94	...	0	o
Dagupan, .	"	"
Maula, .	"	29.84	757.8	81	66	W	1	0	"	29.92	759.9	68	91	...	0	b
Legaspi, .	"	29.82	757.5	81	76	NE	4	0	"	29.88	759.0	75	79	NE	2	o
Tacloban, .	"	"	29.85	758.1	75	91	NNW	2	o
Illoilo, .	"	29.78	756.3	82	63	N	4	0	"	29.85	758.1	73	88	N	4	o
Surigao, .	"	29.78	756.3	75	96	ENE	4	r	"
Guam, .	12.20	29.66	753.3	NE	6	0	4.20	29.68	753.9	NE	6	o
Yap, .	12.47	4.47
Labuan, .	14	29.79	756.6	86	80	N	2	b	6	29.81	757.2	78	91	E	4	b

January 22d, 11h. 42m.—Pressure has decreased considerably over N.E. Japan, moderately from S.W. Japan to the Loochoos, and slightly from Formosa to Tongking. It has increased considerably from Wladivostock to Weihaiwei.

The anticyclone has broken up. Another has formed over S.E. Mongolia.

A depression has formed to the south of Guam.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.13 inch. Total since January 1st, 0.13 inches, against an average of 0.74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD. DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- } N.E. winds, moderate; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	22ND JANUARY, 1923.							23RD JANUARY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER. ATM.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER. ATM.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Direct. ion.	Force.		Inches.	Millrs.			Direct. ion.	Force.		
Wladivostock, .	12	30.53	775.5	8	...	N	4	b	6	30.51	775.0	-5	...	3	b	
Nemuro, .	11	30.06	763.5	NNW	7	...	5	30.24	768.0	...	SSW	1	...	
Hokodate, .	"	30.18	766.5	N	4	...	"	1	...	
Tokio, .	"	29.92	760.0	SSW	6	...	"	30.24	768.0	...	N	1	...	
Kochi, .	"	30.14	765.5	SE	1	...	"	30.08	764.0	1	...	
Nagasaki, .	"	30.10	764.5	SW	6	...	"	30.08	764.0	...	N	1	...	
Kagoshima, .	"	30.14	765.5	SE	1	...	"	30.06	763.5	...	NW	1	...	
Oshima, .	"	30.16	766.0	SE	2	...	"	30.10	764.5	...	SSE	0	...	
Naha, .	"	SE	1	...	"	30.08	764.0	0	...	
Ishigakijima, .	"	30.10	764.5	SSW	2	...	"	30.06	763.5	...	E	1	...	
Bonin Island, .	"	30.20	767.0	ESE	3	...	"	30.12	765.0	...	E	3	...	
Weihaiwei, .	14	30.42	772.6	24	73	N	6	b	6	30.44	773.2	24	73	WNW	4	o
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	30.37	771.3	37	90	N	4	o
Shanghai, .	11	30.30	769.6	41	100	N	2	r	"	30.32	770.1	40	100	N	4	o
Gutzlaff, .	"	30.20	767.1	42	100	N	6	r	"	30.16	766.0	54	98	ENE	4	o
Sharp Peak, .	15	29.93	761.5	75	68	SE	1	b	7	30.11	764.8	60	100	NE	2	o
Amoy, .	14	29.98	761.5	69	95	SSE	4	b	6	30.07	763.8	63	98	E	...	o
Swatow, .	"	"	30.07	763.5	57	
Taihoku, .	12	30.06	763.5	75	60	...	0	b	"	30.06	762.9	66	...	NNE	4	o
Taichu, .	"	30.07	763.8	70	...	SW	2	b	"	30.00	762.0	64	...	SSE	4	b
Tainan, .	"	30.08	764.1	72	2	b	"	30.05	763.2	64	...	NE	6	o
Koshun, .	"	30.07	763.8	75	...	ENE	4	b	"	30.02	762.5	61	100	...	o	b
Pescadores, .	"	30.08	764.1	73	...	E	2	b	"	30.02	762.5	65	93	E	2	o
Canton, .	15	29.97	761.2	68	95	NW	1	o	"	30.00	762.0	66	
Hongkong, .	14	29.98	761.5	70	78	E	3	c	"	29.99	761.7	63	98	ENE	4	o
Gap Rock, .	"	29.95	760.7	NE	4	b	"	29.99	761.7	63	98	ESE	2	of
Macao, .	"	29.97	761.1	73	75	ESE	2	o	"	
Wuchow, .	15	"	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.92	759.9	68	94	ESE	4	o	7	29.97	761.1	66	96	E	4	o
Tourane, .	"	29.85	758.1	75	...	SE	2	b	"	29.94	760.5	70	...	SE	2	b
Cape St. James, .	"	29.82	757.5	77	...	ENE	4	b	"	29.87	758.7	75	...	NE	6	o
Aparri, .	14	29.91	759.6	79	69	NE	4	b	6	29.95	760.8	66	96	...	o	o
Dagupan, .	"	"	
Manila, .	"	29.84	757.8	82	68	WSW	2	o	"	29.88	759.0	64	94	N	1	b
Legaspi, .	"	29.81	757.2	84	50	NNE	4	b	"	29.87	758.7	68	91	...	o	b
Tacloban, .	"	"	
Illoilo, .	"	29.78	756.3	82	67	NE	4	o	"	29.84	757.8	72	91	N	4	o
Surigao, .	"	"	29.82	757.5	75	96	ENE	1	o
Guam, .	12.20	29.74	755.4	ENE	6	o	4.20	29.72	754.8	ENE	6	o
Yap, .	12.47	4.47	
Labuan, .	14	29.79	756.6	86	80	N	4	b	6	

January 23d. 11h. 33m.—Pressure has increased considerably over N.E. Japan and at Shanghai. It has decreased moderately over the Loochoos and S.W. Japan.

The Mongolian anticyclone is moving eastward. Another has formed over N. China and a depression has formed between the Bonins and the Loochoos.

The depression to the south of Guam is probably moving westward.

The monsoon will freshen along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 0.80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, N.E. winds, fresh; unsettled, some rain or mist, becoming cooler.
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; unsettled, some rain or mist, becoming cooler.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	23RD JANUARY, 1923.							24TH JANUARY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.		
Wladivostock, .	12	30.45	773.4	9	...	N	4	b	6	30.50	774.8	-4	...	N	5	b
Nemuro, .	11	30.12	765.0	SSE	1	...	5	30.10	764.5	NNW	1	...
Hokodate, .	"	30.10	764.5	NNW	2	...	"	30.18	766.5	NNW	4	...
Tokio, .	"	30.16	766.0	NNW	2	...	"	30.14	765.5	NNE	1	...
Kochi, .	"	30.10	764.5	"	30.02	762.5	SW	1	...
Nagasaki, .	"	30.10	764.5	N	1	...	"	30.12	765.0	N	1	...
Kagoshima, .	"	30.04	763.0	WNW	1	...	"	30.10	764.5	SSE	1	...
Oshima, .	"	30.08	764.0	N	1	...	"	30.06	763.5	NNW	3	...
Naha, .	"	30.08	764.0	NNW	1	...	"	30.08	764.0	NE	2	...
Ishigakijima, .	"	30.10	764.5	SSE	2	...	"	30.08	764.0	NE	2	...
Bonin Island, .	"	30.04	763.0	SE	3	...	"	29.96	761.0	0	0	...
Weihaiwei, .	14	30.45	772.9	26	75	N	4	b	6	30.44	773.2	24	73	N	1	0
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.39	771.9	37	77	N	2	o	"	30.44	773.2	32	96	N	2	0
Gutzlaff, .	"	30.30	769.6	38	100	N	4	o	"	30.39	771.9	36	100	NNE	4	0
Sharp Peak, .	15	30.09	764.3	54	87	ENE	4	o	7	30.18	766.6	52	86	ENE	4	0
Amoy, .	14	30.03	762.7	67	95	b	6	30.17	766.3	58	100	NNE	1	0
Swatow, .	"	"
Taihoku, .	12	30.07	763.8	73	71	E	6	b	"	30.13	765.3	61	96	E	4	0
Taichu, .	"	30.07	763.8	66	...	0	0	h	"	30.08	764.1	70	0	b
Tainan, .	"	30.05	763.2	72	...	N	4	o	"	30.05	763.2	57	...	NNE	4	0
Koshun, .	"	30.06	763.5	73	...	ENE	4	o	"	30.01	762.3	70	...	NNE	4	b
Pescadores, .	"	30.10	764.4	70	...	NE	6	o	"	30.10	764.4	64	...	NE	6	0
Canton, .	15	29.98	761.5	76	64	SW	2	c	"	30.09	764.3	61	94	NE	1	0
Hongkong, .	14	30.02	762.5	64	87	E	3	o	"	30.08	764.0	61	85	E	4	0
Gap Rock, .	"	30.00	762.0	NE	4	c	"	30.04	763.0	ENE	5	0
Macao, .	"	29.99	761.7	72	78	ESE	2	of	"	30.05	763.2	61	87	NE	2	0
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.94	760.5	77	68	SE	4	o	7	30.01	762.3	64	98	E	4	of
Tourane, .	"	29.89	759.3	73	...	SE	2	o	"	29.95	760.8	66	...	S	2	b
Cape St. James, .	"	29.84	757.8	77	...	ENE	6	b	"	29.88	759.0	73	...	ENE	6	0
Aparri, .	14	29.89	759.3	79	76	E	2	o	6	29.97	761.1	68	94	...	0	b
Dagupan, .	"	"
Manila, .	"	29.82	757.5	79	69	NNE	1	r	"	29.88	759.0	72	91	NE	1	0
Legaspi, .	"	29.80	756.9	84	64	ENE	2	o	"
Tacloban, .	"	"
Iloilo, .	"	29.76	756.0	84	60	NE	4	b	"	0
Surigao, .	"	29.74	755.4	81	80	N	4	b	"	29.80	756.9	77	86	NNW	4	0
Guam, .	12.20	29.68	753.9	SSE	6	o	4.20	29.71	754.5	ESE	4	...
Yap, .	12.47	4.47
Latuan, .	14	29.78	756.4	84	75	NW	2	b	6	29.82	757.4	77	93	N	2	b

January 24d. 11h. 35m. — Pressure has decreased moderately over the Bonins and slightly over N.E. Japan. It is nearly stationary at Wladivostock and Weihaiwei and has increased slightly from Shanghai to Haiphong.

The Mongolian anticyclone continues to move eastward.

The Chinese anticyclone is central to the north of the lower Yangtze Valley.

The Guam depression is probably moving north-westward. Its position is uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 0.87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks, } N.E. winds, fresh; fair.
- 3.—Hongkong to Gap Rock, }
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

24TH JANUARY, 1923.

STATION.	HONGKONG STANDARD TIME.						BAROMETER AT SEA LEVEL.						25TH JANUARY, 1923.					
	Inches.	Millrs.	Temper- ature.	Humid.	Wind.	Direct- ion.	Force.	Weather.	Inches.	Millrs.	Temper- ature.	Humid.	Wind.	Direct- ion.	Force.	Weather.		
Wladivostock, .	12	30.42	772.7	7	...	NNE	5	b	6	30.40	772.1	-2	...	N	4	b		
Nemuro, .	11	30.12	765.0	NW	1	...	5	30.14	765.5	W	1	...		
Hokodate, .	"	30.20	767.0	NNW	1	...	"	30.16	766.0	NW	1	...		
Tokio, .	"	30.12	765.0	NW	2	...	"	30.14	765.5	NNE	2	...		
Kochi, .	"	30.08	764.0	SW	1	...	"	30.06	763.5	SW	1	...		
Nagasaki, .	"	30.12	765.0	NNW	1	...	"	30.04	763.0	NW	3	...		
Kagoshima, .	"	30.10	764.5	NNW	1	...	"	30.04	763.0		
Oshima, .	"	30.08	764.0	NNW	1	...	"	30.10	764.5	NNW	3	...		
Naha, .	"	30.10	764.5	NNW	3	...	"	30.12	765.0	N	6	...		
Ishigakijima, .	"	30.10	764.5	NE	4	...	"	30.14	765.5	N	5	...		
Bonin Island, .	"	29.94	760.5	N	1	...	"	29.94	760.5	0	...		
Weihaiwei, .	14	30.42	772.6	24	73	N	4	b	6	30.40	772.1	24	73	NNW	7	b		
Hankow, .	15	"		
Ichang, .	"	"		
Changsha, .	"	"		
Shanghai, .	12	30.45	773.7	36	76	NNW	4	o	"	30.52	775.2	21	...	NW	4	b		
Gutzlaff, .	"	30.38	771.6	32	90	NNW	4	o	"	30.48	774.2	28	88	NNW	6	o		
Sharp Peak, .	15	30.13	765.3	50	86	E	4	o	"	30.23	767.8	46	92	E	2	o		
Amoy, .	14	30.08	764.0	67	95	ENE	1	b	6	30.22	767.6	54	100	NE	2	o		
Swatow, .	"	29.98	761.5	62	100	ESE	3	o	"		
Taihoku, .	12	30.18	766.5	66	76	E	4	o	"	30.26	768.6	54	88	E	4	o		
Taichu, .	"	30.10	764.4	70	...	N	4	b	"	30.11	764.7	55	...	N	4	b		
Tainan, .	"	30.08	764.1	73	...	N	4	b	"	30.05	763.2	55	...	N	6	o		
Koskun, .	"	30.08	764.1	73	...	NNE	2	o	"	30.05	763.2	66	...	NNE	4	b		
Pescadores, .	"	30.15	765.9	63	...	NNE	6	o	"	30.13	765.3	59	...	NE	8	o		
Canton, .	15	30.10	764.5	65	68	N	2	o	"	30.26	768.6	45	76	N	2	o		
Hongkong, .	14	30.06	763.5	68	72	E	2	o	"	30.18	766.6	55	68	N	1	o		
Gap Rock, .	"	30.07	763.8	ENE	5	o	"	30.17	766.3	N	4	o		
Macao, .	"	30.05	763.2	68	68	NE	4	o	"	30.17	766.2	50	79	N	4	o		
Wuchow, .	15	"		
Pakhoi, .	"	"		
Hoihow, .	"	"		
Phulien, .	"	30.00	762.0	70	82	E	4	o	7	30.12	765.0	59	91	ENE	4	o		
Tourane, .	"	29.94	760.5	73	...	SE	2	b	"	30.01	762.3	68	...	NW	2	o		
Cape St. James, .	"	29.85	758.1	75	...	ENE	4	b	"	29.91	759.6	72	...	NE	2	b		
Aparri, .	14	29.91	759.6	81	62	NE	4	b	6	29.95	760.8	73	75	ENE	4	o		
Dagupan, .	"	"		
Manila, .	"	29.81	757.2	84	58	SE	1	o	"	29.84	757.8	72	89	E	1	o		
Legaspi, .	"	29.78	756.3	84	64	NE	4	b	"	29.81	757.2	77	88	NE	2	o		
Tacloban, .	"	"		
Illoilo, .	"	29.75	755.7	84	71	NE	4	b	"	29.78	756.3	75	96	N	4	o		
Surigao, .	"	29.73	755.1	81	80	N	4	o	"	29.75	755.7	77	89	...	0	o		
Guam, .	12.20	29.68	753.9	E	6	o	4.20	29.74	755.4	ENE	2	o		
Yap, .	12.47	4.47		
Labuan, .	14	29.80	756.9	86	76	NW	4	b	6	29.80	756.9	78	86	N	2	b		

January 25d. 11h. 42m.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 120 miles of Lat. 10° N. Long. 134° E., moving W.N.W.

January 25d. 11h. 25m.—Pressure has increased moderately from Formosa to Tongking and slightly at Shanghai. It has decreased slightly over the Philippines.

The anticyclone remains central to the north of the lower Yangtze Valley. It has strengthened slightly.

Belated observations indicate that a typhoon passed a little to the south of Yap in the afternoon of the 23rd moving W.N.W.

Strong monsoon may be expected along the E. coast of China and fresh monsoon over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 0.94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

DISTRICT.

FORECAST.

- | | | |
|---|-----|---|
| 1.—Formosa Channel, . | ... | N.E. winds, strong. |
| 2.—South coast of China between Hongkong and Lamocks, . | ... | ... |
| 3.—Hongkong to Gap Rock, . | ... | N.E. winds, fresh; generally cloudy at first, clearing later. |
| 4.—South coast of China between Hongkong and Hainan, . | ... | ... |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	25TH JANUARY, 1923.							26TH JANUARY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATM.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATM.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	WEATHER.	
Vladivostock, .	12	30.37	771.5	8	...	NNE	4	b	6	30.49	771.5	-4	...	N	b	
Nemuro, .	11	30.12	765.0	WNW	1	...	5	
Hokodate, .	"	30.12	765.0	NNW	1	...	"	
Tokio, .	"	30.04	763.0	N	3	...	"	
Kochi, .	"	30.00	762.0	NNE	1	...	"	
Nagasaki, .	"	30.08	764.0	NW	4	...	"	
Kagoshima, .	"	30.06	763.5	NNW	3	...	"	
Oshima, .	"	30.14	765.5	NNW	6	...	"	
Naha, .	"	30.16	766.0	NE	5	...	"	
Ishigakijima, .	"	30.20	767.0	W	1	...	"	
Bonin Island, .	"	29.92	760.0	"	
Weihaiwei, .	14	30.44	773.2	26	87	NNW	6	o	6	30.47	773.9	24	73	NNW	6	b
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.58	776.7	28	...	NW	4	b	"	30.54	775.8	25	...	NW	2	o
Gutzlaff, .	"	30.48	774.2	32	82	NNW	4	o	"	30.51	774.9	28	100	NNW	4	o
Sharp Peak, .	15	30.23	767.8	46	84	E	4	o	7	30.29	769.3	44	84	NE	4	o
Amoy, .	14	30.18	766.6	58	94	ENE	2	o	6	30.27	768.8	50	100	NE	2	o
Swatow, .	"	"
Taihoku, .	12	30.30	769.5	54	70	E	6	o	"	30.27	768.9	52	95	E	4	o
Taichu, .	"	30.11	764.7	63	...	N	4	b	"	30.15	765.9	61	...	N	2	r
Taiwan, .	"	30.11	764.7	64	...	N	4	b	"	30.14	765.6	61	...	N	4	o
Koshan, .	"	30.06	763.5	70	...	NE	8	o	"	30.08	764.1	63	...	NNE	6	o
Pescadores, .	"	30.14	765.6	59	...	NE	8	o	"	30.19	766.8	57	...	NE	8	o
Canton, .	15	30.18	766.6	61	55	N	2	b	"	763.0	769.6	42	83	N	2	o
Hongkong, .	14	30.13	765.3	63	52	W	3	b	"	30.21	767.3	49	66	N	2	b
Gap Rock, .	"	30.14	765.5	NNW	4	b	"	30.18	766.6	N	5	o
Macao, .	"	30.08	764.1	57	56	NNW	4	o	"	30.20	767.1	45	74	N	4	o
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	30.11	764.7	64	71	ESE	4	o	7	30.24	768.0	54	76	NNE	4	o
Tourauie, .	"	29.99	761.7	66	...	NW	2	of	"	30.06	763.5	68	...	ENE	+2	b
Cape St. James, .	"	29.80	758.4	79	...	ENE	4	b	"	29.91	759.6	68	...	ENE	2	b
Aparri, .	14	29.94	760.5	81	56	NE	4	o	6	29.99	761.7	63	92	...	o	o
Dagupan, .	"	"	
Manila, .	"	29.81	757.2	82	74	NE	2	o	"	29.88	759.0	68	73	N	1	b
Legespi, .	"	"	
Tacloban, .	"	29.73	755.1	84	68	NW	2	o	"	
Iloilo, .	"	29.73	755.1	81	80	NE	4	o	"	29.76	756.0	73	86	N	4	o
Surigao, .	"	29.71	754.5	81	46	N	2	o	"	
Guam, .	12.20	29.71	754.5	NE	4	o	4.20	29.76	756.0	NE	2	o
Yap, .	12.47	4.47	
Labuan, .	14	29.80	756.9	84	79	N	4	b	6	29.81	757.2	77	91	N	2	b

January 26d. 12h. 35m.—Pressure has increased slightly at the majority of reporting stations.

The anticyclone remains central to the north of the lower Yangtze Valley.

There is no information to hand concerning the Yap typhoon. It may have curved to northward.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 1.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

DISTRICT.

FORECAST.

- | | | |
|---|-----|--------------------------|
| 1.—Formosa Channel, . | ... | N.E. winds, strong. |
| 2.—South coast of China between Hongkong and Lamocks, . | ... | N.E. winds, fresh; fine. |
| 3.—Hongkong to Gap Rock, . | ... | |
| 4.—South coast of China between Hongkong and Hainan, . | ... | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	26TH JANUARY, 1923.							27TH JANUARY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Direct ion.	Force.		Inches.	Millrs.			Direct ion.	Force.	WEATHER.	
Wladivostock, .	12	30.45	773.4	6	...	NNE	4	b	6	30.51	774.9	-5	...	N	4	b
Nemuro, .	11	30.04	763.0	NW	6	...	5	30.20	767.0	NW	3	...
Hokodate, .	"	30.04	763.0	N	1	...	5	30.22	767.5	N	1	...
Tokio, .	"	30.08	764.0	NE	2	...	"	30.16	766.0	NNE	1	...
Kochi, .	"	30.10	764.5	0	...	"	30.12	765.0	SW	1	...
Nagasaki, .	"	30.18	766.5	NW	4	...	"	30.24	768.0	NW	4	...
Kagoshima, .	"	30.14	765.5	NW	2	...	"	30.24	768.0	W	2	...
Oshima, .	"	30.16	766.0	N	3	...	"	30.22	767.5	N	5	...
Naba, .	"	30.20	767.0	NNW	4	...	"	30.24	768.0	N	5	...
Ishigakijima, .	"	30.20	767.0	NNE	4	...	"	30.26	768.5	NE	2	...
Bonin Island, .	"	29.96	761.0	NNE	2	...	"	30.04	763.0	0	...
Weihaiwei, .	14	30.37	771.4	26	75	NW	6	b	6	30.57	776.5	24	60	NW	4	b
Flankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.58	776.7	34	...	N	4	b	"	30.60	777.3	25	...	NNW	1	b
Gutzlaff, .	"	30.52	775.2	36	100	NNW	4	o	"	30.58	775.0	30	100	NNW	4	b
Sharp Peak, .	15	30.31	769.9	44	98	ENE	4	o	7	30.37	771.4	42	83	NE	4	o
Amoy, .	14	30.19	766.8	58	100	ENE	2	o	6	30.30	769.6	50	100	NE	2	o
Swatow, .	"	"
Taihoku, .	12	30.30	769.5	57	79	E	4	o	"	30.32	770.1	52	95	E	4	o
Taichu, .	"	30.17	766.2	61	...	N	4	o	"	30.18	766.5	55	...	N	2	o
Tainan, .	"	30.15	765.9	63	...	N	6	o	"	30.15	765.9	52	...	NNE	4	b
Koshun, .	"	30.12	765.0	72	...	NE	7	o	"	30.12	765.0	64	...	NE	6	o
Pescadores, .	"	30.21	767.4	57	...	NE	7	o	"	30.20	767.1	55	...	NE	8	o
Canton, .	15	30.20	767.1	59	54	N	2	b	"	30.31	769.9	43	75	N	2	o
Hongkong, .	14	30.16	766.0	60	44	W	2	o	"	30.24	768.1	52	59	NE	1	o
Gap Rock, .	"	30.16	766.0	NNW	4	b	"	30.21	767.3	N	5	o
Macao, .	"	30.15	65.9	54	53	N	4	b	"	30.22	767.7	45	64	N	4	o
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	30.17	766.2	59	58	NW	1	o	7	30.24	768.0	54	76	ENE	2	r
Tourane, .	"	30.04	762.9	68	...	NE	4	o	"	30.07	763.8	66	...	E	6	o
Cape St. James, .	"	29.86	758.4	79	...	E	2	b	"	29.92	759.9	72	0	b
Aparri, .	14	29.93	760.2	86	78	NE	4	o	6	
Dagupan, .	"	"	
Manila, .	"	29.79	756.6	84	52	NNW	1	o	"	29.87	758.7	72	75	NNE	2	o
Legaspi, .	"	29.73	755.1	84	87	NNE	4	o	"	
Tacloban, .	"	"	
Illoilo, .	"	29.73	755.1	77	79	E	4	o	"	
Surigao, .	"	"	
Guam, .	12.20	29.69	754.2	E	4	o	4.20	29.80	756.9	NE	2	o
Yap, .	12.47	4.47	
Labuan, .	14	29.80	756.9	86	76	N	2	b	6	29.81	757.2	76	94	N	6	b

January 26d. 16h. 35m.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 120 miles of Lat. 11° N. Long. 130° E., moving W.N.W.

January 27d. 12h. 37m.—Pressure has increased moderately to slightly at stations north of latitude 20°. It is stationary over Indo-China, Luzon and Borneo.

The anticyclone remains central to the north of the lower Yangtze Valley.

No observations from stations near the typhoon. Manila reports that at 10.45 a.m. this morning it was in Lat. 10° N. and Long. 126° E. moving West.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 1.11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks,
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; cloudy at first, then clearing.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	27TH JANUARY, 1923.							28TH JANUARY, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDITY.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDITY.	WIND.	WEATHER.
	Inches.	Millrs.	Direction.	Force.					Inches.	Millrs.	Direction.	Force.				
Wladivostock, .	12	30.45	773.5	8	...	NNE	4	b	6	30.45	773.4	-2	...	N	1	b
Nemuro, .	11	30.20	767.0	N	3	...	5	30.12	765.0	SW	1	...
Hokodate,	30.06	763.5	N	4	30.10	764.5	N	1	...
Tokio,	30.16	766.0	N	1	30.18	766.5	N	1	...
Kochi,	30.18	766.5	WNW	2	30.28	769.0	WSW	1	...
Nagasaki,	30.22	767.5	NNW	2	30.32	770.0	NW	4	...
Kagoshima,	30.26	768.5	WNW	2	30.30	769.5	NNW	1	...
Oshima,	30.28	769.0	N	3	30.28	769.0	NNW	3	...
Naha,	30.28	769.0	N	3	30.28	769.0	NNE	2	...
Ishigakijima,	30.28	769.0	NNE	4	30.24	768.0	ENE	4	...
Bonin Island,	30.02	762.5	W	1	30.08	764.0	NW	1	...
Weihaiwei, .	14	30.54	775.7	26	75	N	4	b	6	30.63	778.0	24	73	N	4	b
Hankow, .	15
Ichang,
Changsha,
Shanghai, .	11	30.65	778.5	36	57	N	1	b	...	30.64	778.2	25	...	NNW	1	b
Gutzlaff,	30.50	776.2	38	100	NN	4	b	...	30.59	777.1	32	100	N	4	o
Sharp Peak, .	15	30.30	769.6	44	68	N	2	o	7	30.33	770.4	44	76	ENE	2	o
Amoy, .	14	30.23	767.8	60	100	ENE	2	b	6	30.31	769.9	52	100	NE	2	o
Swatow,	30.14	765.5	56	94	ESE	4	b
Taihoku, .	12	30.33	770.4	57	77	E	6	o	...	30.31	769.8	54	95	E	4	o
Taichu,	30.19	766.8	64	...	N	4	o	...	30.20	767.1	55	...	NNE	2	o
Tainan,	30.18	766.5	64	...	N	4	o	...	30.18	766.5	52	...	N	2	b
Kosinun,	30.14	765.6	68	...	NE	7	b	...	30.15	765.9	63	...	NNE	6	b
Pescadores,	30.24	768.0	59	...	NE	7	o	...	30.21	767.4	57	...	NE	7	o
Canton, .	15
Hongkong, .	14	30.20	767.1	59	49	W	2	e	...	30.26	768.6	53	65	N	1	o
Gap Rock,	30.20	767.1	NE	5	c	...	30.24	768.1	ENE	4	o
Macao,	30.20	767.1	52	57	NNE	4	o	...	30.24	768.0	50	69	N	4	o
Wuchow, .	15	9
Pakhoi,
Hoihow,
Phulien,	30.19	766.8	59	53	...	o	o	7	30.24	768.0	55	77	NNE	4	o
Tourane,	30.05	763.2	68	...	E	6	o	...	30.08	764.1	66	...	NE	6	o
Cape St. James,	29.85	758.1	84	...	S	2	b	...	29.94	760.5	70	...	NE	2	b
Aparri, .	14	30.01	762.3	73	55	ENE	4	o	6	30.05	763.2	70	83	ENE	6	r
Dagupan,
Manila,	29.82	757.5	82	51	NE	4	o	...	29.86	758.4	73	73	N	1	o
Legaspi,
Tacloban,
Iloilo,	29.69	754.2	75	98	NNW	4	o
Surigao,
Guana, .	12.20	29.75	755.7	NNE	4	o	4.20
Yap, .	12.47	4.47
Labuan, .	14	29.79	756.6	84	75	N	2	b	6	29.79	756.6	76	94	N	2	b

January 27d. 13h. 20m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 10° N. Long. 126° E., moving West.

January 28d. 13h. 05m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 10° N. Long. 124° E., moving West.

January 28d. 12h. 35m.—Pressure changes are small at all reporting stations.

The anticyclone remains central to the north of the lower Yangtze Valley.

At 6 a.m. this morning the typhoon was in about Lat. 10° N. and Long. 124° E. moving West.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 1.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

DISTRICT. FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks, .
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; fine to cloudy.
- 4.—South coast of China between Hongkong and Hainan, .

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

28TH JANUARY, 1923.

STATION.	HONGKONG STANDARD TIME.			BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATM.	HUMIDIT.	WIND.		WEATHER.
	Inches.	Millrs.	Direct- ion.	Force.	Direct- ion.			Force.		
Vladivostock, .	12	30.36	771.2	18	...	N	3	b		
Nenuro,	11	29.96	761.0	NW	4	...		
Hokodate,	"	30.02	762.5	NNW	9	...		
Tokio,	"	30.14	765.5	SW	2	...		
Kochi,	"	30.24	768.0	N	3	...		
Nagasaki,	"	30.37	771.5	NNW	2	...		
Kagoshima,	"	30.31	770.0	N	3	...		
Oshima,	"	30.30	769.5	N	3	...		
Naba,	"	30.30	769.5	N	3	...		
Ishigakijima,	"	30.28	769.0	NE	6	...		
Bonin Island,	"	30.08	764.0	NW	2	...		
Weihaiwei,	14		
Hankow,	15		
Iehang,	"		
Changsha,	"		
Shanghai,	11	30.62	777.9	34	...	N	1	b		
Gutzlaff,	"	30.55	775.9	34	100	N	4	o		
Sharp Peak,	15	30.23	767.8	46	77	NE	4	o		
Amoy,	14		
Swatow,	"		
Taihoku,	12	30.34	770.7	61	83	E	6	o		
Taichu,	"	30.20	767.1	66	...	N	4	b		
Fainan,	"	30.21	767.4	70	...	NNE	4	b		
Koshun,	"	30.24	768.0	68	...	NE	8	b		
Pescadores,	"	30.27	768.9	59	...	NNE	7	o		
Canton,	15	30.25	768.3	61	50	N	2	b		
Hongkong,	14	30.22	767.6	59	58	ESE	4	b		
Gap Rock,	"	30.22	767.6	ENE	4	c		
Macao,	"	30.20	767.1	57	51	NE	4	b		
Wuchow,	15	9		
Pakhoi,	"		
Hoihow,	"		
Phulien,	"	30.24	768.0	55	67	NNE	2	o		
Tourane,	"	30.06	763.5	66	...	NE	6	o		
Cape St. James, .	"	29.87	758.7	82	...	S	2	b		
Aparri,	14	30.00	762.0	72	44	ENE	6	r		
Dagupan,	"		
Manila,	"	29.81	757.2	81	62	N	4	o		
Legaspi,	"		
Taeloban,	"		
Hoilo,	"		
Surigao,	"		
Guam,	12.20	29.82	757.5	NE	4	o		
Yap,	12.47	4.20	...	
Labuan,	14	29.82	757.4	83	79	E	4	b		

29TH JANUARY, 1923.

STATION.	HONGKONG STANDARD TIME.			BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATM.	HUMIDIT.	WIND.		WEATHER.
	Inches.	Millrs.	Direct- ion.	Force.	Direct- ion.			Force.		
Wladivostock, .	6	30.32	770.1	6	...	N	2	b		
Nenuro,	5	29.50	759.5	WSW	1	...		
Hokodate,	"	30.00	762.0	NW	7	...		
Tokio,	"	30.18	766.5	WSW	1	...		
Kochi,	"	30.26	768.5	WSW	1	...		
Nagasaki,	"	30.30	769.5	0	...		
Kagoshima,	"	30.28	769.0	NW	1	...		
Oshima,	"	30.22	767.5	NNE	2	...		
Naba,	"	30.20	767.0	NE	1	...		
Ishigakijima,	"	30.26	768.5	ENE	2	...		
Bonin Island,	"	30.12	765.0	WNW	1	...		
Weihaiwei,	6	30.45	773.4	26	63	WNW	2	o		
Hankow,	"		
Iehang,	"		
Changsha,	"		
Shanghai,	"	30.53	775.5	25	...	NNW	1	b		
Gutzlaff,	"	30.49	774.4	30	100	N	4	r		
Sharp Peak,	7	30.23	767.8	46	77	N	2	r		
Amoy,	6	30.24	768.1	52	93	NE	1	o		
Swatow,	"		
Taihoku,	"	30.22	767.7	55	96	E	2	r		
Taichu,	"	30.19	766.8	54	...	N	6	b		
Fainan,	"	30.15	765.8	52	...	N	4	o		
Koshun,	"	30.12	765.0	63	...	NNE	4	o		
Pescadores,	"	30.21	767.4	54	...	NE	7	r		
Canton,	"		
Hongkong,	"	30.27	768.8	50	63	N	2	o		
Gap Rock,	"	30.20	768.6	NE	4	o		
Macao,	"	30.26	768.6	45	71	NNW	4	o		
Wuchow,	"		
Pakhoi,	"		
Hoihow,	"		
Phulien,	7	30.31	769.8	54	65	NNE	4	o		
Tourane,	"	30.12	765.0	66	...	ENE	7	o		
Cape St. James, .	"	29.94	760.5	70	0	o		
Aparri,	6	30.00	762.0	70	91	ENE	4	r		
Dagupan,	"		
Manila,	"	29.85	758.1	75	71	NNE	2	o		
Legaspi,	"		
Taeloban,	"		
Hoilo,	"		
Surigao,	"		
Guam,	4.20		
Yap,	4.47		
Labuan,	6	29.77	756.1	76	91	SW	2	b		

January 29d. 6h. 50m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 10° N. Long. 125° E., filling up.

January 29d. 11h. 10m.—Pressure has decreased moderately from N.E. Japan to N.E. China, and slightly from Formosa to N. Luzon. It has increased slightly over N. Indo-China.

The typhoon appears to have filled up on reaching the Visayas.

The anticyclone has weakened slightly.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 1.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks, N.E. winds, fresh; fine.
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; fine.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	29TH JANUARY, 1923.							30TH JANUARY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	Humid.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	Humid.	WIND.			
		Inches.	Mills.			Direct- ion.	Force.		Inches.	Mills.			Direct- ion.	Force.	WEATHER.	
Vladivostock, .	12	30.24	768.1	27	...	N	2	b	6	30.23	767.7	8	...	N	3	b
Nemuro, .	11	29.92	760.0	NW	4	...	5	30.02	762.5	SW	1	...
Hokodate, .	"	30.04	763.0	NNW	4	...	"	30.06	763.5	W	1	...
Tokio, .	"	30.18	766.5	NW	4	...	"	30.18	766.5	NW	1	...
Kochi, .	"	30.24	768.0	SW	1	...	"	30.18	766.5	SW	1	...
Nagasaki, .	"	30.28	769.0	0	...	"	30.22	767.5
Kagoshima, .	"	30.26	768.5	NNW	1	...	"	30.20	767.0	NW	1	...
Oshima, .	"	30.22	767.5	N	1	...	"	30.20	767.0	NNW	1	...
Naha, .	"	30.20	767.0	N	2	...	"	30.20	767.0	N	2	...
Ishigakijima, .	"	30.18	766.5	E	3	...	"	30.14	765.5	NNE	3	...
Bonin Island, .	"	30.12	765.0	WSW	1	...	"	0	...
Weihaiwei, .	14	30.36	771.1	30	88	NNW	2	r	6	30.30	769.6	26	75	NNW	2	b
Hankow, .	15	"
Iehang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.54	775.8	34	...	NW	2	o	"	30.49	774.3	21	...	NW	1	b
Gutzlaff, .	"	30.45	773.4	38	100	NNW	4	b	"	30.48	774.2	28	100	NNW	2	b
Sharp Peak, .	15	30.25	769.3	47	91	N	1	o	7	30.25	768.3	46	84	N	1	o
Amoy, .	14	30.20	767.1	60	82	NE	1	o	6	30.21	767.3	48	93	NNE	2	b
Swatow, .	"	"	30.16	766.0	49	85	NNE	1	o
Taihoku, .	12	30.26	768.6	63	75	E	4	o	"	30.21	767.4	55	96	E	4	o
Taichu, .	"	30.20	767.1	63	...	N	6	b	"	30.15	765.9	46	0	...
Tainan, .	"	30.20	767.1	59	...	N	6	b	"	30.12	765.0	50	...	N	4	b
Koshun, .	"	30.14	765.6	70	...	NNE	4	o	"	30.10	764.4	63	...	N	4	b
Pescadores, .	"	30.26	768.6	75	...	NNE	7	r	"	30.17	766.2	55	...	NE	7	o
Canton, .	15	30.23	767.8	58	53	N	2	b	"	30.28	769.1	41	74	N	2	b
Hongkong, .	14	30.18	766.6	60	42	W	2	b	"	30.20	767.1	53	62	...	0	o
Gap Rock, .	"	30.19	766.8	NNW	4	b	"	30.17	766.3	NE	4	o
Macao, .	"	30.18	766.5	54	59	N	4	b	"	30.19	766.8	46	66	NNW	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.19	766.8	70	61	SW	2	o	7	30.20	767.1	54	70	NE	4	o
Tourane, .	"	30.07	763.8	63	...	NNW	6	o	"	30.10	764.4	61	...	NW	4	r
Cape St. James, .	"	29.88	759.0	82	...	NW	2	b	"	29.89	759.3	68	...	NW	2	b
Aparri, .	14	29.95	760.8	70	91	NE	4	r	6	30.00	762.0	70	88	E	2	o
Dagupan, .	"	"
Manila, .	"	29.80	756.9	82	57	NNE	4	o	"	29.85	758.1	72	88	...	0	o
Legaspi, .	"	"	29.82	757.5	75	94	...	0	o
Tacloban, .	"	"
Illoilo, .	"	29.71	754.5	84	81	NE	4	o	"	29.80	756.9	75	98	N	4	o
Surigao, .	"	"	29.82	757.5	73	98	SW	1	o
Guam, .	12.20	29.76	756.0	NE	4	o	4.20	29.84	757.8	NE	2	o
Yap, .	12.47	4.47
Labuan, .	14	29.77	756.1	84	75	SW	2	r	6	29.77	756.1	76	93	S	2	o

January 30th, 11h. 45m.—Pressure has increased slightly over N.E. Japan and the Visayas. It has decreased slightly at the majority of other reporting stations.

The anticyclone has weakened further. The northern portion has moved eastward, leaving a separate anticyclone central over the lower Yangtze Valley.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 1.36 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31ST.
DISTRICT.**

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
 2.—South coast of China between Hongkong and Lamock,
 3.—Hongkong to Gap Rock, N.E. winds, fresh; cloudy to fine.
 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	30TH JANUARY, 1923.							31ST JANUARY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER. ATMOS.	HUMID.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER. ATMOS.	HUMID.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.		
Vladivostock, .	12	30.18	766.5	26	...	NNE	3	b	6	30.19	766.8	12	...	N	2	b
Nemuro,	11	29.96	761.0	0	...	5	29.78	756.5	WSW	1	...
Hokodate,	"	30.04	763.0	WNW	6	...	"	29.88	759.0	WNW	5	...
Tokio,	"	30.10	764.5	NNE	1	...	"	30.00	762.0	NNW	1	...
Kochi,	"	30.14	765.5	WSW	2	...	"	30.26	768.5	SW	1	...
Nagasaki,	"	30.26	768.5	NNW	2	...	"	30.36	771.0	NW	1	...
Kagoshima,	"	30.22	767.5	NNW	1	...	"	30.34	770.5	0	...
Oshima,	"	30.24	768.0	NNW	2	...	"	30.28	769.0	NNW	5	...
Naha,	"	30.24	768.0	N	4	...	"	30.28	769.0	NNE	2	...
Ishigakijima,	"	30.20	767.0	ENE	7	...	"	30.22	767.5	NNE	4	...
Bonin Island,	"	30.10	764.5	W	1	...	"	30.12	765.0	W	1	...
Weihaiwei,	14	30.38	771.6	30	62	NNW	2	r	6	30.49	774.4	32	68	WNW	2	b
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.53	775.5	36	100	NNW	2	b	"	30.59	777.0	25	...	NNW	1	b
Gutzlaff,	"	30.50	774.7	38	100	NNW	2	b	"	30.58	776.7	32	100	NNW	4	o
Sharp Peak,	15	30.23	767.8	47	77	ENE	4	o	7	30.33	770.4	44	84	NE	6	o
Amoy,	14	30.17	766.3	60	82	...	0	b	6	30.30	769.6	48	93	NE	1	o
Swatow,	"	"
Taihoku,	12	30.26	768.6	64	71	E	4	o	"	30.34	770.7	55	88	E	4	o
Taichu,	"	30.15	765.9	63	...	N	4	b	"	30.19	766.8	55	...	N	4	b
Tainan,	"	30.15	765.9	65	...	NNE	4	b	"	30.17	766.2	55	...	NNE	4	o
Koshun,	"	30.12	765.0	73	...	NE	6	b	"	30.13	765.3	63	...	WSW	2	o
Pescadores,	"	30.21	767.4	57	...	NE	7	o	"	30.25	768.3	34	...	NE	8	o
Canton,	15	30.18	766.6	62	+6	N	2	b	"	30.34	770.6	45	67	WSW	2	b
Hongkong,	14	30.16	766.0	60	51	E	2	...	"	30.27	768.8	52	42	N	2	o
Gap Rock,	"	30.17	766.3	NE	4	b	"	30.26	768.6	NE	4	o
Macao,	"	30.19	766.8	55	49	NNE	4	o	"	30.27	768.9	48	54	N	4	o
Wuchow,	15	"
Pakhoi,	"	"
Hoihow,	"	"
Phalien,	"	30.15	765.9	63	61	7	30.30	769.5	57	62	NNE	4	o
Tourane,	"	30.05	763.2	63	...	NW	0	o	"	30.13	765.3	63	...	NW	4	2
Cape St. James, .	"	29.88	759.0	81	...	SW	2	of	"	29.95	760.8	70	...	N	2	b
Aparri,	14	29.97	761.1	75	76	E	4	o	6	30.01	762.3	70	85	E	2	o
Dagupan,	"	"
Manila,	"	29.82	757.5	79	76	W	1	r	"	29.91	759.6	75	79	W	1	o
Legaspi,	"	29.80	756.9	77	92	NE	2	o	"	29.86	758.4	77	91	NE	4	o
Tacloban,	"	29.78	756.3	86	78	S	2	o	"	29.86	758.4	73	98	...	0	o
Ililo,	"	"	29.82	757.5	75	98	N	2	o
Surigao,	"	"
Guam,	12.20	29.79	756.6	NE	6	o	4.20	29.82	757.5	NE	6	r
Yap,	12.47	4.47
Labuan,	14	29.78	756.4	78	94	NW	2	o	6	29.78	756.4	78	91	NW	4	b

January 31d. 11h. 31m.—Pressure has increased slightly to moderately in all districts except in the extreme N.E., where it has decreased moderately.

The anticyclone over China has strengthened slightly.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 1.44 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1ST. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamecks, } N. winds, fresh; fine.
- 3.—Hongkong to Gap Rock, }
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

FEBRUARY,

1923.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE
ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER
REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,
DIRECTOR.



HONGKONG :
PRINTED BY NORONHA & CO.
GOVERNMENT PRINTERS.

1923.

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

FEBRUARY,

1923.

HOURLY VALUES OF BAROMETRIC PRESSURE AND AIR TEMPERATURE,

TABLE I.—BAROMETRIC PRESSURE at every Hour of the Day, in the Month of FEBRUARY, 1923.

Days of the Month.	Hours, Hongkong Standard Time.											Days of the Month.	
	1	2	3	4	5	6	7	8	9	10	11		
1	30.228	30.236	30.228	30.217	30.221	30.249	30.240	30.243	30.259	30.266	30.253	30.234	
2	30.213	30.185	30.165	30.149	30.143	30.124	30.131	30.162	30.177	30.187	30.168	30.124	
3	30.053	30.041	30.021	30.003	30.002	30.004	30.011	30.019	30.027	30.033	30.018	29.997	
4	29.981	29.969	29.956	29.942	29.940	29.949	29.962	29.978	29.989	29.998	29.977	29.966	
5	29.977	29.941	29.927	29.927	29.929	29.946	29.959	29.974	30.002	30.007	29.978	29.943	
6	29.998	29.978	29.982	29.970	29.984	30.008	30.024	30.042	30.061	30.074	30.070	30.055	
7	30.067	30.064	30.058	30.049	30.060	30.065	30.097	30.110	30.124	30.150	30.153	30.119	
8	30.140	30.145	30.139	30.135	30.135	30.147	30.166	30.178	30.181	30.191	30.178	30.155	
9	30.046	30.033	30.020	30.010	30.008	29.998	30.000	30.016	30.036	30.039	30.014	29.993	
10	29.943	29.928	29.915	29.903	29.905	29.905	29.917	29.923	29.950	29.960	29.953	29.928	
11	29.867	29.838	29.830	29.817	29.827	29.851	29.858	29.864	29.870	29.896	29.892	29.859	
12	29.762	29.758	29.732	29.718	29.715	29.711	29.729	29.752	29.767	29.782	29.781	29.757	
13	29.713	29.709	29.685	29.681	29.673	29.693	29.711	29.737	29.759	29.766	29.758	29.749	
14	29.752	29.747	29.740	29.742	29.734	29.753	29.768	29.787	29.800	29.824	29.823	29.804	
15	29.766	29.756	29.752	29.738	29.733	29.740	29.747	29.754	29.774	29.782	29.773	29.760	
16	29.806	29.803	29.795	29.790	29.791	29.807	29.831	29.848	29.862	29.881	29.878	29.860	
17	29.854	29.837	29.825	29.831	29.833	29.850	29.869	29.881	29.910	29.939	29.922	29.911	
18	29.832	29.809	29.793	29.782	29.782	29.791	29.806	29.811	29.830	29.830	29.805	29.795	
19	29.738	29.727	29.717	29.701	29.707	29.720	29.745	29.767	29.789	29.801	29.799	29.780	
20	29.834	29.828	29.816	29.818	29.830	29.842	29.862	29.881	29.893	29.910	29.892	29.893	
21	29.950	29.931	29.937	29.933	29.940	29.967	29.976	30.001	30.023	30.022	29.994	29.990	
22	29.959	29.946	29.923	29.905	29.919	29.927	29.954	29.962	29.980	29.995	29.987	29.973	
23	30.018	30.027	30.018	30.020	30.013	30.037	30.059	30.075	30.094	30.090	30.100	30.084	
24	30.107	30.088	30.065	30.055	30.051	30.065	30.086	30.092	30.101	30.113	30.099	30.076	
25	30.056	30.040	30.022	30.015	30.020	30.040	30.074	30.085	30.103	30.121	30.119	30.105	
26	30.129	30.119	30.116	30.114	30.117	30.157	30.151	30.158	30.189	30.206	30.208	30.200	
27	30.200	30.196	30.178	30.177	30.175	30.194	30.219	30.230	30.248	30.266	30.277	30.257	
28	30.224	30.219	30.211	30.200	30.197	30.212	30.225	30.239	30.245	30.263	30.257	30.247	
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30.201	30.167	30.153	30.142	30.144	30.151	30.171	30.180	30.197	30.208	30.208	30.211	
2	30.102	30.076	30.051	30.040	30.046	30.054	30.051	30.067	30.065	30.067	30.067	30.059	
3	29.959	29.940	29.921	29.922	29.913	29.923	29.927	29.943	29.953	29.963	29.978	29.988	
4	29.940	29.923	29.904	29.895	29.917	29.932	29.944	29.946	29.952	29.974	29.988	29.971	
5	29.918	29.896	29.879	29.890	29.899	29.913	29.947	29.973	29.997	30.007	30.008	30.006	
6	30.010	29.976	29.970	29.968	29.974	29.999	30.024	30.041	30.053	30.069	30.071	30.063	
7	30.091	30.056	30.045	30.045	30.047	30.071	30.091	30.114	30.130	30.142	30.147	30.150	
8	30.124	30.093	30.062	30.046	30.042	30.056	30.052	30.058	30.056	30.064	30.065	30.053	
9	29.966	29.936	29.910	29.900	29.904	29.914	29.926	29.955	29.979	29.973	29.958	29.958	
10	29.901	29.874	29.859	29.851	29.865	29.875	29.867	29.872	29.896	29.887	29.889	29.881	
11	29.830	29.793	29.764	29.758	29.756	29.768	29.782	29.797	29.808	29.798	29.778	29.778	
12	29.727	29.697	29.679	29.675	29.674	29.677	29.675	29.690	29.707	29.712	29.716	29.722	
13	29.723	29.698	29.680	29.668	29.685	29.686	29.698	29.716	29.734	29.743	29.745	29.746	
14	29.778	29.746	29.730	29.730	29.739	29.736	29.739	29.757	29.773	29.772	29.778	29.778	
15	29.746	29.717	29.702	29.695	29.702	29.717	29.728	29.761	29.775	29.789	29.796	29.796	
16	29.858	29.832	29.818	29.814	29.814	29.812	29.811	29.836	29.847	29.852	29.860	29.860	
17	29.883	29.858	29.834	29.817	29.818	29.825	29.835	29.841	29.847	29.854	29.857	29.848	
18	29.759	29.719	29.707	29.696	29.697	29.703	29.720	29.735	29.750	29.752	29.754	29.750	
19	29.760	29.736	29.720	29.716	29.724	29.737	29.754	29.775	29.808	29.825	29.832	29.836	
20	29.876	29.856	29.848	29.830	29.844	29.864	29.894	29.911	29.921	29.937	29.944	29.944	
21	29.966	29.944	29.939	29.922	29.931	29.931	29.948	29.953	29.970	29.966	29.963	29.963	
22	29.952	29.935	29.922	29.915	29.918	29.938	29.958	29.995	30.015	30.010	30.017	30.033	
23	30.061	30.046	30.030	30.031	30.039	30.041	30.067	30.096	30.113	30.129	30.129	30.130	
24	30.046	30.020	29.998	29.987	29.982	29.997	29.999	30.015	30.042	30.058	30.056	30.052	
25	30.075	30.043	30.027	30.038	30.063	30.090	30.108	30.122	30.133	30.131	30.141	30.141	
26	30.179	30.146	30.145	30.146	30.159	30.171	30.175	30.201	30.215	30.223	30.219	30.219	
27	30.232	30.203	30.190	30.189	30.186	30.197	30.210	30.226	30.239	30.242	30.237	30.223	
28	30.210	30.182	30.156	30.138	30.147	30.157	30.147	30.163	30.187	30.197	30.196	30.185	

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the Month of FEBRUARY, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	50°3	49°6	49°4	49°1	48°8	48°4	48°6	50°0	52°4	55°5	57°7	59°3	1
2	50°8	50°3	49°8	48°9	48°0	47°2	46°9	48°3	51°1	53°9	54°0	54°6	2
3	50°6	51°3	51°9	51°6	51°8	51°2	51°3	53°2	55°2	57°6	59°1	59°5	3
4	53°9	54°9	55°7	55°6	55°7	55°8	55°6	57°0	60°1	62°4	64°0	64°0	4
5	56°8	56°8	56°9	56°5	56°6	56°7	56°8	57°3	58°5	59°0	60°9	62°4	5
6	58°0	56°5	55°0	54°0	53°5	52°8	52°0	53°9	55°8	57°4	58°7	60°3	6
7	52°2	52°8	51°6	50°8	50°0	50°3	50°2	51°0	55°1	55°5	56°6	59°0	7
8	51°6	51°4	50°1	50°1	50°0	50°1	50°1	50°5	51°8	52°6	54°2	54°4	8
9	54°5	54°0	53°8	53°4	53°5	54°0	54°4	55°0	56°0	57°8	60°6	61°0	9
10	57°3	57°7	58°0	58°0	58°0	57°9	57°4	57°9	58°5	59°8	60°8	62°2	10
11	58°5	58°6	58°3	57°8	57°2	57°1	57°1	57°4	57°8	57°8	58°4	58°4	11
12	59°1	59°0	59°0	59°2	59°4	59°9	59°9	60°2	61°5	62°8	62°8	67°6	12
13	66°1	66°2	65°1	65°9	66°1	66°4	66°7	67°8	70°1	71°3	71°5	71°1	13
14	71°8	71°8	71°5	70°7	69°7	68°6	68°2	68°1	69°0	70°5	72°6	77°4	14
15	72°1	69°9	71°5	68°9	69°9	70°1	71°1	72°0	72°0	72°9	73°5	74°5	15
16	68°7	69°0	68°0	67°8	67°8	67°6	67°3	67°2	68°0	70°7	72°4	72°4	16
17	61°5	61°0	60°2	59°4	58°8	58°9	58°8	59°0	59°4	59°7	60°0	60°3	17
18	59°0	59°0	58°9	59°0	59°3	59°2	60°1	60°5	60°8	61°8	63°6	63°6	18
19	72°0	71°4	70°4	70°0	71°8	72°0	72°3	72°4	71°2	70°6	70°1	71°4	19
20	63°1	63°1	63°1	63°6	63°5	63°5	63°5	63°3	64°0	64°5	63°0	65°6	20
21	61°3	60°8	60°3	59°6	59°0	58°9	58°8	58°8	58°9	59°1	59°0	58°9	21
22	56°9	56°2	55°8	55°5	55°4	55°8	56°1	56°7	56°4	56°8	57°2	57°6	22
23	54°8	53°7	53°7	53°4	52°5	52°3	52°2	52°3	52°7	52°9	54°8	55°8	23
24	50°1	49°4	50°0	50°1	50°2	51°1	51°4	52°7	52°7	53°2	55°2	56°9	24
25	53°7	54°0	54°1	53°9	53°8	53°0	52°7	52°5	52°9	53°6	53°9	54°5	25
26	49°8	50°0	49°9	49°8	49°5	48°9	48°3	49°3	50°4	50°8	50°5	50°4	26
27	46°7	46°6	46°4	46°5	46°9	47°3	47°2	47°3	48°6	48°6	48°4	47°8	27
28	50°4	50°0	49°8	49°9	50°2	50°3	50°1	51°1	53°3	54°3	56°2	56°6	28
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	62°2	61°3	60°8	60°4	59°4	57°2	55°9	55°1	54°0	52°8	52°3	52°0	1
2	54°9	54°0	54°4	54°0	53°3	52°6	52°2	52°1	51°9	51°8	50°5	50°5	2
3	60°4	60°4	62°9	60°0	60°5	58°8	57°0	56°6	56°0	56°1	55°9	54°4	3
4	63°7	61°5	61°3	60°9	60°9	60°3	59°8	59°2	58°9	58°9	58°4	58°4	4
5	60°1	61°2	61°5	60°6	59°5	58°9	58°5	58°9	59°3	59°1	58°5	58°3	5
6	62°6	63°6	63°2	63°1	61°4	59°4	57°3	56°2	56°0	53°9	53°7	52°0	6
7	61°8	60°3	59°8	59°3	58°5	56°5	55°2	54°9	54°9	53°9	53°5	51°6	7
8	55°6	55°8	55°7	55°4	55°1	54°7	53°7	53°9	54°3	54°8	54°9	54°8	8
9	61°7	60°5	60°0	60°3	60°0	58°8	57°2	56°3	56°4	56°5	56°6	57°1	9
10	61°6	63°2	61°7	61°0	60°2	59°9	59°8	59°9	59°9	59°6	58°8	58°3	10
11	58°1	58°5	60°3	60°1	59°7	59°5	59°4	59°4	58°7	58°6	58°5	58°8	11
12	70°9	73°0	68°6	66°5	64°1	63°1	63°1	63°8	64°9	65°8	66°9	66°7	12
13	71°7	75°9	74°4	71°5	69°5	68°0	68°1	69°5	69°9	70°8	71°1	71°5	13
14	77°6	78°4	76°2	75°1	73°7	72°1	70°5	70°2	70°5	71°2	71°6	71°9	14
15	72°9	73°4	72°5	73°8	73°5	72°7	72°1	71°4	70°0	69°1	68°2	68°2	15
16	71°0	70°5	71°0	68°5	67°6	65°5	64°9	64°2	63°3	62°8	62°8	62°9	16
17	59°8	59°3	59°4	58°5	58°2	57°9	57°5	57°6	58°0	58°2	58°6	58°7	17
18	65°8	73°3	68°1	69°6	67°9	67°5	67°0	57°8	68°3	69°6	67°9	70°7	18
19	72°5	71°9	72°8	72°7	72°3	70°3	68°9	58°9	65°9	64°2	63°3	62°5	19
20	66°1	66°0	64°6	64°5	63°1	63°4	63°0	62°4	62°8	62°4	62°0	61°6	20
21	58°4	58°3	58°0	58°5	58°8	58°1	58°2	58°6	59°0	58°6	57°7	57°5	21
22	57°2	57°6	58°1	57°1	57°0	56°3	56°4	56°3	56°0	55°9	55°3	54°9	22
23	57°6	56°4	55°6	54°5	53°9	53°2	52°1	52°2	52°0	51°7	51°6	51°3	23
24	57°5	58°4	58°2	56°8	55°9	55°5	55°5	55°5	55°8	54°8	54°0	54°0	24
25	54°6	55°0	54°6	54°0	53°6	52°5	51°3	50°6	49°9	49°8	49°6	49°6	25
26	48°9	48°2	48°3	48°3	49°0	48°5	48°2	47°7	47°1	46°9	46°9	46°7	26
27	49°9	50°6	51°4	50°6	49°0	48°7	48°4	48°2	48°4	48°8	49°0	49°9	27
28	57°0	56°6	56°0	56°1	55°7	55°2	54°5	54°4	54°6	55°0	55°1	54°3	28

6 HOURLY VALUES OF THE TEMPERATURE OF EVAPORATION, AMOUNT OF CLOUDS, AND SUNSHINE,

TABLE III.—TEMPERATURE of EVAPORATION at every Hour of the Day, in the Month of FEBRUARY, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	41.1	40.8	40.1	39.7	39.1	39.0	38.0	39.0	40.7	42.5	44.0	44.9	1
2	38.5	38.1	37.7	37.0	36.6	36.4	36.1	37.0	38.9	40.5	41.0	41.9	2
3	44.6	45.0	45.6	45.9	46.7	47.5	47.7	48.0	48.8	49.5	50.0	50.5	3
4	47.9	48.8	50.4	49.9	49.8	49.5	50.9	51.3	51.2	51.1	51.9	51.5	4
5	53.9	53.8	53.5	53.3	53.4	53.6	53.5	53.7	53.9	55.0	55.6	56.5	5
6	51.7	51.7	51.1	49.6	47.8	47.0	46.1	47.2	48.3	49.0	49.1	51.2	6
7	46.3	47.5	46.2	45.7	44.5	44.5	44.6	45.5	47.4	47.5	48.6	50.0	7
8	46.4	46.3	45.0	44.8	44.7	44.5	44.7	45.0	46.0	46.8	48.2	48.4	8
9	50.7	50.1	50.2	50.4	50.4	50.6	51.0	51.2	51.6	52.7	54.3	54.7	9
10	53.2	53.3	53.5	53.5	53.6	53.9	54.4	54.6	54.8	55.6	55.4	55.7	10
11	55.8	55.2	55.3	54.6	54.3	54.4	54.6	54.3	54.5	54.0	55.5	56.1	11
12	58.4	58.6	58.6	58.6	58.4	58.6	58.5	58.9	59.7	60.0	60.1	63.3	12
13	64.5	64.7	64.1	64.9	65.3	65.5	65.8	66.4	67.4	68.3	67.9	68.0	13
14	68.8	68.6	68.6	68.0	67.8	67.4	67.3	67.6	68.2	68.9	69.4	70.6	14
15	68.9	67.9	69.1	67.9	68.4	68.9	69.2	69.7	69.5	70.0	70.5	70.8	15
16	67.5	67.2	66.6	66.6	66.9	66.0	65.3	65.4	65.5	66.9	66.5	65.6	16
17	58.9	58.8	58.0	57.8	56.5	56.1	55.7	55.4	55.2	55.3	55.8	55.6	17
18	58.5	58.1	58.0	58.0	58.0	58.2	58.7	59.4	59.7	59.9	61.0	61.8	18
19	69.9	69.6	69.0	68.6	69.9	69.8	69.8	69.8	69.4	69.3	69.2	69.8	19
20	60.6	60.3	60.3	60.6	60.2	60.2	60.0	59.0	59.1	58.6	58.7	58.5	20
21	55.6	54.8	54.5	54.0	53.7	53.6	53.9	54.9	54.9	54.8	55.4	55.2	21
22	53.8	53.7	53.7	53.9	53.9	54.0	54.3	54.7	55.7	55.7	55.8	55.8	22
23	52.3	51.6	51.1	50.7	49.6	49.0	48.4	48.2	48.5	50.0	51.0	51.0	23
24	45.8	45.3	45.8	46.0	46.1	47.0	47.1	48.0	48.0	48.5	49.7	50.8	24
25	49.5	49.7	49.4	49.3	49.1	48.9	48.9	49.0	48.9	49.1	48.9	49.2	25
26	47.5	47.5	47.8	47.1	47.0	46.9	46.7	46.8	47.2	47.5	47.3	47.3	26
27	44.7	44.8	44.4	44.4	44.6	44.7	44.6	44.9	46.0	45.7	45.2	44.9	27
28	46.1	46.2	45.8	45.3	45.8	45.9	46.0	46.5	47.1	47.4	48.3	48.0	28
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midu.	Days of the Month.
1	o	o	o	o	o	o	o	o	o	o	o	o	1
2	46.1	45.7	44.6	43.8	43.2	43.6	43.9	41.2	40.9	39.5	39.2	38.8	2
3	43.6	43.1	43.5	43.4	43.6	43.1	43.6	44.0	44.1	44.0	44.2	44.0	3
4	51.4	52.3	53.5	51.4	51.9	50.3	49.4	49.5	49.6	49.4	49.0	49.0	4
5	52.2	53.8	53.2	53.9	55.9	56.0	55.9	55.8	55.8	55.4	54.6	52.5	5
6	55.7	56.8	57.2	56.6	56.1	55.7	56.0	56.4	56.3	56.1	54.9	52.5	6
7	51.4	51.6	51.0	51.2	49.8	48.9	47.8	47.4	46.9	43.5	45.2	44.4	7
8	52.0	51.0	51.7	51.0	50.0	49.8	49.7	49.7	49.8	48.1	47.1	45.6	8
9	49.5	49.4	49.4	49.5	49.5	49.2	49.1	49.2	49.7	50.0	50.4	50.4	9
10	55.9	56.0	55.8	56.0	56.4	56.2	54.9	54.5	54.4	54.4	54.1	54.8	10
11	53.6	56.0	56.8	56.7	56.6	56.1	56.3	56.8	56.9	57.1	57.2	57.8	11
12	65.3	66.8	64.2	63.0	61.6	61.4	61.8	62.3	63.2	63.9	64.5	64.5	12
13	68.6	70.6	69.8	68.4	67.7	66.8	67.1	68.0	68.3	68.8	69.0	69.0	13
14	71.1	70.5	70.3	70.3	69.9	68.9	68.2	68.0	68.6	69.0	69.1	69.0	14
15	70.0	70.0	69.6	70.1	69.7	69.1	68.6	68.4	67.6	67.2	66.7	66.8	15
16	64.8	64.5	64.8	62.9	62.1	61.0	60.7	60.4	60.2	60.0	60.1	60.0	16
17	56.1	56.3	56.5	56.5	56.9	56.4	56.8	57.0	57.3	57.6	57.7	57.7	17
18	63.7	69.2	65.7	67.3	66.0	66.7	65.8	66.8	67.0	68.0	66.8	69.5	18
19	69.9	69.5	69.7	69.5	69.4	68.4	67.5	67.9	64.9	62.2	61.2	60.1	19
20	59.0	58.0	57.5	57.3	57.0	57.3	56.9	57.0	56.5	56.1	56.4	55.5	20
21	55.3	55.3	55.0	55.1	55.3	55.4	55.4	54.9	55.3	55.0	54.1	53.9	21
22	55.7	56.1	56.3	55.8	55.2	54.5	54.3	54.4	54.2	53.7	53.0	52.9	22
23	52.3	51.0	50.0	49.0	48.9	48.5	47.9	47.4	47.0	46.6	46.4	46.6	23
24	51.0	51.6	51.6	51.2	51.0	51.0	51.2	51.5	51.5	50.3	49.8	49.5	24
25	49.5	49.6	49.5	49.1	49.0	49.3	48.5	48.2	47.4	47.2	47.0	47.2	25
26	47.0	46.4	46.3	46.1	46.5	45.9	45.6	45.1	44.8	44.5	44.6	44.5	26
27	46.2	46.8	47.0	46.6	46.0	45.0	45.0	45.1	45.4	46.0	46.4	46.4	27
28	48.2	48.4	47.9	47.9	48.1	48.9	48.9	48.9	49.7	49.9	49.9	49.9	28

TABLE IV.—AMOUNT OF CLOUD, (0-10), at every Hour of the Day, in the Month of FEBRUARY, 1923.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																								Days of the Month.		
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
1	7	8	8	7	7	1	1	2	1	1	1	
2	2	
3	3	
4	1	1	2	1	1	1	3	9	9	9	9	9	9	4	
5	4	6	6	10	10	9	7	6	2	7	7	8	10	10	10	9	2	2	6	7	9	10	10	10	10	5	
6	10	10	8	10	10	7	4	5	6	6	3	2	...	1	3	3	5	2	6	
7	9	9	9	10	10	10	10	10	10	10	7	8	...	3	1	7	
8	6	7	8	10	10	10	10	10	10	10	10	10	10	10	10	9	8	10	7	3	2	3	10	10	10	8	
9	9	4	2	4	10	10	10	10	10	10	7	...	1	1	2	2	1	1	4	10	10	9		
10	10	9	10	9	8	10	10	10	10	10	10	10	8	8	8	10	9	10	9	8	10	10	9	8	10	10	
11	9	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	11	
12	10	10	10	10	10	9	10	10	10	10	10	9	10	10	10	9	10	9	9	5	8	10	10	10	10	12	
13	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	13	
14	9	8	10	10	9	10	10	10	10	10	10	10	9	8	6	10	8	9	10	9	10	10	10	10	10	10	14
15	9	10	10	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	7	7	3	4	6	15	
16	10	10	6	9	10	10	10	10	10	10	9	8	9	10	10	9	8	4	6	8	9	4	10	10	10	16	
17	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	17	
18	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	18	
19	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	19	
20	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	20	
21	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	21	
22	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	22	
23	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	9	9	9	9	23	
24	2	1	4	6	3	6	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	24	
25	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	25	
26	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	26	
27	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	27	
28	10	10	10	10	10	10	7	2	7	8	2	3	4	7	8	6	9	10	7	4	6	9	10	10	10	28	

TABLE V.—AMOUNT OF SUNSHINE registered in each HOUR of the DAY, in the Month of FEBRUARY, 1923.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.												Days of the Month.	
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
1	b.	b.	b.	b.	b.	b.	b.	b.	b.	b.	b.	b.	b.	1
2	0.8	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.7	...	2
3	0.6	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.4	...	3
4	0.8	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.7	...	4
5	0.3	0.9	1.0	0.9	0.1	0.1	0.1	0.1	0.2	5
6	0.3	0.7	0.7	0.8	0.9	0.9	1.0	1.0	0.9	0.9	0.8	0.7	...	6
7	...	0.9	0.2	0.1	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.4	...	7
8	0.2	0.2	0.1	0.2	0.2	...	8
9	0.2	1.0	1.0	1.0	1.0	1.0	0.6	0.6	0.9	0.4	...	9
10	0.1	0.2	0.3	0.5	0.5	0.2	0.2	0.2	10
11	11
12	0.2	0.5	0.9	0.7	0.5	0.9	0.9	0.4	0.4	0.4	...	12
13	0.6	0.1	...	0.8	0.4	0.7	0.5	0.2	13
14	0.3	0.4	1.0	1.0	1.0	1.0	1.0	0.9	0.4	0.2	...	14
15	...	0.2	0.3	...	0.1	0.2	0.1	15
16	0.1	0.3	0.7	0.3	...	0.4	1.0	1.0	0.6	16
17	0.4	0.3	0.1	0.3	0.1	0.1	0.2	17
18	0.4	0.3	0.1	0.1	0.1	0.2	18
19	19
20	0.5	20
21	21
22	22
23	23
24	0.1	0.3	0.1	0.4	24
25	25
26	26
27	0.7	1.0	0.8	1.0	1.0	0.9	0.4	0.2	0.7	27
28	...	0.7	1.0	0.8	1.0	1.0	0.9	0.4	0.2	0.7	28

HOURLY VALUES OF RAINFALL AND WIND,

TABLE VI.—AMOUNT OF RAINFALL registered in each HOUR of the DAY, in the MONTH of FEBRUARY, 1923.
 (d = Unregistered Drizzle. = No Rainfall.)

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the
MONTH OF FEBRUARY, 1923.
(The Direction is given in points, and the Velocity in miles per hour.)
(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	2	14	2	10	1	10	1	20	2	20	2	15	1
2	2	8	3	5	9	7	2	10	1	15	1	14	1
3	11	3	11	3	10	5	8	5	7	9	8	10	3
4	...	10	5	10	9	11	8	11	12	11	10	11	4
5	7	31	7	33	8	27	8	19	8	17	8	16	5
6	27	5	27	8	29	11	30	8	1	7	2	3	6
7	5	2	4	6	1	4	32	5	1	7	...	1	7
8	5	9	5	4	5	3	5	3	5	9	7	13	8
9	7	20	8	16	8	15	8	10	8	10	9	13	9
10	8	13	9	12	10	14	10	17	9	17	9	14	10
11	8	21	8	25	8	25	8	27	8	25	8	24	11
12	9	16	9	16	9	21	8	11	8	18	8	20	12
13	10	4	10	6	10	7	10	6	10	9	10	12	13
14	16	11	17	10	19	7	20	2	...	1	14	5	14
15	14	8	13	2	13	6	12	4	13	3	14	6	15
16	30	3	8	2	9	7	...	16
17	7	24	8	28	8	29	8	31	8	37	8	36	17
18	8	21	8	24	8	24	8	27	8	23	8	24	18
19	17	10	17	3	...	1	17	2	17	4	18	6	19
20	25	9	26	8	26	8	26	3	...	1	25	2	26
21	...	1	3	8	5	8	6	11	6	12	5	13	21
22	7	25	7	25	7	24	7	21	7	23	7	22	22
23	1	6	1	10	2	3	2	5	2	6	2	5	23
24	1	4	1	5	2	7	...	1	...	1	7	4	24
25	1	6	1	5	2	2	2	5	2	7	1	9	25
26	1	7	1	6	1	5	1	10	1	9	1	11	26
27	2	8	2	2	2	8	1	7	1	6	2	8	27
28	4	5	4	3	3	4	3	6	3	7	4	5	28

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	Dir.	Vel.											
	Dir.	Vel.											
1	1	15	1	15	1	15	1	16	2	14	2	9	1
2	2	16	9	15	9	14	9	12	9	10	9	8	2
3	9	11	8	9	7	4	8	8	6	8	4	5	3
4	8	22	8	25	8	23	8	24	7	23	7	26	4
5	10	15	9	11	9	13	8	18	8	20	8	15	5
6	30	8	32	12	1	6	32	7	32	8	31	5	6
7	16	6	21	8	24	8	6	5	10	12	9	7	7
8	9	16	9	16	8	20	7	9	8	17	8	19	8
9	9	15	9	17	9	14	9	16	9	15	10	12	9
10	8	20	8	19	9	19	9	16	9	13	9	18	10
11	9	24	9	25	8	24	9	27	9	23	9	18	11
12	6	12	13	11	11	7	9	12	8	15	7	10	12
13	2	15	8	14	8	12	6	10	7	9	5	11	13
14	15	8	15	12	16	12	15	8	14	7	13	8	14
15	19	11	19	14	20	9	20	11	19	8	19	3	15
16	9	10	9	11	8	13	8	16	8	22	7	21	16
17	8	28	8	25	8	27	8	24	8	27	8	23	17
18	7	13	8	8	9	7	8	10	7	10	8	5	18
19	...	1	...	1	...	1	1	...	1	25	19
20	30	4	32	7	2	4	5	3	8	5	3	11	20
21	8	16	7	18	7	17	7	20	7	22	7	28	21
22	2	4	1	4	32	5	5	2	7	32	7	29	22
23	31	5	32	8	1	10	2	10	2	6	1	10	23
24	5	12	7	15	8	14	9	20	8	19	6	16	24
25	1	9	1	9	1	10	1	10	32	8	1	13	9
26	32	10	1	10	1	9	1	8	1	5	1	5	26
27	2	4	1	5	1	5	1	8	1	8	1	5	27
28	7	24	8	25	8	22	8	23	8	18	7	17	28

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS,
in the MONTH of FEBRUARY, 1923.
(... = no clouds.)

HOURS, Hongkong Standard Time.

Days of the Month.	Hours, Hongkong Standard Time.																
	1		4		7		10		13		16		19		22		
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	
1	ci-st	WNW	ci-st	W	eu	WSW	
2	
3	
4	eu	E	eu	E	ci-eu	SW	
5	eu	E	eu	E	eu	E	ci-st	W	a-st	W	a-eu	WSW	eu	ENE	eu	E	
6	eu	E	eu	E	a-eu	W	ci-st	WNW	a-eu	W	
7	a-eu	WSW	eu	ENE	eu	E	a-eu	SW	ei-en	SW	
8	a-en	ESE	a-eu	W	a-en	WSW	a-eu	W	a-en	WSW	a-eu	WSW	a-en	WSW	eu	E	
9	eu	E	eu	E	a-en	WSW	a-eu	WNW	eu	E	eu	ENE	eu	ENE	
10	eu	ENE	a-en	WSW	a-en	W	a-eu	W	a-eu	W	eu	W	a-en	w	eu	ESE	
11	ci-st	W	nb	E	nb	ENE	nb	ENE	nb	E	eu-nb	E	eu-nb	E	nb	E	
12	nb	E	nb	E	nb	ESE	nb	S	eu	SW	eu	SW	eu	SSW	eu	SSW	
13	eu	SSW	nb	S	nb	SSW	nb	SW	eu-nb	SW	eu	SSW	nb	S	eu-nb	SSW	
14	eu	SSW	eu	SSW	eu	SSW	eu	SW	eu	S	eu	S	eu	S	eu	S	
15	eu	SSW	eu-nb	SSW	nb	S	nb	S	nb	SSW	eu	SSW	eu	SSW	eu	SSW	
16	eu	SSW	eu	SSW	nb	E	eu	SE	eu	ESE	eu	ESE	st-eu	SSE	eu	SE	
17	eu	E	nb	E													
18	nb	E	eu-nb	E	nb	E	nb	SE	nb	SSE	eu-nb	S	eu-nb	SSW	eu	SSW	
19	nb	SSW	eu-nb	S	eu-nb	SW	nb	S	nb	S	nb	SSW	eu-nb	SSW	nb	SSW	
20	nb	SSW	eu-nb	SSW	eu	S	eu	WSW	st-eu	WSW	eu	WSW	st	WSW	st	SW	
21	st-eu	WSW	st-eu	WSW	st-eu	ENE	eu	S	eu-nb	ENE	eu-nb	ENE	nb	E	nb	E	
22	eu-nb	E	nb	E	nb	ENE	nb	E	nb	E	nb	ENE	nb	ENE	nb	ENE	
23	eu	NE	nb	NNE	nb	NE	eu-nb	NE	st	ENE	st	NNE	a-en	WSW	a-en	WSW	
24	a-eu	W	a-eu	W	eu	ENE	eu	ENE	st-eu	ENE	st-eu	ENE	st	ENE	st	ENE	
25	st-eu	ENE	st-eu	ENE	en-nb	ENE	st	ENE	st	NNE	st-eu	NNW	nb	NNE	nb	NE	
26	nb	NE	nb	NE	eu-nb	NE	st	ENE	ENE	nb	NE	nb	NE	nb	NE	nb	NE
27	nb	NE	nb	NE	st-eu	NE	nb	NNE	st	NE	nb	NE	nb	NE	eu-nb	NE	
28	st-eu	NE	st-eu	NE	a-en	W	eu	WNW	a-eu	WNW	a-eu	W	a-en	W	a-en	W	

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the Month of FEBRUARY, 1923.
(British Units.)

Days of the Month	Mean Barometric Pressure.	Temperature.					Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100). Mean Amount of Cloud (0-100).	Daily Duration.	Percentage of possible amount.	Amount.	Duration.	Wind.								
		Of the Air.			Of Evaporation.								Components.		Resultant.		Velocity.				
		Highest.	Lowest.	Range.		Mean.							North.	East.	Direction.	*					
1	29.959	62.2	48.2	14.0	54.3	41.6	0.098	23	18	10.5	95	+ 14.3	+ 3.8	15	14.8	14.9			
2	30.018	62.9	55.2	7.7	58.8	54.9	0.390	76	74	10.5	95	+ 1.5	+ 8.1	79	8.2	10.1			
3	29.982	63.0	50.4	12.6	56.0	49.0	0.256	37	...	10.0	90	- 0.8	+ 6.9	97	7.0	7.0			
4	29.954	64.4	53.6	10.8	59.0	52.7	0.316	63	12	10.5	94	- ...	+ 16.9	90	16.9	17.5			
5	29.951	62.6	56.3	6.3	58.8	54.9	0.382	77	74	5.0	45	- 0.2	+ 15.7	91	17.5	17.4			
6	30.019	64.8	51.9	12.9	57.1	48.8	0.236	50	41	8.9	79	+ 5.8	+ 0.2	2	5.8	6.5			
7	30.094	61.8	49.8	12.0	54.8	48.1	0.249	58	44	7.6	68	+ 1.9	+ 2.9	57	3.5	6.4			
8	30.111	56.5	49.5	7.0	53.1	47.8	0.263	65	85	0.7	6	+ 1.3	+ 13.2	84	13.3	13.7			
9	29.979	62.2	53.3	8.9	57.1	53.4	0.361	77	41	6.7	60	- 2.0	+ 14.2	100	14.5	14.4			
10	29.901	64.0	57.0	7.0	59.5	55.0	0.374	73	94	2.0	18	- 2.4	+ 17.5	98	17.7	17.6			
11	29.819	60.3	57.1	3.2	58.4	55.8	0.412	84	99	10	- 2.2	+ 22.2	96	22.3	22.2			
12	29.721	74.6	58.9	15.7	63.7	61.4	0.515	87	95	5.4	48	- 1.5	+ 12.2	97	12.3	12.5			
13	29.715	77.3	64.8	12.5	69.4	67.3	0.642	89	99	3.3	29	...	2	- 2.9	+ 4.2	125	5.1	5.7			
14	29.763	79.4	67.5	11.9	72.0	68.9	0.666	85	93	6.2	55	- 5.6	+ 2.0	160	5.9	6.6			
15	29.748	75.1	68.0	7.1	71.5	68.9	0.673	87	89	0.9	8	0.030	3	- 6.3	- 1.9	197	6.6	7.4			
16	29.832	73.7	62.5	11.2	67.6	64.1	0.553	82	87	4.4	39	+ 1.1	+ 11.2	84	11.3	11.5			
17	29.857	62.3	57.4	4.9	59.1	56.7	0.430	86	100	...	0.010	10	+	0.5	+ 28.2	89	28.2	28.2			
18	29.767	74.7	58.9	15.8	64.3	63.0	0.560	93	99	1.5	13	0.030	5	- 0.2	+ 13.9	91	13.9	14.6			
19	29.759	73.0	62.5	10.5	70.1	68.1	0.662	90	100	3	- 0.9	- 2.9	253	3.1	4.1				
20	29.874	66.8	61.6	5.2	63.7	58.4	0.421	71	100	0.6	5	+ 2.2	- 0.4	350	2.2	5.1			
21	29.961	61.3	57.3	4.0	58.9	54.8	0.377	75	100	...	0.080	6	+ 4.5	+ 17.0	75	17.5	17.8				
22	29.960	58.1	54.7	3.4	56.4	54.5	0.401	88	100	...	0.190	7	+ 5.0	+ 10.5	65	11.7	12.6				
23	30.064	57.8	50.9	6.9	53.5	49.2	0.294	71	98	...	0.010	2	+ 7.1	+ 1.9	15	7.3	7.4				
24	30.052	59.3	49.2	10.1	54.0	49.1	0.285	68	84	0.9	8	+ 3.9	+ 8.9	66	9.7	10.7			
25	30.075	55.3	49.3	6.0	52.8	48.8	0.293	73	100	...	0.015	7	+ 7.3	+ 1.5	12	7.5	7.4				
26	30.169	50.8	45.5	4.3	48.8	46.4	0.285	83	100	...	0.020	10	+ 8.4	+ 2.1	14	8.7	8.7				
27	30.216	51.5	46.3	5.2	48.4	45.4	0.265	78	100	...	0.005	5	+ 5.7	+ 1.7	17	5.9	6.0				
28	30.200	57.5	49.5	8.0	53.6	47.7	0.255	62	75	7.7	66	+ 3.2	+ 14.4	77	14.8	15.1			
Means	29.959	63.8	55.0	8.8	58.8	54.3	0.380	72	76	103.3	32	0.390	70	+ 1.7	+ 8.8	79	9.0	11.8			
Normals	30.018	62.9	55.2	7.7	58.8	54.9	0.390	76	74	99.7	31	1.603	62	+ 2.3	+ 11.3	78	11.6	14.3			
Absolute Max.	30.277	79.4	... 15.8	...	71.5	0.725	105	95	0.190	10	37.0†			
Day.	27	14	...	18	...	14 & 15	15	...	1, 2 & 1	13.2	22	13.17	13.26	17.5			
Absolute Min.	29.668	...	46.3	3.2	...	36.1	0.062	12			
Day.	13	...	27	11	...	2	1	1			

Phenomena :—

Lunar corona :—on the 3rd.

Slight fog :—on the 14th.

Unusual visibility :—on the 23rd and 26th.

Lightning :—on the 17th and 20th.

Thunder :—on the 18th.

Rain fell on 8 days. The mean hourly intensity was 0.006 in., and the maximum fall in one hour was 0.110 in. at 5^h on the 22nd.The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 45 miles per hour at 5^h 12^m on the 17th.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1923.
(C. G. S. Units:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature.				Mean Vapour Tension.	Amount.	Duration.	Rainfall.		Wind.		Observed Velocity.		
		Of the Air.			Of Evaporation.				Components.		Resultant.				
		Highest.	Lowest.	Range.	Mean.				North.	East.	Direction.	Velocity.			
	m.b.	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.		
1	1025.1	289.8	282.0	7.8	285.4	278.3	3.4	...	+ 4.7	+ 1.2	15	4.9	4.9		
2	1021.8	285.8	281.2	4.6	283.9	278.0	4.1	...	+ 0.5	+ 2.7	79	2.7	3.3		
3	1017.4	290.2	283.2	7.0	286.3	282.4	8.6	...	- 0.3	+ 2.3	97	2.3	2.3		
4	1016.4	291.0	285.0	6.0	288.0	284.5	10.6	+ 5.5	90	5.5	5.7		
5	1016.3	290.0	286.5	3.5	287.9	285.7	12.9	...	- 0.1	+ 5.1	91	5.1	5.7		
6	1018.7	291.2	284.1	7.1	286.9	282.3	7.9	...	+ 1.9	+ 0.1	2	1.9	2.1		
7	1021.2	289.6	282.9	6.7	285.7	281.9	8.4	...	+ 0.6	+ 1.0	57	1.1	2.1		
8	1021.8	286.6	282.7	3.9	284.7	281.8	8.8	...	+ 0.4	+ 4.3	84	4.4	4.5		
9	1017.3	289.8	284.8	5.0	286.9	284.9	12.1	...	- 0.9	+ 4.7	100	4.8	4.7		
10	1014.6	290.8	286.9	3.9	288.3	285.8	12.6	...	- 0.8	+ 5.7	98	5.8	5.8		
11	1011.9	288.7	286.9	1.8	287.7	286.2	13.9	...	10	- 0.7	+ 7.3	96	7.3	7.3	
12	1008.5	296.7	287.9	8.8	290.6	289.3	17.4	...	- 0.5	+ 4.0	97	4.0	4.1		
13	1008.2	298.2	291.2	7.0	293.8	292.6	21.7	...	2	- 1.0	+ 1.4	125	1.7	1.9	
14	1009.9	295.3	292.7	6.6	295.2	293.5	22.4	...	- 1.8	+ 0.7	160	1.9	2.2		
15	1009.4	296.9	293.0	3.9	294.9	293.5	22.7	0.8	3	- 2.1	- 0.6	197	2.2	2.4	
16	1012.2	296.2	289.9	6.3	292.8	290.8	18.6	+ 0.4	+ 3.7	84	3.7	3.8	
17	1013.1	289.8	287.1	2.7	288.1	286.7	14.5	0.2	10	+ 0.2	+ 9.2	89	9.2	9.2	
18	1010.1	296.7	287.9	8.8	290.9	290.2	18.9	0.8	5	- 0.1	+ 4.6	91	4.6	4.8	
19	1009.7	295.8	289.9	5.9	294.2	293.1	22.3	...	3	- 0.3	- 1.0	253	1.0	1.3	
20	1013.7	292.3	289.4	2.9	290.6	287.7	14.2	+ 0.7	- 0.1	350	0.7	1.7	
21	1016.7	289.3	287.1	2.2	287.9	285.7	12.7	2.0	6	+ 1.5	+ 5.6	75	5.8	5.8	
22	1016.7	287.5	285.6	1.9	286.6	285.5	13.5	4.8	7	+ 1.6	+ 3.4	65	3.8	4.1	
23	1020.2	287.3	283.5	3.8	284.9	282.6	9.9	0.3	2	+ 2.3	+ 0.6	15	2.4	2.4	
24	1019.8	288.2	282.6	5.6	285.2	282.5	9.6	+ 1.3	+ 2.9	66	3.2	3.5	
25	1020.6	285.9	282.6	3.3	284.6	282.3	9.8	0.4	7	+ 2.4	+ 0.5	12	2.5	2.4	
26	1023.8	283.4	281.1	2.3	282.3	281.0	9.6	0.5	10	+ 2.8	+ 0.7	14	2.9	2.9	
27	1025.4	283.8	280.9	2.9	282.1	280.4	8.9	0.1	5	+ 1.9	+ 0.6	17	1.9	2.0	
28	1024.8	287.2	282.7	4.5	285.0	281.7	8.6	+ 1.0	+ 4.7	77	4.9	5.0	
Means.	1016.6	290.7	285.8	4.9	287.9	285.4	12.8	8.9	Sum.	Sum.	+ 0.6	+ 2.9	79	3.0	3.9
Normal.	1018.6	290.2	285.9	4.3	287.9	285.7	13.1	40.7	62	+ 0.8	+ 3.7	78	3.8	4.7	
Absolute Maximum.	1027.5	299.3	...	8.8	...	294.9	24.5	4.8	10	12.1†	
Day.	27	14	...	12 & 18	...	14 & 15	15	22	11, 17 4.85	17.5	
Absolute Minimum.	1006.6	...	280.9	1.8	...	275.3	2.0	
Day.	13	...	27	11	...	2	1	

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1923.
(British Units.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature.		Mean Vapor Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall, Percentage of Total		Wind.				
		Of the Air.	Of Evaporation.					Amount.	Duration	Components.	Resultant.	Direction.	Velocity.	
										North.	East.	•	Observed Velocity.	
1	ins.	o	o	ins.	%	%	%	%	%	m.p.h.	m.p.h.	o	m.p.h.	
2	29°972	57°6	53°6	376	75	80	...	5	+ 1°9	+ 6°8	74	7°1	10°5	
3	29°961	57°3	53°5	377	75	79	4	6	+ 1°7	+ 7°4	77	7°6	10°5	
4	29°949	57°1	53°3	374	75	79	1	5	+ 1°2	+ 7°6	81	7°7	10°6	
5	29°941	56°7	53°1	373	76	83	4	5	+ 2°5	+ 7°2	71	7°6	10°4	
6	29°942	56°7	52°9	367	75	85	29	6	+ 2°7	+ 8°3	72	8°7	11°1	
7	29°955	56°6	52°9	369	76	83	..	19	+ 1°7	+ 8°7	79	8°9	11°0	
8	29°971	56°6	52°9	369	76	81	16	6	+ 1°9	+ 9°4	79	9°6	12°5	
9	29°985	57°2	53°2	370	74	80	28	3	+ 2°3	+ 8°6	75	8°9	11°9	
10	30°002	58°3	53°8	372	72	81	28	..	+ 2°0	+ 9°1	78	9°3	12°0	
11	30°014	59°4	54°2	369	68	80	39	8	3	+ 2°1	+ 9°8	78	10°0	12°5
Noon.	30°004	60°3	54°7	371	66	74	43	..	1	+ 1°6	+ 10°0	81	10°1	12°6
13	29°986	61°3	55°3	376	65	72	36	4	2	+ 1°8	+ 9°5	79	9°7	13°0
14	29°960	61°9	55°8	382	65	74	39	1	3	+ 0°7	+ 8°7	83	8°7	12°0
15	29°932	62°3	56°2	389	65	73	39	..	4	+ 0°5	+ 8°6	87	8°6	12°9
16	29°916	61°8	55°9	387	66	73	39	..	4	+ 0°9	+ 8°5	84	8°6	12°1
17	29°909	61°1	55°6	387	68	74	40	..	2	+ 0°9	+ 10°2	85	10°2	12°9
18	29°914	60°4	55°3	387	69	72	21	3	5	+ 0°9	+ 9°9	85	10°0	12°5
19	29°925	59°5	55°0	390	72	70	..	3	5	+ 0°7	+ 10°4	86	10°4	12°2
20	29°936	58°8	54°6	388	74	69	17	5	5	+ 1°7	+ 10°2	81	10°4	11°8
21	29°953	58°6	54°7	394	76	66	4	5	5	+ 2°3	+ 9°9	77	10°2	11°5
22	29°968	58°5	54°6	393	76	68	1	5	5	+ 2°9	+ 8°7	71	9°2	11°6
23	29°977	58°3	54°3	386	75	69	..	5	5	+ 2°3	+ 8°4	75	8°7	11°1
Midn.	29°977	57°8	53°9	382	75	80	..	5	5	+ 1°5	+ 7°4	78	7°6	11°5

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1923.
(C. G. S. Units:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature.		Mean Vapor Tension	Wind.			
		Of the Air.	Of Evaporation.		Components.		Resultant.	
					North.	East.	Direction.	Velocity.
1	m.b.	o	o	m.b.	m.p.s.	m.p.s.	o	m.p.s.
2	1017.1	287.2	285.0	12.7	+ 0.6	+ 2.2	74	2.3
3	1016.7	287.1	284.9	12.7	+ 0.6	+ 2.4	77	2.5
4	1016.3	286.9	284.8	12.6	+ 0.4	+ 2.5	81	2.5
5	1016.0	286.7	284.7	12.6	+ 0.8	+ 2.4	71	2.5
6	1016.1	286.7	284.6	12.4	+ 0.9	+ 2.7	72	2.9
7	1016.5	286.7	284.6	12.4	+ 0.6	+ 2.9	79	2.9
8	1017.0	286.7	284.6	12.4	+ 0.6	+ 3.1	79	3.1
9	1017.5	287.0	284.8	12.5	+ 0.8	+ 2.8	75	2.9
10	1018.1	287.6	285.1	12.5	+ 0.7	+ 3.0	78	3.0
11	1018.5	288.2	285.3	12.4	+ 0.7	+ 3.2	78	3.3
Noon.	1018.1	288.7	285.6	12.5	+ 0.5	+ 3.3	81	3.3
13	1017.5	289.3	285.9	12.7	+ 0.6	+ 3.1	79	3.2
14	1016.6	289.6	286.2	12.9	+ 0.2	+ 2.9	85	2.9
15	1015.7	289.8	286.4	13.1	+ 0.2	+ 2.8	87	2.8
16	1015.1	289.6	286.3	13.0	+ 0.3	+ 2.8	84	2.8
17	1014.9	289.2	286.1	13.0	+ 0.3	+ 3.3	85	3.3
18	1015.1	288.8	285.9	13.0	+ 0.3	+ 3.2	85	3.3
19	1015.5	288.3	285.8	13.1	+ 0.2	+ 3.4	86	3.4
20	1015.8	287.9	285.6	13.1	+ 0.6	+ 3.3	81	3.4
21	1016.4	287.8	285.6	13.3	+ 0.8	+ 3.2	77	3.3
22	1016.9	287.7	285.6	13.2	+ 1.0	+ 2.9	71	3.0
23	1017.2	287.6	285.4	13.0	+ 0.8	+ 2.8	75	2.9
Midn.	1017.3	287.4	285.2	12.9	+ 0.9	+ 2.5	71	2.6
	1017.2	287.3	285.2	12.9	+ 0.5	+ 2.4	78	2.5

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

FEBRUARY,

1923.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

31ST JANUARY, 1923.

1ST FEBRUARY, 1923.

STATION.	HONGKONG STANDARD TIME.				BAROMETER AT SEA LEVEL.				HONGKONG STANDARD TIME.				BAROMETER AT SEA LEVEL.			
	Inches.	Mills.	TEMP. ATM.	HUMID.	WIND.	Direct. ion.	Force.	WEATHER.	Inches.	Mills.	TEMP. ATM.	HUMID.	WIND.	Direct. ion.	Force.	WEATHER.
Vladivostock, .	12	30.06	763.6	25	...	NW	3	o	6	30.08	764.0	7	...	N	2	b
Nemuro, .	11	29.70	754.5	WNW	1	...	5	29.82	757.5	NW	2	...
Hokodate, .	"	29.84	758.0	W	6	...	"	29.84	758.0	N	1	...
Tokio, .	"	30.00	762.0	NNE	3	...	"	30.10	764.5	0	...
Kochi, .	"	30.22	767.5	NNW	2	...	"	30.18	760.5	SW	1	...
Nagasaki, .	"	30.33	770.5	N	2	...	"	30.16	766.0	NNW	3	...
Kagoshima, .	"	30.31	770.0	NW	1	...	"	30.16	766.0	WNW	1	...
Oshima, .	"	30.30	769.5	NNW	1	...	"	30.16	766.0	N	3	...
Naha, .	"	30.26	768.5	N	3	...	"	30.18	766.5	N	5	...
Jahigakijima, .	"	"	30.08	764.0	NNW	3	...
Bonin Island, .	"	30.08	764.0	WNW	1	...	"	30.08	764.0	WNW	2	...
Weihaiwei, .	14	30.42	772.6	36	70	NW	4	b	6	30.33	770.4	32	68	N	1	o
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.59	777.0	36	100	NNW	0	o	"	30.49	774.4	25	...	NW	1	b
Gutzlaff, .	"	30.51	774.9	36	100	ENE	4	o	"	30.48	774.2	28	100	NNW	4	b
Sharp Peak, .	15	30.32	770.1	44	76	o	2	o	7	30.32	770.1	44	76	N	2	o
Amoy, .	14	30.24	768.1	58	81	o	0	o	6	30.27	768.8	46	92	NE	1	b
Swatow, .	"	"
Taihoku, .	12	30.33	770.4	59	85	E	4	r	"	30.31	769.8	48	95	ENE	2	o
Taichu, .	"	30.21	767.4	61	...	N	4	b	"	30.20	767.1	46	...	N	4	b
Taiwan, .	"	30.20	767.1	61	...	N	4	o	"	30.15	765.9	50	...	N	6	o
Koshun, .	"	30.12	765.0	68	...	NE	6	o	"	30.13	765.3	61	...	N	4	o
Pescadores, .	"	30.25	768.3	55	...	NE	8	r	"	30.25	768.3	50	...	NE	8	o
Canton, .	15	30.26	768.6	63	42	N	2	b	"	30.36	771.1	47	63	N	2	b
Hongkong, .	14	30.21	767.3	62	26	N	2	c	"	30.32	770.1	49	32	NE	3	b
Gap Rock, .	"	30.22	767.6	N	4	b	"	30.26	768.6	N	4	b
Macao, .	"	30.21	767.4	55	36	NNE	4	b	"	30.27	768.9	46	39	N	4	o
Wuchow, .	15	"	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	30.25	768.3	63	39	NNW	4	of	7	30.37	771.3	52	41	NE	4	cf
Tourane, .	"	30.08	764.1	66	...	NE	4	o	"	30.17	766.2	61	...	ENE	7	r
Cape St. James, .	"	29.88	759.0	82	...	SW	2	b	"	29.94	760.5	70	...	o	0	o
Aparri, .	14	29.94	760.5	75	71	ENE	4	o	6	29.97	761.1	70	94	SE	1	o
Dagupan, .	"	"	
Manila, .	"	29.84	757.8	82	67	WSW	1	o	"	29.87	758.7	72	89	NE	1	o
Legaspi, .	"	"	
Tacloban, .	"	29.79	756.6	82	84	ENE	2	o	"	
Hoilo, .	"	29.75	755.7	84	74	NE	4	b	"	29.80	756.9	72	96	SSW	1	b
Surigao, .	"	"	4.20	29.78	756.3	...	NE	1	o
Guam, .	12.20	29.76	756.0	NNE	6	o	4.47	
Vap, .	12.47	6	29.76	755.9	76	94	S	4	o
Labuan, .	14	29.77	756.1	78	86	N	2	r	"	

February 1d. 10h. 10m.—Warning to Hongkong, Coast Ports, &c.:—N.E. monsoon gale in Formosa Channel.

February 1d. 12h. 03m.—Pressure has decreased slightly to moderately from the China coast to the east of Japan. It has increased slightly over N. Annam and decreased slightly over the Philippines.

The anticyclone over China has weakened.

Fresh monsoon may be expected along the S.E. coast of China and strong monsoon over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 1.51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. gale, moderating.
- 2.—South coast of China between Hongkong and Lamocks, N. winds, fresh; fine.
- 3.—Hongkong to Gap Rock, N. winds, fresh; fine.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	1ST FEBRUARY, 1923.							2ND FEBRUARY, 1923.										
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPS. ATMOS.	HUMID.	WIND.		WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPS. ATMOS.	HUMID.	WIND.		WEATHER.
	inches.	Milrs.	Direct- ion.	Force.			inches.	Milrs.				inches.	Milrs.	Direct- ion.		Force.		
Vladivostock, .	12	29.99	761.7	24	N	4	o	6	29.89	759.2	17	...	W	3	o	
Nemuro, .	11	29.78	756.5	NE	2	...	5	29.63	752.5	W	1	...	
Hokodate, .	"	29.76	756.0	N	1	...	"	29.71	754.5	NW	4	...	
Tokio, .	"	29.80	757.0	SSW	1	...	"	29.86	758.5	NW	2	...	
Kochi, .	"	30.04	763.0	SW	1	...	"	30.00	762.0	W	1	...	
Nagasaki, .	"	30.20	767.0	NNW	4	...	"	30.12	765.0	NNW	2	...	
Kagoshima, .	"	30.14	765.5	N	3	...	"	30.10	764.5	
Oshima, .	"	30.16	766.0	NNW	2	...	"	30.12	765.0	N	5	...	
Naha, .	"	30.18	766.5	N	5	...	"	30.14	765.5	N	5	...	
Ishigakijima, .	"	30.20	767.0	N	5	...	"	30.20	767.0	NNE	3	...	
Bonin Island, .	"	30.04	763.0	W	1	...	"	29.88	759.0	SSW	2	...	
Weihaiwei, .	14	30.28	769.1	36	70	N	2	b	6	30.19	766.8	30	77	NW	2	b		
Hankow, .	15	"		
Ichang, .	"	"		
Changsha, .	"	"	30.37	771.3	21	...	WSW	1	b	
Shanghai, .	11	30.51	774.9	37	...	WNW	4	b	...	"	30.37	771.4	30	88	NNW	4	b	
Gutzlaff, .	"	30.41	772.4	40	100	NNW	4	b	...	"	30.23	767.8	38	89	WNW	2	o	
Sharp Peak, .	15	30.22	767.6	56	69	E	2	o	7	30.23	767.8	44	92	NNE	2	b		
Amoy, .	14	30.25	768.3	56	86	NNE	1	b	6	30.23	767.8	44	92		
Swatow, .	""		
Taihoku, .	12	30.33	770.4	48	92	SW	2	r	...	30.26	768.6	43	91	E	2	o		
Taichu, .	"	30.22	767.7	54	...	N	4	o	...	30.18	766.5	43	0	b		
Tainan, .	"	30.19	766.8	54	...	NNE	6	o	...	30.13	765.3	45	...	NNE	4	b		
Kochun, .	"	30.13	765.3	64	...	NNE	7	o	...	30.08	764.1	59	...	NE	7	b		
Pescadores, .	"	30.26	768.6	55	...	NE	8	o	...	30.17	766.2	50	...	NE	7	b		
Canton, .	15	30.26	768.6	62	36	N	2	b	...	30.27	768.8	41	57	N	2	b		
Hongkong, .	14	30.23	767.8	61	20	N	2	b	...	30.19	766.8	47	20	N	2	b		
Gap Rock, .	"	30.24	768.1	N	4	b	...	30.22	767.6	NE	4	b		
Macao, .	"	30.24	768.0	55	26	N	4	b	...	30.19	766.8	46	33	N	4	o		
Wuchow, .	15	9			
Pakhoi, .	"			
Hoihow, .	"			
Phulien, .	"	30.27	768.9	64	88	NE	2	bf	7	30.22	767.7	50	56	NE	4	b		
Tourane, .	"	30.15	765.9	61	...	N	7	o	...	30.12	765.0	57	...	NNW	4	o		
Cape St. James, .	"	29.89	759.3	82	...	SW	2	b	...	29.92	759.9	66	...	WNW	4	o		
Aparri, .	14	29.93	760.2	75	79	NE	4	o	6	29.98	761.4	68	88	NE	6	r		
Dagupan, .	"			
Manila, .	"	29.82	757.5	82	70	NW	2	o	...	29.85	758.1	72	94	o	o	o		
Legaspi, .	"	29.81	757.2	81	80	ENE	2	o			
Taclabau, .	"			
Iloilo, .	"	86	E	2	o			
Surigao, .	"	29.76	756.0	84	74	NNE	2	b			
Guam, .	12.20	29.74	755.4	NE	2	o	4.20	29.85	758.1	ENE	1	r		
Yap, .	12.47	4.47			
Labuan, .	14	29.81	757.2	76	98	S	2	o	6	29.76	755.9	78	91	SW	4	b		

February 2d. 12h. 15m.—Pressure has decreased slightly to moderately at the majority of reporting stations. It is nearly stationary over the Philippines.

The anticyclone has weakened further. A depression lies to the N.E. of Japan.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 1.58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, N.E. winds, fresh; fine to cloudy.
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; fine to cloudy.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	2ND FEBRUARY, 1923.							3RD FEBRUARY, 1923.								
	HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.		TEMPER- ATURE ATMOS.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.		TEMPER- ATURE ATMOS.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.		
Vladivostock, .	12	29.75	755.6	28	...	SW	4	0	6	29.84	757.9	17	...	NW	5	b
Nemuro, .	11	5
Hokodate, .	"	29.72	755.0	NW	3	...	"
Fukio, .	"	29.88	759.0	N	4	...	"
Kochi, .	"	30.02	762.5	SE	1	...	"
Nagasaki, .	"	NW	2	...	"
Lagoshima, .	"	30.12	765.0	NW	3	...	"
Osshima, .	"	"
Jaha, .	"	"
Shigakijima, .	"	"
Sionin Island, .	"	29.94	760.5	NNE	3	...	"
Weihaiwei, .	14	30.07	763.8	42	58	WNW	2	b	6	30.21	767.3	38	81	N	2	b
Tankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.36	771.0	41	...	WSW	2	b	"	30.15	765.9	28	...	S	1	b
Gutzlaff, .	"	30.27	768.8	44	60	WSW	1	b	"	30.17	766.3	36	83	SSW	2	b
Sharp Peak, .	15	30.16	766.0	54	68	E	2	b	7	30.06	763.5	44	72	W	1	b
Amoy, .	14	30.14	765.5	56	81	ENE	1	b	6	30.08	764.0	46	92	NNE	2	b
Swatow, .	"	"
Taihoku, .	12	30.21	767.4	57	51	ESE	6	b	"	30.06	763.5	54	88	...	0	o
Faichu, .	"	30.15	765.9	59	...	0	b	...	"	30.08	764.1	48	...	0	b	b
Fainan, .	"	30.13	765.3	61	...	N	4	b	"	30.04	762.9	52	...	N	4	b
Koshun, .	"	30.10	764.4	82	...	NE	8	bf	"	30.01	762.3	59	...	NW	1	o
Pescadores, .	"	30.18	766.5	57	...	NE	8	b	"	30.07	763.8	54	...	NE	4	o
Banton, .	15	30.14	765.5	60	34	SSW	1	b	"	30.11	764.8	32	79	...	0	b
Hongkong, .	14	30.14	765.5	54	33	E	3	b	"	30.07	763.8	51	74	ENE	1	b
Jap Rock, .	"	30.14	765.5	ENE	4	b	"	30.06	763.5	ENE	4	of
Macno, .	"	30.12	765.0	59	34	SSE	4	b	"	30.07	763.8	48	73	N	2	of
Wuchow, .	15	9
Yakhoi, .	"	"
Loihow, .	"	"
Thulien, .	"	30.10	764.4	68	25	SSE	1	bf	7	30.02	762.6	57	93	ENE	4	o
Tourane, .	"	30.05	763.2	61	25	NW	2	o	7	29.97	761.1	57	...	NW	2	of
Cape St. James, .	"	29.89	759.3	79	...	SW	2	b	"	29.89	759.3	72	...	S	2	o
Aparri, .	14	29.94	760.5	70	87	NE	4	r	6	29.93	760.2	68	94	E	2	o
Jagupan, .	"	"
Ilanila, .	"	29.79	756.6	81	73	WSW	1	o	"	29.84	757.8	70	92	...	0	o
Egaspri, .	"	"
Acloban, .	"	29.75	755.7	86	75	ENE	2	o	"
Iloilo, .	"	"
Jurigao, .	"	29.74	755.4	84	77	N	2	b	"
Yuan, .	12.20	29.76	756.0	SE	1	o	4.20	29.78	756.3	SE	1	o
Ap, .	12.47	4.47
Abuan, .	14	29.74	755.4	86	76	SW	2	b	6	29.75	755.6	77	94	N	4	b

February 3d. 11h. 30m.—Pressure has decreased considerably at Shanghai and Haiphong, moderately at Hongkong, and slightly at other reporting stations.

The anticyclone over China has broken up. Another may be forming over Mongolia.

The monsoon is interrupted to the north of Amoy and has weakened over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 1.65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

DISTRICT. FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- N.E. winds, moderate; fine to cloudy, becoming warmer.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	3RD FEBRUARY, 1923.							4TH FEBRUARY, 1923.									
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.	
	Inches.	Millrs.	Direction.	Force.					Inches.	Millrs.	Direction.	Force.					
Wladivostock, .	12	29.89	759.2	18	...		NNE	b	6	30.16	766.1	0	...	N	4	b	
Nemuro,	11	29.63	752.5		SSE	...	5	NW	4	...	
Hokodate,	29.61	752.0			W	6	29.65	753.0	WNW	4	...	
Tokio,	"	29.78	756.5		SSW	1	29.80	757.0	NNW	2	...	
Kochi,	"	29.96	761.0		SW	1	29.94	760.5	SW	1	...	
Nagasaki,	"	30.04	763.0		WNW	2	30.08	764.0	NNW	4	...	
Kagoshima,	"	30.04	763.0		NNW	1	30.04	763.0	N	1	...	
Oshima,	"	30.08	764.0		NNW	1	30.06	763.5	N	2	...	
Naha,	"	30.08	764.0		N	1	30.08	764.0	NNE	2	...	
Ishigakijima,	"	30.08	764.0		SSE	2	30.04	763.0	ESE	3	...	
Bonin Island,	"	29.98	761.5		W	1	29.94	760.5	W	3	...	
Weihaiwei,	14	30.22	767.6	38	81		N	2	6	
Hankow,	15	
Ichang,	"	
Changsha,	"	
Shanghai,	11	30.18	766.5	50	32		SSW	1	b	30.32	770.1	32	...	NNE	1	b	
Gutzlaff,	"	30.14	765.5	47	62		SSW	2	b	30.31	769.9	36	83	NNE	4	b	
Sharp Peak,	15	30.07	763.8	54	58		NE	1	b	30.14	765.5	50	75	NE	4	o	
Amoy,	14	30.00	762.0	60	82		SW	1	30.05	763.2	48	93	NE	1	b		
Swatow,	"	29.92	759.9	57	94		ESE	2	
Taihoku,	12	30.07	763.8	61	24		...	o	...	30.08	764.1	52	97	...	o	r	
Taichu,	"	30.06	763.5	64	...		NNW	2	b	30.06	763.5	48	o	b	
Tainan,	"	30.04	762.9	68	...		N	4	b	
Koshun,	"	30.01	762.3	72	...		NW	1	o	
Pescadores,	"	30.08	764.1	61	...		NNE	4	b	
Canton,	15	30.00	762.0	65	44		SW	1	b	30.04	763.0	47	85	...	o	b	
Hongkong,	14	30.00	762.0	61	55		E	2	b	30.01	762.2	56	59	E	3	b	
Gap Rock,	"	30.03	762.7		ENE	4	b	30.02	762.5	ENE	3	of	
Macao,	"	29.99	761.7	63	56		ESE	2	b	29.99	761.7	54	73	ESE	2	...	
Wuchow,	15	9	
Pakhoi,	"	
Hoihow,	"	
Phulien,	"	29.88	759.0	70	57		SSE	4	b	7	
Tourane,	"	29.91	759.6	68	...		SE	2	b	
Cape St. James, .	"	29.85	758.1	75	...		ENE	4	b	
Aparri,	14	29.86	758.4	77	79		NE	4	o	6	
Dagupan,	"	
Manila,	"	29.78	756.3	82	67		WSW	1	o	...	29.84	757.8	72	96	NE	1	o
Legaspi,	"	
Tacloban,	"	29.74	755.4	86	75		ESE	2	o	
Iloilo,	"	29.85	758.1	86	68		NE	4	o	...	29.78	756.3	75	96	N	1	o
Surigao,	"	29.74	755.4	82	77		ESE	2	b	
Guam,	12.20	29.74	755.4		ESE	1	r	4.20	29.82	757.5	SE	1	b
Yap,	12.47	6	4.47	
Labuan,	14	29.75	755.6	84	79		E	4	b	29.79	756.6	76	94	N	6	b	

February 4d. 11h. 24m.—Pressure has increased considerably at Wladivostock and moderately at Shanghai. It has decreased slightly at Hongkong and is nearly stationary over the Philippines.

An anticyclone has formed over N. China and S.E. Mongolia.

The monsoon will freshen along the S. and S.E. coasts of China. It will be moderate over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 1.71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH. DISTRICT.

- | | |
|--|--------------------------------------|
| 1.—Formosa Channel, | N.E. winds, freshening considerably. |
| 2.—South coast of China between Hongkong and Lamock, | } N.E. winds, fresh; fine to cloudy |
| 3.—Hongkong to Gap Rock, | |
| 4.—South coast of China between Hongkong and Hainan, | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG. DAILY WEATHER REPORT.

4TH FEBRUARY, 1923.

STATION.	HONGKONG STANDARD TIME.						BAROMETER AT SEA LEVEL.		5TH FEBRUARY, 1923.						
	Inches.	Millrs.	Temper. ature.	Humidit.	Wind.	Dirct. ion.	Forc.	Inches.	Millrs.	Temper. ature.	Humidit.	Wind.	Dirct. ion.	Forc.	WEATHER.
Vladivostock, .	12	30.14	765.5	13	...	N	5	b	6	30.23	767.8	3	...	2	b
Nemuro,	11	29.70	754.5	NNW	5	..	5	29.65	753.0	2	..
Hokodate,	"	29.70	754.5	0	..	"	29.86	758.5	4	..
Tokio,	"	29.82	757.5	NNW	6	..	"	29.98	761.5	2	..
Kochi,	"	30.02	762.5	NW	3	..	"	30.14	765.5	1	..
Nagasaki,	"	30.18	766.5	NW	3	..	"	30.20	767.0	3	..
Kagoshima,	"	30.10	764.5	NW	4	..	"	30.20	767.0	1	..
Osaima,	"	30.12	765.0	N	2	..	"	30.16	766.0	3	..
Naha,	"	30.14	765.5	N	3	..	"	30.14	765.5	1	..
Ishigakijima,	"	30.08	764.0	E	3	..	"	30.08	764.0	3	..
Bonin Island,	"	30.12	765.0	"	30.00	762.0	1	..
Weihaiwei,	14	30.39	771.9	26	75	N	1	b	6	30.41	772.4	24	73	2	b
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.40	772.4	43	41	NNE	2	b	"	30.43	772.4	34	70	1	o
Gutzlaff,	"	30.34	770.6	42	66	NNE	4	b	"	30.38	771.6	34	82
Sharp Peak,	15	30.10	764.5	54	74	NNE	4	b	7	30.14	765.5	46	91	2	o
Amoy,	14	6	30.07	763.8	56	94	2	b
Swatow,	"	"
Taihoku,	12	30.12	765.0	64	71	E	4	b	"	30.06	763.5	57	96	6	r
Paichu,	"	30.04	762.9	70	...	N	2	b	"	29.99	761.7	53	...	0	b
Tainan,	"	30.02	762.6	70	...	N	4	b	"	29.97	761.1	50	...	4	b
Koshun,	"	30.01	762.3	72	...	NE	6	o	"	29.98	761.4	66	...	4	o
Pescadores,	"	30.08	764.1	64	...	NNE	6	o	"	30.01	762.3	59	...	7	o
Canton,	15	29.96	761.0	72	34	SW	2	b	"	30.03	762.7	53	93	1	o
Hongkong,	14	29.98	761.5	61	58	E	4	b	"	30.01	762.2	57	81	4	o
Gap Rock,	"	29.97	761.2	ENE	4	b	"	30.06	763.5	4	o
Macao,	"	29.95	760.8	68	51	SE	2	b	"	29.99	761.7	55	86	2	o
Wuchow,	15	9
'akhoi,	"	"
loihow,	"	"
Julien,	"	29.88	759.0	66	76	ESE	6	cf	7	29.94	760.5	61	96	4	of
Pourane,	"	29.85	758.3	72	...	SE	2	r	"	29.91	759.6	64	...	2	b
Cape St. James, .	"	29.81	757.2	84	...	S	2	b	"	29.85	758.1	72	...	6	o
Aparsi,	14	29.86	758.4	75	83	NE	4	o	6	29.92	759.9	70	94	0	r
Agupan,	"	"
Junila,	"	29.76	756.0	86	61	WNW	2	o	"	29.84	757.8	73	91	0	of
Legaspi,	"	29.78	756.3	82	81	ENE	2	o	"
Acloban,	"	29.74	755.4	84	71	ESE	2	of	"	29.84	757.8	73	96	0	o
Lilo,	"	"	29.78	756.3	75	96	2	o
Surigao,	"	29.73	755.1	84	74	N	1	b	"	29.80	756.9	75	94	2	r
Iuan,	12.20	29.79	756.6	E	1	r	4.20	29.78	756.3	1	b
Iap,	12.47	4.47
Abuan,	14	29.78	756.4	84	79	N	2	b	6	29.79	756.6	76	98	4	b

February 5d. 11h. 22m.—Pressure has increased moderately over Japan and slightly from Weihaiwei to Shanghai. It is nearly stationary in southern districts.

The anticyclone remains stationary over N. China and S.E. Mongolia.

A depression is shown to the N.E. of Japan.

Fresh to strong monsoon may be expected along the S. and S.E. coasts of China and moderate monsoon over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 1.77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH. DISTRICT.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, } N.E. winds, fresh; fine to cloudy
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	5TH FEBRUARY, 1923.							6TH FEBRUARY, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Mills.			Direct. ion.	Force.		Inches.	Mills.			Direct. ion.	Force.	
Vladivostock, .	12	30.30	767.2	16	...	NNE	5	b	6	30.35	770.9	5	...	NNE	4
Nemuro, .	11	29.67	753.5	NW	6	...	5	29.96	761.0	WNW	3
Hokodate, .	"	29.86	758.5	N	6	...	"	30.08	764.0	WNW	1
Tokio, .	"	29.98	761.5	NNW	4	...	"	30.14	765.5	NNE	2
Kochi, .	"	30.10	764.5	WSW	1	...	"	30.14	765.5	W	1
Nagasaki, .	"	30.22	767.5	N	2	...	"	30.22	767.5	O	0
Kagoshima, .	"	30.18	766.5	N	1	...	"	30.20	767.0	NW	1
Oshima, .	"	30.16	766.0	NNW	1	...	"	30.10	764.5	SSE	1
Naba, .	"	30.16	766.0	NE	2	...	"	30.04	763.0	NNE	2
Ishigakijima, .	"	30.08	764.0	ESE	5	...	"	29.94	760.5	S	6
Bonin Island, .	"	30.00	762.0	WNW	1	...	"	30.08	764.0	O	0
Weihaiwei, .	14	30.41	772.4	24	73	NNW	4	b	6	30.43	772.9	26	63	N	4
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.46	773.7	36	57	NNE	2	o	"	30.43	772.8	32	...	N	1
Gutzlaff, .	"	30.37	771.4	34	90	N	4	o	"	30.39	771.9	32	90	N	0
Sharp Peak, .	15	30.09	764.3	47	91	NE	4	r	7	30.10	764.5	44	92	E	2
Amoy, .	14	29.99	761.7	56	100	NE	1	r	6	30.07	763.8	54	43	ENE	2
Swatow, .	"	"
Taihoku, .	12	30.07	763.8	63	90	E	6	o	"	30.07	763.8	55	96	E	4
Taichu, .	"	30.00	762.0	68	0	b	"	29.97	761.1	55	...	N	4
Tainan, .	"	30.00	762.0	70	...	N	2	b	"	29.93	760.2	57	...	NNE	6
Koshun, .	"	29.99	761.7	72	...	ENE	4	o	"
Pescadores, .	"	30.05	763.2	59	...	NNE	7	o	"	29.98	761.4	54	...	NE	8
Canton, .	15	29.95	760.8	71	53	W	1	b	"	30.14	765.5	45	84	N	2
Hongkong, .	14	29.96	761.0	61	73	ESE	2	o	"	30.07	763.8	53	62	NNE	1
Gap Rock, .	"	29.98	761.5	ENE	5	o	"	30.06	763.5	NNW	5
Macao, .	"	29.94	760.5	63	65	NE	2	o	"	30.04	762.9	50	74	NNW	4
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.93	760.2	70	77	E	2	o	7	30.14	765.6	48	92	NNW	6
Tourane, .	"	29.84	757.8	72	...	ESE	2	b	"	30.00	762.0	64	...	NNW	4
Cape St. James, .	"	29.82	757.5	84	...	S	2	b	"	29.88	759.0	72	...	ENE	4
Aparri, .	14	29.86	758.4	75	83	E	4	o	6	29.85	758.1	64	94	S	2
Dugupan, .	"	"
Manila, .	"	29.79	756.6	82	70	W	2	o	"	29.84	757.8	73	44	ESE	1
Legaspi, .	"	"
Tacloban, .	"	29.76	756.0	81	80	E	4	r	"	29.78	756.3	75	96	...	0
Ililo, .	"	29.73	755.1	86	71	NE	4	o	"	29.76	756.0	75	94	N	2
Surigao, .	"	29.73	755.1	77	91	NE	2	o	"	29.78	756.3	73	96	...	0
Guam, .	12.20	29.78	756.3	NNE	2	o	4.20	29.82	757.5	NE	1
Yap, .	12.47	4.47
Lahuan, .	14	29.77	756.1	84	77	E	4	b	6	29.79	756.6	77	94	SW	2

February 6d. 10h. 55m.—Pressure has increased considerably over N.E. Japan, moderately over Tongking and slightly at Hongkong. It has decreased moderately over the Loochoos and slightly from N. Luzou to S. Formosa.

The anticyclone remains stationary.

Fresh to strong monsoon may be expected along the S. and S.E. coasts of China and moderate monsoon over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 1.83 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.
DISTRICT.**

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, } N. winds, fresh; fine.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	6TH FEBRUARY, 1923.								7TH FEBRUARY, 1923.							
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	
	Inches.	Millrs.	Direct- ion.	Force.			Inches.	Millrs.			Direct- ion.	Force.			Direct- ion.	Force.
Vladivostock, .	12	30.35	770.8	17	...	N	4	b	6	30.38	771.6	4	...	N	4	b
Nemuro, .	11	29.96	761.0	WNW	3	...	5	30.12	765.0	W	1	..
Hokodate, .	"	30.16	766.0	NNW	1	...	"	30.20	767.0	NNW	3	..
Tokio, .	"	30.18	766.5	NNE	1	...	"	30.26	768.5	N	2	..
Kochi, .	"	30.14	765.5	0	...	"	30.12	765.0	WSW	1	..
Nagasaki, .	"	30.22	767.5	0	...	"	30.14	765.5	E	1	..
Kagoshima, .	"	30.20	767.0	N	1	...	"	30.08	764.0	NNW	1	..
Oshima, .	"	30.08	764.0	"	29.98	761.5	NNW	6	..
Naha, .	"	30.00	762.0	SE	3	...	"	29.94	760.5	N	6	..
Ishigakijima, .	"	29.96	761.0	SSW	4	...	"	30.02	762.5	N	6	..
Bonin Island, .	"	30.08	764.0	NW	1	...	"	30.08	764.0	SW	1	..
Weihaiwei, .	14	30.39	771.9	30	77	N	4	b	6	30.41	772.4	26	75	N	4	b
Jankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.46	773.7	34	100	"	30.41	772.5	25	...	NNE	1	b
Gutzlaff, .	"	30.39	771.9	34	100	N	4	o	"	30.39	771.9	32	100	N	4	o
Sharp Peak, .	15	30.12	765.0	46	96	E	4	o	"	30.16	766.0	40	87	ENE	4	o
Amoy, .	14	30.07	761.8	58	94	ENE	2	o	"	30.18	766.6	46	92	ENE	1	b
Swatow, .	"	"
Taihoku, .	12	30.11	764.7	59	79	E	6	o	"	30.18	766.5	52	90	E	1	o
Taichu, .	"	29.99	761.7	59	...	SE	4	o	"	30.11	764.7	50	...	N	4	o
Tainan, .	"	29.98	761.4	63	...	NNE	6	o	"	30.05	763.2	52	...	NNE	6	o
Koshun, .	"	"	30.01	762.3	59	...	N	2	o
Pescadores, .	"	30.06	763.5	54	...	NNE	8	o	"	30.12	765.0	50	...	NE	7	o
Canton, .	15	30.10	764.5	57	52	N	2	o	"	30.22	767.6	40	74	N	2	b
Hongkong, .	14	30.04	762.9	64	37	N	3	b	"	30.13	765.3	50	60	...	0	o
Gap Rock, .	"	30.05	763.2	NNW	5	b	"	30.10	764.5	NE	4	o
Macao, .	"	30.04	762.9	57	51	N	4	o	"	30.13	765.3	45	64	NNW	4	o
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.07	763.8	64	48	SSW	1	b	"	7
Tourane, .	"	29.98	761.4	64	...	NNW	6	o	"
Cape St. James, .	"	29.85	758.1	79	...	E	2	b	"
Aparri, .	14	29.80	756.9	79	76	S	2	o	6	29.89	759.3	72	86	N	6	r
Dagupan, .	"	"
Manila, .	"	29.78	756.3	79	76	NNE	2	o	"	29.85	758.1	70	96	NE	1	b
Legaspi, .	"	"	29.81	757.2	73	96	WSW	1	o
Ticloban, .	"	29.71	754.5	86	71	ENE	2	o	"	29.78	756.3	75	96	...	0	o
Illoilo, .	"	29.68	753.9	86	65	NE	2	b	"	29.78	756.3	73	94	N	1	o
Surigao, .	"	"
Guam, .	12.20	29.76	756.0	NE	2	b	4.20	29.85	758.1	NE	1	o
Yap, .	12.47	29.78	756.4	84	81	SW	2	b	4.47	29.81	757.2	E	4	b
Labuan, .	14	29.78	756.4	84	81	SW	2	b	6	29.79	756.6	76	94	N	2	b

February 6d. 22h. 30m.—Warning to Hongkong Coast Ports, &c.:—N.E. gale in Formosa Channel.

February 7d. 12h. 07m.—Pressure has increased moderately over N.E. Japan and Formosa, and slightly over Kwangtung and the Philippines. It has decreased moderately over S.W. Japan and the Loochoos.

The northern portion of the anticyclone is moving eastward, leaving a separate anticyclone over China.

A depression has formed to the S.E. of the Loochoos.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 1.89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8th. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, } N.E. winds, fresh; fine.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	7TH FEBRUARY, 1923.							8TH FEBRUARY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETRE AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETRE AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.	
Vladivostock, .	12	30.30	769.6	22	...	NNE	4	b	6	30.16	765.1	9	...	N	2	b
Nemuro,	11	30.12	765.0	NNW	2	...	5	30.08	764.0
Hokodate,	"	30.18	766.5	NNW	1	...	"	29.98	761.5	1	...
Tokio,	"	30.24	768.0	NNW	3	...	"	29.69	754.0	4	...
Kochi,	"	30.04	763.0	"	29.94	760.5	1	...
Nagasaki,	"	30.10	764.5	NNW	3	...	"	30.10	764.5	3	...
Kagoshima,	"	30.08	764.0	NNE	2	...	"	30.08	764.0	1	...
Oshima,	"	30.02	762.5	N	4	...	"	30.08	764.0	3	...
Naha,	"	30.06	763.5	NNW	6	...	"	30.12	765.0	6	...
Ishigakijima,	"	30.12	765.0	N	6	...	"	30.18	766.5	1	...
Bonin Island,	"	29.94	760.5	SSE	2	...	"	29.78	756.5	1	...
Weihaiwei,	14	30.38	771.6	30	77	N	4	b	6	30.35	770.9	30	77	NW	2	b
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.46	773.7	37	..	NNW	2	b	"	30.44	773.1	21	..	N	1	b
Gutzlaff,	"	30.39	771.9	40	100	NNW	4	b	"	30.43	772.9	30	80	NNW	2	o
Sharp Peak,	15	30.24	768.1	44	76	E	4	b	7	30.29	769.3	42	88	NE	4	o
Amoy,	14	30.15	765.8	54	94	ENE	1	o	6	30.25	768.3	46	92	ENE	1	b
Swatow,	"	"
Taihoku,	12	30.22	767.7	54	78	E	4	o	"	30.26	768.6	52	87	NE	2	o
Taichu,	"	30.13	765.1	57	...	N	4	b	"	30.18	766.5	52	...	N	4	b
Tainan,	"	30.12	765.0	57	...	NNE	4	o	"	30.17	766.2	52	...	N	4	o
K'au-hun,	"	30.06	763.5	68	...	NNE	6	b	"	30.13	765.3	54	...	N	2	b
Pescadores,	"	30.18	766.5	54	...	NNE	7	o	"	30.21	767.4	52	...	NNE	6	o
Canton,	15	30.16	766.0	60	49	N	2	b	"
Hongkong,	14	30.12	765.0	59	46	W	2	b	"	30.21	767.3	50	61	NE	2	o
Gap Rock,	"	30.14	765.5	N	4	b	"	30.19	766.8	50	...	NE	4	o
Macao,	"	30.12	765.0	52	57	NNE	4	b	"	30.17	766.2	48	60	N	4	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	30.07	763.8	59	63	ENE	2	o	7	30.14	765.6	54	78	ENE	4	of
Tourane,	"	30.00	762.0	64	...	NNW	4	o	"	30.05	763.2	63	...	ESE	2	o
Cape St. James, .	"	29.85	758.1	75	...	ENE	6	b	"	29.92	759.9	68	...	NE	4	b
Aparri,	14	29.92	759.9	86	78	NE	4	o	6	30.02	762.6	70	69	NE	4	o
Dagupan,	"	"
Manila,	"	29.80	756.9	84	71	WSW	2	o	"	29.88	759.0	68	94	...	0	b
Legaspi,	"	29.78	756.3	81	76	NNE	4	o	"
Tacloban,	"	29.73	755.1	84	74	NW	1	o	"	29.85	758.1	75	96	...	0	o
Ililo,	"	29.73	755.1	86	75	NE	4	o	"	29.80	756.9	73	96	N	4	o
Surigao,	"	"	29.81	757.2	79	87	N	4	o
Guam,	12.20	29.79	756.6	E	4	b	4.20	29.84	757.8	S	1	o
Yap,	12.47	4.47	29.84	757.8	o	0	b
Labuan,	14	29.78	756.4	86	72	E	2	b	6	29.77	756.1	77	94	NW	4	b

February 8d. 11h. 40m.—Pressure has decreased considerably from the Bonins to Vladivostock. It has increased moderately from the Loochoos to Formosa, and slightly over Kwangtung and the Philippines.

The anticyclone remains stationary over China.

The Loochoos depression has deepened and moved north-eastward.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 1.94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.
DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks, } N.E. winds, fresh; cloudy at first, then clearing.
- 3.—Hongkong to Gap Rock, }
- 4.—South coast of China between Hongkong and Hainan, .. }

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	8TH FEBRUARY, 1923.							9TH FEBRUARY, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.			Humid.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.			Humid.	WIND.		
		Inches.	Millrs.	Temp. Atm.		Direct. ion.	Force.		Inches.	Millrs.	Temp. Atm.		Direct. ion.	Force.	
Vladivostock, .	12	30.06	763.6	22	...	NNE	6	6	30.14	765.5	12	...	N	2	
Nemuro, .	11	29.96	761.0	ENE	1	...	29.82	757.5	W	1	
Hokodate, .	"	29.90	759.5	ENE	2	...	29.88	759.0	NNE	1	
Tokio, .	"	29.84	758.0	NNW	3	...	29.94	760.5	NNW	1	
Kochi, .	"	29.94	760.5	WNW	3	...	30.16	766.0	WSW	1	
Nagasaki, .	"	30.16	766.0	NW	4	...	30.18	766.5	
Kagoshima, .	"	30.12	765.0	NW	4	...	30.18	766.5	WNW	1	
Oshima, .	"	30.16	766.0	N	5	...	30.14	765.5	SSE	1	
Naha, .	"	30.22	767.5	NNW	4	...	30.14	765.5	ENE	1	
Ishigakijima, .	"	30.24	768.0	NNE	3	...	30.08	764.0	NE	2	
Bonin Island, .	"	29.86	758.5	WNW	2	...	"	NW	2	
Weihaiwei, .	14	30.27	768.8	34	79	NW	1	0	6	30.18	766.6	32	79	SSW	1
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	30.46	773.7	36	0	b	"	30.21	767.3	34	...	ESE	1
Gutzlaff, .	"	30.39	771.9	38	72	NNW	1	0	"	30.22	767.6	36	90	ESE	2
Sharp Peak, .	15	30.23	767.8	44	76	ENE	4	0	7	30.17	766.3	44	90	W	2
Amoy, .	14	30.19	766.8	56	94	ENE	1	b	6	30.11	764.8	50	100	ENE	2
Swatow, .	"	"	
Taihoku, .	12	30.26	768.6	57	62	E	6	0	"	30.10	764.4	50	92	SE	2
Taichu, .	"	30.19	766.8	61	...	N	4	b	"	30.08	764.1	48	...	0	b
Tainan, .	"	30.17	766.1	63	...	N	4	b	"	30.06	763.5	54	...	N	4
Keshun, .	"	30.14	765.6	68	...	E	6	b	"	30.04	762.9	61	...	0	b
Pescadores, .	"	30.22	767.7	57	...	NNE	7	0	"	30.10	764.4	54	...	NNE	6
Canton, .	15	30.15	765.8	54	55	NE	1	0	"	30.10	764.5	46	92	N	2
Hongkong, .	14	30.16	766.0	56	62	E	3	0	"	30.06	763.5	54	79	E	3
Gap Rock, .	"	30.14	765.5	ENE	4	0	"	30.05	763.2	ENE	4
Macao, .	"	30.13	765.3	52	57	NNE	4	0	"	30.07	763.8	52	83	N	4
Wuchow, .	15	"	
Pakhoi, .	"	"	
Hoibow, .	"	"	
Phulien, .	"	30.07	763.8	54	90	ENE	4	of b	7	
Tourane, .	"	29.98	761.4	72	...	ESE	2	...	"	
Cape St. James, .	"	29.87	758.7	75	...	ENE	6	b	"	
Apárrí, .	14	30.00	762.0	73	62	NE	4	0	6	29.98	761.4	64	92	0	0
Jagupan, .	"	"	
Manila, .	"	29.85	758.1	82	60	SW	2	0	"	29.89	759.3	64	90	N	2
Legaspi, .	"	29.87	758.7	79	76	NNE	4	0	"	
Facloban, .	"	"	
Ililo, .	"	29.80	756.9	82	70	N	4	0	"	29.79	756.6	73	88	N	4
Surigao, .	"	"	
Guam, .	12.20	29.81	757.2	W	1	0	4.20	29.81	757.2	NE	2
Yap, .	12.47	4.47	
Abuan, .	14	29.76	755.9	84	79	SW	4	b	6	29.74	755.4	78	94	NW	4

February 9d. 11A. 11m.—Pressure has increased considerably over central Japan and decreased considerably over N.E. Japan and the lower Yangtze Valley. It has decreased moderately from Formosa to Hongkong.

The anticyclone has weakened considerably.

The monsoon is interrupted to the north of Amoy and has probably moderated over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 1.99 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH. DISTRICT.

- 1.—Formosa Channel, .
 2.—South coast of China between Hongkong and Lamooks, .
 3.—Hongkong to Gap Rock, .
 4.—South coast of China between Hongkong and Hainan, .
- N.E. winds, moderate; fine at first, some drizzle or mist later, warmer.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	9TH FEBRUARY, 1923.							10TH FEBRUARY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	WEATHER.	
Wladivostock, .	12	30.06	763.4	29	...	NNE	4	o	6	29.86	758.5	17	...	NNE	5	o
Nemuro, .	11	29.84	758.0	WNW	5	29.86	758.5	SW	1	..
Hokodate, .		29.94	760.5	N	1	..		29.84	758.0	WSW	2	..
Tokio, .	"	30.04	763.0	N	1	..		30.02	762.5	NW	1	..
Kochi, .	"	30.16	766.0	SE	1	..		29.98	761.5	WSW	1	..
Nagasaki, .	"	30.18	766.5	SE	3	..		30.02	762.5	NW	1	..
Kagoshima, .	"	30.18	766.5	ENE	1	..		29.98	761.5	NW	1	..
Oshima, .	"	30.16	766.0		29.98	761.5	SW	2	..
Naha, .	"		29.96	761.0	SW	2	..
Ishigakijima, .	"	30.08	764.0	SE	4	..		30.02	762.5
Bonin Island, .	"	30.02	762.5	NW	2	..		30.06	763.5	o	0	..
Weihaiwei, .	14	30.08	764.0	34	69	WNW	1	b	6	30.13	765.3	32	68	NW	1	b
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.21	767.4	36	78	S	1	r	"	30.20	767.1	32	...	WNW	1	o
Gutzlaff, .	"	30.17	766.3	38	100	W	1	o	"	30.19	766.8	34	90	NNW	1	o
Sharp Peak, .	15	30.09	764.3	50	96	...	o	of	7	30.04	763.0	47	91	N	1	o
Amoy, .	14	30.03	762.7	52	100	o	o	o	6	30.03	762.7	52	100	ENE	1	o
Swatow, .	"	"
Taihoku, .	12	30.14	765.6	57	89	W	2	r	"	30.04	762.9	54	97	...	0	o
Taichu, .	"	30.11	764.7	59	...	NNW	4	o	"	30.01	762.3	54	...	o	0	b
Tainan, .	"	30.06	763.5	70	...	NNE	4	h	"	29.97	761.1	54	...	NNE	4	b
Koshun, .	"	30.05	763.2	72	...	N	2	o	"	29.94	760.5	57	...	ENE	2	b
Pescadores, .	"	30.11	764.7	59	...	NE	6	o	"	30.00	762.0	57	...	NE	6	b
Canton, .	15	30.01	762.2	61	60	NNW	2	o	"	29.99	761.7	54	87	N	1	o
Hongkong, .	14	30.00	762.0	60	75	E	4	b	"	29.97	761.2	58	77	E	4	o
Gap Rock, .	"	30.00	762.0	NNE	4	o	"	29.99	761.7	ENE	4	o
Macao, .	"	29.98	761.4	61	74	NE	2	o	"	29.95	760.8	55	88	NNE	4	o
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.95	760.8	57	96	...	o	of	7	29.93	760.2	57	100	NE	2	rf
Tourane, .	"	29.89	759.3	72	...	SE	2	b	"	29.88	759.0	64	...	S	4	b
Cape St. James, .	"	29.84	757.8	81	...	ESE	2	b	"	29.85	758.1	68	...	ENE	4	b
Aparri, .	14	29.89	759.3	79	61	NE	4	b	6	29.89	759.3	64	96	...	o	b
Dagupan, .	"	"
Manila, .	"	29.82	757.5	82	63	WSW	4	o	"	29.86	758.4	68	91	NNE	1	b
Legaspi, .	"	29.81	757.2	79	89	NNE	4	o	"
Tacloban, .	"	29.76	756.0	75	94	NW	2	r	"	29.78	756.3	73	96	NE	1	o
Iloilo, .	"	29.76	756.0	82	74	N	4	o	"	29.76	756.0	75	91	N	4	o
Surigao, .	"	"	29.79	756.6	73	94	S	2	r
Guam, .	12.20	29.78	756.3	NE	4	o	4.20	29.78	756.3	W	2	o
Yap, .	12.47	4.47	29.79	756.6	NE	2	b
Labuan, .	14	29.73	755.1	86	76	E	4	b	6	29.73	755.1	78	94	NW	2	b

February 10d. 12h. 30m.—Pressure has decreased slightly to moderately in all districts.

Another anticyclone is forming over China.

The monsoon will freshen along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 2.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamoeks,
- 3.—Hongkong to Gap Rock, } N.E. winds, fresh; generally cloudy.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	10TH FEBRUARY, 1923.								11TH FEBRUARY, 1923.															
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.		HUMIDIT.		WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.		HUMIDIT.		WIND.					
	Inches.	Millrs.							Direct. ion.	Force.			Inches.	Millrs.					Direct. ion.	Force.			WEATHER.	
Vladivostock, ..	12	29.78	756.4	28	NNE	5	r	6	29.92	759.9	15	..	N	4	b	
Nemuro,	11	29.78	756.5	SSW	4	..	5	29.73	755.0	
Hokodate,	"	29.74	755.5	SW	2	..	"	29.69	754.0	NNW	1	
Tokio,	"	29.80	757.0	NE	1	..	"	29.84	758.0	NW	1	
Kochi,	"	29.88	759.0	WSW	1	..	"	29.90	759.5	0	
Nagasaki,	"	30.00	762.0	NNW	2	..	"	30.00	762.0	NW	2	
Kagoshima,	"	29.96	761.0	NNW	1	..	"	29.98	761.5	NNW	1	
Oshima,	"	29.98	761.5	N	2	..	"	29.96	761.0	NNW	1	
Naha,	"	29.98	761.5	N	9	..	"	29.98	761.5	NNE	1	
Ishigakijima,	"	30.02	762.5	SSW	4	..	"	29.94	760.5	NE	2	
Bonin Island,	"	30.00	762.0	SSW	2	..	"	29.90	759.5	S	1	
Weihaiwei,	14	30.12	765.0	30	86	N	4	b	6	30.07	763.8	24	73	SW	2	b	
Hankow,	15	"	
Ichang,	"	"	
Changsha,	"	"	
Shanghai,	11	30.22	767.7	45	51	NW	1	o	"	30.11	764.7	37	83	E	1	o	
Gntzlafl,	"	30.16	766.0	46	69	NNW	1	o	"	30.12	765.0	36	90	NNE	1	o	
Sharp Peak,	15	30.02	762.5	50	86	E	2	o	7	29.99	761.7	46	89	NW	1	o	
Amoy,	14	29.96	761.0	60	94	ENE	1	b	6	30.02	762.5	52	100	ENE	1	o	
Swatow,	"	"	
Taihoku,	12	30.06	763.5	64	71	NW	2	o	"	29.95	760.8	59	96	ENE	4	o	
Taichu,	"	30.01	762.3	66	0	o	"	29.97	761.1	54	
Tainan,	"	29.98	761.4	70	..	N	4	b	"	29.91	759.6	54	..	NNE	4	b	
Koshun,	"	29.98	761.4	72	..	NE	4	o	"	29.89	759.3	64	..	N	2	b	
Pescadores,	"	"	29.94	760.5	57	..	NE	6	o	
Canton,	15	29.95	760.7	59	76	N	1	o	"	29.91	759.7	54	94	N	1	o	
Hongkong,	14	29.93	760.2	63	62	E	4	o	"	29.91	759.7	57	85	E	4	cd	
Gap Rock,	"	29.92	759.9	FNE	4	o	"	29.89	759.2	ENE	4	o	
Macao,	"	29.92	759.9	64	71	ENE	2	o	"	
Wuchow,	15	"	9	
Pakhoi,	"	"	
Hoihow,	"	"	
Phulien,	"	29.86	758.4	59	100	rf	7	
Tourane,	"	29.80	756.9	72	..	SE	4	b	"	
Cape St. James,	"	29.81	757.2	77	..	ENE	4	b	"	
Aparri,	14	29.85	758.1	79	61	ENE	4	b	6	
Dugupan,	"	"	
Mauiila,	"	29.79	756.6	82	67	W	4	o	"	29.81	757.2	68	92	NNE	1	b	
Legaspi,	"	29.78	756.3	82	77	NNE	4	o	"	
Tacloban,	"	"	29.79	756.6	73	96	N	2	b	
Illoilo,	"	29.72	754.8	82	81	N	4	o	"	29.75	755.7	73	94	
Surigao,	"	29.72	754.8	86	68	E	2	o	"	
Guam,	12.20	29.78	756.3	NE	4	b	4.20	29.79	756.6	E	1	o	
Yap,	12.47	4.47	
Labuan,	14	29.74	755.4	86	80	N	2	b	6	29.73	755.1	77	94	N	2	b	

February 11d. 12h. 13m.—Pressure has decreased moderately to slightly in all districts except in the extreme south where it is nearly stationary.

The anticyclone over China has not developed.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 2.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

FORECAST.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamock, N.E. winds, moderate; overcast, drizzle.
- 3.—Hongkong to Gap Rock, N.E. winds, moderate; overcast, drizzle.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	13TH FEBRUARY, 1923.								12TH FEBRUARY, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	
		Inches.	Mills.			Direction.	Force.		Inches.	Mills.			Direction.	Force.		
Vladivostock, .	12	29.87	758.8	25	...	NE	4	o	6	29.92	759.9	20	...	NE	3	o
Nemuro, .	11	29.74	755.5	NW	1	...	5	29.88	759.0
Hokodate, .	"	29.74	755.5	N	1	...	"	29.92	760.0	WNW	4	...
Tokio, .	"	29.90	759.5	NW	2	...	"	30.00	762.0	NNW	2	...
Kochi, .	"	29.98	761.5	SSE	1	...	"	29.98	761.5	SW	1	...
Nagasaki, .	"	30.02	762.5	NW	1	...	"	30.00	762.0	0	...
Kagoshima, .	"	30.00	762.0	NNW	1	...	"	29.98	761.5	WNW	1	...
Oshima, .	"	29.98	761.5	NNW	1	...	"	29.90	759.5	SSE	1	...
Naha, .	"	29.98	761.5	N	1	...	"	29.86	758.5	SSE	1	...
Ishigakijima, .	"	29.96	761.0	SE	3	...	"	29.84	758.0	SSW	4	...
Bonin Island, .	"	29.88	759.0	S	5	...	"	29.96	761.0
Weihaiwei, .	14	29.95	760.7	38	72	N	4	b	6	29.91	759.7	34	79	S	4	b
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.10	764.4	43	70	E	1	o	"	29.89	759.3	41	100	ESE	1	cf
Gutzlaff, .	"	30.05	763.2	40	100	ESE	2	r	"	29.90	759.4	42	100	SE	4	rf
Sharp Peak, .	15	29.90	759.4	50	90	...	0	rf	7	29.87	758.7	50	92	...	0	of
Amoy, .	14	6	29.84	757.9	54	94	...	0	o
Swatow, .	"	"
Taihoku, .	12	29.94	760.5	70	74	E	4	o	"	29.84	757.8	59	96	...	0	o
Taichu, .	"	29.99	761.7	66	0	o	"	29.87	758.7	54	0	b
Tainan, .	"	29.93	760.2	73	...	NNW	4	h	"
Koshun, .	"	29.92	759.9	73	...	ENE	4	o	"
Pescadores, .	"	29.98	761.4	61	...	ESE	4	o	"
Canton, .	15	29.85	758.2	56	94	N	1	or	"	29.78	756.4	57	94	E	1	o
Hongkong, .	14	29.86	758.4	59	84	E	4	od	"	29.77	756.1	60	92	E	4	o
Gap Rock, .	"	29.87	758.7	ENE	5	om	"	29.78	756.4	ENE	4	b
Macao, .	"	29.82	757.5	59	91	SE	2	of	"	29.76	756.0	59	100	ESE	2	of
Wuchow, .	15	9
Paknai, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.78	756.3	61	100	E	1	o	7	29.74	755.4	61	100	SSE	2	rf
Tourane, .	"	29.74	755.4	72	...	SE	4	b	"	29.72	754.8	70	...	SSE	2	b
Cape St. James, .	"	29.79	756.6	77	...	ENE	4	b	"	29.79	756.6	73	...	ENE	4	b
Aparri, .	14	29.79	756.6	82	...	NE	4	b	6	29.80	756.9	70	92	E	2	b
Dagupan, .	"	"
Manila, .	"	29.76	756.0	82	67	W	2	o	"	29.80	756.9	68	81	E	1	...
Legaspi, .	"	29.78	756.3	79	92	ENE	2	o	"
Tacloban, .	"	"
Iloilo, .	"	29.72	754.8	86	65	NE	4	b	"	29.74	755.4	75	91	N	4	o
Surigao, .	"	20.73	755.1	82	77	ENE	4	b	"	29.75	755.7	73	96	ESE	1	b
Guam, .	12.20	29.76	756.0	E	4	b	4.20	29.79	756.6	E	1	b
Yap, .	12.47	4.47	29.75	755.7	ENE	6	o
Labuan, .	14	29.74	755.4	84	79	N	2	b	6	29.72	754.9	80	95	SW	2	b

February 12d. 11h. 25m.—Pressure has increased moderately over N.E. Japan and slightly over the Bonins. It has decreased considerably at Shanghai and moderately from the Loochoos to Tongking.

A feeble anticyclone lies over Japan and a depression over S.W. China.

The monsoon is interrupted along the coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 2.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH. DISTRICT.

- | | | |
|---|---|---|
| 1.—Formosa Channel, . | } | S.E. or variable winds, moderate; overcast, drizzle and mist. |
| 2.—South coast of China between Hongkong and Lamocks, . | | |
| 3.—Hongkong to Gap Rock, . | | |
| 4.—South coast of China between Hongkong and Hainan, . | | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	12TH FEBRUARY, 1923.							13TH FEBRUARY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	WEATHER.		
	Hours.	Inches.	Millrs.			Direction.	Force.		Hours.	Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.87	758.7	34	...	E	3	o	6	30.13	765.4	18	...	NNE	5	c
Nemuro,	11	29.84	758.0	5	29.88	759.0	SE	1	...
Hokodate,	"	29.92	760.0	WSW	5	...	"	29.82	757.5	NNW	4	...
Tokie,	"	29.96	761.0	N	5	...	"	29.94	760.5	NNW	1	...
Kochi,	"	29.96	761.0	E	1	...	"	29.88	759.0	SW	1	...
Nagasaki,	"	29.98	761.5	SE	1	...	"	29.80	757.0	NNE	1	...
Kagoshima,	"	29.96	761.0	E	1	...	"	29.73	755.0	NNE	1	...
Oshima,	"	29.86	758.5	SSE	2	...	"	29.76	766.0	S	1	...
Naha,	"	29.88	759.0	S	3	...	"	29.80	757.0	SSW	1	...
Ishigakijima,	"	29.88	759.0	SSW	5	...	"	29.76	756.0	SW	4	...
Bonin Island,	"	29.96	761.0	NW	1	...	"	29.87	761.5	0	...
Weihaiwei,	14	29.94	760.5	42	65	N	1	b	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.89	759.2	46	100	ESE	2	rf	"	29.82	757.4	41	97	NE	1	r
Gntzlafl,	"	29.82	757.4	42	100	E	4	of	"	29.78	756.4	42	100	ENE	4	rf
Sharp Peak,	15	29.75	755.6	63	83	N	1	o	7	29.72	754.9	56	93	...	0	b
Amoy,	14	62	90	SE	...	b	6	29.74	755.4	58	94	SSE	1	b
Swatow,	"	"
Taihoku,	12	29.85	758.1	68	77	...	0	o	"	29.79	756.6	59	98	...	0	c
Taichu,	"	29.86	758.4	70	...	o	b	...	"	29.82	757.5	59	0	b
Tainan,	"	29.85	758.1	68	...	NE	2	o	"	29.80	756.9	61	...	ESE	2	...
Koshun,	"	29.84	757.8	64	...	SSE	4	o	"	29.80	756.9	66	0	o
Pescadores,	"	29.85	758.1	72	...	NE	4	b	"	29.80	756.9	64	...	SSW	1	b
Canton,	15	29.70	754.4	74	76	ESE	2	o	"	29.73	755.1	65	95	E	1	o
Hongkong,	14	29.76	755.9	73	72	SSE	3	o	"	29.75	755.6	66	96	E	1	cm
Gap Rock,	"	29.77	756.1	SSE	3	c	"	29.76	755.9	SE	3	o
Macao,	"	20.73	755.1	72	78	SSE	2	o	"	29.74	755.4	66	98	SSE	4	of
Wuchow,	15	9	
Pakhoi,	"	"	
Hoihow,	"	"	
Phulien,	"	29.67	753.6	68	91	SSE	2	o	7	29.69	754.2	63	100	WNW	2	of
Tourane,	"	29.68	753.9	77	...	o	b	...	"	29.72	754.8	75	...	SSW	7	b
Cape St. James,	"	29.80	756.9	79	...	ENE	4	b	"	29.82	757.5	72	...	ENE	2	b
Aparri,	14	29.75	755.7	84	68	NE	4	b	6	29.81	757.2	70	94	...	0	b
Dagupan,	"	"	
Manila,	"	29.73	755.1	90	51	SE	4	b	"	29.81	757.2	70	94	E	1	b
Legaspi,	"	"	
Taoloban,	"	29.73	755.1	86	78	SSE	4	b	"	29.78	756.3	73	96	...	0	b
Iloilo,	"	29.71	754.5	86	56	E	4	b	"	29.75	755.7	73	89	N	2	o
Surigao,	"	29.72	754.8	82	77	E	1	o	"	29.76	756.0	73	96	...	0	b
Guam,	12.20	29.74	755.4	E	4	b	4.20	28.79	756.6	NE	2	o
Yap,	12.47	29.72	754.8	NE	6	o	4.47	
Labuan,	14	29.72	754.9	86	76	SW	2	b	6	29.75	755.6	77	94	N	2	b

February 13d. 12h. 15m.—Pressure has decreased considerably over S.W. Japan, moderately over the lower Yangtze Valley and slightly from the Loochoos to Tongking. It has increased considerably at Wladivostock.

Depressions lie over the Eastern Sea and over S.W. China.

An anticyclone is moving eastward to the north of Wladivostock.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 2.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.
DISTRICT.

FORECAST.

- 1.—Formosa Channel,
2.—South coast of China between Hongkong and Lamock,
3.—Hongkong to Gap Rock,
4.—South coast of China between Hongkong and Hainan,

S. or variable winds; overcast, some drizzle and mist.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	13TH FEBRUARY, 1923.							14TH FEBRUARY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direct ion.	Force.		Inches.	Millrs.			Direct ion.	Force.	WEATHER.	
Wladivostock, .	12	30.11	764.8	24	...	NNE	5	b	6	30.11	764.7	21	...	ENE	3	o
Nemuro, .	11	29.88	759.0	NNE	1	...	5	30.10	764.5	W	1	..
Hokodate, .		29.88	759.0	NNW	3	...	"	30.16	766.0	N	1	..
Tokio, .	"	29.92	760.0	NNW	2	...	"	30.12	765.0	NNW	1	..
Kochi, .	"	29.86	758.5	SW	1	...	"	29.96	761.0	WSW	1	..
Nagasaki, .	"	29.78	766.5	E	3	...	"	29.92	760.0	NE	1	..
Kagoshima, .	"	29.72	755.0	ENE	2	...	"	29.90	759.5	NNW	1	..
Oshima, .	"	29.72	755.0	S	4	...	"	29.88	759.0	SE	1	..
Naha, .	"	29.82	757.5	S	2	...	"	29.86	758.5	N	2	..
Ishigakijima, .	"	30.24	768.0	SW	2	...	"	29.88	759.0	NE	2	..
Bonin Island, .	"	29.94	760.5	SSW	1	...	"	29.88	759.0	WSW	3	..
Weihaiwei, .	14	30.07	763.8	36	70	NNE	1	b	6	30.09	764.3	26	84	o	b	..
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.94	760.5	43	100	N	1	r	"	30.05	763.2	41	97	N	1	rf
Gutzlaff, .	"	29.90	759.4	40	100	NNW	4	of	"	30.05	763.2	40	100	N	1	rf
Sharp Peak, .	15	29.72	754.9	70	75	...	0	b	7	29.90	759.4	50	93	...	o	rf
Amoy, .	14	20.73	755.1	69	95	SSE	1	o	6	29.86	758.4	60	100	ENE	1	o
Swatow, .	"	"
Taihoku, .	12	29.78	756.3	79	58	SW	4	b	"	29.89	759.3	63	94	...	o	..
Taichu, .	"	29.86	758.4	77	...	SSW	2	b	"	29.92	759.9	59
Tainan, .	"	29.86	758.4	77	...	W	4	b	"	29.86	758.4	63	...	ESE	2	b
Koshun, .	"	29.85	758.1	75	...	NW	4	b	"	29.87	758.7	63	0	b
Pescadores, .	"	29.87	758.7	73	...	SSW	4	b	"	29.89	759.3	66	0	b
Canton, .	15	29.71	754.6	77	73	SE	2	o	"	29.80	756.9	66	95	E	1	o
Hongkong, .	14	29.76	755.9	75	76	S	2	o	"	29.81	757.2	69	91	...	0	om
Gap Rock, .	"	29.78	756.4	SE	3	o	"	29.82	757.4	ESE	2	o
Macao, .	"	29.73	755.1	73	82	S	2	o	"	29.78	756.3	68	100	S	2	of
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.65	753.0	79	66	SSE	1	b	7	29.72	754.8	66	92	SSE	2	bf
Tourane, .	"	29.68	753.9	84	...	SE	2	b	"	29.75	755.7	77	...	SW	2	b
Cape St. James, .	"	29.79	756.6	86	...	S	2	b	"	29.85	758.1	72	...	ENE	2	b
Aparri, .	14	29.79	756.6	63	61	NE	4	b	6	29.86	758.4	72	94	o	b	..
Dagupan, .	"	"
Mailla, .	"	29.76	756.0	86	58	WNW	2	b	"	29.84	757.8	72	92	NE	1	b
Legaspi, .	"	"
Tacloban, .	"	29.75	755.7	90	69	S	4	b	"	29.81	757.2	75	96	o	o	..
Iloilo, .	"	29.73	755.1	90	60	E	4	o	"	29.76	757.0	75	96	N	4	o
Surigao, .	"	29.74	755.4	82	77	N	4	o	"	28.79	756.6	73	98	o	o	..
Guam, .	12.20	29.74	755.4	E	4	b	4.20	29.82	757.5	E	2	o
Yap, .	12.47	4.47	29.79	756.6	ENE	4	..
Labuan, .	14	29.77	756.1	86	78	NE	2	b	6	29.75	755.6	78	94	SE	2	b

February 14d. 11h. 59m.—Pressure has increased considerably over N.E. Japan and over the lower Yangtze Valley, and moderately to slightly in other districts.

A depression is still shown over Tongking. The Eastern Sea depression has filled up.

Another anticyclone appears to be forming over N. China.

The monsoon will freshen along the E. and S.E. coasts of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.13 inches, against an average of 2.24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH: DISTRICT.

- | | |
|--|--|
| 1.—Formosa Channel,
2.—South coast of China between Hongkong and Lamocks,
3.—Hongkong to Gap Rock,
4.—South coast of China between Hongkong and Hainan, ... | N.E. winds, fresh.
S.E. to N.E. winds, moderate; generally overcast, some rain. |
|--|--|

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	14TH FEBRUARY, 1923.							15TH FEBRUARY, 1923.													
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDIT.	WIND.	Direct- ion.	Force.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDIT.	WIND.	Direct- ion.	Force.	WEATHER.	
	Inches.	Millrs.	Inches.	Millrs.							Inches.	Millrs.	Inches.	Millrs.							
Vladivostock, .	12	30.07	763.8	30	..	SE	4	o			6	30.32	770.0	13	..	N	3	b			
Nemuro,	11	30.14	765.5	S	1	..			5	30.14	765.5	SSE	1	..			
Hokodate,	"	30.14	765.5	NNE	1	..			"	30.12	765.0			
Tokio,	"	30.18	766.5	N	2	..			"	30.16	766.0	NNW	1	..			
Kochi,	"	30.00	762.0	WSW	1	..			"	30.00	762.0	SW	0	..			
Nagasaki,	"	29.96	761.0	NW	1	..			"	29.94	760.5			
Kagoshima,	"	29.96	761.0	NE	1	..			"	29.96	761.0	NW	1	..			
Oshima,	"	29.92	760.0	NW	1	..			"	29.92	760.0			
Naha,	"	29.94	760.5	NNW	1	..			"	29.92	760.0	E	1	..			
Ishigakijima,	"	29.92	760.0	ENE	3	..			"	29.88	759.0	SSW	3	..			
Bonin Island,	"	29.88	759.0	WSW	3	..			"	29.96	761.0	NW	1	..			
Weihaiwei,	14	30.12	765.0	38	63	N	1	b			6	30.05	763.2	36	70	NNE	2	b			
Hankow,	15			"			
Ichang,	"			"			
Changsha,	"			"			
Shanghai,	11	30.10	764.4	45	82	ENE	1	o			"	29.76	756.0	50	100	SSE	1	r			
Gutzlaff,	"	29.99	761.7	44	100	E	1	o			"	29.77	756.1	48	100	SSE	6	of			
Sharp Peak,	15	29.93	760.2	56	81	E	1	o			"	29.79	756.6	54	92	..	0	of			
Amoy,	14	29.88	758.9	56	100	SSE	2	of			"	29.92	759.9	56	94	S	1	o			
Swatow,	"			"			
Taihoku,	12	29.94	760.5	72	75	W	4	b			"	29.85	758.1	63	96	..	0	o			
Taichu,	"	29.94	760.5	75	..	W	2	b			"	29.86	758.4	61	0	o			
Tainan,	"	29.92	759.9	81	..	N	2	b			"	29.85	758.1	61	0	b			
Koshun,	"	29.93	760.2	77	..	NNW	2	b			"	29.86	758.4	70	..	E	7	b			
Pescadores,	"	29.95	760.8	73	..	NNW	2	o			"	29.92	759.9	66	..	ESE	7	b			
Canton,	15	29.76	755.9	76	77	S	2	o			"	29.76	755.9	69	95	E	1	o			
Hongkong,	14	29.80	756.9	77	72	S	3	o			"	29.80	756.9	70	94	S	1	ed			
Gap Rock,	"	29.80	756.9	SE	3	o			"	29.79	756.6	SE	2	o			
Macao,	"	29.78	756.3	73	85	SE	2	o			"	29.76	756.0	68	100	SSE	4	of			
Wuchow,	15			"			
Pakhoi,	"			"			
Hoikow,	"			"			
Phulien,	"	29.66	753.3	81	62	SSE	6	bf!			"	29.75	755.7	66	63	WSW	2	bf			
Tourane,	"			"	29.78	756.3	79	..	SW	2	b			
Cape St. James,	"	29.81	757.2	82	..	W	2	b			"	29.87	758.7	73	..	ENE	2	o			
Aparri,	14	29.82	757.5	82	74	NE	1	b			"	29.85	758.1	72	82	SE	2	b			
Dagupan,	"			"			
Manila,	"	29.79	756.6	90	57	SE	1	o			"	29.86	758.4	70	94	E	1	b			
Legaspi,	"	29.80	756.9	82	84	NNE	2	b			"	29.86	758.4	73	92	..	0	b			
Tacloban,	"	29.78	756.3	86	71	SSE	4	o			"	29.85	758.1	75	92	NNW	2	o			
Illoilo,	"	29.74	755.4	86	65	NE	6	b			"			
Surigao,	"			"	29.82	757.5	73	98	..	0	..			
Guam,	12.20	29.76	756.0	E	2	o			4.20	29.81	757.2	NE	1	o			
Yap,	12.47			4.47	29.80	756.9	ENE	4	b			
Laouan,	14	29.77	756.1	86	80	N	2	b			6	29.82	757.4	76	94	SW	2	o			

February 15d. 11h. 20m.—Pressure has increased considerably at Vladivostock and slightly from Indo-China to the Philippines. It has decreased considerably at Shanghai.

The centre of the new anticyclone was considerably farther north yesterday than the available observations indicated. This morning it appears to lie to the north of Vladivostock.

A depression is central over the lower Yangtze Valley.


The N.E. monsoon is interrupted.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inch. Total since January 1st, 0.16 inches, against an average of 2.29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.
 DISTRICT.
 FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- } S. winds, moderate; generally overcast, fog.

T. F. CLAXTON *Director.*



ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	15TH FEBRUARY, 1923.							16TH FEBRUARY, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	WIND.		WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	WIND.		WEATHER.
	Inches.	Mills.	Direct ion.	Force.		Direct ion.	Force.		Inches.	Mills.	Direct ion.	Force.		Direct ion.	Force.	
Wladivostock, .	12	30.32	770.2	25	...	N	5	b	6	30.33	770.3	8	...	NNE	7	c
Nemuro, .	11	30.12	765.0	S	4	...	5	30.24	768.0	N	3	...
Hokodate, .	"	30.16	766.0	"	30.16	766.0	NNW	1	...
Tokio, .	"	30.12	765.0	NE	1	...	"	29.80	757.0	N	1	...
Kochi, .	"	29.96	761.0	WSW	1	...	"	29.59	751.5	SW	1	...
Nagasaki, .	"	29.90	759.5	ESE	3	...	"	29.67	753.5	W	6	...
Kagoshima, .	"	29.94	760.5	SE	1	...	"	29.71	754.5	1	...
Oshima, .	"	29.90	759.5	SE	4	...	"	29.78	756.5	NNW	1	...
Naha, .	"	29.88	759.0	S	3	...	"	29.82	757.5	NW	1	...
Ishigakijima, .	"	29.90	759.5	SSW	5	...	"	29.84	758.0	NNW	2	...
Bonin Island, .	"	29.96	761.0	NNW	1	...	"	29.96	761.0	0	0	...
Weihaiwei, .	14	29.97	761.2	36	80	NNW	2	r	6	30.07	763.8	36	80	NW	1	b
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.79	756.6	50	84	W	4	o	"	30.12	765.0	37	90	WNW	4	o
Gutzlaff, .	"	29.77	756.1	44	100	NW	4	o	"	30.11	764.8	36	90	NNW	6	o
Sharp Peak, .	15	29.78	756.4	40	89	...	0	r	7	30.00	762.0	52	92	NE	2	o
Amoy, .	14	29.74	755.4	62	100	S	1	o	6	29.90	759.4	60	100	E	2	of
Swatow, .	"	29.70	754.4	SE	"
Taihoku, .	12	29.84	757.8	72	75	ESE	2	b	"	29.92	759.9	63	96	...	0	o
Taichu, .	"	29.87	758.7	77	...	SSE	2	b	"	29.88	759.0	63	...	N	2	b
Tainan, .	"	29.87	758.7	82	...	SW	2	b	"	29.88	759.0	68	0	b
Koshun, .	"	29.87	758.7	84	...	SSE	2	b	"	29.86	758.4	72	...	ENE	4	2
Pescadores, .	"	29.87	758.7	77	...	SE	4	o	"	29.88	759.0	68	...	N	2	o
Canton, .	15	29.72	754.9	84	60	SSW	2	b	"
Hongkong, .	14	29.78	756.4	73	86	SSW	3	oq	"	29.87	758.7	67	93	E	1	om
Gap Rock, .	"	29.78	756.4	SW	3	o	"	29.86	758.4	NNW	2	om
Macao, .	"	29.74	755.4	77	76	SW	4	o	"	29.87	758.7	64	92	NNE	2	o
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.71	754.5	90	...	WNW	6	b	7
Tourane, .	"	29.72	754.8	84	...	SW	2	b	"
Cape St. James, .	"	29.86	758.4	82	...	SE	2	o	"
Aparri, .	14	29.80	756.9	86	43	SE	2	b	6	29.88	759.0	70	94	...	0	b
Dagupan, .	"	"
Manila, .	"	29.78	756.3	93	46	ESE	4	b	"	29.86	758.4	72	94	NE	1	b
Legaspi, .	"	29.82	757.5	84	74	NNE	4	o	"
Tacloban, .	"	"
Iloilo, .	"	29.78	756.3	86	58	NE	4	o	"
Surigao, .	"	29.80	756.9	86	71	ENE	2	o	"	29.82	757.5	73	98	...	0	b
Guam, .	12.20	29.78	756.3	NE	4	b	4.20
Yap, .	12.47	4.47
Labuan, .	14	29.80	756.9	84	79	N	2	b	6	29.81	757.2	78	94	N	2	b

February 16d, 11h. 07m.—Pressure has decreased considerably over S.W. Japan and increased considerably over the lower Yangtze Valley. It has increased slightly from Formosa to Kwangtung.

The continental depression has deepened and moved eastward.

An anticyclone has formed over China.

The monsoon will set in again along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.16 inches, against an average of 2.35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.
 DISTRICT. FORECAST.

- 1.—Formosa Channel, N.E. winds, freshening considerably.
 2.—South coast of China between Hongkong and Lamock,
 3.—Hongkong to Gap Rock, N.E. winds, moderate; fair, cooler.
 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	16TH FEBRUARY, 1923.							17TH FEBRUARY, 1923.									
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.	
	Hours.	Inches.	Millrs.	Direct- ion.					Hours.	Inches.	Millrs.	Direct- ion.	Force.				
Wladivostock, .	12	30.26	768.7	22	...		NNE	5	o	6	30.28	769.1	23	...	NE	2	o
Nemuro, .	11		NE	4	...	5
Hokodate, .	"	30.14	765.5		N	4	...	"
Tokio, .	"	29.59	751.5		WSW	1	...	"
Kochi, .	"	29.53	750.0		N	3	...	"
Nagasaki, .	"	29.88	759.0		W	1	...	"
Kagoshima, .	"	29.67	752.5		NNW	3	...	"
Oshima, .	"	29.84	753.0		NNW	6	...	"
Naha, .	"	29.94	760.5		NNE	4	...	"
Ishigakijima, .	"	30.35	771.0		S	3	...	"
Bonin Island, .	"	29.88	759.0												
Weihaiwei, .	14	30.10	764.5	40	74	NNW	2	b	6	30.20	767.1	50	77	N	1	b	
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.18	766.5	39	84	WNW	4	o	"	30.19	766.8	32	...	NE	1	b	
Gutzlaff, .	"	30.16	766.0	40	85	NNW	6	o	"	30.19	766.8	34	75	NE	1	o	
Sharp Peak, .	15	30.00	762.0	54	80	N	2	o	7	30.09	764.3	48	91	NNE	2	b	
Amoy, .	14	6	30.04	763.0	34	94	E NE	2	o	
Swatow, .	"	29.83	757.7	70	80	NNE	1	b	"	29.93	760.2	55	100	NE	3	o	
Taihoku, .	12	30.04	752.9	63	80	E	4	o	"	30.02	762.6	57	79	E	6	o	
Taichu, .	"	29.94	760.5	73	...	NNW	2	b	"	29.98	761.4	66	0	o	
Tainan, .	"	29.92	759.9	79	...	N	4	b	"	29.94	760.5	59	...	NNE	4	b	
Koshun, .	"	29.93	760.2	79	...	NNW	4	o	"	29.93	760.2	68	...	NE	4	b	
Pescadores, .	"	29.97	761.1	70	...	NNE	2	b	"	29.99	761.7	61	...	E	7	o	
Canton, .	15	29.96	759.4	72	62	N	1	o	"	29.90	759.4	63	83	ENE	2	o	
Hongkong, .	14	29.89	759.2	71	70	E	2	o	"	29.91	759.7	59	84	E	5	o	
Gap Rock, .	"	29.89	759.2	NNE	3	o	"	29.89	759.2	ENE	4	o	
Macao, .	"	29.88	759.0	68	73	NE	2	o	"	29.84	757.8	61	91	ESE	2	o	
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.78	756.3	81	59	SSE	4	b	7	29.80	756.9	64	98	NE	2	of	
Tourane, .	"	29.75	755.7	84	0	b	"	29.75	755.7	79	...	SW	4	b	
Cape St. James, .	"	29.82	757.5	84	...	SW	2	b	"	29.86	758.4	73	...	S	2	o	
Aparri, .	14	29.85	758.1	82	74	NE	4	b	6	29.89	759.3	75	79	NE	4	o	
Dagupan, .	"	"	
Manila, .	"	29.80	756.9	86	61	WSW	4	b	"	29.86	758.4	72	92	E	1	b	
Legaspi, .	"	29.82	757.5	86	58	ENE	2	b	"	29.86	758.4	77	89	N	1	b	
Tacloban, .	"	29.81	757.2	86	61	ESE	2	b	"	
Ililo, .	"	"	29.81	757.2	72	94	N	...	o	
Sarigao, .	"	29.80	756.9	84	71	ENE	1	b	"	29.84	757.8	72	96	SE	2	b	
Guam, .	12.20	29.76	756.0	NE	4	b	4.20	29.81	757.2	NE	1	o	
Yap, .	12.47	4.47	
Labuan, .	14	29.79	756.6	86	92	SW	2	b	6	29.81	757.2	77	94	E	2	b	

February 17th, 11h. 45m.—Pressure has increased slightly from Weihaiwei to Formosa and Hongkong. It has decreased slightly over Tongking and is nearly stationary over the Philippines.

The anticyclone is central to the north of the lower Yangtze Valley. A shallow depression lies over Indo-China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 0.17 inches, against an average of 2.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, .
- 3.—Hongkong to Gap Rock, E. winds, fresh; cloudy.
- 4.—South coast of China between Hongkong and Hainan, .

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	17TH FEBRUARY, 1923.							18TH FEBRUARY, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER. ATURE.	HUMIDITY.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER. ATURE.	HUMIDITY.	WIND.	WEATHER.
	Inches.	Millrs.	Direct. ion.	Force.					Inches.	Millrs.	Direct. ion.	Force.				
Wladivostock, .	12	30.27	768.8	36	...		SW	b	6	30.21	767.2	30	...	SSE	3	o
Nemuro, .	11	30.06	763.5		NNE	6	5	30.12	765.0	N	2	..
Hokodate, .	"	30.00	762.0		ENE	1	"	30.12	765.0	ENE	1	..
Tokio, .	"	29.76	756.0		NNW	3	"	30.14	765.5	W	1	..
Kochi, .	"	30.02	762.5		NW	3	"	30.14	765.5	WSW	1	..
Nagasaki, .	"	30.08	764.0		N	4	"	30.14	765.5	NE	2	..
Kagoshima, .	"	30.02	762.5		NW	1	"	30.14	765.5	NW	1	..
Oshima, .	"	30.02	762.5		NW	5	"	30.06	763.5	SSE	1	..
Naha, .	"	30.04	763.0		N	2	"	30.04	763.0	NE	1	..
Ishigakijima, .	"	30.08	764.0		NNE	2	"	30.00	762.0	E	1	..
Bonin Island, .	"	29.74	755.5		W	3	"	29.94	760.5	NNW	3	..
Weihaiwei, .	14	30.20	767.1	58	81	...	0	b	6	30.28	769.1	32	79	E	1	b
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.21	767.4	45	64	SE	1	b	"	29.80	756.9	45	97	ESE	2	r
Gutzlaff, .	"	30.14	765.5	47	70	SE	2	b	"	30.05	763.2	44	80	SE	4	r
Sharp Peak, .	15	30.04	763.0	58	81	E	1	o	7	29.89	759.2	52	92	NW	1	o
Amey, .	14	29.99	761.7	56	94	ENE	2	b	6
Swatow, .	"	"
Taihoku, .	12	30.06	763.5	64	67	E	6	o	"	29.93	760.2	57	96	...	0	b
Taichu, .	"	30.02	762.6	68	...	NNW	2	b	"	29.92	759.9	61	...	NE	2	o
Tainan, .	"	30.00	762.0	73	...	NNE	4	h	"	29.88	759.0	63	...	SE	2	o
Koshun, .	"	29.99	761.7	77	...	E	4	b	"	29.93	760.2	68	...	ESE	2	o
Pescadores, .	"	30.05	763.2	64	...	NNE	7	b	"	29.92	759.9	66	...	NE	2	r
Canton, .	15	29.86	758.4	66	84	S	1	o	"	29.85	758.2	59	96
Hongkong, .	14	29.92	759.9	60	82	E	6	o	"	29.83	757.7	ESE	5	om
Gap Rock, .	"	29.87	758.7	ENE	5	o	"	29.82	757.5	63	98	SE	4	o
Macao, .	"	29.86	758.4	61	87	ESE	4	o	"
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.72	754.8	72	89	E	4	of	7
Tourane, .	"	29.72	754.8	79	...	SE	2	b	"
Cape St. James, .	"	29.84	757.8	86	...	S	2	b	"
Aparri, .	14	29.89	759.3	81	62	NE	4	b	6	29.92	759.9	72	92	...	o	o
Dagupan, .	"	"
Manila, .	"	29.82	757.5	86	65	W	2	o	"	29.86	758.4	72	89	E	1	o
Legaspi, .	"	29.85	758.1	86	65	ENE	4	b	"
Tacloban, .	"	"
Illoilo, .	"	29.79	756.6	86	61	NE	4	o	"	29.82	757.5	73	92	NE	4	o
Surigao, .	"	29.81	757.2	84	71	...	0	b	"	29.85	758.1	73	98	S	1	o
Guam, .	12.20	29.74	755.4	NE	2	o	4.20
Yap, .	12.47	4.47
Labuan, .	14	29.84	757.9	86	76	N	2	b	6	29.80	756.9	78	94	E	2	b

February 18d, 12h. 17m.—Pressure has increased moderately over Japan. It has decreased considerably over the lower Yangtze Valley and slightly from Formosa to Tongking. It is nearly stationary over Annam and the Philippines.

The anticyclone over China has broken up and is replaced by a depression.

The N.E. monsoon is interrupted.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inch. Total since January 1st, 0.20 inches, against an average of 2.47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

DISTRICT.

FORECAST.

- | | |
|--|--|
| 1.—Formosa Channel,
2.—South coast of China between Hongkong and Lamock,
3.—Hongkong to Gap Rock,
4.—South coast of China between Hongkong and Hainan, ... | S.E. or variable winds, moderate; overcast, some rain. |
|--|--|

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	18TH FEBRUARY, 1923.							19TH FEBRUARY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE, ATMOS.	HUMIDIT-	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE, ATMOS.	HUMIDIT-	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Force.			
Vladivostock, .	12	30.20	767.1	38	...	NW	3	0	6	30.51	774.9	10	...	NNE	5	b
Nemuro, .	11	30.12	765.0	NNW	2	...	5	30.10	764.5	WSW	1	...
Iokodate, .	"	30.12	765.0	SE	1	...	"	30.08	764.0	W	5	...
Tokio, .	"	30.14	765.5	NNE	1	...	"	30.16	766.0	NNW	1	...
Kochi, .	"	30.16	766.0	0	...	"	30.16	766.0	WSW	1	...
Nagasaki, .	"	30.14	765.5	ESE	2	...	"	30.00	762.0	E	3	...
Yagoshima, .	"	30.16	766.0	S	1	...	"	30.02	762.5	E	1	...
Osima, .	"	30.08	764.0	ESE	1	...	"	29.94	760.5	SSE	1	...
Jaba, .	"	30.04	763.0	SE	1	...	"	29.92	760.0	SSE	1	...
Shigakijima, .	"	30.02	762.5	S	3	...	"	29.88	759.0	SSW	4	...
Ionin Island, .	"	30.00	762.0	N	2	...	"	30.10	764.5	ENE	1	...
Weihaiwei, .	14	30.27	768.8	40	74	N	1	b	30.10	764.5	34	69	N	4	o	
Iankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	29.97	761.1	48	79	ESE	2	r	"	29.88	759.0	45	100	WNW	4	o
Gutzlaff, .	"	29.92	759.9	44	100	ESE	6	rf	"	29.86	758.4	44	100	NW	4	o
Sharp Peak, .	15	29.80	756.9	56	93	...	0	rf	7	29.79	756.6	56	94	W	1	rf
Anoy, .	14	29.96	761.0	56	94	...	0	r	6	29.78	756.4	60	100	...	0	...
Swatow, .	"	"	
Paihoku, .	12	29.88	759.0	66	92	ENE	2	o	"	29.81	757.2	63	98	...	o	of
Paichu, .	"	29.93	760.2	72	...	SSW	2	b	"	29.86	758.4	64	o	b
Painan, .	"	29.93	760.2	75	...	S	4	o	"	29.84	757.8	68	o	o
Koshun, .	"	29.97	761.1	73	...	ESE	4	o	"	29.85	758.1	70	o	b
Pescadores, .	"	29.92	759.9	77	...	SSE	6	b	"	29.82	757.5	72	...	SSE	4	b
Canton, .	15	29.73	755.1	73	86	SSE	1	o	"	29.77	756.1	67	95	E	1	o
Hongkong, .	14	29.78	756.4	74	81	S	3	o	"	29.78	756.4	72	89	SW	1	o
Gap Rock, .	"	29.79	756.6	SE	3	o	"	29.79	756.6	SSE	3	o
Macao, .	"	29.75	755.7	66	100	SSE	4	rf	"	29.74	755.4	68	98	SSW	4	of
Wuchow, .	15	9	
Lakhoi, .	"	"	
Loihow, .	"	"	
Hulien, .	"	29.67	753.6	81	69	SE	2	b	7	29.74	755.4	66	94	SE	4	bf
Fourane, .	"	29.69	754.2	82	...	SSE	2	b	"	29.74	755.4	79	...	SW	4	b
Cape St. James, .	"	29.84	757.8	86	...	S	2	o	"	29.87	758.7	73	...	S	2	o
Aparri, .	14	29.85	758.1	84	60	NE	4	b	6	29.88	759.0	70	91	...	o	b
Jagupan, .	"	"	
Manila, .	"	29.84	757.8	84	64	WNW	4	o	"	29.87	758.7	68	92	ENE	1	b
Legaspi, .	"	29.86	758.4	82	77	NE	4	o	"	29.87	758.7	77	88	NNE	2	h
Tacloban, .	"	"	
Boilo, .	"	29.79	756.6	86	58	NE	4	o	"	29.82	757.5	75	91	N	2	o
Lurigao, .	"	29.80	756.9	84	68	ENE	2	b	"	29.84	757.8	72	96	...	o	o
Inam, .	12.20	29.79	756.6	NE	4	o	4.20	29.84	757.8	NE	1	o
Yap, .	12.47	29.78	756.4	NE	6	o	4.47	
Labuan, .	14	29.79	756.6	88	73	NW	2	b	6	29.79	756.6	78	94	E	2	b

February 19d. 11h. 28m.—Pressure has increased considerably at Vladivostock and decreased moderately to slightly in central districts. It is nearly stationary over the Philippines.

An anticyclone is central to the north of Vladivostock and a depression over S.W. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.20 inches, against an average of 2.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamocks, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- } S. or variable winds, moderate; overcast, some drizzle or mist.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	19TH FEBRUARY, 1923.								20TH FEBRUARY, 1923.							
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE	HUMIDITY	WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE	HUMIDITY	WIND.	
	Inches.	Mills.	Direction.	Force.			Direction.	Force.			Inches.	Mills.			Direction.	Force.
Wladivostock, .	12	30.46	773.7	19	...	NNE	4	c	6	30.32	770.0	10	...	NNE	7	o
Nemuro, .	11	30.06	763.5	NNW	1	...	5
Hokodate, .	"	30.10	764.5	NNW	9	...	"
Tokio, .	"	30.16	766.0	NNW	2	...	"
Kochi, .	"	30.08	764.0	0	...	"
Nagasaki, .	"	29.86	758.5	SSW	4	...	"
Kagoshima, .	"	29.88	759.0	E	1	...	"
Oshima, .	"	29.84	758.0	SSE	5	...	"
Naha, .	"	29.88	759.0	S	2	...	"
Ishigakijima, .	"	29.88	759.0	SSW	6	...	"
Bonin Island, .	"	30.08	764.0	E	1	...	"
Weihaiwei, .	14	30.08	764.0	34	79	NNE	4	r	"	30.11	764.8	32	90	NNW	1	o
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.97	761.2	45	92	NW	4	o	"	30.15	765.9	36	89	NW	4	o
Gutzlaff, .	"	29.94	760.5	42	100	NW	4	o	"	30.13	765.3	36	100	NNW	6	o
Sharp Peak, .	15	29.80	756.9	62	89	E	1	b	7	30.09	764.3	50	92	E	4	o
Amoy, .	14	29.78	756.4	63	94	SSE	1	of	6	29.92	759.9	58	100	ENE	4	o
Swatow, .	"	29.74	755.4	65	100	WSW	1	dh	"	29.85	758.2	59	88	W	1	b
Taihoku, .	12	29.86	758.4	72	84	W	1	o	"	29.94	760.5	82	97	E	6	o
Taichu, .	"	29.88	759.0	75	...	WSW	2	o	"	29.88	759.0	68	0	o
Tainan, .	"	29.89	759.3	81	...	SW	4	b	"	29.87	758.7	70	0	o
Koshun, .	"	29.89	759.3	79	...	NW	4	o	"	29.85	758.1	72	...	NNW	2	r
Pescadores, .	"	29.89	759.3	73	...	SSW	4	b	"	29.91	759.6	66	...	N	4	o
Canton, .	15	29.80	756.9	66	73	N	2	o	"	29.99	761.7	52	79	N	2	o
Hongkong, .	14	29.79	756.6	72	89	WNW	1	ond	"	29.90	759.4	63	82	...	0	o
Gap Rock, .	"	29.80	756.9	SSW	2	om	"	29.89	759.2	NNW	5	o
Macao, .	"	29.78	756.3	68	98	ESE	2	cf	"	29.91	759.6	55	86	NNW	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.72	754.8	82	70	ESE	2	bf	7	29.91	759.6	61	87	ENE	4	o
Tourane, .	"	29.72	754.8	82	...	SSE	2	b	"	29.75	755.7	82	...	SW	4	b
Cape St. James, .	"	29.85	758.1	86	...	SSE	2	o	"	29.88	759.0	72	...	SSE	2	o
Aparri, .	14	29.82	757.5	84	64	NE	4	b	6	29.88	759.0	72	94	...	0	b
Lagupan, .	"	"
Manila, .	"	29.81	757.2	86	58	W	2	b	"	29.88	759.0	72	94	E	1	b
Legaspi, .	"	"	29.88	759.0	72	92	...	0	...
Tacloban, .	"	29.81	757.2	86	68	SSE	2	o	"	29.87	758.7	73	96	...	0	b
Iloilo, .	"	29.79	756.6	86	61	NE	4	o	"
Surigao, .	"	29.80	756.9	82	74	NNE	2	o	"	29.85	758.1	75	96	...	0	o
Guam, .	12.20	29.76	756.0	NNE	4	o	4.20	29.80	756.9	NE	1	o
Yap, .	12.47	4.47	29.81	757.2	NE	2	b
Labuan, .	14	29.82	757.4	86	93	N	2	b	6	29.81	757.2	78	94	N	2	b

February 20d. 12h. 07m.—Pressure has increased considerably over China where an anticyclone is forming. Pressure is nearly stationary over the Philippines and Annam.

A depression is central near Tourane.

The monsoon will set in again along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.20 inches, against an average of 2.59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, freshening considerably.
- 2.—South coast of China between Hongkong and Lamocks, { N.W. to N.E. winds, fresh; cloudy at first, clearing later.
- 3.—Hongkong to Gap Rock, N.W. to N.E. winds, fresh; cloudy at first, clearing later.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

20TH FEBRUARY, 1923.

STATION.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDIT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDIT.	WIND.		WEATHER.
	Inches.	Millrs.	Direction.	Force.			Inches.	Millrs.						Direction.	Force.			
Wladivostock, .	12	30.24	768.1	20	...	N	4	0		6	30.19	766.7	12	...	N	6	s	
Nemuro,	11	30.26	768.5	N	5	...		5	
Hokodate,	"	30.16	766.0	SE	4	...		"	
Tokio,	"	29.98	761.5	NNW	3	...		"	
Kochi,	"	29.67	753.5	E	1	...		"	
Nagasaki,	"	29.80	757.0	N	3	...		"	
Kagoshima,	"	29.74	755.5	N	2	...		"	
Oshima,	"	29.80	757.0	NW	3	...		"	
Naha,	"	29.90	759.5	NNW	4	...		"	
Ishigakijima,	"	29.96	761.0	N	2	...		"	
Bonin Island,	"	29.90	759.5	SSE	4	...		"	
Weihaiwei,	14	30.14	765.5	28	88	NNW	6	0		"	30.30	769.6	26	75	NNW	7	b	
Hankow,	15		"	
Ichang,	"		"	
Changsha,	"		"	
Shanghai,	11	30.20	767.1	39	78	NW	4	0		"	30.34	770.7	32	...	NW	2	o	
Gutzlaff,	"	30.15	765.8	40	85	NNW	6	0		"	30.33	770.4	34	82	NNW	4	o	
Sharp Peak,	15	29.99	761.7	52	86	ENE	2	0		"	30.15	765.8	48	85	NE	4	o	
Amoy,	14	29.94	760.5	58	100	ENE	2	0		6	30.09	764.3	54	94	ENE	2	o	
Swatow,	"	29.86	758.4	69	100	ESE	2	0		"	30.03	762.7	54	55	ENE	3	o	
Taihoku,	12	30.04	762.9	61	83	E	4	0		"	30.14	765.6	52	95	ENE	4	o	
Taichu,	"	29.95	760.8	64	...	N	4	0		"	30.02	762.6	55	...	N	2	b	
Taiwan,	"	29.92	759.9	79	...	N	4	0		"	29.99	761.7	57	...	NNE	4	o	
Koskun,	"	29.92	759.9	75	...	NNE	4	0		"	29.98	761.4	63	...	N	6	r	
Pescadores,	"	29.99	761.7	66	...	NNE	6	0		"	30.05	763.2	63	...	NNE	7	o	
Canton,	15	29.95	760.7	65	58	N	2	0		"	
Hongkong,	14	29.92	759.9	66	59	N	2	0		"	30.03	762.7	59	68	NE	2	o	
Gap Rock,	"	29.92	759.9	NNW	5	0		"	29.99	761.7	ENE	4	o	
Macao,	"	29.92	759.9	59	68	NNW	4	0		"	30.01	762.3	57	72	N	4	o	
Wuchow,	15		9	
Takhoi,	"		"	
Ioihow,	"		"	
Thulien,	"	29.87	758.7	72	57		7	
Lourane,	"	29.78	756.3	72	...	NNW	6	of		"	
Cape St. James, .	"	29.84	757.8	86	...	SSW	2	0		"	
Aparri,	14	29.85	758.1	82	70	NE	4	b		6	29.93	760.2	75	86	NE	4	b	
Jagupan,	"		"	
daula,	"	29.82	757.5	86	58	WSW	2	b		"	29.91	759.6	72	91	NE	1	b	
Legaspi,	"	29.84	757.8	86	61	ENE	2	b		"	29.88	759.0	73	91	...	0	bf	
Tacloban,	"	29.81	757.2	86	52	NW	1	0		"	
Loilo,	"		"	29.86	758.4	72	89	N	4	o	
Jurigao,	"	29.81	757.2	82	81	N	2	b		"	29.87	758.7	72	96	...	0	b	
Quam,	12.20	29.74	755.4	NE	1	r		4.20	29.76	756.0	NE	1	o	
Gap,	12.47	29.75	755.7	ENE	4	b		4.47	
Jubuan,	14	29.80	756.9	86	80	NW	2	b		6	29.81	757.2	78	94	NE	2	b	

February 21d. 12h. 30m.—Pressure has decreased moderately at Wladivostock and increased moderately to considerably at other reporting stations. An anticyclone has developed over China and fresh to strong monsoon is indicated along the China coast and over the China Sea.

The weather map will be published when telegraphic returns are available.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.20 inches, against an average of 2.65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong to a gale.
- 2.—South coast of China between Hongkong and Lamocks,
- 3.—Hongkong to Gap Rock, N.E. winds, strong; cloudy, occasional drizzle.
- 4.—South coast of China between Hongkong and Hainan,

C. W. JEFFRIES,—Chief Assistant.

**ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.**

STATION.	21ST FEBRUARY, 1923.							22ND FEBRUARY, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	
Vladivostock, .	12	30.15	765.9	22	...	NNE	5	c	6	30.25	768.2	8	...	NNE	4
Nemuro, .	11	30.02	762.5	NNW	3	...	5	29.96	761.0	NNW	2
Hokodate, .	"	29.98	761.5	ENE	4	...	29.98	761.5	NE	1	
Tokio, .	"	29.80	757.0	NNW	2	...	29.98	761.5	N	3	
Kochi, .	"	29.90	759.5	NNW	3	...	30.08	764.0	WSW	1	
Nagasaki, .	"	30.06	763.5	NNW	3	...	30.16	766.0	
Kagoshima, .	"	30.02	762.5	NNW	3	...	30.14	765.5	NW	1	
Oshima, .	"	30.04	763.0	N	6	...	30.12	765.0	NNE	...	
Naha, .	"	30.08	764.0	NNW	5	...	30.12	765.0	NNE	1	
Ishigakijima, .	"	W	3	...	29.96	761.0	NNE	3	
Bonin Island, .	"	29.74	755.5	W	3	...	29.96	761.0	NNW	1	
Weihaiwei, .	14	30.36	771.1	28	76	NNW	4	b	...	30.52	775.2	26	87	N	4
Hankow, .	15	
Ichang, .	"	
Changsha, .	"	
Shanghai, .	11	30.41	772.5	37	57	N	2	o	...	30.39	771.9	34	85	NNE	1
Gutzlaff, .	"	30.36	771.1	38	63	N	4	o	30.33	770.4	36	83	NNE	4	
Sharp Peak, .	15	30.15	765.8	52	79	ENE	4	o	30.14	765.5	42	95	NNE	4	
Amoy, .	14	30.08	764.0	58	94	ENE	2	o	30.06	763.5	50	100	ENE	2	
Swatow, .	"	
Taihoku, .	12	30.20	767.1	57	72	ENE	4	o	...	30.11	764.7	55	98	E	4
Taichu, .	"	30.07	763.8	63	...	N	4	b	...	30.07	763.8	55	...	N	2
Tainan, .	"	30.06	763.5	66	...	NNE	4	o	29.98	761.4	57	...	NNE	4	
Koshun, .	"	30.05	763.2	61	...	NNE	7	o	29.99	761.7	66	...	ENE	4	
Pescadores, .	"	30.12	765.0	63	...	N	7	o	30.00	762.0	61	...	NNE	7	
Canton, .	15	30.03	762.7	55	74	N	2	o	...	30.03	762.7	51	93	N	2
Hongkong, .	14	30.01	762.2	58	81	E	4	od	...	29.99	761.7	56	85	E	5
Gap Rook, .	"	29.98	761.5	ENE	6	o	...	29.96	761.0	ENE	5
Macao, .	"	30.00	762.0	57	77	NNE	2	o	...	29.98	761.4	54	100	N	2
Wuchow, .	15	9	
Pakhoi, .	"	
Hoihow, .	"	
Phulien, .	"	29.93	760.2	64	76	E	4	of	7	29.98	761.4	59	93	ENE	1
Tourane, .	"	29.86	758.4	68	...	NNW	4	of	...	29.92	759.9	68	0
Cape St. James, .	"	29.85	758.1	79	...	ENE	6	b	...	29.83	759.0	72	...	ENE	6
Aparri, .	14	29.91	759.6	81	...	NE	4	b	6	29.95	760.8	72	91	...	0
Dagupan, .	"	
Manila, .	"	29.82	757.5	90	48	SE	4	o	...	29.92	759.9	73	79	NE	2
Legaspi, .	"	29.85	758.1	86	61	NNE	4	o	...	29.91	759.6	75	88	NE	0
Tacloban, .	"	29.84	757.8	86	65	...	0	o	...	29.89	759.3	72	94	...	0
Iloilo, .	"	29.80	756.9	84	64	NE	6	o	...	29.86	758.4	73	88	N	4
Surigao, .	"	29.84	757.8	84	64	ENE	4	b	0	
Guam, .	12.20	29.73	755.1	N	1	b	4.20	29.76	756.0	NE	1
Yap, .	12.47	N	4	b	4.47	0	
Labuan, .	14	29.80	756.9	86	80	N	4	b	6	29.79	756.6	78	91	N	2

February 22d, 11h. 42m.—Pressure has increased moderately from the Bonins to Weihaiwei and decreased moderately over N.E. Japan. Changes are slight elsewhere.

A strong anticyclone is central over S.E. Mongolia.

Fresh monsoon may be expected along the China coast and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.24 inch. Total since January 1st, 0.44 inches, against an average of 2.71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

- 1.—Formosa Channel, N.E. winds, strong.
 2.—South coast of China between Hongkong and Lamocks, }
 3.—Hongkong to Gap Rock, } N.E. winds, fresh; overcast, occasional drizzle.
 4.—South coast of China between Hongkong and Hainan, . }

T. E. GLAXTON, Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	22ND FEBRUARY, 1923.							23RD FEBRUARY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		WEATHER.
	Hongkong Time.	Inches.	Millrs.			Direction.	Force.		Hongkong Time.	Inches.	Millrs.			Direction.	Force.	
Vladivostock, .	12	30.20	767.0	22	...	N	4	b	6	30.32	770.0	2	0	0
Neuro, .	11	29.96	761.0	N	2	...	5
Hokodate, .	"	30.00	762.0	S	1	...	"
Tokio, .	"	30.02	762.5	SE	1	...	"
Kochi, .	"	30.10	764.5	E	1	...	"
Nagasaki, .	"	30.20	767.0	N	3	...	"
Kagoshima, .	"	30.16	766.0	NNW	1	...	"
Oshima, .	"	30.02	762.5	0	...	"
Naha, .	"	30.12	765.0	NE	1	...	"
Ishigakijima, .	"	"
Bonin Island, .	"	30.00	762.0	NNW	1	...	"
Weihaiwei, .	14	30.49	774.4	28	76	N	2	b	"	30.41	772.4	24	73	WNW	z	b
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.44	773.1	39	67	E	2	o	"	30.46	773.7	34	77	NNE	1	o
Gutzlaff, .	"	30.40	772.1	40	74	NNE	4	o	"	30.42	772.6	36	70	NNE	4	o
Sharp Peak, .	15	30.15	765.8	44	91	NNE	4	r	"	30.17	766.3	46	91	N	4	o
Amoy, .	14	30.08	764.0	52	100	...	0	r	6	30.10	764.5	50	100	NE	2	o
Swatow, .	"	29.96	761.0	53	100	ENE	2	or	"
Taihoku, .	12	30.07	763.8	57	91	E	4	r	"	30.14	65.4	54	97	E	2	r
Paichu, .	"	30.02	762.6	59	...	SE	2	o	"	30.04	762.9	54	...	N	4	o
Taiwan, .	"	29.99	761.7	66	...	NNE	4	o	"	29.98	761.4	54	...	N	6	o
Koshun, .	"	29.99	761.7	50	...	E	4	o	"	29.94	760.5	64	...	N	4	o
Pescadores, .	"	30.04	762.9	59	...	NNE	7	r	"	30.04	762.9	55	...	NNE	8	r
Canton, .	15	30.05	763.2	54	80	N	2	o	"
Hongkong, .	14	30.00	762.0	58	89	NNW	1	od	"	30.10	764.5	52	79	N	1	o
Gap Rock, .	"	29.98	761.5	NNE	5	om	"	30.08	64.0	N	4	o
Macau, .	"	29.95	760.8	54	92	N	2	of	"	30.10	764.4	50	77	N	2	o
Wuchow, .	15	"
Pakhoi, .	"	"
Hoikow, .	"	"
Phulien, .	"	29.92	759.9	66	82	S	2	of	7
Tourane, .	"	29.86	758.4	70	...	N	2	of	"
Cape St. James, .	"	29.87	758.7	79	...	ENE	6	b	"
Aparri, .	14	29.86	758.4	82	60	ENE	4	b	6	29.88	759.9	70	91	E	2	b
Dagupan, .	"	"
Manila, .	"	29.86	758.4	86	52	ENE	4	o	"	29.91	759.6	68	91	E	1	b
Legaspi, .	"	29.85	758.1	86	61	NE	4	b	"	29.88	759.0	75	85	N	2	b
Tacloban, .	"	29.82	757.5	86	65	SSE	2	o	"	29.87	758.7	73	96	NW	1	b
Ilolo, .	"	29.81	757.2	84	55	NE	4	o	"	29.86	758.4	75	88	N	4	o
Burigao, .	"	29.82	757.5	63	51	ENE	2	o	"
Siham, .	12.20	29.76	756.0	NE	4	o	4.20	29.80	756.9	NE	1	o
Yap, .	12.47	4.47
Labuan, .	14	29.79	756.6	88	76	NW	4	b	6	29.80	756.9	77	98	E	2	b

February 23d, 11h. 45m.—Pressure has decreased slightly at Weihaiwei and Aparri. It has increased slightly at other reporting stations.

The anticyclonic conditions remain practically unchanged.

Fresh monsoon may be expected along the coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inch. Total since January 1st, 0.48 inches, against an average of 2.77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

DISTRICT.

FORECAST.

- | | |
|--|--|
| 1.—Formosa Channel, . | N.E. winds, strong. |
| 2.—South coast of China between Hongkong and Lamock, . | } N.E. winds, fresh; occasional drizzle. |
| 3.—Hongkong to Gap Rock, . | |
| 4.—South coast of China between Hongkong and Hainan, . | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	23RD FEBRUARY, 1923.								24TH FEBRUARY, 1923.							
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMIDT.	WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMIDT.	WIND.	
	Inches.	Millire.	Direct. ion.	Force.			Inches.	Millire.			Direct. ion.	Force.			Direct. ion.	Force.
Wladivostock, .	12	30.28	769.0	20	...	NNE	2	b	6	30.41	772.3	0	...	NNE	4	o
Nemuro, .	11	30.04	763.0	NW	2	...	5
Hokodate, .	"	30.18	766.5	W	4	...	"
Tokio, .	"	30.16	766.0	NE	1	...	"
Kochi, .	"	30.12	765.0	SE	1	...	"
Nagasaki, .	"	30.24	768.0	N	3	...	"
Kagoshima, .	"	30.20	767.0	NNW	6	...	"
Oshima, .	"	30.12	765.0	N	6	...	"
Naha, .	"	30.02	762.5	NNE	4	...	"
Ishigakijima, .	"	30.00	762.0	NE	4	...	"
Bonin Island, .	"	30.04	762.3	N	1	...	"
Weihaiwei, .	14	30.44	773.2	26	100	N	4	r	"	30.42	772.6	24	73	ESE	1	b
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.46	773.7	41	61	E	2	b	"	30.38	771.6	32	62	NE	1	b
Gutzlaff, .	"	30.40	772.1	44	53	NNE	4	o	"	30.36	771.1	36	83	NE	2	o
Sharp Peak, .	15	30.18	766.6	48	85	NE	2	o	7	30.24	768.1	46	91	ENE	4	b
Amoy, .	14	30.09	764.3	58	94	ENE	2	b	6	30.16	766.0	50	93	E	1	b
Swatow, .	"	"	30.08	764.0	51	93	ENE	1	c
Taihoku, .	12	30.18	766.5	57	21	ENE	4	o	"	30.18	766.5	52	92	E	2	o
Taichu, .	"	30.05	763.2	57	...	N	4	o	"	30.08	764.1	50	...	NNE	4	b
Tainan, .	"	30.02	762.6	57	...	NNE	6	o	"	30.05	763.2	52	...	N	6	o
Koshur, .	"	30.00	762.0	70	...	NNE	4	r	"	30.02	762.6	59	0	o
Pescadores, .	"	30.08	764.1	70	...	NNE	8	r	"	30.11	764.7	54	...	NE	7	o
Canton, .	15	30.17	766.3	50	79	N	2	o	"	30.18	766.6	41	92	N	1	b
Hongkong, .	14	30.11	764.8	57	68	N	2	o	"	30.13	765.3	51	74	E	1	c
Gap Rock, .	"	30.10	764.5	NNW	4	o	"	30.10	764.5	NE	4	o
Macao, .	"	30.11	764.8	52	75	N	2	o	"	30.11	764.7	46	77	N	2	o
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.10	764.4	58	79	ENE	4	o	7	30.12	765.0	73	100	ENE	2	of
Tourane, .	"	29.97	761.1	68	...	NNW	4	of	"	30.02	762.5	66	...	NNW	4	of
Cape St. James, .	"	29.92	759.9	79	...	ENE	6	o	"	29.93	760.2	75	...	ENE	6	o
Aparri, .	14	29.88	759.0	81	69	NE	4	o	6	29.94	760.5	73	79	NE	4	r
Dagupan, .	"	"
Manila, .	"	29.84	757.8	84	60	WSW	4	b	"	29.91	759.6	73	79	N	2	b
Legaspi, .	"	"
Tacloban, .	"	29.79	756.6	86	58	WNW	2	o	"	29.87	758.7	73	96	NW	1	b
Ilolo, .	"	29.79	756.6	86	61	NE	4	o	"
Surigao, .	"	"
Guam, .	12.20	29.73	755.1	NE	4	h	4.20	29.78	756.3	NNE	1	o
Yap, .	12.47	4.47
Labuan, .	14	29.75	755.6	86	76	N	2	b	6	29.88	758.9	78	91	N	2	b

February 24d. 11h. 37m.—Pressure has decreased slightly at Shanghai and increased slightly at the majority of other reporting stations.

The northern portion of the anticyclone appears to be moving eastward, leaving a separate anticyclone over China.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.48 inches, against an average of 2.83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, N.E. winds, moderate; generally cloudy.
- 3.—Hongkong to Gap Rock, N.E. winds, moderate; generally cloudy.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	24TH FEBRUARY, 1923.							25TH FEBRUARY, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMID.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMID.	WIND.	WEATHER.
	Inches.	Millrs.	Direct- ion.	Force.					Inches.	Millrs.	Direct- ion.	Force.				
Wladivostock, .	12	NW	...	6
Nemuro, .	11	30.16	766.0	E	4	5	30.22	767.5	WSW	1
Hokodate, .	"	30.22	767.5	NW	4	"	30.12	765.0	W	1
Tokio, .	"	30.22	767.5	WSW	2	"	30.06	763.5	NW	2
Kochi, .	"	30.12	765.0	NNW	1	"	30.12	765.0	WNW	1
Nagasaki, .	"	30.20	767.0	N	2	"	30.22	767.5	ENE	2
Kagoshima, .	"	30.18	766.5	N	1	"	30.16	766.0	WNW	1
Oshima, .	"	30.12	765.0	N	4	"	30.10	764.5
Naha, .	"	30.06	763.5	NNE	5	"	29.96	761.0	NNE	1
Ishigakijima, .	"	30.06	763.5	ENE	6	"	30.04	763.0	N	1
Bonin Island, .	"	30.30	769.5	ESE	3	"	29.84	758.0	ENE	2
Weihaiwei, .	14	30.32	770.1	32	68	...	0	b	"	30.45	773.4	24	73	N	4	r
Hankow, .	15	"
Iohang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.41	772.5	41	61	...	0	o	"	30.39	771.9	34	89	N	4	o
Gutzlaff, .	"	30.31	769.9	48	56	NNE	2	b	"	30.35	770.9	36	90	N	4	o
Sharp Peak, .	15	30.17	766.8	58	76	NNE	2	b	7	30.14	765.5	46	91	NNE	+	o
Amoy, .	14	30.10	764.5	60	90	ENE	1	b	6	30.12	765.0	52	100	ENE	2	b
Swatow, .	"	"
Taihoku, .	12	30.12	765.0	61	74	E	4	o	"	30.14	765.6	54	95	E	8	b
Taichu, .	"	30.07	763.8	59	...	NNE	2	o	"	30.11	764.7	54	o	o
Tainan, .	"	30.06	763.5	59	...	N	4	o	"	30.07	763.8	52	...	NNE	4	o
Keshun, .	"	30.06	763.5	81	...	NE	7	o	"	30.04	762.9	55	o	b
Pescadores, .	"	30.13	765.3	55	...	N	7	o	"	30.11	764.7	55	...	NE	6	r
Canton, .	15	30.10	764.5	58	70	NE	2	o	"	30.18	766.6	46	92	N	2	o
Hongkong, .	14	30.08	764.0	59	59	E	2	o	"	30.10	764.5	53	72	N	2	o
Gap Rock, .	"	30.07	763.8	NE	5	o	"	30.10	764.5	N	4	o
Macao, .	"	30.06	763.5	52	75	NNE	2	o	"	30.11	764.7	48	89	N	4	o
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.00	762.0	63	61	E	2	o	7	30.07	763.8	55	100	ENE	4	rf
Tourane, .	"	29.95	760.8	68	...	NNW	2	o	"	29.97	761.1	66	...	NNW	2	of
Cape St. James, .	"	29.88	759.0	77	...	ENE	6	b	"	29.93	760.2	75	...	ENE	6	of
Aparri, .	14	29.89	759.3	75	67	NE	4	o	6
Lagupan, .	"	"
Manila, .	"	29.79	756.6	86	46	WSW	4	b	"	29.91	759.6	72	89	NE	1	o
Legaspi, .	"	29.82	757.5	79	80	N	2	o	"	29.87	758.7	73	85	NE	2	o
Tacloban, .	"	29.78	756.3	86	58	NW	2	b	"
Illoilo, .	"	"	29.84	757.8	77	98	N	2	o
Surigao, .	"	29.76	756.0	82	77	NNW	4	b	"	29.85	758.1	77	85	ENE	2	o
Guam, .	12.20	29.72	754.8	NE	2	o	4.20
Yap, .	12.47	4.47
Labuan, .	14	29.86	758.4	86	72	NE	2	b	6	29.86	758.4	77	98	N	2	b

February 25d. 11h. 58m.—Pressure has decreased slightly to moderately over Japan and slightly from Haiphong to Tourane. It is nearly stationary at other reporting stations.

The anticyclone is central to the north of the lower Yangtze Valley.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.48 inches, against an average of 2.90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks,
- 3.—Hongkong to Gap Rock, N.E. winds, moderate; overcast, occasional drizzle.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	25TH FEBRUARY, 1923.							26TH FEBRUARY, 1923.								
	HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.			
		Inches.	Millrs.			Direct. ion.	Force.			Inches.	Millrs.			Direct. ion.	Force.	WEATHER.
Wladivostock, .	12	30.23	767.8	12	...	NNE	5	o	6	30.12	765.0	+1	...	NNE	6	o
Nemuro,	11	30.18	766.5	SSE	1	...	5
Hokodate,	"	30.06	763.5	SE	1	...	"
Tokin,	"	29.98	761.5	N	2	...	"
Kochi,	"	30.08	764.0	E	1	...	"
Nagasaki,	"	30.16	766.0	N	4	...	"
Kagoshima,	"	30.12	765.0	E	1	...	"
Oshima,	"	30.12	765.0	0	...	"
Naha,	"	30.08	764.0	NNW	2	...	"
Ishigakijima,	"	30.10	764.5	ENE	2	...	"
Bonin Island,	"	29.88	759.0	NNE	1	...	"
Weihaiwei,	14	30.43	772.9	24	73	NNW	4	r	"	30.40	772.1	19	86	W	2	b
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.46	773.7	36	96	NNE	4	o	"	30.54	775.8	25	...	N	1	b
Gutzlaff,	"	30.44	773.2	34	60	N	4	o	"	30.51	775.9	28	79	N	4	o
Sharp Peak,	15	30.19	766.8	46	91	ENE	4	o	7	30.28	769.1	38	91	NE	4	r
Anoy,	14	6	30.24	768.1	46	100	ENE	2	o
Swatow,	"	"
Taihoku,	12	30.21	767.4	57	77	E	4	o	"	30.27	768.6	48	95	ENE	4	r
Taichu,	"	30.11	764.7	59	...	N	4	o	"	30.13	765.3	48	...	N	2	r
Tainan,	"	30.08	764.8	66	...	N	4	o	"	30.10	764.4	50	...	NNE	6	o
Koshun,	"	30.06	763.8	72	...	NNE	2	b	"	30.08	764.1	63	...	NNE	6	o
Pescadores,	"	30.17	766.2	57	...	NNE	7	o	"	30.17	766.2	52	...	NNE	7	o
Canton,	15	30.17	766.3	50	79	NNE	2	o	"	30.27	768.8	44	92	N	2	o
Hongkong,	14	30.11	764.8	55	67	NNE	2	o	"	30.28	767.1	49	87	N	2	od
Gap Rock,	"	30.10	764.5	NNE	4	o	"	30.18	766.6	NNE	4	o
Macao,	"	30.11	764.7	50	84	N	4	o	"	30.02	762.6	45	94	N	4	r
Wuchow,	15	9	
Pakhoi,	"	"	
Haihow,	"	"	
Phulien,	"	30.08	764.1	59	79	NE	1	o	7	30.20	767.1	52	83	NE	4	o
Tourane,	"	29.94	760.5	66	...	NNW	4	of	"	30.02	762.6	64	...	NNW	4	o
Cape St. James,	"	29.88	759.0	79	...	ENE	6	o	"	29.93	760.2	75	...	ENE	6	o
Aparri,	14	29.92	759.9	81	59	NE	4	b	6	30.01	762.3	73	71	E	4	r
Dagupan,	"	"	
Manila,	"	29.86	758.4	84	58	SW	2	o	"	29.94	760.5	68	87	o	0	b
Legaspi,	"	29.82	757.5	84	56	NNE	4	b	"	29.91	759.6	72	57	o	0	b
Tacloban,	"	29.81	757.2	81	76	ESE	1	o	"	29.88	759.0	72	89	NW	2	b
Iloilo,	"	29.79	756.6	86	65	NE	6	o	"	
Surigao,	"	"	29.87	758.7	72	96	SW	1	b
Guam,	12.20	29.74	755.4	NE	2	o	4.20	29.69	754.2	NNE	4	o
Yap,	12.47	4.47	
Labuan,	14	29.85	758.2	84	79	NW	4	b	6	29.88	758.9	78	94	N	4	b

February 26d. 11h. 55m.—Pressure has decreased considerably at Wladivostock and slightly at Weihaiwei. It has increased moderately from Shanghai to Haiphong, and is nearly stationary over the Philippines.

A typhoon may be forming to the south of Guam.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inch. Total since January 1st, 0.51 inches, against an average of 2.97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; overcast.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	26TH FEBRUARY, 1923.							27TH FEBRUARY, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		
	HONGKONG STANDARD TIME.	Inches.	Mills.	Direction.			Direction.	HONGKONG STANDARD TIME.	Inches.	Mills.	Direction.	Force.			Direction.	
Wladivostock, -	12	29.96	761.1	14	...	N	7	f	6	29.98	761.5	10	...	N	4	c
Nemuro,	11	29.74	755.5	W	1	...	5
Hokodate,	"	29.72	755.0	N	1	...	"
Tokio,	"	29.80	757.0	NNE	3	...	"
Kochi,	"	30.06	763.5	NNW	3	...	"
Nagasaki,	"	30.28	769.0	N	6	...	"
Kagoshima,	"	"
Oshima,	"	30.18	766.5	NNW	5	...	"
Naha,	"	30.20	767.0	NNW	2	...	"
Ishigakijima,	"	30.22	767.5	N	4	...	"
Bonin Island,	"	30.02	762.5	NNW	1	...	"
Weihaiwei,	14	30.33	770.4	22	71	NNW	4	r	"	30.37	771.4	24	73	NNW	6	b
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.56	776.1	32	53	NNW	2	b	"	30.46	773.7	25	...	W	1	b
Gutzlaff,	"	30.49	774.4	36	61	NNW	2	b	"	30.47	773.9	30	100	NW	1	o
Sharp Peak,	15	30.33	770.4	40	82	N	2	r	7	30.30	769.6	40	82	N	1	b
Amoy,	14	30.26	768.6	46	100	ENE	1	o	6	30.29	769.3	42	100	ENE	2	o
Swatow,	"	30.16	766.0	47	100	NNE	2	or	"
Taihoku,	12	30.37	771.3	48	92	E	4	r	"	30.32	770.1	46	97	E	2	o
Taichu,	"	30.22	767.7	48	...	N	4	r	"	30.22	767.7	68	...	N	2	o
Tainan,	"	30.20	767.1	50	...	NNE	6	o	"	30.18	765.5	52	...	NNE	4	o
Koshun,	"	30.13	765.3	63	...	NNE	6	o	"	30.13	765.3	59	...	NNE	6	o
Pescadores,	"	30.26	768.6	48	...	NNE	8	o	"	30.25	768.3	50	...	NNE	7	r
Canton,	15	30.29	769.3	47	77	N	2	o	"
Hongkong,	14	30.21	767.3	48	83	N	3	od	"	30.26	768.6	47	80	...	0	o
Gap Rock,	"	30.20	767.1	N	4	o	"	30.24	768.1	NNE	4	o
Macao,	"	30.21	767.4	45	92	NNW	4	r	"	30.25	768.3	43	85	N	4	o
Wuchow,	15	"
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	30.19	766.8	59	63	NE	2	o	7	30.27	768.9	52	77	NE	2	o
Tourane,	"	30.02	762.6	64	...	NNW	6	o	"	30.12	765.0	61	...	NNW	6	r
Cape St. James,	"	29.91	759.6	79	...	ENE	6	o	"	29.94	760.5	75	...	ENE	6	b
Aparri,	14	29.99	761.7	77	72	NE	4	o	6	30.05	763.2	70	82	NE	4	b
Dagupan,	"	"
Manila,	"	29.88	759.0	86	58	W	2	o	"	29.97	761.1	68	91	NE	1	h
Legaspi,	"	29.88	759.0	82	70	NNE	4	o	"
Tacloban,	"	"	29.92	759.9	72	94	...	o	o
Illoilo,	"	29.82	757.5	84	68	NE	6	o	"	29.88	759.0	72	94	S	1	o
Surigao,	"	"	29.88	759.0	72	94
Guam,	12.20	296.5	753.0	NE	2	r	4.20	29.66	753.3	SE	2	r
Yap,	12.47	4.47
Labuan,	14	29.84	757.9	86	76	N	4	b	6	29.84	757.9	77	94	NW	2	b

February 27d. 11h. 57m.—Pressure has decreased moderately at Wladivostock and slightly from Weihaiwei to Shanghai and at Guam. It has increased slightly from Formosa to Indo-China and over the Philippines.

The anticyclone has weakened slightly

There is a depression or typhoon to the west of Guam which appears to be moving N.W.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 6.52 inches, against an average of 3.94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

DISTRICT.

FORECAST.

- | | |
|--|------------------------------|
| 1.—Formosa Channel, | N.E. winds, strong. |
| 2.—South coast of China between Hongkong and Lamock, | N.E. winds, fresh; overcast. |
| 3.—Hongkong to Gap Rock, | |
| 4.—South coast of China between Hongkong and Hainan, | |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	27TH FEBRUARY, 1923.								28TH FEBRUARY, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
			Inches.	Millra.			Direct. ion.	Force.			Inches.	Millra.			Direct. ion.	Force.	
Wladivostock, .	12	29.99	761.7	23	...		N	5	0	6	30.08	764.0	9	...	N	3	0
Nemuro, .	11	29.39	746.5		W	2	...	5	29.39	746.5	W	4	..
Hokodate, .	"	29.37	746.0		E	6	...	"	29.61	752.0	N	5	..
Tokio, .	"	29.72	755.0		S	1	...	"	29.82	757.5	WNW	1	..
Kochi, .	"	30.02	762.5		WNW	1	...	"	30.22	767.5	W	1	..
Nagasaki, .	"	30.18	766.5		NNW	4	...	"	30.32	770.0	N	1	..
Kagoshima, .	"	30.16	766.0		NNW	1	...	"	NW	1	..
Oshima, .	"	30.20	767.0		NNW	4	...	"	30.24	768.0	NW	2	..
Naha, .	"	30.24	768.0		NW	6	...	"
Ishigakijima, .	"	30.30	769.5		NNE	4	...	"
Bonin Island, .	"	29.94	760.5		WNW	2	...	"	30.02	762.5	WNW	2	..
Weihaiwei, .	14	30.45	773.4	24	73	N	4	b	"	30.34	770.6	24	60	SW	1	b	
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	"	30.44	773.1	28	...	E	1	b	
Gntzlaff, .	"	"	30.46	773.7	32	100	SSE	2	b	
Sharp Peak, .	15	30.34	770.6	48	78	ENE	6	b	7	30.37	771.4	42	83	N	4	b	
Amoy, .	14	30.26	768.6	52	96	ENE	2	o	6	30.31	769.9	44	76	NNE	2	b	
Swatow, .	"	30.02	762.5	48	93	NNE	1	o	"	30.22	767.6	47	93	ENE	1	b	
Taihoku, .	12	30.36	771.0	50	82	E	4	o	"	30.36	771.0	50	79	E	4	o	
Taichu, .	"	30.25	768.3	50	...	N	2	o	"	30.21	767.4	50	...	N	2	o	
Tainan, .	"	30.19	766.8	50	...	NNE	4	o	"	30.20	767.1	48	...	N	4	o	
Koshun, .	"	30.17	766.2	63	...	NNE	6	o	"	30.17	766.2	61	...	NE	7	o	
Pescadores, .	"	30.27	768.9	54	...	NNE	7	o	"	30.25	768.3	54	...	NNE	7	b	
Canton, .	15	30.32	770.1	47	77	N	2	o	"	30.32	773.1	40	91	...	0	b	
Hongkong, .	14	30.27	768.8	51	71	N	1	o	"	30.28	769.1	50	69	NE	2	o	
Gap Rock, .	"	30.25	768.3	N	4	o	"	30.24	768.1	NE	4	o	
Macao, .	"	30.26	768.6	45	82	N	4	o	"	30.26	768.6	50	69	N	4	o	
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	30.26	768.6	59	58	E	1	o	7	30.27	768.9	54	78	NNE	2	of	
Tourane, .	"	30.13	764.7	64	...	NNW	6	o	"	30.14	765.6	61	...	NNW	4	o	
Cape St. James, .	"	29.89	759.3	79	...	NNE	6	b	"	29.93	760.2	75	...	ENE	6	b	
Aparri, .	14	30.01	762.3	79	61	NE	4	b	6	30.07	763.8	72	92	NE	4	b	
Dagupan, .	"	"	
Manila, .	"	29.92	759.9	84	55	SSE	1	o	"	30.00	762.0	70	87	E	1	o	
Legaspi, .	"	29.91	759.6	84	55	NNE	4	o	"	29.97	761.1	77	72	NNE	4	b	
Tacloban, .	"	29.86	758.4	84	55	N	2	r	"	29.95	760.8	72	96	...	0	o	
Iloilo, .	"	29.85	758.1	81	76	N	4	o	"	29.91	759.6	72	88	N	4	o	
Surigao, .	"	29.85	758.1	79	76	ENE	4	o	"	29.92	759.9	70	96	SSE	1	b	
Guam, .	12.20	29.66	753.3	SE	4	o	4.20	29.74	755.4	SE	1	r	
Yap, .	12.47	4.47	
Labuan, .	14	29.84	757.9	86	72	NW	4	b	6	29.86	758.4	78	94	N	6	b	

February 28d. 11h. 50m.—Pressure has increased slightly at Guam, and over Japan, Formosa, and the Philippines. It is nearly stationary in other districts.

The anticyclone is probably moving eastward.

A typhoon is shown to the north-east of Hokkaido.

The Guam depression or typhoon appears to be in about Lat. 15° N. and Long. 141° E. moving N.W. Both position and direction uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.52 inches, against an average of 3.11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1ST. DISTRICT.

Forecast.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, {
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; fair.
- 4.—South coast of China between Hongkong and Hainan, {

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DOCUMENT

MONTHLY METEOROLOGICAL BULLETIN.


MARCH,

1923.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE
ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER
REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,
DIRECTOR.



HONGKONG :
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1923.

ROYAL OBSERVATORY, HONGKONG.

R E S U L T S

O F

METEOROLOGICAL OBSERVATIONS.

MARCH,

1923.

HOURLY VALUES OF BAROMETRIC PRESSURE AND AIR TEMPERATURE,

TABLE I.—BAROMETRIC PRESSURE at every Hour of the Day, in the MONTH of MARCH, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	30°171	30°167	30°155	30°157	30°165	30°168	30°182	30°205	30°217	30°220	30°217	30°188	1
2	30°109	30°103	30°090	30°080	30°092	30°099	30°108	30°131	30°135	30°160	30°152	30°129	2
3	30°075	30°063	30°055	30°049	30°049	30°058	30°060	30°076	30°085	30°090	30°083	30°064	3
4	30°070	30°067	30°058	30°048	30°043	30°041	30°058	30°076	30°088	30°097	30°099	30°069	4
5	29°992	29°984	29°970	29°951	29°953	29°966	29°983	30°008	30°034	30°041	30°039	30°016	5
6	30°022	30°020	30°010	29°994	30°002	30°006	30°014	30°030	30°052	30°052	30°050	30°029	6
7	29°976	29°974	29°970	29°960	29°968	29°975	29°994	30°014	30°012	30°024	30°026	30°006	7
8	29°976	29°964	29°964	29°958	29°958	29°962	29°985	29°991	30°012	30°037	30°031	30°009	8
9	29°991	29°984	29°978	29°978	29°988	30°014	30°033	30°037	30°060	30°070	30°071	30°046	9
10	30°000	29°998	29°976	29°970	29°968	29°966	29°987	30°013	30°045	30°043	30°026	30°004	10
11	29°997	29°986	29°979	29°978	29°981	29°984	30°003	30°034	30°048	30°051	30°050	30°021	11
12	29°973	29°964	29°950	29°944	29°942	29°954	29°978	29°995	30°006	30°005	30°010	29°980	12
13	30°013	29°998	29°990	29°991	29°977	29°976	29°992	30°010	30°030	30°034	30°018	30°008	13
14	29°978	29°971	29°959	29°955	29°945	29°945	29°967	29°998	30°015	30°018	30°007	29°983	14
15	29°977	29°973	29°962	29°956	29°966	29°972	30°001	30°006	30°029	30°042	30°033	30°011	15
16	29°938	29°913	29°901	29°890	29°898	29°910	29°909	29°888	29°908	29°897	29°877	29°860	16
17	29°868	29°855	29°838	29°840	29°840	29°860	29°872	29°893	29°911	29°932	29°920	29°916	17
18	29°962	29°960	29°940	29°931	29°954	29°957	29°967	30°003	30°027	30°040	30°043	30°034	18
19	30°049	30°047	30°034	30°038	30°031	30°044	30°056	30°076	30°097	30°118	30°122	30°114	19
20	30°155	30°150	30°146	30°127	30°142	30°156	30°179	30°189	30°209	30°227	30°211	30°190	20
21	30°151	30°135	30°120	30°106	30°108	30°126	30°144	30°163	30°174	30°190	30°177	30°148	21
22	30°099	30°087	30°085	30°087	30°108	30°128	30°140	30°155	30°153	30°166	30°146	30°130	22
23	30°097	30°086	30°076	30°072	30°076	30°094	30°111	30°120	30°132	30°130	30°124	30°102	23
24	30°033	30°019	30°006	30°000	30°000	30°020	30°032	30°048	30°064	30°071	30°058	30°037	24
25	29°976	29°964	29°946	29°939	29°943	29°957	29°963	29°984	30°011	30°013	29°988	29°988	25
26	29°903	29°886	29°869	29°862	29°866	29°872	29°892	29°913	29°932	29°932	29°921	29°907	26
27	29°830	29°816	29°800	29°791	29°803	29°807	29°825	29°843	29°857	29°870	29°860	29°838	27
28	29°794	29°776	29°758	29°756	29°775	29°791	29°807	29°830	29°853	29°859	29°845	29°822	28
29	29°805	29°797	29°781	29°774	29°776	29°806	29°822	29°841	29°850	29°857	29°838	29°818	29
30	29°855	29°848	29°834	29°830	29°834	29°870	29°888	29°920	29°938	29°963	29°948	29°948	30
31	29°938	29°921	29°913	29°925	29°922	29°936	29°965	29°998	30°026	30°038	30°026	30°004	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	30°154	30°124	30°091	30°095	30°080	30°108	30°109	30°117	30°130	30°137	30°115	30°109	1
2	30°105	30°063	30°046	30°040	30°029	30°042	30°055	30°063	30°075	30°081	30°085	30°063	2
3	30°029	30°002	29°978	29°974	29°979	29°990	29°999	30°015	30°041	30°060	30°069	30°076	3
4	30°045	29°996	29°972	29°958	29°948	29°949	29°949	29°964	29°982	29°994	30°001	30°002	4
5	29°983	29°953	29°933	29°924	29°922	29°939	29°958	29°981	30°004	30°020	30°035	30°036	5
6	29°997	29°979	29°946	29°932	29°957	29°963	29°980	30°000	29°997	29°990	29°983	29°990	6
7	29°979	29°952	29°933	29°934	29°933	29°936	29°945	29°956	29°972	29°981	29°984	29°986	7
8	29°985	29°966	29°954	29°943	29°954	29°936	29°956	29°960	29°971	29°988	30°003	30°002	8
9	30°020	29°988	29°962	29°954	29°955	29°961	29°957	29°973	29°995	29°997	29°997	30°002	9
10	29°986	29°948	29°932	29°920	29°931	29°942	29°960	29°971	29°998	30°008	30°009	30°007	10
11	30°001	29°974	29°951	29°940	29°935	29°944	29°957	29°976	29°994	29°996	30°002	29°995	11
12	29°951	29°926	29°908	29°910	29°910	29°914	29°940	29°964	29°989	30°006	30°019	30°015	12
13	29°975	29°958	29°942	29°946	29°944	29°953	29°947	29°957	29°957	29°959	29°971	29°975	13
14	29°956	29°932	29°910	29°902	29°905	29°918	29°920	29°936	29°958	29°971	29°975	29°983	14
15	29°985	29°965	29°947	29°940	29°929	29°932	29°944	29°954	29°968	29°982	29°980	29°960	15
16	29°846	29°836	29°802	29°784	29°802	29°825	29°824	29°825	29°840	29°860	29°877	29°843	16
17	29°890	29°864	29°841	29°842	29°851	29°844	29°871	29°889	29°939	29°943	29°934	29°957	17
18	30°016	29°988	29°966	29°954	29°963	29°973	29°986	30°004	30°031	30°049	30°049	30°056	18
19	30°093	30°075	30°060	30°067	30°065	30°084	30°099	30°112	30°137	30°152	30°159	30°178	19
20	30°165	30°125	30°098	30°087	30°081	30°098	30°126	30°149	30°168	30°181	30°181	30°179	20
21	30°118	30°089	30°067	30°050	30°047	30°059	30°071	30°097	30°102	30°121	30°123	30°121	21
22	30°110	30°086	30°052	30°041	30°037	30°044	30°063	30°075	30°086	30°093	30°109	30°106	22
23	30°069	30°039	30°016	30°012	30°006	30°007	30°016	30°037	30°049	30°055	30°057	30°049	23
24	30°013	29°981	29°964	29°952	29°948	29°955	29°959	29°972	29°986	29°998	29°996	29°987	24
25	29°964	29°940	29°914	29°903	29°912	29°904	29°920	29°925	29°939	29°935	29°927	29°913	25
26	29°883	29°853	29°826	29°820	29°821	29°823	29°829	29°842	29°855	29°858	29°850	29°842	26
27	29°818	29°796	29°778	29°760	29°764	29°781	29°791	29°797	29°814	29°820	29°824	29°818	27
28	29°797	29°767	29°739	29°739	29°746	29°750	29°772	29°800	29°829	29°826	29°844	29°804	28
29	29°803	29°785	29°784	29°770	29°773	29°794	29°819	29°830	29°859	29°857	29°871	29°873	29
30	29°926	29°900	29°878	29°882	29°884	29°893	29°905	29°919	29°936	29°945	29°954	29°952	30
31	30°012	29°983	29°979	29°971	29°977	29°980	29°985	29°996	30°014	30°026	30°020	30°015	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of MARCH, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	53°3	53°3	53°1	53°0	53°0	53°3	53°2	53°8	57°2	59°3	59°9	61°1	1
2	57°9	57°9	58°1	58°7	59°2	59°7	59°9	61°8	64°1	66°3	66°6	67°7	2
3	61°5	61°5	61°0	61°4	61°6	62°1	63°0	66°0	68°3	70°1	72°7	73°2	3
4	59°9	59°0	59°7	59°6	59°1	59°0	59°0	59°0	60°4	62°8	63°9	65°0	4
5	59°9	60°0	58°9	59°2	61°0	61°2	61°7	62°5	64°2	66°2	65°3	69°0	5
6	62°8	61°2	60°6	59°6	60°1	60°5	61°5	62°2	62°6	63°9	64°7	64°8	6
7	63°2	62°9	62°9	63°0	64°1	65°1	65°0	65°2	66°7	66°8	67°3	67°5	7
8	64°3	64°1	64°3	64°6	65°5	66°2	65°4	66°8	67°0	69°0	71°0	72°9	8
9	67°1	66°8	67°3	66°5	64°0	63°9	63°3	63°4	63°0	63°1	62°7	62°6	9
10	61°6	61°1	61°2	61°5	61°8	61°8	62°0	64°8	64°9	68°2	66°6	66°6	10
11	65°0	65°3	65°2	65°4	65°5	66°0	66°2	66°1	66°3	67°0	68°9	72°8	11
12	66°0	65°4	65°0	63°7	63°6	63°8	63°8	64°1	65°6	68°5	71°0	72°7	12
13	61°6	60°5	60°1	60°4	60°3	60°4	59°9	59°7	58°9	58°2	58°5	60°4	13
14	58°7	58°4	58°6	59°1	59°0	59°2	59°3	60°4	60°8	62°3	64°9	69°0	14
15	63°9	63°1	62°4	61°9	61°8	61°7	62°0	62°4	62°9	63°5	63°2	64°0	15
16	62°3	61°9	61°3	61°3	61°5	62°0	61°7	61°8	64°8	64°5	64°7	64°9	16
17	65°1	64°8	64°9	64°8	65°1	66°2	66°2	66°9	67°6	68°3	70°1	71°0	17
18	61°9	61°9	60°6	60°3	60°2	60°5	60°2	60°7	61°1	62°6	63°4	63°3	18
19	62°4	62°2	62°3	62°6	62°4	62°7	62°9	64°2	63°7	63°8	64°2	64°2	19
20	59°9	58°7	57°8	57°5	57°0	56°8	56°5	56°9	58°9	60°7	63°2	64°5	20
21	57°8	58°3	59°0	59°1	58°8	58°5	58°2	58°6	59°3	61°1	62°5	65°2	21
22	59°2	59°1	58°8	58°7	57°9	57°9	58°4	60°8	63°5	66°6	67°0	68°5	22
23	61°9	61°4	61°6	61°5	61°4	62°0	62°0	63°5	64°7	65°8	67°3	67°6	23
24	63°3	63°1	62°3	62°0	62°4	62°3	62°9	65°2	66°9	67°5	68°6	69°1	24
25	64°2	64°3	64°4	64°2	64°0	64°6	64°6	66°7	68°9	70°8	70°7	70°8	25
26	67°4	67°4	66°6	66°3	66°4	66°5	66°9	69°6	70°7	72°2	73°0	74°8	26
27	67°7	67°5	67°2	67°1	67°1	67°2	67°6	68°6	70°4	70°9	74°5	74°6	27
28	67°1	66°5	66°8	66°6	66°1	65°8	66°1	68°6	70°1	72°9	77°0	78°0	28
29	69°7	68°9	68°3	68°1	67°6	67°3	67°8	71°6	75°0	77°9	79°4	81°1	29
30	69°7	68°5	67°8	67°8	68°1	67°4	67°3	68°7	70°8	71°2	72°2	73°8	30
31	66°9	66°1	66°6	67°0	67°4	67°8	68°2	69°5	69°0	69°6	69°9	69°9	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	62°4	62°3	60°7	60°0	60°9	59°8	59°0	58°7	58°6	58°8	58°5	58°2	1
2	67°8	68°0	67°2	66°6	65°6	64°1	63°6	63°2	63°7	62°9	62°0	61°5	2
3	73°3	74°3	73°5	71°6	70°1	67°6	66°9	66°2	66°1	64°8	64°3	61°9	3
4	65°0	67°1	67°2	66°5	66°9	64°2	62°7	62°2	61°8	61°2	60°6	60°2	4
5	70°4	70°6	69°7	69°2	68°4	65°8	63°9	64°2	64°5	63°9	63°1	62°8	5
6	65°9	65°6	64°6	64°0	63°1	62°8	62°7	62°2	62°5	62°9	64°3	64°3	6
7	68°7	71°5	70°2	69°6	68°9	67°9	67°4	66°1	65°5	65°1	64°7	64°7	7
8	74°3	73°6	71°6	69°2	72°0	68°3	67°5	68°4	67°9	66°8	66°9	66°8	8
9	63°2	64°1	63°9	64°0	63°6	63°0	63°2	63°4	63°4	63°1	61°9	61°9	9
10	67°1	67°4	66°5	66°8	67°1	66°3	66°8	66°7	66°4	66°4	66°2	65°8	10
11	70°7	72°8	72°7	72°6	71°1	70°1	68°4	67°6	66°3	67°5	66°6	66°1	11
12	73°8	73°8	73°5	71°4	68°7	68°8	65°5	63°9	63°1	63°2	63°1	62°3	12
13	60°7	60°1	60°0	59°9	59°6	59°5	59°9	60°1	59°8	59°9	58°6	58°6	13
14	69°5	68°1	66°9	67°8	66°4	65°4	65°2	64°8	64°9	64°3	63°9	63°6	14
15	63°3	62°6	62°8	62°9	62°9	63°0	63°5	64°0	63°0	63°2	62°8	62°8	15
16	65°7	65°5	65°6	65°3	64°9	65°5	65°5	65°8	65°0	65°0	64°5	64°7	16
17	71°9	71°9	70°3	69°1	68°9	68°8	67°0	67°0	66°9	64°2	63°2	61°5	17
18	63°1	62°9	63°0	62°9	62°3	62°4	62°6	62°9	63°0	62°8	62°8	62°7	18
19	64°2	62°1	62°5	62°9	61°9	61°9	62°0	61°8	61°7	61°4	61°4	60°6	19
20	65°8	67°7	66°0	65°0	64°7	63°4	62°2	62°3	60°9	59°8	59°4	58°4	20
21	68°2	64°3	65°0	64°7	63°9	62°8	61°8	61°2	60°9	60°9	60°3	60°1	21
22	69°1	69°2	68°9	69°7	67°7	65°9	65°0	64°3	63°6	62°9	62°0	62°0	22
23	68°3	68°9	68°8	68°1	67°2	65°9	64°4	63°6	63°5	63°6	63°6	63°9	23
24	69°1	69°1	69°7	68°8	67°5	66°6	65°9	64°7	64°6	64°0	63°6	63°6	24
25	69°9	69°9	70°8	70°4	69°8	68°9	67°7	67°2	67°2	67°3	67°1	67°1	25
26	72°0	72°2	71°6	70°5	70°1	69°4	68°6	67°8	68°0	67°9	67°7	67°8	26
27	72°0	72°0	73°7	71°5	72°4	70°6	70°3	69°9	69°7	69°0	68°3	68°0	27
28	80°0	81°9	81°8	79°6	78°0	75°0	72°5	71°8	70°8	70°4	69°8	69°4	28
29	79°4	76°8	75°6	73°5	71°6	70°9	69°9	68°3	67°3	67°3	69°7	69°1	29
30	72°6	72°0	72°2	71°6	70°9	69°9	68°3	67°3	67°4	67°3	67°5	67°5	30
31	70°3	71°4	71°8	70°4	70°1	69°1	68°3	68°4	68°7	68°4	68°1	68°5	31

TABLE III.—TEMPERATURE OF EVAPORATION at every HOUR of the DAY, in the MONTH of MARCH, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	50°9	50°4	50°1	50°6	50°3	49°9	49°7	49°9	50°7	51°9	51°5	52°2	1
2	54°9	52°7	51°3	51°3	52°0	52°2	52°9	54°0	56°0	57°8	58°1	59°1	2
3	59°6	59°7	59°4	59°8	60°2	60°4	60°9	62°5	63°2	63.8	65°6	65°3	3
4	57°9	57°5	57°9	57°4	57°0	56°8	56°6	56°3	57°3	58°3	59°2	59°6	4
5	58°1	58°2	58°0	58.4	59°7	60°1	60°9	61°3	61°9	63°0	62°1	62°7	5
6	60°2	59.1	59°0	58°0	58.4	58°4	58°6	58°6	58°7	59°1	59°2	59°2	6
7	59°8	59°2	59°4	60°0	60°8	61°8	61°5	62°4	63°1	63.4	63°7	64°0	7
8	64°0	63°7	64.0	64°3	65.0	65°2	64°3	65°4	65°6	67°0	68°0	69°0	8
9	67°0	66°5	66°9	66°2	63°6	63°4	62°9	62°6	61°9	61°0	60°8	60°9	9
10	58°5	58°1	58°1	58°6	58°8	58°9	59°2	59°9	61°4	61°5	63°5	63°0	10
11	64°0	64°2	64°4	64°6	64°3	64°9	65°4	65°7	65°8	66°2	67°0	68°8	11
12	65°9	65°3	65°0	63°7	63°6	63°8	64°1	65°4	66°4	67°3	68°2	68°2	12
13	59°6	58°7	57°8	57°3	56°9	57°2	57°4	57°5	57°6	57°3	57°4	57°9	13
14	58°0	57°2	57°0	57°0	57°2	57°7	58°3	59°0	59°6	60°3	61°3	63°7	14
15	62°0	61°6	61°0	60.5	60°1	60°2	60°2	60°1	60°1	60°4	60°0	60°4	15
16	60.3	59°9	59°1	58°8	58°9	59°2	59°5	59°8	61.8	61°8	62°0	62°5	16
17	63.7	63°3	63°5	63°3	63.4	63°5	63°9	63°6	64°0	64°5	65°3	64°5	17
18	59°9	59°9	58°9	58°1	57°4	57°3	57°0	56°8	57°0	58°4	59°0	58°8	18
19	58°7	58°3	58°6	59°0	59°1	59°8	60°5	61°2	61°4	59°9	60°6	59°9	19
20	53°3	51.7	51°1	51°1	50°7	50°3	50°5	50°5	52°5	53°6	54°2	55°0	20
21	52°6	52°5	52°6	52°7	52°7	53°0	53°0	53°1	53°2	54°0	55°5	57°0	21
22	54°7	53°8	53°5	53°0	52°4	51°9	51°8	53°5	54°8	56°6	57°0	55°8	22
23	56°5	56°4	56°6	56°2	55°9	55°6	56°0	57°0	57°2	57°0	58°9	58°9	23
24	61°0	60°9	59°6	58°8	58°0	58°1	58°3	59°5	60°4	60°8	61°6	62°0	24
25	62°2	62°5	62°2	61°6	61°5	61°7	59°1	61°0	62°1	61°4	61°5	62°6	25
26	65°8	65°3	65°2	65°0	64°7	64°3	64°5	64°2	63°9	64°9	65°8	65°0	26
27	66°7	66°7	66°5	66°4	66°2	66°2	66°1	66°8	67°2	67°8	69°4	69°0	27
28	64°9	64°0	64°1	64°0	63.8	63°5	63°9	65°4	65°0	66°1	66°6	67°4	28
29	66°1	66°0	65°3	65°4	65°1	65°2	65°7	67°4	68°1	69°0	68°9	69°9	29
30	66°1	66°0	65°9	65°9	65°2	64°1	63°9	64°7	65°0	65°6	65°8	67°0	30
31	64°2	63°9	63°8	64°0	64°0	64°5	64°2	64°4	64°1	63°6	62°6	62°7	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	—	—	—	—	—	—	—	—	—	—	—	—	1
2	53°2	53°8	54°0	54°0	54°0	54°3	54°8	55°0	55°1	55°6	55°7	55°4	2
3	59°0	59°2	59°5	59°7	59°8	59°2	59°4	59°7	60°5	60°2	59°9	59°3	3
4	65°3	65°7	65°8	65°0	64°4	63°9	64°2	64°2	62°9	62°0	60°5	60°5	4
5	59°9	60°5	60°5	60°4	60°6	60°6	59°9	59°0	58°8	58°2	58°2	58°2	5
6	59°9	59°7	59°5	59°0	58°5	58°5	58°6	58°8	59°1	59°6	60°3	60°0	6
7	65°0	66°7	66°0	65°9	65°4	65°0	64°1	64°2	64°4	64°6	64°3	64°3	7
8	69°6	70°0	68°2	66°7	68°1	66°3	66°0	66°9	66°7	66°4	66°7	66°8	8
9	61°0	61°1	60°8	60°3	60°3	60°1	60°0	60°1	60°1	60°1	60°0	59°4	9
10	63°7	63°3	63°0	63°2	63°9	63°6	63°9	64°2	64°5	64°7	64°8	64°5	10
11	67°9	68°8	68°4	68°4	67°8	67°2	66°5	66°1	65°4	66°3	66°0	66°0	11
12	69°5	68°8	69°3	67°9	67°0	66°9	64°9	63°5	62°8	62°3	61°9	60°4	12
13	57°8	57°7	57°7	57°5	57°5	57°6	57°7	57°9	58°0	58°4	58°6	57°8	13
14	64°0	63°0	62°6	63°1	62°5	62°1	62°1	62°5	62°6	62°3	62°3	62°3	14
15	60°0	59°9	59°9	59°4	59°0	59°1	59°0	59°6	59°8	60°1	60°1	59°9	15
16	63°2	63°4	63°7	63°6	63°7	64°2	63°7	63°6	63°5	63°3	62°9	63°0	16
17	64°6	64°4	63°9	64°1	63°7	63°6	64°1	64°0	63°9	62°6	61°7	60°5	17
18	58°5	58°8	58°8	59°0	59°0	59°1	59°6	59°9	60°1	60°1	59°7	58°8	18
19	60°0	60°1	59°5	58°9	57°5	56°6	56°1	55°8	55°6	55°1	54°6	54°1	19
20	55°9	56°9	56°5	56°0	55°8	55°7	55°7	55°9	54°6	53°0	52°8	51°5	20
21	58°6	56°7	56°9	56°8	56°1	55°9	55°8	55°3	56°0	56°0	55°9	55°9	21
22	55°3	54°9	55°2	55°8	55°5	55°8	55°6	56°3	56°8	57°8	58°3	57°9	22
23	59°7	59°6	59°6	59°0	58°1	58°9	59°8	59°7	59°7	60°0	60°2	60°8	23
24	61°9	62°0	62°0	61°6	61°5	61°5	61°7	61°9	61°6	61°6	61°9	61°9	24
25	62°4	62°9	63°2	64°5	65°2	65°0	65°0	65°2	65°2	65°2	65°2	65°3	25
26	65°6	65°8	65°1	65°5	65°6	65°2	65°4	65°7	66°0	66°6	66°4	66°6	26
27	67°6	67°5	68°0	67°3	67°5	67°2	67°0	67°1	67°0	66°3	66°0	66°0	27
28	67°9	69°0	68°6	67°7	68°0	67°0	65°0	65°1	65°6	65°7	66°0	66°0	28
29	66°2	68°6	68°5	68°7	68°8	67°9	67°7	67°5	67°1	66°9	66°3	66°3	29
30	66°3	65°9	66°2	65°5	65°0	64°9	63°1	65°0	64°9	64°8	64°8	64°8	30
31	63°0	63°5	64°3	63°4	62°0	63°6	63°9	63°9	64°2	65°0	65°4	65°4	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of MARCH, 1923.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																							Days of the Month.	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Mean	
1	10	10	10	10	10	10	10	9	9	9	9	8	5	2	2	1	1	1	...	2	3	2	1	1	
2	1	3	4	8	2	4	3	5	7	8	9	2	1	1	1	2	3	...	7	2	
3	1	9	3	2	1	1	1	1	1	9	8	10	10	9	3	
4	3	9	10	10	10	10	10	10	4	3	4	1	4	
5	1	1	6	3	2	1	1	1	1	1	1	7	10	10	10	10	10	10	5	
6	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	8	10	10	
7	10	10	10	10	10	10	10	10	8	10	10	10	10	9	10	8	4	3	10	10	10	10	10	10	7
8	10	10	10	10	10	10	10	4	3	3	10	10	10	10	10	9	8	5	2	8	6	10	10	10	8
9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	8	9	9	9	7	10	10	10	9
10	10	10	10	10	10	10	10	10	9	9	8	9	9	9	7	9	10	10	10	10	10	10	8	10	
11	8	10	10	10	10	10	10	10	10	10	10	9	8	7	6	2	1	2	1	...	1	11	
12	1	2	2	4	7	8	5	6	4	8	2	3	4	6	5	6	5	10	10	10	10	10	10	10	12
13	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	13	
14	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	14	
15	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	15	
16	10	10	10	10	10	10	10	10	8	10	10	10	10	10	10	10	10	3	9	10	10	10	10	10	16
17	10	4	9	10	6	10	9	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	17
18	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	18
19	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	19
20	10	10	10	10	10	10	10	10	9	6	5	2	1	2	6	10	10	5	2	1	20	
21	...	10	10	10	10	10	10	10	10	10	10	2	3	2	4	1	...	1	1	1	21	
22	...	2	22	
23	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	23	
24	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	24
25	2	2	7	3	2	10	4	1	1	1	1	1	1	1	1	1	2	4	9	9	10	9	7	6	25
26	9	7	5	4	5	9	9	3	4	4	2	6	8	6	3	3	4	9	10	8	10	10	8	8	26
27	3	2	4	4	6	6	8	9	10	10	8	7	9	10	9	9	9	10	8	10	7	3	4	6	27
28	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	10	10	28
29	6	3	4	3	1	1	1	1	2	1	1	1	1	1	1	9	9	10	10	10	10	10	29
30	10	7	9	6	8	2	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	10	30
31	...	1	9	3	4	4	9	6	6	2	1	2	9	8	8	7	9	10	10	8	7	10	10	31	

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of MARCH, 1923.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.												Days of the Month.	
	6	7	8	9	10	11	12	13	14	15	16	17		
1	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	1	
2	...	0'3	0'1	...	0'3	0'8	0'5	0'9	1'0	1'0	1'0	0'8	...	
3	0'7	0'7	0'9	0'5	0'3	0'3	0'8	1'0	1'0	1'0	1'0	1'0	2	
4	...	0'2	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'8	4	
5	0'4	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'9	5	
6	0'7	0'2	6	
7	...	0'1	0'3	0'3	0'3	0'3	0'8	0'7	0'1	7	
8	0'4	0'2	0'2	0'7	0'1	8	
9	0'2	0'8	0'7	9	
10	...	0'4	0'3	1'0	0'6	0'3	...	0'1	0'2	10	
11	0'7	0'5	0'8	...	0'7	1'0	0'6	...	11	
12	1'0	1'0	0'9	1'0	1'0	0'8	0'8	0'5	...	12	
13	0'1	0'8	1'0	0'7	13	
14	0'1	0'1	0'8	1'0	0'7	14	
15	0'1	0'1	0'1	0'1	0'1	0'1	0'1	15	
16	0'1	0'4	0'1	0'3	0'3	16	
17	0'1	0'3	0'2	...	0'6	0'4	17	
18	0'3	0'8	0'5	0'2	...	0'6	0'4	18	
19	0'1	0'1	0'1	0'1	0'1	0'1	0'1	0'1	19	
20	0'1	0'1	0'8	0'8	0'7	1'0	1'0	0'1	20	
21	0'1	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'1	21
22	0'2	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'2	22
23	0'1	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'1	23
24	0'1	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'2	24
25	...	0'7	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'7	25
26	...	0'6	1'0	1'0	1'0	0'8	0'8	0'9	1'0	0'9	0'9	0'5	...	26
27	...	0'4	...	0'3	1'0	0'1	0'1	0'1	27
28	...	0'3	1'0	0'9	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'9	...	28
29	...	0'7	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	...	29
30	0'1	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	0'2	30
31	...	0'9	0'7	1'0	1'0	1'0	1'0	1'0	1'0	0'8	0'8	0'2	...	31

HOURLY VALUES OF RAINFALL AND WIND.

TABLE VI.—AMOUNT OF RAINFALL registered in each HOUR of the DAY, in the MONTH of MARCH, 1923.
 (d = Unregistered Drizzle. = No Rainfall.)

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the
MONTH of MARCH, 1923.
(The Direction is given in points, and the Velocity in miles per hour.)
(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.													Days of the Month.	
	1	2	3	4	5	6	7	8	9	10	11	Noon.		
1	6 20	7 21	7 20	8 21	7 20	8 23	7 21	7 21	8 23	8 22	9 22		1	
2	10 14	10 16	9 12	9 14	10 13	10 13	10 14	10 12	11 10	10 17	10 10	9 14	2	
3	10 6	9 4	8 2	1	8 4	9 10	10 10	10 10	9 7	3	
4	8 21	7 17	7 19	7 23	6 22	6 22	6 17	7 21	7 25	8 28	8 26	9 22	4	
5	1	8 4	9 13	9 12	9 9	9 11	9 10	9 12	9 18	9 15	5	
6	6 23	6 32	7 23	8 21	8 17	8 20	8 21	8 19	8 23	7 24	7 23		6	
7	8 22	9 20	9 16	10 15	9 13	9 16	9 14	9 13	9 14	9 15	10 15	10 13	7	
8	8 11	9 14	9 12	9 7	10 6	10 12	11 12	11 12	11 13	11 12	11 10	11 7	8	
9	10 7	10 9	10 9	9 15	8 20	8 18	8 22	7 23	7 21	7 28	6 25	7 27	9	
10	7 20	7 18	7 20	8 20	8 23	8 24	7 20	8 20	8 20	8 21	7 21	8 20	10	
11	9 20	9 18	9 16	9 15	9 12	10 16	10 14	10 12	10 13	10 12	9 9	9 14	11	
12	7 2	1	...	29	4	29	7 29	9
13	6 26	6 28	6 29	6 29	7 28	6 31	7 34	7 35	7 32	6 31	7 32	7 30	13	
14	5 14	6 15	7 15	8 12	9 11	9 12	10 7	...	11 5	11 7	10 6	10 9	14	
15	8 9	8 10	7 15	7 19	6 20	7 23	6 29	7 33	7 34	7 35	7 33	6 33	15	
16	7 25	8 26	8 26	8 24	8 20	8 21	9 25	9 23	8 16	8 20	8 15	8 13	16	
17	8 2	8 7	8 3	8 5	7 2	...	1	...	7 7	8 8	9 12	9 11	17	
18	6 27	7 24	6 30	7 35	7 38	7 39	7 37	7 34	7 33	7 34	7 29	7 28	18	
19	7 24	7 22	7 18	8 11	9 11	...	11 2	10 10	8 9	9 5	6 2	12 52	6	
20	3 11	2 14	3 8	2 6	3 6	2 8	2 8	2 9	2 6	2 5	1 4	27 4	20	
21	...	1 4	2 4	2 5	8 5	5 9	5 9	3 9	2 8	1 6	5 6	11 5	21	
22	6 12	6 12	7 15	6 14	5 9	5 5	10 6	10 8	9 10	9 9	13 10	16 9	22	
23	8 18	7 14	7 25	7 29	7 29	7 27	7 30	7 26	7 34	9 26	10 21	9 19	23	
24	7 15	6 13	7 19	7 18	7 19	7 20	7 17	7 18	8 21	8 22	8 22	8 20	24	
25	10 7	10 10	10 10	12 9	13 9	12 12	8 13	7 17	8 15	8 20	8 17	9 17	25	
26	8 8	8 7	8 11	8 10	9 11	10 7	10 7	9 9	9 14	8 14	9 14	8 16	26	
27	9 10	9 6	8 7	9 6	9 8	10 10	10 8	10 9	10 10	8 9	8 12	8 17	27	
28	10 2	16	26	28	
29	30 3	30 3	3 29	5 14	11	29
30	8 12	7 12	7 12	6 11	5 15	5 15	5 14	6 17	6 19	7 21	8 18	9 18	30	
31	9 9	10 8	10 9	8 8	7 10	6 16	6 18	6 19	7 24	7 24	7 34	8 32	31	

Hours, Hongkong Standard Time.													Days of the Month.	
	13	14	15	16	17	18	19	20	21	22	23	Midn.		
1	9 20	9 19	9 22	8 23	8 22	8 17	7 14	7 14	7 15	8 17	9 19	10 16		1
2	9 16	9 19	9 20	9 16	10 10	10 15	11 11	11 13	11 11	11 11	11 11	4	...	2
3	10 12	10 13	10 14	11 12	11 11	11 13	10 13	9 12	8 16	7 12	7 16	8 18	3	
4	9 21	10 18	9 16	9 14	8 11	8 12	8 10	8 8	8 7	8 5	4	
5	10 16	9 13	9 14	9 12	9 15	9 14	8 10	7 7	14	6 18	6 19	6 20	5	
6	8 23	8 22	8 15	9 17	8 20	8 21	8 21	8 22	8 29	7 21	7 22		6	
7	10 13	10 15	9 16	9 17	9 16	9 16	9 16	9 13	9 13	9 14	9 13	9 13	7	
8	10 3	10 3	9 4	8 11	7 5	8 5	9 8	9 13	10 14	10 11	10 10	9 9	8	
9	7 24	8 27	8 27	8 25	8 24	8 29	8 30	8 32	8 31	7 25	7 27	7 22	9	
10	8 21	9 20	8 24	8 23	8 18	9 15	10 14	10 11	10 14	9 18	9 15	9 17	10	
11	9 15	9 16	9 13	9 10	8 13	7 6	6 4	7 4	...	1	6 2	...	11	
12	29 29	8 30	8 2	8 13	8 17	8 19	8 18	7 20	7 22	7 20	7 26	6 26	12	
13	7 32	7 31	7 30	7 30	6 29	7 25	7 24	7 26	7 25	7 28	7 25	6 22	13	
14	9 10	9 12	9 13	9 11	8 14	8 16	9 15	9 14	8 11	8 11	8 14	7 10	14	
15	6 33	7 26	7 27	7 31	7 31	7 25	7 23	7 21	6 23	7 23	7 23	7 26	15	
16	8 19	8 17	7 17	7 16	7 11	8 9	9 9	9 11	9 13	9 15	9 14	9 7	16	
17	9 15	8 14	8 15	8 17	8 13	7 23	7 23	7 28	7 27	7 34	7 28	7 17	17	
18	7 28	8 29	8 26	8 25	7 20	7 21	7 17	7 19	7 16	7 19	7 25	7 25	18	
19	32 5	2 6	2 10	1 4	1 7	2 5	2 2	3 4	3 3	5 3	3 3	2 7	19	
20	23 8	22 9	23 11	24 9	25 4	23 7	23 7	27 3	3 1	3 4	3 4	3 4	20	
21	9 9	8 15	8 12	8 12	8 11	9 12	8 13	7 10	6 9	6 11	5 11	6 10	21	
22	9 18	9 18	9 15	9 15	9 17	9 12	9 4	4	...	2	9 15	8 10	22	
23	9 17	8 16	8 18	8 18	9 19	9 16	9 13	10 10	10 9	7	10 10	9 9	23	
24	9 20	9 19	9 18	9 20	9 17	10 16	10 11	10 10	7 10	7 10	4 10	4 8	24	
25	9 20	9 16	9 20	10 17	10 10	10 12	10 12	9 9	9 9	9 9	9 9	9 9	25	
26	9 18	9 18	9 17	9 19	10 10	15	9 13	10 11	9 11	10 9	9 8	10 10	26	
27	7 10	8 4	9 7	10	6	8 4	9 4	27	
28	27 7	26 6	24 6	22 5	20 3	19 3	20 5	...	1 25	3 28	3 30	3 31	5	28
29	10 17	9 19	9 18	9 21	9 19	8 15	8 18	7 13	6 6	12	7 14	8 12	29	
30	9 20	10 22	9 21	10 17	9 19	10 11	9 11	9 12	9 11	10 9	10 10	9 9	30	
31	9 29	9 26	10 21	9 21	9 20	8 16	8 18	8 18	8 17	9 21	8 29	8 21	31	

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS,
in the MONTH of MARCH, 1923.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	a-cu	W	a-cu	W	st-cu	E	st-cu	W	ci-cu	WSW	a-cu	W	ci-cu	W	a-cu	WSW
2	a-cu	W	a-en	WSW	a-cu	ESE	a-cu	W	eu	ESE	en	ESE
3	cu	E	eu	E	ou	E	
4	eu	E	eu	E	eu	E	eu	E
5	eu	E	eu	E	en	E	nb	E	
6	eu	E	nb	E	eu-nb	E	eu-nb	E	st-cu	ESE	st-cu	ESE	eu-nb	ESE	eu	E
7	st	E	eu-nb	E	nb	E	nb	ESE	nb	SE	eu	NW	eu	ESE	eu	ESE
8	nb	E	nb	E	eu	ESE	eu	E	st-cu	E	eu	E	st-cu	E	st	E
9	nb	E	nb	E	nb	E	nb	E	eu-nb	E	eu	E	eu	E	eu	E
10	st-cu	E	st-cu	E	eu	E	eu	SE	st-cu	E	eu	SE	eu	SE	ou	SE
11	eu	SE	eu	SE	st-cu	ESE	nb	E	eu	S	en	S	eu	SSE
12	eu	SSE	eu	SSE	ou	S	st	SE	a-cu	WNW	a-cu	W	nb	E	nb	E
13	nb	E	eu-nb	E	eu-nb	E	nb	E	ub	E	nb	E	st-cu	E	nb	E
14	nb	E	ub	E	eu-nb	E	eu	E	eu	E	st-cu	E	st-cu	ESE	nb	E
15	eu-nb	E	ub	E	nb	E	eu	E	eu-nb	E	eu-nb	E	eu	ESE	nb	ESE
16	nb	ESE	nb	ESE	ea	SW	eu	SE	eu	SE	nb	SSE	eu-nb	ESE	eu-nb	ESE
17	eu-nb	ESE	eu	E	eu	ESE	ou	ESE	eu	SE	eu	SE	eu	ESE	nb	E
18	nb	E	nb	E	eu	ESE	en	SW	st-cu	E	st-cu	E	st-cu	E	st-cu	E
19	eu	ESE	eu	ESE	st-cu	E	nb	N	nb	ENE	nb	ENE	eu-nb	ENE	st-cu	ENE
20	st	ENE	st-cu	ENE	st-cu	WNW	a-cu	WSW	a-cu	W	ci-st	w	eu	WNW	eu	WNW
21	eu	W	st-cu	ENE	st-cu	NE	eu	NNE	en	NNW	eu	NNE
22
23	eu	ENE
24	eu	E
25	eu	E	eu	ESE	eu	ESE	eu	SE	eu	SSE	st-cu	SE	eu	ESE	ou	ESE
26	eu	ESE	ou	ESE	eu	SE	eu	E	eu	SE	eu	ESE	a-cu	W	eu	ESE
27	eu	ESE	eu	ESE	eu	ESE	eu	SE	en	SE	a-cu	W	ou	ESE	a-cu	WNW
28	a-cu	NW	a-cu	SE	eu	NW	eu	NNE	...
29	a-cu	SE	eu	E	eu	E	eu	E	eu	E
30	ou	ESE	eu	ESE	eu	E	eu	E	eu	E
31	eu	E	eu	E	eu	E	eu	E	eu	SE	eu	ESE	eu	ESE

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MARCH, 1923.
(British Units.)

Days of the Month.	Mean Barometric Pressure.	Temperature.				Mean Vapour Tension (Saturation 100).	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine.		Rainfall.		Wind			
		Of the Air			Mean.				Daily Duration.	Percentage of possible amount.	Amount.	Duration.	Components.		Resistant.	Observed Velocity.
		Highest.	Lowest.	Range.	Mean.								North.	East.		
Ins.	o	o	o	o	o	Ins.	88	%	h.	%	Ins.	h.	m.p.h.	m.p.h.	m.p.h.	m.p.h.
1	30.149	62.6	55.0	7.6	58.3	52.6	0.323	65	60	57	49	+ 0.6	+ 19.6	88 19.6 19.7
2	30.091	68.4	57.7	10.7	63.7	57.0	0.386	67	30	8.0	68	- 4.6	+ 12.1	111 13.0 13.0
3	30.042	74.5	60.8	13.7	66.8	62.9	0.522	79	27	10.7	91	- 1.1	+ 8.5	104 8.8 9.0
4	30.024	68.3	58.4	9.9	62.2	58.6	0.446	79	35	9.0	77	+ 0.9	+ 15.6	87 15.6 15.9
5	29.984	71.0	58.9	12.1	64.4	61.3	0.502	83	31	10.3	88	- 0.8	+ 11.5	94 11.5 11.8
6	30.001	66.3	59.5	6.8	62.9	59.1	0.453	79	98	0.9	8	+ 1.5	+ 21.1	86 21.1 21.3
7	29.975	72.2	62.5	9.7	66.3	63.4	0.546	85	92	2.5	21	...	2	- 3.5	+ 15.0	103 15.4 15.2
8	29.980	74.9	64.1	10.8	68.7	66.4	0.627	91	85	0.7	6	0.010	4	- 3.0	+ 8.5	110 9.0 9.1
9	30.000	67.3	61.9	5.4	63.9	62.0	0.532	90	96	1.8	15	0.020	6	+ 1.5	+ 22.5	86 22.5 22.8
10	29.984	68.5	60.9	7.6	64.8	61.9	0.516	84	95	2.9	24	- 0.3	+ 18.9	91 18.9 19.0
11	29.991	73.8	64.8	9.0	68.0	66.3	0.625	91	60	4.3	36	...	2	- 2.2	+ 10.4	102 10.6 10.7
12	29.965	74.2	62.3	11.9	66.8	65.3	0.606	92	62	8.0	67	...	5	+ 2.8	+ 5.9	64 6.5 9.1
13	29.980	61.8	58.1	3.7	59.9	57.8	0.452	87	100	0.005	7	+ 7.4	+ 27.7	75 28.8 28.9
14	29.959	70.4	58.3	12.1	63.4	60.7	0.496	85	94	2.6	22	0.005	3	- 0.6	+ 10.7	93 10.7 11.0
15	29.976	64.2	61.5	2.7	62.9	60.1	0.484	84	100	0.010	4	+ 5.8	+ 24.5	77 25.2 25.2
16	29.867	66.0	60.9	5.1	64.0	61.9	0.528	88	96	0.5	4	0.405	2	- 0.4	+ 17.1	91 17.1 17.1
17	29.884	72.1	61.4	10.7	67.3	63.6	0.540	81	95	0.4	3	0.095	2	+ 1.0	+ 13.5	86 13.5 13.7
18	29.993	64.3	60.0	4.3	62.1	58.8	0.453	82	100	2.8	23	0.075	3	+ 3.2	+ 26.8	79 27.4 27.4
19	30.087	64.5	60.6	3.9	62.6	58.4	0.435	77	100	0.035	4	+ 4.1	+ 6.1	56 7.4 8.8
20	30.155	68.3	56.4	11.9	61.0	53.5	0.311	57	79	5.5	45	+ 3.3	- 0.8	346 3.4 6.5
21	30.117	68.2	57.6	10.6	61.3	54.9	0.349	64	48	7.2	60	+ 2.0	+ 7.3	75 7.6 8.6
22	30.099	70.0	57.9	12.1	63.7	55.2	0.324	55	1	11.4	94	- 0.3	+ 11.7	91 11.7 12.1
23	30.068	69.2	61.0	8.2	64.6	58.2	0.402	66	3	11.2	93	+ 0.1	+ 18.9	90 18.9 19.2
24	30.004	70.0	61.9	8.1	65.5	60.8	0.472	75	1	11.3	93	- 0.5	+ 15.4	92 15.4 15.6
25	29.950	71.7	63.9	7.8	67.5	63.0	0.517	77	39	10.4	85	- 2.4	+ 13.7	100 13.9 13.6
26	29.869	73.5	66.2	7.3	69.1	65.3	0.574	81	64	9.4	77	- 2.4	+ 11.7	102 12.0 12.0
27	29.813	74.7	66.9	7.8	69.9	67.1	0.628	86	71	1.9	16	- 0.8	+ 6.0	98 6.1 6.1
28	29.793	82.2	65.6	6.6	72.2	65.8	0.550	69	18	10.1	83	...	1	+ 0.1	- 1.9	27.3 1.9 3.0
29	29.816	81.4	67.2	4.2	72.0	67.3	0.607	77	42	9.6	78	- 0.3	+ 7.9	92 7.9 8.9
30	29.903	73.8	67.2	6.6	69.5	65.4	0.573	79	22	11.3	92	- 0.1	+ 14.0	90 14.0 14.8
31	29.983	71.8	65.7	6.1	68.6	63.8	0.529	75	56	8.2	67	+ 19.1	90 19.1 19.5	
Means	29.984	70.3	61.5	8.8	65.2	61.2	0.494	78	61	Sum.	Sum.	Sum.	Sum.	+ 0.4	+ 13.5	88 13.5 14.5
Normals	29.942	67.0	59.6	7.4	62.9	59.9	0.485	83	83	87.5	24	2.787	7	+ 1.4	+ 13.3	84 13.4 13.5
Absolute Max.	30.227	82.2	... 13.7	...	71.2	0.699	11.4	94	0.405	7	39.0†
Day.	20	28	...	3	...	29	8	...	72	22	16	13	18.6†
Absolute Min.	29.739	...	55.0	2.7	...	49.4	0.226	32
Day.	28	...	1	15	...	1	22	22	1

Phenomena :—

Lunar corona :—on the 1st, 4th, 8th and 29th.

Thick fog :—on the 12th.

Fog :—on the 8th and 29th.

Slight fog :—on the 8th, 9th, 17th and 28th.

Lightning :—on the 28th.

Rain fell on 7 days. The mean hourly intensity was 0.015^{in.}, and the maximum fall in one hour was 0.335^{in.} at 17^h on the 16th.The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 55 miles per hour at 4^h 27^m on the 18th.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of MARCH, 1923.
(C. G. S. Units:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure	Temperature.						Mean Vapour Tension,	Rainfall.		Wind.				Observed Velocity,		
		Of the Air.			Components.		Resultant.										
		Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Amount.		Duration.	North.	East.	Direction.	Velocity.	Velocity.			
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.			
1	1023.1	290.0	285.8	4.2	287.6	284.4	10.9	+ 0.2	+ 6.4	88	6.4	6.5			
2	1021.1	293.2	287.3	5.9	290.3	286.9	13.0	- 1.5	+ 4.0	111	4.5	4.3			
3	1019.4	296.6	289.0	7.6	292.3	290.2	17.6	- 0.7	+ 2.8	104	2.9	3.0			
4	1018.8	293.2	287.7	5.5	289.8	287.8	15.0	+ 0.3	+ 5.1	87	5.1	5.2			
5	1017.4	294.7	287.9	6.8	291.0	289.3	16.9	- 0.3	+ 3.8	94	3.8	3.9			
6	1018.0	292.1	288.3	3.8	290.2	288.1	15.3	+ 0.5	+ 6.9	86	6.9	7.0			
7	1017.1	295.3	289.9	5.4	292.1	290.4	18.4	...	2	- 1.1	+ 4.9	103	5.0	5.0			
8	1017.2	296.8	290.8	6.0	293.1	292.1	21.2	0.3	4	- 1.0	+ 2.8	110	3.0	3.0			
9	1018.0	292.6	289.6	3.0	290.7	289.7	17.9	0.5	6	+ 0.5	+ 7.4	86	7.4	7.5			
10	1017.4	293.3	289.1	4.2	291.2	289.6	17.4	- 0.1	+ 6.2	91	6.2	6.2			
11	1017.6	296.2	291.2	5.0	293.0	292.1	21.1	...	2	- 0.7	+ 3.4	102	3.5	3.5			
12	1016.7	296.4	289.8	6.6	292.3	291.5	20.5	...	5	+ 0.9	+ 1.9	64	2.1	3.0			
13	1017.3	289.6	287.5	2.1	288.5	287.3	15.2	0.1	7	+ 2.4	+ 9.1	73	9.4	9.5			
14	1016.6	294.3	287.6	6.7	290.4	288.9	16.7	0.1	3	- 0.2	+ 3.5	93	3.5	3.6			
15	1017.1	290.9	289.4	1.5	290.2	288.6	16.3	0.3	4	+ 1.9	+ 8.0	72	8.3	8.3			
16	1013.5	291.9	289.1	2.8	290.8	289.6	17.8	10.3	2	- 0.1	+ 5.6	91	5.6	5.6			
17	1014.0	295.3	289.3	6.0	292.6	290.6	18.2	2.4	2	+ 0.3	+ 4.4	86	4.4	4.5			
18	1017.8	290.9	288.6	2.3	289.7	287.9	15.3	1.9	3	+ 1.7	+ 8.8	79	9.0	9.0			
19	1020.9	291.1	288.9	2.2	290.0	287.7	14.7	0.9	4	+ 1.3	+ 2.0	56	2.4	2.9			
20	1023.2	293.2	286.6	6.6	289.1	284.9	10.5	+ 1.1	- 0.3	346	1.1	2.1			
21	1021.9	293.1	287.2	5.9	289.3	285.7	11.7	+ 0.7	+ 2.4	75	2.5	2.8			
22	1021.3	294.1	287.4	6.7	290.6	285.9	10.9	- 0.1	+ 3.8	91	3.8	4.0			
23	1020.3	293.7	289.1	4.6	291.1	287.6	13.5	+ 6.2	90	6.2	6.3			
24	1018.1	294.1	289.6	4.5	291.6	289.0	15.9	- 0.2	+ 5.0	92	5.0	5.1			
25	1016.2	293.1	290.7	4.4	292.7	290.2	17.4	- 0.8	+ 4.5	100	4.6	4.5			
26	1013.5	296.1	292.0	4.1	293.6	291.5	19.4	- 0.8	+ 3.8	102	3.9	3.9			
27	1011.6	296.7	292.4	4.3	294.1	292.5	21.2	- 0.3	+ 2.0	98	2.0	2.0			
28	1011.0	300.9	294.7	9.2	295.3	291.8	18.6	...	1	...	- 0.6	273	0.6	1.0			
29	1011.7	300.4	292.6	7.8	295.2	292.6	20.5	- 0.1	+ 2.6	92	2.6	2.9			
30	1014.6	296.2	292.6	3.6	293.8	291.6	19.3	+ 4.6	90	4.6	4.9			
31	1017.3	295.1	291.7	3.4	293.3	290.7	17.8	+ 6.3	90	6.3	6.4			
Means.	1017.4	294.3	289.4	4.9	291.4	289.2	16.7	16.8	45	+ 0.1	+ 4.4	88	4.4	4.8			
Normals.	1016.0	292.4	288.3	4.1	290.2	288.5	16.4	10.8	74	+ 0.5	+ 4.4	84	4.4	5.1			
Absolute Maximum.	1025.7	300.9	...	9.2	294.8	23.6	10.3	7	12.8†			
Day.	20	28	...	28	...	29	8	16	13	18.6 ^b		
Absolute Minimum.	1009.0	...	285.8	1.5	282.7	7.6			
Day.	28	...	1	15	...	1	22			

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES OF METEOROLOGICAL ELEMENTS in the Month of March, 1923.
(British Units.)

Hours, Hongkong Standard Time.	Barometric Pressure,	Temperature.			Mean Vapour Tension	Degree of Humidity.	Rainfall, Percentage of Total			Wind.		
		Of the Air.	Of Evaporation	Mean Amount of Cloud (0-100)			Amount.	Duration	Components.	Resultant.	Direction.	Velocity.
1	29.993	63.1	60.6	50.2	85	60	%	7	m.p.h.	m.p.h.	81	12.3
2	29.983	62.7	60.1	49.1	84	61	%	8	+ 1.9	+ 12.1	83	12.0
3	29.971	62.5	59.9	48.8	84	66	%	6	+ 1.5	+ 11.9	83	12.8
4	29.966	62.4	59.7	48.3	84	65	%	5	+ 1.6	+ 12.7	83	13.1
5	29.969	62.4	59.6	48.0	83	65	%	3	+ 1.1	+ 12.9	85	13.0
6	29.981	62.6	59.6	47.7	82	73	3	+	+ 1.4	+ 13.2	84	13.3
7	29.997	62.7	59.7	47.9	82	66	28	3	+ 1.5	+ 13.2	84	13.3
8	30.016	63.8	60.3	48.3	79	65	44	6	+ 1.2	+ 13.8	85	13.9
9	30.033	65.1	60.8	48.2	76	64	46	7	+ 0.8	+ 14.5	87	14.5
10	30.041	66.3	61.4	48.5	73	65	52	4	+ 0.3	+ 15.6	89	15.6
11	30.035	67.6	61.9	48.4	70	60	62	1	+ 0.7	+ 14.6	87	14.6
Noon.	30.015	68.6	62.3	48.4	67	55	59	2	- 0.3	+ 14.7	91	14.7
13	29.989	69.0	62.5	48.5	66	55	58	3	- 0.9	+ 15.2	94	15.2
14	29.962	69.0	62.6	48.6	67	53	58	5	- 1.5	+ 15.0	96	15.1
15	29.941	68.7	62.5	48.9	68	52	61	2	- 1.0	+ 14.8	94	14.8
16	29.934	68.0	62.3	49.2	70	48	62	...	- 1.0	+ 15.0	94	15.0
17	29.935	67.4	62.1	49.4	72	50	44	51	- 0.7	+ 14.5	93	14.5
18	29.944	66.3	61.9	50.1	76	55	55	11	- 1.0	+ 13.4	94	13.4
19	29.955	65.5	61.8	51.0	79	51	...	2	- 0.8	+ 12.4	94	12.4
20	29.970	65.1	61.8	51.4	81	64	...	3	- 0.2	+ 12.2	91	12.2
21	29.988	64.9	61.8	51.7	82	67	13	4	+ 0.4	+ 11.6	88	11.6
22	29.997	64.5	61.7	51.9	84	63	2	7	+ 0.5	+ 12.9	88	12.9
23	30.000	64.2	61.6	52.0	85	65	...	6	+ 1.0	+ 13.2	86	13.2
Midn.	29.998	63.8	61.3	51.6	85	65	...	7	+ 1.5	+ 12.2	83	12.3

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the Month of March, 1923.
(C. G. S. Units:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure,	Temperature.			Mean Vapour Tension	North.	East.	Direction.*	Wind.	
		Of the Air.	Of Evaporation	Components.					Velocity.	Observed Velocity.
1	1017.7	290.3	288.0	16.9	16.9	+ 0.6	+ 4.0	81	4.0	4.2
2	1017.4	290.1	288.6	16.5	16.5	+ 0.5	+ 3.9	83	3.9	4.1
3	1017.0	289.9	288.5	16.4	16.4	+ 0.5	+ 4.2	83	4.2	4.3
4	1016.8	289.9	288.4	16.3	16.3	+ 0.4	+ 4.2	85	4.3	4.4
5	1016.9	289.9	288.3	16.2	16.2	+ 0.5	+ 4.3	84	4.3	4.5
6	1017.3	290.0	288.3	16.1	16.1	+ 0.5	+ 4.3	84	4.4	4.6
7	1017.9	290.1	288.4	16.1	16.1	+ 0.5	+ 4.3	84	4.4	4.6
8	1018.5	290.7	288.7	16.3	16.3	+ 0.4	+ 4.5	85	4.6	4.8
9	1019.1	291.4	289.0	16.2	16.2	+ 0.3	+ 4.8	87	4.8	5.0
10	1019.3	292.1	289.3	16.3	16.3	+ 0.1	+ 5.1	89	5.1	5.5
11	1019.1	292.8	289.6	16.3	16.3	+ 0.2	+ 4.8	87	4.8	5.1
Noon.	1018.4	293.3	289.8	16.3	16.3	- 0.1	+ 4.8	91	4.8	5.4
13	1017.5	293.6	289.9	16.3	16.3	+ 0.3	+ 5.0	94	5.0	5.6
14	1016.6	293.6	290.0	16.4	16.4	- 0.5	+ 4.9	96	5.0	5.4
15	1015.9	293.4	289.9	16.5	16.5	- 0.3	+ 4.9	94	4.9	5.4
16	1015.7	293.0	289.8	16.6	16.6	- 0.3	+ 4.9	94	4.9	5.4
17	1015.7	292.7	289.7	16.7	16.7	- 0.2	+ 4.8	93	4.8	5.0
18	1016.1	292.1	289.6	16.9	16.9	- 0.3	+ 4.4	94	4.4	4.7
19	1016.4	291.6	289.6	17.2	17.2	- 0.3	+ 4.1	94	4.1	4.4
20	1016.9	291.4	289.6	17.3	17.3	- 0.1	+ 4.0	91	4.0	4.1
21	1017.5	291.3	289.6	17.4	17.4	+ 0.1	+ 3.8	88	3.8	4.0
22	1017.9	291.1	289.5	17.5	17.5	+ 0.2	+ 4.3	88	4.2	4.5
23	1018.0	290.9	289.4	17.5	17.5	+ 0.3	+ 4.3	86	4.3	4.5
Midn.	1017.9	290.7	289.3	17.4	17.4	+ 0.5	+ 4.0	81	4.0	4.2

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

MARCH,

1923.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	28TH FEBRUARY, 1923.							1ST MARCH, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE, ATMOS.	HUMIDT.	WIND.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE, ATMOS.	HUMIDT.	WIND.		
	Inches.	Millrs.	Direction.	Force.				Inches.	Millrs.	Direction.	Force.					
Vladivostock, .	12	6		
Neuuro, .	11	29.86	758.5	NW	6		
Hokodate, .	"	29.67	753.5	NNW	6		
Tokio, .	"	29.92	760.0	NNW	6		
Kochi, .	"	30.18	766.5	WSW	1		
Nagasaki, .	"	30.31	770.0	NW	4		
Kagoshima, .	"	30.30	769.5	NW	3		
Oshima, .	"	30.28	769.0	NNW	4		
Naha, .	"		
Ishigakijima, .	"		
Bonin Island, .	"	29.98	761.5	W	3		
Weihaiwei, .	14	30.25	768.3	32	90	ESE	1	0	...	30.35	770.9	28	65	SSW	2	b
Hankow, .	15
Ichang, .	"
Changsha, .	"
Shanghai, .	11	30.43	772.8	48	54	S	2	b	...	30.32	770.1	34	89	SSE	2	b
Gutzlaff, .	"	30.37	771.4	44	100	S	2	b	...	30.34	770.6	40	100	S	4	b
Sharp Peak, .	15	30.24	768.1	56	75	NE	2	b	7	30.27	768.8	77	91	W	2	b
Amoy, .	14	30.24	768.1	58	76	ENE	1	b	6	30.26	768.6	50	88	WSW	4	b
Swatow, .	"	30.17	766.3	55	87	ENE	2	c
Taihoku, .	12	30.33	770.4	59	58	ENE	6	o	...	30.26	768.6	55	90	ENE	2	o
Taichu, .	"	30.24	768.0	59	0	o	...	30.24	768.0	52	...	NW	1	b
Tainan, .	"	30.24	768.8	61	...	N	2	b	...	30.20	767.1	54	...	NNE	4	o
Koshun, .	"	30.20	767.1	64	...	NE	7	o	...	30.21	767.4	63	...	NNE	6	bf
Pescadores, .	"	30.27	768.9	59	...	N	7	b	...	30.25	768.3	54	...	NNE	4	b
Canton, .	15	30.22	757.6	62	56	W	1	b	...	30.25	768.3	53	80	...	0	o
Hongkong, .	14	30.25	768.3	56	51	E	5	c	...	30.23	767.8	56	62	E	4	o
Gap Rock, .	"	30.22	767.6	NE	5	o	...	30.21	767.3	NE	4	o
Macao, .	"	30.22	767.6	55	55	NE	4	o	...	30.22	767.7	55	77	ENE	2	o
Wuchow, .	15	9
Pakhoi, .	"
Hoilow, .	"
Phulien, .	"	30.19	766.8	64	45	...	0	o	7	30.19	766.8	57	72	NE	4	of
Tourane, .	"	30.10	764.4	64	...	NNW	4	o	...	30.13	765.3	61	...	NW	4	o
Cape St. James, .	"	29.88	759.0	79	...	ENE	7	b	...	29.94	760.5	75	...	ENE	6	b
Aparri, .	14	30.06	763.5	75	67	NE	4	o	6	30.14	765.6	68	87	NE	4	r
Dagupan, .	"
Manila, .	"	29.94	760.5	84	71	ENE	4	o	...	30.02	762.6	68	88	N	1	o
Legaspi, .	"	29.92	759.9	84	58	N	4	b	...	30.00	762.0	73	89	NNE	4	o
Tacloban, .	"	29.91	759.6	79	76	ESE	1	o	...	29.97	761.1	72	94	NW	1	o
Iloilo, .	"	29.87	758.7	82	63	NE	4	o	...	29.92	759.9	75	92	N	4	o
Surigao, .	"	29.88	759.0	82	57	ENE	4	b	...	29.92	759.9	79	80	NE	1	b
Guam, .	12.20	29.73	755.1	SE	2	o	4.20	29.84	757.8	SE	1	o
Yap, .	12.47	4.47
Labuan, .	14	29.83	757.7	84	79	N	2	b	6	29.88	758.9	76	98	NW	4	b

March 1d. 12h. 35m.—Pressure has decreased moderately at Shanghai and slightly from Amoy to Haiphong. It has increased slightly at Guam and over Luzon.

The anticyclone has weakened and moved eastward.

The Guam depression appears to have filled up.

The monsoon is interrupted to the north of Amoy and has moderated over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.52 inches, against an average of 3.17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND. DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- } N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	1ST MARCH, 1923.							2ND MARCH, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.		
	Inches.	Millrs.	Direct- ion.	Force.					Inches.	Millrs.						
Wladivostock, .	12	30.09	764.3	28	SE	4	0	6	30.19	766.8	19	NW	4	o
Nemuro,	11	29.90	759.5	NW	3	...	5
Hokodate,	"	29.96	761.0	W	1	...	"
Tokio,	"	30.14	765.5	W	2	...	"
Kochi,	"	30.30	769.5	SE	1	...	"
Nagasaki,	"	30.33	770.5	SE	3	...	"
Kagoshima,	"	30.35	771.0	ENE	2	...	"
Oshima,	"	30.37	771.5	NNE	2	...	"
Naba,	"	30.37	771.5	E	3	...	"
Ishigakijima,	"	30.33	770.5	SE	1	...	"
Bonin Island,	"	30.24	768.0	WNW	1	...	"
Weihaiwei,	14	30.25	768.3	40	65	N	1	b	...	30.09	764.3	36	S	4	b	
Hankow,	15
Ichang,	"
Changsha,	"
Shanghai,	11	30.43	772.8	57	41	SSW	1	b
Gutzlaff,	"	30.32	770.1	52	93	S	2	b
Sharp Peak,	15	30.20	767.1	60	76	E	1	o	7	30.20	767.1	54	89	SW	2	o
Amoy,	14	30.19	766.8	60	82	SSW	1	b	6	30.17	766.3	54	94	SSE	1	o
Swatow,	"	30.10	764.5	57	100	ENE	2	b	"	30.12	765.0	55	100	ENE	1	o
Taihoku,	12	30.27	768.9	68	64	E	2	o	...	30.20	767.1	52	95	...	o	b
Taichu,	"	30.26	768.6	66	...	NW	2	b	...	30.21	767.4	54	o	b
Tainan,	"	30.26	768.6	72	...	NW	2	b	...	30.19	766.8	52	...	NE	4	r
Koshun,	"	30.25	768.3	72	...	NE	6	30.18	766.5	64	...	ENE	2	b
Pescadores,	"	30.30	769.5	61	...	N	4	b	...	30.20	767.1	57	...	N	4	..
Canton,	15	30.18	766.6	61	66	SW	1	o
Hongkong,	14	30.19	765.8	62	54	ESE	3	c	...	30.16	766.0	60	56	E	2	o
Gap Rock,	"	30.17	766.3	ENE	4	c	...	30.13	765.3	ENE	4	c
Macao,	"	30.17	766.2	63	61	ESE	2	o	...	30.14	765.6	57	89	NNW	2	o
Wuchow,	15	9
Pakhoi,	"
Hoihow,	"
Phulien,	"	30.14	765.6	63	80	ESE	1	o	7	30.13	765.3	59	96	NW	2	rf
Tourane,	"	30.08	764.1	64	...	NW	4	o	...	30.08	764.1	64	o	b
Cape St. James, .	"	29.92	759.9	79	...	ENE	7	o	...	29.98	761.4	72	...	ENE	4	4
Aparri,	14	30.12	765.0	75	53	NE	4	o	6	30.11	764.7	66	88	NE	2	o
Dagupan,	"
Manila,	"	29.98	761.4	82	51	E	4	o	...	30.05	763.2	72	78	NNE	1	o
Legaspi,	"
Tacloban,	"	29.95	760.8	77	76	ENE	4	o
Ililo,	"	29.93	760.2	73	85	N	4	o
Surigao,	"	29.92	759.9	77	86	ENE	4	o	...	29.97	761.1	79	69	NE	2	o
Guam,	12.20	29.85	758.1	E	2	o	4.20
Yap,	12.47	4.47
Labuan,	14	29.84	757.9	84	79	NW	6	b	6	29.85	758.2	78	91	N	6	b

March 2d. 11h. 03m.—Pressure has decreased considerably at Weihaiwei and slightly from Foochow to Haiphong. It has increased slightly at Manila.

The anticyclone is probably central over mid-Japan.

Moderate monsoon may be expected over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.52 inches, against an average of 3.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD. DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, moderate; fair.

T. F. CLAXTON Director.

**ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.**

STATION.	2ND MARCH, 1923.							3RD MARCH, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		THINP. ATM.	HUMIDT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		THINP. ATM.	HUMIDT.	WIND.			
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	WEATHER.	
Vladivostock, .	12					5						
Nemuro,	11	29.94	760.5			WNW	1	5						
Hokodate,	"	30.28	769.0			NE	...	"						
Tokio,	"	30.24	768.0			SSE	3	"						
Kochi,	"	30.24	768.0			SE	2	"						
Nagasaki,	"	30.28	769.0			SSW	3	"						
Kagoshima,	"	30.30	769.5			E	1	"						
Oshima,	"	30.30	769.5			SE	4	"						
Naha,	"		"						
Ishigakijima,	"		"						
Bonin Island,	"	30.33	770.5			NNE	1	"						
Weihaiwei,	14	30.17	766.3	36	70	N	6	b	"	30.39	771.9	28	76	NNW	2	b
Hankow,	15		"						
Ichang,	"		"						
Changsha,	"		"						
Shanghai,	11	30.17	766.2	61	69	SW	2	o	"	30.38	771.6	39	80	NNE	2	o
Gutzlaff,	"	30.12	765.0	54	100	W	2	o	"	30.37	771.4	38	100	NNE	4	o
Sharp Peak,	15	30.11	764.8	67	74	S	1	b	7	30.14	765.5	56	87	...	1	b
Amoy,	14	30.16	766.0	66	79	SSE	1	o	6	30.12	765.0	58	94	SSE	1	o
Swatow,	"		"	30.06	763.5	59	100	ENE	1	c	
Taihoku,	12	30.22	767.7	72	47	E	2	b	"	30.17	766.2	59	96	...	0	o
Taichu,	"	30.22	767.7	70	0	o	"	30.17	766.2	55	0	b
Tainan,	"	30.21	767.4	75	...	NW	7	b	"	30.13	765.3	55	...	NE	2	b
Koshun,	"	30.20	767.1	70	4	b	"	30.13	765.3	64	...	N	4	b
Pescadores,	"	30.24	768.0	68	...	N	4	b	"	30.14	765.6	63	...	N	4	b
Canton,	15	30.13	765.3	70	61	NW	1	o	"	30.13	765.3	57	94	...	0	o
Hongkong,	14	30.12	765.0	68	57	E	3	b	"	30.12	765.0	62	89	...	0	o
Gap Rock,	"	30.13	765.3	ENE	4	b	"	30.12	765.0	NE	3	b
Macao,	"	30.12	765.0	70	65	SE	2	o	"	61	93	...	2	o
Wuchow,	15		9	
Pakhoi,	"		"	
Hoihow,	"		"	
Phulien,	"	30.07	763.8	72	65	S	1	o	7	30.08	764.1	63	98	E	2	of
Tourane,	"	30.04	762.9	70	...	NNW	2	o	"	30.04	762.9	64	...	NW	2	b
Cape St. James,	"	29.93	760.2	79	...	ENE	6	b	"	29.92	759.9	73	...	ENE	4	b
Aparri,	14	30.04	762.9	81	62	NE	4	b	6	
Dagupan,	"		"	29.95	760.8	64	86	NNE	2	b	
Manila,	"	29.97	761.1	82	53	ESE	2	o	"	29.92	759.9	75	83	NNE	4	o
Legaspi,	"	29.98	761.4	84	49	NNE	4	b	"	29.89	759.3	73	62	NE	2	o
Tacloban,	"	29.95	760.8	84	64	ENE	4	o	"	
Ililo,	"	29.91	759.6	82	63	NE	6	b	"	
Surigao,	"		"	
Guam,	12.20	29.84	757.8	NE	4	o	4.20	29.85	758.1	ENE	1	o
Yap,	12.47		"	4.47	
Labuan,	14	29.86	758.4	84	79	N	4	b	6	29.81	757.2	78	91	N	2	b

March 3d. 11h. 33m.—Pressure has increased considerably over N.E. China. It has decreased slightly in Southern districts.

An anticyclone has formed over N. China.

The monsoon will freshen along the E. coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.52 inches, against an average of 3.29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

DISTRICT.

FORECAST.

- | | |
|--|---------------------------------------|
| 1.—Formoss Channel, | N.E. winds, freshening considerably. |
| 2.—South coast of China between Hongkong and Lamocks, | N.E. winds, moderate to fresh. |
| 3.—Hongkong to Gap Rock,..... | |
| 4.—South coast of China between Hongkong and Hainan, . | N.E. winds, moderate; fine to cloudy. |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	3RD MARCH, 1923.							4TH MARCH, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.
	Hongkong Time.	Inches.	Millrs.	Direct- ion.	Force.				Hongkong Time.	Inches.	Millrs.	Direct- ion.	Force.			
Wladivostock, .	12				6	
Nemuro, .	11	29.69	754.0		NE	4	5	29.73	755.0	SW	1	
Hokodate, .	"	29.76	756.0		NW	6	"	29.82	757.5	W	1	
Tokio, .	"	29.61	752.0		WSW	1	"	30.02	762.5	NNW	6	
Kochi, .	"	29.94	760.5		W	2	"	30.18	766.5	SW	1	
Nagasaki, .	"	30.16	766.0		NNW	5	"	30.12	765.0	
Kagoshima, .	"	30.20	767.0		NW	3	"	30.20	767.0	NW	1	
Oshima, .	"	30.16	766.0		N	3	"	30.16	766.0	NW	1	
Naba, .	"	30.18	766.5		N	3	"	
Ishigakijima, .	"	30.18	766.5		NW	2	"	
Bonin Island, .	"	30.12	765.0		S	2	"	30.02	762.5	NW	2	
Weihaiwei, .	14	30.35	770.9	36	80	NW	1	b	"	30.19	766.8	32	79	ESE	1	b
Hankow, .	15	"	
Iehang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	30.44	773.3	46	62	NE	2	b	"	30.25	768.3	39	93	ESE	2	o
Gutzlaff, .	"	30.41	772.4	"	30.34	770.6	40	100	SE	4	o
Sharp Peak, .	15	30.17	766.3	52	79	N	2	o	"	30.03	762.7	52	86	N	2	of
Amoy, .	14	30.08	764.0	69	80	ENE	2	b	6	30.12	765.0	56	94	NE	1	b
Swatow, .	"	30.02	762.5	60	100	ESE	2	c	"	
Taihoku, .	12	30.19	766.8	73	62	ENE	4	b	"	30.13	765.3	61	89	E	4	b
Taichu, .	"	30.14	765.6	73	...	NNW	"	30.11	764.7	59	0	o
Tainan, .	"	30.13	765.3	77	...	N	4	b	"	30.10	764.4	59	...	N	4	b
Koshun, .	"	30.14	765.6	75	...	ENE	1	b	"	30.07	763.8	68	...	N	2	b
Pescadores, .	"	30.17	766.2	72	...	NNW	4	b	"	30.12	765.0	59	...	N	6	o
Canton, .	15	30.05	763.2	79	58	NW	1	b	"	
Hongkong, .	14	30.06	763.5	74	61	E	2	b	"	30.10	764.5	59	87	E	4	o
Gap Rock, .	"	30.06	763.5	ENE	3	b	"	30.07	763.8	NE	3	cm
Macao, .	"	30.06	763.5	72	78	SE	2	b	"	30.05	763.2	61	89	ESE	2	o
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phailien, .	"	30.01	762.3	75	67	...	o	of	7	30.06	763.5	63	98	ENE	4	of
Tourane, .	"	29.99	761.7	72	...	NE	2	b	"	30.01	762.3	66	0	b
Cape St. James, .	"	29.88	759.0	79	...	ENE	6	b	"	29.89	759.3	73	...	ENE	6	b
Aparri, .	14	29.99	761.7	79	58	NE	4	o	6	30.01	762.3	70	91	...	0	o
Dagupan, .	"	"	
Manila, .	"	29.88	759.0	82	60	W	2	o	"	29.89	759.3	70	87	NW	1	o
Legaspi, .	"	29.86	758.4	81	69	NNE	4	o	"	
Tacloban, .	"	29.85	758.1	73	94	NW	2	r	"	
Illoilo, .	"	29.82	757.5	75	79	N	4	o	"	
Surigao, .	"	29.80	756.9	77	94	SSE	4	r	"	29.78	756.3	75	96	...	0	b
Guam, .	12.20	29.81	757.2	NE	4	o	4.20	29.82	757.5	E	1	o
Yap, .	12.47	4.47	
Labuan, .	14	29.85	758.2	86	76	N	2	b	6	29.82	757.4	78	94	N	4	b

March 4d. 12h. 35m.—Pressure has decreased moderately from Weihaiwei to Shanghai and slightly at the majority of other reporting stations.

The anticyclone has weakened. It now appears to be central near Shanghai.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.52 inches, against an average of 3.35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, N.E. winds, moderate; fine .
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

4TH MARCH, 1923.

STATION.	HONGKONG						HONGKONG									
	STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.				
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	WEATHER.	
Vladivostock, .	12	29.87	758.8	26	...	NNE	4	o	6	29.96	761.1	11	...	NW	2	b
Nemuro, .	11	29.55	750.5	W	3	...	5	29.61	752.0	SW	1	...
Hokodate, .	"	29.70	754.5	WSW	6	...	"	29.67	753.5	WNW	6	...
Tokio, .	"	29.98	761.5	WSW	1	...	"	29.80	757.0	WNW	1	...
Kochi, .	"	30.10	764.5	SE	1	...	"	30.00	762.0	SW	1	...
Nagasaki, .	"	30.18	766.5	SE	6	...	"	30.08	764.0	W	1	...
Kagoshima, .	"	30.14	765.5	NW	1	...	"	30.06	763.5	NW	1	...
Oshima, .	"	30.14	765.5	NNE	1	...	"	30.04	763.0	SSE	1	...
Naha, .	"	"	30.02	762.5	S	1	...
Ishigakijima, .	"	"	30.04	763.0	SW	2	...
Bonin Island, .	"	30.02	763.5	NW	3	...	"	30.00	762.0	W	1	...
Weihaiwei, .	14	30.06	763.5	44	68	NNW	2	b	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.22	767.7	46	72	SE	2	o	"	30.22	767.7	41	97	ENE	1	b
Gutzlaff, .	"	30.16	766.0	44	100	SE	4	o	"	30.25	768.3	42	100	NNW	2	o
Sharp Peak, .	15	30.04	763.0	68	90	...	0	b	7	30.10	764.5	36	88	N	1	o
Amoy, .	14	6	30.06	763.5	58	94	...	0	o
Swatow, .	"	"
Taihoku, .	12	30.06	763.5	79	61	NE	4	b	"	30.10	764.4	59	93	...	0	o
Taichu, .	"	30.10	764.4	70	0	b	"	30.06	763.5	55	0	b
Tainan, .	"	30.10	764.4	72	...	NW	1	o	"	30.02	762.6	61	...	NNE	2	of
Koshun, .	"	30.07	763.8	79	...	E	4	b	"	30.02	762.6	61	0	b
Pescadores, .	"	30.14	765.6	63	...	NNW	4	o	"	30.06	763.5	61	...	E	1	r
Canton, .	15	"
Hongkong, .	14	30.06	763.5	67	69	ESE	"	30.03	762.7	61	94	E	3	b
Gap Rock, .	"	30.06	763.5	NE	3	om	"	30.03	762.7	ENE	3	of
Macao, .	"	30.06	763.5	70	69	...	4	om	"	29.98	761.4	61	100	...	0	...
Wuchow, .	15	"
Pakhoi, .	"	"
Hoibow, .	"	"
Phulien, .	"	30.00	762.0	77	64	SSE	2	o	7	30.01	762.3	63	100	ESE	2	of
Tourane, .	"	29.98	761.4	73	...	NNE	2	b	"	29.98	761.4	66	0	o
Cape St. James, .	"	29.88	759.0	82	...	ENE	4	b	"	29.88	759.0	72	...	ENE	4	o
Aparri, .	14	29.91	759.6	79	69	NE	4	o	6	29.94	760.5	68	94	...	0	o
Dagupan, .	"	"
Manila, .	"	29.81	757.2	86	56	NNE	4	o	"	29.87	758.7	72	94	NNW	1	r
Legaspi, .	"	29.79	756.6	79	89	NNE	4	o	"	29.87	758.7	77	96	NNE	10	rf
Tacloban, .	"	29.78	756.3	75	91	ENE	4	r	"	29.80	756.9	75	96	NW	10	r
Iloilo, .	"	29.73	755.1	84	74	NE	4	o	"	29.78	756.3	75	91	N	2	o
Surigao, .	"	29.74	755.4	81	80	NE	1	o	"	29.79	756.6	73	94	ESE	1	r
Alam, .	12.20	29.80	756.9	ENE	2	o	4.20	29.81	757.2	NE	1	o
Iap, .	12.47	4.47
abuan, .	14	29.79	756.6	86	76	N	2	b	6	29.82	757.4	75	98	N	2	b

March 5d. 12h. zom.—Pressure has decreased slightly to moderately at the majority of reporting stations.

The anticyclone appears to be stationary.

A depression is shown to the north of Hokkaido.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.52 inches, against an average of 3.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH. DISTRICT.

- 1.—Formosa Channel, .
 2.—South coast of China between Hongkong and Lanocks, .
 3.—Hongkong to Gap Rock, .
 4.—South coast of China between Hongkong and Hainan, .
- N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	5TH MARCH, 1923.							6TH MARCH, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	HUMIDIT.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	
	Inches.	Mills.	Dir.	Force.					Inches.	Mills.	Dir.	Force.				
Wladivostock, .	12	29.91	759.7	25	...	NNE	+	o	6	30.25	768.3	12	b	
Nemuro,	11	29.57	751.0	WNW	1	...	5	29.73	755.0	...	WSW	2	..	
Hokodate,	"	29.69	754.0	NW	6	...	"	29.86	758.5	...	N	5	..	
Tokio,	"	29.70	754.5	E	1	...	"	29.98	761.5	...	N	3	..	
Kochi,	"	30.02	762.5	SW	1	...	"	30.12	765.0	...	WNW	1	..	
Nagasaki,	"	30.10	764.5	NW	5	...	"	30.24	768.0	...	NW	1	..	
Kagoshima,	"	30.06	763.5	WNW	3	...	"	30.22	767.5	...	NW	1	..	
Oshima,	"	30.08	764.0	N	1	...	"	30.18	766.5	...	NNW	3	..	
Naba,	"	30.08	764.0	N	4	...	"	
Ishigakijima,	"	30.10	764.5	NNE	3	...	"	
Bonin Island,	"	29.98	761.5	E	6	...	"	30.02	762.5	...	WNW	2	..	
Weihaiwei,	14	30.06	763.5	44	68	NNW	2	b	"	30.37	771.4	30	67	NNW	1	b
Hankow,	15	"	
Ichang,	"	"	
Changsha,	"	"	
Shanghai,	11	30.28	769.2	55	66	NW	1	b	"	30.31	769.8	41	97	E	1	b
Gutzlaff,	"	30.24	768.1	50	100	SW	2	b	"	30.34	770.6	42	100	ESE	2	b
Sharp Peak,	15	30.12	765.0	58	76	NE	2	o	7	30.17	766.3	54	80	NNW	1	b
Amoy,	14	30.04	763.0	65	84	ENE	2	b	6	30.12	765.0	58	90	o	o	..
Swatow,	"	"	
Taihoku,	12	30.14	765.6	73	75	ESE	4	b	"	30.15	765.9	63	86	E	4	o
Taichu,	"	30.07	763.8	72	o	b	"	30.07	763.8	59	o	..
Tainan,	"	30.08	764.1	73	...	N	4	b	"	30.07	763.8	61	...	ENE	4	b
Koshun,	"	30.06	763.5	79	...	ENE	4	b	"	30.07	763.8	68	...	NE	4	r
Pescadores,	"	30.13	765.3	68	...	NNE	4	o	"	30.12	765.0	63	...	N	6	o
Canton,	15	"	
Hongkong,	14	30.01	762.2	71	64	ESE	2	b	"	30.07	763.8	60	88	E	3	o
Gap Rock,	"	30.01	762.2	NE	3	b	"	30.03	762.7	ENE	4	o
Macao,	"	30.00	762.0	73	71	...	2	b	"	29.99	761.7	61	89	E	2	o
Wuchow,	15	"	
Pakhoi,	"	"	
Hoihow,	"	"	
Phulien,	"	29.99	761.7	72	84	SSE	4	o	7	
Tourane,	"	29.93	760.2	73	...	NNE	2	b	"	
Cape St. James, .	"	29.84	757.8	84	...	E	2	o	"	
Aparri,	14	29.91	759.6	81	73	NE	4	o	6	29.99	761.7	73	88	NE	4	o
Dagupan,	"	"	
Manila,	"	29.85	758.1	81	80	NNW	2	o	"	29.88	759.0	72	96	...	o	..
Legaspi,	"	29.82	757.5	75	96	NNE	1	o	"	29.88	759.0	61	85	NNE	4	o
Tacloban,	"	29.78	756.3	82	81	NE	1	o	"	
Iloilo,	"	29.75	755.7	75	92	N	4	o	"	29.81	757.2	75	96	N	4	o
Surigao,	"	29.74	755.4	82	84	ENE	2	o	"	
Guam,	12.20	29.82	757.5	NE	2	o	4.20	
Yap,	12.47	4.47	
Labuan,	14	29.80	756.9	84	79	E	2	b	6	29.76	755.9	74	94	N	2	b

March 6d. 10h. 58m.—Pressure has increased slightly to moderately at the majority of reporting stations, except from Borneo to Cochin-China where it has decreased slightly.

A new anticyclone has formed over N. China and S.E. Mongolia.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.52 inches, against an average of 3.47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.
 DISTRICT. FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks,
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; overcast, some rain.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

6TH MARCH, 1923.

STATION.	HONGKONG						HONGKONG						HONGKONG						HONGKONG					
	STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPERATURE.		HUMIDITY.		WIND.		WEATHER.		STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPERATURE.		HUMIDITY.		WIND.		WEATHER.	
	H.	Inches.	Millrs.	°F.	°C.	%	Humid.	Dir.	Force.	Wind.	Weather.		H.	Inches.	Millrs.	°F.	°C.	%	Humid.	Dir.	Force.	Wind.	Weather.	
Vladivostock, .	12	NW	6	S	
Nemuro, .	11	29.76	756.0	N	6	5	30.20	767.0	WNW	1	
Hokodate, .	"	29.94	760.5	W	6	"	30.30	769.5	NNE	3	
Tokio, .	"	30.02	762.5	NNW	3	"	30.41	772.5	W	1	
Kochi, .	"	30.18	766.5	NNW	2	"	30.39	772.0	ESE	2	
Nagasaki, .	"	30.31	770.0	N	2	"	30.32	770.0	E	2	
Kagoshima, .	"	30.24	768.0	N	3	"	30.32	770.0	SE	1	
Oshima, .	"	30.24	768.0	"	30.28	769.0	ESE	1	
Naha, .	"	"	30.20	767.0	SSE	4	
Ishigakijima, .	"	"	30.10	764.5	N	1	
Bonin Island, .	"	30.06	763.5	NW	2	"	30.14	765.5	
Weihaiwei, .	14	30.30	769.6	44	53	SSE	1	b	"	30.21	767.3	36	80	ESE	1	b		
Hankow, .	15	"		
Ihang, .	"	"		
Changsha, .	"	"		
Shanghai, .	11	30.28	769.2	55	66	ESE	...	b	"	30.04	762.9	48	97	SSE	4	r		
Gutzlaff, .	"	30.26	768.6	44	100	SE	4	o	"	30.06	763.5	47	100	SSE	6	r		
Sharp Peak, .	15	30.15	765.8	60	82	...	0	o	"	30.05	763.2	58	93	...	0	o		
Amoy, .	14	30.05	763.2	50	79	ENE	2	o	"	30.05	763.2	60	94	SSE	2	o		
Swatow, .	"	"		
Taihoku, .	12	30.12	765.0	73	66	E	6	b	"	30.04	762.9	64	94	...	0	o		
Taichu, .	"	30.08	764.1	72	0	b	"	30.05	763.2	63	0	r		
Tainan, .	"	30.08	764.1	77	...	NNW	4	b	"	30.05	763.2	72	...	ENE	2	o		
Koskun, .	"	30.10	764.4	73	...	ENE	6	o	"	30.05	763.2	68	...	E	2	r		
Pescadores, .	"	30.13	765.3	64	...	N	6	o	"	30.06	763.5	64	...	NNE	2	o		
Canton, .	15	"		
Hongkong, .	14	30.04	763.0	66	68	E	4	o	"	30.04	763.0	65	83	E	2	o		
Gap Rock, .	"	30.03	762.7	NE	5	om	"	30.03	762.7	NNE	5	o		
Macao, .	"	29.98	761.4	66	76	ESE	2	o	"	30.02	762.6	64	90	N	2	of		
Wuchow, .	15	"		
Pakhoi, .	"	"		
Hoishow, .	"	"		
Philien, .	"	29.97	761.1	77	61	SSE	2	o	"	30.02	762.6	63	100	ESE	1	of		
Lourane, .	"	29.92	759.9	73	...	NE	2	o	"	29.95	760.8	66	0	b		
Cape St. James, .	"	29.84	757.8	82	...	ENE	4	o	"	29.86	758.4	73	...	NE	2	o		
Aparri, .	14	29.97	761.1	77	79	NE	4	o	"	30.00	762.0	72	92	NE	2	b		
Jagupan, .	"	"		
Vanilla, .	"	29.85	758.1	86	68	SE	4	o	"	29.93	760.2	75	94	...	0	o		
Legaspi, .	"	"		
Lucloban, .	"	"		
Iloilo, .	"	"	29.81	757.2	77	91	N	4	o		
Surigao, .	"	"		
Hainan, .	12.20	29.84	757.8	E	4	o	"	29.88	759.0	NE	4	o		
Iap, .	12.47	"	4.47		
Abuan, .	14	29.74	755.4	86	72	N	2	b	"	29.80	756.9	77	94	E	2	b		

March 7d. 11h. 23m.—Pressure has decreased considerably over the lower Yangtze Valley and moderately at Weihaiwei. It has decreased slightly from Formosa to Kwangtung; it is nearly stationary over Indo-China, and has increased slightly over the Philippines and considerably over Japan.

The anticyclone is central over the Sea of Japan.

The monsoon is interrupted to the north of Swatow and has moderated over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.52 inches, against an average of 3.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH. DISTRICT.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamock,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan,
- N.E. or variable winds, overcast; drizzle or mist.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	7TH MARCH, 1923.							8TH MARCH, 1923.							
	HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDITY.	WIND.		
		Inches.	Millrs.			Direct- ion.	Force.		Millrs.	Direct- ion.			Force.	WEATHER.	
Vladivostock, .	12	W	...	6	
Nemuro, .	11	30.18	766.5	W	3	5	30.37	771.5	SW	
Hokodate, .	"	30.31	770.0	SSE	2	5	30.37	771.5	NW	
Tokio, .	"	30.41	772.5	SE	1	...	30.36	771.0	N	
Kochi, .	"	30.37	771.5	SE	6	...	30.22	767.5	W	
Nagasaki, .	"	30.26	768.5	SE	1	...	30.06	763.5	SSW	
Kagoshima, .	"	30.26	768.5	ENE	1	...	30.08	764.0	
Oshima, .	"	30.18	766.5	SE	3	...	30.08	764.0	SSE	
Naha, .	"	
Ishigakijima, .	"	
Bonin Island, .	"	30.30	769.5	NNE	1	...	30.32	770.0	E	
Weibaiwei, .	14	30.13	765.3	40	82	E	1	r	"	
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	30.04	762.9	54	97	SSW	2	r	30.21	767.3	45	88	
Gutzlaff, .	"	29.97	761.2	54	100	WNW	4	b	30.21	767.3	44	100	...	NNW	
Sharp Peak, .	15	30.02	762.5	56	94	NW	1	rf	29.92	759.9	54	96	...	E	
Amoy, .	14	30.03	762.7	60	94	WSW	1	o	30.06	763.5	62	94	...	o	
Swatow, .	"	"	
Taihoku, .	12	30.11	764.7	68	92	...	o	o	30.05	763.2	66	96	...	o	
Taichu, .	"	30.10	764.4	68	o	o	30.06	763.5	64	o	
Tainan, .	"	30.08	764.1	70	...	NNE	4	o	30.02	762.6	66	ENE	
Koshun, .	"	30.06	763.5	73	...	ENE	4	o	30.02	762.6	72	E	
Pescadores, .	"	30.08	764.1	72	...	NNE	4	o	30.05	763.2	68	N	
Canton, .	15	"	
Hongkong, .	14	30.01	762.2	71	78	E	2	o	30.02	762.5	66	95	
Gap Rock, .	"	30.01	762.2	NE	4	o	30.01	762.2	NE	
Macao, .	"	30.00	762.0	73	75	...	z	o	30.02	762.6	66	94	
Wuchow, .	15	"	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.98	761.4	77	64	SSE	2	o	7	30.00	762.0	61	100	...	o
Tourane, .	"	29.94	760.5	70	...	NNW	2	of	"	29.97	761.1	70	NW
Cape St. James, .	"	29.84	757.8	79	...	E	6	o	"	29.87	758.7	75	ENE
Aparri, .	14	29.92	759.9	84	60	NE	4	o	6	29.98	761.4	73	85	S	o
Lagupan, .	"	"	
Manila, .	"	29.88	759.0	90	51	ENE	4	o	"	29.95	760.8	70	94	...	o
Legaspi, .	"	29.88	759.0	84	71	NNE	4	b	"	29.93	760.2	77	85	NNE	b
Tacloban, .	"	"	29.88	759.0	73	96	NW	r
Itolo, .	"	29.81	757.2	82	77	NE	4	o	"	29.86	758.4	73	92	N	z
Surigao, .	"	"	29.85	758.1	75	96	...	o
Guam, .	12.20	29.86	758.4	NE	6	o	4.20	29.87	758.7	NE	o
Yap, .	12.47	4.47	
Labuan, .	14	29.80	756.9	84	79	N	2	b	6	29.86	758.4	90	92	WNW	b

March 8d. 11h. 53m.—Pressure has increased moderately over N.E. Japan and the lower Yangtze Valley and decreased considerably over S.W. Japan. It is nearly stationary in southern districts.

The anticyclone has passed into the Pacific. Another has formed over China.

The monsoon will set in again along the S.E. coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 0.53 inches, against an average of 3.60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, freshening.
- 2.—South coast of China between Hongkong and Lamocks, N.E. winds, moderate; overcast; some drizzle or mist.
- 3.—Hongkong to Gap Rock, N.E. winds, moderate; overcast; some drizzle or mist.
- 4.—South coast of China between Hongkong and Hainan, .

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

8TH MARCH, 1923.

9TH MARCH, 1923.

STATION.	HONGKONG STANDARD TIME.						BAROMETER AT SEA LEVEL.						HONGKONG STANDARD TIME.						BAROMETER AT SEA LEVEL.					
	Inches.	Millrs.	Temper. ature.	Humid.	Wind.	Direct. ion.	Force.	Weather.	Inches.	Millrs.	Temper. ature.	Humid.	Wind.	Direct. ion.	Force.	Weather.								
Wladivostock, .	12	29.98	761.6	32	...	SE	8	s	6	29.74	755.4	17	...	WNW	4	b								
Nemuro, .	11	30.33	770.5	S	2	...	5	30.00	762.0	SSE	7	...								
Hokodate, .	"	30.31	770.0	E	3	...	"	29.69	754.0	E	1	...								
Tokio, .	"	30.35	771.0	NNE	1	...	"	29.96	761.0	NW	1	...								
Kochi, .	"	30.12	765.0	WSW	1	...	"	29.96	761.0	W	2	...								
Nagasaki, .	"	30.10	764.5	SW	3	...	"	30.18	766.5	E	3	...								
Kagoshima, .	"	30.10	764.5	NW	2	...	"	30.14	765.5	NNW	1	...								
Oshima, .	"	30.14	765.5	N	1	...	"	30.12	765.0	NW	3	...								
Naba, .	"	"	30.14	765.5	N	4	...								
Ishigakijima, .	"	"	30.02	762.5	NE	4	...								
Bonin Island, .	"	30.30	769.5	ESE	2	...	"	30.24	768.0	N	1	...								
Weihaiwei, .	14	30.09	764.3	36	61	NW	8	b	"								
Hankow, .	15	"								
Ichang, .	"	"								
Changsha, .	"	"								
Shanghai, .	11	30.30	769.6	50	74	NW	2	o	"	30.41	772.4	37	83	NNE	1	b								
Gutzlaff, .	"	30.24	768.1	48	87	NNW	2	o	"	30.41	772.4	38	91	NNE	2	b								
Sharp Peak, .	15	30.09	764.3	56	87	ENE	2	o	"	30.28	769.1	50	92	N	4	o								
Amoy, .	14	30.03	762.7	65	95	SSW	2	b	6	30.16	766.0	58	90	NE	4	o								
Swatow, .	"	95	"								
Taihoku, .	12	30.13	765.3	70	77	W	2	o	"	30.18	766.5	61	89	ENE	6	o								
Taichu, .	"	30.10	764.4	77	...	N	4	b	"	30.08	764.1	64	0	o								
Tainan, .	"	30.08	764.1	79	...	NNE	4	b	"	30.06	763.5	66	...	N	4	o								
Koshun, .	"	30.07	763.8	73	...	N	2	r	"	30.05	763.2	72	...	NNE	4	b								
Pescadores, .	"	30.11	764.7	75	...	N	4	o	"	30.10	764.4	64	...	ENE	7	o								
Canton, .	15	"								
Hongkong, .	14	30.02	762.5	74	81	WNW	1	om	"	30.08	764.0	64	96	E	3	od								
Gap Rock, .	"	30.03	762.7	NNE	3	o	"	30.05	763.2	NE	5	of								
Macao, .	"	29.98	761.4	73	82	NE	2	o	"	30.04	762.9	66	98	ENE	8	bf								
Wuchow, .	15	"								
Pakhoi, .	"	"								
Hoihow, .	"	"								
Phulien, .	"	29.97	761.1	73	66	ESE	4	o	7	30.02	762.6	68	94	NE	4	of								
Tourane, .	"	29.92	759.9	77	...	SE	2	b	"	29.95	760.8	72	...	SE	4	of								
Cape St. James, .	"	29.85	758.1	79	...	ENE	6	b	"	29.88	759.0	75	...	ENE	6	o								
Aparri, .	14	29.92	759.9	84	71	NE	4	o	6	29.99	761.7	72	96	S	2	o								
Dagupan, .	"	"								
Manila, .	"	29.86	758.4	86	61	SW	4	b	"	29.94	760.5	70	91	...	0	o								
Legaspi, .	"	"	29.92	759.9	77	84	NNE	2	o								
Tacloban, .	"	29.86	758.4	75	85	NNW	2	r	"								
Illoilo, .	"	29.82	757.5	84	71	NE	4	o	"	29.85	758.1	75	92	SE	4	o								
Surigao, .	"	"	29.86	758.4	75	98	...	0	o								
Guam, .	12.20	29.82	757.5	NE	4	r	4.20	29.84	757.8	NE	4	o								
Yap, .	12.47	4.47								
Labuan, .	14	29.82	757.4	84	75	NW	2	b	6	29.81	757.2	75	98	E	2	b								

March 9d. 11h. 57m.—Pressure has decreased considerably over central and N.E. Japan, to Wladivostock. It has increased considerably at Shanghai and slightly from Formosa to Kwangtung. It is nearly stationary in southern districts.

The anticyclone over China has strengthened.

A depression is central over the Sea of Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 0.55 inches, against an average of 3.68 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH. DISTRICT.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, .
- 3.—Hongkong to Gap Rock, } N.E. winds, fresh; overcast, drizzle or mist.
- 4.—South coast of China between Hongkong and Hainan, .

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	9TH MARCH, 1923.							10TH MARCH, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direct ion.	Force.		Inches.	Millrs.			Direct ion.	Force.		
Wladivostock, .	12	6		
Nemuro,	11	29.72	755.0	SSE	8	5	29.96	761.0	SSW	2	...	
Hokodate,	"	29.74	755.5	SSW	7	"	30.06	763.5	WSW	4	...	
Tokio,	"	29.78	756.5	NNW	1	"	30.24	768.0	
Kochi,	"	30.02	762.5	SW	1	"	30.28	769.0	SW	1	...	
Nagasaki,	"	30.24	768.0	WNW	4	"	30.32	770.0	WNW	1	...	
Kagoshima,	"	30.18	765.5	NW	3	"	30.28	769.0	NW	1	...	
Oshima,	"	30.18	766.5	NNW	5	"	30.24	768.0	SE	1	...	
Naha,	"	30.20	767.0	N	3	"	
Ishigakijima,	"	SE	4	"	30.22	767.5	SSW	2	...	
Bonin Island,	"	30.18	766.5	"	
Weihaiwei,	14	"	
Hankow,	15	"	
Ichang,	"	"	
Changsha,	"	"	
Shanghai,	11	30.39	771.9	48	...	ESE	1	0	30.14	765.6	43	97	SE	4	r	
Gutzlaff,	"	30.31	769.9	44	92	ESE	4	b	30.17	766.3	42	100	SE	4	r	
Sharp Peak,	15	30.18	766.6	54	80	N	1	o	30.22	765.0	54	92	N	0	o	
Amoy,	14	30.08	764.0	64	78	ENE	4	o	30.07	763.8	60	90	...	0	o	
Swatow,	"	"	
Taihoku,	12	30.21	767.4	66	76	E	7	o	30.06	763.5	63	84	...	0	b	
Taichu,	"	30.08	764.1	72	...	N	2	b	30.07	763.8	63	0	o	
Taiman,	"	30.10	764.4	75	...	N	4	b	30.05	763.2	64	...	NNE	4	o	
Koshun,	"	30.06	763.5	75	...	NE	7	b	30.04	762.9	70	...	NNW	2	b	
Pescadores,	"	30.15	765.9	66	...	N	7	o	30.08	764.1	63	...	NNE	4	o	
Canton,	15	"	
Hongkong,	14	30.05	763.2	65	83	E	5	o	30.03	762.7	62	83	E	4	o	
Gap Rock,	"	30.01	762.2	ENE	4	o	30.00	762.0	ENE	5	o	
Macao,	"	30.02	762.6	63	90	ESE	2	o	30.00	762.0	63	94	ESE	2	o	
Wuchow,	15	"	
Pakhoi,	"	"	
Hoikow,	"	"	
Phulien,	"	29.94	760.5	75	79	SE	4	o	7	29.94	760.5	68	100	ESE	4	rf
Tourane,	"	29.88	759.0	77	...	SE	4	o	"	29.92	759.9	72	...	S	4	o
Cape St. James,	"	29.84	757.8	79	...	E	6	b	"	29.85	758.1	75	...	ENE	6	o
Aparri,	14	29.94	760.5	84	64	NE	4	b	6	29.99	761.7	70	94	...	o	b
Dagupan,	"	"	
Manila,	"	29.87	758.7	84	58	ESE	1	o	"	29.91	759.6	70	92	NE	1	...
Legaspi,	"	29.88	759.0	86	65	NNE	2	b	"	
Tacloban,	"	29.86	758.4	86	68	ENE	4	o	"	
Iloilo,	"	29.81	757.2	86	61	NE	6	b	"	
Surigao,	"	29.87	758.7	73	94	ENE	2	r	"	
Guam,	12.20	29.79	756.6	NE	6	o	4.20	29.85	758.1	E	2	r
Yap,	12.47	"	4.47	
Labuan,	14	29.79	756.6	84	79	N	4	b	6	29.81	757.2	77	94	N	2	b

March 10d. 11h. 53m.—Pressure has increased considerably over Japan and decreased considerably over the lower Yangtze Valley. It has decreased slightly from Amoy to Cape St. James and is nearly stationary over the Philippines.

The anticyclone has weakened and moved eastward. It is now central over S.W. Japan.

The monsoon will be interrupted along the S.E. coast of China and will moderate over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.55 inches, against an average of 3.76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH. DISTRICT.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamocks,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan,
- FORECAST.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	10TH MARCH, 1923.							11TH MARCH, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Mills.			Direction.	Force.		Inches.	Mills.			Direction.	Force.	
Vladivostock, .	12	6	
Nemuro,	11	30.02	762.5	SW	6	5	30.30	769.5	SW	1	
Hokkaido,	"	30.10	764.5	SW	3	"	30.38	771.5	W	1	
Tokio,	"	30.31	770.0	NNW	1	"	30.39	772.0	NW	1	
Kochi,	"	30.31	770.0	0	"	30.26	768.5	SW	1	
Nagasaki,	"	30.28	769.0	SE	2	"	30.00	762.0	S	9	
Kagoshima,	"	30.28	769.0	"	30.10	764.5	
Oshima,	"	30.24	768.0	N	1	"	30.14	765.5	SSE	1	
Naha,	"	30.20	767.0	E	1	"	
Ishigakijima,	"	SW	3	"	30.30	769.5	ESE	3	
Bonin Island,	"	30.24	768.0	"	
Weibaiwei,	14	"	
Hankow,	15	"	
Ichang,	"	"	
Changsha,	"	"	
Shanghai,	11	30.08	764.1	50	92	SE	4	"	30.11	764.7	46	87	NNW	4	
Gutzlaff,	"	29.99	761.7	50	100	SSE	6	"	30.13	765.3	44	100	NNW	4	
Sharp Peak,	15	30.04	763.0	70	75	E	1	7	30.03	762.7	56	93	...	0	
Amoy,	14	29.99	761.7	66	84	SSW	2	6	30.03	762.7	62	94	SSE	2	
Swatow,	"	"	
Taihoku,	12	30.06	763.5	79	61	...	0	b	"	30.08	764.1	63	98	...	0
Taichu,	"	30.08	764.1	72	0	b	"	30.08	764.1	63	0
Fainan,	"	30.08	764.1	75	...	NNW	2	b	"	30.06	763.5	63	...	ENE	2
Koshun,	"	30.08	764.1	79	...	ENE	4	b	"	30.11	764.7	70	...	E	2
Pescadores,	"	30.12	765.0	66	...	N	4	o	"	30.04	762.9	66	...	N	2
Canton,	15	"
Hongkong,	14	30.01	762.2	68	79	E	3	o	"	30.05	763.2	66	94	ESE	4
Gap Rock,	"	29.99	761.7	ENE	5	om	"	30.05	763.2	ENE	5
Macao,	"	29.98	761.4	72	75	SE	2	o	"	29.99	761.7	66	100	SSE	2
Wuchow,	15	"
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.92	759.9	73	89	SSE	6	of	7	29.99	761.7	72	91	ESE	4
Tourane,	"	29.87	758.7	79	...	ENE	2	b	"	29.97	761.1	72	...	SSE	2
Cape St. James,	"	29.81	757.2	79	...	ENE	6	b	"
Aparri,	14	29.92	759.9	84	60	NE	4	b	6
Dagupan,	"	"
Manila,	"	29.89	759.3	86	100	E	2	o	"	29.97	761.1	68	92	...	0
Legaspi,	"	29.92	759.9	86	65	NNE	4	o	"
Tacloban,	"	29.86	758.4	86	61	ENE	4	b	"
Ililo,	"	29.84	757.8	86	97	NE	6	o	"
Surigao,	"	29.85	758.1	84	74	ENE	4	b	"
Guam,	12.20	29.79	756.6	E	4	o	4.20	29.87	758.7	E	2
Yap,	12.47	4.47
Labuan,	14	29.77	756.1	86	78	N	2	b	6	29.81	757.2	78	94	N	2

March 11d. 12h. 23m.—Pressure has increased considerably over N.E. Japan and decreased considerably over S.W. Japan. It has increased slightly in southern districts.

The anticyclone has passed into the Pacific.

A depression lies over the Yellow Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.55 inches, against an average of 3.84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, moderate; fair.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	11TH MARCH, 1923.							12TH MARCH, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDIT.	WIND.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDIT.	WIND.		
	HONGKONG STANDARD TIME.	Inches.	Millrs.	HONGKONG STANDARD TIME.				Inches.	Millrs.							
Wladivostock, .	12	30.23	767.9	37	...	SW	2	0	6	30.06	763.4	24	...	N	4	s
Nemuro,	11	30.31	770.0	SSW	3	...	5
Hokodate,	"	30.31	770.0	NNE	1	...	"
Tokio,	"	30.31	770.0	NE	1	...	"
Kochi,	"	30.14	765.5	SW	1	...	"
Nagasaki,	"	30.04	763.0	SW	3	...	"
Kagoshima,	"	30.08	764.0	SSW	2	...	"
Oshima,	"	30.12	765.0	SE	3	...	"
Naha,	"	30.10	764.5	SSE	1	...	"
Ishigakijima,	"	"
Bonin Island,	"	30.28	769.0	ESE	2	...	"
Weihaiwei,	14	"
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.19	766.8	45	86	NNW	4	o	"	30.33	770.4	41	91	NNE	1	o
Gutzlaff,	"	30.10	764.5	42	100	NNW	4	o	"	30.33	770.4	40	91	N	2	o
Sharp Peak,	15	29.97	761.2	74	74	NE	2	bf	7	30.12	765.0	50	93	NE	2	r
Amoy,	14	6	30.06	763.5	60	94	ENE	1	o
Swatow,	"	"
Taihoku,	12	30.08	764.1	79	66	...	o	o	"	30.11	764.7	66	92	N	2	r
Taichu,	"	30.10	764.4	75	...	SW	2	b	"	30.05	763.2	66	...	N	2	o
Tainan,	"	30.10	764.4	81	...	NW	2	b	"	30.02	762.6	66	...	NE	2	b
Koshun,	"	30.11	764.7	79	...	NE	2	b	"	30.02	762.6	66	2	o
Pescadores,	"	30.11	764.7	77	...	NNW	2	b	"	30.05	763.2	68	...	NNE	4	o
Canton,	15	"
Hongkong,	14	30.03	762.7	72	83	E	3	...	"	30.02	762.5	64	100	...	0	of
Gap Rock,	"	30.03	762.7	ENE	4	om	"	30.02	762.5	NE	3	of
Macao,	"	30.02	762.6	77	76	...	o	o	"	30.00	762.0	66	100	...	0	of
Wuchow,	15	"
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.98	761.4	81	73	SSE	4	of	7	30.01	762.3	72	92	SE	4	of
Tourane,	"	29.92	759.9	79	...	SSE	4	b	"	29.97	761.1	72	...	E	2	o
Cape St. James,	"	29.88	759.0	79	...	ENE	6	b	"	29.93	760.2	75	...	ENE	4	b
Aparri,	14	29.95	760.8	86	61	NE	4	b	6
Dagupan,	"	"
Manila,	"	29.93	760.2	86	58	W	2	o	"	29.93	760.2	68	88	N	1	b
Legaspi,	"	"
Tacloban,	"	29.89	759.3	81	80	NW	2	r	"	29.88	759.0	75	94	NW	1	o
Iloilo,	"	29.87	758.7	82	81	N	4	o	"	29.87	758.7	75	86	N	4	o
Surigao,	"	29.87	758.7	79	89	N	1	r	"
Guam,	12.20	29.84	757.8	E	6	b	4.20
Yap,	12.47	4.47
Labuan,	14	29.81	757.2	86	76	NE	4	b	6	29.84	757.9	78	94	NW	4	b

March 12d. 11h. 25m.—Pressure has increased considerably at Shanghai and decreased considerably at Wladivostock. Changes are small at other reporting stations.

An anticyclone has formed over China.

The monsoon will freshen along the S.E. coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.55 inches, against an average of 3.94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, freshening.
- 2.—South coast of China between Hongkong and Lamock, } N.E. winds, moderate; fine to cloudy.
- 3.—Hongkong to Gap Rock, }
- 4.—South coast of China between Hongkong and Hainan, .. }

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

12TH MARCH, 1923.

STATION.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		WEATHER.
	Inches.	Millrs.	Direct. ion.	Force.			Direct. ion.	Force.		Inches.	Millrs.	Direct. ion.	Force.			Direct. ion.	Force.	
Wladivostock, .	12	30.09	764.3	24	...		N	7	c	6	30.30	769.5	10	...	NNW	3	b	
Nemuro,	11	29.82	757.5		NW	4	...	5	29.90	759.5	SE	3	...	
Hokodate,	"	29.90	759.5	0	...	"	29.82	757.5	SW	5	...	
Tokie,	"	29.92	760.0		S	1	...	"	29.96	761.0	NNW	1	...	
Koohi,	"	30.00	762.0		NW	1	...	"	30.12	763.0	SW	1	...	
Nagasaki,	"	30.12	765.0		NNW	3	...	"	30.24	768.0	0	...	
Kagoshima,	"	30.04	763.0		E	1	...	"	30.20	767.0	
Oshima,	"	30.06	763.5		NNW	3	...	"	30.16	766.0	NNW	4	...	
Naha,	"	"	
Ishigakijima,	"	"	
Bonin Island,	"	30.08	764.0		SE	3	...	"	30.02	762.5	SE	1	...	
Weihaiwei,	14	"	
Hankow,	15	"	
Ichang,	"	"	
Changsha,	"	"	
Shanghai,	11	30.44	773.1	43	81		NNE	2	0	"	30.49	774.4	36	89	NE	2	o	
Gutzlaff,	"	30.35	770.9	44	86		N	2	0	"	30.48	774.2	36	100	NNE	4	o	
Sharp Peak,	15	30.15	765.8	56	81		ENE	2	0	"	30.27	768.8	48	91	N	4	rf	
Amoy,	14	30.04	763.0	63	83		ENE	2	0	6	30.17	766.3	52	79	NE	2	r	
Swatow,	"	"	
Taihoku,	12	30.17	766.2	64	88		0	0	...	"	
Taichu,	"	30.07	763.8	73	...		N	4	b	"	
Tainan,	"	30.04	762.9	79	...		N	4	0	"	
Koshoen,	"	30.02	762.6	81	...		E	2	0	"	
Pescadores,	"	30.10	764.4	68	...		NNE	6	0	"	
Canton,	15	"	
Hongkong,	14	29.98	761.5	74	79		NW	1	c	"	30.04	763.0	60	78	E	5	o	
Gap Rock,	"	29.99	761.7		WSW	2	b	"	30.01	762.2	ENE	5	o	
Macao,	"	29.98	761.4	81	69		S	1	0	"	29.89	759.3	61	83	ESE	4	of	
Wuchow,	15	"	
Pakhoi,	"	"	
Hoihow,	"	"	
Phulien,	"	29.94	760.5	82	60		SSE	4	0	7	29.97	761.1	68	98	ESE	4	of	
Tourane,	"	29.91	759.6	79	...		SE	2	b	"	29.93	760.2	72	...	SSE	4	o	
Cape St. James,	"	29.87	758.7	81	...		E	6	b	"	29.91	759.6	75	...	ENE	6	b	
Aparri,	14	29.89	759.3	84	64		NE	4	b	6	29.95	760.8	73	94	...	o	b	
Dagupan,	"	"	
Manila,	"	29.86	758.4	86	61		W	2	b	"	29.93	760.2	68	91	NE	1	b	
Legaspi,	"	29.86	758.4	86	68		NNE	2	0	"	29.91	759.6	77	88	NNE	1	o	
Tacloban,	"	29.82	757.5	90	66		ENE	2	0	"	29.88	759.0	75	96	ESE	2	o	
Iloilo,	"	29.79	756.6	86	68		N	4	b	"	29.84	757.8	75	94	N	4	a	
Surigao,	"	29.81	757.2	86	71		ENE	4	b	"	29.85	758.1	73	96	...	o	b	
Guam,	12.20	29.78	756.3		NE	4	r	4.20	29.80	756.9	E	2	o	
Yap,	12.47	4.47	
Labuan,	14	29.80	756.9	88	76		NW	2	b	6	29.82	757.4	76	98	N	2	b	

March 13d. 11h. 31m.—Pressure has increased considerably at Wladivostock and moderately from S.W Japan to the lower Yangtze Valley. It has decreased moderately over the Bonins and slightly over Indo-China and at Guam. It is nearly stationary over Kwangtung and over the Philippines.

The anticyclones over China has strengthened.

Strong to fresh monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.55 inches, against an average of 40.4 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, N.E. winds, strong to fresh; overcast, misty, occasional drizzle.
- 3.—Hongkong to Gap Rock, N.E. winds, strong to fresh; overcast, misty, occasional drizzle.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	13TH MARCH, 1923.							14TH MARCH, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		
		Inches.	Millrs.			Direct- ion	Force.		Inches.	Millrs.			Force.		
Vladivostock, .	12	30.27	768.9	22	...	NNE	4	b	6	30.42	772.7	4	o
Nemuro,	11	29.84	758.0	SSE	5	...	5	29.88	759.0	SW	o
Hokodate,	"	29.92	760.0	WNW	3	...	"	30.18	766.5	WNW	6
Tokio,	"	29.98	761.5	N	4	...	"	30.34	770.5	NNW	4
Koehi,	"	30.16	766.0	NNW	2	...	"	30.32	770.0	WSW	2
Nagasaki,	"	30.28	769.0	NNW	4	...	"	30.28	769.0	NE	3
Kagoshima,	"	30.20	767.0	W	1	...	"	30.24	768.0	NE	1
Oshima,	"	30.20	767.0	NNW	1	...	"	30.14	765.5	E	0
Naha,	"	30.16	766.0	NNE	3	...	"	30.08	764.0	ESE	5
Ishigakijima,	"	"	30.00	762.0	N	2
Bonin Island,	"	29.96	761.0	SSW	2	...	"	30.10	764.5
Weihaiwei,	14	"
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.47	774.0	45	58	ENE	2	o	"	30.27	768.9	36	93	ENE	1
Gutzlaff,	"	30.38	771.6	42	100	NE	2	o	"	30.26	768.6	40	100	NE	4
Sharp Peak,	15	30.17	766.3	50	79	N	4	o	7	30.04	763.0	48	93	W	1
Amoy,	14	30.06	763.5	56	89	ENE	1	r	6	30.05	763.2	54	89	NW	1
Swatow,	"	"
Taihoku,	12	30.19	766.8	59	98	E	6	r	"	29.97	761.1	61	98	E	2
Taichu,	"	30.07	763.8	59	...	N	2	r	"	30.01	762.3	61	...	N	0
Tainan,	"	30.05	763.2	64	...	N	4	o	"	29.98	761.4	63	...	WSW	4
Koshun,	"	30.01	762.3	72	...	NE	8	o	"	29.95	760.8	66	b
Pescadores,	"	30.11	764.7	63	...	N	7	r	"	30.00	762.0	66	...	NNE	r
Canton,	15	"
Hongkong,	14	30.02	762.5	60	84	E	6	od	"	30.01	762.2	59	93	E	3
Gap Rock,	"	29.99	761.7	ENE	5	om	"	29.99	761.7	ENE	6
Macao,	"	29.99	761.7	63	88	E	2	o	"	29.99	761.7	59	93	ENE	0
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.92	759.9	73	91	SSE	4	of	7	29.95	760.8	66	92	ENE	4
Tourane,	"	29.86	758.4	77	...	SE	4	b	"	29.88	759.0	72	...	SSE	2
Cape St. James,	"	29.85	758.1	79	...	E	6	b	"	29.86	758.4	75	...	E	6
Aparri,	14	29.87	758.7	82	40	NE	4	b	6	29.89	759.3	73	96	...	b
Dagupan,	"	"
Manila,	"	29.84	757.8	90	55	SE	4	b	"	29.88	759.0	68	92	E	1
Legaspi,	"	29.84	757.8	86	68	ENE	4	o	"	29.88	759.0	75	86	NNE	2
Tacloban,	"	29.81	757.2	86	68	NE	4	o	"	29.87	758.7	75	92	NW	0
Illoilo,	"	"	29.82	757.5	75	91	N	4
Surigao,	"	29.81	757.2	81	84	N	2	o	"	29.85	758.1	72	96	SW	0
Guam,	12.20	29.75	755.7	NNE	2	o	4.20	29.80	756.9	NE	2
Yap,	12.47	4.47	0
Labuan,	14	29.80	756.9	86	76	NW	4	b	6	29.78	756.4	78	94	...	b

March 14d. 11h. 13m.—Pressure has increased considerably over central Japan and decreased considerably over the lower Yangtze Valley. It has decreased slightly in southern districts.

The anticyclone has weakened and moved eastward. It is now central over the Sea of Japan.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 0.56 inches, against an average of 4.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH. DISTRICT.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, moderate; fair

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

14TH MARCH, 1923.

STATION.	HONGKONG					14TH MARCH, 1923.					HONGKONG					15TH MARCH, 1923.				
	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	HONGKONG		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	HONGKONG		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	
	HONGKONG STANDARD TIME.	Inches.	Millrs.			STANDARD TIME.	Inches.	Millrs.	Direct ion.				STANDARD TIME.	Inches.	Millrs.	Direct ion.				
Wladivostock, .	12	30.38	771.7	28	...	ESE	4	o		6	30.37	771.4	27	...			o	f		
Nemuro,	11	30.04	763.0	NW	7	...		5	30.43	773.0	WSW	1		
Hokodate,	"	30.30	769.5	W	6	...		"	30.45	773.5		0	2	...		
Tokio,	"	30.39	772.0	N	2	...		"	30.47	774.0	N	2		
Kochi,	"	30.33	770.5	W	1	...		"	30.38	771.5	WSW	1	1	...		
Nagasaki,	"	30.31	770.0	ESE	2	...		"	30.34	770.5	E	1		
Kagoshima,	"	30.28	769.0	NE	2	...		"	30.32	770.0	NE	2		
Oshima,	"	30.14	765.5	0	...		"	30.14	765.5	SE	2		
Naha,	"		"		
Ishigakijima,	"	29.98	761.5	E	5	..		"		
Bonin Island,	"	30.10	764.5	NE	3	...		"	30.16	766.0	N	2		
Weihaiwei,	14		"		
Hankow,	15		"		
Ichang,	"		"		
Changsha,	"		"		
Shanghai,	11	30.31	769.8	43	97	E	1	r		"	30.31	769.8	45	97	ENE	1	o			
Gutzlaff,	"	30.22	767.6	44	100	NE	2	o		"	30.31	769.9	44	100	NNE	2	b			
Sharp Peak,	15	30.06	763.5	65	78	NE	1	b		"	30.14	765.5	52	92	o	0	b			
Amoy,	14	30.01	762.2	63	87	SSE	1	b		"	30.14	765.5	54	94	NE	1	b			
Swatow,	"		"		
Taihoku,	12	30.10	764.4	59	89	NW	6	o		"	30.12	765.0	57	96	o	r				
Taichu,	"	30.08	764.1	61	...	N	2	r		"	30.05	763.2	55	...	N	2	b			
Tainan,	"	30.06	763.5	63	...	NNE	4	o		"	30.01	762.3	57	...	SW	2	o			
Koshun,	"	29.99	761.7	73	...	NW	4	o		"	30.00	762.0	68	...	NE	2	o			
Pescadores,	"	30.08	764.1	63	...	N	6	o		"	30.07	763.8	63	...	NNE	6	of			
Canton,	15		"		
Hongkong,	14	29.99	761.7	68	75	E	2	o		"	30.03	762.7	62	91	E	5	cd			
Gap Rock,	"	30.00	762.0	ENE	4	o		"	30.00	762.0	ENE	4	o			
Macao,	"	29.95	760.8	70	74	ENE	2	o		"	29.97	761.1	64	88	ESE	2	o			
Wuchow,	15		"		
Pakhoi,	"		"		
Hoithow,	"		"		
Phulien,	"	29.91	759.6	73	79	SE	4	o		7	29.92	759.9	68	96	E	4	of			
Tourane,	"	29.86	758.4	77	...	SE	2	b		"	29.88	759.0	70	...	SSW	4	o			
Cape St. James, .	"	29.86	758.4	79	...	ENE	6	b		"	29.92	759.9	75	...	ENE	4	o			
Aparri,	14	29.84	757.8	82	70	NNE	4	b		6	29.94	760.5	75	83	NNE	4	o			
Dagupan,	"		"		
Manila,	"	29.84	757.8	90	57	SSE	4	b		"	29.92	759.9	72	92	E	1	b			
Legaspi,	"	29.86	758.4	86	71	NE	2	o		"		
Tacloban,	"	29.82	757.5	84	71	SE	4	o		"	29.88	759.0	73	94	NW	2	b			
Iloilo,	"	29.82	757.5	86	58	NE	4	o		"	29.87	758.7	72	96	N	2	o			
Sarigao,	"		"	29.86	758.4	73	96	SSW	1	o			
Guam,	12.20	29.74	755.4	E	4	o		4.20	29.78	756.3	NE	2	b			
Yap,	12.47		4.47		
Labuan,	14	29.79	756.6	88	73	N	2	b		6	29.85	758.2	77	94	E	2	b			

March 15d. 12h. 12m.—Pressure has increased considerably over N.E. Japan and slightly from the Philippines to Shanghai and S.W. Japan. It has decreased slightly over Tongking.

The anticyclone is moving into the Pacific. Another appears to have formed over China.

Strong to fresh monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 0.57 inches, against an average of 4.24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH. DISTRICT.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamock,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan, } N.E. winds, strong, moderating; overcast, occasional drizzle.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	15TH MARCH, 1923.							16TH MARCH, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Mills.			Direction.	Force.		Inches.	Mills.			Direction.	Force.		
Wladivostock, .	12	30.37	771.3	41	...	NE	3	b	6	30.39	771.8	32	...	ESE	4	o
Nemuro,	11	30.41	772.0	S	3	...	5
Hokodate,	"	30.43	773.0	W	1	...	"
Tokio,	"	30.45	773.5	NNW	1	...	"
Kochi,	"	30.35	771.0	ESE	1	...	"
Nagasaki,	"	"
Kagoshima,	"	30.33	770.5	NE	2	...	"
Oshima,	"	30.22	767.5	E	2	...	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	30.18	766.5	NE	3	...	"
Weihaiwei,	14	"
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.31	769.9	57	77	E	1	o	"	29.95	760.8	55	100	SE	4	o
Gutzlaff,	"	30.20	767.1	48	100	ESE	2	of	"	30.00	762.0	50	100	SSE	6	of
Sharp Peak,	15	30.09	764.3	68	70	E	2	b	7	30.00	762.0	58	88	W	1	o
Amoy,	14	30.06	763.5	65	78	SSE	1	b	6	30.00	762.0	60	90	NE	1	o
Swatow,	"	"
Taihoku,	12	30.15	765.9	68	83	SE	1	o	"	30.01	762.3	57	98	...	o	o
Taichu,	"	30.10	764.4	70	...	WNW	2	b	"	30.02	762.6	61	o	o
Tainan,	"	30.10	764.4	72	...	NNW	4	b	"	29.99	761.7	63	...	NNE	4	o
Koshun,	"	30.07	763.8	52	...	NE	4	b	"	29.98	761.4	68	...	N	4	b
Pescadores,	"	30.15	763.9	64	...	N	6	o	"	30.02	762.6	64	...	NNE	4	o
Canton,	15	"
Hongkong,	14	30.03	762.7	63	85	E	5	o	"	29.97	761.2	62	83	E	4	o
Gap Rock,	"	29.99	761.7	E	6	o	"	29.94	760.5	ENE	5	o
Macao,	"	29.95	760.8	64	86	E	4	o	"	29.95	760.8	64	90	SE	4	o
Wuchow,	15	9
Pakhoi,	"	"
Hoithow,	"	"
Phulien,	"	29.87	758.7	77	79	SSE	6	of	7	29.84	767.8	72	98	SSE	4	rf
Tourane,	"	29.85	758.1	77	...	SE	4	b	"	29.86	758.4	72	...	SSW	2	of
Cape St. James,	"	29.89	759.3	79	...	ENE	4	b	"	29.91	759.6	75	...	E	4	o
Aparri,	14	29.93	760.2	82	67	NE	4	b	6	29.92	759.9	72	94	...	o	o
Dagupan,	"	"
Manila,	"	29.86	758.4	90	55	SE	4	b	"	29.89	759.3	70	91	E	1	b
Legaspi,	"	29.87	758.7	86	56	NNE	4	o	"	29.88	759.0	75	83	NNE	2	b
Tacloban,	"	29.85	758.1	86	61	...	0	...	"
Illoilo,	"	29.85	758.1	84	68	NE	6	b	"
Surigao,	"	29.82	757.5	84	81	N	4	b	"
Guam,	12.20	29.74	755.4	NE	4	o	4.20	29.79	756.6	NE	1	b
Yap,	12.47	4.47
Labuan,	14	29.84	757.9	84	79	N	2	b	6	29.84	757.9	78	94	N	2	b

March 16d. 12h. 05m.—Pressure has decreased considerably at Shanghai, moderately at Foochow and slightly from Formosa to Tongking and over Luzon.

The anticyclone over China has broken up and has been replaced by depressions over the Yangtze Valley and Tongking.

The monsoon will be interrupted along the coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 0.57 inches, against an average of 4.35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH. DISTRICT.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamock,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan,
- FORECAST.
- S.E. or variable winds, moderate; overcast, rainy, foggy.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

16TH MARCH, 1923.

STATION.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDT.	WIND.		WEATHER.
	Inches.	Mills.	Direct. ion.	Force.			Direct. ion.	Force.		Inches.	Mills.	Direct. ion.	Force.			Direct. ion.	Force.	
Vladivostock, .	12	30.30	769.7	38	...		SE	6	b	6	29.69	754.2	36	...		ESE	9	r
Nemuro, .	11	30.37	771.5		SE	1	...	5
Hokodate, .	"	30.45	773.5		W	2	...	"
Tokio, .	"	30.51	775.0		ESE	1	...	"
Kochi, .	"	30.39	772.0		SE	2	...	"
Nagasaki, .	"	30.24	768.0		SE	5	...	"
Kagoshima, .	"	30.26	768.5		SE	3	...	"
Oshima, .	"	30.18	766.5		ESE	3	...	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	30.20	767.0		NE	2	...	"
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.87	758.7	61	89	SSE	4	o	...	30.20	767.1	45	92	WNW	2	o	o	
Gutzlaff, .	"	29.80	756.9	56	100	SSE	6	o	...	30.18	766.6	42	100	NNW	4	o	o	
Sharp Peak, .	15	29.87	758.7	65	78	...	0	o	7	30.03	762.7	56	93	NE	6	e	e	
Amoy, .	14	29.84	757.9	67	79	SE	2	o	6	
Swatow, .	"	"	
Taihoku, .	12	29.97	761.1	68	64	W	2	b	...	29.98	761.4	64	98	...	0	o	o	
Taichu, .	"	29.99	761.7	72	...	NW	2	b	...	29.95	760.8	64	0	o	o	
Tainan, .	"	29.95	760.8	79	...	WNW	2	b	...	29.88	759.0	66	...	NE	2	o	o	
Kushun, .	"	29.97	761.1	79	...	ENE	4	b	...	29.89	759.3	66	0	b	b	
Pescadores, .	"	29.94	760.5	73	...	NNE	2	b	...	29.94	760.5	68	...	NNW	7	r	r	
Canton, .	15	
Hongkong, .	14	29.90	759.4	65	89	E	2	o	...	29.92	759.9	66	84	...	0	o	o	
Gap Rock, .	"	29.87	758.7	E	3	o	...	29.91	759.7	NE	3	o	o	
Macao, .	"	29.87	758.7	66	94	SE	2	o	...	29.88	759.0	64	86	ENE	2	o	o	
Wuchow, .	15	9	
Pakhoi, .	"	
Hoihow, .	"	
Phulien, .	"	29.78	756.3	73	96	SSE	4	of	7	29.81	757.2	70	94	E	4	of	of	
Tourane, .	"	29.75	755.7	81	...	SSE	2	b	...	29.78	756.3	75	...	SSW	2	b	b	
Cape St. James, .	"	29.85	758.1	82	...	E	4	b	...	29.89	759.3	75	0	o	o	
Aparri, .	14	29.84	757.8	84	68	NE	4	b	6	29.86	758.4	75	88	...	0	o	o	
Lagupan, .	"	
Manila, .	"	29.81	757.2	86	58	W	4	b	...	29.87	758.7	72	88	...	0	o	o	
Legaspi, .	"	29.82	757.5	86	58	NNE	2	b	...	29.85	758.1	77	79	N	2	b	b	
Tacloban, .	"	29.79	756.6	86	61	...	0	o	...	29.84	757.8	72	96	...	0	o	o	
Uloilo, .	"	29.78	756.3	86	61	NE	6	b	...	29.84	757.8	72	91	N	2	o	o	
Srirgao, .	"	29.79	756.6	82	74	NNW	4	b	...	29.81	757.2	73	91	WSW	1	o	o	
Juan, .	12.20	29.72	754.8	NE	4	b	4.20	29.78	756.3	NNE	1	b	b	
Yap, .	12.47	4.47	
abuan, .	14	29.81	757.2	88	69	N	2	b	6	29.82	757.4	77	98	N	2	b	b	

March 17th. 11h. 55m.—Pressure has decreased very considerably at Vladivostock under the influence of a depression approaching from westward. It has increased considerably at Shanghai and decreased slightly in southern districts.

The depression over the lower Yangtze Valley has moved to Japan apparently.

The Tongking depression is farther south this morning.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.40 inch. Total since January 1st, 0.97 inches, against an average of 4.46 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH. DISTRICT.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamock,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan, N.E. winds, moderate; generally cloudy, some rain later.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	17TH MARCH, 1923.							18TH MARCH, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.			
		Inches.	Millrs.			Dirct. ion.	Force.		Inches.	Millrs.			Dirct. ion.	Force.		
Wladivostock, -	12	29.69	754.1	42	...	SSE	3	0	6	30.21	767.2	33	...	W	4	b
Nemuro,	11	30.49	774.5	SSE	3	...	5
Hokodate,	11	30.28	769.0	E	8	...	5
Tokio,	"	30.43	773.0	ESE	1	...	"
Kochi,	"	30.24	768.0	SE	3	...	"
Nagasaki,	"	30.02	762.5	SSE	7	...	"
Kagoshima,	"	30.08	764.0	SE	2	...	"
Oshima,	"	29.92	760.0	SE	3	...	"
Naha,	"	"
Ishigakijima,	"	E	2	...	"
Bonin Island,	"	30.26	768.5	"
Weihaiwei,	14	"
Henkow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.32	770.1	52	63	N	2	b	"	30.37	771.3	42	94	NNE	1	b b
Gutzlaff,	"	30.29	769.3	50	72	N	2	b	"	30.35	770.9	42	100	NNE	4	4
Sharp Peak,	15	30.07	763.8	58	88	ENE	2	o	7	30.14	765.5	50	86	NE	0	o o
Amoy,	14	29.95	760.7	66	84	ENE	2	b	6	30.11	764.8	56	81	E	1	o o
Swatow,	"	"
Taihoku,	12	30.06	763.5	66	85	E	4	o	"	30.11	764.7	59	93	E	4	o b
Taicha,	"	29.97	761.1	77	...	N	4	b	"	30.04	762.9	61	...	N	2	b b
Tainan,	"	29.94	760.5	82	...	N	4	b	"	29.99	761.7	61	...	NNE	4	b b
Koshun,	"	29.95	760.8	81	...	E	2	'o	"	29.99	761.7	68	...	NE	6	o
Pescadores,	"	30.04	762.9	73	...	N	4	o	"	30.05	763.2	70	...	NNE	7	o
Canton,	15	E	"
Hongkong,	14	29.92	759.9	72	62	E	4	o	"	30.02	762.5	60	79	E	6	o
Gap Rock,	"	29.92	759.9	68	88	ENE	3	o	"	29.97	761.2	63	86	ENE	6	o
Macao,	"	29.91	759.6	68	88	NE	2	o	"	29.97	761.1	63	86	ESE	4	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.78	756.3	79	76	SE	4	o	7
Tourane,	"	29.75	755.7	77	...	SE	4	b	"
Cape St. James,	"	29.84	757.8	86	...	S	2	o	"
Aparri,	14	29.82	757.5	84	68	N	4	b	6
Dagupan,	"	"
Manila,	"	29.82	757.5	86	61	W	2	'o	"	29.89	759.3	72	92	E	1	o
Legaspi,	"	29.81	757.2	86	61	N	2	r	"
Tacloban,	"	"
Iloilo,	"	29.78	756.3	86	58	NE	4	b	"
Surigao,	"	"
Guam,	12.20	29.74	755.4	NNE	4	b	4.20	29.79	756.6	NE	4	o
Yap,	12.47	4.47
Labuan,	14	29.80	756.9	86	76	E	2	b	6	29.81	757.2	78	91	N	2	b

March 18d. 11h. 58m.—Pressure has increased considerably at Wladivostock, moderately at Shanghai, and slightly at Hongkong. It is nearly stationary over the Philippines.

An anticyclone is central over N. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.17 inch. Total since January 1st, 114 inches, against an average of 4.58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.
 DISTRICT. FORECAST.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamocks,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan, N.E. winds, strong, moderating; generally overcast.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

18TH MARCH, 1923.

STATION.	BAROMETER AT SEA LEVEL.					WIND.		WEATHER.	19TH MARCH, 1923.							
	HONGKONG STANDARD TIME.	Inches.	Millrs.	TEMPERATURE.	HUMIDITY.	Direction.	Force.		HONGKONG STANDARD TIME.	Inches.	Millrs.	TEMPERATURE.	HUMIDITY.	WIND.	Direction.	Force.
Vladivostock, .	12	30.25	768.3	41	...	SW	4	b	6	30.47	773.8	28	...	ESE	2	b
Nemuro, .	11	29.96	761.0	SSW	4	..	5
Hokodate, .	"	30.14	765.5	WNW	6	..	"
Tokio, .	"	30.16	766.0	SW	5	..	"
Kochi, .	"	30.22	767.5	SW	1	..	"
Nagasaki, .	"	30.20	767.0	NE	2	..	"
Kagoshima, .	"	30.18	766.5	SE	1	..	"
Oshima, .	"	30.14	765.5	SE	2	..	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	30.30	769.5	ESE	1	..	"
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.36	771.0	50	95	ENE	2	o	"	30.34	770.7	43	88	N	1	r
Gutzlaff, .	"	30.32	770.1	50	100	NNE	4	o	"	30.34	770.7	44	100	N	2	r
Sharp Peak, .	15	30.14	765.5	56	75	E	2	o	7	30.17	766.3	50	86	...	0	r
Amoy, .	14	30.11	764.8	63	72	E	6	r	6	30.14	765.5	54	89	ENE	2	b
Swatow, .	"	"
Taihoku, .	12	30.17	766.2	66	76	E	6	o	"	30.15	765.9	57	93	E	2	o
Taichu, .	"	30.06	763.5	72	...	N	4	b	"	30.10	764.4	61	...	N	2	b
Tainan, .	"	30.05	763.2	79	...	N	4	b	"	30.04	762.9	57	...	N	4	b
Koshun, .	"	30.06	763.5	75	...	NNE	4	b	"	30.05	763.2	59	...	NE	4	o
Pescadores, .	"	30.12	765.0	64	...	N	7	o	"	30.11	764.7	63	...	N	6	o
Canton, .	15	"
Hongkong, .	14	30.05	763.2	63	77	E	5	o	"	30.11	764.8	63	85	...	0	o
Gap Rock, .	"	30.02	762.5	ENE	6	cq	"	30.08	764.0	61	...	ENE	5	cq
Macao, .	"	30.02	762.6	57	77	ENE	2	o	"	30.08	764.1	63	96	NNE	4	r
Wuchow, .	15	"
Pakhoi, .	"	"
Huihow, .	"	"
Phulien, .	"	29.91	759.6	77	79	E	4	cf	7	30.00	762.0	63	96	NE	6	r
Tourane, .	"	29.87	758.7	79	...	SE	2	b	"	29.98	761.4	72	...	SE	2	of
Cape St. James, .	"	29.87	758.7	86	...	SSE	2	b	"	29.92	759.9	75	...	E	4	o
Aparri, .	14	6	29.98	761.4	75	85	NE	4	r
Dagupan, .	"	"
Manila, .	"	29.87	758.7	84	63	WNW	2	o	"	29.92	759.9	70	92	...	0	b
Legaspi, .	"	"	29.89	759.3	77	84	NNE	2	o
Tacloban, .	"	29.81	757.2	86	68	SE	2	o	"	29.87	758.7	75	96	...	0	b
Bohol, .	"	29.81	757.2	86	61	NE	6	b	"	29.87	758.7	77	86	N	4	b
Surigao, .	"	"	29.85	758.1	73	96	SW	1	b
Guam, .	12.20	29.78	756.3	ENE	4	r	4.20	29.82	757.5	ENE	4	r
Yap, .	12.47	4.47
Labuan, .	14	29.82	757.4	86	72	N	4	b	6	29.85	758.2	78	93	N	2	b

March 19d. 12h. 12m.—Pressure has increased considerably at Vladivostock, moderately over S. China and slightly from Formosa to Luzon.

The anticyclone now appears to be central to the north of Korea.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 114 inches, against an average of 470 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamoicks, }
- 3.—Hongkong to Gap Rock, N.E. winds, moderate; overcast at first, fairer later.
- 4.—South coast of China between Hongkong and Hainan, }

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	19TH MARCH, 1923.							20TH MARCH, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Milles.			Direction.	Force.		Inches.	Milles.					
Vladivostock, .	12	30.40	772.2	42	..	SW	2	0	6	30.18	766.6	30	0
Nemuro, .	11	30.20	767.0	NW	3	..	5
Hokodate, .	"	30.33	770.5	W	6	..	"
Tokio, .	"	30.39	772.0	NNE	3	..	"
Kochi, .	"	30.14	765.5	SW	6	..	"
Nagasaki, .	"	30.12	765.0	N	1	..	"
Kagoshima, .	"	30.08	764.0	"
Oshima, .	"	30.08	764.0	SE	4	..	"
Naha, .	"	"
Ishigakijima, .	"	E	1	..	"
Bonin Island, .	"	30.22	767.5	"
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.43	772.8	48	73	N	2	0	"	30.41	772.5	36	89	NW	1
Gutzlaff, .	"	30.36	771.1	47	77	N	4	0	"	30.40	772.1	40	100	NNW	4
Sharp Peak, .	15	30.19	766.8	58	76	E	1	0	7	30.25	768.3	52	79	NE	2
Amoy, .	14	30.14	765.5	63	78	NE	r	0	6	0
Swatow, .	"	"
Taihoku, .	12	30.22	767.7	61	87	NW	2	r	"	30.27	768.9	55	86	E	4
Taichu, .	"	30.12	765.0	68	..	N	4	0	"	30.14	765.6	55	..	N	4
Taihue, .	"	30.11	764.7	75	..	NNE	6	b	"	30.11	764.7	59	..	NNE	6
Koshun, .	"	30.10	764.4	75	..	NNE	4	0	"	30.08	764.1	66	..	NNE	6
Pescadores, .	"	30.15	765.9	64	..	NNE	7	0	"	30.17	766.2	61	..	NNE	8
Canton, .	15	30.13	765.3	61	77	N	2	0	"
Hongkong, .	14	30.14	765.5	62	89	NW	1	od	"	30.22	767.6	57	60	NE	1
Gap Rock, .	"	30.13	765.3	N	..	o	"	30.21	767.3	N	5
Macao, .	"	30.14	765.6	59	93	N	4	o	"	30.21	767.4	55	71	N	4
Wuchow, .	15	9
Pakhoi, .	"	"
Holbow, .	"	"
Phulien, .	"	30.13	765.3	66	76	NE	1	o	7	30.24	768.0	59	73	NE	4
Tourane, .	"	29.99	761.7	79	..	SE	2	o	"	30.07	763.8	70	..	ENE	4
Cape St. James, .	"	29.93	760.2	81	..	E	4	b	"	29.97	761.1	73	..	NE	4
Aparri, .	14	6
Dagupan, .	"	29.87	758.7	90	55	NW	4	b	"
Manila, .	"	29.88	759.0	86	58	WNW	4	o	"	29.93	760.2	68	92	E	1
Legaspi, .	"	29.88	759.0	86	65	NNE	4	b	"	b
Tuckoban, .	"	29.82	757.5	80	69	..	0	o	"
Iloilo, .	"	"	29.87	758.7	75	92	N	2
Surigao, .	"	29.81	757.2	84	85	NNW	4	o	"
Guan, .	12.20	29.78	756.3	NE	4	r	4.20	29.80	756.9	ENE	2
Yap, .	12.47	4.47
Labuan, .	14	29.85	758.2	86	72	NW	2	b	6	29.87	758.7	78	91	WNW	2

March 20d, 11h. 58m.—Pressure has increased considerably over Tongking, moderately from Kwangtung to Formosa and slightly from Foochow to Shanghai. It is nearly stationary over the Philippines.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inch. Total since January 1st, 118 inches, against an average of 4.82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21ST.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamocke,
- 3.—Hongkong to Gap Rock, } N.E. winds, fresh; fair.
- 4.—South coast of China between Hongkong and Hainan,

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	20TH MARCH, 1923.							21ST MARCH, 1923.											
	HONGKONG STANDARD TIME,		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	Humidit.	WIND.	Direct- ion.	Force.	HONGKONG STANDARD TIME,		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	Humidit.	WIND.	Direct- ion.	Force.	WEATHER.
	Inches.	Millrs.																	
Vladivostock,	12	30.11	764.8	43	SSE	2	0	6	30.14	765.6	23	S	2	f	
Nemuro,	11	30.22	767.5	SE	3	...	5	
Hokodate,	"	30.12	765.0	ENE	1	...	"	
Tokio,	"	29.96	761.0	NNW	2	...	"	
Kochi,	"	30.04	763.0	N	3	...	"	
Nagasaki,	"	30.22	767.5	NNW	"	
Kagoshima,	"	30.14	765.5	NNW	2	...	"	
Oshima,	"	30.14	765.5	NNW	4	...	"	
Naha,	"	"	
Ishigakijima,	"	"	
Bonin Island,	"	30.10	764.5	SSE	2	...	"	
Weihaiwei,	14	"	
Hankow,	15	"	
Iehang,	"	"	
Changsha,	"	"	
Shanghai,	11	30.45	773.4	54	59	...	NNW	1	b	"	30.37	771.4	36	100	SE	1	bf		
Gutzlaff,	"	30.39	771.9	54	68	...	NNW	2	b	"	30.37	771.4	42	85	o	0	b		
Sharp Peak,	15	30.24	768.1	58	58	...	E	4	b	7	30.29	769.3	50	72	N	2	b		
Amoy,	14	6	30.18	766.6	52	93	ENE	1	b		
Swatow,	"	"		
Taihoku,	12	30.30	769.5	57	84	...	E	4	0	"	30.20	767.1	55	77	E	4	o		
Taichu,	"	30.18	766.5	68	N	4	0	"	30.13	765.3	57	...	NW	2	o		
Tainan,	"	30.17	766.2	66	N	4	0	"	30.11	764.7	57	...	NE	4	b		
Koshun,	"	30.13	765.3	70	NE	6	0	"	30.05	763.2	64	...	NNE	6	b		
Pescadores,	"	30.24	768.0	63	NNE	7	0	"	30.14	765.6	61	...	N	7	o		
Canton.	15	"		
Hongkong,	14	30.19	766.8	68	47	...	WSW	2	b	"	30.19	766.8	59	68	NE	2	o		
Gap Rock,	"	30.19	766.8	NW	4	c	"	30.17	766.3	NE	2	c		
Macao,	"	30.19	766.8	61	64	...	NNE	4	b	"		
Wuchow,	15	9		
Pakhoi,	"	"		
Hoihow,	"	"		
Phulien,	"	30.21	767.4	64	62	...	ENE	0	o	7	30.22	767.7	57	86	NNW	2	cf		
Tourane,	"	30.06	763.5	68	NNW	2	rf	"	30.11	764.7	64	...	NNW	6	o		
Cape St. James,	"	29.88	759.0	81	ENE	6	b	"	29.93	760.2	77	...	ENE	6	o		
Aparri,	14	29.98	761.4	77	76	...	NE	4	0	6	30.01	762.3	73	82	NE	4	o		
Dugupan,	"	"		
Manila,	"	29.87	758.7	90	57	...	SW	4	0	"	29.92	759.9	70	92	E	3	b		
Legaspi,	"	"		
Tacloban,	"	29.81	757.2	90	66	...	NE	1	0	"		
Hoilo,	"	"		
Surigao,	"	29.80	756.9	82	84	...	N	2	o	"		
Gnam,	12.20	29.75	755.7	ENE	4	r	4.20		
Yap,	12.47	4.47		
Labuan,	14	29.85	758.2	86	72	...	N	4	b	6	29.85	758.2	77	94	NW	2	b		

March 21st, 11h. 17m.—Pressure has decreased slightly at all reporting stations, except at Tourane where it has increased slightly.

An anticyclone is central over N. China.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1118 inches, against an average of 4.94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks, N.E. winds, fresh to moderate; fair.
- 3.—Hongkong to Gap Rock, N.E. winds, fresh to moderate; fair.
- 4.—South coast of China between Hongkong and Hainan, N.E. winds, fresh to moderate; fair.

T. F. CLAXTON Director

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	21ST MARCH, 1923.							22ND MARCH, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Millrs.			Direct. ion.	Force.		Inches.	Millrs.			Direct. ion.	Force.	
Vladivostock, .	12	30.14	765.6	43	...	S	3	b	6	30.36	771.0	28	...	0	0
Nemuro, .	11	30.04	763.0	NW	1	...	5	30.20	767.0	...	SW	1	0
Hokodate, .	"	30.12	765.0	W	2	...	"	30.18	766.5	1	...
Tokio, .	"	30.24	768.0	ESE	1	...	"	30.34	770.5	...	NNW	1	...
Koehi, .	"	30.24	768.0	WSW	1	...	"	30.32	770.0	...	WSW	1	...
Nagasaki, .	"	30.30	769.5	NNW	2	...	"	30.34	770.5	1	...
Kagoshima, .	"	30.28	769.0	SSE	1	...	"	30.32	770.0	...	NW	1	...
Oshima, .	"	30.18	766.5	N	2	...	"	30.22	767.5	...	SSE	1	...
Naha, .	"	"	1	...
Ishigakijima, .	"	0	...	"	30.06	763.5	1	...
Bonin Island, .	"	30.04	763.0	0	NE	1	...
Weihaiwei, .	14
Hankow, .	15
Ichang, .	"
Changsha, .	"	1	...
Shanghai, .	11	30.40	772.2	59	43	SSE	1	h	"	30.33	770.4	41	100	SE	1
Gutzlaff, .	"	30.39	771.9	52	66	E	1	b	"	30.37	771.4	46	92	SE	2
Sharp Peak, .	15	30.23	767.8	60	65	E	4	b	7	30.22	767.6	50	86	...	0
Amoy, .	14	30.16	766.0	66	100	ENE	2	b	6
Swatow, .	"	"
Taihoku, .	12	30.24	768.0	64	62	E	4	0	"
Taichu, .	"	30.15	765.9	64	...	N	4	0	"
Tainan, .	"	30.14	765.6	70	...	N	4	0	"
Koshun, .	"	30.12	765.0	72	...	NE	6	b	"
Pescadores, .	"	30.19	766.8	63	...	N	7	0	"
Canton, .	15	"
Hongkong, .	14	30.15	765.8	64	62	E	3	b	"	30.19	766.8	58	64	E	2
Gap Rock, .	"	30.16	766.0	NE	4	c	"	30.16	766.0	5	2
Macao, .	"	30.14	765.6	64	53	NE	2	o	"	30.20	767.1	59	79	o	0
Wuchow, .	15	9
Pakhoi, .	"	"
Hoibow, .	"	"
Phulien, .	"	30.14	765.6	72	51	SE	2	b	7	30.15	765.9	59	96	N	2
Tourane, .	"	30.05	763.2	64	...	NNW	6	of	"	30.06	763.5	66	...	NNW	4
Cape St. James, .	"	29.86	758.4	79	...	E	6	b	"	29.92	759.9	73	...	NE	4
Aparri, .	14	29.95	760.8	77	72	NE	4	0	6
Dagupan, .	"	"
Manila, .	"	29.85	758.1	82	77	ENE	4	r	"
Legaspi, .	"	29.84	757.8	82	77	NNE	4	o	"
Tacloban, .	"	29.80	756.9	82	77	NW	2	r	"
Iloilo, .	"	29.79	756.6	82	81	NE	4	o	"
Surigao, .	"	29.79	756.6	81	80	NE	2	o	"
Guam, .	12.20	29.72	754.8	NE	6	o	4.20
Yap, .	12.47	4.47
Labuan, .	14	29.82	757.4	86	76	N	4	b	6	29.82	757.4	78	91	NW	2

March 22d. 11h. 17m.—Pressure has increased moderately in N.E. districts, and slightly in central districts. It has decreased slightly in S.W. districts.

The anticyclone has moved eastward. It is now central over Korea.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1'18 inches, against an average of 5'06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

DISTRICT.

FORECAST.

- | | | |
|--|-----|---------------------------------------|
| 1.—Formosa Channel, . | ... | N.E. winds, fresh. |
| 2.—South coast of China between Hongkong and Lamock, . | ... | |
| 3.—Hongkong to Gap Rock, . | ... | N.E. winds, moderate; fine to cloudy. |
| 4.—South coast of China between Hongkong and Hainan, . | ... | |

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	22ND MARCH, 1923.							23RD MARCH, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATURE.	HUMIDITY.	WIND.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATURE.	HUMIDITY.	WIND.		
	Inches.	Millrs.	Direct Ion.	Force.				Inches.	Millrs.	Direct Ion.	Force.					
Wladivostock, .	12	30.33	770.4	45	...	NNE	3	b	6	30.24	768.1	34	...	SE	4	o
Nemuro,	11	30.20	767.0	SSW	1	...	5
Hokodate,	"	30.16	766.0	W	1	...	"
Tokio,	"	30.30	769.5	NE	1	...	"
Kochi,	"	30.30	769.5	SE	2	...	"
Nagasaki,	"	30.33	770.5	NW	1	...	"
Kagoshima,	"	30.31	770.0	E	1	...	"
Oshima,	"	30.24	768.0	N	3	...	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island, ...	"	30.04	763.0	ENE	1	...	"
Weihaiwei,	14	"
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.39	771.9	63	56	SE	2	b	"	30.27	768.9	43	97	SE	1	b
Gutzlaff,	"	30.36	771.1	54	74	SE	2	b	"	30.30	769.6	47	100	SSE	4	b
Sharp Peak, ...	15	30.22	767.6	69	75	N	2	b	7	30.13	765.3	56	87	W	2	b
Amoy,	14	30.12	765.0	71	100	ENE	1	b	6	30.13	765.3	56	94	SW	1	b
Swatow,	"	"
Taihoku,	12	30.22	767.7	72	57	E	6	b	"	30.17	766.2	61	83	E	4	b
Taichu,	"	30.13	765.3	72	...	N	4	b	"	30.12	765.0	57	...	SE	2	b
Tainan,	"	30.13	765.3	75	...	N	4	b	"	30.11	764.7	57	...	NE	6	b
Koshun,	"	30.11	764.7	75	...	NNE	4	o	"	30.08	764.1	68	...	N	6	b
Pescadores, ...	"	30.20	767.1	63	...	NNE	7	o	"	30.23	765.3	64
Canton,	15	"
Hongkong,	14	30.15	765.8	69	32	E	4	b	"	30.16	766.0	62	63	E	5	c
Gap Rock,	"	30.14	765.5	ENE	5	b	"	30.14	765.5	ESE	2	c
Macao,	"	30.14	765.6	72	54	SE	2	b	"	30.13	765.3	63	70
Wuchow,	15	"
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	30.11	764.7	75	45	SSE	4	b	7	30.14	765.6	63	88	ENE	4	bf
Tourane,	"	30.01	762.3	68	...	NNW	4	o	"	30.05	763.2	66	...	NW	4	o
Cape St. James, .	"	29.86	758.4	81	...	E	6	b	"	29.89	759.3	73	...	ENE	4	b
Aparri,	14	29.94	760.5	81	69	NE	4	o	6
Dagupan,	"	"
Manila,	"	29.84	757.8	86	65	S	2	o	"
Legaspi,	"	"
Tacloban,	"	29.81	757.2	84	71	NW	2	r	"
Uloilo,	"	29.79	756.6	86	58	NE	6	o	"
Surigao,	"	29.80	756.9	75	96	SSE	1	r	"
Guam,	12.20	29.63	752.7	NE	6	o	4.20
Yap,	12.47	4.47
Labuan,	14	29.79	756.6	86	72	NW	4	b	6	29.80	756.9	77	94	N	2	b

March 23d. 12k. 55m.—Pressure has decreased slightly at Wladivostock, Shanghai and Hongkong. It is nearly stationary over Formosa and Tongking. Yesterday afternoon's observations indicate a typhoon to the south of Guam. Its direction of motion is unknown.

The monsoon is interrupted to the north of Amoy.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 118 inches, against an average of 518 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH DISTRICT.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamocks,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan, } N.E. winds, strong, moderating; fine to cloudy.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	23RD MARCH, 1923.							24TH MARCH, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDIT.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDIT.	WIND.	WEATHER.
	HONGKONG STANDARD TIME.	Inches.	Millrs.	Direct. ion.	Force.				Inches.	Millrs.	Direct. ion.	Force.				
Vladivostock, .	12	30.34	765.6	36	...	SE	5	or	6	29.88	758.8	35	...	E	2	o
Nemuro, .	11	30.31	770.0	S	2	...	5	30.32	770.0	SSW	1	..
Hokodate, .	"	30.35	771.0	SW	3	...	"	30.26	768.5	W	1	..
Tokio, .	"	30.37	771.5	NNE	2	...	"	30.38	771.5	NNW	1	..
Kochi, .	"	30.30	769.5	SE	1	...	"	30.32	770.0	SW	1	..
Nagasaki, .	"	30.33	770.5	SE	1	...	"	30.24	768.0	SE	5	..
Kagoshima, .	"	30.31	770.0	E	1	...	"	30.30	769.5	NW	1	..
Oshima, .	"	30.28	769.0	E	1	...	"	30.22	767.5	SE	1	..
Naha, .	"	"	30.18	766.5	SE	1	..
Ishigakijima, .	"	"	30.14	765.5	ESE	2	..
Bonin Island, .	"	30.02	762.5	SW	1	...	"	30.02	762.5	NNE	1	..
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"	b
Shanghai, .	11	30.28	769.1	64	62	SSE	4	b	"	30.12	765.0	50	97	SSE	2	b
Gutzlaff, .	"	30.24	768.1	54	94	SSE	4	o	"	30.15	765.8	50	93	SSE	4	b
Sharp Peak, .	15	30.17	766.3	72	76	N	2	b	7	30.12	765.0	60	93	W	2	b
Amoy, .	14	30.07	763.8	75	100	ENE	2	b	6	30.08	764.0	60	100	SSW	1	..
Swatow, .	"	"
Taihoku, .	12	30.19	766.8	75	53	ESE	6	o	"	30.07	763.8	61	81	E	4	b
Taichu, .	"	30.13	765.7	73	...	NNW	2	b	"	30.07	763.8	59	0	b
Tainan, .	"	30.13	765.3	77	...	W	2	b	"	30.05	763.2	59	...	NE	4	b
Koshun, .	"	30.11	764.7	77	...	NNE	7	b	"	30.07	763.8	68	...	N	4	b
Pescadores, .	"	30.17	766.2	70	...	NNW	6	o	"	30.06	763.5	64
Canton, .	15	"
Hongkong, .	14	30.10	764.5	69	54	E	3	b	"	30.08	764.0	62	76	E	3	b
Gap Rock, .	"	30.11	764.8	ENE	5	b	"	30.06	763.5	ENE	4	b
Macao, .	"	30.10	764.4	72	57	SE	2	o	"	30.07	763.8	63	84	SE	2	..
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.07	763.8	81	38	S	1	b	7	30.08	764.1	61	100	NW	2	bf
Tourane, .	"	30.01	762.3	72	...	NNW	4	b	"	30.00	762.0	66	...	NNW	2	o
Cape St. James, .	"	29.84	757.8	81	...	ENE	6	b	"	29.86	758.4	73	...	E	4	b
Aparri, .	14	29.94	760.5	77	79	NE	4	r	6
Dagupan, .	"	"
Manila, .	"	29.84	757.8	86	58	WSW	2	o	"
Legaspi, .	"	29.82	757.5	82	77	NNE	4	o	"
Tacloban, .	"	29.79	756.6	86	75	NW	1	r	"
Iloilo, .	"	29.79	756.6	86	56	NE	6	b	"
Surigao, .	"	29.78	756.3	81	84	N	4	o	"
Guam, .	12.20	29.62	752.4	NNE	6	o	4.20
Yap, .	12.47	4.47
Labuan, .	14	29.78	756.4	84	79	NW	4	b	6	29.80	756.9	77	94	NE	4	o

March 24th, 11h. 35m.—Pressure has decreased considerably at Vladivostock, moderately at Shanghai and slightly at the majority of other reporting stations. A depression is shown to the north of Vladivostock.

The anticyclone is central over Japan.

Yesterday afternoon's observations still indicate a typhoon to the south of Guam. Its direction of motion is uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 118 inches, against an average of 5.30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH. DISTRICT.

- 1.—Formosa Channel, .
 2.—South coast of China between Hongkong and Lamocke, .
 3.—Hongkong to Gap Rock, .
 4.—South coast of China between Hongkong and Hainan, .
- Forecast.
- N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

24TH MARCH, 1923.

STATION.	HONGKONG				STANDARD				HONGKONG				STANDARD				HONGKONG				STANDARD				HONGKONG						
	AT SEA LEVEL.	TIME.	BAROMETER	TEMPER-	ATMOS.	HUMIDIT.	WIND.	WEATHER.	AT SEA LEVEL.	TIME.	BAROMETER	TEMPER-	ATMOS.	HUMIDIT.	WIND.	WEATHER.	AT SEA LEVEL.	TIME.	BAROMETER	TEMPER-	ATMOS.	HUMIDIT.	WIND.	WEATHER.	AT SEA LEVEL.	TIME.	BAROMETER	TEMPER-	ATMOS.	HUMIDIT.	WIND.
			Inches.	Millrs.			Direct- ion.	Force.				Inches.	Millrs.			Direct- ion.	Force.				Inches.	Millrs.			Direct- ion.	Force.					
Vladivostock, .	12	29.86	758.5	50	...	WSW	2	b	6	30.10	764.4	37	...	W	3	b		
Nemuro, .	11	30.24	768.0	SSW	12	...	5		
Hokodate, .	"	30.16	766.0	SSE	2	...	"		
Tokio, .	"	30.30	769.5	S	1	...	"		
Koichi, .	"	30.30	769.5	SE	1	...	"		
Nagasaki, .	"	30.28	769.0	SSE	2	...	"		
Kagoshima, .	"	30.28	769.0	SE	1	...	"		
Oshima, .	"	30.24	768.0	ESE	2	...	"		
Naha, .	"	"		
Ishigakijima, .	"	"		
Bonin Island, .	"	30.04	763.0	NE	2	...	"		
Weihaiwei, .	14	"		
Hankow, .	15	"		
Iehang, .	"	"		
Changsha, .	"	"		
Shanghai, .	11	30.19	766.8	70	49	S	1	b	"	30.07	763.8	54	96	SE	2	b			
Gutzlaff, .	"	30.21	767.3	62	72	SSE	4	b	"	30.12	765.0	54	94	SSE	4	b		
Sharp Peak, .	15	30.14	765.5	76	77	NE	2	b	"	30.07	763.8	63	89	W	1	b		
Amoy, .	14	30.03	762.7	69	100	WSW	2	b	"	30.05	763.2	62	100	WSW	1	b		
Swatow, .	"	"		
Taihoku, .	12	30.08	764.1	81	50	E	2	b	"	30.05	763.2	59	89	E	2	b		
Taichu, .	"	30.08	764.1	75	...	W	2	b	"	30.06	763.5	57	...	E	2	b		
Tainan, .	"	30.07	761.8	79	...	NW	2	b	"	30.02	762.6	57	...	NNE	4	b		
Koshun, .	"	30.08	764.1	77	...	NE	4	b	"	30.01	762.3	68	...	N	4	b		
Pescadores, .	"	30.11	764.7	70	...	NNW	6	b	"	30.04	762.9	64			
Canton, .	15	"	
Hongkong, .	14	30.04	763.0	69	63	ESE	3	b	"	30.02	762.5	64	87	E	3	o		
Gap Rock, .	"	30.03	762.7	ENE	4	b	"	30.01	762.2	ENE	4	o		
Macao, .	"	30.04	762.9	77	64	SE	2	b	"	30.00	762.0	64	94	SE	1	o		
Wuchow, .	15	"		
Pakhoi, .	"	"		
Hoihow, .	"	"		
Phulien, .	"	30.00	762.0	77	57	SSE	4	b	"	29.99	761.7	64	96	ESE	2	of		
Tourane, .	"	29.95	760.8	72	...	NW	2	o	"	29.94	760.5	66	...	E	0	b		
Cape St. James, .	"	29.82	757.5	81	...	ENE	4	b	"	29.86	758.4	75	...	ENE	4	4		
Aparri, .	14	29.94	760.5	77	79	NE	4	o	"	29.97	761.1	70	91	SE	1	o		
Dagupan, .	"	"		
Manila, .	"	29.84	757.8	79	87	ESE	1	r	"	29.88	759.0	72	94	ESE	1	o		
Legaspi, .	"	29.81	757.2	81	76	NNE	2	o		
Tacloban, .	"	29.80	756.9	86	65	SE	2	o		
Iloilo, .	"	29.76	756.0	86	56	NE	4	b		
Srigao, .	"	29.78	758.3	84	71	ENE	4	b		
Guam, .	12.20	29.52	749.7	NE	6	o	4.20	29.43	747.6			
Yap, .	12.47	4.47		
Labuan, .	14	29.73	755.7	86	72	NW	6	b	6	29.80	756.9	76	98	N	2	b		

March 25d. 12h. 15m.—Pressure has decreased considerably at Guam and slightly at the majority of other reporting stations

At 6 a.m. this morning the typhoon was in about Lat. 12° N. and Long. 144° E. Its direction of motion is still uncertain.

Moderate monsoon may be expected over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 11.18 inches, against an average of 5.42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	25TH MARCH, 1923.							26TH MARCH, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	WEATHER.		
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.		
Wladivostock, .	12	30.09	764.4	54	...	W	2	c	6	30.01	762.2	37	...	WSW	6	o
Nemuro, .	11	29.86	758.5	WSW	5	...	5	30.08	764.0	W	1	..
Hokodate, .	"	29.98	761.5	WSW	3	...	"	30.16	766.0	WNW	1	..
Tokio, .	"	30.06	763.5	0	...	"	30.24	768.0	NNW	1	..
Kochi, .	"	30.18	766.5	SW	1	...	"	30.20	767.0	WSW	1	..
Nagasaki, .	"	30.24	768.0	WSW	2	...	"	30.18	766.5	S	2	..
Kagoshima, .	"	30.24	768.0	SE	1	...	"	30.18	766.5	NW	1	..
Oshima, .	"	30.20	767.0	N	1	...	"	30.14	765.5	SSE	1	..
Naha, .	"	30.16	766.0	NNE	3	...	"	30.08	764.0	E	1	..
Ishigakijima, .	"	"	30.04	763.0	ESE	1	..
Bonin Island, .	"	30.68	764.0	NE	1	...	"	30.06	763.5	NE	1	..
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.11	764.7	73	58	S	4	b	"	29.97	761.1	57	89	SSE	4	b
Gutzlaff, .	"	30.07	763.8	58	76	SSE	4	b	"	30.02	762.5	54	89	S	4	o
Sharp Peak, .	15	30.14	763.5	77	77	NE	2	bf	"	29.99	761.7	64	89	N	1	b
Amoy, .	14	29.98	761.5	70	100	SSE	1	b	6	29.93	760.2	62	100	SE	1	cf
Swatow, .	"	"
Taihoku, .	12	30.06	763.5	82	51	E	4	b	"	29.95	768.8	64	84	E	4	b
Taijehu, .	"	30.05	763.2	73	...	NW	2	b	"	29.99	761.7	57	0	b
Tainan, .	"	30.05	763.2	81	...	WNW	2	b	"	29.95	760.8	59	...	ENE	4	b
Koshun, .	"	30.05	763.2	79	...	NE	4	b	"	29.97	761.1	70	...	NE	4	b
Pescadores, .	"	30.08	764.1	73	...	NNW	4	b	"	29.97	761.1	66	...	NNW	4	b
Canton, .	15	29.96	761.0	80	38	S	2	b	"	29.94	760.5	64	95	E	1	b
Hongkong, .	14	30.00	762.0	70	66	E	4	b	"	29.93	760.2	67	90	ESE	1	o
Gap Rock, .	"	29.99	761.7	ENE	4	b	"	29.93	760.2	ENE	3	o
Maeno, .	"	29.99	761.7	79	58	SE	1	b	"	29.91	759.6	66	94	ESE	1	o
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.91	759.6	81	59	SSE	4	of	7	29.88	759.0	68	94	E	4	of
Tourane, .	"	29.87	758.7	77	...	SE	2	b	"	29.84	757.8	70	...	SW	4	b
Cape St. James, .	"	29.81	757.2	79	...	E	6	b	"	29.84	757.8	75	...	ENE	6	b
Aparri, .	14	29.91	759.6	82	60	NE	4	o	6	29.91	759.6	73	79	E	2	o
Dagupan, .	"	"	
Manila, .	"	29.84	757.8	84	60	NW	1	o	"	29.85	758.1	68	94	...	0	b
Legaspi, .	"	29.82	757.5	84	68	NNE	4	o	"	
Tacloban, .	"	"	
Iloilo, .	"	29.78	756.3	86	56	NE	6	b	"	
Surigao, .	"	29.78	756.3	79	76	ENE	1	o	"	
Guam, .	12.20	29.41	747.0	NE	7	r	4.20	29.08	738.6	E	10	o
Yap, .	12.47	4.47	
Labuan, .	14	29.79	756.6	84	79	N	2	b	6	29.78	756.4	77	94	NE	4	b

March 26d. 11h. 49m.—Pressure has decreased considerably at Guam and increased moderately over N.E. Japan. It has decreased slightly at other reporting stations.

The anticyclone is central near Tokio.

A severe typhoon is shown a few miles to the S.W. of Guam. It is probably moving northward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1.18 inches, against an average of 5.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH. DISTRICT.

- | | |
|---|---|
| 1.—Formosa Channel, .
2.—South coast of China between Hongkong and Lamock,
3.—Hongkong to Gap Rock, .
4.—South coast of China between Hongkong and Hainan, . | } E. or variable winds, moderate, fair at first, fog later. |
|---|---|

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	26TH MARCH, 1923.							27TH MARCH, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Direction.	Force.									
Vladivostock, .	12	29.91	759.7	38	...	SW	4	f	6	29.80	756.8	38	...	N	4	o
Nemuro, .	11	WSW	1	...	5
Hokodate, .	"	30.18	766.5	SE	2	...	"
Tokio, .	"	30.24	768.0	SE	2	...	"
Kochi, .	"	30.22	767.5	SE	2	...	"
Nagasaki, .	"	30.16	766.0	SW	4	...	"
Kagoshima, .	"	30.16	766.0	SE	1	...	"
Oshima, .	"	30.14	765.5	E	2	...	"
Naha, .	"	30.08	764.0	E	3	...	"
Ishigakijima, .	"	30.04	763.0	E	3	...	"
Bonin Island, .	"	30.06	763.5	NE	2	...	"
Weihaiwei, .	14	"
Hankow, .	15	"
Iohang, .	"	"
Changsha, .	"	"
Shanghai, .	13	29.97	761.1	72	62	SSE	6	b	"	29.84	757.8	57	81	S	1	b
Gutzlaff, .	"	29.93	760.2	60	71	SSE	6	o	"	29.89	759.2	54	94	S	6	o
Sharp Peak, .	15	29.95	760.7	78	70	E	1	b	7	29.91	759.7	63	83	...	0	o
Amoy, .	14	72	100	SSW	2	b	6	29.83	757.7	64	95	ESE	1	...
Swatow, .	"	"
Taihoku, .	12	29.98	761.4	81	50	E	4	b	"	29.92	759.9	57	98	...	0	b
Taichu, .	"	30.00	762.0	75	...	W	2	b	"	29.92	759.9	55	0	b
Tainan, .	"	29.99	761.7	81	...	W	4	b	"	29.89	759.3	57	...	E	2	b
Koshun, .	"	30.00	762.0	77	...	ENE	4	b	"	29.86	758.4	68	...	ENE	2	b
Pescadores, .	"	30.08	764.1	75	...	NW	4	b	"	29.91	759.6	66	...	NW	2	b
Canton, .	15	"	29.87	758.7	65	95	ESE	1	b
Hongkong, .	14	29.91	759.7	72	69	E	2	c	"	29.87	758.7	67	94	E	1	c
Gap Rock, .	"	29.91	759.7	E	4	c	"	29.87	758.7	E	3	c
Macao, .	"	29.89	759.3	77	72	SE	2	o	"	29.85	758.1	68	94	SE	2	o
Wuchow, .	15	"
Pakchoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.81	757.2	72	86	ESE	6	of	7	29.84	757.8	70	88	ENE	4	of
Tourane, .	"	29.78	756.3	77	...	SE	4	b	"	29.79	756.6	70	...	S	2	b
Cape St. James, .	"	29.79	756.6	81	...	E	6	b	"	29.84	757.8	75	...	E	4	b
Aparri, .	14	29.82	757.5	81	56	NE	4	b	6	29.81	757.2	66	94	...	0	b
Lagupan, .	"	"
Manila, .	"	29.75	755.7	86	61	SE	2	b	"	29.78	756.3	72	92	...	0	o
Legaspi, .	"	29.75	755.7	86	56	NNE	4	o	"
Tacloban, .	"	"
Bohol, .	"	"
Surigao, .	"	"
Guam, .	12.20	29.02	737.1	SE	10	r	4.20	29.18	741.3	S	7	o
Yap, .	12.47	4.47
Labuan, .	14	29.83	737.7	86	76	N	2	b	6	29.80	736.9	76	98	E	2	b

March 27d. 12h. 34m. — Pressure has increased moderately at Guam It has decreased moderately to slightly at other reporting stations.

At 6 a.m. this morning the typhoon was about 100 miles N.W. of Guam travelling N. or N:N.W.

Depressions lie over Annam and over the Yangtze Valley.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1.18 inches, against an average of 5.64 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

DISTRICT.

FORECAST.

- | | |
|---|---|
| 1.—Formosa Channel, . | E. or variable winds; unsettled, some rain and fog. |
| 2.—South coast of China between Hongkong and Lamocks, . | { |
| 3.—Hongkong to Gap Rock, . | |
| 4.—South coast of China between Hongkong and Hainan, . | |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	27TH MARCH, 1923.							28TH MARCH, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	WEATHER.	
Wladivostock, .	12	29.70	754.3	36	0	..	29.97	761.1	36	..	N	4	c	
Nemuro.....	11	29.92	760.0	ENE	1	..	29.73	755.0	SSW	5	..	
Hokodate,	"	29.94	760.5	SW	3	..	29.78	756.5	SSW	5	..	
Tokio,	"	30.08	764.0	SW	5	..	29.98	761.5	SSW	5	..	
Kochi,	"	30.04	763.0	1	o	
Nagasaki,	"	30.02	762.5	S	4	..	29.98	761.5	SE	1	..	
Kagoshima,	"	30.06	763.5	SE	1	..	30.00	762.0	NW	1	..	
Oshima,	"	30.00	762.0	SE	3	..	29.94	760.5	SSE	1	..	
Naha,	"	29.96	761.0	NE	2	
Ishigakijima,	"	29.92	760.0	S	3	
Bonin Island,	"	30.02	762.5	E	2	..	29.98	761.5	ENE	2	..	
Weihaiwei,	14	
Hankow,	15	
Ichang,	"	
Changsha,	"	
Shanghai,	11	29.91	759.7	75	56	W	1	b	29.94	760.5	50	100	NE	1	cf	
Gutzlaff,	"	29.88	758.9	67	69	SW	2	b	29.95	760.7	50	100	NE	2	cf	
Sharp Peak,	15	29.86	758.4	75	72	E	1	b	29.87	758.7	64	84	..	0	b	
Amoy,	14	29.81	757.2	72	100	SSE	1	b	29.83	757.7	64	100	NE	1	b	
Swatow,	"	
Taihoku,	12	29.91	759.6	79	48	WNW	2	b	29.87	758.7	61	96	..	0	b	
Taichu,	"	29.92	759.9	77	..	WNW	2	b	29.87	758.7	52	0	b	
Tainan,	"	29.88	759.0	82	..	N	4	b	29.84	757.8	64	..	NNE	2	b	
Koshun,	"	29.87	758.7	81	..	E	4	o	29.84	757.8	68	..	N	2	r	
Pescadores,	"	29.92	759.9	77	..	WNW	2	b	29.86	758.4	68	..	NW	2	b	
Canton,	15	29.83	757.7	77	73	SE	2	o	29.87	758.7	65	100	..	0	bf	
Hongkong,	14	29.85	758.2	72	75	E	1	o	29.85	758.2	65	93	..	0	b	
Gap Rock,	"	29.86	758.4	E	2	o	29.84	757.9	N	2	of	
Macao,	"	29.85	758.1	79	72	ESE	2	o	29.81	757.2	66	100	N	2	of	
Wuchow,	15	
Pakhoi,	"	
Hoihow,	"	
Phulien,	"	29.78	756.3	77	64	SE	4	o	29.86	758.4	70	94	ENE	4	of	
Tourane,	"	29.74	755.4	79	..	SE	2	b	29.80	756.9	72	..	SE	2	of	
Cape St. James,	"	29.82	757.5	75	..	S	2	b	
Aparri,	14	29.75	755.7	81	56	NE	4	b	6	29.78	756.3	66	94	W	2	b
Dagupan,	"	o	
Manila,	"	29.71	754.5	86	52	SSW	2	b	29.75	755.7	72	94	..	0	..	
Legaspi,	"	29.69	754.2	86	52	N	4	b	
Tacloban,	"	29.67	753.6	84	53	NW	4	o	
Hoilo,	"	29.68	753.9	86	52	N	2	o	
Surigao,	"	29.67	753.6	82	67	NNW	2	b	..	29.74	755.4	70	92	..	0	o
Guam,	12.20	29.29	744.0	SE	6	o	4.20	29.49	749.1	S	4	o
Yap,	12.47	4.47	
Labuan,	14	29.75	755.6	84	79	N	2	b	6	29.89	759.2	75	94	N	2	b

March 28d. 12h. 35m.—Pressure has increased considerably at Guam, moderately at Wladivostock and Shanghai, and slightly over Tongking; slight to moderate decreases are general elsewhere. Depressions are shown to the north of Hokkaido and over Annam. The typhoon is situated about 300 miles to the W.N.W. of Guam probably moving on a N.W. or W.N.W. track.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1923, 1.18 inches, against an average of 5.75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- } Light northerly or variable winds; fine generally.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	28TH MARCH, 1923.							29TH MARCH, 1923.									
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPS. AVR.	HUMIDIT.	WIND.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPS. AVR.	HUMIDIT.	WIND.			
	Inches.	Millrs.					Dir- ec- tion.	Force.		Inches.	Millrs.			Dir- ec- tion.	Force.	WEATHER.	
Vladivostock, .	12	29.97	761.3	46	...		N	4	o	6	30.14	765.5	35	...	N	2	f
Nemuro,	11	29.67	753.5		SW	6	...	5	30.14	765.5	NNE	4	..
Hokodate,	"	29.65	753.0		SSE	0	...	"	30.04	763.0	NNW	1	..
Tokio,	"	29.94	760.5		SW	4	...	"	29.94	760.5	NW	0	..
Kochi,	"	30.04	763.0		SW	1	...	"	29.90	759.5	1	..
Nagasaki,	"	29.98	761.5		SW	4	...	"	29.90	759.5	NNW	1	..
Kagoshima,	"	29.98	761.5		NE	1	...	"	29.90	759.5	NW	1	..
Ushima,	"	29.96	761.0		ESE	2	...	"	29.88	759.0	SE	1	..
Naha,	"	z	...	"	29.86	758.5	NNE	1	..
Ishigakijima,	"	"	29.84	758.0	NE	6	..
Bonin Island,	"	29.94	760.5		E	z	...	"	29.69	754.0	E	1	..
Weihaiwei,	14	"
Hankow,	15	"
Ihang,	"	"
Changsha,	"	"
Shanghai,	11	29.99	761.7	57	86		ENE	1	o	"	30.07	763.8	46	94	NE	1	o
Gutzlaff,	"	29.95	760.7	50	100		NNE	4	of	"	30.08	764.0	46	100	NNE	2	o
Sharp Peak,	15	29.87	758.7	80	62		NNE	1	b	"	29.98	761.5	60	88	NE	4	o
Amoy,	14	29.80	756.9	73	100		SSW	2	b	"	29.85	758.2	64	100	...	0	o
Swatow,	"	"
Taihoku,	12	29.87	758.7	79	61		E	z	b	"	29.87	758.7	64	94	E	1	b
Taichu,	"	29.88	759.0	77	...		NW	z	b	"	29.87	758.7	61	0	b
Tainan,	"	29.88	759.0	82	...		N	z	b	"	29.85	758.1	66	...	NE	2	o
Koskun,	"	29.89	759.3	75	...		N	4	o	"	29.84	757.8	68	...	ENE	2	b
Pescadores,	"	29.91	759.6	77	...		NNW	4	b	"	29.86	758.4	68	...	N	4	o
Canton,	15	29.81	757.2	84	60		SW	1	b	"	29.88	758.9	67	95	N	1	c
Hongkong,	14	29.82	757.4	82	49		W	1	b	"	29.87	758.7	67	90	...	0	bm
Gap Rock,	"	29.85	758.2		N	1	b	"	29.85	758.2	NW	2	b
Macao,	"	29.82	757.5	82	63		SE	2	b	"	29.85	748.1	66	92	NNW	2	of
Wuchow,	15	"
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.86	758.4	77	72		SSE	1	o	7	29.89	759.3	70	94	NW	4	of
Tourane,	"	29.78	756.3	73	0	of	"	29.84	757.8	72	0	o
Cape St. James, .	"	29.78	756.3	90	...		S	2	b	"	29.84	757.8	75	...	S	2	o
Aparri,	14	29.72	754.8	82	70		NE	4	b	6
Lagupan,	"	"
Manila,	"	29.71	754.5	86	65		W	4	b	"	29.76	766.0	72	89	N	1	o
Legaspi,	"	29.69	754.2	86	61		NNE	2	o	"	29.74	755.4	70	96	NNW	1	o
Tacloban,	"	29.68	753.9	86	61		NW	4	o	"	29.75	755.7	72	96	...	0	b
Bohol,	"	29.72	754.8	86	65		SW	4	b	"	29.75	755.7	72	94	...	0	..
Sarigao,	"	29.69	754.2	84	64		WNW	2	b	"	29.74	755.4	73	88	...	0	..
Guam,	12.20	29.50	749.4		S	4	o	4.20	29.62	752.4	SSW	4	o
Yap,	12.47	4.47
Labuan,	14	29.79	756.6	86	80		N	2	b	6	29.81	757.2	75	94	N	2	b

March 29d. 11h. 50m.—Pressure has increased considerably over N.E. Japan and moderately at Vladivostock, Shanghai and Guan. It has decreased considerably over the Bonins and slightly over S.W. Japan and the Loochoos. It is nearly stationary in S.W. districts.

At 6 a.m. this morning the typhoon was in about Lat. 18° N. and Long. 141° E. moving northward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1.18 inches, against an average of 5.86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, moderate to fresh.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, N.E. winds, light to moderate; fine to cloudy.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	29TH MARCH, 1923.							30TH MARCH, 1923.										
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATM.	HUMIDITY.	WIND.	DIRECT- ION. FORCE.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATM.	HUMIDITY.	WIND.	DIRECT- ION. FORCE.	WEATHER.
	HONGKONG STANDARD TIME.	Inches.	Milts.															
Vladivostock, .	12	30.10	764.6	45	...	N	2	b		6	30.19	766.7	36	...	NNW	4	b	
Nemuro, .	11	30.20	767.0	NE	3			5	29.96	761.0	NE	7	..	
Hokodate, .	"	30.04	763.0	E	4			"	29.96	761.0	E	1	..	
Tokio, .	"	29.88	759.0	SSE	1			"	29.80	757.0	NNE	1	..	
Kochi, .	"	29.88	759.0	S	1			"	29.86	758.5	SW	1	..	
Nagasaki, .	"	29.90	759.5	NNW	3			"	29.90	759.5	NNE	1	..	
Kagoshima, .	"	29.88	759.0	S	1			"	29.86	758.5	WNW	1	..	
Oshima, .	"	29.59	751.5	N	1			"	29.86	758.5	SE	1	..	
Naha, .	"	29.86	758.5	NNW	2			"	
Ishigakijima, .	"	29.90	759.5	ENE	3			"	
Bonin Island, .	"	29.47	747.0	ENE	5			"	29.57	751.0	NW	5	..	
Weihaiwei, .	14		"	
Hankow, .	15		"	
Liehang, .	"		"	
Changsha, .	"		"	
Shanghai, .	11	30.10	764.4	63	60	ESE	1	b		"	30.06	763.5	43	97	E	1	b	
Gutzlaff, .	"	30.07	763.8	60	71	N	1	b		"	30.08	764.0	46	92	ENE	1	b	
Sharp Peak, .	15	29.98	761.5	76	64	ENE	2	b		7	29.98	761.5	58	88	E	2	b	
Annoy, .	14	29.86	758.4	76	95	ENE	1	b		6	29.95	760.7	62	100	NE	1	o	
Swatow, .	"		"	
Taihoku, .	12	29.95	760.8	79	75	E	6	o		"	29.94	760.5	61	98	E	2	b	
Taichu, .	"	29.85	759.0	77	73	N	4	b		"	29.92	759.9	63	0	b	
Tainan, .	"	29.88	759.0	81	...	NW	4	b		"	29.88	759.0	63	0	b	
Kochun, .	"	29.88	759.0	75	...	ENE	4	b		"	29.89	759.3	68	...	N	1	o	
Pescadores, .	"		"	29.91	759.6	68	...	NNE	6	o	
Canton, .	15	29.82	757.4	87	52	NNW	1	b		"	29.93	760.2	69	90	E	1	o	
Hongkong, .	14	29.84	757.9	77	62	E	4	b		"	29.93	760.2	67	82	ENE	2	b	
Gap Rock, .	"	29.86	758.4	NNW	1	b		"	29.91	759.7	NE	4	b	
Macao, .	"	29.84	757.8	84	49	ESEI	1	b		"	29.93	760.2	68	91	SE	1	b	
Wuchow, .	15		9	
Pakhoi, .	"		"	
Hoibow, .	"		"	
Phulien, .	"	29.84	757.8	84	58	SE	4	b		7	29.89	759.3	68	98	SSE	4	of	
Tourane, .	"	29.82	757.5	73	...	NNE	2	of		"	29.84	757.8	72	...	SSE	2	o	
Cape St. James, .	"	29.84	757.8	79	...	ENE	2	o		"	29.85	758.1	73	...	NE	2	o	
Aparri, .	14		6	29.85	758.1	68	96	..	o	b	
Dagupan, .	"		"	
Manila, .	"	29.71	754.5	86	52	SW	2	b		"	29.80	756.9	72	91	NE	1	b	
Legaspi, .	"	29.72	754.8	81	76	NNE	2	o		"	
Tacloban, .	"		"	
Iloilo, .	"	29.71	754.5	86	65	SW	6	o		"	29.78	756.3	75	91	NE	1	o	
Surigao, .	"		"	
Guam, .	12.20	29.61	752.1	SSW	4	o		4.20	29.72	754.8	WNW	1	o	
Yap, .	12.47		4.47	
La buan, .	14	29.76	755.9	86	76	NW	4	b		6	29.89	759.2	74	94	N	2	b	

March 30th, 11h. 55m.—Pressure has increased slightly at Guam, from Formosa to Tongking and, over the Philippines. It has decreased moderately to slightly over Japan.

The typhoon has curved to north-eastward.

At 6 a.m. this morning it was about 200 miles E.S.E. of the Bonins.

Moderate monsoon may be expected along the coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 118 inches, against an average of 598 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31ST. DISTRICT.

FORECAST.

- | | |
|--|---------------------------------------|
| 1.—Formosa Channel, | N.E. winds, fresh. |
| 2.—South coast of China between Hongkong and Lamock, . | N.E. winds, moderate; fine to cloudy. |
| 3.—Hongkong to Gap Rock, | N.E. winds, moderate; fine to cloudy. |
| 4.—South coast of China between Hongkong and Hainan, . | N.E. winds, moderate; fine to cloudy. |

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

30TH MARCH, 1923.

STATION.	HONGKONG STANDARD TIME.	BAROMETRE AT SEA LEVEL.			TEMPE- RATURE.	HUMIDIT.	WIND.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETRE AT SEA LEVEL.			TEMPE- RATURE.	HUMIDIT.	WIND.	WEATHER.	
		Inches.	Millrs.	Atm.						Inches.	Millrs.	Atm.					
Vladivostock, .	12	30.14	765.6	51	NNW	4	6	30.12	764.9	37	...	N	3	c	
Nemuro, .	11	29.92	760.0	NE	7	5	
Hokodate, .	29.94	760.5	E	1	
Tokio, .	29.78	756.5	ENE	3	
Kochi, .	29.84	758.0	S	1	
Nagasaki, .	29.94	760.5	NNW	4	
Kagoshima, .	29.88	759.0	WSW	2	
Okshima, .	29.92	760.0	NNW	2	
Naha,	
Ishigakijima,	
Bonin Island, .	29.74	755.5	NW	2	
Weihaiwei, .	14	
Hankow, .	15	
Changsha,	
Shanghai, .	11	30.18	766.5	59	53	...	NNE	1	b	30.21	767.4	39	100	SE	1	b	
Gutzlaff, .	30.16	766.0	56	63	N	2	b	30.20	767.1	47	87	NE	2	b	
Sharp Peak, .	29.99	761.7	74	68	E	1	b	30.15	765.8	56	81	E	4	b	
Amoy, .	14	30.03	762.7	68	91	NNE	1	...	
Ciatow,	
Taihoku, .	12	30.01	762.3	77	61	...	NE	4	b	30.10	764.4	61	81	E	4	b	
Taichu, .	29.93	761.4	77	61	o	0	b	30.00	762.0	57	0	b	
Hainan, .	29.97	761.1	81	N	2	b	29.98	761.4	61	0	b	
Kushun, .	29.98	761.4	79	NE	4	b	29.99	761.7	70	...	ENE	6	b	
Pescadores, .	30.01	762.3	73	NNE	6	b	30.00	762.0	68	...	NNE	7	b	
Goton, .	15	29.94	760.5	81	66	...	S	1	c	30.00	762.0	65	100	E	1	b	
Hongkong, .	14	29.96	761.0	71	74	...	E	4	b	30.00	762.0	67	89	ENE	3	c	
Gap Rock, .	29.96	761.0	NE	5	b	29.98	761.5	ENE	3	b	
Macao, .	29.95	760.8	79	61	...	SE	1	b	29.97	761.1	66	92	ESE	1	...		
Wuchow, .	15	
Pakhoi,	
Haikow,	
Phulien,	29.89	759.3	82	57	...	SSE	4	b	7	29.99	761.7	68	100	NNE	1	of
Tourane,	29.88	759.0	75	o	o	...	29.92	759.9	72	0	o
Cape St. James,	29.81	757.2	81	E	4	o	...	29.84	757.8	75	...	ENE	6	b
Aparri, .	14	29.85	758.1	81	66	...	NE	4	b	6	29.95	760.8	70	91	...	0	b
Dagupan,	
Manila, .	29.75	755.7	86	58	WSW	1	o	29.87	758.7	73	82	ENE	1	o	
Legaspi, .	29.76	756.0	86	58	NE	2	o	
Tacloban, .	29.74	755.4	86	68	SSE	4	o	
Uloilo, .	29.73	755.1	86	68	SW	4	o	
Sariago,	
Ham, .	12.20	29.71	754.5	NNE	1	o	4.20	29.75	755.7	o	o	
Yap, .	12.47	4.47	
Fuan, .	14	29.78	756.4	86	76	...	E	2	b	6	

March 31d, 12h. 37m.—Pressure has increased moderately from Shanghai to N. Luzon and slightly from Hongkong to Tourane. It has decreased slightly at Vladivostock.

An anticyclone is central over the lower Yangtze Valley.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1118 inches, against an average of 610 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1ST.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lameoks,
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; fine to cloudy.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.


APRIL,

1923.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE
ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER
REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,
DIRECTOR.



HONGKONG :
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1923.

ROYAL OBSERVATORY, HONGKONG.

R E S U L T S

O F

METEOROLOGICAL OBSERVATIONS.

APRIL,

1923.

HOURLY VALUES OF BAROMETRIC PRESSURE AND AIR TEMPERATURE,

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of APRIL, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.	
	1	2	3	4	5	6	7	8	9	10	11	Noon.		
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.		
1	29.999	29.986	29.961	29.950	29.960	29.976	29.988	30.014	30.039	30.042	30.033	30.023	1	
2	29.952	29.938	29.926	29.934	29.937	29.944	29.973	29.995	30.000	30.000	29.989	29.989	2	
3	29.934	29.932	29.913	29.913	29.921	29.925	29.933	29.945	29.968	29.969	29.966	29.938	3	
4	29.924	29.902	29.897	29.881	29.876	29.881	29.890	29.900	29.908	29.914	29.904	29.882	4	
5	29.810	29.790	29.772	29.762	29.764	29.779	29.783	29.818	29.846	29.851	29.848	29.841	5	
6	29.879	29.844	29.839	29.847	29.857	29.870	29.894	29.914	29.949	29.959	29.958	29.946	6	
7	29.940	29.926	29.899	29.894	29.884	29.904	29.913	29.932	29.950	29.954	29.937	29.921	7	
8	29.881	29.871	29.847	29.833	29.835	29.855	29.881	29.903	29.909	29.913	29.888	29.870	8	
9	29.846	29.836	29.823	29.811	29.819	29.838	29.855	29.867	29.886	29.901	29.899	29.882	9	
10	29.806	29.787	29.766	29.759	29.753	29.764	29.788	29.808	29.823	29.825	29.806	29.792	10	
11	29.707	29.697	29.664	29.658	29.658	29.664	29.681	29.698	29.710	29.715	29.707	29.689	11	
12	29.625	29.610	29.598	29.606	29.608	29.644	29.649	29.672	29.685	29.703	29.715	29.706	12	
13	29.794	29.763	29.761	29.767	29.763	29.757	29.793	29.812	29.838	29.857	29.846	29.833	13	
14	29.875	29.853	29.846	29.837	29.835	29.851	29.864	29.890	29.925	29.936	29.938	29.916	14	
15	29.866	29.838	29.823	29.790	29.827	29.836	29.840	29.869	29.886	29.884	29.889	29.878	15	
16	29.814	29.789	29.783	29.775	29.773	29.781	29.801	29.818	29.834	29.828	29.811	29.787	16	
17	29.705	29.699	29.662	29.642	29.648	29.656	29.660	29.675	29.688	29.709	29.723	29.714	17	
18	29.712	29.720	29.706	29.713	29.726	29.743	29.768	29.791	29.808	29.820	29.818	29.816	18	
19	29.819	29.808	29.805	29.791	29.795	29.823	29.837	29.853	29.856	29.874	29.869	29.872	19	
20	29.886	29.866	29.834	29.834	29.839	29.848	29.859	29.876	29.890	29.886	29.883	29.866	20	
21	29.828	29.816	29.812	29.807	29.815	29.822	29.830	29.846	29.861	29.869	29.855	29.846	21	
22	29.796	29.786	29.772	29.772	29.780	29.800	29.802	29.822	29.834	29.834	29.832	29.819	22	
23	29.760	29.742	29.729	29.719	29.727	29.752	29.752	29.766	29.788	29.787	29.777	29.772	23	
24	29.739	29.737	29.725	29.717	29.701	29.709	29.714	29.744	29.765	29.772	29.752	29.744	24	
25	29.783	29.791	29.785	29.787	29.807	29.837	29.848	29.865	29.879	29.894	29.895	29.884	25	
26	29.917	29.907	29.885	29.880	29.887	29.905	29.935	29.964	29.972	29.974	29.969	29.944	26	
27	29.909	29.895	29.890	29.876	29.877	29.881	29.874	29.893	29.904	29.907	29.898	29.879	27	
28	29.830	29.822	29.810	29.806	29.804	29.807	29.822	29.834	29.853	29.855	29.854	29.824	28	
29	29.828	29.826	29.818	29.820	29.832	29.844	29.854	29.860	29.875	29.887	29.898	29.901	29	
30	29.863	29.859	29.856	29.845	29.850	29.866	29.878	29.903	29.914	29.926	29.916	29	30	
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.		
	1	30.009	29.976	29.946	29.932	29.927	29.928	29.939	29.950	29.964	29.972	29.970	29.968	1
2	29.965	29.938	29.914	29.904	29.898	29.907	29.917	29.928	29.943	29.957	29.957	29.945	29.945	2
3	29.921	29.916	29.898	29.881	29.882	29.893	29.910	29.923	29.943	29.948	29.946	29.939	29.939	3
4	29.849	29.821	29.792	29.776	29.772	29.773	29.786	29.798	29.825	29.828	29.838	29.828	29.828	4
5	29.816	29.797	29.807	29.796	29.818	29.845	29.861	29.881	29.877	29.894	29.896	29.884	5	
6	29.930	29.924	29.908	29.913	29.913	29.928	29.935	29.957	29.968	29.966	29.948	29.948	6	
7	29.883	29.865	29.859	29.847	29.851	29.857	29.873	29.881	29.883	29.900	29.901	29.899	7	
8	29.845	29.816	29.807	29.792	29.792	29.796	29.823	29.826	29.838	29.852	29.864	29.856	8	
9	29.861	29.833	29.813	29.802	29.794	29.798	29.792	29.810	29.828	29.842	29.844	29.826	9	
10	29.766	29.736	29.718	29.705	29.691	29.703	29.723	29.731	29.735	29.730	29.728	29.724	10	
11	29.666	29.649	29.615	29.609	29.627	29.643	29.650	29.657	29.664	29.660	29.637	29.637	11	
12	29.687	29.677	29.661	29.670	29.689	29.728	29.765	29.783	29.780	29.801	29.874	29.874	12	
13	29.829	29.824	29.804	29.789	29.789	29.807	29.809	29.787	29.839	29.843	29.873	29.877	13	
14	29.895	29.868	29.866	29.849	29.849	29.840	29.838	29.850	29.867	29.882	29.893	29.906	14	
15	29.830	29.824	29.803	29.801	29.801	29.814	29.820	29.833	29.856	29.852	29.840	29.840	15	
16	29.758	29.725	29.702	29.678	29.678	29.680	29.706	29.728	29.748	29.765	29.752	29.692	16	
17	29.700	29.678	29.659	29.640	29.639	29.644	29.627	29.650	29.672	29.690	29.707	29.710	17	
18	29.800	29.770	29.750	29.738	29.739	29.737	29.750	29.774	29.797	29.814	29.819	29.813	18	
19	29.880	29.867	29.842	29.828	29.838	29.855	29.876	29.876	29.889	29.906	29.905	29.900	19	
20	29.843	29.823	29.805	29.798	29.779	29.779	29.812	29.823	29.832	29.838	29.848	29.838	20	
21	29.821	29.793	29.769	29.766	29.762	29.758	29.770	29.774	29.793	29.806	29.820	29.811	21	
22	29.791	29.766	29.732	29.712	29.706	29.712	29.723	29.739	29.763	29.776	29.782	29.774	22	
23	29.744	29.725	29.705	29.696	29.679	29.683	29.689	29.697	29.712	29.733	29.745	29.741	23	
24	29.723	29.707	29.706	29.716	29.698	29.728	29.745	29.754	29.790	29.808	29.811	29.790	24	
25	29.865	29.850	29.843	29.835	29.850	29.864	29.867	29.884	29.905	29.919	29.922	29.919	25	
26	29.918	29.908	29.891	29.878	29.884	29.893	29.899	29.909	29.921	29.927	29.923	29.915	26	
27	29.848	29.828	29.800	29.792	29.776	29.789	29.792	29.811	29.825	29.831	29.842	29.841	27	
28	29.815	29.790	29.763	29.756	29.754	29.764	29.786	29.809	29.822	29.826	29.842	29.838	28	
29	29.878	29.852	29.841	29.812	29.808	29.813	29.822	29.834	29.853	29.876	29.883	29.882	29	
30	29.900	29.884	29.864	29.852	29.839	29.852	29.873	29.883	29.905	29.923	29.921	29	30	

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of APRIL, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	67·8	67·9	67·9	67·2	66·7	66·4	66·4	67·9	70·5	71·9	73·5	73·6	1
2	68·5	68·3	68·4	68·5	68·3	68·4	68·7	71·0	71·1	74·1	75·2	76·4	2
3	69·0	68·8	68·9	69·2	69·3	69·5	70·3	71·6	74·2	76·1	75·5	76·2	3
4	71·3	70·9	70·5	69·6	68·8	69·0	69·7	70·2	72·3	75·8	76·9	75·2	4
5	69·6	69·5	69·2	69·5	69·5	69·7	69·9	72·2	74·0	77·0	79·0	80·5	5
6	69·9	68·9	68·9	69·0	68·9	68·3	68·5	69·8	70·6	72·1	72·5	71·6	6
7	68·9	68·6	68·8	68·0	67·8	67·2	66·8	67·4	68·0	69·1	70·5	70·3	7
8	69·8	70·0	70·0	69·4	69·2	69·9	70·3	72·0	73·7	76·6	76·9	80·7	8
9	71·4	71·4	71·4	71·0	71·0	72·4	74·0	74·3	73·6	72·4	71·9	71·9	9
10	71·6	71·6	71·3	70·7	70·1	70·4	70·8	72·2	74·4	76·7	76·0	76·0	10
11	72·5	72·8	72·8	72·9	73·0	73·1	74·7	76·7	77·2	78·5	78·9	79·5	11
12	76·7	76·5	76·7	72·4	72·7	71·2	71·6	72·0	72·1	72·2	71·7	71·6	12
13	65·2	64·8	65·3	65·0	65·7	65·3	64·8	64·9	64·7	64·9	65·8	65·7	13
14	65·2	65·0	65·2	64·7	64·8	65·3	65·7	65·9	65·6	65·5	66·1	66·9	14
15	67·4	67·3	67·5	67·8	68·0	68·0	68·1	68·6	68·5	69·4	70·6	69·9	15
16	69·9	69·9	70·0	70·0	70·3	70·6	70·7	70·9	71·9	72·8	74·4	73·9	16
17	71·0	71·1	71·2	71·4	71·4	71·5	72·1	74·1	77·1	77·5	68·6	68·1	17
18	71·2	70·9	71·0	70·7	70·7	71·8	73·2	74·8	76·2	77·0	79·1	79·1	18
19	73·1	72·9	73·2	73·0	73·1	73·4	73·4	73·8	76·1	75·7	76·0	74·3	19
20	66·6	66·3	66·2	65·9	65·1	65·5	66·3	66·7	67·1	67·8	67·8	68·9	20
21	68·6	68·5	68·6	68·7	68·9	69·1	69·4	70·0	70·1	71·1	73·0	74·0	21
22	70·4	70·5	70·6	70·8	70·7	71·0	71·4	72·0	73·9	77·0	75·9	77·4	22
23	72·2	72·4	72·6	72·6	72·8	73·0	74·3	75·8	77·0	75·8	76·3	76·3	23
24	73·3	73·2	73·2	73·3	73·2	73·2	73·3	73·7	74·0	74·9	75·2	75·4	24
25	69·5	69·0	68·6	69·1	69·2	68·5	68·0	69·0	70·1	70·6	70·0	69·8	25
26	68·2	67·8	68·0	68·0	67·7	68·1	68·8	68·9	69·5	69·5	70·9	72·6	26
27	69·7	69·6	69·6	69·7	69·9	70·1	70·4	71·8	73·9	73·3	74·3	76·3	27
28	70·5	70·0	69·8	69·2	68·3	69·6	70·5	72·5	75·0	77·7	81·2	80·7	28
29	69·8	70·4	70·0	69·9	69·5	69·4	71·0	72·9	75·5	76·3	77·4	77·1	29
30	72·7	72·9	72·0	72·4	72·1	72·0	72·6	74·9	75·0	76·5	77·5	76·8	30
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	74·7	75·1	73·6	72·5	71·9	70·7	69·4	68·9	68·4	68·1	68·3	68·5	1
2	76·0	78·5	77·2	75·3	74·0	72·6	70·7	70·0	69·2	68·9	68·6	68·6	2
3	76·7	77·2	75·6	74·9	74·2	72·6	71·8	71·0	70·6	70·6	70·6	70·3	3
4	76·6	75·0	75·6	74·2	73·4	73·5	71·7	71·1	70·6	70·1	69·9	69·8	4
5	81·3	77·8	72·1	70·4	70·1	69·9	69·3	69·7	70·0	70·8	70·2	70·0	5
6	70·8	71·9	71·4	70·7	69·9	69·1	68·8	68·3	68·7	68·9	68·9	68·8	6
7	70·4	70·7	70·8	71·0	70·3	69·9	69·7	69·3	69·5	69·5	69·6	69·6	7
8	79·3	79·9	78·3	75·0	73·9	73·2	72·6	72·1	71·9	72·0	71·7	71·7	8
9	71·8	71·4	71·6	71·4	71·5	71·3	71·0	70·9	71·3	71·7	71·0	70·9	9
10	76·5	74·9	75·3	74·0	73·8	72·9	72·3	72·5	72·4	72·2	72·4	72·4	10
11	78·4	79·0	79·1	78·9	78·3	77·5	76·9	76·8	76·9	76·9	76·9	76·7	11
12	72·2	72·1	72·8	72·4	71·2	71·4	70·9	69·3	67·8	67·0	66·4	66·3	12
13	65·7	66·0	66·0	66·5	66·1	65·9	65·9	65·3	65·8	65·9	65·8	65·5	13
14	68·4	68·9	68·8	68·2	68·0	67·9	67·9	67·5	67·3	67·5	67·2	67·0	14
15	71·1	71·0	70·6	70·8	70·1	69·9	69·4	69·4	69·3	69·3	69·4	69·6	15
16	74·7	74·8	74·5	73·8	72·6	72·5	72·1	71·5	71·4	71·4	71·1	70·9	16
17	68·9	70·2	70·3	72·8	72·3	72·7	70·5	72·4	72·0	71·6	71·0	70·8	17
18	76·9	77·6	76·0	76·0	75·0	74·0	74·0	74·1	73·9	73·3	72·7	72·8	18
19	71·0	70·0	70·0	70·1	69·6	69·1	68·9	68·5	67·9	67·8	67·7	67·3	19
20	70·0	70·0	69·6	69·2	69·3	69·2	69·0	68·1	68·5	68·5	68·7	68·8	20
21	74·3	73·5	73·1	72·7	72·8	72·0	73·0	70·9	70·7	70·6	70·6	70·5	21
22	75·9	76·5	76·1	75·6	74·7	73·8	73·0	71·9	71·7	71·5	71·8	72·2	22
23	77·3	76·9	77·5	76·2	75·4	74·7	74·0	73·8	73·6	73·7	73·9	73·5	23
24	74·6	74·1	73·6	73·1	72·9	72·9	72·3	72·1	71·7	72·0	72·0	71·4	24
25	69·3	69·3	69·2	69·3	69·1	69·1	69·0	69·3	69·3	69·2	68·6	68·2	25
26	72·1	71·9	71·6	70·9	70·5	70·2	70·0	69·7	69·8	70·0	70·0	70·0	26
27	76·8	76·6	77·1	76·9	74·9	74·1	73·0	72·6	72·1	71·3	70·7	72·7	27
28	79·1	78·2	78·0	76·7	76·0	74·8	73·5	72·2	70·9	70·3	70·0	69·8	28
29	77·7	76·6	74·6	74·5	74·1	73·8	72·7	72·8	72·6	72·8	72·8	72·6	29
30	77·0	76·8	75·6	75·2	74·7	73·9	73·2	73·3	73·4	73·4	73·4	73·6	30

6. HOURLY VALUES OF THE TEMPERATURE OF EVAPORATION, AMOUNT OF CLOUD, AND SUNSHINE.

TABLE III.—TEMPERATURE OF EVAPORATION at every HOUR of the DAY, in the MONTH of APRIL, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	65.0	64.8	64.5	64.3	63.6	63.2	62.5	62.4	64.1	65.2	65.9	65.7	1
2	66.9	66.9	66.9	66.6	66.3	66.4	66.4	67.1	67.1	68.8	68.0	67.5	2
3	66.7	66.8	66.6	66.6	66.9	66.6	66.9	67.0	68.0	68.5	68.3	68.0	3
4	68.3	68.1	67.9	67.8	67.0	67.2	67.7	67.9	69.0	69.9	70.7	69.8	4
5	68.8	68.7	68.5	68.9	68.4	68.8	68.9	69.8	69.8	70.2	71.0	71.5	5
6	60.7	60.1	59.2	58.5	59.1	59.0	60.3	62.1	63.6	64.9	65.1	65.0	6
7	63.9	64.3	64.8	64.8	64.8	64.8	64.8	65.0	64.5	64.7	65.1	64.9	7
8	67.5	67.7	67.6	67.8	68.3	68.2	68.4	69.1	70.0	71.3	71.3	72.8	8
9	70.5	70.6	70.5	70.2	70.0	69.9	70.3	71.0	71.1	70.9	70.1	69.5	9
10	70.3	70.3	70.3	70.1	69.4	69.6	69.7	69.9	70.2	71.2	72.2	71.7	10
11	71.7	71.9	71.9	71.9	72.0	72.1	72.9	73.6	73.4	74.0	73.7	74.0	11
12	73.7	73.5	74.0	71.1	72.0	70.9	71.0	71.4	71.4	71.2	70.7	70.5	12
13	63.9	63.6	63.5	63.4	63.8	63.6	63.3	63.6	63.4	63.9	64.6	65.0	13
14	64.3	63.7	63.4	63.4	63.5	63.3	63.7	63.8	64.0	64.5	65.0	65.4	14
15	66.4	66.7	66.7	67.0	67.2	66.9	66.9	67.0	67.2	68.0	68.6	68.1	15
16	69.6	69.9	69.9	69.9	70.0	70.1	70.3	70.8	71.4	72.0	72.8	72.5	16
17	70.9	71.0	71.1	71.3	71.3	71.6	72.1	73.2	73.6	73.9	76.6	77.7	17
18	69.5	69.2	69.2	69.3	70.0	70.7	71.8	72.7	73.0	73.7	74.0	74.0	18
19	72.3	72.1	71.9	71.9	72.0	72.0	72.1	72.0	72.1	70.6	70.3	69.6	19
20	64.8	64.8	64.8	64.5	64.2	64.0	64.4	64.5	64.9	65.0	64.8	65.5	20
21	67.4	67.4	67.8	68.0	68.0	68.4	68.4	69.0	69.1	69.4	70.1	70.8	21
22	70.3	70.4	70.3	70.5	70.5	70.9	71.1	71.7	72.0	73.6	73.0	73.9	22
23	71.8	71.9	72.0	72.0	72.1	72.3	72.5	73.2	73.9	74.3	73.9	74.0	23
24	72.9	72.8	72.6	72.7	72.4	72.3	72.1	72.0	72.2	72.3	72.6	72.5	24
25	68.1	67.3	67.0	67.5	67.2	66.9	66.7	67.1	67.8	67.3	66.9	66.9	25
26	65.8	65.8	65.8	65.9	66.0	66.0	66.3	66.8	67.0	67.3	67.7	68.5	26
27	67.8	67.7	67.6	67.6	67.8	67.9	68.1	69.0	69.9	70.7	71.8	72.7	27
28	67.9	68.2	67.9	66.7	64.9	62.6	62.9	64.9	65.3	64.3	65.5	65.1	28
29	64.5	64.9	65.1	65.1	65.3	65.8	67.4	68.3	69.8	67.5	67.4	65.7	29
30	68.4	67.6	67.8	68.2	68.3	68.0	68.1	69.3	68.7	68.0	68.2	67.7	30
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	66.1	66.5	65.8	65.6	65.6	65.2	65.1	65.6	65.5	65.9	66.1	66.5	1
2	67.2	67.9	67.5	66.6	66.3	66.1	66.0	66.0	66.2	66.5	66.2	66.5	2
3	67.9	68.0	68.0	68.7	68.7	68.3	68.2	68.0	67.7	68.0	67.9	67.8	3
4	70.3	69.8	70.0	69.3	69.0	68.9	68.8	68.8	68.9	68.8	68.7	68.8	4
5	71.5	70.4	69.8	68.7	68.4	68.2	67.4	67.5	67.4	66.6	65.1	64.4	5
6	65.1	65.9	65.7	64.9	65.0	63.7	63.6	63.2	63.2	63.0	63.2	63.3	6
7	64.7	65.2	65.0	65.5	65.5	65.3	66.0	66.2	66.4	66.8	67.0	67.1	7
8	72.5	71.9	71.5	70.8	70.5	70.4	70.5	70.4	70.1	70.5	70.3	70.4	8
9	69.4	69.2	69.0	69.1	69.2	69.1	69.0	69.1	69.2	69.6	69.7	69.8	9
10	72.1	71.5	71.9	71.7	71.4	71.2	71.5	71.6	71.6	71.6	71.8	71.8	10
11	74.8	74.1	73.8	73.7	73.9	73.4	73.5	73.5	73.5	73.8	73.8	73.5	11
12	70.6	71.0	71.2	70.6	70.2	70.1	69.6	68.0	66.4	65.5	65.0	64.6	12
13	64.8	64.4	64.7	64.7	64.7	64.6	64.3	64.0	64.1	64.0	64.1	64.0	13
14	65.9	66.2	66.1	66.0	66.0	65.8	66.0	66.0	66.1	66.3	66.3	66.4	14
15	69.0	68.8	68.5	68.7	68.7	68.5	68.6	68.8	69.0	69.1	69.3	69.6	15
16	73.3	73.1	72.9	72.5	72.0	71.0	71.5	71.1	71.2	71.3	70.9	70.7	16
17	67.4	68.4	69.0	70.6	69.9	70.1	68.6	68.6	69.0	68.9	68.9	69.1	17
18	73.7	73.9	72.9	73.1	73.1	72.8	72.9	73.0	73.0	72.0	71.8	71.9	18
19	69.1	68.5	68.1	67.9	67.2	66.5	66.2	65.8	65.6	65.2	65.1	65.0	19
20	66.1	66.3	66.0	66.0	66.2	66.4	66.7	66.9	67.4	68.4	68.0	67.8	20
21	71.0	70.6	70.6	70.2	70.3	70.0	69.8	69.9	70.0	70.0	70.1	70.7	21
22	73.0	73.2	73.1	73.0	72.6	72.0	71.6	71.7	71.5	71.2	71.3	72.2	22
23	74.6	74.1	74.2	73.8	73.7	73.2	73.0	72.9	73.0	73.0	73.0	72.9	23
24	72.1	71.9	71.8	71.6	71.5	71.7	70.8	70.1	69.9	69.5	69.8	69.4	24
25	66.8	66.7	67.0	67.0	66.9	67.2	67.3	67.3	66.8	66.6	66.6	65.9	25
26	68.1	68.0	68.1	67.9	67.7	67.9	67.8	67.8	67.8	68.0	68.0	67.9	26
27	72.0	71.8	71.9	61.5	71.1	70.8	70.3	69.9	69.6	69.3	69.2	69.1	27
28	67.0	66.5	66.5	66.5	65.6	62.4	62.4	62.5	64.1	64.0	64.0	65.6	28
29	65.8	66.4	67.1	66.5	64.2	64.4	66.0	66.1	66.8	67.9	68.5	69.1	29
30	67.0	67.6	67.3	67.9	66.1	67.3	67.2	68.0	68.3	68.9	69.0	69.1	30

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of APRIL, 1923.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																							Days of the Month.	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
1	10	10	3	2	1	2	1	3	3	4	1	1	1	1	1	1	1	1	1	1	1	6	9
2	7	6	10	10	6	7	8	4	7	6	4	3	2	1	1	1	1	1	1	1	1	1	1	1	1
3	1	1	3	9	10	8	5	7	1	2	2	1	1	3	4	7	6	7	8	5	3	8	7	8	
4	9	10	10	10	6	10	10	6	6	5	3	5	4	4	3	4	3	2	...	1	...	1	1	6	
5	6	3	4	4	9	6	8	9	8	8	9	10	10	10	10	10	10	10	10	10	10	10	10	10	
6	10	10	9	10	9	8	9	8	10	9	10	9	9	8	8	8	6	9	1	1	4	6	7	6	
7	9	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	
8	8	10	10	10	10	10	10	9	6	8	7	7	7	8	9	4	2	4	3	...	4	7	3	8	
9	6	8	7	4	9	8	8	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	
10	10	10	10	10	10	10	10	9	9	9	5	6	7	6	6	4	6	7	9	10	7	10	7		
11	10	10	9	9	10	9	9	10	9	9	10	9	10	10	10	10	10	10	10	10	10	10	10	11	
12	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	12	
13	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	13	
14	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	14	
15	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	15	
16	10	10	10	10	10	10	10	10	10	9	6	5	4	7	6	6	6	8	10	10	10	10	9	10	
17	10	10	9	6	9	10	10	10	10	9	10	10	10	10	10	10	10	10	9	10	10	7	10	17	
18	9	6	3	...	1	1	8	9	7	7	5	7	7	8	8	9	7	9	7	9	2	1	...	18	
19	1	10	10	10	9	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	19	
20	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	20	
21	10	10	10	10	10	10	10	10	10	10	9	8	9	10	10	10	10	10	10	10	10	10	10	21	
22	10	10	10	10	10	10	10	10	10	9	10	7	8	6	4	3	3	2	3	2	7	8	9	22	
23	10	10	10	10	10	10	8	8	10	10	9	10	9	8	6	3	4	2	3	1	3	7	8	23	
24	2	2	1	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	24	
25	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	25	
26	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	26	
27	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	27	
28	1	1	3	3	4	2	1	2	1	2	1	...	2	...	28	
29	1	1	2	2	1	2	1	2	4	3	2	4	3	8	7	6	7	8	9	10	9	8	6	10	29
30	6	10	10	10	10	9	8	7	8	7	10	10	8	10	9	9	9	10	10	10	10	10	10	30	

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of APRIL, 1923.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.												Days of the Month.		
	6	7	8	9	10	11	12	13	14	15	16	17	18		
1	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	0.1	
2	...	0.9	0.6	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1	
3	...	0.6	0.8	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.2	
4	0.1	0.8	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	3	
5	0.2	1.0	1.0	0.8	1.0	1.0	0.9	1.0	0.9	1.0	1.0	4	
6	0.1	0.3	0.1	0.4	0.7	5	
7	...	0.1	0.2	0.4	0.9	1.0	...	0.4	0.6	0.5	...	0.1	0.1	6	
8	0.8	1.0	0.6	0.9	0.9	0.9	0.5	0.5	1.0	0.8	...	7	
9	...	0.8	0.7	0.6	9	
10	0.4	0.4	1.0	1.0	0.6	0.7	1.0	0.4	0.6	0.3	...	10	
11	...	0.2	0.4	0.6	1.0	0.3	0.7	0.5	0.5	0.6	0.5	0.1	...	11	
12	12	
13	13	
14	0.1	14	
15	0.5	0.2	0.5	15	
16	0.1	0.6	0.9	0.8	1.0	1.0	1.0	0.6	0.2	...	16	
17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	...	17
18	...	0.2	0.5	0.8	1.0	1.0	0.8	0.8	0.9	0.1	...	0.3	...	18	
19	...	0.1	0.7	0.5	0.4	19	
20	20	
21	0.1	0.8	0.9	0.8	0.4	0.1	21	
22	0.8	0.4	0.7	0.7	0.4	1.0	1.0	1.0	0.8	0.3	22	
23	...	0.2	0.1	0.3	0.2	0.3	0.6	0.7	0.9	0.9	1.0	0.8	0.2	23	
24	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	...	24	
25	0.2	25	
26	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	26	
27	...	0.2	0.2	0.1	0.1	0.7	0.7	0.7	0.9	0.7	0.3	27	
28	0.6	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.4	28	
29	0.3	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.4	29	
30	...	0.3	0.3	0.6	0.9	0.6	0.1	0.1	0.8	0.9	0.1	0.1	...	30	

HOURLY VALUES OF RAINFALL AND WIND,

TABLE VI.—AMOUNT OF RAINFALL registered in each HOUR of the DAY, in the MONTH of APRIL, 1923.
 (d = Unregistered Drizzle. = No Rainfall.)

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the
MONTH of APRIL, 1923.
(The Direction is given in points, and the Velocity in miles per hour.)
(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.											
	1	2	3	4	5	6	7	8	9	10	11	Noon,												
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.												
1	7	19	8	19	8	18	8	16	9	15	9	17	8	19	9	15	9	16	10	22	1			
2	9	5	9	3	9	5	9	6	9	7	9	7	9	8	9	9	10	13	10	13	2			
3	8	9	8	10	8	7	8	7	8	13	8	16	8	16	7	19	7	22	8	23	3			
4	7	14	7	12	7	13	7	14	6	15	6	10	6	11	7	12	8	11	8	10	8	13		
5	7	5	7	2	31	1	3	27	4	25	4	25	6	24	9	
6	1	8	32	7	2	13	5	7	6	10	6	14	6	15	6	17	7	19	8	20	8	21	6	
7	7	17	7	17	7	19	6	17	6	24	6	22	7	18	7	17	7	17	8	21	8	17	7	
8	8	12	8	13	9	13	9	13	9	10	9	11	10	9	10	10	12	10	9	10	10	8	8	
9	9	10	8	6	9	9	9	11	9	9	9	9	9	9	12	8	17	7	19	7	19	9		
10	10	11	13	10	11	9	12	9	11	8	13	8	10	8	9	11	9	11	9	11	9	18	10	
11	9	7	8	8	9	8	9	4	10	5	13	2	14	4	15	9	15	12	15	16	11	17	10	
12	16	16	17	16	22	14	27	11	26	12	22	3	...	1	...	1	12	5	10	12	8	13	12	
13	7	40	6	37	7	36	6	35	7	38	7	38	7	36	7	34	7	35	7	34	7	35	13	
14	7	27	7	27	7	26	8	22	8	26	8	27	7	26	7	24	7	21	7	25	7	25	14	
15	8	21	8	21	8	19	8	24	8	16	8	17	7	21	8	16	8	15	8	20	8	19	15	
16	9	15	8	14	9	10	9	9	9	13	9	13	9	9	8	13	8	13	9	17	8	16	16	
17	9	12	9	9	8	12	7	13	7	15	7	12	8	10	8	13	13	19	14	24	15	25	9	
18	7	10	8	7	8	9	8	12	8	14	8	10	7	9	7	11	7	10	8	13	7	8	18	
19	9	13	10	12	10	7	10	8	10	8	9	8	14	7	18	8	21	8	20	8	25	8	26	
20	6	27	6	24	7	25	7	17	7	21	6	16	7	18	7	15	7	12	7	14	7	14	20	
21	7	21	7	19	7	13	7	16	7	14	8	15	8	18	8	17	8	18	8	21	8	18	21	
22	8	14	8	11	8	10	9	9	9	8	9	9	10	10	8	9	8	12	9	14	8	16	22	
23	7	2	7	6	7	10	7	8	7	8	8	9	8	11	8	14	8	15	23	
24	8	7	8	7	8	6	8	11	9	12	9	15	9	12	9	15	8	16	8	19	7	20	24	
25	5	11	4	5	4	3	4	7	4	4	5	5	6	13	7	23	6	23	5	16	4	12	4	
26	7	23	7	16	7	20	7	22	7	18	7	13	7	10	7	4	6	6	7	5	7	15	8	18
27	7	12	8	11	8	10	8	10	8	6	8	6	7	7	1	...	1	28	4	27	3	26	6	
28	25	5	25	2	26	2	...	1	4	5	7	5	8	6	5	2	13	1	15	6	10	
29	9	6	11	4	11	3	...	1	11	2	...	1	11	7	10	8	9	10	8	18	8	17	8	16
30	8	11	8	9	7	3	7	9	8	10	8	13	8	15	8	16	8	17	8	23	7	26	7	25
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.											
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.												
1	10	16	9	18	9	20	9	19	9	17	9	16	9	13	9	10	9	11	9	6	9	3	1	
2	10	15	10	12	10	14	9	17	10	12	10	10	10	6	10	11	9	7	9	4	8	11	2	
3	8	22	8	18	9	18	9	22	8	17	7	17	7	14	7	15	7	13	7	15	6	13	3	
4	8	16	8	16	9	14	9	13	10	7	10	8	9	6	8	6	5	7	4	7	6	4		
5	24	8	24	8	24	12	25	7	25	8	26	11	27	7	28	4	30	2	1	6	2	5	5	
6	8	20	9	20	8	17	8	19	8	21	8	19	7	18	8	18	7	19	7	17	7	20	6	
7	8	19	8	17	8	13	8	15	8	16	8	15	8	14	8	17	7	16	7	14	7	14	7	
8	10	8	10	4	10	6	9	10	9	13	9	11	9	12	8	10	8	8	8	8	8	10	8	
9	7	18	7	17	8	16	7	16	7	17	8	21	8	21	8	21	9	16	10	12	10	13	9	
10	9	19	9	17	9	21	7	17	8	15	9	15	10	11	10	9	11	9	12	9	9	10		
11	17	11	16	10	17	14	17	12	10	17	12	17	11	16	11	17	12	16	16	19	11	19	11	
12	7	8	7	9	7	12	7	17	7	13	7	15	7	25	7	36	7	36	6	38	7	40	7	
13	7	35	7	33	7	34	6	30	7	29	6	32	7	37	6	38	7	35	7	37	6	39	13	
14	7	28	8	23	7	24	8	21	8	23	8	24	7	26	7	26	7	23	7	18	8	20	14	
15	9	21	9	18	9	16	10	17	9	15	9	18	8	17	9	16	9	12	9	13	8	13	15	
16	9	16	8	19	9	15	8	15	8	13	8	9	8	11	8	8	8	6	8	11	9	20	16	
17	24	10	23	4	...	1	...	14	5	10	8	6	7	31	2	...	1	3	4	6	13	7	10	17
18	8	10	7	12	7	13	7	8	7	9	7	11	7	8	7	9	7	7	3	8	9	15	18	
19	8	22	7	16	8	26	7	23	7	21	7	22	7	27	7	28	7	26	7	27	7	26	19	
20	8	13	9	12	9	12	9	11	8	14	8	11	8	10	7	15	7	25	7	20	7	21	20	
21	8	20	9	18	9	18	9	17	9	15	8	18	8	16	7	15	7	13	8	14	8	12	21	
22	8	16	8	15	8	16	8	17	8	18	8	16	9	12	8	10	7	9	7	6	7	2	22	
23	8	14	8	14	8	15	8	16	8	15	8	14	8	14	8	12	8	10	8	8	7	23		
24	7	19	7	18	8	9	8	6	9	11	8	11	6	7	5	4	5	11	5	8	5	13	24	
25	4	16	5	16	5	12	5	12	5	9	5	10	6	17	7	21	7	22	7	26	7	30	25	
26	9	15	9	12	10	11	10	11	9	10	10	10	9	13	8	13	7	11	7	12	7	11	26	
27	26	7	25	8	23	8	23	11	24	8	24	10	25	9	25	4	25	3	25	2	1	27		
28	9	14	9	13	9	12	13	7	15	6	15	8	16	3	11	15	2	13	5	9	5	6	28	
29	9	16	9	19	9	18	8	19	7	19	8	15	8	13	8	15	8	15	9	9	9	9	29	
30	7	23	7	25	6	24	7	23	7	22	7	21	7	19	7	21	7	18	6	16	7	19	30	

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS,
in the MONTH of APRIL, 1923.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.																
	1		4		7		10		13		16.		19		22		
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	
1	eu-nb	E	eu	ESE	eu	E	eu	SE	eu	SE		
2	eu	ESE	eu	ESE	eu	ESE	eu	ESE	eu	ESE	eu	SE		
3	eu	ESE	eu	SE	a-eu	S	ei-eu	SSW	eu	ESE	eu	ESE	eu	ESE	eu	ESE	
4	eu	ESE	nb	E	eu	E	eu	SE	eu	SE	eu	S		
5	eu	SW	eu	WSW	a-eu	W	a-eu	W	a-eu	WSW	nb	WNW	eu-nb	WNW	eu-nb	WNW	
6	eu-nb	WSW	eu	ESE	eu	ESE	eu	E	eu	E	cl-st	W	SW	eu	SSW	eu	SW
7	en	E	eu	E	en-nb	E	eu-nb	E	eu	E	st-eu	E	st-en	E	eu-nb	E	
8	eu-nb	E	eu-nb	E	eu	E	a-eu	W	a-eu	W	eu	SSE	a-eu	WSW	eu	E	
9	ou	E	eu	E	eu	E	eu-nb	E	nb	ESE	en-nb	ESE	en-nb	E	nb	E	
10	nb	E	nb	ESE	nb	ESE	eu	SSE	a-en	NNW	a-en	NW	a-en	WNW	eu	ESE	
11	eu	SE	eu	SE	eu-nb	SSW	eu-nb	SSW	a-en	WNW	eu	SSW	eu	SSW	eu-nb	SSW	
12	eu-nb	SSW	nb	WNW	nb	W	nb	WSW	nb	WSW	eu-nb	SE	nb	ESE	nb	SE	
13	nb	ESE	nb	ESE	nb	ESE	nb	ESE	nb	E	nb	E	nb	E	nb	E	
14	nb	E	nb	E	eu-nb	E	nb	E	eu-nb	E	eu-nb	E	nb	E	nb	E	
15	nb	E	nb	E	nb	E	nb	E	st-eu	E	eu	E	nb	E	nb	E	
16	nb	E	nb	E	nb	E	eu-nb	E	eu	SSE	eu	SSE	st	E	st	E	
17	nb	E	eu	ESE	a-eu	SSW	eu-nb	SSE	nb	E	nb	SW	eu-nb	SSE	eu-nb	SSE	
18	eu	SSE	eu	S	eu	S	en	SSW	ei-st	eu	SW	eu	SW	eu	SW
19	eu-nb	E	eu-nb	S	nb	E	nb	E	nb	E	nb	E	
20	nb	E	nb	E	nb	E	eu-nb	E	eu-nb	E	eu-nb	E	nb	E	nb	E	
21	nb	E	nb	E	eu-nb	E	eu-nb	E	eu	ESE	eu	ESE	eu-nb	E	eu-nb	E	
22	nb	E	nb	E	eu-nb	E	eu	E	eu	SE	eu	SSE	eu	SE	eu	ESE	
23	eu	ESE	eu	ESE	eu	SSW	eu	SSW	eu	SW	eu	WSW	eu	WSW	eu	SW	
24	eu	SW	eu	SW	nb	ENE	nb	E	nb	E	nb	ESE	nb	E	nb	E	
25	nb	E	nb	ENE	nb	E	eu-nb	E	nb	E	nb	E	nb	ENE	eu-nb	ENE	
26	eu-nb	ENE	eu-nb	ENE	st-eu	E	nb	SSE	eu-nb	E	eu	E	st-eu	E	eu-nb	ENE	
27	nb	E	eu-nb	E	st-eu	ENE	eu	NE	eu	WNW	eu	NW	a-eu	SW	
28	ei-st	E	ei-st	W	ei-st	W	
29	ei-st	W	ei-st	W	ei-st	W	ei-st	W	ei-st	W	a-en	WSW	a-en	W	a-en	W	
30	a-en	W	eu	ESE	a-en	en	ESE	eu	SE	ESE	a-en	W	W	eu	ESE	ESE	

TABLE IX.—DAILY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1923.
(British Units.)

Days of the Month	Mean Barometric Pressure,	Temperature.					Mean Vapour Tension, Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Daily Duration.	Percentage of possible amount.	Rainfall.		Wind.		Components.	Resultant.	Observed Velocity.		
		Of the Air.			Bright Sunshine.	Rainfall.					North.	East.	Direction.	Velocity.					
		Highest,	Lowest,	Range.	Mean.	Mean					Amount.	Duration.	Amount.	Duration.					
1	29.977	75.5	66.1	9.4	69.9	65.0	0.553	75	24	10.6	86	- 2.4	+ 15.2	99	15.4	15.3	
2	29.945	78.3	68.2	10.3	71.5	66.8	0.596	77	35	10.5	85	- 2.3	+ 8.5	105	8.8	8.8	
3	29.927	77.8	68.6	9.2	72.3	67.7	0.618	78	49	9.6	77	+ 1.0	+ 15.3	86	15.4	15.3	
4	29.852	77.5	68.6	8.9	72.2	68.8	0.660	83	49	8.4	68	+ 0.6	+ 10.2	87	10.2	10.4	
5	29.826	82.8	69.3	13.7	72.1	68.8	0.661	84	16	13	0.280	4	+ 1.6	- 3.1	297	3.5	4.8		
6	29.915	72.9	68.0	4.9	69.8	62.8	0.480	66	78	4.3	35	+ 3.0	+ 15.2	79	15.5	16.3	
7	29.898	71.2	66.6	4.6	69.2	65.3	0.573	80	99	0.2	2	...	1	+ 2.6	+ 16.8	81	17.0	17.1	
8	29.850	82.1	69.2	12.9	73.3	70.0	0.691	84	66	7.9	63	- 2.1	+ 9.8	102	10.0	10.1	
9	29.838	75.4	70.6	4.8	71.7	69.8	0.704	91	90	2.1	17	0.110	4	...	+ 14.5	90	14.5	14.6	
10	29.757	77.8	70.0	7.8	72.8	71.0	0.736	91	80	6.4	51	0.020	4	- 2.1	+ 12.6	100	12.8	12.8	
11	29.665	80.7	72.5	8.2	76.5	73.5	0.779	85	96	5.4	43	0.030	...	- 8.7	+ 0.8	175	8.7	9.7	
12	29.692	77.0	66.0	11.0	71.5	70.2	0.723	94	100	4.945	13	+ 1.2	+ 11.6	84	11.7	16.7	
13	29.811	66.6	64.6	2.0	65.5	64.1	0.581	93	100	0.320	17	+ 8.6	+ 33.3	75	34.5	34.8	
14	29.877	69.3	64.7	4.6	66.7	65.6	0.596	91	100	0.1	1	0.050	8	+ 2.6	+ 24.1	84	24.3	24.2	
15	29.839	71.8	67.2	4.6	69.2	68.1	0.674	94	99	1.2	10	0.005	9	- 1.5	+ 17.3	95	17.4	17.4	
16	29.759	75.0	69.8	5.2	71.9	71.3	0.760	97	86	6.2	49	0.035	5	- 1.3	+ 12.6	96	12.7	12.6	
17	29.675	77.6	67.3	10.1	71.7	70.2	0.720	93	95	0.1	1	1.445	7	- 0.6	+ 3.7	100	3.7	8.6	
18	29.768	79.5	70.6	8.9	73.9	72.0	0.660	91	54	6.4	50	+ 1.1	+ 9.9	84	10.0	9.9	
19	29.853	76.8	67.3	9.5	71.5	69.1	0.681	88	79	1.7	13	0.140	10	+ 1.5	+ 19.2	86	19.3	19.6	
20	29.841	70.7	65.1	5.6	67.9	65.8	0.608	89	100	0.060	7	+ 2.5	+ 6.1	81	16.3	16.3	
21	29.810	75.2	68.4	6.8	70.9	69.4	0.700	92	98	3.1	24	...	4	+ 0.5	+ 16.6	88	16.6	16.6	
22	29.776	77.8	70.3	7.5	73.2	71.9	0.766	94	75	7.3	57	...	4	- 0.6	+ 12.5	93	11.5	11.5	
23	29.734	77.8	72.2	5.7	74.5	73.1	0.797	93	67	6.2	48	+ 0.3	+ 9.9	88	9.9	9.9	
24	29.741	76.2	71.2	5.0	73.3	71.6	0.753	92	90	0.1	1	0.120	10	+ 1.0	+ 11.6	85	11.7	11.9	
25	29.857	71.2	68.0	3.2	69.2	67.0	0.634	89	100	0.2	2	0.040	7	+ 5.9	+ 13.0	65	14.3	14.7	
26	29.917	73.0	67.5	5.5	69.8	67.2	0.633	87	100	0.4	3	...	1	+ 0.7	+ 12.8	87	12.8	12.9	
27	29.852	78.2	69.4	8.8	73.0	69.7	0.683	84	72	4.3	33	+ 0.7	- 1.1	303	1.3	6.5	
28	29.812	81.2	68.3	12.9	73.6	65.3	0.514	62	8	12.0	93	+ 3.6	90	3.6	6.2		
29	29.850	78.0	69.2	8.8	73.2	66.4	0.559	68	48	9.1	71	- 1.1	+ 11.2	96	11.3	11.5	
30	29.884	78.0	71.9	6.1	74.2	68.0	0.603	71	91	4.7	36	+ 2.9	+ 17.6	81	17.8	17.7	
Means	29.827	76.1	68.6	7.5	71.5	68.5	0.660	85	77	130.1	34	8.370	115	+ 0.5	+ 12.3	88	12.3	13.8	
Normals	29.843	74.7	67.0	7.7	70.3	67.3	0.637	85	80	114.2	30	5.302	73	0.0	+ 11.6	95	11.6	14.3	
Absolute Max.	30.042	82.8	... 13.7	...	75.9	0.824	12.0	93	4.945	17	40.0†	
Day.	1	5	...	5	...	11	23	28	28	12	13	10.220
Absolute Min.	29.598	...	64.6	2.0	...	58.4	0.352	35
Day.	12	...	13	13	...	6	6	28

Phenomena:—

- Solar corona:—on the 11th.
Lunar halo:—on the 29th.
Lunar corona:—on the 5th, 26th and 30th.
Thick fog:—on the 17th.
Fog:—on the 22nd.
Slight fog:—on the 5th, 16th, 22nd and 24th.
Unusual visibility:—on the 26th, 28th and 29th.
Dew:—on the 28th and 29th.
Lightning:—on the 9th, 11th and 24th.
Thunder:—on the 12th, 17th, 19th and 24th.

Thunderstorms as follows:—

- 5^h, 14^h, 55^m. to 15^h, 30^m. in N.W.; distant.
12^h, 3^h, 04^m. to 8^h, 10^m. N.W. to S.E.; nearest at 4^h, 03^m. (½).
12^h, 17^h, 37^m. to 19^h, 40^m. W. to E.; nearest at 18^h, 23^m. (3).

Rain fell on 18 days. The mean hourly intensity was 0.073^{in.}, and the maximum fall in one hour was 2.170^{in.} at 5^h on the 12th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 51 miles per hour at 21^h 45^m on the 12th and 21^h 40^m on the 18th.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1923.
(C. G. S. Units:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature.				Mean Vapour Tension.	Rainfall.	Wind.				Observed Velocity.			
		Of the Air.			Components.			Resultant.		Direction.	Velocity.				
		Highest.	Lowest.	Range.				North.	East.						
m.s.	m.s.	m.s.	m.s.	m.s.	m.s.	m.s.	m.s.	m.p.s.	m.p.s.	m.s.	m.p.s.	m.p.s.			
1	1017.1	297.2	291.9	5.3	294.1	291.3	18.6	- 0.8	+ 5.0	99	5.0		
2	1016.0	296.8	293.1	5.7	294.9	292.3	20.1	- 0.8	+ 2.8	105	2.9		
3	1015.4	298.4	293.5	5.1	295.4	292.8	20.8	+ 0.3	+ 5.0	86	5.0		
4	1012.9	298.3	293.3	5.0	295.3	293.4	22.2	+ 0.2	+ 3.3	87	3.3		
5	1012.0	301.2	293.6	7.6	295.3	293.4	22.3	7.1	4	+ 0.5	- 1.0	297	1.1		
6	1015.0	295.7	293.0	2.7	294.0	290.1	16.2	+ 1.0	+ 5.0	79	5.1		
7	1014.5	294.8	292.2	2.6	293.7	291.5	19.3	...	1	+ 0.9	+ 5.5	81	5.6		
8	1012.8	300.8	293.7	7.1	295.9	294.1	23.3	- 0.7	+ 3.2	102	3.3		
9	1012.4	297.1	294.4	2.7	295.1	294.0	23.7	2.8	4	...	+ 4.8	90	4.8		
10	1009.7	298.4	294.1	4.3	295.7	294.7	24.8	0.5	4	- 0.7	+ 4.1	100	4.2		
11	1006.5	300.1	295.5	4.6	297.7	295.9	26.3	0.8	...	- 2.9	+ 0.3	175	2.9		
12	1007.5	298.0	291.9	6.1	294.9	294.2	24.4	125.6	13	+ 0.4	+ 3.8	84	3.8		
13	1011.5	292.2	291.1	1.1	291.6	290.8	19.6	8.1	17	+ 2.8	+ 10.9	75	11.3		
14	1013.8	293.7	291.2	2.5	292.3	291.3	20.1	1.3	8	+ 0.9	+ 7.9	84	8.0		
15	1012.5	295.1	292.6	2.5	293.7	293.1	22.7	0.1	9	- 0.5	+ 5.7	95	5.7		
16	1009.7	296.9	294.0	2.9	295.2	294.8	25.6	0.9	5	- 0.4	+ 4.1	96	4.2		
17	1006.9	298.3	292.7	5.6	295.1	294.2	24.3	36.7	7	- 0.2	+ 1.2	100	1.2		
18	1010.0	299.4	294.4	5.0	296.3	295.2	25.6	+ 0.4	+ 3.2	84	3.3		
19	1012.9	297.9	292.6	5.3	294.9	293.6	23.0	18.8	10	+ 0.5	+ 6.3	86	6.3		
20	1012.5	294.5	291.4	3.1	292.9	291.8	20.5	1.5	7	+ 0.8	+ 5.3	81	5.3		
21	1011.5	297.0	293.2	3.8	294.6	293.8	23.6	...	4	+ 0.2	+ 5.4	88	5.4		
22	1010.3	298.4	294.3	4.1	295.9	295.2	25.8	...	4	- 0.2	+ 3.8	93	3.8		
23	1018.8	298.4	295.3	3.1	296.6	295.8	26.9	+ 0.1	+ 3.2	88	3.2		
24	1009.1	297.6	294.8	2.8	295.9	295.0	25.4	7.4	10	+ 0.3	+ 3.8	85	3.8		
25	1013.1	294.8	293.0	1.8	293.7	292.4	21.4	1.0	7	+ 1.9	+ 4.3	65	4.8		
26	1015.1	295.8	292.7	3.1	294.0	292.6	21.4	...	8	+ 0.2	+ 4.2	87	4.2		
27	1012.9	298.7	293.8	4.9	295.8	293.9	23.0	+ 0.2	- 0.4	203	0.4		
28	1011.5	300.3	293.2	7.1	296.1	291.5	17.3	+ 1.2	90	1.2		
29	1012.8	298.6	293.7	4.9	295.9	292.1	18.9	- 0.4	+ 3.7	96	3.7		
30	1014.0	298.6	295.2	3.4	296.4	293.0	20.3	+ 1.0	+ 5.8	81	5.8		
Means.	1012.0	297.5	293.3	4.2	294.9	293.3	22.2	212.6	115	+ 0.2	+ 4.0	88	4.0		
Normals.	1012.6	296.7	292.4	4.3	294.3	292.6	21.5	134.7	73	0.0	+ 3.8	90	3.8		
Absolute Maximum.	1019.3	301.2	...	7.6	...	297.4	27.8	125.6	17		
Day.	1	5	...	5	...	11	23	12	13		
Absolute Minimum.	1004.2	...	291.1	1.1	...	287.7	11.9		
Day.	12	...	13	1.3	...	6	6		

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

13d 29A
& 13d 1A

TABLE XI.—MEAN HOURLY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1923.
(British Units.)

Hours, Hongkong Standard Time.	Barometric Pressure,	Temperature.		Mean Vapour Tension	Degree of Humidity	Mean Amount of Cloud (0-100)	Percentage of possible Sunshine	Rainfall, Percentage of Total		Wind.		Observed Velocity.		
		of the Alt.	of Evaporation					Amount.	Duration	Components.	Resultant.			
										North.	East.			
										m.p.h.	m.p.h.	m.p.h.		
1	29·834	70·0	68·0	0·663	90	79	2	+	0·8	+ 12·3	86	12·3		
2	29·821	69·9	68·0	0·664	90	79	1	+	0·7	+ 10·6	86	10·6		
3	29·807	69·9	67·9	0·661	90	77	1	+	0·8	+ 10·1	85	10·1		
4	29·801	69·7	67·8	0·659	90	79	12	+	1·2	+ 10·4	83	10·5		
5	29·805	69·6	67·7	0·656	90	81	26	5	+	0·9	+ 11·0	85	11·0	
6	29·818	69·6	67·6	0·653	90	83	4	9	5	+	0·8	+ 11·0	86	11·0
7	29·831	70·0	67·9	0·659	89	85	21	3	+	0·7	+ 12·0	87	12·0	
8	29·851	71·1	68·5	0·667	87	84	30	1	3	+	0·4	+ 12·0	88	12·0
9	29·868	72·3	68·9	0·665	83	82	42	1	1	...	+ 12·4	90	12·4	
10	29·875	73·5	69·2	0·660	80	81	44	2	2	+	0·4	+ 12·6	88	12·6
11	29·870	73·9	69·2	0·655	78	75	47	2	3	+	1·0	+ 13·6	86	13·7
Noon.	29·856	74·2	69·2	0·651	76	76	44	12	3	+	0·5	+ 14·1	88	14·1
13	29·835	74·2	69·3	0·655	77	76	46	5	4	-	0·2	+ 14·1	91	14·1
14	29·814	74·1	69·3	0·656	77	78	47	5	3	-	0·4	+ 13·5	92	13·5
15	29·797	73·5	69·2	0·660	80	75	38	4	4	-	0·9	+ 13·2	94	13·2
16	29·785	73·0	69·0	0·659	81	73	37	2	3	-	0·5	+ 13·0	92	13·0
17	29·783	72·5	68·7	0·655	82	71	30	3	4	-	0·6	+ 12·2	93	12·2
18	29·791	71·9	68·5	0·655	83	73	7	3	5	-	0·1	+ 12·6	90	12·6
19	29·804	71·2	68·3	0·658	86	75	3	3	4	+	0·3	+ 12·6	89	12·6
20	29·817	70·8	68·3	0·663	88	70	2	2	4	+	1·2	+ 12·8	85	12·9
21	29·834	70·6	68·3	0·666	89	68	1	3	5	+	1·1	+ 12·5	85	12·6
22	29·845	70·6	68·3	0·666	89	70	1	4	4	+	2·3	+ 12·4	80	12·6
23	29·851	70·4	68·2	0·665	89	75	1	6	5	+	1·2	+ 12·4	84	12·5
Midn.	29·845	70·3	68·3	0·670	90	83	3	2	5	+	0·9	+ 12·9	86	12·9

TABLE XII.—MEAN HOURLY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1923.
(C. G. S. Units:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature.		Mean Vapour Tension.	Wind.		Observed Velocity.				
		of the Alt.	of Evaporation		Components.	Resultant.					
					North.	East.					
					m.p.s.	m.p.s.	m.p.s.				
1	1012·3	294·1	293·0	22·3	+	0·3	+	4·0	86	+	4·5
2	1011·8	294·1	293·0	22·4	+	0·2	+	3·5	86	3·5	3·9
3	1011·4	294·1	292·9	22·3	+	0·3	+	3·3	85	3·3	3·7
4	1011·2	293·9	292·9	22·2	+	0·4	+	3·4	83	3·4	3·8
5	1011·3	293·9	292·8	22·1	+	0·3	+	3·6	85	3·6	3·9
6	1011·8	293·9	292·8	22·0	+	0·3	+	3·6	86	3·6	3·8
7	1012·2	294·1	292·9	22·2	+	0·2	+	3·9	87	3·9	4·0
8	1012·8	294·7	293·3	22·5	+	0·1	+	3·9	88	3·9	4·1
9	1013·4	295·4	293·5	22·4	...	+	4·1	90	4·1	4·4	4·4
10	1013·7	296·1	293·7	22·2	+	0·1	+	4·1	88	4·1	4·9
11	1013·5	296·3	293·7	22·1	+	0·3	+	4·5	86	4·5	5·3
Noon.	1013·0	296·4	293·7	21·9	+	0·2	+	4·6	88	4·6	5·4
13	1012·3	296·4	293·7	22·1	-	0·1	+	4·6	91	4·6	5·4
14	1011·6	296·3	293·7	22·1	-	0·1	+	4·4	92	4·4	5·0
15	1011·0	296·1	293·7	22·2	-	0·3	+	4·3	94	4·3	5·0
16	1010·6	295·8	293·6	22·2	-	0·2	+	4·3	92	4·3	4·9
17	1010·5	295·5	293·4	22·1	-	0·2	+	4·0	93	4·0	4·6
18	1010·8	295·2	293·3	22·1	...	+	4·1	90	4·1	4·9	4·9
19	1011·3	294·8	293·2	22·2	+	0·1	+	4·1	89	4·1	4·7
20	1011·7	294·6	293·2	22·3	+	0·4	+	4·2	85	4·2	4·7
21	1012·3	294·4	293·2	22·4	+	0·4	+	4·1	85	4·1	4·5
22	1012·6	294·4	293·2	22·4	+	0·8	+	4·1	80	4·1	4·4
23	1012·8	294·3	293·1	22·4	+	0·4	+	4·1	84	4·1	4·2
Midn.	1012·6	294·3	293·2	22·6	+	0·3	+	4·2	86	4·2	4·6

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

APRIL,

1923.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	31ST MARCH, 1923.							1ST APRIL, 1923.									
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		THIN- KTON. ATMOS.	HUMID.	WIND.	HONGKONG STANDARD TIME.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		THIN- KTON. ATMOS.	HUMID.	WIND.		
			Inches.	Millrs.							Inches.	Millrs.					
Vladivostock, .	12	30.06	763.4	33	E	+	0	6	29.99	761.8	37	...	N	3	f
Nemuro,	11	30.04	763.0	NW	3	...	5
Hokodate,	"	30.10	764.5	SSW	2	...	"
Tokio,	"	30.14	765.5	W	1	...	"
Kochi,	"	29.96	761.0	N	2	...	"
Nagasaki,	"	30.08	764.0	N	4	...	"
Kagoshima,	"	30.02	762.5	SE	1	...	"
Oshima,	"	30.02	762.5	NNW	5	...	"
Naha,	"	30.08	764.0	N	5	...	"
Ishigakijima,	"	30.16	766.0	N	4	...	"
Bonin Island,	"	29.92	760.0	SSE	1	...	"
Weihaiwei,	14	"
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.25	768.3	63	43	...	SE	2	b	"	30.00	762.0	50	90	SE	1	b
Gutzlaff,	"	30.21	767.3	58	64	...	SSE	2	b	"	30.04	763.0	50	88	S	4	b
Sharp Peak,	15	30.14	765.5	71	66	...	ENE	4	b	7	30.09	764.3	54	74	N	2	b
Amoy,	14	30.06	763.5	73	92	...	ENE	2	b	6
Swatow,	"	"
Taihoku,	12	30.17	766.2	73	52	...	ENE	6	b	"	30.06	763.5	52	95	E	4	b
Taichu,	"	30.07	763.8	77	W	2	b	"	30.05	763.2	59	0	b
Tainan,	"	30.05	763.2	81	W	4	b	"	30.02	762.6	61	...	NE	2	b
Koshun,	"	30.08	764.1	75	NE	6	b	"	30.06	763.5	66	...	NE	4	b
Pescadores,	"	30.12	765.0	73	NNE	7	b	"	30.04	762.9	66	...	NNE	4	b
Canton,	15	30.02	762.5	83	57	...	SE	2	b	"
Hongkong,	14	30.04	763.0	71	63	...	E	5	b	"	30.04	763.0	66	85	E	2	b
Gap Rock,	"	30.04	763.0	NE	5	b	"	30.01	762.2	E	4	b
Macao,	"	30.02	762.6	75	63	...	ESE	1	b	"	30.00	762.0	68	85	ESE	1	b
Wuchow,	15	9
Pakhoi,	"
Hoihow,	"
Phulien,	"	29.95	760.8	81	69	...	ESE	4	bf	7	29.98	761.4	70	85	E	4	of
Tourane,	"	29.92	759.9	77	0	b	"	29.93	760.2	72	...	SE	2	o
Cape St. James, .	"	29.84	757.8	81	E	6	b	"	29.87	758.7	75	...	ENE	6	b
Aparri,	14	29.95	760.8	82	57	...	ENE	7	b	6	30.00	762.0	68	81	ENE	2	b
Dugupan,	"	"
Manila,	"	29.85	758.1	86	56	...	NE	2	b	"	29.92	759.9	66	90	E	1	b
Legaspi,	"	"	29.92	759.9	72	96	NE	0	o
Tacloban,	"	29.84	757.8	81	76	...	NE	1	r	"	29.88	759.0	75	91	...	0	o
Boilo,	"	29.78	756.3	86	65	...	NE	4	o	"	29.86	758.4	73	86	NE	4	o
Surigao,	"	29.84	757.8	81	84	...	N	2	o	"	29.85	758.1	73	94	...	0	o
Guam,	12.20	29.74	757.4	N	2	o	4.20	29.76	756.0	NE	1	o
Yap,	12.47	4.47
Labuan,	14	29.79	756.6	86	80	...	N	2	b	6	29.82	757.4	78	91	N	2	b

April 1d, 12h. 55m.—Pressure has decreased considerably at Shanghai and increased slightly over Formosa, Kwangtung, and the Philippines.

The anticyclone has weakened and moved eastward.

The monsoon will be interrupted to the north of Amoy and will be moderate over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1918 inches, against an average of 6.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND. DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- E. or variable winds, moderate; fine to cloudy.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	1ST APRIL, 1923.						2ND APRIL, 1923.									
	Hongkong STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		Hongkong STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Milfes.			Direction.	Force.		Inches.	Milfes.			Direction.	Force.	WEATHER.	
Wladivostock, .	12	29.97	761.2	43	...	N	5	0	6	30.19	766.7	33	...	NW	2	b
Nemuro, .	11	29.80	757.0	SW	5	...	5
Hokodate, .	"	29.94	760.5	SSW	3	...	"
Tokio, .	"	30.08	764.0	SSE	2	...	"
Kochi, .	"	30.10	764.5	S	1	...	"
Nagasaki, .	"	30.12	765.0	W	3	...	"
Kagoshima, .	"	30.10	764.5	N	1	...	"
Oshima, .	"	30.08	764.0	E	1	...	"
Naha, .	"	30.10	764.5	SE	1	...	"
Ishigakijima, .	"	"
Bonin Island, .	"	29.96	761.0	"
Weibaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	13	30.00	762.0	72	51	S	1	b	"	30.12	765.0	52	92	NE	2	o
Gutzlaff, .	"	29.97	761.2	60	71	S	4	b	"	30.09	764.3	50	100	N	2	o
Sharp Peak, .	15	30.04	763.0	77	53	NE	1	b	7	30.19	766.8	60	91	...	0	b
Amoy, .	14	30.01	762.2	70	61	SSE	4	b	6
Swatow, .	"	"
Taihoku, .	12	30.07	763.8	75	53	E	2	b	"	30.04	762.9	54	95	...	0	b
Taichu, .	"	30.08	764.1	75	...	W	2	b	"	30.04	762.9	57	...	ENE	2	b
Tainan, .	"	30.07	763.8	77	...	W	4	b	"	30.00	762.0	59	0	b
Koshun, .	"	30.11	764.7	75	...	ENE	4	b	"	30.04	762.9	61	0	b
Pescadores, .	"	30.10	764.4	75	...	N	4	b	"	30.02	762.6	63	...	N	2	b
Canton, .	15	29.99	761.7	81	96	S	1	b	"	30.02	762.5	66	95	...	0	b
Hongkong, .	14	30.03	762.7	75	59	ESE	3	b	"	30.00	762.0	68	90	E	2	o
Gap Rock, .	"	30.03	62.7	ENE	5	b	"	29.98	761.5	E	3	if
Macao, .	"	30.02	762.6	81	59	ESE	1	b	"	29.97	761.1	68	91	FSE	1	...
Wuchow, .	15	"
Pakhoi, .	"	"
Hoibow, .	"	"
Phulien, .	"	29.94	760.5	81	62	ESE	4	of	7	29.95	760.8	68	94	ENE	4	of
Tourane, .	"	29.92	759.9	73	...	NNW	2	o	"	29.91	759.6	70	...	NW	2	b
Cape St. James, .	"	29.82	757.5	81	...	E	6	b	"	29.84	757.8	77	...	ENE	6	b
Aparri, .	14	6
Dagupan, .	"	"
Manila, .	"	29.86	758.4	90	66	E	2	b	"	29.89	759.3	63	90	NE	1	b
Legaspi, .	"	29.88	759.0	82	63	NNE	4	o	"	29.88	759.0	75	79	NNE	2	...
Tacloban, .	"	29.82	757.5	84	58	NE	1	o	"
Ilollo, .	"	29.82	757.5	86	88	NE	6	o	"	29.85	758.1	73	88	N	4	o
Surigao, .	"	"	29.84	757.8	72	96	...	0	o
Gnam, .	12.20	29.74	755.4	E	4	o	4.20
Yap, .	12.47	4.47
Labuan, .	14	29.80	756.9	88	73	N	2	b	6	29.78	756.4	78	93	N	2	b

April 2d, 11h. 30m.—Pressure has increased moderately at Wladivostock and Shanghai. It has decreased slightly at other reporting stations.

An anticyclone formed over S E. Mongolia yesterday. It may spread southward and produce a moderate monsoon along the coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 118 inches, against an average of 6.36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

DISTRICT.

FORECAST.

- | | | | |
|--|-----|---|---------------------------------------|
| 1.—Formosa Channel, . | ... | { | N.E. winds, moderate; fine to cloudy. |
| 2.—South coast of China between Hongkong and Lamock, . | ... | | |
| 3.—Hongkong to Gap Rock, . | ... | | |
| 4.—South coast of China between Hongkong and Hainan, . | ... | | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG. DAILY WEATHER REPORT.

STATION.	2ND APRIL, 1923.							3RD APRIL, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER. ATMOS.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER. ATMOS.	HUMIDITY.	WIND.		
		Inches.	Milrs.						Inches.	Milrs.					
Vladivostock, .	12	30.15	765.9	48	...	WSW	2	b	6	30.06	763.4	35	...	ESE	4
Nenuro,	11	29.59	751.5	WNW	5	...	5
Hokodate,	29.94	760.5	W	9	...	"
Tokio,	29.98	761.5	N	4	...	"
Kochi,	30.12	765.0	SE	2	...	"
Nagasaki,	30.10	764.5	SW	1	...	"
Kagoshima,	30.08	764.0	SSE	1	...	"
Oshima,	30.12	765.0	NNE	1	...	"
Naha,	30.12	765.0	WNW	2	...	"
Ishigakijima,	30.12	765.0	S	1	...	"
Bonin Island,	30.00	762.0	NW	1	...	"
Weihaiwei,	14	"
Hankow,	15	"
Ichang,	"
Changsha,	"
Shanghai,	13	30.18	766.5	54	83	NE	4	o	30.18	766.5	46	89	...	NE	1
Gutzlaff,	30.14	765.5	52	88	NNE	2	o	30.19	766.8	48	93	0
Sharp Peak,	15	30.01	762.2	77	65	N	1	b	7	30.04	763.0	62	89	NNW	1
Amoy,	14	29.94	760.5	75	100	ESE	2	b	6	30.00	762.0	60	94	...	0
Swatow,	"
Taihoku,	12	30.06	763.5	77	54	...	0	b	"	30.04	762.9	57	98	...	0
Taichu,	30.06	763.5	77	...	NW	2	b	"	30.04	762.9	59	0
Tainan,	30.05	763.2	79	...	W	2	b	"	30.01	762.3	57	...	NE	2
Kushun,	30.06	763.5	77	...	E	4	b	"	30.01	762.3	70	...	NNE	2
Pescadores,	30.07	763.8	75	...	WNW	2	b	"	30.02	762.6	68	...	N	2
Canton,	15	29.97	761.2	82	49	WSW	1	b	"	30.00	762.0	65	95	E	1
Hongkong,	14	30.00	762.0	78	54	ESE	2	b	"	29.99	761.7	69	86	E	2
Gap Rock,	29.99	761.7	NE	2	b	"	29.98	761.5	E	4
Macao,	29.99	761.7	81	62	SSE	1	b	"	29.95	760.8	70	83	FNE	2
Wuchow,	15	9
Pakhoi,	"
Hoihow,	"
Phulien,	29.93	760.2	82	57	SSE	4	of	7	29.95	760.8	70	88	E	4
Tourane,	29.88	759.0	75	...	N	2	o	"	29.9	759.3	72	...	SE	2
Cape St. James,	29.82	757.5	82	...	E	6	b	"	29.84	757.8	77	...	ENE	6
Aparri,	14	29.92	759.9	82	60	NE	4	b	6	29.95	760.8	64	92	...	0
Ugapan,	"
Manila,	29.85	758.1	86	46	SE	4	o	"	29.91	759.6	66	87	NE	1
Legaspi,	29.86	758.4	84	60	NNE	4	b	"	29.88	759.0	75	92	NNE	4
Tacloban,	29.82	757.5	86	65	NW	2	o	"	29.86	758.4	73	92	NW	2
Illoilo,	"	29.86	758.4	75	91	NE	0
Buigao,	29.81	757.2	77	58	N	4	o	"	29.85	758.1	72	96	SW	4
Xuan,	12.20	29.78	756.3	E	4	o	4.20	29.85	758.1	ENE	2
Yap,	12.47	4.47	0
abuan,	14	29.78	756.4	88	76	N	1	b	6	29.79	756.6	80	91	N	2

April 3d. 11h. 15m.—Pressure has decreased moderately at Vladivostock and increased slightly at Shanghai. It is nearly stationary at other reporting stations.

The anticyclonic appears to be central over the gulf of Chi-li.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 118 inches, against an average of 6.49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, moderate; fine to cloudy.*

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

3RD APRIL, 1923.

4TH APRIL, 1923.

STATION.	HONGKONG		BAROMETER AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.	HONGKONG STANDARD TIME.	HONGKONG		BAROMETER AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.	WEATHER.	
	STANDARD	TIME.	Inches.	Millrs.					STANDARD	TIME.	Inches.	Millrs.					
Vladivostock, .	12	29.92	760.0	38	...		SE	+	0	6	30.13	765.2	33	...	NNW	1	b
Nemuro, .	11	30.08	764.0		N	-	...	5
Hokodate, .	"	30.10	764.5		S	+	...	"
Tokio, .	"	30.26	768.5		N	2	...	"
Kochi, .	"	30.12	765.0		SE	1	...	"
Nagasaki, .	"	30.14	765.5	"
Kagoshima, .	"	30.14	765.5	"
Oshima, .	"	30.14	765.5		N	1	...	"
Naha, .	"	30.16	766.0		NNW	1	...	"
Ishigakijima, .	"	30.10	764.5		SE	3	...	"
Bonin Island, .	"	30.10	764.5	"
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.20	767.1	55	66		E	1	o	"	29.92	759.9	55	98	SSE	1	o
Gutzlaff, .	"	30.14	765.5	52	88		E	2	o	"	29.94	760.5	56	94	SSE	4	o
Sharp Peak, .	75	30.04	763.0	74	72		E	2	b	7	29.99	761.7	65	81	W	2	b
Amoy, .	14	29.98	761.5	70	85		SSE	2	b	6	29.97	761.2	63	94	...	0	o
Swatow, .	"	"
Taihoku, .	12	30.06	763.5	81	50		SSE	+	b	"	30.01	762.3	63	94	SW	2	h
Taichu, .	"	30.06	763.5	75	...		NW	2	o	"	30.01	762.3	63	0	b
Tainan, .	"	30.04	762.9	81	...		N	+	b	"	29.97	761.1	66	0	r
Koshun, .	"	30.05	763.2	79	...		ENE	4	b	"	29.99	761.7	66	0	b
Pescadores, .	"	30.08	764.1	73	...		N	+	b	"	29.99	761.7	66	...	NNE	2	b
Canton, .	15	29.95	760.7	83	49		SSE	2	h	"	29.96	761.0	67	90	SSE	1	o
Hongkeng, .	14	29.97	761.2	77	61		E	3	h	"	29.94	760.5	69	89	E	1	od
Gap Rock, .	"	29.97	761.2		ENE	4	h	"	29.92	759.9	E	3	b
Macao, .	"	29.92	759.9	77	68		ESE	2	o	"	29.92	759.9	70	94	SE	2	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoikow, .	"	"
Phulien, .	"	29.88	759.0	82	53		SSE	4	h	7	29.91	759.6	70	91	ESE	4	of
Tourane, .	"	29.85	758.1	79	...		SE	2	b	"	29.88	759.0	72	...	SSE	2	b
Cape St. James, .	"	29.81	757.2	81	...		ENE	6	b	"	29.86	758.4	75	...	ENE	6	o
Aparri, .	14	29.91	759.6	82	57		NE	4	b	6	29.93	760.2	70	91	SE	2	o
Dagupan, .	"	"
Manila, .	"	29.85	758.1	86	56		ESE	2	o	"	29.91	759.6	70	91	ESE	1	o
Legaspi, .	"	29.86	758.4	79	76		NNE	4	o	"	29.88	759.0	77	94	NNE	4	o
Tacloban, .	"	29.81	757.2	77	94		...	0	r	"	29.86	758.4	75	94	NNW	2	o
Illoilo, .	"	29.79	756.6	82	70		NE	6	o	"	29.86	758.4	75	91	NE	4	o
Surigao, .	"	29.79	756.6	82	74		N	2	b	"	29.84	757.8	75	94	...	0	o
Guam, .	12.20	29.84	757.8		ENE	4	o	4.20	29.86	758.4	ENE	2	o
Yap, .	12.47	4.47
Labuan, .	14	29.77	756.1	88	76		N	2	b	6	29.82	757.4	78	91	N	1	b

April 4d. 11h. 15m.—Pressure has decreased considerably at Shanghai and slightly from Formosa to Tongking. It is nearly stationary over the Philippines.

Fog may be expected along the S.E. and S. coasts of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 118 inches, against an average of 6.63 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamocks, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- E. or variable winds, moderate to light; fine at first, fog later.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

4TH APRIL, 1923.

5TH APRIL, 1923.

STATION.	HONGKONG STANDARD TIME,		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATM.	HUMIDITY.	WIND.	WEATHER.	HONGKONG STANDARD TIME,		BAROMETER LEVEL.		HUMIDITY.	WIND.	WEATHER.	
	Inches.	Mills.	Direct- ion.	Force.							Inches.	Mills.	TEMPER- ATURE. ATM.	Humid- ity.	Direct- ion.	Force.
Vladivostock, .	12	30.06	763.5	41	...	NNE	4	b	6	30.16	766.1	26	...	NNW	4	b
Nemuro, .	11	29.57	751.0	W	5	...	5	29.80	757.0	W	6	...
Hokodate, .	"	29.92	760.0	WNW	7	...	"	30.02	762.5	NW	6	...
Tokio, .	"	29.96	761.0	E	1	...	"	29.96	761.0	NNW	2	...
Kochi, .	"	30.06	763.5	SE	1	...	"	29.80	757.0	0	...
Nagasaki, .	"	30.02	762.5	WSW	4	...	"	29.71	754.5	SW	2	...
Kagoshima, .	"	30.02	762.5	SSE	1	...	"	29.76	756.0
Oshima, .	"	30.04	763.0	SE	2	...	"	29.82	757.5	SSE	1	...
Naha, .	"	30.02	762.5	S	1	...	"	29.84	758.0	S	1	...
Ishigakijima, .	"	30.00	762.0	S	4	...	"	29.84	758.0	SW	3	...
Bonin Island, .	"	30.12	765.0	S	1	...	"	30.04	763.0	0	...
Weihaiwei, .	14	"
Hankow, .	15	"
Jehang, .	"	"
Changsha, .	"	"
Shanghai, .	13	29.95	760.7	68	68	W	1	o	"	29.93	760.2	48	95	N	1	o
Gutzlaff, .	"	29.83	757.7	68	65	NW	1	b	"	29.88	758.9	48	100	NNW	6	o
Sharp Peak, .	15	29.86	758.4	73	81	SE	2	...	7	29.79	756.6	70	80	W	1	o
Amoy, .	14	29.84	757.9	75	77	SSE	2	b	6	29.78	756.4	68	95	...	0	o
Swatow, .	"	"
Taihoku, .	12	29.97	761.1	81	53	NNE	2	b	"	29.80	756.9	64	41	...	0	o
Taichu, .	"	29.99	761.7	77	...	SW	2	b	"	29.85	758.1	64	0	of
Fainan, .	"	29.97	761.1	82	...	WSW	4	b	"	29.87	758.7	68	...	ESE	2	o
Keshun, .	"	29.97	761.1	81	...	ENE	4	b	"	29.82	757.5	68	...	SSE	6	r
Pescadores, .	"	29.99	761.7	77	...	NW	2	b	"	29.82	757.5	75
Canton, .	15	29.84	757.9	83	53	S	1	o	"	29.84	757.9	69	95	SSE	1	o
Hongkong, .	14	29.88	758.9	75	77	E	3	o	"	29.84	757.9	70	95	...	0	cum
Gap Rock, .	"	29.88	758.9	ENE	3	b	"	
Macao, .	"	29.87	758.7	82	63	SE	2	b	"	29.82	757.5	70	94	SSE	2	o
Wuchow, .	15	9	
Pakhoi, .	"	"	
Boihow, .	"	"	
Phulien, .	"	29.81	757.2	79	73	SSE	6	of	7	29.82	757.5	72	94	ESE	4	of
Tourane, .	"	29.78	756.3	79	...	SE	4	b	"	29.78	756.3	73	...	SSW	6	o
Cape St. James, .	"	29.84	757.8	81	...	ENE	6	b	"	29.81	758.1	75	...	E	4	o
Aparri, .	14	29.82	757.5	84	68	ENE	4	b	6	29.82	757.5	73	89	S	2	b
Bagnpan, .	"	"	
Manila, .	"	29.80	756.9	90	51	SSE	2	b	"	29.85	758.1	72	89	...	0	b
Legaspi, .	"	29.81	757.2	81	80	NE	2	o	"	29.82	757.5	77	92	NNE	2	o
Tacloban, .	"	29.78	756.3	90	72	S	4	o	"	29.81	757.2	75	96	...	0	o
Boilo, .	"	29.76	756.0	86	61	NE	4	o	"	29.81	757.2	75	96	NE	2	o
Surigao, .	"	29.76	756.0	84	81	NNE	2	b	"	
Guam, .	12.20	29.80	756.9	E	4	o	4.20	29.81	757.2	ENE	2	o
Yap, .	12.47	4.47	
Labuan, .	14	29.77	756.1	88	73	N	2	b	6	29.78	756.4	78	94	N	2	b

April 5th, 11h. 40m.—Pressure has decreased considerably from central Japan to the Loochoos, moderately over Formosa, Kwangtung, N. Annam and N. Luzon, and slightly in the extreme South.

Gradients are very shallow from the Philippines to S.E. China.

A depression which formed over the Yangtze Valley yesterday has deepened and moved eastward. It is now central to the north of Nagasaki.

A shallow depression lies between Tourane and Haiphong.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 118 inches, against an average of 6.77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH. DISTRICT.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lanocks, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- Light, variable winds; generally cloudy, some rain.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	5TH APRIL, 1923.							6TH APRIL, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		
		Inches.	Milrs.			Dir. ct. ion.	For. ce.		Dir. ct. ion.	For. ce.			Dir. ct. ion.	For. ce.	
Vladivostock, .	12	30.08	764.1	40	...	NNW	3	b	6	29.95	760.6	33	...	ESE	3
Nemuro, .	11	29.86	758.5	NW	5	...	5	29.96	761.0	NE	1
Hokodate, .	11	30.00	762.0	WNW	6	...	29.96	761.0	NNW	1	
Tokio, .	11	30.00	762.0	N	2	...	29.82	757.5	NNW	4	
Kochi, .	11	29.70	754.5	SE	4	...	29.71	754.5	NW	1	
Nagasaki, .	11	29.57	751.0	SW	8	...	29.92	760.0	NNE	5	
Kagoshima, .	11	29.65	753.0	S	3	...	29.84	758.0	NNW	2	
Oshima, .	11	29.78	756.5	S	3	...	29.86	758.5	N	4	
Naha, .	11	29.84	758.0	SW	3	...	29.92	760.0	ESE	5	
Ishigakijima, .	11	29.88	759.0	SW	2	...	29.98	751.5	N	3	
Bonin Island, .	11	30.00	762.0	SSW	+	...	29.90	759.5	SSW	3	
Weihaiwei, .	14	
Hankow, .	15	
Ichang, .	11	
Changsha, .	11	
Shanghai, .	11	30.04	762.9	55	55	NNW	4	o	30.14	765.5	39	97	N	1	
Gutzlaff, .	11	30.02	762.5	56	63	NNW	4	b	30.14	765.5	46	69	NNW	2	
Sharp Peak, .	15	29.81	757.2	67	69	ENE	4	o	30.08	764.0	58	85	N	2	
Amoy, .	14	29.80	756.9	76	82	...	0	o	29.97	761.2	63	83	ENF	2	
Swatow, .	11	
Taihoku, .	12	29.86	758.4	79	58	...	0	o	30.06	763.5	59	87	E	4	
Taihu, .	11	29.87	758.7	82	...	SW	2	b	29.93	760.2	64	...	N	4	
Taiwan, .	11	29.83	759.0	82	...	WSW	2	b	29.92	759.9	66	...	N	4	
Kochun, .	11	29.85	758.1	84	...	W	4	b	29.93	760.2	68	...	NE	6	
Pescadores, .	11	29.92	759.9	79	...	WSW	4	b	29.95	760.8	68	...	NNE	8	
Canton, .	15	29.90	759.4	67	84	N	2	o	29.98	761.5	61	82	NNE	1	
Hongkong, .	14	29.95	758.2	77	69	WSW	1	o	29.93	760.2	68	56	E	3	
Gap Rock, .	11	29.80	758.4	E	1	o	29.91	759.7	NE	4	
Macao, .	11	29.86	758.4	70	98	NE	1	r	29.92	759.9	66	67	NNE	4	
Wuchow, .	15	9	
Pakhoi, .	11	
Hoibow, .	11	
Phulien, .	11	29.81	757.2	81	69	SSE	4	o	7	29.95	760.8	68	92	ENE	2
Tourane, .	11	29.76	756.0	77	...	SE	2	o	29.85	758.1	72	...	NW	4	
Cape St. James, .	11	29.82	757.5	82	...	E	2	b	29.82	757.5	75	...	E	2	
Aparri, .	14	29.79	756.6	84	68	NNE	4	b	6	29.88	759.0	73	92	SSW	2
Dagupan, .	11	
Manila, .	11	29.75	755.7	93	50	SE	4	b	...	29.85	758.1	72	92	NE	1
Legaspi, .	11	29.79	756.6	86	81	ENE	2	o	...	29.85	758.1	77	92	NNE	1
Tacloban, .	11	29.79	756.6	90	69	ESE	2	o	...	29.81	757.2	73	96	...	0
Uloilo, .	11	29.73	755.1	90	66	NE	4	o	
Surigao, .	11	29.75	755.7	86	68	NE	1	o	...	29.82	757.5	72	96	SSE	1
Guam, .	12.20	29.78	756.3	NE	4	o	4.20	29.81	757.2	ENE	1
Yap, .	12.47	4.47
Labuan, .	14	29.76	755.9	86	80	E	2	b	6	29.77	756.1	78	94	E	2

April 6d. 11h. 50m.—Pressure has decreased considerably at Vladivostock and moderately from central Japan to the Bonins. It has increased considerably from Nagasaki to Shanghai and moderately from the Loochoos to Tongking.

The northern depression was a little to the east of Kobe this morning. The Indo-China depression has filled up. An anticyclone has formed over N. China.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.28 inch. Total since January 1st, 146 inches, against an average of 6.92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH. DISTRICT.

- | | |
|---|--|
| 1.—Formosa Channel, . | N.E. winds, fresh. |
| 2.—South coast of China between Hongkong and Lamocko, . | N.E. winds, moderate; generally overcast, occasional rain. |
| 3.—Hongkong to Gap Rock, . | N.E. winds, moderate; generally overcast, occasional rain. |
| 4.—South coast of China between Hongkong and Hainan, . | N.E. winds, moderate; generally overcast, occasional rain. |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

6TH APRIL, 1923.

7TH APRIL, 1923.

STATION.	HONGKONG					HONGKONG					
	STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.	STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPERATURE.	
		Inches.	Mills.			Direction.		Inches.	Mills.		Direction.
Vladivostock, .	12	29.86	758.5	+2	...	SE	6	29.87	758.7	32	N
Nemuro, .	11	29.92	760.0	NE	5
Hokodate, .	"	29.94	760.5	NNW	5
Tokio, .	"	29.88	759.0	NNW	3
Kochi, .	"	29.86	758.5	NNW	3
Nagasaki, .	"	29.98	761.5	N	3
Kagoshima, .	"	29.94	760.5	NW	4
Oshima, .	"	29.96	761.0	NNW	5
Naha, .	"	30.00	762.0	NNW	5
Ishigakijima, .	"	30.06	763.5	NE	4
Bonin Island, .	"	29.88	759.0	SSW	2
Weihaiwei, .	14
Hankow, .	15
Ichang, .	"
Changsha, .	"
Shanghai, .	11	30.17	766.2	61	50	W	1	29.92	759.9	50	S
Gutzlaff, .	"	30.14	765.5	58	64	SSW	2	29.97	761.2	52	S
Sharp Peak, .	15	30.10	764.5	71	76	E	2	30.02	762.5	56	W
Amoy, .	14	29.98	761.5	71	71	ENE	1	29.99	761.7	60	FINE
Swatow, .	"
Taiboku, .	12	30.13	765.3	66	59	ENE	6	29.99	761.7	55	E
Taichu, .	"	29.99	761.7	59	...	N	4	30.00	762.0	59	...
Tainan, .	"	29.98	761.4	75	...	N	4	29.98	761.4	63	...
Koshun, .	"	29.99	761.7	68	...	NE	6	30.00	762.0	68	NE
Pescadores, .	"	30.02	762.6	72	...	NNE	8	29.99	761.7	66	N
Canton, .	15	29.98	761.5	75	95	WSW	1	29.97	761.2	66	E
Hongkong, .	14	29.98	761.4	72	72	E	3	29.96	761.0	67	E
Gap Rock, .	"	29.96	761.0	ENE	5	29.96	761.0	...	E
Macao, .	"	29.97	761.1	73	66	SE	2	29.95	760.8	68	ESE
Wuchow, .	15	9
Pakhoi, .	"
Hoihow, .	"
Phulien, .	"	29.92	759.9	82	51	SSE	4	29.93	760.2	68	NE
Tourane, .	"	29.86	758.4	72	...	NW	4	29.87	758.7	70	NW
Cape St. James, .	"	29.79	756.6	90	...	SE	2	29.82	757.5	77	NE
Aparri, .	14	29.87	758.7	84	71	NNE	4
Dagupan, .	"
Manila, .	"	29.79	756.6	90	57	29.87	758.7	73	...
Legaspi, .	"	29.80	756.9	86	75	NNE	4	29.88	759.0	79	NNE
Tacloban, .	"	29.79	756.6	90	63	S	2	29.87	758.7	77	...
Illoilo, .	"	29.75	755.7	90	48	NE	4	29.85	758.1	77	NE
Surigao, .	"	29.78	756.3	86	65	ENE	4
Guam, .	12.20	29.76	756.0	E	4
Yap, .	12.47	4.20
Labuan, .	14	29.75	755.6	88	76	N	2	29.78	756.4	78	N

April 7d. 10h. 42m.—Pressure has decreased considerably at Shanghai and increased slightly from Formosa to the Visayas. It is nearly stationary from Hongkong to Indo-China.

The anticyclone has moved eastward and has been replaced by a depression over the lower Yangtze Valley.

The monsoon will be interrupted along the S.E. coast of China and will be moderate over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1.46 inches, against an average of 7.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH. DISTRICT.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamocks,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan,
- E, or variable winds, moderate; generally overcast, occasional rain, fog later.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	7TH APRIL, 1923.							8TH APRIL, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDT.	WIND.			
		Inches.	Millra.			Direct- ion.	Force.		Inches.	Millra.			Direct- ion.	Force.		
Wladivostock, .	12	29.83	757.7	43	...	N	3	c	6	29.65	753.0	30	...	N	4	s
Nemuro, .	11	30.00	762.0	SSW	7	...	5	30.06	763.5	SSE	1	..
Hokodate, .	"	30.00	762.0	SW	6	...	"	29.96	761.0	ESE	1	..
Tokio, .	"	30.16	766.0	ESE	1	...	"	30.10	764.5	0	..
Kochi, .	"	30.12	765.0	SE	2	...	"	30.00	762.0	SW	1	..
Nagasaki, .	"	30.10	764.5	SE	9	...	"	29.82	757.5	SSE	7	..
Kagoshima, .	"	30.10	764.5	ESE	1	...	"	29.94	760.5	S	3	..
Oshima, .	"	30.10	764.5	ESE	2	...	"	30.00	762.0	S	1	..
Naha, .	"	30.08	764.0	ESE	1	...	"	30.00	762.0	S	1	..
Ishigakijima, .	"	30.06	763.5	S	3	...	"	29.98	761.5	SSW	5	..
Bonin Island, .	"	30.06	763.5	N	2	...	"	30.16	766.0	E	1	..
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.91	759.6	68	68	S	4	b	"	29.92	759.9	63	98	N	4	o
Gutzlaff, .	"	29.85	758.2	58	94	S	6	o	"	29.94	760.5	58	100	N	4	o
Sharp Peak, .	15	29.97	761.2	80	70	N	1	b	7	29.91	769.7	64	89	...	0	o
Amoy, .	14	29.91	759.7	69	75	SSE	1	o	6	29.90	759.4	65	89	...	0	o
Swatow, .	"	"
Taihoku, .	12	30.00	762.0	75	60	E	1	o	"	29.95	760.8	64	94	...	0	o
Taichu, .	"	29.89	759.3	75	...	SSW	4	o	"	29.97	761.1	66	2	r
Tainan, .	"	30.00	762.0	81	...	W	2	b	"	29.94	760.5	70	...	NE	2	o
Koshun, .	"	30.00	762.0	72	...	E	4	r	"	29.93	760.2	70	0	r
Pescadores, .	"	30.01	762.3	73	...	NW	4	o	"	29.99	761.7	72	...	S	2	o
Canton, .	15	29.92	759.9	76	69	SW	1	o	"	29.94	760.5	70	90	...	0	o
Hongkong, .	14	29.92	759.9	71	71	E	3	o	"	29.91	759.7	70	91	E	2	o
Gap Rock, .	"	29.91	759.7	E	4	o	"	29.90	758.4	ENE	3	o
Macao, .	"	29.92	759.9	70	83	ESE	1	o	"	29.91	759.6	70	94	...	0	o
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.85	758.1	79	61	SE	1	o	7	29.91	759.6	70	94	...	o	of
Tourane, .	"	29.82	757.5	73	...	NW	4	b	"	29.86	758.4	72	...	SSW	4	o
Cape St. James, .	"	29.80	756.9	82	...	ENE	4	b	"	29.81	757.2	77	...	ENE	6	o
Aparri, .	14	29.84	757.8	82	77	ENE	4	o	6
Dagupan, .	"	"
Manila, .	"	29.80	756.9	90	55	SE	4	o	"
Legaspi, .	"	29.82	757.5	86	71	NNE	2	b	"
Tacloban, .	"	29.81	757.2	82	81	ENE	2	r	"
Iloilo, .	"	29.76	756.0	90	55	NE	4	b	"
Surigao, .	"	29.79	756.6	86	68	ENE	2	o	"
Guam, .	12.20	29.82	757.5	NE	4	o	4.20
Yap, .	12.47	4.47
Labuan, .	14	29.75	755.6	88	76	N	2	b	6

April 8d, 12h. 12m.—Pressure has decreased considerably at Wladivostock and Nagasaki, and slightly at the majority of other reporting stations.

The anticyclone has passed into the Pacific and the depression is now to the N.W. of Nagasaki.

Another depression is shown to the S.E. of Wladivostock.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1.46 inches, against an average of 7.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH. DISTRICT.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamocks,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan,
- E. or variable winds, moderate to light; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

8TH APRIL, 1923.

9TH APRIL, 1923.

STATION.	HONGKONG					BAROMETER AT SEA LEVEL.					HONGKONG					BAROMETER AT SEA LEVEL.				
	STANDARD TIME.	Inches.	Mills.	Temper-ature.	HUMIDIT.	WIND.	Direct- ion.	Force.	WEATHER	STANDARD TIME.	Inches.	Mills.	Temper-ature.	HUMIDIT.	WIND.	Direct- ion.	Force.	WEATHER		
Vladivostock, .	12	29.47	748.5	31	...	NNW	4	s	...	6	29.75	755.7	35	...	WNW	5	b			
Nemuro, .	11	29.96	761.0	S	5	5			
Hokodate, .	"	29.74	755.5	ESE	3	"	29.51	749.5	SW	1	...			
Tokio, .	"	29.94	760.5	SSW	6	"	29.80	757.0	NNW	2	...			
Kochi, .	"	29.86	758.5	S	1	30.00	762.0	WSW	1	...				
Nagasaki, .	"	29.82	757.5	W	5	"	N	1	...				
Kagoshima, .	"	29.88	759.0	SSW	5	"	30.04	763.0	WNW	1	...			
Osshima, .	"	29.98	761.5	SSE	2	"	30.02	762.5	NNW	2	...			
Naha, .	"	30.02	762.5	S	2	"	30.00	762.0	NNE	1	...			
Ishigakijima, .	"	30.00	762.0	SSW	1	"	29.98	761.5	SSW	1	...			
Bonin Island, .	"	30.08	764.0	ESE	1	"	30.04	763.0	SSW	1	...			
Weihaiwei, .	14	"			
Hankow, .	15	"			
Ichang, .	"	"			
Changsha, .	"	"			
Shanghai, .	11	30.13	765.3	57	62	N	4	b	...	"	30.05	763.2	45	92	ESE	2	b			
Gutzlaff, .	"	30.12	765.0	54	94	NNE	4	b	...	"	30.08	764.0	48	100	SE	6	b			
Sharp Peak, .	15	30.00	762.0	80	66	S	2	o	...	"	30.03	762.7	60	88	ENE	4	o			
Amoy, .	14	29.84	757.9	80	78	SE	1	b	...	"	29.93	760.2	66	79	E	1	o			
Swatow, .	"	"			
Taihoku, .	12	29.95	760.8	79	61	...	0	o	...	"	29.94	760.5	68	92	E	6	o			
Taichu, .	"	29.98	761.4	77	0	o	...	"	29.93	760.2	66	0	o			
Tainan, .	"	29.95	760.8	73	...	E	2	o	...	"	29.91	759.6	70	...	NNE	2	o			
Kosham, .	"	29.97	761.1	68	0	r	...	"	29.91	759.6	72	...	NE	4	b			
Pescadores, .	"	29.97	761.1	81	...	SE	2	o	...	"	29.94	760.5	70	...	NNE	6	b			
Canton, .	15	29.86	758.4	82	67	W	1	o	...	"			
Hongkong, .	14	29.87	758.7	80	67	SE	1	o	...	"	29.90	759.4	71	94	ESE	1	o			
Gap Rock, .	"	29.89	759.2	E	3	c	...	"	29.90	759.4	2	c			
Macao, .	"	29.87	758.7	81	73	...	0	o	...	"	29.88	759.0	72	91	...	0	o			
Wuchow, .	15	"			
Pakhoi, .	"	"			
Hoihow, .	"	"			
Phalien, .	"	29.85	758.1	81	69	SSE	2	o	...	"	29.86	758.4	72	96	SE	4	o			
Tourane, .	"	29.81	757.2	77	...	E	2	b	...	"	29.84	757.8	73	...	SSW	4	o			
Cape St. James, .	"	29.79	756.6	82	...	ENE	4	b	...	"	29.85	758.1	77	...	ENE	2	o			
Aparri, .	14	29.80	756.9	82	77	NNE	4	o	...	"	6			
Lagupan, .	"	"			
Manila, .	"	29.78	756.3	93	50	SSE	4	b	...	"	29.85	758.1	72	94	...	0	o			
Legaspi, .	"	29.80	756.9	90	57	NNE	2	b	...	"			
Taloban, .	"	29.79	756.6	84	81	ENE	2	o	...	"	29.82	757.5	75	96	...	0	b			
Iloilo, .	"	29.74	755.4	90	48	NE	4	b	...	"	29.82	757.5	77	88	N	4	o			
Jurigao, .	"	"	29.81	757.2	75	96	...	0	o			
Guam, .	12.20	29.79	756.6	E	4	o	4.20			
Yap, .	12.47	4.47			
Labuan, .	14	29.73	755.1	88	73	N	2	b	6	29.78	756.4	78	94	N	2	b				

April 9d. 11h. 33m.—Pressure has increased moderately at Shanghai and over S.W. Japan. It has decreased considerably over N.E. Japan. Changes are small elsewhere.

The two depression have merged into a somewhat severe cyclone which, this morning, was situated to the north of Hokodate.

A belt of relatively high pressure stretches from the Bonins to N.E. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 146 inches, against an average of 739 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH. DISTRICT.

- 1.—Formosa Channel, .
 2.—South coast of China between Hongkong and Lamocks, .
 3.—Hongkong to Gap Rock, .
 4.—South coast of China between Hongkong and Hainan, .
- E. winds, moderate; overcast, occasional rain.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	9TH APRIL, 1923.								10TH APRIL, 1923.									
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		Temp. ATM.	Humid.	WIND.		WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		Temp. ATM.	Humid.	WIND.		WEATHER.
	Inches.	Millrs.	Direct. ion.	Force.			Inches.	Millrs.		Inches.	Millrs.	Direct. ion.	Force.			Inches.	Millrs.	
Vladivostock, .	12	29.82	757.4	46	...		NW	2	b	6	29.88	758.8	34	...	N	4	0	
Nemuro,	11	29.45	748.0		SW	4	...	5	29.71	754.5	SW	4	..	
Hokodate,	29.61	752.0			WSW	9	...		29.90	759.5	NW	5	..	
Tokio,	29.88	759.0			NE	2	...		29.96	761.0	NNW	1	..	
Kochi,	30.04	763.0			S	1	...		30.02	762.5	SW	1	..	
Nagasaki,	30.08	764.0			E	2	...		29.98	761.5	0	..	
Kagoshima,	30.06	763.5			SE	1	...		29.98	761.5	0	..	
Oshima,	30.04	763.0			N	2	...		29.94	760.5	1	..	
Naha,	30.02	762.5			ESE	2	...		29.94	760.5	SSW	0	..	
Ishigakijima,	30.00	762.0			SE	2	...		29.90	759.5	SSW	1	..	
Bonin Island,	30.06	763.5			SW	1	...		30.02	762.5	WSW	1	..	
Weihaiwei,	14	
Hankow,	15	
Johang,	
Changsha,	
Shanghai,	11	29.99	761.7	64	41		SSE	4	b		29.76	755.9	57	93	SE	1	b	
Gutzlaff,	29.91	759.7	58	94			SE	6	b		29.80	756.9	58	100	S	4	o	
Sharp Peak,	30.00	762.0	68	65			NE	1	o	7	29.87	758.7	62	94	...	0	b	
Anoy,	29.90	759.4	73	76			ESE	1	o	6	29.84	757.9	54	94	...	0	o	
Swatow,	
Taihoku,	12	29.94	760.5	86	56		SE	4	b		29.87	758.7	66	94	SE	2	b	
Taichu,	29.98	761.4	77	...			W	2	o		29.87	758.7	66	0	b	
Tainan,	29.95	760.8	82	...			N	4	o		29.86	758.4	66	0	b	
Koshun,	29.95	760.8	79	...			ENE	6	o		29.85	758.1	66	0	b	
Pescadores,	30.00	762.0	75	...			NNE	6	o		29.87	758.7	70	...	NNE	2	b	
Canton,	15	29.85	758.2	80	70		SE	2	o		
Hongkong,	14	29.89	759.2	71	88		E	2	o		29.82	757.4	70	96	E	2	od	
Gap Rock,	29.88	758.9			ENE	4	o		29.82	757.4	E	2	b	
Macao,	29.82	757.4	73	85			ESE	4	o		29.81	757.2	73	96	SE	4	o	
Wuehow,	15	9		
Pakhoi,		
Hoihow,		
Phulien,	29.80	756.9	79	73			SSE	4	o	7	29.74	755.4	73	98	SSE	6	of	
Tourane,	29.76	756.0	79	...			SE	4	o		29.75	755.7	73	...	SSW	6	b	
Cape St. James,	29.79	756.6	84	...			ENE	4	b		29.79	756.6	77	...	E	4	o	
Aparri,	14	6		
Dagupan,		
Manila,	29.80	756.9	86	75			SE	1	o		29.81	757.2	72	96	...	0	b	
Legaspi,	29.78	756.3	90	69			NNE	2	b		29.79	756.6	79	90	NNE	2	o	
Tacloban,	29.78	756.3	90	55			S	1	o			
Iloilo,	29.73	755.1	90	63			NE	6	b		29.78	756.3	77	92	N	4	o	
Surigao,		
Guam,	12.20	29.82	757.5		E	4	o	4.20	29.81	757.2	ENE	2	b	
Yap,	12.47	4.47		
Labuan,	14	29.76	755.9	86	80		N	2	b	6	29.73	755.1	78	93	E	2	b	

April 10th, 11th, 25m.—Pressure is highest from the Bonins to S.W. Japan. It has increased considerably over N.E. Japan and moderately over central Japan. It has decreased considerably over the lower Yangtze Valley and moderately to slightly elsewhere.

A depression has formed over the lower Yangtze Valley.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.13 inch. Total since January 1st, 159 inches, against an average of 755 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH. DISTRICT.

- | | | |
|---|---|---|
| 1.—Formosa Channel, | } | E. or variable winds, moderate; fine at first, some rain later, fog in morning. |
| 2.—South coast of China between Hongkong and Lamocks, | | } |
| 3.—Hongkong to Gap Rock, | | |
| 4.—South coast of China between Hongkong and Hainan, | | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG. DAILY WEATHER REPORT.

STATION.	10TH APRIL, 1923.							11TH APRIL, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	
		Inches.	Millrs.			Direct- ion.	Force.			Inches.	Millrs.			Direct- ion.	Force.
Vladivostock, .	12	29.88	758.8	44	...	N	3	g	6	29.86	758.5	34	...	N	3
Nemuro,	11	29.70	754.5	SW	2	...	5	29.71	754.5	ESE	1
Hokodate,	"	29.82	757.5	SSW	5	...	"	29.86	758.5	W	2
Tokio,	"	29.88	759.0	SSE	1	...	"	29.84	758.0	NNE	1
Kochi,	"	29.98	761.5	"	29.78	756.5	SW	1
Nagasaki,	"	29.92	760.0	SE	6	...	"	29.76	756.0	0
Kagoshima,	"	29.96	761.0	NE	1	...	"	29.76	756.0	SE	1
Oshima,	"	29.94	760.5	SE	3	...	"	29.78	756.5	SSE	1
Naha,	"	29.94	760.5	SSE	1	...	"	29.82	757.5	SSW	1
Ishigakijima,	"	29.92	760.0	S	1	...	"	29.80	757.0	1
Bonin Island, ...	"	30.04	763.0	ESE	1	...	"	1
Weihaiwei,	14	"
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.91	759.6	63	82	NNE	1	o	"	29.75	755.7	57	100	ENE	1
Getzlafl,	"	29.88	758.9	58	100	NNE	2	o	"	29.79	756.6	56	100	ENE	2
Sharp Peak, ...	15	29.86	758.4	70	70	S	1	b	7	29.66	753.3	72	85	SW	1
Amoy,	14	29.78	756.4	74	86	ESE	1	o	6	29.73	755.1	70	95	SE	1
Swatow,	"	"
Taihoku,	12	29.87	758.7	82	57	N	2	b	"	29.74	755.4	68	94	SE	2
Taichu,	"	29.87	758.7	82	...	W	2	b	"	29.78	756.3	70	0
Tainan,	"	29.86	758.4	86	...	SW	2	b	"	29.75	755.7	70	0
Koshun,	"	29.87	758.7	84	...	ESE	2	b	"	29.75	755.7	72	0
Pescadores, ...	"	29.89	759.3	81	...	N	2	b	"	29.74	755.4	75	...	S	4
Canton,	15	29.76	755.9	82	71	ESE	2	o	"	29.71	754.6	73	95	SE	2
Hongkong,	14	29.79	756.6	75	84	E	3	o	"	29.72	754.9	73	95	ENE	1
Gap Rock,	"	29.80	756.9	E	2	b	"	29.74	755.4	S	2
Macao,	"	29.80	756.9	82	74	...	2	o	"	29.69	754.2	75	94	SSE	4
Wuchow,	15	9
Pakhoi,	"	"
Foohow,	"	"
Julien,	"	29.66	753.3	82	70	SSE	7	of	7	29.63	752.7	73	96	FSE	2
Fourane,	"	29.68	753.9	81	...	SE	4	b	"	29.66	753.3	77	...	SW	4
Cape St. James, ...	"	29.76	756.0	82	...	E	4	b	"	29.75	753.7	77	...	SE	2
Aparsi,	14	29.75	755.7	84	71	NNE	4	b	6	29.75	755.7	73	94	SW	2
Agapan,	"	"
Ianifa,	"	29.73	755.1	90	57	W	2	o	"	29.75	755.7	73	91	NE	1
Egaspi,	"	29.74	755.4	90	66	NNE	4	b	"	29.74	755.4	79	87	NNE	2
zeloban,	"	29.73	755.1	86	71	SE	2	o	"
Lillo,	"	"	29.73	755.1	NE	4
Surigao,	"	29.72	754.8	84	77	NNW	2	o	"	29.72	754.8	77	92	...	0
Juan,	12.20	29.75	755.7	NE	4	o	4.20	29.76	766.0	NE	2
Ap,	12.47	4.47	29.74	755.4	ENE	4
abuan,	14	29.71	754.6	90	70	N	2	b	6	29.70	754.4	80	91	N	2

April 11th, 11h. 11m.—Pressure has decreased considerably at Foochow, moderately at Haiphong and slightly at other reporting stations.

Depressions lie over Tongking and to the north of Foochow.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1.59 inches, against an average of 7.72 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH. DISTRICT.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- S. or variable winds, moderate; cloudy, occasional rain, fog in morning.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	11TH APRIL, 1923.							12TH APRIL, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, -	12	29.80	756.9	39	...	SE	4	o	6	29.82	757.4	32	...	N	7	c
Nemuro, -	11	29.72	755.0	SSW	3	...	5
Hokodate, -		29.84	758.0	W	6
Tokio, -	"	29.86	758.5	ESE	2
Koobi, -	"	29.76	756.0	SE	2
Nagasaki, -	"	29.72	755.0	SE	1
Kagoshima, -	"	29.72	755.0	ENE	1
Oshima, -	"	29.76	756.0	SE	2
Naha, -	"	29.80	757.0	S	2
Ishigakijima, -	"	S	3
Bonin Island, -	"	29.88	759.0
Weihaiwei, -	14
Hankow, -	15
Ichang, -	"
Changsha, -	"
Shanghai, -	11	29.79	756.6	68	77	E	1	o	...	30.0-	763.8	46	87	NNE	2	b
Gutzlaff, -	"	29.77	756.1	64	91	N	1	o	...	30.06	763.5	48	100	N	4	b
Sharp Peak, -	15	29.70	754.4	82	75	S	2	b	7	29.88	758.9	63	93	NNE	4	r
Amoy, -	14	29.65	753.1	82	71	SW	1	b	6	29.78	756.4	68	100	N	4	o
Swatow, -	"
Taihoku, -	12	29.75	755.7	86	56	SW	2	b	...	29.84	757.8	66	96	E	4	r
Taichu, -	"	29.78	756.3	84	...	SSW	4	b	...	29.76	756.0	72	0	o
Tainan, -	"	29.79	756.6	84	...	SW	4	b	...	29.74	755.4	72	...	NW	0	o
Koshsun, -	"	29.79	756.6	84	...	SW	2	b	...	29.74	755.4	73	...	NE	2	b
Pescadores, -	"	29.79	756.6	82	...	SSW	4	o	...	29.75	755.7	73	...	NE	1	o
Canton, -	15	29.64	752.8	81	78	S	1	o
Hongkong, -	14	29.71	754.6	79	78	SSW	3	o	...	29.70	754.4	71	98	...	0	orlt
Gap Rock, -	"	29.71	754.6	...	81	S	3	o	...	29.68	753.9	72	...	S	3	o
Macao, -	"	SSW	4	o	...	29.67	753.6	72	94	NE	4	...
Wuehow, -	15	9
Pakhoi, -	"
Hoihow, -	"
Phulien, -	"	29.59	751.5	90	60	ESE	2	bf	7	29.63	752.7	75	91	ESE	4	cf
Tourane, -	"	29.62	752.4	82	...	SE	2	b	...	29.63	752.7	77	...	SW	6	b
Cape St. James, -	"	29.72	754.8	86	...	ENE	2	b	...	29.74	755.4	75	...	ESE	2	b
Aparri, -	14	29.69	754.2	90	51	SE	2	b	6	29.74	755.4	75	94	...	0	c
Dagupan, -	"
Manila, -	"	29.68	753.9	93	46	SSE	4	b	...	29.74	755.4	72	91	E	1	b
Legaspi, -	"	29.69	754.2	81	46	NE	2	b	...	29.74	755.4	72	94	NNE	1	b
Tacleban, -	"	29.74	755.4	75	96	...	0	o
Hoilo, -	"	29.66	753.3	90	57	NE	4	o	...	29.73	755.1	77	88	NE	2	o
Surigao, -	"	29.67	753.6	86	68	NE	4	o
Guam, -	12.20	29.72	754.8	ENE	4	o	4.20	29.76	756.0	S	1	r
Yap, -	12.47	29.69	754.2	E	6	o	4.47	29.74	755.4	ENE	4	o
Labuan, -	14	29.70	754.4	88	73	N	2	b	6	29.70	754.4	81	89	N	2	b

April 12d, 11h. 20m.—The Time Ball circuit having been damaged by lightning, the 10 a.m. Time Signal was given by the flag Z. The signal was approximately 1 second early.

Pressure has increased considerably at Shanghai and Foochow. Changes are small at other reporting stations.

The Foochow depression has moved eastward. The Tongking depression remains nearly stationary.

An anticyclone has formed over N. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 4.00 inch. Total since January 1st, 5.59 inches, against an average of 7.89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH. DISTRICT.

- 1.—Formosa Channel, N.E. winds, freshening.
- 2.—South coast of China between Hongkong and Lamock, S.E. winds, moderate; overcast; occasional rain.
- 3.—Hongkong to Gap Rock, S.E. winds, moderate; overcast; occasional rain.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG

DAILY WEATHER REPORT.

12TH APRIL, 1923.

STATION.	HONGKONG STANDARD TIME.				BAROMETER AT SEA LEVEL.			TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.				BAROMETER AT SEA LEVEL.			TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.
	Inches.	Mills.			Direction.	Force.				Direction.	Force.		Inches.	Mills.			Direction.	Force.				Direction.	Force.	
Wladivostock, .	12	29.86	758.4	38	...	N	7	0	...	NNE	5	...	—	30.08	763.9	32	N	3	...
Nemuro, .	11	29.80	757.0	NNE	6	E	—
Hokodate,	29.61	752.0	ESE	1	NNW	3	...	—	—	—	—
Tokio, .	“	29.13	740.0	NNW	3	NW	6	...	—	—	—	—
Kochi, .	“	29.43	747.5	NNW	5	NW	6	...	—	—	—	—
Nagasaki, .	“	29.74	755.5	NNW	6	NNW	5	...	—	—	—	—
Kagoshima, .	“	29.69	754.0	NNW	6	NNW	6	...	—	—	—	—
Oshima, .	“	29.76	756.0	NNW	6	NNE	4	...	—	—	—	—
Naha, .	“	29.84	758.0	NNW	6	NNW	5	...	—	—	—	—
Ishigakijima, .	“	29.86	758.5	NNW	4	NNW	5	...	—	—	—	—
Bonin Island, .	“	29.70	754.5	NNW	2	NNW	4	...	—	—	—	—
Weihaiwei, .	14	—	—	—	—
Hankow, .	15	—	—	—	—
Ichang, .	“	—	—	—	—
Changsha, .	“	—	—	—	—
Shanghai, .	11	30.20	767.1	54	38	NNE	4	b	—	—	—	—	—	30.22	767.7	82	94	NNE	1	b
Gutzlaff, .	“	30.16	766.0	60	100	N	4	b	—	—	—	—	—	30.20	767.1	77	100	NNE	+
Sharp Peak, .	15	29.98	761.5	60	76	ENE	4	r	—	—	—	—	—	30.04	763.0	56	81	ENE	4
Amoy, .	14	29.85	758.2	68	95	NNE	2	r	—	—	—	—	—	29.97	761.2	58	70	ENE	4
Swatow, .	“	—	—	—	—
Taihoku, .	12	29.97	761.1	66	92	E	4	r	—	—	—	—	—	30.01	762.3	55	96	E	4	r
Taichau, .	“	29.82	757.5	73	...	N	4	r	—	—	—	—	—	29.88	759.0	01
Tainan, .	“	29.81	757.2	81	...	WSW	4	o	—	—	—	—	—	29.87	758.7	63	...	N	2	
Koshun, .	“	29.84	757.2	79	...	NE	5	b	—	—	—	—	—	29.91	759.6	66	...	NE	6	
Pescadores, .	“	29.84	757.8	70	...	NE	7	r	—	—	—	—	—	29.91	759.6	66	...	NNE	7	
Canton, .	15	29.72	754.9	80	74	SE	1	o	—	—	—	—	—	
Hongkong, .	14	29.74	755.4	73	92	E	1	omt	—	—	—	—	—	29.82	757.4	65	90	E	6	od	...	
Gap Rock, .	“	29.72	754.9	0	op	—	—	—	—	—	
Macao, .	“	29.71	754.5	79	84	...	2	o	—	—	—	—	—	29.76	756.0	68	91	E	6	o	...	
Wuchow, .	15	—	—	—	—	—	
Pakhoi, .	“	—	—	—	—	—	
Hoihow, .	“	—	—	—	—	—	
Phulien, .	“	29.65	753.0	84	68	SE	6	bf	—	—	—	—	—	7	
Tourane, .	“	29.63	752.7	84	...	SSE	2	b	—	—	—	—	—	
Cape St. James, .	“	29.72	754.8	90	...	S	2	b	—	—	—	—	—	
Aparri, .	14	29.73	755.1	86	71	N	4	b	—	—	—	—	—	6	29.82	757.5	77	92	...	o	r	
Dagupan, .	“	—	—	—	—	—	
Manila, .	“	29.68	753.9	93	40	SSE	2	b	—	—	—	—	—	...	29.79	756.6	73	86	E	2	b	
Legaspi, .	“	29.71	754.5	86	75	NE	2	o	—	—	—	—	—	
Tacloban, .	“	29.72	754.8	86	68	S	2	o	—	—	—	—	—	
Ililo, .	“	29.67	753.6	93	50	NE	4	o	—	—	—	—	—	...	29.75	755.7	77	89	N	4	o	
Surigao, .	“	—	—	—	—	—	
Guam, .	12.20	29.72	754.8	SE	4	o	—	—	—	—	—	4.20	
Yap, .	12.47	29.72	754.8	ESE	4	o	—	—	—	—	—	4.47	29.79	756.6	SE	2	o	
Lubuan, .	14	29.64	752.8	88	73	N	4	bf	—	—	—	—	—	6	

April 13d. 6h. 46m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon in Lat. 19° N. Long. 115° E., direction unknown, position uncertain.

April 13d. 6h. 45m.—Local signal No. 1 hoisted.

April 13d. 11h. 57m.—Pressure has increased considerably at Wladivostock, moderately Shanghai and slightly at other reporting stations.

A depression or typhoon appears to have formed to the south of Hongkong early this morning. Its direction of motion is at present unknown.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1.13 inch. Total since January 1st, 6.72 inches, against an average of 8.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

DISTRICT. FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lameoks, } N.E. winds, strong, possibly increasing to a gale; overcast, rain.
- 3.—Hongkong to Gap Rock, rain.
- 4.—South coast of China between Hongkong and Hainan, .

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	13TH APRIL, 1923.							14TH APRIL, 1923.						
	HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER- ATURE	HUMIDIT.	WIND.		HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER- ATURE	HUMIDIT.	WIND.	
		Inches.	Millrs.			Direct. ion.	Force.		Inches.	Millrs.			Direct. ion.	Force.
Wladivostock, .	12	30.03	762.8	+8	...	N	4	o	6	30.05	763.2	36	...	o
Nemuro, .	11	5	o
Hokodate, .	"	NW	6	...	"
Tokio, .	"	28.90	734.0	WNW	3	...	"
Kochi, .	"	30.02	762.5	NW	3	...	"
Nagasaki, .	"	30.12	765.0	NNW	2	...	"
Kagoshima, .	"	30.06	763.5	N	4	...	"
Oshima, .	"	30.06	763.5	N	2	...	"
Naha, .	"	30.04	763.0	NE	5	...	"
Ishigakijima, .	"	30.06	763.5	WNW	2	...	"
Bonin Island, .	"	29.86	758.5	"
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.25	768.3	54	53	NE	2	b	"	30.19	766.8	46	89	ENE
Gutzlaff, .	"	30.22	767.6	52	100	NE	2	b	"	30.21	767.3	48	100	ESE
Sharp Peak, .	15	30.05	763.2	58	76	NNE	4	o	7	30.06	763.5	50	93	N
Amoy, .	14	29.98	761.5	62	83	NE	2	o	6	30.00	762.0	56	100	N
Swatow, .	"	"
Taihoku, .	12	30.05	763.2	57	94	E	6	b	"	30.00	762.0	63	98	ENE
Taichu, .	"	29.97	761.1	63	...	N	2	r	"	29.97	761.1	64
Tainan, .	"	29.93	760.2	73	...	NNE	4	o	"	29.93	760.2	63	...	NNE
Koshun, .	"	29.95	760.8	73	...	NE	6	b	"	29.92	759.9	72	...	NE
Pescadores, .	"	29.97	61.1	68	...	NNE	8	o	"	29.94	760.5	68	...	NNE
Canton, .	15	"
Hongkong, .	14	29.88	758.9	66	90	E	5	od	"	29.91	759.7	65	89	E
Gap Rock, .	"	29.85	758.2	68	...	ENE	7	om	"	od
Macao, .	"	29.84	757.8	68	91	E	4	o	"	29.86	758.4	68	91	ESE
Wuchow, .	15	"	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.71	754.5	82	63	SE	6	o	7	29.80	756.9	70	96	E
Tourane, .	"	29.68	753.9	81	...	SSE	2	o	"	29.76	756.0	73	...	SSW
Cape St. James, .	"	29.73	755.1	90	...	ESE	2	b	"	29.79	756.6	77	...	ENE
Aparri, .	14	29.82	757.5	86	68	ENE	4	b	6	29.87	758.7	73	92	...
Dagupan, .	"	"
Manila, .	"	29.75	755.7	90	57	ENE	2	o	"	29.85	758.1	73	91	...
Legaspi, .	"	29.75	755.7	90	66	NE	4	b	"
Tacloban, .	"	"
Illoilo, .	"	29.69	754.2	93	50	NE	6	b	"
Surigao, .	"	"
Guam, .	12.20	29.78	756.3	NNW	2	o	"	4.20	29.82	757.5	...	ENE
Yap, .	12.47	29.5	755.7	SE	2	b	4.47	29.80	756.9	ENE
Labuan, .	14	29.70	754.4	90	70	N	2	b	6	29.73	755.1	78	94	NW

April 14d. 7h. com.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon in Lat. 19° N. Long. 113° E., filling up, position uncertain.

April 14d. 7h. com.—Local signal No. 1 lowered.

April 14d. 11h. 41m.—Pressure is nearly stationary at Shanghai. It has increased slightly at other reporting stations.

The anticyclone is probably central over S. Korea.

The depression to the south of Hongkong has filled up.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.21 inch. Total since January 1st, 6.93 inches, against an average of 8.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.
DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; overcast, occasional rain.
- 4.—South coast of China between Hongkong and Hainan,

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

14TH APRIL, 1923.

STATION.	HONGKONG					14TH APRIL, 1923.					HONGKONG					15TH APRIL, 1923.								
	STANDARD TIME.		BAROMETER AT SEA LEVEL.			TEMPERATURE.		HUMIDITY.		WIND.		WEATHER.		STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPERATURE.		HUMIDITY.		WIND.		WEATHER.
	HONGKONG STANDARD TIME.	Inches.	Millrs.							Direction.	Force.		HONGKONG STANDARD TIME.	Inches.	Millrs.						Direction.	Force.		
Wladivostock, .	12	29.93	761.5	49	...	SW	2	0	6	30.12	765.1	35	0	0		
Nemuro,	11	5		
Hokodate,	"	30.00	762.0	WSW	3	...	"		
Tokio,	"	30.12	765.0	NE	2	...	"		
Kochi,	"	30.16	766.0	SW	1	...	"		
Nagasaki,	"	30.22	767.5	SE	3	...	"		
Kagoshima,	"	30.20	767.0	SE	1	...	"		
Oshima,	"	30.18	766.5	N	3	...	"		
Naha,	"	"		
Ishigakijima,	"	30.08	764.0	ESE	4	...	"		
Bonin Island,	"	30.02	762.5	NW	3	...	"		
Weihaiwei,	14	"		
Hankow,	15	"		
Ichang,	"	"		
Changsha,	"	"		
Shanghai,	13	30.22	767.7	57	62	ESE	2	0	"	30.02	762.6	54	100	E	1	r		
Gutzlaff,	"	30.19	766.8	54	100	ESE	2	0	"	30.04	763.0	54	100	ESE	4	rf		
Sharp Peak,	15	30.08	764.0	58	88	...	0	r	"	29.94	760.5	48	91	...	0	o		
Amoy,	14	29.98	761.5	62	90	...	0	o	"	29.93	760.2	63	100	...	0	o		
Swatow,	"	"		
Taihoku,	12	30.04	762.9	66	90	E	4	r	"	29.95	760.8	64	98	...	0	o		
Taichu,	"	30.01	762.3	72	0	o	"	29.94	760.5	66	...	NNE	4	b		
Tainan,	"	29.99	761.7	81	...	N	4	b	"	29.93	760.2	66	...	NE	2	o		
Kosbun,	"	29.99	761.7	81	...	NE	4	b	"	29.91	759.6	72	...	NE	2	o		
Pescadores,	"	30.02	762.6	72	...	NNE	7	b	"	29.94	760.5	68	...	NNE	4	o		
Canton,	15	29.91	759.7	72	81	E	1	o	"		
Hongkong,	14	29.93	760.2	69	87	E	4	o	"	29.90	759.4	68	94	E	3	od		
Gap Rock,	"	29.89	759.2	ENE	5	o	"		
Macao,	"	29.91	759.6	72	82	SE	4	o	"	29.84	757.8	68	94	E	4	o		
Wuchow,	15	"		
Pakhoi,	"	"		
Hoihow,	"	"		
Phulien,	"	29.78	756.3	79	90	SSE	7	of	7		
Tourane,	"	29.80	756.9	79	...	NNW	4	b	"		
Cape St. James,	"	29.80	756.9	84	...	ENE	2	o	"		
Aparri,	14	29.84	757.8	86	68	NE	4	b	6		
Lugnpan,	"	"		
Manila,	"	29.79	756.6	93	50	ESE	4	o	"	29.82	757.5	73	91	NE	1	b		
Legaspi,	"	29.84	757.8	82	84	NNE	2	o	"	29.81	757.2	81	87	NNE	2	b		
Tacloban,	"	29.78	756.3	90	63	S	2	o	"		
Hollo,	"	29.75	755.7	86	58	NE	6	o	"	29.78	756.3	77	89	N	4	o		
Surigao,	"	"		
Guanh,	12.20	29.76	756.0	NE	4	o	4.20	29.78	756.3	NE	2	o		
Yap,	12.47	29.76	756.0	NE	4	o	4.47		
Labuan,	14	29.73	755.1	90	70	N	2	b	6	80	91	N	2	b		

April 15d. 12h. 12m.—Pressure is lowest over Indo-China. It has decreased moderately from Shanghai to Foochow and increased slightly at Wladivostock. It is nearly stationary at other reporting stations.

The anticyclone is probably central over mid-Japan this morning.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 6.93 inches, against an average of 8.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

DISTRICT.

FORECAST.

- | | |
|---|-------------------------------|
| 1.—Formosa Channel, | N.E. winds; fresh. |
| 2.—South coast of China between Hongkong and Lamocks, | E. winds, moderate; overcast. |
| 3.—Hongkong to Gap Rock, | |
| 4.—South coast of China between Hongkong and Hainan, | |

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	15TH APRIL, 1923.								16TH APRIL, 1923.												
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPR. ATM.		HUMIDITY.		WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPR. ATM.		HUMIDITY.		WIND.		
	Inches.	Millrs.							Direct.	Force.			Inches.	Millrs.					Direct.	Force.	
Wladivostock, .	12	30.11	764.7	49	...	N	2	0			6	30.14	765.6	36	0	0	0	0
Nemuro, .	11	30.00	762.0	N	2	...			5	30.08	764.0	0	0	0	0
Hokodate, .	"			"	30.10	764.5	0	0	0	0
Tokio, .	"	29.74	755.5	SSE	3	...			"	30.14	765.5	0	0	0	0
Kochi, .	"	30.20	767.0	SE	1	...			"	30.16	766.0		SW	1	1	0	0
Nagasaki, .	"	30.20	767.0			"	30.08	764.0		SE	1	1	0	0
Kagoshima, .	"	30.22	767.5			"	30.12	765.0		NW	1	1	0	0
Oshima, .	"	30.16	766.0	ESE	2	...			"	30.02	762.5	0	0	0	0
Naha, .	"	30.08	764.0	ESE	2	...			"	29.96	761.0		SE	2	2	0	0
Ishigakijima, .	"	30.00	762.0	SSE	1	...			"	29.92	760.0		N	2	2	0	0
Bonin Island, .	"	30.12	765.0	NNE	1	...			"	30.16	766.0		ENE	1	1	0	0
Weihaiwei, .	14			"	0	0	0	0
Hankow, .	15			"	0	0	0	0
Ichang, .	"			"	0	0	0	0
Changsha, .	"			"	0	0	0	0
Shanghai, .	11	30.02	762.6	59	89	SE	4	r			"	29.85	758.1	55	100	SE	1	1	0	0	0
Gutzlaff, .	"	30.03	762.7	54	100	NNE	4	o			"	29.87	758.7	56	100	...	0	0	0	0	0
Sharp Peak, .	15	29.94	760.5	70	78	E	1	o			7	29.88	758.9	63	94	SE	0	0	0	0	0
Amoy, .	14	29.87	758.7	69	73	S	2	b			6	29.82	757.4	67	95	SE	1	0	0	0	0
Swatow, .	"			"	0	0	0	0
Taihoku, .	12	29.97	761.1	75	79	N	4	b			"	29.89	759.3	68	98	...	0	0	0	0	0
Taichu, .	"	29.95	760.8	77	...	N	2	...			"	29.91	759.6	72	NNE	2	2	0	0
Tainan, .	"	29.95	760.8	84	...	NNE	4	b			"	29.86	758.4	70	E	2	2	0	0
Koshun, .	"	29.95	760.8	82	...	E	4	o			"	29.88	759.0	73	NE	2	2	0	0
Pescadores, .	"	29.98	761.4	75	...	NE	4	b			"	29.88	759.0	72	0	0	0	0
Canton, .	15	29.85	758.2	80	79	SE	2	o			"	0	0	0	0
Hongkong, .	14	29.88	758.9	71	89	E	3	o			"	29.84	757.9	71	98	E	2	2	0	0	0
Gap Rock, .	"	29.87	758.7	ENE	5	o			"	29.83	757.7	E	3	2	0	0
Macao, .	"	29.86	758.6	73	86	ESE	2	o			"	29.81	757.2	72	98	SE	2	2	0	0	0
Wuchow, .	15			9	0	0	0	0
Pakhoi, .	"			"	0	0	0	0
Hoihow, .	"			"	0	0	0	0
Phulien, .	"	29.74	755.4	84	71	SSE	6	of			7	29.75	755.7	75	96	SSE	4	0	0	0	0
Tourane, .	"	29.75	755.7	82	...	SE	4	b			"	29.74	755.4	75	...	SSW	4	0	0	0	0
Cape St. James, .	"	29.78	756.3	82	...	ENE	4	b			"	29.76	756.0	79	...	ENE	4	0	0	0	0
Aparri, .	14	29.81	757.2	86	65	SE	4	b			6	29.84	757.8	77	86	SSW	2	b	0	0	0
Dagupan, .	"			"	0	0	0	0
Manila, .	"	29.76	756.0	93	57	SE	4	o			"	29.82	757.5	73	91	ENE	1	b	0	0	0
Legaspi, .	"	29.80	756.9	90	66	ENE	2	b			"	29.80	756.9	79	84	NNE	2	0	0	0	0
Tacloban, .	"			"	0	0	0	0
Iloilo, .	"	29.73	755.1	90	55	NE	6	o			"	29.78	756.3	77	89	NE	4	0	0	0	0
Surigao, .	"	29.75	755.7	90	72	ENE	4	b			"	29.78	756.3	75	92	...	0	0	0	0	0
Guam, .	12.20	29.74	755.4	NE	4	r			4.20	29.75	755.7	ENE	4	0	0	0	0
Yap, .	12.47	29.73	755.1	ENE	6	o			4.47	29.73	755.1	WNW	4	0	0	0	0
Labuan, .	14	29.70	754.4	90	70	NE	2	b			6	29.70	754.4	78	94	N	2	b	0	0	0

April 16d. 11h. 34m.—Pressure has decreased moderately at Shanghai and slightly from Formosa to Tongking. It is nearly stationary at other reporting stations.

A depression has formed over the Yangtze Valley.

Fog may be expected along the coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inch. Total since January 1st, 6.97 inches, against an average of 8.60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

DISTRICT.

FORECAST.

- | | | | |
|--|-----|---|---|
| 1.—Formosa Channel, . | ... | } | E. or variable winds, moderate, fair at first, some rain late |
| 2.—South coast of China between Hongkong and Lamock, . | ... | | |
| 3.—Hongkong to Gap Rock, . | ... | | |
| 4.—South coast of China between Hongkong and Hainan, . | ... | | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

16TH APRIL, 1923.

STATION.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.
	Inches.	Millrs.	Direction.	Force.					Inches.	Millrs.	Direction.	Force.				
Vladivostock, .	12	30.13	765.4	47	0	6	30.04	763.1	39	...	E	2	0
Nemuro, .	11	WNW	6	5	30.28	769.0	ENE	1	0
Hokodate, .	"	30.08	764.0	ESE	1	"	30.22	767.5	NNE	1	0
Tokio, .	"	30.12	765.0	SW	1	"	30.18	765.5	0	0
Kochi, .	"	30.12	765.0	ESE	1	"	30.04	763.0	SE	7	0
Nagasaki, .	"	30.06	763.5	E	1	"	29.82	757.5	E	1	0
Kagoshima, .	"	30.08	764.0	SE	3	"	29.88	759.0	SSE	4	0
Oshima, .	"	30.00	762.0	SSE	1	"	29.90	759.5	SSE	1	0
Naha, .	"	29.93	761.5	S	3	"	29.92	760.0	S	3	0
Ishigakijima, .	"	29.94	760.5	SSE	1	"	29.86	758.5	S	1	0
Bonin Island, .	"	30.14	765.5	E	1	"	30.14	765.5	E	1	0
Weihaiwei, .	14	"	0	0
Hankow, .	15	"	0	0
Lhang, .	"	"	0	0
Changsha, .	"	"	0	0
Shanghai, .	11	29.84	757.8	63	98	SE	1	r	"	29.68	753.9	61	100	S	1	rf
Gutzlaff, .	"	29.81	757.2	56	100	SSE	2	o	"	29.70	754.4	60	100	S	2	of
Sharp Peak, .	15	29.78	756.4	78	78	S	2	b	7	29.75	755.6	72	90	S	1	o
Amoy, .	14	29.76	755.9	78	86	SSE	1	b	6	29.72	754.9	72	95	SSE	1	o
Swatow, .	"	"	0	0
Taihoku, .	12	29.88	759.0	82	63	W	2	b	"	29.79	756.6	72	94	E	2	o
Taichu, .	"	29.88	759.0	81	...	W	2	b	"	29.79	756.6	72	0	0
Tainan, .	"	29.87	758.7	84	...	WSW	4	b	"	29.78	756.3	70	...	SE	2	b
Kosum, .	"	29.88	759.0	82	...	E	4	b	"	29.79	756.6	75	...	E	2	b
Pescadores, .	"	29.88	759.0	81	4	b	"	29.78	756.3	75	...	SSE	4	b
Canton, .	15	29.72	754.9	83	75	S	2	e	"	0	0
Hongkong, .	14	29.78	756.4	75	90	E	3	em	"	29.72	754.9	72	100	E	2	of
Gap Rock, .	"	29.79	756.6	ENE	5	f	"	29.71	754.6	SE	3	c
Macno, .	"	29.78	756.3	81	80	SE	2	o	"	29.67	753.6	73	100	SSE	4	o
Wuchow, .	15	"	0	0
Pakhoi, .	"	"	0	0
Hoihow, .	"	"	0	0
Phulien, .	"	29.63	752.7	86	58	SSE	4	b	7	0	0
Tourane, .	"	29.67	753.6	82	...	SE	2	b	"	0	0
Cape St. James, .	"	29.74	755.4	84	...	ENE	4	o	"	0	0
Aparri, .	14	29.76	756.0	86	68	NE	4	b	6	0	0
Dagupan, .	"	"	0	0
Manila, .	"	29.73	755.1	90	57	E	2	o	"	29.78	756.3	73	86	NE	1	o
Legaspi, .	"	29.74	755.4	86	68	NE	2	b	"	0	0
Tacloban, .	"	"	0	0
Hoilo, .	"	29.74	755.4	90	55	NE	6	b	"	29.73	755.1	77	91	NE	4	o
Sungao, .	"	29.73	755.1	79	87	NE	1	r	"	29.73	755.1	79	87	NE	2	o
Juam, .	12.20	29.71	754.5	NE	2	o	4.20	29.75	755.7	ENE	2	o
Yap, .	12.47	29.68	753.9	NE	6	o	4.47	0	0
Labuan, .	14	29.67	753.6	90	70	N	2	b	6	29.70	754.4	81	91	NE	4	o

April 17d. 11h. 43m.—Pressure has increased moderately over N.E. Japan and decreased moderately to slightly in other districts.

The Yangtze Valley depression has deepened and now covers the whole of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 6.97 inches, against an average of 8.79 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

DISTRICT.

FORECAST.

- | | | | |
|---|-----|---|---|
| 1.—Formosa Channel, . | ... | { | S. winds, moderate, squally; overcast, rain, fog. |
| 2.—South coast of China between Hongkong and Lamecks, . | ... | | |
| 3.—Hongkong to Gap Rock, . | ... | | |
| 4.—South coast of China between Hongkong and Hainan, . | ... | | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	17TH APRIL, 1923.							18TH APRIL, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMIDT.	WIND.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMIDT.	WIND.	WEATHER.		
		Inches.	Millrs.			Direct- ion.	Force.			Millrs.			Direct- ion.	Force.		
Vladivostock, .	12	SE	3	E	5	...	
Nemuro, .	11	30.28	769.0	SE	5	...	5	30.10	764.5	...	ESE	6	...	
Hokodate, .	"	30.20	767.0	S	1	...	"	29.88	759.0	...	S	3	...	
Tokio, .	"	30.14	765.5	SW	1	...	"	29.92	760.0	...	S	1	...	
Kochi, .	"	30.06	763.5	S	2	...	"	29.98	761.5	...	S	6	...	
Nagasaki, .	"	29.82	757.5	SSW	3	...	"	29.88	759.0	...	S	1	...	
Kagoshima, .	"	29.92	760.0	SE	1	...	"	29.98	761.5	...	S	1	...	
Oshima, .	"	29.94	760.5	SSE	3	...	"	29.98	761.5	...	SSE	1	...	
Naha, .	"	29.92	760.0	S	3	...	"	29.96	761.0	...	SSE	1	...	
Ishigakijima, .	"	29.88	759.0	E	1	...	"	29.90	759.5	...	S	3	...	
Bonin Island, .	"	30.14	765.5	E	1	...	"	30.14	765.5	...	SE	1	...	
Weihaiwei, .	14	"	
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	29.72	754.8	66	88	N	1	r	"	29.94	760.5	54	97	NNE	2	r
Gutzlaff, .	"	29.71	754.6	58	100	SE	2	of	"	29.95	760.7	52	100	N	2	r
Sharp Peak, .	15	29.71	754.6	81	74	S	1	b	7	29.92	759.9	70	90	S	2	r
Amoy, .	14	29.70	754.4	80	87	SSE	2	o	6	29.81	757.2	70	95	SSE	0	o
Swatow, .	"	"	
Taihoku, .	12	29.78	756.3	84	64	WNW	2	b	"	29.85	758.1	70	98	...	0	o
Taichu, .	"	29.78	756.3	84	...	NW	2	b	"	29.82	757.5	72	0	o
Tainan, .	"	29.75	755.7	86	...	S	4	r	"	29.82	757.5	77	...	SSE	4	o
Koshun, .	"	29.81	757.2	82	...	ESE	4	o	"	29.85	758.1	77	...	FSE	2	o
Pescadores, .	"	29.79	756.6	82	...	S	6	b	"	29.82	757.5	77	...	SSE	4	o
Canton, .	15	"	
Hongkong, .	14	29.74	755.4	69	90	SW	1	orm	"	29.80	756.9	71	97	E	2	bm
Gap Rock, .	"	29.73	755.1	NW	4	o	"	29.82	757.4	SSW	2	o
Macao, .	"	29.71	754.5	68	96	NE	4	o	"	29.80	756.9	73	91	...	2	o
Wuchow, .	15	"	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.54	750.3	86	61	S	4	b	7	29.69	754.2	75	94	SSE	6	of
Tourane, .	"	29.66	753.3	75	...	NW	2	o	"	29.73	755.1	75	...	SSW	4	b
Cape St. James, .	"	29.69	754.2	86	...	ESE	2	b	"	29.78	756.3	79	...	ENE	2	o
Aparri, .	14	29.72	754.8	90	51	SE	4	b	6	29.84	757.8	75	85	...	0	o
Dagupan, .	"	"	
Manila, .	"	29.69	754.2	93	46	SE	4	b	"	29.82	757.5	73	85	NNE	2	b
Legaspi, .	"	29.73	755.1	86	75	NE	4	b	"	29.80	756.9	79	98	NE	1	o
Tacloban, .	"	"	29.78	756.3	79	92	NW	2	o
Iloilo, .	"	29.67	753.6	90	57	NE	6	o	"	29.76	756.0	79	90	N	4	o
Surigao, .	"	29.72	754.8	77	94	ESE	2	r	"	
Guam, .	12.20	E	4	o	4.20	29.79	756.6	NE	1	o
Yap, .	12.47	29.71	754.5	90	70	NW	2	b	4.47	29.75	755.7	E	4	o
Labuan, .	14	29.70	754.4	90	70	6	29.73	755.1	80	91	NW	2	b

April 18d. 11h. 29m.—Pressure has increased considerably over the Yangtze Valley and decreased considerably over N.E. Japan. It has increased moderately to slightly in other districts.

The Chinese depression has filled up. There remains a separate depression over Indo-China, however.

An anticyclone has formed over N. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1.45 inch. Total since January 1st, 8.42 inches, against an average of 8.98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, Variable winds, freshening from N.E. later.
- 2.—South coast of China between Hongkong and Lamock, E. winds, moderate; fair.
- 3.—Hongkong to Gap Rock, E. winds, moderate; fair.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

18TH APRIL, 1923.

STATION.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.			TRAP- PER. ATMOS.	Humid. ity.	WIND.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.			TRAP- PER. ATMOS.	Humid. ity.	WIND.	WEATHER.	
		Inches.	Mills.	Dir- ec- tion.						Inches.	Mills.	Dir- ec- tion.					
Wladivostock, .	12	30.04	763.0	40	NNW ENE	4 6	0	6	29.83	757.7	36	..	SE NNW	2	8
Nemuro, .	11	30.00	762.0	SE	5	..	5	30.18	766.5	1	..
Hokodate, .	29.86	758.5	SSW	5	..	30.00	762.0	7	..	
Tokio, .	29.82	757.5	29.94	760.5	3	..	
Kochi, .	29.98	761.5	29.82	757.5	2	..	
Nagasaki, .	29.92	760.0	SW	7	..	29.86	758.5	3	..	
Kagoshima,	S	1	..	29.84	758.0	1	..	
Oshima, .	29.98	761.5	SE	3	..	29.94	760.5	1	..	
Naha, .	29.98	761.5	S	3	..	29.96	761.0	1	..	
Ishigakijima,	29.96	761.0	3	..	
Bonin Island, .	30.12	765.0	ESE	2	..	30.08	764.0	0	..	
Weihaiwei, .	14
Hankow, .	15
Ichang,
Changsha,
Shanghai, .	11	30.07	763.8	50	90	N	NNE	4	r	30.25	768.3	45	82	NW NNW	2	o	..
Gutzlaff, .	30.05	763.2	48	100	NNE	4	r	30.23	767.8	47	100	NNW	4
Sharp Peak, .	29.85	758.2	81	74	b	30.07	763.8	60	94	E	4	r	of
Amoy, .	29.79	756.6	78	82	SW	2	b	29.96	761.0	65	91	NNE	4
Swatow,
Taihoku, .	12	29.92	759.9	79	76	NW	4	o	..	30.04	762.9	64	92	E	6	o	..
Taichu, .	29.89	759.3	84	NNW	2	o	29.92	759.9	70	0	5	..	
Tainan, .	29.87	758.7	86	SSW	4	o	29.88	759.0	72	..	ENE	2	o	..	
Koskun, .	29.89	759.3	84	E	4	b	29.91	759.6	75	0	o	..	
Pescadores, .	29.92	759.9	82	S	4	o	29.92	759.9	73	..	NNE	7	o	..	
Canton, .	15
Hongkong, .	14	29.83	757.7	78	82	E	2	o	29.88	758.9	74	91	E	1	o	..	
Gap Rock, .	29.83	757.7	ENE	3	o	29.87	758.7	NE	3	o	..	
Macao, .	29.81	757.2	81	80	..	SE	2	o
Wuchow, .	15
Pakhoi,
Hoihow,
Phulien, .	..	29.69	754.2	84	68	SSE	6	bf	7
Tourane, .	..	29.69	754.2	84	..	SE	4	b
Cape St. James, .	..	29.75	755.7	86	..	ESE	4	b
Aparri, .	14	29.80	756.9	90	63	NE	4	b	6	29.85	758.1	77	86	S	2	b	..
Dagupan,
Manila, .	29.75	755.7	93	50	..	SE	4	o	..	29.82	757.5	73	89	E	2	b	..
Legaspi,	29.80	756.9	77	88	..	0
Tacloban, .	..	29.75	755.7	82	84	NW	2	o
Illoilo, .	..	29.71	754.5	90	55	NE	6	o
Surigao,	29.80	756.9	75	94	NE	2	r	..
Guam, .	12.20	29.78	756.3	ENE	4	o	4.20
Yap, .	12.47	29.74	755.4	ENE	4	o	4.47
Labuan, .	14	29.75	755.6	84	79	NW	4	o	6	29.73	755.1	80	95	N	2	b	..

April 19d. 11a. 53m.—Pressure has decreased moderately from Wladivostock to S.W. Japan. It has increased considerably at Shanghai and slightly from Formosa to Hongkong.

The anticyclone has strengthened. It is central over N.E. China.

A depression is shown over the Sea of Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.42 inches, against an average of 9.18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, strong, moderating.
- N.E. or variable winds, moderate; generally overcast, occasional rain.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	19TH APRIL, 1923.								20TH APRIL, 1923.							
	HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millets.			Direct- ion.	Force.			Inches.	Millets.			Direct- ion.	Force.	
Vladivostock, .	12	29.70	754.3	34	...	S	2	S	6	29.95	760.6	37	...	SSW	2	5
Nemuro, .	11	30.12	765.0	SE	5	...	5	29.49	749.0	WSW	6	..
Hokodate, .	"	29.82	757.5	ESE	9	...	"	29.80	757.0	W	9	..
Tokio, .	"	29.88	759.0	NNE	2	...	"	29.99	761.5	SW	1	..
Kochi, .	"	29.76	756.0	W	1	...	"	30.06	763.5	SW	1	..
Nagasaki, .	"	30.04	763.0	NW	7	...	"	30.12	765.0	0	..
Kagoshima, .	"	30.00	762.0	NW	3	...	"	30.08	764.0	NW	1	..
Oshima, .	"	30.06	763.5	N	3	...	"	30.06	763.5	0	..
Naha, .	"	30.04	763.0	N	6	...	"	30.02	762.5	NNE	1	..
Ishigakijima, .	"	30.04	763.0	NE	5	...	"	29.98	761.5	E	3	..
Bonin Island, .	"	30.08	764.0	SSE	1	...	"	30.08	764.0
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.32	770.1	55	44	NNE	1	b	"	30.14	765.6	43	97	SE	1	r
Gutzlaff, .	"	30.27	768.8	52	93	N	2	o	"	30.13	765.3	44	100	ESE	4	r
Sharp Peak, .	15	30.09	764.3	58	81	NNE	6	o	7	30.04	763.0	54	80	N	2	o
Amoy, .	14	29.99	761.7	70	91	ENE	2	o	6	29.97	761.2	60	90	NE	1	o
Swatow, .	"	"
Taihoku, .	12	30.12	765.0	68	81	E	7	b	"	29.94	760.5	64	90	E	4	o
Taichu, .	"	29.94	760.5	77	...	N	4	b	"	29.93	760.2	64	0	..
Tainan, .	"	29.92	759.9	86	...	N	4	b	"	29.91	754.6	66	...	NNE	4	0
Koshun, .	"	29.93	760.2	79	...	NNE	7	b	"	29.85	758.1	73	...	NE	6	0
Pescadores, .	"	29.99	761.7	73	...	NNE	8	o	"	29.93	760.2	68	...	NNE	6	0
Canton, .	15	"
Hongkong, .	14	29.93	760.2	70	95	ESE	3	or	"	29.91	759.7	65	95	E	4	cd
Gap Rock, .	"	29.91	759.7	NE	4	or	"	29.89	759.2	ENE	5	cd
Macao, .	"	29.92	759.9	68	88	NNW	4	r	"	29.88	759.0	61	93	NNW	4	cd
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.93	760.2	73	55	E	2	o	7	29.92	759.9	70	77	NE	1	o
Tourane, .	"	"	29.85	758.1	68	...	NW	6	b
Cape St. James, .	"	"	29.73	755.1	79	...	NE	6	o
Aparri, .	14	29.78	756.3	86	63	ENE	4	b	6	29.86	758.4	77	91	...	0	o
Dagupan, .	"	"
Manila, .	"	29.74	755.4	93	46	ESE	4	o	"	29.79	756.6	73	91	...	0	b
Legaspi, .	"	29.78	756.3	86	75	NNE	2	o	"	29.79	756.6	79	61	NNE	2	o
Tacloban, .	"	"
Iloilo, .	"	29.71	754.5	86	75	E	6	o	"	29.75	755.7	77	88	NE	4	o
Surigao, .	"	"	29.75	755.7	73	71	...	0	o
Guam, .	12.20	29.76	756.0	E	4	o	4.20	29.80	756.9	NE	2	b
Yap, .	12.47	29.74	755.4	E	6	o	4.47	29.78	756.3	E	4	o
Labuan, .	14	29.73	755.1	90	70	NE	2	b	6	29.70	755.4	80	93	NE	1	h

April 20th, 11h. 43m.—Pressure has increased considerably over S.W. Japan and slightly over the Loochoos. It has decreased considerably over N.E. Japan, moderately at Shanghai, and slightly in the extreme South. It is nearly stationary from Formosa to Tongking.

The Japanese depression has deepened and moved to the north-east of Hokkaido.

The anticyclone has weakened and is now central over the Yellow Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.80 inch. Total since January 1st, 9.21 inches, against an average of 9.39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21ST.
DISTRICT.

- | | | |
|--|-----|---|
| 1.—Formosa Channel, . | ... | N.E. winds, fresh. |
| 2.—South coast of China between Hongkong and Lamock, . | ... | E. winds, moderate; generally overcast. |
| 3.—Hongkong to Gap Rock, . | ... | |
| 4.—South coast of China between Hongkong and Hainan, . | ... | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	20TH APRIL, 1923.							21ST APRIL, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMIDITY.	WIND.			
		Inches.	Mills.			Direction.	Force.		Inches.	Mills.			Direction.	Force.		
Wladivostock, .	12	29.94	760.4	49	...	SW	4	b	6	29.84	758.0	39	...	SE	4	f
Nemuro, .	11	29.59	751.5	SW	6	...	5
Hokodate, .	"	29.92	760.0	W	8	...	"
Tokin, .	"	30.06	763.5	SSE	1	...	"
Kochi, .	"	30.16	766.0	SW	1	...	"
Nagasaki, .	"	30.10	764.5	SE	2	...	"
Kagoshima, .	"	30.08	764.0	SE	1	...	"
Oshima, .	"	30.06	763.5	N	2	...	"
Naba, .	"	30.02	762.5	E	3	...	"
Ishigakijima, .	"	29.98	761.5	ESE	5	...	"
Bonin Island, .	"	30.06	763.5	SSE	1	...	"
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.12	765.0	51	87	SE	2	r	"	29.98	761.4	48	100	SSE	1	o
Gutzlaff, .	"	30.08	764.0	50	100	SE	2	o	"	29.99	761.7	50	100	SSE	2	o
Sharp Peak, .	15	29.98	761.5	60	88	N	1	o	7	29.96	761.0	60	93	E	1	o
Amoy, .	14	29.92	759.9	63	94	NE	1	o	6	29.92	759.9	63	94	ENE	1	o
Swatow, .	"	"
Taihoku, .	12	29.94	760.5	79	69	E	4	o	"	29.93	760.2	68	96	E	2	o
Taichu, .	"	29.97	761.1	75	0	o	"	29.92	759.9	72	...	N	2	o
Tainan, .	"	29.93	760.2	82	...	NNW	4	o	"	29.89	759.3	66	...	NNE	4	o
Koshun, .	"	29.92	759.9	82	...	NE	4	b	"	29.89	759.3	75	0	o
Pescadores, .	"	29.95	760.8	75	...	NNE	6	o	"	29.93	760.2	72	...	N	6	o
Canton, .	15	29.96	761.0	63	89	N	2	o	"
Hongkong, .	14	29.88	758.9	70	83	E	2	o	"	29.88	758.9	65	95	E	3	o
Gap Rock, .	"	29.87	758.7	ENE	5	o	"	29.86	758.4	ENE	4	o
Macao, .	"	29.87	758.7	64	90	NNE	4	o	"	29.86	758.4	68	100	N	2	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.85	758.1	79	66	SSW	4	o	7	29.86	758.4	68	92	ESE	2	o
Tourane, .	"	72	...	NW	4	b	"	29.81	757.2	72	...	SSW	4	o
Cape St. James, .	"	29.73	755.1	64	...	ENE	6	b	"	29.75	755.7	79	...	ENE	4	b
Aparri, .	14	29.79	756.6	90	60	NE	4	o	6	29.84	757.8	75	94	...	o	b
Dagupan, .	"	"
Manila, .	"	29.72	754.8	93	50	SE	4	o	"	29.80	756.9	75	91	E	1	b
Legaspi, .	"	29.75	755.7	86	78	NE	2	o	"	29.78	756.3	79	92	NE	2	o
Tacloban, .	"	"
Illoilo, .	"	29.71	754.5	86	61	NE	6	o	"	29.76	756.0	79	90	NE	4	o
Surigao, .	"	29.72	754.8	86	78	ENE	4	o	"	29.74	755.4	75	98	...	o	o
Guam, .	12.20	29.76	756.0	NE	4	o	4.20	29.78	756.3	ENE	2	o
Yap, .	12.47	29.72	754.8	ENE	4	o	4.47	29.75	755.7	ENE	2	b
Labuan, .	14	29.68	753.9	90	70	NW	4	b	6	29.69	754.1	81	91	N	2	b

April 21st, 11h. 49m.—Pressure has decreased moderately at Shanghai and Wladivostock and slightly from Foochow to Tourane. It is nearly stationary in the extreme South.

The anticyclone is probably central over mid-Japan.

A depression may be forming over the Yangtze Valley.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 9.22 inches, against an average of 9.60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22nd. DISTRICT.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- E. or variable winds, moderate; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	21ST APRIL, 1923.							22ND APRIL, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.		
Vladivostock, .	12	29.82	759.4	44	...	ENE	2	0	6	29.85	758.2	42	...	NE	1	0
Nemuro,	11	29.94	760.5	S	3	...	5
Hokodate,	"	29.98	761.5	SSE	3	...	"
Tokio,	"	30.06	763.5	NNW	1	0	"
Kochi,	"	30.02	762.5	1	0	"
Nagasaki,	"	29.96	761.0	SE	1	0	"
Kagoshima,	"	29.98	761.5	NE	1	0	"
Oshima,	"	29.96	761.0	NNE	1	0	"
Naha,	"	29.96	761.0	S	1	0	"
Ishigakijima,	"	29.96	761.0	SSW	1	0	"
Bonin Island,	"	30.06	763.5	SE	3	0	"
Weihaiwei,	14	"
Hankow,	15	"
Iehang,	"	"
Changsha,	"	"
Shanghai,	11	30.02	762.6	55	90	SE	1	r	"	29.99	761.7	52	97	SE	1	r
Gutzlaff,	"	30.04	763.0	52	100	SE	2	o	"	30.00	762.0	50	100	ESE	4	oo
Sharp Peak,	15	29.92	759.9	71	80	E	1	o	7	29.91	759.7	62	93	E	1	o
Amoy,	14	30.16	766.0	70	91	SSW	1	o	6	29.87	758.7	67	95	ESE	1	o
Swatow,	"	"
Taihoku,	12	29.94	760.5	79	73	N	2	o	"	29.87	758.7	68	98	...	0	0
Taichu,	"	29.93	760.2	81	0	b	"	29.88	759.0	72	0	0
Tainan,	"	29.91	759.6	86	4	b	"	29.87	758.7	73	...	ENE	2	0
Koshun,	"	29.91	759.6	84	...	ENE	4	b	"	29.86	758.4	77	0	0
Pescadores,	"	29.95	760.8	79	...	N	4	b	"	29.86	758.4	75	...	NNE	4	0
Canton,	15	"
Hongkong,	14	29.85	758.2	73	88	E	3	o	"	29.86	758.4	71	100	E	2	of
Gap Rock,	"	29.84	757.9	ENE	4	o	"	29.85	758.2	ENE	3	...
Macao,	"	29.84	757.8	75	83	...	2	o	"
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phaulien,	"	29.79	756.6	75	76	S	1	o	7	29.87	758.7	72	96	SE	4	r
Tourane,	"	29.75	755.7	81	...	SE	2	b	"	29.78	756.3	73	...	SW	4	o
Cape St. James,	"	29.71	754.5	84	...	E	6	b	"	29.76	756.0	79	...	ENE	6	o
Aparri,	14	29.79	756.6	86	61	NE	4	b	6
Dagupan,	"	"
Manila,	"	29.80	756.9	68	32	SSE	8	bf	"
Legaspi,	"	29.76	756.0	84	81	NE	4	o	"
Tacloban,	"	"
Ilolo,	"	29.68	753.9	90	55	NE	6	b	"
Surigao,	"	29.69	754.2	86	68	ESE	4	o	"
Guam,	12.20	29.74	755.4	E	4	o	4.20
Yap,	12.47	29.71	754.5	E	4	b	4.47
Labuan,	14	29.65	753.1	92	67	N	2	b	6	29.72	754.9	78	94	NE	2	b

April 22d, 11h. 47m.—Pressure changes are small at all reporting stations.

There are now no indications of a depression forming over China. Gradients are shallow in all districts.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 9.22 inches, against an average of 9.82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

DISTRICT.

FORECAST.

- | | |
|--|--|
| 1.—Formosa Channel,
2.—South coast of China between Hongkong and Lamocks,
3.—Hongkong to Gap Rock,
4.—South coast of China between Hongkong and Hainan, | E. or variable winds, moderate to light; fair. |
|--|--|

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	22ND APRIL, 1923.							23RD APRIL, 1923.										
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.				
	Inches.	Millrs.	Direction.	Force.				Inches.	Millrs.	Direction.	Force.							
Vladivostock, .	12	29.77	756.1	53	...		SW	4	0	6	29.91	759.7	42	...	NW	3	b	
Nemuro, .	11	29.69	734.0		S	3	...	5	29.73	755.0	SE	1	...	
Hokodate, .	"	29.78	736.5		SSW	3	...		29.78	756.5	WNW	1	...	
Tokio, .	"	29.80	757.0		N	1	...		29.84	758.0	NNW	1	...	
Kochi, .	"	29.88	759.0		S	1	...		29.90	759.5	SW	1	...	
Nagasaki, .	"	29.94	760.5		NNW	1	...		29.94	760.5	N	1	...	
Kagoshima, .	"	29.90	759.5		29.88	759.0	NW	1	...	
Oshima, .	"	29.90	759.5		N	1	...		29.86	758.5	NNW	2	...	
Naha, .	"	29.90	759.5		S	2	...		29.84	758.0	SSW	1	...	
Ishigakijima, .	"	29.90	759.5		SSW	2	...		29.86	758.5	S	2	...	
Bonin Island, .	"	29.98	761.5		S	2	...		29.96	761.0	S	1	...	
Weihaiwei, .	14	
Hankow, .	15	
Ichang, .	"	
Changsha, .	"	
Shanghai, .	11	30.05	763.2	57	81	E	1	0	...		30.04	762.9	50	92	ENE	1	e	
Gutzlaff, .	"	30.05	763.2	52	100	ENE	2	0	...		1	03	762.7	50	100	ENE	4	o
Sharp Peak, .	15	29.89	759.2	65	87	E	2	0	...		29.88	758.9	64	93	...	0	r	
Amoy, .	14	29.81	757.2	71	95	SSE	4	b	6		29.80	756.9	66	95	NE	4	e	
Swatow, .	"	
Taihoku, .	12	29.91	759.6	81	76	NW	2	b	...		29.82	757.5	68	94	E	2	b	
Taichu, .	"	29.89	759.3	84	...	N	2	b	...		29.82	757.5	73	0	b	
Tainan, .	"	29.88	759.0	86	...	WSW	4	b	...		29.81	757.2	73	...	NE	4	e	
Koshun, .	"	29.85	758.1	86	...	SE	4	b	...		29.81	757.2	75	0	b	
Pescadores, .	"	29.89	759.3	81	...	NE	4	b	...		29.82	757.5	73	...	NE	4	o	
Canton, .	15	29.79	756.6	86	61	S	2	c	...		29.80	756.9	73	95	...	0	o	
Hongkong, .	14	29.82	757.4	76	87	E	3	c	...		29.79	756.6	73	96	E	2	of	
Gap Rock, .	"	29.84	757.9	ENE	3	cm	...		29.79	756.6	ESE	2	o	
Macao, .	"	29.81	757.2	82	77	SSE	2	o	...		29.79	756.6	73	100	...	2	of	
Wuchow, .	15	9		
Pakhoi, .	"		
Hoihow, .	"		
Phulien, .	"	29.74	755.4	81	76	SSE	4	o	7		29.74	755.4	75	96	ESE	4	of	
Tourane, .	"	29.74	755.4	75	...	ESE	2	b	...		29.73	755.1	75	...	SSW	2	b	
Cape St. James, .	"	29.72	754.8	84	...	E	6	o	...		29.73	755.1	79	...	ENE	4	b	
Aparri, .	14	29.76	756.0	90	51	NE	4	b	6		
Dagupan, .	"		
Manila, .	"	29.75	755.7	90	55	SE	4	o	...		29.76	756.0	73	86	ENE	1	b	
Legaspi, .	"	29.76	756.0	90	76	ENE	4	b		
Tactoban, .	"		
Boilo, .	"	29.69	754.2	90	57	NE	6	o	...		29.73	755.1	79	89	NE	4	o	
Surigao, .	"	29.69	754.2	82	81	NE	2	o	...		29.72	754.8	79	92	ENE	2	o	
Guam, .	12.20	29.71	754.5	E	4	o	4.20		29.74	755.4	NE	1	b	
Yap, .	12.47	29.68	753.9	E	6	o	4.47		
Laibuan, .	14	29.71	754.6	88	73	N	2	b	6		29.71	754.6	78	94	NE	2	b	

April 23d, 10h. 53m.—Pressure is highest over N.E. China. It has increased slightly at Shanghai and Vladivostock. It has decreased moderately at Haiphong and slightly from Hongkong to the Loochoos. It is nearly stationary over the Philippines.

There are indications of a depression to the south-east of the Loochoos.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 9.22 inches, against an average of 10.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

DISTRICT.

FORECAST.

- | | |
|---|--|
| 1.—Formosa Channel, .
2.—South coast of China between Hongkong and Lamock, .
3.—Hongkong to Gap Rock, .
4.—South coast of China between Hongkong and Hainan, . | } N.E. winds, moderate; overcast, rain, fog. |
|---|--|

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	23RD APRIL, 1923.							24TH APRIL, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMIDT.	WIND.		WEAHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMIDT.	WIND.		WEAHER.
		Inches.	Millrs.			Dirct. ion.	Force.			Inches.	Millrs.			Dirct. ion.	Force.	
Wladivostock, .	12	S	+	...	6	WSW
Nemuro, .	11	29.61	752.0	W	7	...	5	29.88	759.0	W	2	...
Hokodate, .	"	29.76	756.0	E	2	...	"	30.02	762.5	NE	1	...
Tokio, .	"	29.84	758.0	NW	1	...	"	30.16	766.0	WSW	1	...
Kochi, .	"	29.90	759.5	NE	3	...	"	29.98	761.5	NE	1	...
Nagasaki, .	"	29.96	761.0	SE	1	...	"	29.96	761.0	N	1	...
Kagoshima, .	"	29.90	759.5	N	1	...	"	29.94	760.5	SSE	1	...
Oshima, .	"	29.88	759.0	SSW	2	...	"	29.80	757.0	S	1	...
Naha, .	"	29.86	758.5	SSW	2	...	"	29.82	757.5	S	1	...
Ishigakijima, .	"	29.86	758.5	S	2	...	"	29.82	757.5	S	1	...
Bonin Island, .	"	29.94	760.5	"	29.98	761.5
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.06	763.5	57	56	E	2	o	"	30.02	762.6	52	85	NE	1	r o r
Gutzlaff, .	"	30.03	762.7	52	100	NE	4	o	"	30.03	762.7	52	100	NE	1	...
Sharp Peak, .	15	29.89	759.2	60	91	ENE	4	of	7	29.88	758.9	60	93	E	1	...
Anoy, .	14	29.79	756.6	70	95	WSW	2	o	6	29.81	757.2	65	95	ENE	2	...
Swatow, .	"	"
Taihoku, .	12	29.86	758.4	81	76			...	"	29.84	757.8	68	96	E	2	r o
Taichu, .	"	29.85	758.1	84	...	SW	2	b	"	29.82	757.5	72	...	N	2	...
Tainan, .	"	29.84	757.8	86	...	WSW	4	b	"	29.80	756.9	73	...	N	4	...
Koshun, .	"	29.84	757.8	90	...	ESE	2	b	"	29.79	756.6	73	0	...
Pescadores, .	"	29.89	759.3	79	...	NE	4	o	"	29.82	757.5	72	...	NNE	4	0
Canton, .	15	"
Hongkong, .	14	29.78	756.4	77	86	E	2	c	"	29.77	756.1	73	95	E	2	of b
Gap Rock, .	"	29.78	756.4	NE	3	c	"	29.80	756.9	E	2	of b
Macao, .	"	29.78	756.3	84	81	SE	2	b	"	29.73	755.1	73	96	ESE	2	...
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.72	754.8	79	95	SSE	4	rf	7	29.74	755.4	73	91	ESE	4	of
Tourane, .	"	29.67	753.6	84	...	SSE	2	b	"	29.67	753.6	77	...	ENE	0	...
Cape St. James, .	"	29.69	754.2	86	...	E	6	b	"	29.73	755.1	79	...	ENE	2	0
Aparri, .	14	29.72	754.8	90	60	NE	4	b	6	
Dagupan, .	"	"	
Manila, .	"	29.69	754.2	90	48	NE	2	o	"	29.75	755.7	73	82	NNE	2	b
Legaspi, .	"	"	
Tacloban, .	"	"	
Boilo, .	"	29.68	753.9	86	58	NE	6	o	"	29.71	754.5	79	90	NE	4	o
Surigao, .	"	29.68	753.9	84	77	NE	4	o	"	
Guam, .	12.20	29.71	754.5	E	4	o	4.20	29.76	756.0	E	1	o
Yap, .	12.47	29.67	753.6	E	4	o	4.47	29.72	754.8	ENE	4	b
Labuan, .	14	29.66	753.3	88	73	N	2	b	6	

April 24d. 10h. 47m.—Pressure has increased considerably over central Japan, and decreased slightly at Oshima and Tourane. It is nearly stationary at other reporting stations.

A depression is shown over Annam.

The Loochoos depression is now central to the north-west of Oshima. It is moving N.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 9.22 inches, against an average of 10.26 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.
DISTRICT.

- | | | |
|--|-----|--|
| 1.—Formosa Channel, . | ... | N.E. winds, moderate. |
| 2.—South coast of China between Hongkong and Lamock, | | |
| 3.—Hongkong to Gap Rock, . | ... | E. winds, moderate; overcast, rain, fog. |
| 4.—South coast of China between Hongkong and Hainan, . | | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	24TH APRIL, 1923.								25TH APRIL, 1923.																
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATMOS.		HUMIDIT.		WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATMOS.		HUMIDIT.		WIND.						
									Dir- ec- tion.	Force.									Dir- ec- tion.	Force.					
Wladivostock, ..	12	29.73	755.2	48	E	5	b	6	30.04	763.0	41	E	2	b
Nemuro,	11	29.92	760.0	SSW	4	..	5	29.86	758.5	S	2
Hokodate,	"	29.98	761.5
Tokio,	"	30.16	766.0	NNE	1	30.00	762.0	N	2
Koohi,	"	29.98	761.5	SSE	1	29.94	760.5	SW	1
Nagasaki,	"	29.94	760.5	N	1	29.98	761.5
Kagoshima,	"	29.90	759.5	NE	3	29.94	760.5	NW	1
Oshima,	"	29.80	757.0	SSE	2	29.90	759.5	NW	2
Naha,	"	29.86	758.5	SSW	3	29.88	759.0
Ishigakijima,	"	29.86	758.5	SSW	2	29.92	760.0	NNW	1
Bouin Island,	"	29.98	761.5	S	1	30.06	763.5	S	3
Weibaiwei,	14
Hankow,	15
Ichang,	"
Changsha,	"
Shanghai,	11	30.08	764.0	56	60	SE	2	0	30.18	766.5	45	80	N	1	b	b	b	b	b	b	b	b	b
Gutzlaff,	"	30.04	763.0	54	100	NNE	2	0	30.16	766.0	50	100	N	2
Sharp Peak,	15	29.90	759.4	58	88	ENE	2	0	30.04	763.0	58	93	ENE	4
Amoy,	14	29.80	756.9	69	91	ENE	1	29.96	761.0	62	90	ENE	2
Swatow,	"
Taihoku,	12	29.89	759.3	72	84	NW	4	0	30.02	762.6	63	96	E	4	r
Taichu,	"	29.85	758.1	81	..	NNW	2	b	29.91	759.6	66	..	N	2
Tainan,	"	29.81	757.2	86	..	WNW	2	b	29.87	758.7	66	..	NNE	4
Koshun,	"	29.82	757.5	84	..	S	4	b	29.86	758.4	73	..	NE	6
Pescadores,	"	29.87	758.7	75	..	NNE	6	0	29.92	759.9	70	..	NNE	8
Canton,	15	29.93	760.2	65	89	N	1
Hongkong,	14	29.76	755.9	74	88	E	2	0	29.90	759.4	68	95	NE	1
Gap Rock,	"	29.76	755.9	E	3	0	29.87	758.7	ENE	4
Macao,	"	29.75	755.7	70	98	NNW	2	0	29.87	758.7	66	92	N	4
Wuchow,	15
Pakhoi,	"
Hoihow,	"
Phulien,	"	29.74	755.4	73	96	ENE	6	r	7	29.89	759.3	70	87	ENE	4
Tourane,	"	29.68	753.9	77	..	N	6	0	29.82	757.5	72	..	NW	4
Cape St. James,	"	29.68	753.9	90	..	SSE	2	0	29.79	756.6	75	..	ENE	2
Aparri,	14	29.69	754.2	90	63	NE	4	5	..	6
Lagupan,	"
Manila,	"	29.68	753.9	90	51	SE	4	0	29.80	756.9	72	89	NE	1	b	b	b	b	b	b	b	b	b
Legaspi,	"	29.69	754.2	90	66	ENE	4	b	29.79	756.6	79	87	N	1	b	b	b	b	b	b	b	b	b
Tacloban,	"
Boilo,	"	29.63	752.7	86	56	NE	6	0
Surigao,	"	29.68	753.9	77	96	..	0	r
Guam,	12.20	29.71	754.5	E	4	0	4.20	29.76	756.0
Yap,	12.47	29.66	753.3	ENE	6	0	4.47	29.75	755.7
Labuan,	14	29.67	753.6	88	75	NE	2	b	6

April 25d, 10h. 55m.—Pressure has increased moderately at Wladivostock, Shanghai, Hongkong and Tourane. It has increased slightly over Formosa and the Philippines.

The Loochoos depression has filled up.

An anticyclone has formed over N. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.33 inch. Total since January 1st, 9.55 inches, against an average of 10.48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamocka, N.E. winds, fresh; overcast at first, improving later.
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; overcast at first, improving later.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG

DAILY WEATHER REPORT.

STATION.	25TH APRIL, 1923.							26TH APRIL, 1923.						
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	
		Inches.	Mills.			Direct. ion.	Force.		Inches.	Mills.			Direct. ion.	Force.
Vladivostock, .	12	6
Nemuro, .	11	29.84	758.0	SE	3	5	30.04	763.0	S	1
Hokodate, .	"	29.98	761.5	WSW	3	"	30.02	762.5	WNW	1
Tokio, .	"	30.02	762.5	N	2	"	30.18	766.5	NW	1
Kochi, .	"	30.03	762.0	0	"	30.24	768.0	SW	1
Nagasaki, .	"	30.06	763.5	NNW	2	"	30.18	766.5	NE	1
Kagoshima, .	"	30.02	762.5	NW	1	"	30.18	766.5	NW	1
Oshima, .	"	30.04	763.0	NNW	4	"	30.14	765.5	SE	3
Naha, .	"	30.02	762.5	N	6	"	30.08	764.0	NNE	2
Ishigakijima, .	"	30.02	762.5	NE	4	"	30.02	762.5	ENE	3
Bonin Island, .	"	30.04	763.0	SSW	2	"	30.10	764.5	SSE	2
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.26	768.6	66	30	E	1	"	30.25	768.3	45	100	ESE	1
Gutzlaff, .	"	30.27	768.8	63	94	NNE	1	"	30.28	769.1	52	100	...	0
Sharp Peak, .	15	30.07	763.8	60	88	NE	1	7	30.09	764.3	54	87	NW	2
Ampy, .	14	29.98	761.5	68	85	ENE	1	6	30.00	762.0	62	94	NE	1
Swatow, .	"	"
Taihoku, .	12	30.10	764.4	57	79	E	4	"	29.98	761.4	68	94	E	6
Taichu, .	"	30.05	763.2	73	...	NNW	4	"	29.94	760.5	66	0
Taijan, .	"	29.91	759.6	84	...	NNW	4	"	29.93	760.2	66	...	NNW	2
Koshun, .	"	29.89	759.3	61	...	NNE	8	"	29.92	759.9	73	...	NE	4
Pescadores, .	"	29.97	761.1	70	...	NNE	8	"	29.98	761.4	68	...	NNE	6
Canton, .	15	29.94	760.5	70	80	N	2	"	30.01	762.2	66	95	N	1
Hongkong, .	14	29.91	759.7	69	85	NE	2	"	29.97	761.2	68	88	E	3
Gap Rock, .	"	29.89	759.2	ENE	6	"	29.94	760.5	ENE	6
Macao, .	"	29.97	761.1	68	87	N	4	"	29.94	760.5	66	94	NNE	4
Wuchow, .	15	9	0
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.88	759.0	75	63	...	0	7
Tourane, .	"	29.79	756.6	77	...	NW	4	"
Cape St. James, .	"	29.74	753.4	90	...	E	2	"
Aparri, .	14	29.79	756.6	86	68	NE	4	6	29.87	758.7	77	88	E	2
Dagupan, .	"	"
Manila, .	"	29.74	755.4	93	57	W	2	"	29.84	757.8	73	86	FSE	1
Legaspi, .	"	29.76	756.0	86	68	ENE	4	"	29.84	757.8	77	94	E	4
Tacloban, .	"	29.78	756.3	82	86	S	2	"
Iloilo, .	"	29.71	754.5	90	60	NE	6	"	29.79	756.6	79	...	NE	4
Surigao, .	"	29.74	755.4	79	93	...	0	"	0
Guam, .	12.20	29.72	754.8	E	4	4.20
Yap, .	12.47	4.47
Labuan, .	14	29.73	755.1	86	76	NW	2	6	29.78	756.4	77	94	S	2

April 26d, 11h. 25m.—Pressure has increased considerably over central and S.W. Japan, moderately over the Loochoos and slightly at Hongkong.

The anticyclone has spread eastward. It now extends to central Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 955 inches, against an average of 1070 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

DISTRICT.

FORECAST.

- | | |
|--|--------------------------------|
| 1.—Formosa Channel, . | N.E. winds, strong. |
| 2.—South coast of China between Hongkong and Lamock, . | } N.E. winds, fresh; overcast. |
| 3.—Hongkong to Gap Rock, . | |
| 4.—South coast of China between Hongkong and Hainan, . | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	26TH APRIL, 1923.							27TH APRIL, 1923.									
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.			
	Inches.	Millrs.	Direct- ion.	Force.					Inches.	Millrs.							
Wladivostock, .	12	30.03	762.8	51	S	4	0	...	30.08	763.9	45	...	ESE	4	0
Nemuro,	11	29.88	739.0	SSE	3	...	5	30.14	765.5	W	2	...
Hokodate,	"	29.92	760.0	SSW	5	...	"	30.22	767.5	W	1	...
Tokio,	"	30.14	765.5	ESE	1	...	"	30.32	770.0	NNW	1	...
Kochi,	"	30.22	767.5	SE	2	...	"	30.24	768.0	WSW	1	...
Nagasaki,	"	30.26	768.5	ESE	1	...	"	30.16	766.0	SE	1	...
Kagoshima,	"	30.24	768.0	S	1	...	"	30.16	766.0	NE	2	...
Oshima,	"	30.16	766.0	SE	1	...	"	30.06	763.5	SE	1	...
Naha,	"	30.10	764.5	NNE	2	...	"	30.00	762.0	NE	1	...
Ishigakijima,	"	30.06	763.5	E	5	...	"	29.94	760.5	SE	3	...
Bonin Island,	"	30.10	764.5	WSW	1	...	"	30.16	766.0	0	0	...
Weihaiwei,	14	"
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.24	768.0	63	51	ESE	2	0	...	"	30.04	762.9	55	100	SE	1	r
Gutzlaff,	"	30.30	769.6	54	100	ESE	2	r	...	"	30.07	763.8	54	100	SE	1	rf
Sharp Peak,	15	30.09	764.3	56	87	NNW	2	r	...	"	29.96	761.8	62	92	...	0	r
Amoy,	14	30.03	762.7	64	95	NE	1	r	6	"	29.92	759.9	65	95	W	1	e
Swatow,	"	12
Taihoku,	12	30.01	762.3	73	85	ENE	6	r	...	12	29.94	760.5	68	98	...	0	t
Taichu,	"	30.02	762.6	73	...	NNW	2	0	...	12	29.94	760.5	68	...	0	o	t
Tainan,	"	30.00	762.0	77	...	NNW	4	0	...	12	29.91	759.6	70	...	N	4	o
Koshun,	"	29.99	761.7	82	...	NE	4	0	...	12	29.89	759.3	75	...	ENE	2	o
Pescadores,	"	30.08	764.1	68	...	NNE	7	0	...	12	29.94	760.5	68	...	NNE	4	o
Canton,	15	29.98	761.5	73	86	SW	1	0	...	12	29.97	761.2	69	95	...	0	o
Hongkong,	14	29.97	761.2	72	81	E	1	0	...	12	29.94	760.5	70	89	ENE	1	o
Gap Rock,	"	29.95	760.7	NE	5	0	...	12	29.93	760.2	NE	4	o
Macao,	"	29.97	761.1	70	85	NE	2	0	...	12	29.91	759.6	68	98	...	2	cf
Wuchow,	15	9	
Pakhoi,	"	12	
Hoikow,	"	12	
Phulien,	"	29.92	759.9	77	76	ENE	4	0	7	29.99	761.7	70	94	N	4	of	
Tourane,	"	29.85	758.1	75	...	NW	4	0	12	29.89	759.3	72	...	NW	2	of	
Cape St. James,	"	29.79	756.6	84	...	ENE	6	0	12	
Aparri,	14	6	29.84	757.8	77	84	S	2	b	
Dagupan,	"	12	
Manila,	"	29.78	756.3	93	50	SE	4	0	12	29.84	757.8	72	86	ENE	1	o	
Legaspi,	"	29.80	756.9	86	71	ENE	2	b	12	
Tacloban,	"	12	
Iloilo,	"	29.76	756.0	79	98	NE	4	0	12	
Surigao,	"	29.74	755.4	84	81	ENE	4	r	12	
Guam,	12.20	29.79	756.6	ENE	4	0	4.20	29.80	756.9	ENE	2	o	
Yap,	12.47	29.75	755.7	ENE	6	0	4.47	29.75	755.7	E	6	o	
Labuan,	14	29.82	757.4	84	79	S	2	b	6	

April 27d. 11h. 59m.—Pressure has increased moderately over central Japan and slightly at Wladivostock, the Bonins and Haiphong. It has decreased considerably at Shanghai and slightly from Formosa to Hongkong.

The anticyclone is now central near Tokio.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 9.55 inches, against an average of 10.92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

DISTRICT. FORECAST.

- | | | |
|---|---|--|
| 1.—Formosa Channel, | { | N.E. or variable winds, moderate; generally overcast, fog. |
| 2.—South coast of China between Hongkong and Lamocks, | | |
| 3.—Hongkong to Gap Rock, | | |
| 4.—South coast of China between Hongkong and Hainan, | | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	27TH APRIL, 1923.							28TH APRIL, 1923.							
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL		TEMP. ATMOS.	HUMID.	WIND.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL		TEMP. ATMOS.	HUMID.	WIND.	
	Inches.	Milrs.	Direct.	Force.				Inches.	Milrs.	Direct.	Force.				
Vladivostock, .	32	29.98	761.5	53	ESE	5	b	6	29.97	761.1	46	...	E
Nenuro, .	11	30.10	764.5	SW	6	...	5	30.06	763.5	SW
Hokodate, .	"	30.20	767.0	SSW	5	...	"	30.16	766.0	SE
Tokio, .	"	30.33	770.5	N. 7	1	...	"	29.98	761.5	SE
Kochi, .	"	30.24	768.0	0	...	"	30.08	764.0
Nagasaki, .	"	30.10	764.5	SE	4	...	"	29.78	756.5	SE
Kagoshima, .	"	30.12	765.0	ESE	1	...	"	29.86	758.5	SSE
Oshima, .	"	30.02	762.5	ESE	2	...	"	29.82	757.5
Naha, .	"	"	29.80	757.0	SSE
Ishigakijima, .	"	"	29.76	756.0	NNW
Bonin Island, .	"	30.14	765.5	ENE	1	...	"	30.14	765.5
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.99	761.7	64	71	0	o	"	29.84	757.8	54	100	WSW
Gutzlaff, .	"	29.94	760.5	58	100	0	of	"	29.86	758.4	54	100	W
Sharp Peak, .	15	29.68	758.9	70	88	SE	1	o	...	"	29.85	758.2	62	93	...
Amoy, .	14	29.83	757.7	69	91	SW	2	o	6	"	29.82	757.4	65	95	...
Swatow, .	"	"
Taiboku, .	12	29.97	761.1	70	96	0	r	"	29.87	758.7	66	96	W
Taichu, .	"	29.95	760.8	70	...	NNW	2	r	...	"	29.85	758.1	68
Tainan, .	"	29.91	759.6	81	...	N	4	o	...	"	29.82	757.5	70	...	N
Koskun, .	"	29.89	759.3	84	...	E	2	b	...	"	29.78	756.3	73	...	NNW
Pescadores, .	"	29.95	760.8	70	...	NNE	4	r	...	"	29.86	758.4	70	...	NNE
Canton, .	15	29.89	759.2	78	70	W	1	o	...	"	29.90	759.4	64	89	N
Hongkong, .	14	29.89	759.2	77	77	WSW	1	o	...	"	29.87	758.7	69	66	ENE
Gap Rock, .	"	29.90	759.4	E	2	o	...	"	29.87	758.7	NNW
Macao, .	"	29.87	758.7	73	82	NE	2	o	...	"	29.87	758.7	68	81	NNE
Wuchow, .	15	9
Pakhoi, .	"
Hoihow, .	"
Phulien, .	"	29.91	759.6	75	79	SSE	2	o	7	"	29.92	759.9	72	88	NE
Tourane, .	"	29.82	757.5	77	...	NNW	2	o	...	"	29.89	759.3	72	...	WNW
Cape St. James, .	"	29.75	755.7	86	...	ENE	4	o	...	"	29.81	757.2	75	...	N
Aparri, .	14	29.75	755.7	90	60	NE	4	b	6
Dagupan, .	"
Manila, .	"	29.74	755.4	93	40	SE	2	o
Legaspi, .	"	29.76	756.0	90	66	NE	2	o
Tacloban, .	"
Ililo, .	"	29.73	755.1	90	55	NE	6	o
Surigao, .	"	29.72	754.8	82	86	NE	4	o
Guam, .	12.20	29.72	754.8	NE	4	o	4.20
Yap, .	12.47	29.69	754.2	NNE	6	o	4.47
Labuan, .	14	29.77	756.1	86	76	N	1	b	6

April 28d. 12h. com.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 23° N. Long. 126° E., direction unknown, position uncertain.

April 28d. 15h. 53m.—Pressure has decreased considerably from Shanghai to S.W. Japan and the Loohooes, moderately over Formosa and slightly from Hongkong to Haiphong.

A depression is shown over the Yellow Sea. It is moving eastward.

A typhoon has formed to the east of Formosa. Its direction of motion is unknown at present.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 9.55 inches, against an average of 11.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH. DISTRICT.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- Forecast.
- N. or variable winds, moderate, fine to cloudy.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	28TH APRIL, 1923.							29TH APRIL, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDITY.	WIND.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDITY.	WIND.	WEATHER.	
		Hours.	Inches.	Mills.					Hours.	Inches.	Mills.				
Wladivostock, .	12	29.87	758.7	48	...	ESE	4	6	29.49	749.0	39	...	SE	4	f
Nemuro,	31	30.06	763.5	SSE	6	5	29.96	761.0	SSE	6	z
Hokodate,	"	30.10	764.5	SSE	2	...	29.78	756.5	0	..
Tokio,	"	30.20	767.0	S	2	...	30.00	762.0	S	5	..
Kochi,	"	29.96	761.0	SE	3	...	29.90	759.5	SW	1	..
Nagasaki,	"	29.80	757.0	S	6	...	29.98	761.5	SW	1	..
Kagoshima,	"	29.80	757.0	0	...	29.98	761.5	0	..
Oshima,	"	29.58	759.0	NNW	1	...	29.98	761.5	0	..
Naha,	"	29.88	759.0	SW	2	...	29.92	760.0	N	1	..
Ishigakijima,	"	29.84	758.0	NE	4	...	29.92	760.0	N	1	..
Bonin Island,	"	30.12	763.0	SE	1	...	30.16	766.0	SE	2	..
Weihaiwei,	24
Jankow,	15
Ichang,	"
Changsha,	"
Shanghai,	13	29.87	758.7	66	59	WNW	4	b	29.93	760.2	55	96	S	1	b
Gutzlaff,	"	29.86	758.4	64	95	WNW	2	b	29.94	760.5	58	100	SSW	4	b
Sharp Peak,	15	29.88	758.9	76	73	E	2	b	29.97	761.2	64	76	W	2	b
Anoy,	14	29.81	757.2	75	77	WNW	1	b	29.91	759.7	64	91	SE	1	b
Swatow,	"
Taihoku,	12	29.92	759.9	72	86	W	2	o	29.99	761.7	61	96	S	2	b
Taiobu,	"	29.87	758.7	77	...	NNW	4	b	29.91	759.6	64	0	b
Tainan,	"	29.86	758.4	84	...	N	4	b	29.94	760.5	64	0	b
Kochun,	"	29.84	757.8	82	...	NW	4	b	29.91	759.6	70	0	b
Pescadores,	"	29.91	759.6	75	...	NNW	4	b	29.92	759.9	66	..	N	4	b
Canton,	15	29.84	757.9	85	44	N	1	b	29.91	759.7	66	95	ENE	1	b
Hongkong,	14	29.85	758.2	78	54	E	3	b	29.90	759.4	69	81	...	0	b
Gap Rock,	"	29.87	758.7	ENE	2	b	29.90	759.4	NE	2	b
Macao,	"	29.85	758.1	79	55	ESE	2	o	29.87	758.7	73	89	...	2	b
Wuchow,	15	
Pakhoi,	"	
Hoihow,	"	
Phulien,	"	29.84	757.8	81	66	SW	1	o	7	
Tourane,	"	29.79	756.6	77	...	NNW	4	ef	
Cape St. James, . . .	"	29.73	755.1	82	...	ENE	4	o	
Aparri,	14	29.76	756.0	90	65	NNE	4	o	6	
Dagupan,	"	
Manila,	"	29.73	755.1	93	50	WSW	4	b	29.81	757.2	75	86	ESE	1	b
Legaspi,	"	29.78	756.3	82	81	NNE	2	o	
Tacloban,	"	
Bohol,	"	29.73	755.1	82	74	NE	4	o	29.78	756.3	75	91	N	4	o
Surigao,	"	29.73	755.1	79	89	...	0	o	
Guam,	12.20	29.73	755.1	E	4	o	4.20	29.81	757.2	NE	2
Yap,	12.47	29.69	754.2	N	4	o	4.47	29.76	756.0	E	4
Labuan,	14	29.72	754.9	88	76	N	2	b	6	29.83	757.7	78	91	SE	4

April 29d. 6A. 50m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 23° N. Long. 127° E., direction unknown.

April 29d. 11A. 22m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 23° N. Long. 128° E., filling up, position uncertain.

April 29d. 11A. 23m.—Pressure has increased slightly to moderately in all districts, except in the extreme North where it has decreased considerably.

The Looeboos and Yellow Sea depressions have filled up. A somewhat deep depression is passing to the north of Wladivostock on an easterly track.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 9.55 inches, against an average of 11.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

29TH APRIL, 1923.

STATION.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATM.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATM.	HUMIDITY.	WIND.		WEATHER.
	Inches.	Mills.	Direction.	Force.			Direction.	Force.		Inches.	Mills.	Direction.	Force.			Direction.	Force.	
Wladivostock,	12	29.53	750.0	+1	...		ESE	4	o	6	29.92	760.0	+0	...	NNW	4	o	
Nemuro,.....	11	29.84	758.0		S	7	...	5	29.80	757.0	S	5	...	
Hokodate,.....	"	29.78	756.5		S	3	...	"	29.88	759.0	SW	1	...	
Tokio,.....	"	29.96	761.0		SE	6	...	"	30.06	763.5	0	...	
Koehi,.....	"	29.92	760.0		SE	1	...	"	30.12	765.0	WSW	1	...	
Nagasaki,.....	"	30.04	763.0		WSW	2	...	"	30.10	764.5	SW	1	...	
Kagoshima,.....	"	30.04	763.8		SSE	1	...	"	30.12	765.0	NW	0	...	
Oshima,.....	"	30.02	762.5		NNW	3	...	"	30.02	762.5	0	...	
Naha,.....	"	30.02	762.5		NNE	2	...	"	29.98	761.5	SE	0	...	
Ishigakijima,.....	"	29.98	761.5		ENE	4	...	"	29.94	760.5	NE	1	...	
Bouin Island,.....	"	30.14	765.5		SE	2	...	"	30.18	766.5	E	1	...	
Weihaiwei,.....	14	"	
Hankow,.....	15	"	
Ichang,.....	"	"	
Changsha,.....	"	"	29.99	761.7	57	84	SSE	1	b	
Shanghai,.....	13	29.93	760.2	-9	52		SW	1	b	"	30.01	762.2	60	100	SSE	4	0	
Gutzlaff,.....	"	29.96	761.0	64	100		S	4	b	"	30.00	762.0	68	74	W	1	0	
Sharp Peak,.....	15	29.95	760.7	78	91		E	1	b	6	29.95	760.7	69	91	S	1	0	
Amoy,.....	14	29.89	759.2	73	81		SSE	2	o	"	
Swatow,.....	"	"	
Taihoku,.....	12	29.97	761.1	82	60		NE	2	b	"	29.93	760.2	66	92	SE	2	0	
Taichu,.....	"	29.93	760.2	81	...		WNW	2	b	"	29.95	760.8	68	0	0	
Tainan,.....	"	29.93	760.2	86	...		NW	4	b	"	29.92	759.9	81	...	NNE	2	0	
Kochun,.....	"	29.92	759.9	86	...		ENE	4	b	"	29.92	759.9	73	...	ENE	2	b	
Pescadores,.....	"	29.93	761.4	77	...		NNE	4	b	"	29.93	760.2	72	...	N	2	0	
Canton,.....	15	29.89	759.2	80	55		S	1	o	"	29.94	760.5	69	80	FNE	1	0	
Hongkong,.....	14	29.91	759.7	76	53		ESE	4	o	"	29.93	760.2	72	80	E	2	0	
Gap Rock,.....	"	29.91	759.7		ENE	4	o	"	29.92	759.9	FNE	4	0	
Macao,.....	"	29.89	759.3	82	60		SSE	2	o	"	29.89	759.3	72	84	NE	2	0	
Wuchow,.....	15	9	
Pakhoi,.....	"	"	
Hoihow,.....	"	"	
Phulien,.....	"	29.82	757.5	81	69		SSE	4	o	7	29.85	758.1	73	98	ESE	4	r	
Tourane,.....	"	29.78	756.3	81	...		NW	2	o	"	29.81	757.2	75	...	SSW	2	o	
Cape St. James,.....	"	29.73	755.4	82	...		E	6	o	"	29.78	756.3	73	...	NW	2	0	
Aparri,.....	14	29.78	756.3	90	60		NE	4	o	6	
Dagupan,.....	"	"	
Manila,.....	"	29.76	756.6	97	47		SE	4	o	"	29.87	758.7	75	86	E	1	0	
Legaspi,.....	"	29.79	756.6	90	66		ENE	4	b	"	29.86	758.4	77	85	ENE	1	0	
Tacloban,.....	"	"	
Bohol,.....	"	29.74	755.4	90	88		NE	4	o	"	
Surigao,.....	"	29.75	755.7	86	78		"	
Guam,.....	12.20	29.73	755.1		E	4	o	4.20	29.79	756.6	ENE	4	r	
Yap,.....	12.47	29.71	754.5		ENE	6	o	4.47	29.73	755.1	E	6	b	
Labuan,.....	14	29.6	755.9	84	79		N	2	o	6	29.78	756.4	78	84	S	1	0	

April 30d, 11h. 5m.- Pressure is highest from S.W. Japan to the Bonins. It has increased considerably at Wladivostock, moderately over S.W. Japan and slightly from Shanghai to Hongkong and the Philippines. It is nearly stationary over Indo-China.

The depression is now central to the north of Hokkaido.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, c.coo inch. Total since January 1st, 9'55 inches, against an average of 11'61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1ST.

DISTRICT.

Forecast.

- 1.—Formosa Channel,
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock,
- 4.—South coast of China between Hongkong and Hainan,

F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

MAY,

1923.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE
ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER
REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,
DIRECTOR.



HONGKONG.
PRINTED BY NORONHA & CO.
GOVERNMENT PRINTERS

1923.

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

MAY,

1923.

HOURLY VALUES OF BAROMETRIC PRESSURE AND AIR TEMPERATURE,

TABLE I.—BAROMETRIC PRESSURE at every Hour of the Day, in the MONTH of MAY, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	29.917	29.905	29.884	29.864	29.860	29.872	29.880	29.889	29.897	29.874	29.892	29.889	1
2	29.790	29.761	29.733	29.723	29.734	29.729	29.755	29.784	29.784	29.790	29.775	29.756	2
3	29.731	29.717	29.715	29.713	29.715	29.707	29.730	29.743	29.753	29.759	29.748	29.757	3
4	29.754	29.724	29.724	29.718	29.721	29.727	29.741	29.759	29.781	29.778	29.773	29.743	4
5	29.736	29.722	29.703	29.694	29.682	29.693	29.688	29.697	29.722	29.738	29.704	29.707	5
6	29.673	29.657	29.645	29.644	29.659	29.652	29.668	29.687	29.695	29.715	29.712	29.707	6
7	29.725	29.719	29.691	29.693	29.720	29.727	29.738	29.756	29.768	29.777	29.753	29.736	7
8	29.710	29.689	29.668	29.656	29.658	29.674	29.692	29.711	29.715	29.723	29.717	29.711	8
9	29.668	29.660	29.644	29.633	29.655	29.660	29.678	29.701	29.712	29.718	29.714	29.703	9
10	29.708	29.686	29.678	29.684	29.696	29.717	29.742	29.761	29.773	29.782	29.769	29.761	10
11	29.792	29.786	29.792	29.798	29.814	29.835	29.870	29.888	29.910	29.917	29.911	29.894	11
12	29.849	29.835	29.822	29.824	29.834	29.845	29.855	29.866	29.872	29.875	29.856	29.846	12
13	29.748	29.729	29.715	29.713	29.730	29.727	29.739	29.753	29.763	29.764	29.750	29.731	13
14	29.638	29.629	29.618	29.613	29.620	29.629	29.646	29.659	29.665	29.679	29.671	29.655	14
15	29.655	29.646	29.627	29.625	29.627	29.645	29.666	29.693	29.703	29.718	29.720	29.705	15
16	29.721	29.719	29.717	29.713	29.713	29.732	29.750	29.774	29.788	29.804	29.809	29.801	16
17	29.809	29.800	29.800	29.794	29.792	29.804	29.825	29.838	29.848	29.865	29.861	29.861	17
18	29.800	29.788	29.788	29.784	29.788	29.794	29.816	29.826	29.830	29.835	29.832	29.823	18
19	29.784	29.779	29.761	29.765	29.763	29.774	29.791	29.803	29.812	29.817	29.813	29.799	19
20	29.775	29.756	29.752	29.757	29.764	29.772	29.786	29.808	29.815	29.826	29.824	29.811	20
21	29.792	29.784	29.790	29.790	29.792	29.800	29.829	29.836	29.838	29.839	29.826	29.826	21
22	29.768	29.763	29.752	29.753	29.757	29.770	29.776	29.790	29.796	29.799	29.786	29.776	22
23	29.734	29.722	29.706	29.712	29.714	29.722	29.739	29.742	29.742	29.746	29.730	29.730	23
24	29.658	29.658	29.656	29.656	29.656	29.668	29.685	29.691	29.697	29.684	29.685	29.696	24
25	29.684	29.696	29.692	29.694	29.698	29.706	29.723	29.738	29.753	29.766	29.756	29.756	25
26	29.759	29.751	29.742	29.752	29.767	29.781	29.795	29.816	29.829	29.833	29.824	29.811	26
27	29.738	29.734	29.732	29.732	29.747	29.747	29.771	29.773	29.781	29.790	29.786	29.776	27
28	29.704	29.700	29.685	29.672	29.671	29.680	29.699	29.709	29.720	29.728	29.724	29.712	28
29	29.702	29.695	29.673	29.667	29.669	29.683	29.696	29.710	29.710	29.726	29.724	29.716	29
30	29.694	29.675	29.663	29.665	29.660	29.673	29.682	29.705	29.704	29.712	29.719	29.707	30
31	29.740	29.725	29.709	29.701	29.707	29.722	29.733	29.742	29.752	29.749	29.760	29.760	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29.867	29.837	29.818	29.785	29.794	29.806	29.808	29.822	29.825	29.816	29.823	29.814	1
2	29.745	29.738	29.700	29.689	29.681	29.676	29.692	29.702	29.721	29.729	29.741	29.741	2
3	29.741	29.729	29.719	29.706	29.710	29.718	29.721	29.735	29.747	29.770	29.771	29.778	3
4	29.734	29.718	29.706	29.712	29.711	29.709	29.715	29.726	29.717	29.732	29.757	29.756	4
5	29.697	29.681	29.664	29.647	29.643	29.644	29.654	29.675	29.681	29.696	29.692	29.687	5
6	29.682	29.666	29.661	29.662	29.673	29.684	29.706	29.729	29.729	29.749	29.755	29.739	6
7	29.708	29.686	29.678	29.690	29.689	29.703	29.705	29.720	29.737	29.745	29.750	29.728	7
8	29.697	29.677	29.653	29.640	29.632	29.639	29.658	29.672	29.691	29.696	29.700	29.687	8
9	29.683	29.669	29.655	29.642	29.632	29.640	29.657	29.687	29.697	29.710	29.710	29.718	9
10	29.748	29.730	29.713	29.705	29.707	29.719	29.741	29.760	29.788	29.806	29.817	29.815	10
11	29.882	29.865	29.858	29.855	29.839	29.844	29.853	29.868	29.874	29.888	29.887	29.871	11
12	29.818	29.797	29.778	29.762	29.750	29.753	29.766	29.778	29.787	29.787	29.778	29.764	12
13	29.706	29.677	29.648	29.625	29.622	29.620	29.630	29.640	29.649	29.657	29.651	29.651	13
14	29.637	29.620	29.601	29.583	29.573	29.584	29.604	29.622	29.632	29.640	29.655	29.665	14
15	29.697	29.677	29.655	29.647	29.645	29.652	29.669	29.720	29.731	29.740	29.728	29.728	15
16	29.786	29.770	29.760	29.735	29.750	29.761	29.786	29.805	29.819	29.826	29.818	29.818	16
17	29.844	29.841	29.817	29.809	29.805	29.801	29.805	29.812	29.833	29.839	29.839	29.828	17
18	29.812	29.794	29.770	29.763	29.739	29.750	29.762	29.782	29.790	29.798	29.810	29.792	18
19	29.775	29.758	29.742	29.724	29.718	29.727	29.740	29.759	29.768	29.775	29.782	29.778	19
20	29.796	29.773	29.751	29.744	29.738	29.738	29.756	29.765	29.776	29.793	29.796	29.798	20
21	29.808	29.779	29.760	29.734	29.728	29.725	29.732	29.744	29.751	29.761	29.776	29.780	21
22	29.757	29.738	29.720	29.708	29.698	29.704	29.716	29.722	29.736	29.748	29.742	29.742	22
23	29.712	29.693	29.674	29.657	29.649	29.651	29.649	29.659	29.665	29.671	29.680	29.673	23
24	29.688	29.672	29.664	29.656	29.638	29.648	29.660	29.677	29.693	29.702	29.704	29.698	24
25	29.744	29.726	29.708	29.710	29.702	29.712	29.728	29.743	29.762	29.777	29.785	29.768	25
26	29.792	29.770	29.749	29.732	29.738	29.742	29.759	29.769	29.771	29.775	29.772	29.754	26
27	29.754	29.730	29.718	29.694	29.679	29.677	29.686	29.702	29.718	29.728	29.737	29.725	27
28	29.691	29.677	29.665	29.648	29.645	29.650	29.657	29.672	29.693	29.714	29.720	29.714	28
29	29.694	29.685	29.665	29.645	29.635	29.630	29.650	29.666	29.686	29.703	29.712	29.704	29
30	29.696	29.689	29.667	29.658	29.655	29.671	29.671	29.704	29.722	29.740	29.748	29.746	30
31	29.746	29.716	29.714	29.702	29.712	29.716	29.744	29.761	29.776	29.792	29.802	29.789	31

TABLE II.—TEMPERATURE of the AIR at every Hour of the DAY, in the Month of MAY, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	72.9	72.8	72.3	72.2	72.0	71.9	72.1	73.0	75.2	75.8	78.8	77.1	1
2	71.8	71.5	71.7	70.6	70.2	70.2	68.7	69.3	70.7	71.6	72.3	72.3	2
3	70.1	70.0	70.3	70.6	70.8	71.1	71.2	71.5	72.6	72.8	72.9	72.7	3
4	68.8	69.0	69.1	69.0	68.8	68.6	68.9	69.0	69.6	70.4	70.3	69.9	4
5	69.9	69.4	70.0	70.3	70.4	70.6	71.5	71.8	72.3	73.2	73.9	75.4	5
6	73.0	72.7	72.3	71.9	71.5	72.0	73.6	75.2	76.7	76.7	76.9	77.5	6
7	71.2	71.0	70.2	70.2	69.9	69.8	69.8	70.5	71.5	72.7	73.4	79.0	7
8	72.0	71.6	71.2	71.0	70.8	70.8	73.0	75.8	77.4	80.4	83.5	84.0	8
9	70.5	70.0	68.9	69.0	68.7	68.3	71.0	75.3	78.0	78.4	79.5	79.6	9
10	72.4	71.6	70.9	71.0	70.0	69.9	71.9	75.0	78.6	80.2	81.8	84.3	10
11	74.0	74.8	74.9	74.5	73.5	73.3	74.1	74.9	75.6	76.7	77.9	77.9	11
12	72.0	72.0	71.9	72.0	72.0	72.1	72.5	74.9	77.2	77.8	78.6	79.0	12
13	74.8	74.2	74.0	73.5	73.2	72.6	74.0	77.1	77.9	79.7	81.3	83.1	13
14	74.6	73.5	73.0	72.8	73.1	72.9	73.1	77.4	79.2	80.4	81.0	84.3	14
15	74.7	74.3	74.1	74.0	74.4	74.6	77.7	79.4	80.8	82.2	82.8	83.0	15
16	77.8	77.5	77.5	77.2	77.3	77.3	77.4	77.6	77.5	77.0	78.0	77.9	16
17	74.9	74.7	74.5	74.4	74.6	74.6	74.3	74.1	74.3	75.0	74.7	74.8	17
18	73.6	73.7	74.1	75.8	74.3	74.5	74.0	73.6	74.0	76.0	76.0	77.3	18
19	75.9	76.2	75.8	75.8	76.0	76.0	76.7	78.9	78.9	81.0	82.2	81.3	19
20	77.9	77.7	77.1	76.9	76.8	76.6	78.9	80.4	82.5	82.0	85.4	84.3	20
21	78.9	78.9	78.7	79.0	79.0	79.1	81.0	80.8	83.5	84.7	85.9	85.1	21
22	79.8	79.8	79.6	79.9	80.0	80.3	80.6	82.8	84.6	85.0	85.3	85.5	22
23	81.4	81.2	80.8	80.8	80.6	80.7	80.9	82.0	84.0	83.9	86.4	84.7	23
24	80.6	80.7	80.9	80.5	80.4	80.3	80.2	84.2	82.0	84.5	84.6	86.2	24
25	81.7	80.9	80.9	80.6	80.1	80.0	82.1	82.3	85.3	83.8	88.3	88.0	25
26	81.7	81.6	81.1	80.7	80.6	80.3	79.6	80.9	84.3	86.1	87.9	86.3	26
27	81.9	81.4	80.9	80.1	80.0	79.8	82.2	84.0	85.0	85.8	86.0	87.0	27
28	81.3	81.3	81.1	80.9	80.5	79.9	81.6	83.0	84.8	85.7	86.0	85.9	28
29	81.3	80.9	81.1	80.7	80.4	80.4	83.0	83.4	85.1	84.2	85.3	85.4	29
30	80.8	80.0	80.9	81.0	80.7	80.7	82.9	76.7	82.0	83.4	83.3	84.5	30
31	80.8	78.8	77.8	78.0	78.0	78.2	79.4	80.3	82.4	82.6	82.7	79.8	31
Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	77.1	78.2	76.1	75.3	74.5	74.0	73.6	73.7	73.7	73.4	72.3	72.3	1
2	71.8	70.1	70.1	70.0	69.5	68.9	69.1	70.0	70.3	70.6	70.6	70.6	2
3	72.4	71.0	70.8	70.9	71.5	71.0	69.5	69.4	68.9	68.8	68.6	68.5	3
4	70.6	70.9	71.0	70.4	70.4	70.2	70.1	70.2	70.3	70.7	70.6	70.4	4
5	75.3	76.1	76.0	76.0	74.9	74.0	73.3	73.3	73.1	73.2	73.3	73.1	5
6	78.0	76.2	74.0	74.0	72.0	71.4	71.1	71.1	70.9	71.0	71.1	71.1	6
7	79.1	79.0	78.0	76.6	76.7	75.1	73.6	73.5	72.9	72.7	72.7	72.6	7
8	82.8	82.7	81.6	80.4	79.4	77.0	75.8	73.3	72.7	72.4	71.6	71.5	8
9	79.7	80.1	80.0	79.9	81.0	79.0	76.1	75.0	73.9	74.1	72.7	73.1	9
10	85.5	85.1	85.0	84.6	83.2	81.4	79.9	77.8	76.5	75.0	73.7	74.0	10
11	77.6	77.9	77.4	76.5	76.1	74.9	73.7	73.3	72.9	72.4	72.4	72.1	11
12	78.9	78.6	79.2	78.3	77.0	75.9	75.0	74.8	74.4	74.2	74.7	74.7	12
13	83.2	83.6	84.1	83.8	81.5	79.6	78.0	76.4	75.8	74.8	74.7	74.7	13
14	84.2	85.6	83.9	84.0	82.0	80.9	79.8	78.1	77.3	76.6	75.9	75.9	14
15	82.7	82.5	81.8	81.1	80.1	79.0	78.0	77.9	77.9	78.1	78.0	78.0	15
16	77.3	76.9	76.6	76.5	76.3	75.9	75.3	75.3	75.2	75.0	74.9	74.6	16
17	75.2	74.5	74.5	74.7	74.8	75.0	74.7	74.9	74.9	75.0	75.2	73.1	17
18	78.0	77.8	77.4	76.4	76.2	75.9	75.3	75.3	75.2	75.1	75.3	75.6	18
19	79.9	81.6	84.0	83.2	81.7	79.9	78.8	77.9	77.7	77.6	77.7	77.9	19
20	84.3	84.8	85.8	83.0	81.3	80.1	78.9	78.1	78.0	77.9	77.8	77.8	20
21	86.0	86.8	86.5	85.9	84.7	83.0	81.7	80.9	80.3	80.1	80.0	79.9	21
22	86.7	86.3	85.8	85.2	84.3	83.0	81.9	81.6	81.0	80.8	80.9	80.9	22
23	86.8	87.1	84.8	84.1	84.5	83.4	82.5	82.1	81.0	80.9	80.6	80.6	23
24	86.4	86.7	86.6	86.9	84.8	84.3	82.4	81.9	81.9	81.8	81.7	81.6	24
25	88.5	88.1	85.2	85.8	85.2	83.9	82.9	82.9	82.3	82.4	82.2	81.6	25
26	86.9	86.0	85.4	84.4	84.5	83.6	82.7	82.2	82.1	81.8	81.5	81.8	26
27	87.0	86.9	86.6	85.5	84.6	83.4	82.4	82.1	81.9	81.7	81.5	81.7	27
28	86.2	85.9	86.0	85.0	83.9	83.6	82.1	81.3	81.3	81.5	81.8	81.4	28
29	85.8	85.3	85.3	84.9	83.6	82.7	82.4	82.2	81.7	81.9	81.9	81.7	29
30	85.9	84.8	83.6	80.1	80.6	80.3	80.5	80.1	80.0	80.2	80.6	80.3	30
31	75.8	77.0	80.1	81.6	80.0	78.2	77.6	77.2	77.6	77.6	77.8	78.6	31

6 HOUMLY VALUES OF THE TEMPERATURE OF EVAPORATION, AMOUNT OF CLOUD, AND SUNSHINE

TABLE III.—TEMPERATURE of EVAPORATION at every Hour of the Day, in the Month of MAY, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	68.3	68.1	68.5	68.7	68.8	68.8	68.3	68.8	68.0	67.6	69.0	68.0	1
2	69.7	69.6	69.7	68.8	68.3	68.7	68.6	68.0	67.9	68.2	68.3	69.0	2
3	69.2	69.3	69.5	69.7	70.0	70.0	69.9	70.0	70.4	70.5	70.2	69.7	3
4	65.5	65.6	66.1	66.2	66.2	66.3	66.5	66.4	66.9	67.1	67.2	66.9	4
5	67.9	68.0	68.1	68.1	68.2	68.3	68.8	69.1	69.7	70.0	72.1	70.9	5
6	70.1	70.0	70.0	69.8	69.9	70.0	70.0	70.8	71.0	71.0	71.5	72.3	6
7	70.0	69.8	68.9	68.6	67.7	66.7	67.0	67.4	66.9	67.8	69.0	69.4	7
8	68.9	69.0	68.7	68.2	68.0	68.3	69.0	69.0	69.0	68.6	67.8	68.1	8
9	63.9	65.5	63.7	63.4	64.9	62.7	65.9	67.8	69.2	68.8	68.0	69.7	9
10	67.9	67.0	66.2	66.2	65.0	63.5	66.0	67.8	69.2	68.1	70.3	71.3	10
11	69.6	68.4	71.9	71.0	67.0	68.1	68.9	69.4	69.9	69.7	70.0	69.8	11
12	68.7	68.4	68.5	68.5	68.5	68.7	68.8	69.0	69.5	69.9	70.0	70.1	12
13	72.3	72.1	71.3	70.8	71.0	70.9	71.9	72.9	73.5	73.2	72.4	71.5	13
14	71.5	71.2	71.2	71.2	71.1	71.1	72.6	73.7	75.0	74.9	74.8	75.3	14
15	73.0	73.0	73.0	72.9	72.8	73.0	74.7	74.8	75.3	74.8	76.5	76.4	15
16	74.9	74.5	74.2	74.1	73.6	73.8	74.1	73.8	73.7	73.3	73.8	73.1	16
17	71.7	71.4	71.2	71.0	71.0	70.9	70.9	70.4	70.5	71.0	70.6	70.8	17
18	71.5	71.1	72.2	73.5	73.0	72.9	72.6	72.8	72.7	72.9	73.2	74.3	18
19	74.0	74.1	74.2	74.3	74.2	74.1	74.5	73.6	75.1	76.2	76.6	76.3	19
20	74.9	74.4	74.4	74.4	74.4	74.6	75.8	75.9	76.1	75.0	77.3	77.1	20
21	75.6	75.8	74.9	75.5	75.1	75.0	76.0	75.7	76.9	77.1	77.6	76.8	21
22	75.8	76.2	75.3	75.9	75.9	76.0	76.1	76.7	76.4	77.0	76.5	77.2	22
23	76.1	76.2	76.1	76.2	76.1	76.5	76.8	77.0	78.0	77.8	78.5	77.2	23
24	75.3	75.5	75.2	75.4	75.9	75.8	76.3	78.4	76.0	77.4	76.9	78.2	24
25	77.6	76.4	76.2	76.4	76.0	75.8	76.7	76.6	78.2	76.9	78.0	78.0	25
26	77.7	77.4	77.1	77.3	77.0	76.9	77.0	77.3	77.3	76.9	77.4	77.8	26
27	77.2	77.0	77.0	76.4	76.6	76.7	78.0	78.8	78.9	79.3	78.7	79.5	27
28	76.8	76.9	76.9	76.9	76.9	76.9	77.9	78.2	78.7	78.9	78.6	78.9	28
29	77.3	77.4	76.8	76.9	77.2	77.6	78.1	78.0	78.6	78.0	78.0	78.3	29
30	77.7	77.3	77.6	78.0	77.3	77.8	78.1	74.9	78.3	79.0	78.7	78.3	30
31	76.9	75.5	75.2	76.0	75.8	76.0	76.7	75.6	78.0	78.1	78.4	76.0	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	68.3	69.8	68.8	69.0	69.9	70.1	70.0	70.0	69.9	69.3	69.0	69.5	1
2	69.0	68.9	68.9	68.1	68.1	68.1	68.6	69.0	69.4	69.5	69.5	69.2	2
3	69.7	69.0	68.5	67.0	66.0	65.2	64.2	64.9	64.4	65.0	65.5	65.7	3
4	67.5	67.5	67.5	67.7	67.7	67.5	67.7	67.9	67.9	67.6	67.8	67.6	4
5	71.0	71.1	71.0	71.2	70.6	70.2	70.1	70.2	70.2	70.5	70.6	70.3	5
6	72.7	72.1	71.8	71.0	70.0	69.9	69.9	69.9	69.4	69.8	70.0	69.9	6
7	69.6	70.1	71.0	69.1	69.0	69.8	68.7	69.5	69.4	69.2	70.0	69.2	7
8	68.3	67.7	67.1	67.0	66.9	67.8	66.0	66.7	67.3	67.0	66.6	66.5	8
9	70.9	70.9	71.0	69.6	69.9	69.8	69.4	68.8	67.8	68.2	67.1	67.1	9
10	72.2	71.9	71.0	71.0	71.5	69.9	70.1	69.8	69.6	69.2	68.9	69.8	10
11	69.6	68.9	70.1	69.7	69.5	69.5	69.4	69.4	69.7	69.5	69.1	68.9	11
12	70.3	70.4	71.3	71.0	71.0	71.0	71.0	71.2	71.4	71.8	71.9	71.9	12
13	72.7	73.0	72.8	72.0	71.4	72.0	71.7	71.6	71.5	71.6	71.9	71.9	13
14	75.0	75.2	75.0	75.3	74.8	74.0	72.6	72.9	72.6	72.8	72.9	72.9	14
15	76.3	76.2	76.5	76.0	75.7	75.7	74.9	74.9	74.9	74.9	74.5	74.8	15
16	72.8	72.4	72.7	72.1	72.0	71.7	71.5	71.4	71.8	71.8	71.7	71.7	16
17	71.1	71.1	71.0	71.4	72.0	72.3	72.2	72.4	72.6	72.6	71.9	71.9	17
18	74.7	74.6	74.4	75.9	73.8	73.5	73.2	73.5	73.4	73.6	73.6	73.3	18
19	76.0	76.0	76.1	76.1	75.3	74.6	74.7	74.7	74.6	74.9	74.7	74.6	19
20	76.8	77.0	77.3	76.5	76.3	75.5	75.5	75.7	75.8	75.9	75.7	75.6	20
21	77.7	77.4	77.9	77.0	77.0	75.5	76.1	76.1	75.9	76.0	76.0	76.0	21
22	76.8	77.5	77.2	77.2	77.0	76.1	75.1	76.0	75.8	76.0	76.2	76.2	22
23	78.0	77.5	76.0	76.2	76.9	76.7	76.5	76.3	75.2	75.0	74.9	75.1	23
24	78.2	78.4	78.3	77.9	77.7	76.9	76.8	77.3	77.4	77.1	77.0	77.0	24
25	79.9	78.4	77.1	77.9	77.8	77.5	77.0	77.0	77.5	77.5	77.8	77.9	25
26	78.1	77.5	78.2	78.2	78.1	76.5	76.5	76.2	76.7	76.8	76.9	78.0	26
27	78.4	78.8	78.5	78.0	77.7	77.3	77.3	77.1	77.4	77.6	77.5	77.5	27
28	78.8	78.2	78.3	77.4	77.0	77.3	76.9	76.5	76.7	76.7	76.3	76.6	28
29	77.5	77.1	77.0	77.1	77.0	77.1	77.1	76.8	77.8	77.1	77.5	77.7	29
30	78.9	78.6	78.5	77.0	77.1	77.1	77.1	77.6	76.9	77.0	77.0	77.8	30
31	73.9	75.4	76.8	76.7	76.0	74.7	74.9	74.9	75.0	74.9	74.9	75.0	31

Table IV.—AMOUNT OF CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of MAY, 1923.
 (... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																							Days of the Month.	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Morn.	
1	10	10	10	10	10	10	10	10	10	10	10	10	8	9	10	10	10	10	10	10	10	10	10	10	10
2	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
3	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
4	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
5	10	10	10	10	10	10	10	10	10	10	10	10	7	10	10	9	6	3	10	10	10	10	10	10	10
6	10	2	2	4	10	10	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
7	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	8	10	7	7	10	10
8	10	10	9	10	10	9	4	2	2	3	1	2	1	2	4	3	4	2	1	1	1	1	1	1	3
9	7	5	3	4	1	5	9	10	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
10	2	1	1	1	...	1	...	1	...	1	...	1	...	1	...	1	...	10
11	...	1	2	1	3	3	4	4	4	4	2	2	1	3	2	5	2	4	2	11	11
12	4	9	9	10	10	10	6	5	4	4	3	3	4	4	3	1	1	1	1	2	6	3	6	12	12
13	4	6	3	1	1	4	5	4	4	3	2	2	1	1	13	13
14	3	2	2	3	3	3	2	2	3	3	4	4	4	2	1	1	1	14	14
15	...	1	1	...	1	2	6	6	7	7	7	6	7	5	4	4	5	5	5	4	2	2	1	2	7
16	5	2	8	4	10	8	7	10	10	10	10	10	10	10	10	10	10	10	10	10	9	6	3	7	16
17	4	7	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	17
18	7	9	10	10	10	10	10	10	10	10	10	10	9	10	10	9	10	10	10	10	10	10	9	7	18
19	7	8	3	6	9	10	10	10	9	8	7	6	8	9	5	4	7	5	8	2	1	3	7	19	
20	9	9	5	...	10	4	3	6	5	6	7	5	3	4	3	5	5	4	2	5	3	3	7	2	3
21	7	4	3	5	3	4	8	4	4	4	5	4	3	2	6	6	3	1	...	1	1	2	2	2	21
22	1	2	1	3	8	9	4	6	4	4	5	3	3	5	4	3	3	2	3	4	3	5	4	8	22
23	8	7	5	8	6	9	7	6	6	6	6	7	8	7	8	5	7	2	4	5	1	2	6	23	
24	7	7	8	8	10	9	7	9	4	5	5	6	5	6	4	4	3	3	2	4	3	8	8	6	
25	7	5	8	8	9	7	7	6	4	2	3	2	6	5	6	4	4	3	3	3	2	9	8	6	
26	5	2	2	1	2	3	8	5	4	4	3	4	2	5	3	1	3	1	2	1	1	4	3	7	
27	4	3	4	7	1	2	3	4	3	4	3	2	2	2	2	1	1	3	2	2	3	1	1	7	
28	2	7	3	2	1	2	4	5	2	4	4	3	3	2	2	2	3	1	2	2	2	1	1	7	
29	1	1	2	1	2	2	4	5	2	4	4	3	3	2	2	2	3	1	6	8	4	4	6	5	
30	5	7	9	9	4	6	5	10	9	7	8	6	8	10	10	10	10	9	8	7	10	9	5	10	
31	9	10	10	9	9	8	9	10	10	9	9	10	10	10	10	10	10	10	9	10	10	9	10	10	

TABLE V.—AMOUNT OF SUNSHINE registered in each HOUR of the DAY, in the MONTH of MAY, 1923.
 (... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.														Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	
1	0.6	0.1	0.2	...	0.5	0.4	1
2	0.2	2
3	0.5	0.7	0.5	0.6	...	0.1	3
4	4
5	0.2	0.4	...	0.1	0.4	0.5	1.0	0.6	5
6	6
7	0.4	0.2	7
8	0.3	1.0	1.0	0.8	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.6	...	8
9	...	0.4	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.5	...	9
10	0.5	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.5	...	10
11	0.5	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.5	...	11
12	...	0.5	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.4	...	12
13	0.3	1.0	0.8	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.6	...	13
14	0.1	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.3	...	14
15	0.1	1.0	0.5	0.9	1.0	1.0	0.9	1.0	1.0	1.0	1.0	1.0	0.5	...	15
16	...	0.1	0.1	16
17	0.4	0.5	0.8	0.5	0.1	17
18	...	0.1	0.1	0.2	1.0	1.0	0.6	0.4	1.0	1.0	1.0	1.0	0.3	...	18
19	...	0.7	1.0	1.0	0.9	1.0	1.0	0.8	1.0	1.0	1.0	1.0	0.6	...	19
20	0.7	1.0	1.0	0.9	1.0	1.0	1.0	0.8	1.0	1.0	1.0	1.0	0.7	...	20
21	0.7	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.7	...	21
22	0.4	0.7	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.9	...	22
23	...	0.7	1.0	1.0	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.5	...	23
24	0.5	0.6	1.0	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.8	...	24
25	0.6	0.9	1.0	1.0	1.0	1.0	1.0	0.8	1.0	1.0	1.0	1.0	0.2	...	25
26	0.5	0.6	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.8	...	26
27	0.6	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.5	...	27
28	0.3	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.8	...	28
29	0.6	0.9	1.0	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.7	...	29
30	0.5	0.6	0.6	1.0	1.0	0.9	1.0	0.7	1.0	1.0	1.0	1.0	30
31	0.1	0.4	...	0.1	0.4	0.4	0.4	0.4	0.4	0.4	31

HOURLY VALUES OF RAINFALL AND WIND,

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of MAY, 1923.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	1
2	... 0'055	... 0'025	... d	0'030 0'010	0'025 ...	0'005 ...	d	d 0'300	... 0'720	... 0'010	d	...	2
3	...	d	...	d	0'005 0'020	d 0'005	3
4	...	d	...	d	0'010	d	0'005 0'15	...	4
5	5
6	6
7	d	0'005	...	0'005	d	d	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	d	16
17	d	d	d	d	0'095 d	0'085 0'005	17
18	18
19	19
20	20
21	d	21
22	d	22
23	d	0'005 d	23
24	0'005 d	24
25	0'050 0'005	0'005 d	25
26	d	...	0'005	...	0'090 0'045	26
27	d	27
28	0'005 0'045	28
29	0'355 0'010	29
30	0'155 d	d	d	0'020 0'005	0'005 d	0'020 0'010	30
31	...	0'030	0'005 0'005	d	...	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	1
2	... 0'005	... 0'455	... 0'130	0'010 d	d	0'015 d	0'005 d	0'005 d	0'005 d	0'005 d	2
3	d	d	d	d	3
4	d	...	d	d	d	d	4
5	5
6	...	d	d	d	0'015 0'005	0'005 0'090	0'045 0'005	0'005 0'045	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	d	0'010 d	...	d	d	...	0'130 d	16
17	d	d	17
18	d	d	18
19	19
20	20
21	21
22	22
23	23
24	24
25	d	25
26	26
27	27
28	28
29	0'005 ...	29
30	d	0'010	0'160 0'115	0'005 0'005	...	0'010	30
31	0'230	0'005 0'005	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the

MONTH of MAY, 1923.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hongkong Standard Time.															Days of the Month.								
	1	2	3	4	5	6	7	8	9	10	11	Noon.												
1	7	16	7	13	7	13	7	15	8	14	7	12	7	16	7	19	8	17	8	19	1			
2	7	21	6	22	6	24	6	22	6	22	6	24	7	20	8	12	8	25	8	22	2			
3	8	18	9	17	9	14	9	10	9	9	8	16	8	20	8	26	8	24	3					
4	7	24	7	25	6	23	7	25	6	22	7	22	7	25	7	23	7	20	7	23	4			
5	7	14	8	12	8	10	8	12	8	9	8	6	8	10	7	12	6	11	8	15	5			
6	7	7	6	7	6	2	1	3	6	2	3	1	7	1	9	3	5	6			
7	10	6	...	1	10	6	8	13	8	7	8	7	9	5	9	8	9	6	4	6	7			
8	7	3	7	3	...	1	1	5	2	31	2	30	5	4	3	9	7	10	8		
9	9	12	9	13	9	12	9			
10	1	...	1	32	6	32	3	10		
11	...	1	6	10	7	15	6	19	6	22	6	25	6	25	7	22	7	25	7	29	7	26	11	
12	6	12	6	11	5	9	5	7	5	7	7	8	7	9	7	11	8	13	8	16	8	13	12	
13	1	12	6	23	7	25	8	25	7	13	13
14	1	1	25	6	26	7	26	6	27	7	26	9	14	14	
15	1	1	4	6	6	7	7	10	15	15	
16	9	18	9	19	9	20	9	21	9	23	9	21	8	23	7	24	7	22	7	22	8	21	16	
17	7	25	7	24	7	23	6	21	7	24	7	22	7	19	7	25	7	26	7	25	7	26	17	
18	9	14	9	14	9	11	8	16	8	15	7	11	7	11	8	13	9	12	8	16	7	19	18	
19	10	12	10	10	10	9	10	8	9	9	10	8	9	6	9	8	9	11	9	13	9	14	19	
20	12	5	12	2	12	2	12	3	12	5	13	4	15	5	16	10	16	8	16	20
21	16	5	16	3	16	2	20	5	20	5	20	4	20	2	20	5	21	7	22	7	23	7	21	21
22	21	7	20	9	20	7	19	9	20	9	21	6	21	9	21	8	20	10	20	12	21	11	21	22
23	18	5	18	5	18	8	17	11	18	10	18	7	18	6	17	9	16	9	16	10	16	6	16	23
24	19	6	19	10	20	10	20	13	20	10	20	11	20	11	19	13	20	13	20	13	20	13	24	24
25	18	8	18	7	19	7	19	3	19	5	19	7	19	7	18	7	18	9	18	8	18	6	25	25
26	15	6	16	7	16	6	16	4	17	4	17	2	18	3	17	2	16	7	15	9	13	7	11	12
27	11	13	11	10	11	10	12	6	12	3	11	1	11	5	10	9	10	9	11	10	13	10	16	27
28	10	9	11	6	11	6	12	6	11	6	11	6	10	7	10	12	9	14	9	15	9	14	28	
29	12	9	12	9	11	10	11	5	11	6	10	6	9	10	9	17	8	14	8	16	9	18	29	
30	10	16	11	12	10	14	10	12	10	11	10	11	14	11	12	10	12	10	18	11	17	11	16	30
31	11	10	9	10	8	8	6	9	8	9	6	8	5	6	3	6	13	9	16	13	17	18	11	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.											
	Dir.	Vel.	Dh.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.												
1	9	20	9	19	9	22	8	20	7	20	7	19	7	21	7	23	7	22	7	22	1			
2	7	18	7	15	7	19	7	18	8	16	8	14	8	15	7	17	8	15	7	26	2			
3	7	25	7	21	7	22	7	25	7	22	7	30	6	29	7	34	7	30	7	19	3			
4	7	22	7	22	7	20	7	16	7	16	6	15	7	15	8	20	7	19	7	19	4			
5	9	13	8	15	9	14	9	14	9	15	9	13	9	12	9	11	8	13	7	11	5			
6	5	3	8	10	9	10	8	9	7	12	7	10	8	9	5	10	7	10	5	11	4			
7	12	5	21	3	24	6	25	5	25	2	1	1	3	12	6	12	7	5	7			
8	10	12	9	14	9	15	9	13	9	11	9	10	6	10	3	10	...	10	2	1	8			
9	9	13	9	11	9	11	8	6	3	29	5	30	5	29	2	1	1	29	2			
10	28	8	26	8	26	8	26	6	27	7	27	5	27	2	10		
11	7	25	8	25	9	23	9	20	8	17	8	17	8	11	8	12	7	14	7	12	11			
12	9	11	9	14	8	15	8	16	8	17	8	15	9	14	9	10	6	9	3	11	2			
13	26	7	25	6	25	6	22	6	20	5	18	6	16	7	15	5	16	4	15	2	...	13		
14	26	7	24	7	21	5	19	8	18	11	16	9	17	6	17	2	14		
15	8	11	8	13	9	14	8	14	9	19	8	16	8	13	9	9	11	9	16	9	15	15		
16	8	26	8	28	7	23	7	23	7	22	8	21	7	19	7	21	7	24	7	22	7	22	16	
17	7	24	7	20	7	21	7	21	6	18	7	20	7	19	6	20	7	18	7	21	8	20	17	
18	7	18	7	20	7	17	8	16	7	11	8	17	8	13	8	13	8	13	8	13	9	12	18	
19	10	15	12	12	14	9	16	8	15	9	14	8	13	7	11	5	11	9	11	7	12	19		
20	16	9	16	12	16	10	16	9	17	11	16	7	17	5	16	7	17	5	16	6	16	4	20	
21	22	8	21	10	19	10	18	13	18	9	18	8	17	4	17	5	18	3	19	2	20	2	21	
22	10	21	9	20	11	20	14	19	13	18	10	18	10	18	8	16	4	17	3	18	2	18	6	22
23	18	9	19	9	19	9	18	11	18	9	19	11	19	12	19	8	19	7	18	6	19	5	23	
24	20	13	20	10	21	15	20	12	18	12	18	8	17	5	16	7	16	9	16	8	17	7	24	
25	17	10	17	11	17	11	17	11	16	9	16	8	15	7	15	10	15	7	15	8	15	8	25	
26	9	12	9	15	8	20	8	16	9	16	9	13	10	10	10	5	10	8	10	11	10	14	26	
27	10	13	10	17	9	16	9	15	9	15	10	15	10	11	10	10	10	10	10	13	10	11	27	
28	9	17	9	18	9	16	9	18	8	19	11	18	9	15	10	11	12	7	12	9	12	8	28	
29	9	17	9	18	9	16	9	18	8	19	11	18	9	15	10	11	10	17	10	15	10	14	29	
30	10	15	11	15	13	17	13	8	12	14	11	10	11	10	12	8	12	10	12	10	12	9	30	
31	23	9	26	3	6	2	16	10	22	4	23	2	22	2	31	

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS,
in the MONTH of MAY, 1923.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	eu	E	nb	E	ub	E	a-cu	W	a-cu	WSW	st-cu	E	nb	E	nb	E
2	nb	E	nb	E	ub	E	nb	ENE	nb	E	nb	E	nb	E	nb	E
3	nb	E	nb	E	nb	E	nb	E	nb	E	eu-nb	E	eu-nb	E	en-nb	E
4	nb	E	nb	E	nb	E	eu-nb	ESE	eu-nb	E	nb	E	nb	E	nb	E
5	eu-nb	E	eu-nb	E	st-cu	ENE	st-cu	ENE	st-cu	E	cu	NE	eu	ENE	eu	E
6	eu	E	a-cu en	w E	eu	NE	st-cu	ENE	st-cu	E	nb	E	nb	E	eu-nb	E
7	nb	E	eu-nb	E	st-cu	E	st-cu	E	cu	ESE	st-cu	WNW	a-cu en	NW WNW	eu	E
8	eu	E	a-cu	WNW	a-cu	WNW	a-cu	W	eu	ESE	a-cu en	WNW ESE	ei-en	W
9	eu	E	a-cu en	WNW E	a-cu	NW	a-en	E	eu	E	ei-en	NW
10	a-cu	WNW	eu	ENE
11	eu	ESE	eu	E	eu	E	eu	E	eu	E	eu	E
12	eu	E	en	E	eu	ESE	eu	E	eu	ESE	eu	ESE	en	E	en	E
13	eu	E	eu	E	eu	E	eu	W	eu	W
14	ei-st	NW	eu	W	eu	...	eu	WSW
15	a-cu	W	eu	E	eu	NW	ci-st en	NNE SE	eu	WNW ESE	eu	ESE
16	eu	E	eu	E	eu	E	eu-nb	E	eu-nb	E	eu-nb	E	ou-nb	E	eu	E
17	eu	E	eu	E	ou	E	eu-nb	E	nb	E	nb	E	nb	E	nb	E
18	eu-nb	E	eu-nb	E	nb	E	eu-nb	E	a-cu en	SW E	nb	ESE	eu-nb	ESE	eu	E
19	eu	E	eu	E	a-cu nb	WSW SE	eu	E	eu	SE	ei-cu en	WSW SE	a-cu en	WSW SE	eu	SE
20	eu	SE	eu	SE	eu	SW	eu	S	eu	SSW	eu	SW	eu	SW
21	eu	SW	eu	SW	en	SW	eu	WSW	eu	W	eu	SW	eu	SW
22	en	SW	eu	SW	eu	WSW	eu	WSW	eu	SW	eu	WSW	eu	WSW	eu	SW
23	eu	SW	eu	SW	eu	SW	eu	S	eu	SSW	eu	SSW	eu	SSW	eu	SW
24	eu	SW	en	SSW	cu nb	SSW SW	eu	S	en	WSW	eu	SW	en	SSW	eu	SSW
25	eu	SSW	nb	SW	eu	SSW	eu	SW	ei-st en	NW SSW	eu	S	en	S	eu	S
26	eu	SSW	eu	SSW	eu	SSW	eu	SE	ei-st en	NNE SE	eu	SE	eu	SE	eu	ESE
27	eu	SE	eu	SE	eu	ESE	eu	ESE	eu	ESE	eu	ESE	en	ESE	en	ESE
28	eu	ESE	eu	ESE	eu	E	en	E	en	NW ESE	eu	ESE	cl-st en	NW E	eu	E
29	eu	E	eu	ESE	eu	ESE	eu	ESE	eu	E	en	E	en	cl-st en	ESE	ESE
30	eu	ESE	eu	ESE	en	ESE	eu	SE	cl-st en	WNW SE	en-nb	WNW SSE	en-nb	SSE	en	NW SSE
31	a-cu en	NW SE	eu-nb	SSE	ei-st cu nb	SW SE SSE	en-nb	SE	nb	SE	eu-nb	SE	en	W SW	eu	SSW

TABLE IX.—DAILY VALUES OF METEOROLOGICAL ELEMENTS IN THE MONTH OF MAY, 1923.
(British Units.)

Days of the Month	Mean Barometric Pressure.	Temperature.				Mean Vapour Tension	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine.		Rainfall.		Wind.		
		Of the Air			Daily Duration				Percentage of possible amount.	Amount.	Components.		Direction & Velocity.	Resultant.	
		Heat.	Lowest.	Range.	Mean.	of Evaporation.	North.				East.				
1	29.852	78.8	71.8	7.0	74.2	68.9	0.637	75	99	1.8	1+	0.010	3	+ 2° 0	+ 18.2 8.4 18.4 18.2
2	29.736	73.0	68.0	5.0	70.4	68.8	0.684	92	100	0.2	2	1.790	19	+ 3° 0	+ 18.5 8.1 18.8 18.9
3	29.735	73.6	68.2	5.4	70.7	68.1	0.654	87	99	2.4	19	0.020	4	+ 2° 7	+ 22.6 8.3 22.8 22.9
4	29.735	71.5	68.3	3.2	69.9	67.0	0.624	85	100	0.050	6	+ 4° 3	+ 20.2 7.8 20.6 20.5
5	29.689	76.4	69.3	7.1	73.0	69.8	0.687	85	92	3.2	25	- 0.5	+ 12.3 9.2 12.3 12.4
6	29.690	78.6	70.9	7.7	73.4	70.5	0.709	86	90	0.160	6	+ 1° 3	+ 4.8 7.5 5.0 6.2
7	29.723	79.1	69.5	9.6	73.5	68.9	0.640	78	96	0.6	5	0.010	2	+ 0.2	+ 3.7 8.7 3.7 5.5
8	29.682	84.0	70.6	13.4	75.9	67.8	0.573	64	39	1.17	89	- 0.6	+ 4.6 9.8 4.7 5.2
9	29.677	81.1	68.2	12.9	75.1	67.7	0.580	66	27	10.8	82	+ 2.7 9.0 2.7 3.7
10	29.742	86.3	69.8	16.3	77.5	68.9	0.592	63	2	12.0	92	+ 1° 3	- 1.6 30.9 2.1 2.3
11	29.858	78.3	72.1	6.2	75.0	69.5	0.648	74	19	12.0	92	+ 3° 1	+ 18.0 8.0 18.3 18.5
12	29.812	80.0	71.8	8.2	75.3	70.1	0.668	76	46	10.9	83	+ 0.5	+ 10.7 8.7 10.7 11.0
13	29.692	84.5	72.6	11.9	77.8	72.0	0.708	74	16	11.7	89	- 1° 0	- 2.0 24.3 2.2 3.5
14	29.631	86.1	72.7	13.4	78.4	73.3	0.753	78	15	11.4	86	- 0.9	- 2.4 24.9 2.6 3.8
15	29.679	84.5	74.0	10.5	78.6	74.8	0.812	83	37	10.9	83	- 0.5	+ 7.7 9.4 7.7 7.9
16	29.771	78.3	74.6	3.7	76.7	72.9	0.759	83	83	0.2	2	+ 0.9	+ 22.2 8.8 22.2 22.2
17	29.824	75.3	72.9	2.4	74.6	71.4	0.728	85	96	0.140	3	+ 4.7	+ 21.6 7.8 22.2 21.8
18	29.794	79.0	73.5	5.3	75.4	75.3	0.793	90	95	2.3	17	0.185	3	+ 0.3	+ 14.1 8.9 14.1 14.1
19	29.771	84.5	75.6	8.9	78.9	75.0	0.817	82	64	7.7	58	- 4.3	+ 7.5 12.0 8.7 9.3
20	29.778	86.5	76.5	10.0	80.2	75.7	0.829	80	49	12.0	91	- 5.6	+ 0.4 17.6 5.6 6.0
21	29.783	87.8	78.6	9.2	82.1	76.3	0.830	76	34	12.2	92	- 4.1	- 3.1 21.7 5.1 5.7
22	29.749	87.0	79.5	7.5	82.6	76.3	0.823	74	40	11.9	89	- 6.3	- 5.7 22.2 8.5 8.7
23	29.699	88.0	80.4	7.6	82.7	76.5	0.830	74	57	11.0	83	- 7.5	- 2.8 20.1 8.0 8.2
24	29.675	87.7	79.4	8.3	83.0	77.0	0.848	75	57	11.3	89	0.005	...	- 7.8	- 5.6 21.6 9.6 10.0
25	29.730	89.3	79.7	9.6	83.5	77.3	0.854	74	54	11.0	83	0.055	...	- 7.4	- 1.5 19.1 7.6 7.8
26	29.774	89.7	79.3	10.4	83.4	77.3	0.860	76	33	11.9	89	0.095	1	- 4.0	+ 6.7 12.1 7.8 9.1
27	29.736	88.0	79.7	8.3	83.3	77.8	0.880	77	25	12.1	91	- 4.1	+ 9.9 11.2 10.7 10.9
28	29.690	87.1	79.7	7.4	83.0	77.5	0.870	77	27	11.8	89	- 3.6	+ 10.1 11.0 10.7 11.0
29	29.685	86.2	80.3	5.9	83.0	77.5	0.870	77	38	11.1	83	0.065	1	- 3.7	+ 13.5 10.5 14.0 14.1
30	29.693	86.4	76.7	9.7	81.3	77.6	0.898	84	76	7.0	52	0.915	4	- 6.8	+ 10.2 12.4 12.3 12.5
31	29.740	84.7	75.8	8.9	79.1	75.9	0.852	86	95	2.2	16	0.295	2	- 1.9	+ 2.9 12.3 3.5 6.1
Means	29.736	82.6	74.2	8.4	77.8	72.9	0.752	79	58	235.8	58	3795	54	- 1.5	+ 7.7 10.1 7.9 10.9
Normals	29.751	81.3	73.5	7.8	76.8	73.1	0.772	83	75	155.3	38	11.602	87	- 1.4	+ 7.8 10.0 7.9 12.7
Absolute Max.	29.917	89.7	...	16.5	...	80.8	0.968	12.2	92	1790	19
Dry.	1&11	26	...	10	...	30	30	...	21	10.1	21	2	2
Absolute Min.	20.573	...	68.0	2.4	...	62.1	0.449	40
Day.	14	...	2	17	...	9	8	8	8

Phenomena:

- Solar halo:—on the 18th, 26th and 31st.
 Lunar corona:—on the 8th, 24th, 25th, 27th, 28th and 31st.
 Fog:—on the 9th.
 Slight fog:—on the 10th and 15th.
 Unusual visibility:—on the 2nd, 4th, 5th, 6th, 9th, 18th, 19th, 20th, 21st, 22nd, 24th, 25th, 26th and 29th.
 Dew:—on the 20th.
 Rainbow:—on the 22nd, 26th, 30th and 31st.
 Lightning:—on the 16th, 19th, 20th, 21st, 30th and 31st.
 Thunder:—on the 30th, and 31st.

Rain fell on 13 days. The mean hourly intensity was 0.070^{in.}, and the maximum fall in one hour was 0.720^{in.} at 8^h on the 2nd.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 41 miles per hour at 23^h 05^m on the 3rd.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of MAY, 1923.
(C. G. S. Units:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure	Temperature.				Mean Vapour Tension,	Rainfall.		Wind.				Observed Velocity,		
		Of the Air.					Amount,	Duration,	Components.		Resultant.				
		Highest,	Lowest,	Range,	Mean,				North,	East,	Direction,	Velocity,			
		(m.m.)	(m.m.)	(°)	(°)		(m.m.)	(hrs.)	(m.p.s.)	(m.p.s.)	(m.p.s.)	(m.p.s.)	(m.p.s.)		
1	1012.9	299.0	295.1	3.9	296.4	293.5	21.5	0.3	3	+ 0.7	+ 6.0	84	6.0		
2	1008.9	295.8	293.0	2.8	294.3	293.4	23.1	+5.5	19	+ 1.0	+ 6.1	81	6.2		
3	1008.9	295.1	293.1	3.0	294.5	293.1	22.0	0.5	4	+ 0.9	+ 7.4	83	7.5		
4	1008.9	294.9	293.2	1.7	294.1	292.4	21.1	1.3	6	+ 1.4	+ 6.6	78	6.8		
5	1007.3	297.7	293.7	4.0	295.8	294.0	23.2	- 0.2	+ 4.0	92	4.0		
6	1007.4	298.9	294.6	4.3	296.0	294.4	23.9	4.1	6	+ 0.4	+ 1.6	75	1.6		
7	1008.5	299.2	293.8	5.4	296.1	293.5	21.8	0.2	2	+ 0.1	+ 1.2	87	1.2		
8	1007.1	301.9	294.4	7.5	297.4	292.9	19.3	- 0.2	+ 1.5	98	1.5		
9	1006.9	300.3	293.1	7.2	296.9	292.8	19.6	+ 0.9	90	0.9	1.2		
10	1009.1	303.2	294.0	9.2	298.3	293.5	20.0	+ 0.4	- 0.5	309	0.7		
11	1013.0	298.7	295.3	3.4	296.9	293.8	21.9	+ 1.0	+ 5.9	80	6.0		
12	1011.5	299.7	295.1	4.6	297.1	294.2	23.5	+ 0.2	+ 3.5	87	3.5		
13	1017.4	302.2	295.6	6.6	298.4	295.2	23.9	- 0.3	- 0.7	243	0.7		
14	1005.3	303.1	295.6	7.5	298.8	295.9	25.4	- 0.3	- 0.8	249	0.9		
15	1006.9	302.2	296.3	5.9	298.9	296.8	27.4	- 0.2	+ 2.5	94	2.5		
16	1010.1	298.7	296.7	2.0	297.8	295.7	25.6	+ 0.3	+ 7.3	88	7.3		
17	1011.9	297.1	295.7	1.4	296.7	294.9	24.5	3.6	3	+ 1.5	+ 7.1	78	7.1		
18	1010.9	299.1	296.1	3.0	297.1	295.9	26.7	4.7	3	+ 0.1	+ 4.6	89	4.6		
19	1010.1	302.2	297.2	5.0	299.1	296.9	27.6	- 1.4	+ 2.5	120	2.9		
20	1010.3	303.3	297.7	5.6	299.8	297.3	28.0	- 1.8	+ 0.1	176	1.8		
21	1010.5	304.0	298.9	5.1	300.8	297.6	28.0	- 1.3	- 1.0	217	1.7		
22	1009.3	303.6	299.4	4.2	301.1	297.6	27.8	- 2.1	- 1.9	222	2.8		
23	1007.6	304.1	299.9	4.2	301.2	297.7	28.0	- 2.5	- 0.9	201	2.6		
24	1006.8	303.9	299.3	4.6	301.3	298.0	28.6	0.1	...	- 2.6	- 1.8	216	3.1		
25	1008.6	304.8	299.5	5.3	301.6	298.2	28.8	1.4	...	- 2.4	- 0.5	191	2.6		
26	1010.2	305.1	299.3	5.8	301.4	298.2	29.0	2.4	1	- 1.3	+ 2.2	121	2.6		
27	1008.8	304.1	299.5	4.6	301.5	298.4	29.7	- 1.3	+ 3.2	112	3.5		
28	1007.3	303.6	299.5	4.1	301.3	298.3	29.4	- 1.2	+ 3.3	110	3.5		
29	1007.1	303.1	299.8	3.3	301.3	298.3	29.4	1.6	1	- 1.2	+ 4.4	105	4.6		
30	1007.4	303.2	297.8	5.4	300.4	298.3	30.3	2.2	4	- 2.2	+ 3.3	124	4.0		
31	1009.0	302.3	297.3	5.0	299.2	297.4	28.7	7.5	2	- 0.6	+ 1.0	123	1.1		
Means.	1008.9	301.1	296.4	4.7	298.4	295.7	25.4	...	Sum.	Sum.	Sum.	101	2.6		
Normals.	1009.4	300.4	296.1	4.3	297.9	295.8	26.0	2.9	54	- 0.5	+ 2.5	100	2.6		
Absolute Maxima.	1015.1	305.1	...	9.2	...	300.1	32.7	45.5	19	11.1		
Day.	1 & 11	26	...	10	...	30	30	2	2	3d 2d		
Absolute Minimum.	1003.3	...	293.0	1.4	...	289.7	15.1		
Day.	14	...	2	1.7	...	9	8		

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES OF METEOROLOGICAL ELEMENTS in the Month of May, 1923.
(British Units.)

Hours, Hongkong Standard Time.	Barometric Pressure,	Temperature.			Mean Amount of Cloud (0-100),	Rainfall, Percentage of Total			Wind.			
		of the Air.	of Evaporation	Mean Vapour Tension		Percentage of Possible Sunshine,	Amount,	Duration	Components.	Resultant	Direction.	Observed Velocity.
1	29°741	75.9	72.5	0.754	84	59	6	3	— 1.6 + 7.3	102	7.5	9.4
2	29°729	75.6	72.3	0.753	85	59	2	3	— 1.3 + 6.6	101	6.7	9.0
3	29°719	75.4	72.2	0.754	85	57	1	5	— 1.1 + 6.3	100	6.4	8.7
4	29°716	75.3	72.3	0.759	86	58	3	4	— 0.8 + 6.1	98	6.1	8.7
5	29°722	75.3	72.1	0.754	86	65	1	5	— 0.7 + 5.9	97	5.9	8.5
6	29°731	75.1	72.0	0.750	86	66	24	...	+ 0.5 — 0.4	95	5.9	8.2
7	29°747	76.2	72.6	0.759	84	66	53	13	— 0.9 + 6.9	93	6.9	9.2
8	29°763	77.2	72.9	0.758	80	68	59	31	— 0.9 + 6.9	98	7.0	9.8
9	29°772	78.8	73.4	0.757	76	65	65	2	— 0.7 + 7.8	95	7.8	11.5
10	29°778	79.6	73.4	0.746	73	62	68	...	— 1.4 + 9.1	99	9.2	13.3
11	29°772	80.8	73.8	0.746	71	61	71	1	— 1.5 + 9.0	100	9.1	13.5
Noon.	29°763	81.1	73.7	0.738	69	59	65	...	— 1.5 + 9.5	99	9.6	14.2
13	29°746	81.1	73.9	0.746	75	59	67	6	— 1.6 + 8.8	100	9.0	13.7
14	29°728	81.0	73.8	0.744	70	59	67	12	— 2.3 + 9.0	104	9.3	13.8
15	29°711	80.8	73.8	0.746	71	57	63	6	— 2.5 + 8.7	106	9.1	13.8
16	29°700	80.2	73.4	0.738	71	53	66	4	— 2.5 + 8.0	107	8.4	13.1
17	29°695	79.4	73.2	0.740	73	53	61	3	— 2.7 + 8.1	108	8.6	13.1
18	29°700	78.3	72.9	0.743	76	54	36	1	— 2.1 + 8.5	104	8.8	12.4
19	29°712	77.4	72.7	0.747	79	55	3	5	— 2.0 + 7.6	105	7.9	10.5
20	29°728	76.9	72.8	0.757	81	54	1	4	— 2.0 + 7.2	106	7.5	9.5
21	29°740	76.6	72.7	0.757	82	53	...	3	— 1.3 + 7.6	100	7.7	9.6
22	29°751	76.5	72.8	0.763	83	50	...	3	— 1.5 + 8.0	101	8.1	9.8
23	29°757	76.3	72.8	0.766	84	47	...	3	— 1.4 + 8.3	100	8.4	9.8
Midn.	29°750	76.2	72.8	0.767	84	59	4	3	— 1.5 + 7.4	102	7.5	9.1

TABLE XII.—MEAN HOURLY VALUES OF METEOROLOGICAL ELEMENTS in the Month of May, 1923.
(C. G. S. Units:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature.			Components.	Wind.			
		of the Air.	of Evaporation	Mean Vapour Tension.		North.	East.	Direction.	Velocity.
1	1009.1	297.4	295.5	25.6	— 0.5	+ 2.4	10.2	2.5	3.1
2	1008.7	297.2	295.4	25.5	— 0.4	+ 2.2	10.1	2.2	3.0
3	1008.3	297.1	295.3	25.4	— 0.4	+ 2.1	10.0	2.1	2.9
4	1008.2	297.1	295.4	25.6	— 0.3	+ 2.0	9.8	2.0	2.9
5	1008.4	296.9	295.3	25.4	— 0.2	+ 1.9	9.7	1.9	2.8
6	1008.7	296.9	295.2	25.3	— 0.2	+ 1.9	9.5	1.9	2.7
7	1009.3	297.6	295.6	25.6	— 0.1	+ 2.3	9.3	2.3	3.0
8	1009.8	298.1	295.7	25.6	— 0.3	+ 2.3	9.8	2.3	3.2
9	1010.1	299.0	296.0	25.5	— 0.2	+ 2.6	9.5	2.6	3.8
10	1010.3	299.4	296.0	25.2	— 0.5	+ 3.0	9.9	3.0	4.4
11	1010.1	300.1	296.2	25.2	— 0.5	+ 3.0	10.0	3.0	4.4
Noon.	1009.8	300.3	296.2	24.9	— 0.5	+ 3.1	9.9	3.1	4.7
13	1009.2	300.3	296.3	25.2	— 0.5	+ 2.9	10.0	3.0	4.5
14	1008.6	300.2	296.2	25.1	— 0.8	+ 3.0	10.4	3.0	4.5
15	1008.0	300.1	296.2	25.2	— 0.8	+ 2.9	10.6	3.0	4.5
16	1007.7	299.8	296.0	24.9	— 0.8	+ 2.6	10.7	2.8	4.3
17	1007.5	299.3	295.9	25.0	— 0.9	+ 2.7	10.8	2.8	4.3
18	1007.7	298.7	295.7	25.1	— 0.7	+ 2.8	10.4	2.9	4.1
19	1008.1	298.2	295.6	25.2	— 0.7	+ 2.5	10.5	2.6	3.4
20	1008.6	297.9	295.7	25.5	— 0.7	+ 2.4	10.6	2.6	3.1
21	1009.0	297.8	295.6	25.5	— 0.4	+ 2.5	10.0	2.5	3.1
22	1009.4	297.7	295.7	25.7	— 0.5	+ 2.6	10.1	2.7	3.2
23	1009.6	297.6	295.7	25.8	— 0.5	+ 2.7	10.0	2.8	3.2
Midn.	1009.4	297.6	295.7	25.9	— 0.5	+ 2.4	10.2	2.5	3.0

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

MAY,

1923.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

30TH APRIL, 1923.

1ST MAY, 1923.

STATION.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.			HUMIDT.	WIND.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.			HUMIDT.	WIND.	WEATHER.		
		Inches.	Mills.	TEMP. ATM.					Direct. ion.	Force.	Direct. ion.					
Wladivostock, .	12	30.00	761.9	48	...	NNE	5	o	6	30.20	767.0	41	...	NNW	1	b
Nemuro, .	11	29.90	759.5	SSW	4	...	-5	29.92	760.0	NNW	3	...
Hokodate, .	"	29.90	759.5	SSW	5	...	30.10	764.5	WNW	3	...	
Tokio, .	"	30.06	763.5	S	2	...	29.96	761.0	NW	1	...	
Kochi, .	"	30.12	765.0	SE	1	...	30.02	762.5	WSW	1	...	
Nagasaki, .	"	30.10	764.5	SW	1	...	30.06	763.5	0	...	
Kagoshima, .	"	30.10	764.5	SE	1	...	30.04	763.0	NW	1	...	
Oshima, .	"	30.04	763.0	ESE	1	...	29.98	761.5	0	...	
Naha, .	"	30.04	763.0	SSE	1	...	29.96	761.0	1	...	
Ishigakijima, .	"	30.02	762.5	SSE	3	...	29.96	761.0	NNE	1	...	
Bonin Island, .	"	30.16	766.0	ESE	1	...	30.06	763.5	SSE	2	...	
Weihaiwei, .	14	
Hankow, .	15	
Ichang, .	"	
Changsha, .	"	
Shanghai, .	11	30.06	763.5	77	54	S	1	b	30.12	765.0	57	98	NE	2	o	
Gutzlaff, .	"	30.07	763.8	62	100	SSE	2	b	30.13	765.3	56	100	E	1	cf	
Sharp Peak, .	15	30.01	762.2	63	79	WNW	1	o	30.02	762.5	65	94	W	1	r	
Amoy, .	14	29.96	761.0	73	95	SW	1	o	29.95	760.7	68	85	NE	1	o	
Swatow, .	"	
Taihoku, .	12	30.04	762.9	79	66	WSW	2	o	29.93	760.2	72	92	E	4	o	
Taichu, .	"	30.01	762.3	79	...	NNW	2	o	29.94	760.5	70	0	o	
Tainan, .	"	29.99	761.7	86	...	NNW	4	b	29.91	759.6	72	...	N	2	o	
Koshan, .	"	29.99	761.7	86	...	NE	4	o	29.93	760.2	73	...	N	2	b	
Pescadores, .	"	30.02	762.6	77	..	N	4	o	29.94	760.5	72	...	N	4	o	
Canton, .	15	29.94	760.5	79	61	...	o	o	29.95	760.7	68	90	N	1	or	
Hongkong, .	14	29.94	760.5	77	60	E	4	o	29.93	760.2	72	85	E	2	o	
Gap Rock, .	"	29.92	759.9	ENE	5	o	29.92	759.9	ENE	5	op	
Maeno, .	"	29.93	760.2	77	84	ESE	2	o	29.91	759.7	72	89	NE	2	o	
Wuchow, .	15	9	
Pakhoi, .	"	
Hoibow, .	"	
Phulien, .	"	29.84	757.8	73	100	ESE	6	rf	7	29.84	757.8	73	100	ESE	4	rf
Tourane, .	"	29.79	76.6	82	...	SE	2	o	"	29.82	757.5	75	...	S	2	o
Cape St. James, .	"	29.81	757.2	73	...	ENE	2	o	"	29.79	756.6	73	...	N	4	o
Aparri, .	14	29.85	758.1	86	61	NNE	4	o	6	29.86	758.4	73	91	SSW	2	b
Dagupan, .	"	
Manila, .	"	29.79	756.6	93	40	SW	2	b	"	29.84	757.8	72	88	E	1	b
Legaspi, .	"	29.81	757.2	90	63	NE	4	b	"	29.81	757.2	77	89	NE	1	o
Tacloban, .	"	
Iloilo, .	"	29.75	755.7	90	57	NE	6	o	"	29.80	756.9	77	92	NE	4	o
Sarigao, .	"	
Guam, .	12.20	29.78	756.3	E	4	o	4.20	29.73	755.1	ENE	4	o
Yap, .	12.47	24.6	753.6	E	6	o	4.47	29.82	757.5	E	6	o
Lubuan, .	14	29.80	56.9	86	76	NW	4	b	6	29.78	756.4	80	91	N	1	b

May 1d. 11h. 45m. Pressure has increased considerably from Wladivostock to N.E. Japan and moderately from Shanghai to central Japan. It is nearly stationary from Formosa to Indo-China and over the Philippines.

There may be a depression to the S.W. of Yap.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 9.55 inches, against an average of 11.84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND. DISTRICT.

FORECAST:

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamocks, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- N.E. winds, moderate; generally cloudy.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	1ST MAY, 1923.							2ND MAY, 1923.						
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP- RATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP- RATURE.	HUMIDITY.	WIND.	
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Wind.	Force.
Vladivostock, .	12	6
Nemuro, .	11	5	30.22	767.5	S	2
Hokodate, .	"	30.12	765.0	W	1	"	30.20	767.0	NNE	0
Tokio, .	"	29.92	760.0	NNE	3	"	30.32	770.0	SW	1
Kochi, .	"	30.04	763.0	SE	1	"	30.14	765.5	E	0
Nagasaki, .	"	30.10	764.5	NNW	1	"	30.04	763.0	E	1
Kagoshima, .	"	30.04	763.0	S	1	"	30.02	762.5	E	1
Oshima, .	"	30.00	762.0	NNW	3	"	29.92	760.0	ESE	1
Naha, .	"	30.00	762.0	S	1	"	29.88	759.0	SE	2
Ishigakijima, .	"	29.98	761.5	SSE	2	"	29.82	757.5	S	2
Bonin Island, .	"	30.02	762.5	S	2	"	30.00	762.0	E	3
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.14	765.6	66	80	E	1	"	29.98	761.4	55	98	E	1
Gutzlaff, .	"	30.14	765.5	54	100	ESE	2	"	29.99	761.7	56	100	SE	2
Sharp Peak, .	15	30.03	762.	70	0	N	1	"	29.98	761.5	60	88	W	1
Amoy, .	14	29.89	759.2	73	92	0	0	"	29.86	758.7	67	91	ENE	1
Swatow, .	"	29.23	757.7	73	90	ESE	4	"
Taihoku, .	12	29.98	761.4	81	73	E	4	"	29.82	757.5	70	94	E	4
Taichu, .	"	29.99	761.7	3	...	NNW	2	"	29.85	758.1	70	0
Tainan, .	"	29.97	761.1	84	...	NNW	4	"	29.82	757.5	72	...	NE	4
Koshun, .	"	29.93	760.2	84	...	NNW	4	"	29.82	757.5	75	...	N	4
Pescadores, .	"	30.00	762.0	75	...	NNE	6	"	29.85	758.1	72	0
Canton, .	15	29.88	758.9	77	69	E	1	"	29.81	757.2	68	95	ENE	1
Hongkong, .	14	29.89	759.2	78	64	E	4	"	29.79	756.6	70	93	E	4
Gap Rock, .	"	29.90	759.4	ENE	4	"	29.79	756.6	E	4
Macao, .	"	29.87	758.7	75	76	SE	2	"	29.76	756.0	72	96	ESE	4
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.76	756.0	7	96	SSE	7	"	29.80	756.9	73	100	NNW	1
Tourane, .	"	29.76	756.0	82	...	SE	2	"	29.76	756.0	75	...	WSW	2
Cape St. James, .	"	29.78	756.3	77	...	SE	4	"	29.76	756.0	75	...	NNE	2
Aparri, .	14	29.80	756.9	90	63	NNE	4	6	29.78	756.3	75	92	S	2
Legazpan, .	"	"	0
Manila, .	"	29.76	756.0	86	61	N	4	"	29.79	756.6	72	91	...	b
Legaspi, .	"	"
Tacloban, .	"	29.74	755.4	86	71	NE	2	"
Iloilo, .	"	29.72	754.8	90	57	NE	4	"
Surigao, .	"	"
Guam, .	12.20	29.74	755.4	ESE	4	4.20	29.75	755.7	E	0
Yap, .	12.47	29.46	748.2	ESE	8	4.47	29.49	749.1	SW	6
Labuan, .	14	29.74	755.4	88	66	N	2	6	29.77	756.1	80	93	E	2

May 2d. 9h. 30m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 60 miles of Lat. 11° N. Long. 138° E., moving N.N.E.

May 2d. 11a. 33m. Pressure has increased considerably over central Japan. It has decreased considerably at Yap, and slightly at the majority of other reporting stations.

The anticyclone is passing into the Pacific.

A typhoon is shown about 100 miles to the north of Yap moving N.N.E.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1.18 inch. Total since January 1st, 10.73 inches, against an average of 12.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.
DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
- 2.—South coast of China between Hongkong and Lamock, .
- 3.—Hongkong to Gap Rock, .
- 4.—South coast of China between Hongkong and Hainan, .

N.E. winds, moderate; overcast, occasional rain.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

2ND MAY, 1923.

3RD MAY, 1923.

STATION.	HONGKONG STANDARD TIME.					BAROMETER AT SEA LEVEL.			HONGKONG STANDARD TIME.					BAROMETER AT SEA LEVEL.		
	Inches.	Millrs.	Temper- ature.	Humidit.	Wind.	Direct- ion.	Force.	Weather.	Inches.	Millrs.	Temper- ature.	Humidit.	Wind.	Direct- ion.	Force.	Weather.
Vladivostock, .	12	29.80	757.0	43	...	ESE	7	o	6	29.90	759.5	40	...	SE	1	f
Nemuro, .	11	30.20	767.0	S	6	...	5	30.00	762.0	S	6	...
Hokodate, .	"	30.12	765.0	SE	4	...	"	29.90	759.5
Tokio, .	"	30.26	768.5	S	6	...	"	30.10	764.5	ESE	1	...
Kochi, .	"	30.12	765.0	SE	2	...	"	29.84	758.0	E	1	...
Nagasaki, .	"	29.98	761.5	SE	4	...	"	29.76	756.0	NNE	1	...
Kagoshima, .	"	29.98	761.5	ESE	1	...	"	30.08	764.0	NNE	2	...
Oshima, .	"	29.90	759.5	S	1	...	"	30.02	762.5	SSE	1	...
Naha, .	"	"	29.76	756.0	WNW	5	...
Ishigakijima, .	"	29.82	757.5	S	4	...	"	29.82	757.5	N	2	...
Bonin Island, .	"	30.00	762.0	E	1	...	"	29.94	760.5	ESE	2	...
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.97	761.1	64	84	SE	1	r	"	29.94	760.5	54	100	NW	1	...
Gutzlaff, .	"	29.95	760.7	56	100	...	0	of	"	29.95	760.7	54	100	NNW	2	of
Sharp Peak, .	15	29.89	759.2	54	87	E	1	o	"	29.89	759.2	65	73	N	2	o
Amoy, .	14	29.81	757.2	71	95	NW	1	o	"	29.83	757.7	67	84	NE	1	o
Swatow, .	"	"
Taihoku, .	12	29.88	759.0	68	91	NW	4	r	"	29.87	758.7	63	96	...	0	b
Taichu, .	"	29.88	759.0	70	...	N	4	r	"	29.81	757.2	66	...	NNE	2	o
Tainan, .	"	29.86	758.4	75	...	N	4	r	"	29.76	756.0	68	...	N	4	o
Koshun, .	"	29.81	757.2	86	...	WSW	1	o	"	29.78	756.3	75	...	NE	2	o
Pescadores, .	"	29.92	759.9	68	...	NNE	6	r	"	29.81	757.2	70	...	N	6	o
Canton, .	15	29.79	756.6	72	95	NE	1	or	"	29.80	756.9	70	95	N	1	o
Hongkong, .	14	29.80	756.9	70	95	E	3	or	"	29.77	756.1	71	94	E	3	o
Gap Rock, .	"	29.77	756.1	ENE	5	orq	"	29.77	756.1	NE	4	o
Macao, .	"	29.76	756.0	70	98	ESE	4	r	"	29.75	755.7	70	100	...	2	rf
Wuchow, .	15	"	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.74	755.4	81	76	SSE	4	o	"	29.76	756.0	73	91	SSW	2	o
Tourane, .	"	29.73	755.1	81	...	NNE	2	o	"	29.76	756.0	75	...	WNW	2	o
Cape St. James, .	"	29.73	755.1	86	...	S	2	b	"	29.78	756.3	75	...	NW	2	o
Aparri, .	14	29.71	754.5	86	68	N	4	o	"	29.73	755.1	75	91	SW	2	b
Lagupan, .	"	"
Manila, .	"	29.71	754.5	90	48	WSW	2	o	"	29.75	755.7	77	91	E	1	o
Legaspi, .	"	29.68	753.9	90	66	NE	2	b	"	29.73	755.1	75	96	NW	1	b
Tacloban, .	"	"	29.74	755.4	77	96	...	0	o
Ililo, .	"	29.68	753.9	86	71	SW	4	o	"
Surigao, .	"	"	29.72	754.8	75	96	...	0	r
Guam, .	12.20	29.71	754.5	SE	4	b	"	29.74	755.4	ESE	2	o
Yap, .	12.47	29.48	748.8	SW	8	r	"	29.61	752.1	SW	4	r
Labuan, .	14	29.73	755.1	86	72	N	2	b	"	29.77	756.1	78	94	NE	2	r

May 3d. 9h. 40m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 139° E., moving N.N.E.

May 3d. 11h. 59m.—Pressure has increased moderately at Yap and decreased slightly at the majority of other stations.

This morning the typhoon was about 200 miles N.N.E. of Yap moving N.N.E.

Gradients appear to be shallow over the S.W. portion of the map.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.64 inch. Total since January 1st, 10.19 inches, against an average of 12.32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH. DISTRICT.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamocks, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- N.E. winds, moderate; overcast, occasional rain.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	3RD MAY, 1923.							4TH MAY, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDIT.	WIND.		
		Inches.	Mills.			Direct- ion.	Force.		Inches.	Mills.			Direct- ion.	Force.	
Vladivostock, .	12	29.89	759.2	61	...	N	4	b	6	29.95	760.7	47	...	0	b
Nemuro, .	11	29.94	760.5	SSE	6	...	5	29.92	760.0	1	..
Hokodate, .	"	29.86	758.5	SW	4	...	"	29.73	755.0	2	..
Tokio, .	"	30.02	762.5	NNE	2	...	"	29.55	750.5	2	..
Kochi, .	"	29.69	754.0	SW	1	...	"	29.78	756.5	1	..
Nagasaki, .	"	29.76	756.0	N	2	...	"	29.88	759.0	0	..
Kagoshima, .	"	29.69	754.0	NNW	3	...	"	29.86	758.5	1	..
Oshima, .	"	29.67	753.5	N	1	...	"	29.84	758.0	1	..
Naha, .	"	29.78	756.5	NW	6	...	"	29.84	758.0	2	..
Ishigakijima, .	"	29.86	758.5	NNW	7	...	"	29.86	758.5	1	..
Bonin Island, .	"	29.92	760.0	SSE	5	...	"	29.88	759.0	3	..
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsba, .	"	"
Shanghai, .	11	30.01	762.3	63	84	"	29.94	760.5	52	95	2	..
Gutzlaff, .	"	29.99	761.7	62	90	NNE	2	o	"	29.97	761.2	50	100	2	..
Sharp Peak, .	15	29.82	757.4	77	73	...	o	...	"	29.85	758.2	65	73	1	..
Anoy, .	14	29.81	757.2	73	86	ENE	1	r	6	29.83	757.7	64	91	1	WNW
Swatow, .	"	"
Taihoku, .	12	29.91	759.6	75	53	E	4	o	"	29.85	758.1	64	94	4	r
Taichu, .	"	29.81	757.2	77	...	N	2	o	"	29.81	757.2	70	...	0	..
Tainan, .	"	29.80	756.9	82	...	NNW	2	b	"	29.79	756.6	70	...	2	..
Koshun, .	"	29.80	756.9	81	...	NE	6	b	"	29.79	756.6	73	...	4	..
Pescadores, .	"	29.87	758.7	75	...	NNE	6	o	"	29.82	757.5	70	...	4	r
Canton, .	15	29.78	756.4	77	82	...	o	o	"
Hongkong, .	14	29.79	756.6	73	90	E	4	od	"	29.79	756.6	69	87	4	ed
Gap Rock, .	"	29.78	756.4	ENE	5	o	"	29.78	756.4	6	eq
Macao, .	"	29.78	756.3	75	83	SE	2	o	"	29.75	755.7	70	91	4	o
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hohow, .	"	"	
Phulien, .	"	29.68	753.9	86	65	SSE	4	o	7	29.72	754.8	73	94	2	of
Tourane, .	"	29.68	753.9	79	...	NW	2	o	"	29.68	753.9	75	...	4	o
Cape St. James, .	"	29.72	754.8	84	...	SW	2	o	"	29.76	756.0	75	...	2	NW
Aparri, .	14	29.69	754.2	86	65	NNE	4	o	6	29.76	756.0	77	86	2	o
Dagupan, .	"	"	
Manila, .	"	29.68	753.9	93	57	WSW	4	o	"	29.75	755.7	75	71	1	o
Legaspi, .	"	29.68	753.9	90	69	E	2	b	"	
Tacloban, .	"	"	
Iloilo, .	"	29.69	754.2	86	65	S	4	o	"	
Surigao, .	"	29.71	754.5	86	68	W	2	o	"	
Guam, .	12.20	29.71	754.5	ESE	4	o	4.20	29.74	755.4	4	o
Yap, .	12.47	29.62	752.4	SW	4	o	4.47	29.72	754.8	4	b
Labuan, .	14	29.75	755.6	88	73	N	2	b	6	29.76	755.9	80	93	1	b

May 4d, 10h. 40m.—Pressure has decreased considerably over central Japan, and slightly over Indo-China. It has increased moderately over S.W. Japan and at Yap. It is nearly stationary from Shanghai to Hongkong and the Philippines.

A somewhat deep depression, which formed to the east of the Loochoos yesterday, is now central to the east of Tokio.

The position of the Yap typhoon is uncertain.

A shallow depression is central near Tourane.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inch. Total since January 1st, 10.22 inches, against an average of 12.57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH. DISTRICT.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- FORECAST.
- N.E. winds, fresh to moderate; overcast, occasional rain.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

4TH MAY, 1923.

5TH MAY, 1923.

STATION.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.	
	Inches.	Millrs.	Direct. ion.	Force.					Inches.	Millrs.	Direct. ion.	Force.					
Wladivostock, .	12	29.89	759.3	67	...		NNE	3	0	6	29.99	761.7	47	...	SE	2	0
Nenuro,	11	29.65	753.0		ENE	6	...	5	29.51	749.5	NNW	7	...
Hokodate,	"	29.57	751.0		NNW	6	...	"	29.88	759.0	NNW	6	...
Tokio,	"	29.63	752.5		NW	5	...	"	29.98	761.5	N	3	...
Kochi,	"	29.84	758.0		N	5	...	"	29.98	761.5	W	1	...
Nagasaki,	"	29.94	760.5		NW	2	...	"	29.94	760.5	ENE	1	...
Kagoshima,	"	29.88	759.0		SE	1	...	"	29.55	750.5	NW	1	...
Oshima,	"	30.26	768.5		N	3	...	"	29.38	759.0	SSE	1	...
Naha,	"	29.86	758.5		N	3	...	"	29.82	757.5	NNE	1	...
Ishigakijima,	"	29.88	759.0		NNE	2	...	"	29.82	757.5	ENE	1	...
Bonin Island,	"	29.84	758.0		S	4	...	"	29.88	759.0	ESE	2	...
Weihaiwei,	14	"
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.97	761.1	68	60		SE	1	0	"	29.81	757.2	57	89	SE	2	0
Gutzlaff,	"	29.96	761.0	60	100		SE	4	0	"	29.84	757.9	56	100	SSE	4	0
Sharp Peak,	15	29.87	758.7	70	70		SE	1	0	7	29.84	757.9	66	89	...	0	0
Annoy,	14	29.82	757.4	74	81		NNW	1	0	6	29.77	756.1	67	95	NE	1	r
Swatow,	"	"
Taihoku,	12	29.87	758.7	68	94		E	4	r	"	29.79	756.6	68	94	...	0	0
Taichu,	"	29.85	758.1	73	0	r	"	29.80	756.9	70	...	NNE	2	0
Tainan,	"	29.82	757.5	73	...		NNE	4	r	"	29.76	756.0	70	...	ENE	2	0
Koshun,	"	29.81	757.2	79	...		ENE	4	r	"	29.76	756.0	75	...	SE	4	0
Pescadores,	"	29.87	758.7	70	...		NNE	4	r	"	29.84	757.8	72
Canton,	15	29.78	756.4	73	86		SE	1	0	"	29.76	755.9	70	95	ENE	1	or
Hongkong,	14	29.78	756.4	71	84		E	4	0	"	29.75	755.6	71	86	ENE	1	0
Gap Rock,	"	29.77	756.1		ENE	6	0	"	29.74	755.4	ENE	4	0
Macao,	"	29.80	756.9	73	89		ESE	4	0	"	29.72	754.8	72	89	NE	2	0
Wuchow,	15	"
Pakhoi,	"	"
Boihow,	"	"
Phulien,	"	29.67	753.6	86	61		SSE	4	b	7	29.69	754.2	75	94	E	4	0
Tourane,	"	29.68	753.9	79	...		NW	4	0	"	29.69	754.2	77	...	NW	2	b
Cape St. James, .	"	29.73	755.1	86	...		SSW	4	0	"	29.78	756.3	75	...	WNW	2	0
Aparri,	14	29.72	754.8	86	71		NNE	2	0	6	29.74	755.4	75	91	S	2	0
Dagupan,	"	"
Manila,	"	29.69	754.2	90	66		SW	4	0	"	29.74	755.4	77	92	S	1	0
Legaspi,	"	29.69	754.2	79	90		...	0	0	"
Tacloban,	"	29.71	754.5	86	75		SW	1	0	"	29.79	756.6	79	92	...	4	0
Boilo,	"	29.69	754.2	86	71		S	6	0	"	29.76	756.0	81	84	S	2	r
Surigao,	"	"	29.79	756.6	75	91	WSW	...	r
Juan,	12.20	29.71	754.5		SSE	4	0	4.20	29.75	755.7	SE	2	b
Yap,	12.47	29.72	754.8		SW	4	0	4.47	29.79	756.6	W	2	b
Labuan,	14	29.74	755.4	82	63		N	2	b	6	29.78	756.4	81	91	N	2	0

May 5d. 11h. 32m. Pressure has decreased moderately at Shanghai and slightly from Hongkong to Formosa. It has increased considerably over central Japan where a feeble anticyclone is now central.

The northern depression has passed into the Pacific and the Yap typhoon appears to have filled up.

A shallow depression is still shown over N. Amur.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 10.24 inches, against an average of 12.83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, moderate; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	5TH MAY, 1923.								6TH MAY, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direct- ion.	Force.			Inches.	Millrs.			Direct- ion.	Force.	
Vladivostock, .	12	29.99	761.8	53	...	SE	4	o	6	30.03	762.7	45	...	SE	2	o
Nemuro,	11	29.82	757.5	NNW	4	...	5	30.22	767.5	SSW	1	...
Hokodate,	30.00	762.0	WNW	1	...	30.14	765.5	0	...
Tokio,	30.04	763.0	SSE	1	...	30.14	765.5	1	...
Kochi,	29.98	761.5	SE	1	...	29.94	760.5	1	...
Nagasaki,	29.92	760.0	SW	4	...	29.88	759.0	SE	1	...
Kagoshima,	29.94	760.5	SE	1	...	29.86	758.5
Oshima,	29.86	758.5	41	E	1	...	29.76	756.0	ESE	2	...
Naha,	29.82	757.5	E	2	...	29.75	755.5	SE	1	...
Ishigakijima,	29.80	757.0	E	3	...	29.73	755.0	SSE	3	...
Bonin Island,	29.86	758.5	ESE	3	...	29.73	755.0	E	2	...
Weihaiwei,	14
Hankow,	15
Ichang,
Changsha,
Shanghai,	11	29.84	757.8	64	88	S	1	r	29.86	758.4	55	100	...	SW	1	of
Gutzlaff,	29.83	757.7	60	100	...	S	2	o	29.88	758.9	58	100	...	WSW	2	1
Sharp Peak,	29.79	756.6	78	74	...	E	1	b	29.83	757.7	65	68	...	E	4	0
Amoy,	14	29.71	754.6	73	86	WNW	1	o	29.71	754.6	69	95	...	SSE	1	r
Swatow,
Taihoku,	12	29.79	756.6	79	73	W	2	o	29.79	756.6	66	94	...	E	4	r
Taichu,	29.80	756.9	77	o	r	...	29.76	756.0	70	N	2	0
Taiwan,	29.76	756.0	81	N	4	o	72	NNW	2	0
Koskun,	29.74	755.4	82	NNE	4	o	73	N	0	0
Pescadores,	29.80	756.9	73	NNE	4	o	29.73	755.1	72	4	0
Canton,	15	29.72	754.9	81	71	SW	1	o	29.74	755.4	73	90	...	N	7	0
Hongkong,	14	29.74	755.4	77	76	E	3	o	29.71	754.6	72	93	...	NE	4	0
Gap Rock,	29.74	755.4	NE	3	o	29.72	754.9
Macao,	29.73	755.1	79	80	...	SE	2	o
Wuchow,	15	9
Pakhoi,
Hoihow,
Phulien,	29.66	753.3	81	43	ESE	4	o	7	29.76	756.0	72	94	...	NNW	2	r of
Tourane,	29.66	753.3	82	...	NNW	2	b	...	29.69	754.2	73	WNW	4	0
Cape St. James,	29.74	755.4	77	...	WSW	2	o	...	29.75	755.7	77	ESE	4	0
Aparri,	14	29.71	754.5	82	77	NNE	2	r	6
Dagupan,
Manila,	29.72	754.8	84	74	WSW	4	o	...	29.68	753.9	77	91	...	SE	2	r
Legaspi,	29.71	754.5	86	75	WSW	4	o	...	29.73	755.1	77	50	...	SW	1	0
Tacloban,	29.74	755.4	81	80	...	o	r
Iloilo,
Surigao,	29.73	755.1	86	65	WSW	2	o	...	29.73	755.1	73	94
Guam,	12.20	29.74	755.4	S	4	o	4.20	29.79	756.6	SSE	0	0
Yap,	12.47	29.75	755.7	W	2	o	4.47	1	0
Labuan,	14	29.72	754.9	90	70	N	2	b	6

May 6th, 10h. 55m.—Pressure has increased considerably over N.E. Japan, and slightly at Shanghai. It has decreased moderately from the Bonins to Formosa and slightly from Hongkong to Manila.

A trough of low pressure, in which a typhoon may form, stretches from Indo-China to S.W. of the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1024 inches, against an average of 1310 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, moderate; overcast rain.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

6TH MAY, 1923.

7TH MAY, 1923.

STATION.	HONGKONG STANDARD TIME.					BAROMETER AT SEA LEVEL.			HONGKONG STANDARD TIME.					BAROMETER AT SEA LEVEL.		
	Inches.	Millrs.	TRAFF. ATMOS.	HUMIDT.	WIND.	Direct- ion.	Force.	WEATHER	Inches.	Millrs.	TRAFF. ATMOS.	HUMIDT.	WIND.	Direct- ion.	Force.	WEATHER
Vladivostock,	12	30.00	761.9	54	...	SE	2	o	6	29.90	759.4	43	...	SE	3	o
Venauro,	11	30.26	768.5	SE	3	...	5	30.16	766.0	ESE	4	...
Jokodate,	...	30.10	764.5	ESE	2	29.98	761.5	E	1	...
Tokio,	...	30.10	764.5	NNE	3	29.88	759.0	NNW	1	...
Cochi,	...	29.90	759.5	0	29.73	755.0	SW	1	...
Nagasaki,	...	29.84	758.0	SE	1	29.78	756.5	E	1	...
Kagoshima,	...	29.84	758.0	NE	1	29.76	756.0	NW	1	...
Usima,	...	29.76	756.0	NW	1	29.75	755.5	0	...
Yaha,	...	29.74	755.5	S	2	NNE	3	...
Shigakijima,	...	29.74	755.5	NNW	3	29.71	754.5	W	6	...
Bonin Island,	...	29.59	751.5	ENE	6	29.59	751.5
Weihaiwei,	14
Jankow,	15
Chang,
Hanghsia,
Shanghai,	11	29.84	757.8	72	65	NW	2	b	...	29.89	759.3	54	90	ENE	1	o
Hutzlaff,	...	29.88	758.9	64	95	NNE	2	o	...	29.91	759.7	54	100	NE	1	o
Sharp Peak,	15	29.81	757.2	74	72	E	1	b	7	29.83	757.7	67	64	N	1	o
Amoy,	14	29.73	755.1	73	81	E	2	o	6	29.71	754.6	68	79	ENE	1	b
Swatow,
Paihoku,	12	29.82	757.5	77	68	E	4	o	...	29.79	756.6	66	99	SE	2	o
Paichu,	...	29.74	755.4	79	...	N	4	b	...	29.69	754.2	68	0	o
Fainan,	...	29.71	754.5	84	...	N	4	b	...	29.67	753.6	68	...	NE	1	o
Koskun,	...	29.71	754.5	82	0	o	...	29.67	753.6	73	...	NNE	4	b
Pescadores,	...	29.6	756.0	75	...	NNE	7	o	...	29.69	754.2	72	...	NNE	6	o
Clinton,	15	29.73	755.1	81	59	N	2	o	...	29.78	756.4	71	80	N	1	o
Hongkong,	14	29.72	754.9	77	85	E	1	o	...	29.79	756.6	70	85	E	1	o
Gap Rock,	...	29.72	754.9	NE	2	o	...	29.79	756.6	NNE	4	o
Macao,	...	29.72	754.8	75	79	NE	2	o	...	29.76	756.0	72	96	ENE	2	o
Wuchow,	15	9
Pakhoi,
Hoikow,
Phulien,	...	29.78	756.3	75	89	NNW	1	o	7	29.82	757.5	72	70	NNW	4	o
Tourane,	...	29.67	753.6	77	...	NW	4	o	...	29.73	755.1	73	...	NNW	6	rf
Cape St. James,	29.74	755.4	75	...	SW	2	o
Aparri,	14	29.60	751.8	90	57	SE	4	o	6
Gagpan,
Manila,	...	29.69	754.2	77	92	S	2	r	...	29.71	754.5	75	92	SSW	4	r
Legaspi,	29.72	754.8	77	92	SW	1	o
Tacloban,
Iloilo,	...	29.73	755.1	86	...	SW	4	o
Surigao,	...	29.72	754.8	86	65	NW	1	o
Ham,	12.20	29.76	756.0	SSW	4	o	4.20	29.80	756.9	N	6	b
Iap,	12.47	29.76	756.0	NW	2	o	4.47	29.84	757.8	0	b
Alman,	14	29.75	755.6	90	73	N	2	b	6	29.76	755.9	81	91	N	2	b

May 6d. 19h. 40m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 119° E., direction unknown.

May 7d. 11h. 10m.—Warning to Hongkong, Coast Ports, &c.:—A depression or typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 123° E., moving N.E.

May 7d. 11h. 15m.—Pressure has decreased slightly to moderately over Japan and slightly over Formosa; it has increased slightly elsewhere. A depression or typhoon has formed to the S.E. of Formosa and another to the N.E. of the Bonina Islands.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.17 inch. Total since January 1st, 10.41 inches, against an average of 13.38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE STD. DISTRICT.

- 1.—Formosa Channel, N. and N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamock, N.E. winds, moderate; fair.
- 3.—Hongkong to Gap Rock, N.E. winds, moderate; fair.
- 4.—South coast of China between Hongkong and Hainan,

C. W. JEFFRIES,—Chief Assistant.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	7TH MAY, 1923.						8TH MAY, 1923.									
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.				
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			WEATHER.			
Wladivostock,	12	29.83	757.6	50	...	SSE	4	0	29.73	755.2	42	...	SSE	3	f	
Nemuro,	11	30.08	764.0	ESE	4	...	29.84	758.0	ESE	2	..	
Hokodate,	...	29.88	759.0	E	2	...	29.69	754.0	0	..	
Tokio,	...	29.82	757.5	SE	1	...	29.69	754.0	ESE	1	..	
Kochi,	...	29.70	754.5	SE	1	...	29.69	755.0	0	..	
Nagasaki,	...	29.78	756.5	SE	1	...	29.73	755.0	0	..	
Kagoshima,	...	29.76	756.0	E	1	...	29.69	754.0	0	..	
Oshima,	...	29.76	756.0	NW	1	...	29.69	754.0	S	1	..	
Naha,	...	29.70	754.5	N	3	...	29.67	753.5	NE	1	..	
Ishigakijima,	...	29.74	755.5	N	3	...	29.71	754.5	NNW	1	..	
Bonin Island,	...	29.74	755.5	WSW	4	...	29.82	757.5	S	3	..	
Weihaiwei,	14	
Hankow,	15	
Iehang,	
Changsha,	
Shanghai,	11	29.91	759.6	70	65	ESE	1	b	29.78	756.3	52	100	SE	1	b	
Gutzlaff,	...	29.88	758.9	58	100	ESE	1	o	29.81	757.2	54	100	SSE	1	b	
Sharp Peak,	15	29.80	756.9	73	72	E	1	o	29.76	755.9	66	84	...	0	b	
Amoy,	14	29.70	754.4	75	72	ENE	1	o	29.66	753.3	66	84	ENE	1	h	
Swatow,	
Taihoku,	12	29.82	757.5	73	75	E	4	o	29.75	755.7	61	87	SE	2	o	
Taichu,	...	29.75	755.7	75	...	ESE	2	o	29.73	755.1	64	0	o	
Tainan,	...	29.73	755.1	82	...	N	4	o	29.68	753.9	66	...	NNE	2	o	
Koshun,	...	29.72	754.8	81	...	NNE	4	o	29.69	754.2	70	...	NE	2	b	
Pescadores,	...	29.76	756.0	75	...	NNE	8	o	29.72	754.8	70	...	NNE	6	o	
Canton,	15	29.77	756.1	82	49	N	1	o	29.75	755.6	70	90	...	0	o	
Hongkong,	14	29.74	755.4	79	66	W	1	o	29.73	755.1	71	85	...	0	o	
Gap Rock,	...	29.75	755.6	E	2	o	29.74	755.4	NNW	2	o	
Macao,	...	29.74	755.4	79	66	ENE	2	o	29.73	755.1	70	94	NNW	2	o	
Wuchow,	15	9		
Pakboi,		
Hoihow,		
Phulien,	...	29.84	757.8	81	43	NNE	4	o	29.81	757.2	70	82	NW	4	o	
Tourane,	...	29.73	755.1	70	...	NW	6	o	29.78	756.3	72	...	NW	6	o	
Cape St. James,	...	29.72	754.8	73	...	SW	2	o	
Aparri,	14	29.59	751.5	79	87	...	0	r	29.65	753.0	75	94	...	0	r	
Dagupan,		
Manila,	...	29.68	753.9	77	91	SSW	6	r	29.69	754.2	75	94	SW	2	r	
Legaspi,	...	29.69	754.2	79	80	SW	4	o	29.68	753.9	79	89	SSW	4	o	
Taeloban,	...	29.72	754.8	86	71	SW	2	o		
Boile,	...	29.72	754.8	86	71	SW	6	o	29.73	755.1	81	89	S	2	o	
Surigao,	29.75	755.7	75	92	...	0	o	
Guam,	12.20	29.78	756.3	E	2	o	4.20	29.79	756.6	...	NE	2	o	
Yap,	12.47	29.79	756.6	SE	2	b	4.47	29.79	756.6	...	NE	2	b	
Labuan,	14	29.76	755.9	88	73	N	2	b	6	29.76	755.9	80	91	E	2	b

May 8d, 12h. 02m. - Pressure has decreased moderately at Shanghai and Tokio, and slightly at Hongkong and over the Loochoos and the Visayus. It has increased considerably over the Bonins.

The depression or typhoon is probably about midway between Apuri and the Bonins this morning. It may be filling up.

The Bonins depression is now to the N.W. of Tokio.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1041 inches, against an average of 1367 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH. DISTRICT.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan, .
- N.W. or variable winds, light, fine.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG

DAILY WEATHER REPORT.

8TH MAY, 1923.

STATION.	HONGKONG				BAROMETER AT SEA LEVEL.				HONGKONG				BAROMETER AT SEA LEVEL.				HONGKONG			
	STANDARD TIME.	INCHES.	MILLRS.	TEMPERATURE.	HUMIDITY.	WIND.	DIRECTION.	FORCE.	WEATHER.	STANDARD TIME.	INCHES.	MILLRS.	TEMPERATURE.	HUMIDITY.	WIND.	DIRECTION.	FORCE.	WEATHER.		
Vladivostock, .	12	29.73	755.2	46	...	SSE	3	0	6	29.84	757.8	43	...	SSE	4	0		
Nemuro, .	11	29.76	756.0	ENE	1	...	5	29.63	752.5	W	1		
Hokodate, .	"	29.67	753.5	ESE	1	...	"	29.78	756.5	W	1		
Tokio, .	"	29.63	752.5	NNE	1	...	"	29.82	757.5	NW	1		
Kochi, .	"	29.65	753.0	W	2	...	"	29.78	756.5	SE	1		
Nagasaki, .	"	29.69	754.0	SSW	1	0	"	29.80	757.0	NW	1		
Kagoshima, .	"	29.67	753.5	NE	1	...	"	29.80	757.0	SE	1		
Osima, .	"	29.72	755.0	NNE	1	...	"	29.78	756.5	NE	1		
Naha, .	"	29.72	755.0	SSW	4	...	"	29.76	756.0	NNE	1		
Ishigakijima, .	"	29.76	756.0	W	2	...	"	29.84	758.0	SSW	5		
Bonin Island, .	"	29.80	757.0	SW	2	...	"	29.66	753.3	59	96	S	1	b		
Weihaiwei, .	14	SSW	2	b	"	29.69	754.1	60	100	SSW	4	0	b	b		
Hankow, .	15	SE	1	b	"	29.75	755.6	68	85	...	0	0		
Jhang, .	"	WNW	1	b	"	29.66	753.3	68	91	...	0	b		
Changsha, .	"	W	2	...	"	29.72	754.8	73	...	N	4	0		
Shanghai, .	11	29.75	755.7	73	66	SSW	2	b	"	29.74	755.4	70	...	NNW	4	0		
Gutzlaff, .	"	29.72	754.9	63	100	SE	1	b	"	29.73	755.1	70	0	0		
Sharp Peak, .	15	29.76	755.9	73	93	WNW	1	b	"	29.72	754.8	73	0	0		
Amoy, .	14	29.69	754.1	77	73	W	2	...	"	29.74	755.4	70	0	0		
Swatow, .	"	NE	4	0	"	29.73	755.1	71	90	ENE	1	0		
Taihoku, .	12	29.76	756.0	81	46	NNE	6	0	"	29.75	755.7	66	0	0	b	...		
Taichu, .	"	29.76	756.0	77	...	SSW	2	0	"	29.73	755.1	70	0	0	0	0		
Taiwan, .	"	29.75	755.7	79	...	W	2	0	"	29.72	754.9	73	0	0	0	0		
Kushun, .	"	29.74	755.4	81	...	ENE	4	0	"	29.72	754.8	73	0	0	0	0		
Pescadores, .	"	29.76	756.0	77	...	NNE	6	0	"	29.74	755.4	70	0	0	0	0		
Canton, .	15	29.71	754.6	86	48	NNW	1	0	"	29.73	755.1	71	90	ENE	1	0	0	0		
Hongkong, .	14	29.73	755.1	83	42	E	3	b	"	29.72	754.9	68	72	...	0	0	c	b		
Gap Rock, .	"	29.73	755.1	NNW	1	b	"	29.72	754.9	NNW	1	2	0	0		
Macao, .	"	29.73	755.1	82	51	ESE	2	0	"	29.71	754.5	72	91	...	0	0		
Wuchow, .	15	W	1	0	"	29.71	754.5	72	91	...	0	0		
Pakhoi, .	"	W	1	0	"	29.71	754.5	72	91	...	0	0		
Hoihow, .	"	W	1	0	"	29.71	754.5	72	91	...	0	0		
Phulien, .	"	29.79	756.6	81	53	NW	2	0	7	29.75	755.7	70	91	NNW	4	0	b	0		
Tourane, .	"	29.75	755.7	75	...	NW	2	b	"	29.75	755.7	72	...	NW	4	0	0	0		
Cape St. James, .	"	29.68	753.9	86	...	SW	2	0	"	29.72	754.8	73	...	NNW	2	0	0	0		
Aparri, .	14	29.61	752.1	79	92	NE	4	0	6	29.66	753.3	73	94	...	0	r		
Jagupan, .	"	"	29.66	753.3	75	96	E	1	0	0	0		
Manila, .	"	29.68	753.9	79	61	SSW	4	0	"	29.71	754.5	75	96	...	0	0	0	0		
Legaspi, .	"	29.66	753.3	90	55	SW	4	0	"	29.71	754.5	75	96	...	0	0	0	0		
Taibon, .	"	"	29.71	754.5	75	96	...	0	0	0	0		
Ilao, .	"	29.67	753.6	90	69	SW	6	0	"	29.71	754.5	81	89	SE	4	0	0	0		
Surigao, .	"	29.68	753.9	86	75	WNW	2	0	"	29.74	753.4	75	94	...	0	0	0	0		
inam, .	12.20	29.75	755.7	E	4	r	4.20	29.80	756.9	ENE	4	0	0	0		
Yap, .	12.47	29.73	755.1	SE	4	0	4.47	29.79	756.6	NE	2	b	0	0		
Laban, .	14	29.74	755.4	88	76	NW	2	b	6	29.73	755.1	78	91	N	2	b	0	0		

May 9d. 11h. 15m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon forming in Lat. 13° N. Long. 119° E., position uncertain.

May 9d. 10h. 53m.—Pressure has decreased moderately at Shanghai and slightly over N. Annam and Luzon. It has increased moderately over the Loochoos and is nearly stationary from Formosa to Hongkong.

A depression is shown over N. China and a trough of low pressure extends from Cochin China to the east of N. Luzon. A typhoon may be forming to the S.W. of Manila.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 10.41 inches, against an average of 13.98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH. DISTRICT.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- { N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	9TH MAY, 1923.							10TH MAY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	Humid.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	Humid.	WIND.			
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	WEATHER.	
Vladivostock, .	12	29.84	758.0	50	...	SSE	4	0	6	29.94	760.4	45	...	SE	3	o
Nemuro,	11	29.70	754.5	NNW	6	...	5	:
Hokodate,	"	29.82	757.5	S	2	...	"	:
Tokio,	"	29.82	757.5	ESE	1	...	"	:
Kochi,	"	29.82	757.5	SE	1	...	"	:
Nagasaki,	"	29.82	757.5	S	2	...	"	:
Kagoshima,	"	29.84	758.0	SSE	8	...	"	:
Oshima,	"	29.84	758.0	N	2	...	"	:
Naha,	"	29.84	758.0	ENE	1	...	"	:
Ishigakijima,	"	29.80	757.0	NNE	2	...	"	:
Bonin Island,	"	29.86	758.5	SSW	6	...	"	:
Weihaiwei,	14	"	:
Hankow,	15	"	:
Ichang,	"	"	:
Changsha,	"	"	:
Shanghai,	11	29.71	754.5	84	34	SW	1	b	"	29.89	759.3	50	95	W	1	b
Gutzlaff,	"	29.70	754.4	75	95	SW	2	b	"	29.89	759.2	58	90	NNE	2	b
Sharp Peak,	15	29.74	755.4	80	70	E	1	b	7	29.74	755.4	71	85	SE	1	b
Amoy,	14	29.69	754.1	80	66	WNW	1	b	6	29.66	753.3	69	85	...	0	b
Swatow,	"	"	:
Taihoku,	12	29.76	756.0	84	40	E	2	0	"	29.79	756.4	61	91	...	0	b
Taiehu,	"	29.78	756.3	79	0	0	"	29.79	756.4	64	...	E	0	b
Tainan,	"	29.74	755.4	86	...	N	4	0	"	29.75	755.7	68	2	o
Koshun,	"	29.75	755.7	81	...	NNE	4	0	"	29.73	755.1	75	0	o
Pescadores,	"	29.78	756.3	79	...	NNW	4	b	"	29.76	756.0	73	...	NE	4	o
Canton,	15	29.70	754.4	87	42	W	1	b	"	:
Hongkong,	14	29.73	755.1	80	62	E	2	b	"	29.78	756.4	70	69	E	1	b
Gap Rock,	"	29.74	755.4	E	2	b	"	29.79	756.6	SSE	2	b
Macao,	"	29.72	754.8	84	58	SE	2	b	"	29.74	755.4	72	94	...	2	b
Wuchow,	15	"	:
Pakhoi,	"	"	:
Hoikow,	"	"	:
Phulien,	"	29.72	754.8	86	46	SSE	2	0	7	29.81	757.2	73	85	...	0	b
Tourane,	"	29.72	754.8	75	...	NW	4	0	"	29.79	756.6	72	...	ENE	2	b
Cape St. James, .	"	29.68	753.9	86	...	SE	2	0	"	29.75	755.7	75	0	b
Aparri,	14	29.63	752.7	81	84	NE	4	r	6	:
Dagupan,	"	"	:
Manila,	"	29.63	752.7	79	93	SSE	1	r	"	29.71	754.5	77	88	SE	2	o
Legaspi,	"	"	29.74	755.4	77	96	W	2	o
Tacloban,	"	29.69	754.2	90	66	ESE	2	o	"	29.75	755.7	79	96	SW	2	o
Illoilo,	"	29.69	754.2	86	68	SW	6	o	"	29.76	756.0	79	89	SE	2	o
Surigao,	"	29.69	754.2	90	63	ENE	1	o	"	29.79	756.6	75	94	...	0	o
Gnam,	12.20	29.76	756.0	NE	.4	o	4.20	29.80	756.9	ENE	4	o
Yap,	12.47	29.74	755.4	E	4	o	4.47	29.78	756.3	NE	2	o
Labaan,	14	29.72	754.9	88	69	N	2	b	6	29.75	755.6	77	94	SW	2	b

May 10th, 11h. 10m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 15° N. Long. 145° E., direction unknown, position uncertain.

May 10th, 12h. 12m.—Pressure has increased considerably at Shanghai and slightly at other reporting stations.

The depression or typhoon appears to be to the S.E. of the Macclesfield this morning, but its position and direction of motion are very uncertain. It may be filling up.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1041 inches, against an average of 1431 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH. DISTRICT.

N.E. winds, moderate to fresh.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- Light variable winds, freshening from N.E. later; fine to cloudy.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

10TH MAY, 1923.

11TH MAY, 1923.

STATION.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.			WIND.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.			WIND.	WEATHER.
		Inches.	Mills.	TEMPER- ATURE.				Direction.	Force.	Humidity.		
Vladivostock, -	12	29.95	760.8	50	...	E	4	r	6	29.93	760.1	46
Nemuro,	11	30.10	764.5	S	4	...	5	30.12	765.0	...
Hokodate,	"	30.06	763.5	SSW	1	...	"	30.00	762.0	...
Tokio,	"	30.04	763.0	ESE	1	...	"	29.94	760.5	...
Kochi,	"	29.96	761.0	SE	1	...	"	29.84	758.0	...
Nagasaki,	"	S	3	...	"	29.88	759.0	...
Kagoshima,	"	SE	1	...	"	29.92	760.0	...
Osima,	"	ESE	1	...	"	29.88	759.0	...
Naha,	"	29.92	760.0	NE	2	...	"	29.90	759.5	...
Ishigakijima,	"	29.86	758.5	E	"	29.86	758.5	...
Bonin Island, ...	"	29.94	760.5	S	4	...	"	29.94	760.5	...
Weihaiwei,	14	"
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.97	761.2	77	35	NNW	1	b	"	30.00	762.0	54
Gutzlaff,	"	29.99	761.7	67	84	NNE	2	b	"	30.02	762.5	58
Sharp Peak, ...	15	29.85	758.2	76	77	E	2	b	7	29.98	761.5	68
Amoy,	14	29.75	755.6	80	74	WSW	2	b	6	29.90	759.4	68
Swatow,	"	"
Taihoku,	12	29.84	757.8	86	41	E	2	b	"	29.93	760.2	68
Taichu,	"	29.79	756.6	82	...	NNW	2	b	"	29.85	758.1	66
Tainan,	"	29.79	756.6	86	...	NNW	4	o	"	29.84	757.8	68
Koshun,	"	29.79	756.6	84	...	NNE	4	o	"	29.86	758.4	73
Pescadores, ...	"	29.82	757.5	79	...	NW	4	bf	"	29.86	758.4	73
Canton,	15	29.78	756.4	87	55	SW	1	b	"	29.87	758.7	72
Hongkong,	14	29.79	756.6	86	51	W	2	b	"	29.89	759.2	73
Gap Rock,	"	29.81	757.2	W	1	b	"	29.89	759.2	75
Macao,	"	29.80	756.9	86	58	SE	2	b	"
Wuchow,	15	9
Pakhoi,	"	"
Heihow,	"	"
Phulien,	"	29.79	756.6	90	38	SSW	2	o	7	29.88	759.0	73
Lourane,	"	29.79	756.6	77	...	NW	2	b	"	29.85	758.1	77
Cape St. James, ...	"	29.73	755.1	86	...	ENE	4	b	"	29.79	756.6	75
Aparri,	14	6
Bagapang,	"	"
Manila,	"	29.73	755.1	84	77	SW	6	o	"	29.79	756.6	77
Ilegaspi,	"	29.67	753.6	90	63	SW	7	o	"	29.79	756.6	75
Tacloban,	"	29.73	755.1	90	66	SSE	4	b	"
Boilo,	"	29.73	755.1	86	68	SW	6	o	"	29.80	756.9	75
Surigao,	"	29.72	754.8	90	63	...	o	o	"	29.80	756.9	75
Iuam,	12.20	29.76	756.0	ENE	4	o	4.20
Iap,	12.47	29.75	755.7	2	o	4.47
abuan,	14	29.76	755.9	88	73	N	1	b	6	29.77	756.1	81

May 10d. 19h. 15m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 16° N. Long. 115° E., filling up, position uncertain.

May 11d. 11h. 28m. Pressure has increased slightly in western and south-western districts. It has decreased slightly over central Japan. A feeble anticyclone is central near Shanghai and a V-shaped depression is shown over S.W. Japan.

The typhoon in the China Sea has filled up.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 10.41 inches, against an average of 14.66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH. DISTRICT.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamock, { E. winds, moderate; fine to cloudy.
- 3.—Hongkong to Gap Rock, {
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	11TH MAY, 1923.							12TH MAY, 1923.						
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.
	Inches.	Mills.	Direct. ion.	Force.					Inches.	Mills.	Direct. ion.	Force.		
Vladivostock,	12	S	...	6	ESE	...
Nemuro,.....	11	30.10	764.5	ESE	4	5	29.90	759.5	...	E	1
Hokodate,.....	"	29.90	759.5	N	7	"	29.78	756.5	...	N	2
Tokio,.....	"	29.84	758.0	SE	1	"	29.71	754.5	...	SW	3
Kochi,.....	"	29.82	757.5	W	1	"	29.88	759.0	...	SW	1
Nagasaki,.....	"	29.90	759.5	NW	3	"	29.96	761.0	...	NW	1
Kagoshima,.....	"	29.90	759.5	N	3	"	SE	1
Oshima,.....	"	29.94	760.5	N	4	"	29.92	760.0	...	NNE	1
Naha,.....	"	29.92	760.0	N	4	"	29.92	760.0	...	N	1
Ishigakijima,.....	"	29.94	760.5	NNW	4	"	29.90	759.5	...	SW	1
Bonin Island,.....	"	29.94	760.5	SSW	4	"	29.92	760.0	...	SW	1
Weihaiwei,.....	14	"
Hankow,.....	15	"
Iehang,.....	"	"
Changsha,.....	"	"
Shanghai,.....	11	30.01	762.2	82	33	SSW	b	...	"	29.88	758.9	63	SSE	2
Gutzlaff,.....	"	30.01	762.2	68	91	WSW	2	...	"	29.92	759.7	62	SSE	4
Sharp Peak,.....	15	29.98	761.5	80	58	E	1	b	"	29.95	760.7	66	b	0
Amoy,.....	14	29.90	759.4	81	57	ENE	2	b	"	79
Swatow,.....	"	"
Taihoku,.....	12	29.99	761.7	79	45	E	4	b	"	29.92	759.9	61	S	4
Taichu,.....	"	29.93	760.2	82	...	WNW	2	b	"	29.91	759.6	64	b	0
Tainan,.....	"	29.93	760.2	84	...	WSW	4	b	"	29.89	759.3	72	o	0
Koshun,.....	"	29.92	759.9	86	...	NNE	6	b	"	29.91	759.6	68	o	0
Pescadores,.....	"	29.95	760.8	81	...	NNE	6	b	"	29.91	759.6	70	NNE	4
Canton,.....	15	29.90	759.4	87	49	SSW	2	b	"
Hongkong,.....	14	29.92	759.9	78	59	E	5	b	"	29.90	759.4	72	E	2
Gap Rock,.....	"	29.91	759.7	ENE	5	b	"	29.90	759.4	...	ENE	4
Macao,.....	"	29.89	759.3	81	66	ESE	4	b	"	29.88	759.0	70	SE	2
Wuchow,.....	15	"
Pakhoi,.....	"	"
Hoibow,.....	"	"
Phulien,.....	"	29.86	758.4	90	66	SSE	1	b	7	29.89	759.3	73	ENE	2
Tourane,.....	"	29.85	758.1	79	...	NNW	2	o	"	29.85	758.1	73	b	0
Cape St. James,.....	"	29.78	756.3	77	...	SSE	6	o	"	29.80	756.9	79	ENE	4
Aparri,.....	14	6	29.84	757.8	75	o	0
Dagupan,.....	"
Manila,.....	"	20.75	755.7	86	65	W	2	o	"	29.81	757.2	75	NE	1
Legaspi,.....	"	29.75	755.7	90	66	NE	2	o	"	29.84	757.8	75	o	b
Tacloban,.....	"
Ilolo,.....	"	29.75	755.7	86	68	S	4	o	"	29.80	756.9	77	N	2
Surigao,.....	"	29.76	756.0	90	87	ENE	2	o	"
Guam,.....	12.20	20.81	757.2	E	2	o	4.20
Yap,.....	12.47	29.82	757.5	ESE	2	o	4.47
Labuan,.....	14	29.75	755.6	88	73	NE	2	b	6	29.78	756.4	80	NW	1

May 12d, 10h. 20m. Pressure has decreased considerably over central and N.E. Japan, and moderately at Shanghai. It has increased slightly from Formosa to Luzon and is nearly stationary from Hongkong to Indo-China.

Depressions lie over the Yangtze Valley and to the east of Tokio.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1921, inches, against an average of 15.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH. DISTRICT.

FORECAST.

- | | | |
|-------------------------------|---|--|
| 1.—Formosa Channel,..... | 2.—South coast of China between Hongkong and Lamock,..... | N.E. or variable winds, moderate to light; fine. |
| 3.—Hongkong to Gap Rock,..... | 4.—South coast of China between Hongkong and Hainan,..... | |

T. F. CLAXTON, Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

12TH MAY, 1923.

13TH MAY, 1923.

STATION.	HONGKONG					HONGKONG					HONGKONG					HONGKONG						
	STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.	STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.	STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.	STANDARD TIME.	WEATHER.		
		INCHES.	MILLBS.			DIRECTION.	FORCE.		INCHES.	MILLBS.			DIRECTION.	FORCE.		INCHES.	MILLBS.			DIRECTION.	FORCE.	WEATHER.
Wai Livestock,	12	29.77	756.2	47	...	SSE	3	0	6	29.82	757.5	50	...	NE	4	0	
Nemuro,	11	29.82	757.5	ENE	1	...	5	29.59	751.5	NNW	2	
Hokodate,	"	29.72	755.0	ESE	3	...	5	29.73	755.0	0	
Tokio,	"	29.70	754.5	NNE	1	...	5	29.82	757.5	WNW	1	
Kochi,	"	29.86	758.5	SE	2	...	5	29.84	758.0	W	1	
Nagasaki,	"	29.96	761.0	W	2	...	5	29.84	758.0	NE	1	
Kagoshima,	"	29.94	760.5	NE	1	...	5	29.82	757.5	WNW	1	
Oshima,	"	29.94	760.5	N	3	...	5	29.80	757.0	SSE	1	
Naha,	"	29.90	759.5	ENE	2	...	5	29.78	756.5	NE	1	
Ishigakijima,	"	29.92	760.0	SE	3	...	5	29.80	757.0	ENE	1	
Boon Island,	"	29.90	759.5	SW	1	...	5	29.84	758.0	NNE	1	
Weihaiwei,	14	
Hankow,	15	
Ichang,	"	
Changsha,	"	
Shanghai,	11	29.87	758.7	75	42	B	6	0	5	29.66	753.3	61	93	E	1	b	
Gutzlaff,	"	29.81	757.2	68	95	S	4	0	5	29.68	753.9	64	95	SSE	4	o	
Sharp Peak,	15	29.92	759.9	80	74	...	0	b	5	29.79	756.6	68	90	...	0	o	
Amoy,	14	29.82	757.4	75	68	WSW	2	b	6	
Swatow,	"	5	
Faihoku,	12	29.91	759.6	82	51	NNW	2	b	5	29.79	756.6	70	88	S	1	o	
Taichu,	"	29.91	759.6	84	...	SSW	2	0	5	29.81	757.2	70	0	b	
Tainan,	"	29.91	759.6	84	...	W	4	b	5	29.79	756.6	70	...	E	2	o	
Kushien,	"	29.92	759.9	84	...	E	4	b	5	29.79	756.6	66	0	b	
Pescadores,	"	29.94	760.5	79	...	WNW	4	0	5	29.80	756.9	68	0	b	
Canton,	15	29.84	757.9	84	58	SW	1	b	5	29.79	756.6	72	95	FSE	1	bm	
Hongkong,	14	29.85	758.2	79	63	E	3	0	5	29.79	756.6	72	92	...	0	bm	
Gap Rock,	"	29.86	758.4	NE	4	b	5	29.79	756.6	E	2	b	
Macao,	"	29.86	758.4	81	69	ESE	2	b	5	29.78	756.3	73	92	...	2	b	
Wuchow,	15	5	
Pakhoi,	"	5	
Hoihow,	"	5	
Phulien,	"	29.80	756.9	86	46	SSE	4	b	7	29.79	756.6	73	94	E	2	bf	
Tourane,	"	29.80	756.9	81	...	E	2	b	7	29.78	756.3	75	...	SSW	4	o	
Cape St. James,	"	29.76	756.0	81	...	ENE	6	b	7	29.80	756.9	75	...	ENE	2	b	
Aparri,	14	29.78	756.3	84	55	NE	4	b	6	29.76	756.0	75	92	SSW	2	b	
Dagupan,	"	6	
Manila,	"	29.75	755.7	90	66	NNE	2	0	6	29.75	755.7	75	96	...	0	b	
Leguspi,	"	29.74	755.4	90	63	ENE	2	b	6	29.75	755.7	75	92	...	0	b	
Tacloban,	"	6	
Ililo,	"	29.72	754.8	93	46	NE	4	0	6	29.74	755.4	77	91	N	2	v	
Sarigao,	"	29.72	754.8	90	60	E	4	b	6	
Juan,	12.20	29.80	756.9	NNW	1	0	4.20	29.78	756.3	75	...	S	1	b	
Yap,	12.47	29.79	756.6	E	4	b	4.47	29.79	756.6	E	2	o	
Capuan,	14	29.74	755.4	88	76	NW	4	b	6	29.75	755.6	77	94	NE	4	b	

May 13th, 13h. 20m. Pressure has decreased considerably at Shanghai and over N.E. Japan, moderately from the Looohpoes to Tongking and slightly from Tourane to Guam.

The Yangtze Valley depression is moving eastward. The Tokio depression has passed to the north-east of Hokkaido.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 10.41 inches, against an average of 15.39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- { Light, variable winds; fine.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	13TH MAY, 1923.							14TH MAY, 1923.							
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	
	Inches.	Millrs.	Direct.	Force.				Inches.	Millrs.	Direct.	Force.				
Vladivostock.	12	29.83	757.7	62	N	5	0	6	30.01	762.3	52	...	N 4
Nemuro.	11	29.61	752.0	WNW	1	...	5	29.96	761.0	NW 4
Hokodate.	"	29.74	755.5	SW	1	...	"	30.00	762.0	E 1
Tokio.	"	29.82	757.5	NW	1	...	"	29.88	759.0	NW 1
Kochi.	"	29.82	757.5	SSE	1	...	"	29.75	755.5	WSW 1
Nagasaki.	"	29.76	756.0	W	1	...	"	29.65	753.0	SE 2
Kagoshima.	"	29.80	757.0	S	1	...	"	29.63	752.5	NNW 1
Oshima.	"	"	29.63	752.5	0
Naha.	"	29.80	757.0	WNW	1	...	"	29.65	753.0	W 1
Ishigakijima.	"	29.63	752.5	WSW	2	...	"	29.69	754.0	NE 1
Bonin Island.	"	29.82	757.5	"	29.71	754.5	S 5
Weihaiwei.	14	"
Hankow.	15	"
Ichang.	"	"
Changsha.	"	"
Shanghai.	11	29.67	753.6	73	71	SW	2	b	...	"	29.74	755.4	55	98	WNW 2
Gutzlaff.	"	29.70	754.4	66	100	SW	2	o	...	"	29.75	755.6	60	100	NW 4
Sharp Peak.	15	29.76	755.9	80	91	SSE	0	b	...	"	29.69	754.1	71	90	E 1
Amoy.	14	29.65	753.1	84	85	SSE	4	b	...	"	29.61	752.1	73	95	ENE 1
Swatow.	"	"
Taihoku.	12	29.79	756.6	79	66	WNW	2	o	...	"	29.71	754.5	66	90	S 2
Taichu.	"	29.82	757.5	81	...	W	2	o	...	"	29.71	754.5	64	...	0 2
Tainan.	"	29.85	758.1	84	...	W	4	b	...	"	29.69	754.2	66	...	E 2
Koshun.	"	29.79	756.6	82	...	NW	4	b	...	"	29.68	753.9	66	...	0 2
Pescadores.	"	29.82	757.5	79	...	W	4	b	...	"	29.69	754.2	70	...	S 2
Canton.	15	29.70	754.4	87	55	W	1	b	...	"
Hongkong.	14	29.73	755.1	83	59	W	1	b	...	"	29.69	754.1	73	91	0 2
Gap Rock.	"	29.75	755.6	NNE	1	b	...	"	29.69	753.1	SW 2
Macao.	"	29.73	755.1	86	65	SE	2	b	...	"
Wuchow.	15	"
Pakhoi.	"	"
Hoihow.	"	"
Phalien.	"	29.69	754.2	82	70	SSE	4	o	...	7	29.66	753.3	77	98	SSE 4
Tourane.	"	29.67	753.6	82	...	NW	2	b	...	"	29.69	754.2	75	...	SE 4
Cape St. James.	"	29.73	755.1	86	...	ESE	2	b	...	"	29.74	755.4	77	...	SW 2
Aparri.	14	29.71	754.5	81	84	NNW	2	o	6
Dagupan.	"	"
Manila.	"	29.71	754.5	90	60	WSW	2	o	...	"	29.71	754.5	75	96	SE 1
Legaspi.	"	29.69	754.2	90	66	ENE	2	b	...	"	29.71	754.5	75	94	N 1
Taeloban.	"	"
Ilolo.	"	29.66	753.3	90	66	S	4	o	...	"
Surigao.	"	29.67	753.6	90	57	E	4	o	...	"
Guam.	12.20	29.73	755.1	NE	1	r	4.20	29.74	755.4	S 1	o
Yap.	12.47	29.69	758.2	E	4	o	4.47	29.75	755.7	0 1	b
Labuan.	14	29.71	754.6	88	69	N	2	o	6	29.71	754.6	78	94	SW 1	b

May 14d. 11h 05m. Pressure has increased considerably in extreme N.E. districts and slightly at Shanghai. It has decreased slightly to moderately at other reporting stations.

A trough of low pressure, in which a typhoon may form, extends from Indo-China to N.W. of the Bonins.

A feeble anticyclone is central to the east of Vladivostock.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 107.1 inches, against an average of 15.77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

DISTRICT.

FORECAST.

- | | | | |
|--|-----|---|---|
| 1.—Formosa Channel, | ... | { | Light, variable winds; fine to cloudy, fog later. |
| 2.—South coast of China between Hongkong and Lamoek. | ... | | |
| 3.—Hongkong to Gap Rock, | ... | | |
| 4.—South coast of China between Hongkong and Hainan, | ... | | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

14TH MAY, 1923.

STATION.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.
	Inches.	Mills.	Direc- tion.	Force.			Direc- tion.	Force.		Inches.	Mills.	Direc- tion.	Force.			Direc- tion.	Force.	
Wladivostock, .	12	30.05	763.3	59	...	WNW	3	o	...	6	30.17	766.2	42	o	b
Nemuro, .	11	30.06	763.5	NNE	4	5	30.20	670.0	NW	1	...
Hokodate,	30.08	764.0	ESE	4	30.16	766.0	ENE	1	...
Tokio, .	"	29.88	759.0	ENE	2	30.02	762.5	N	2	...
Koobi, .	"	29.74	755.5	SE	2	29.90	759.0	SW	1	...
Nagasaki, .	"	29.59	751.5	SE	8	29.76	756.0	NE	1	...
Kagoshima, .	"	29.67	753.5	ENE	4	29.76	756.0	N	1	...
Oshima, .	"	29.65	753.0	W	1	29.71	754.5	SSE	1	...
Naha, .	"	29.70	754.5	WSW	3	29.73	755.0	WNW	3	...
Ishigakijima, .	"	29.72	755.0	SSW	1	29.75	755.5	NE	4	...
Bonin Island, .	"	29.69	754.0	S	6	o	o	...
Weihaiwei, .	14
Hankow, .	15
Ichang, .	"
Changsha, .	"
Shanghai, .	12	29.78	756.3	70	57	NW	4	b	29.88	759.0	54	97	...	N	1	b
Gutzlaff, .	"	29.75	755.6	64	84	NNW	4	o	29.87	758.7	56	94	...	N	2	o
Sharp Peak, .	15	29.74	755.4	80	78	E	2	b	...	7	29.81	757.2	70	85	...	N	2	o
Amoy, .	14	29.63	752.6	78	85	SW	2	o	...	6	29.71	754.6	74	92	...	ENE	1	o
Swatow, .	"
Taihoku, .	12	29.75	755.	81	62	NNW	4	b	29.76	756.0	68	83	...	SE	2	h
Taihu, .	"	29.73	755.1	4	...	W	2	b	29.63	752.7	70	o	0	b
Tainan, .	"	29.72	754.	86	...	W	4	b	29.60	751.8	68	o	0	bf
Koshun, .	"	29.72	754.8	86	...	NW	4	b	29.53	750.0	70	o	0	o
Pescadores, .	"	29.75	755.7	81	...	WSW	2	b	29.62	752.4	73	NNE	2	o
Canton, .	15
Hongkong, .	14	29.61	753.9	85	58	W	2	o	29.70	754.4	74	95	...	o	0	bf
Gap Rock, .	"	29.69	754.1	SW	3	b	29.70	754.4	S	2	b
Macao, .	"	29.66	753.3	86	68	SSE	2	b	29.71	754.5	77	89	...	z	2	o
Wuchow, .	15	9
Pakhoi, .	"
Hoihow, .	"
Phulien, .	"	29.60	751.8	84	77	SSE	6	of	...	7	29.63	752.7	79	95	...	SE	6	of
Tourane, .	"	29.60	751.8	84	...	SSE	2	b	29.66	753.3	81	SSW	2	b
Cape St. James, .	"	86	...	S	2	b
Aparri, .	14	29.66	753.3	84	77	NNW	4	o	...	6	29.71	754.5	75	94	...	o	o	o
Dagupan, .	"
Manila, .	"	29.67	753.6	90	69	WSW	4	o	29.73	755.1	77	92	...	E	1	o
Legaspi, .	"	29.63	752.7	93	53	SW	29.73	755.1	77	94	...	NNW	1	b
Tacloban, .	"
Bohol, .	"	29.65	753.0	86	65	S	4	o	29.73	753.1	75	89	...	o	o	o
Surigao, .	"	29.67	753.6	90	66	o	o	o	29.72	754.8	75	85	...	o	o	o
Guam, .	12.20	29.72	754.8	W	2	o	...	4.20	29.75	755.7	E	1	o
Vap, .	12.47	29.72	754.8	E	4	b	...	4.47	29.76	756.0	NNE	2	o
Lubuan, .	14	29.71	754.6	86	76	NW	4	b	...	6	29.72	754.9	78	94	...	E	2	r

May 15d. 10h. 50m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 121° E., direction unknown.

May 15d. 11h. 34m.—Pressure has increased moderately over Japan and at Shanghai. It has decreased moderately over S. Formosa and slightly over Indo-China, and is nearly stationary over the Philippines.

Depression are shown over Indo-China, over the Eastern Sea and between Formosa and Luzon. The last named may be a typhoon. Its direction of motion is unknown at present.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 10.41 inches, against an average of 16.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

DISTRICT.

FORECAST.

- | | | |
|--|-----|--|
| 1.—Formosa Channel, . | ... | N.E. winds, freshening to a gale. |
| 2.—South coast of China between Hongkong and Lamock, . | ... | Light, variable winds, freshening from N.E.; fine to cloudy. |
| 3.—Hongkong to Gap Rock, . | ... | Light, variable winds. |
| 4.—South coast of China between Hongkong and Hainan, . | ... | Light, variable winds. |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	15TH MAY, 1923.						16TH MAY, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Millrs.			Direct- ion. Force.		Inches.	Millrs.			Direct- ion. Force.		
Wladivostock, .	12	6		
Nemuro:.....	11	30.20	767.0	NNW ESE	5	30.34	770.5	ESE ...		
Hokodate,	"	30.16	766.0	N WSW	4	30.22	767.5		
Tokio,.....	"	30.04	763.0	E SW	3	30.14	765.5	NNE ...		
Kochi,	"	29.96	761.0	E	1	29.94	760.5		
Nagasaki,	"	29.82	757.5	3	29.90	759.5	N ...		
Kagoshima,	"	2	29.86	758.5	NE ...		
Oshima,	"	29.74	755.5	NNW NW	2	29.80	757.0	SE ...		
Naha,	"	29.80	757.0	ENE	4	29.82	757.5	NN ...		
Ishigakijima,	"	29.82	757.5	ENE	4	29.86	758.5	SE ...		
Bonin Island,	"	29.78	756.5	WSW	1	29.86	758.5	S ...		
Weihaiwei,.....	14	2		
Hankow,	15	3		
Ichang,	"	4		
Changsha,	"	5		
Shanghai,	11	29.95	760.8	72	57	ENE	2	30.01	762.2	54	97	E ...		
Gutzlaff,	"	29.93	760.2	68	74	N	2	30.02	762.5	58	100	NE ...		
Sharp Peak,	15	29.83	757.7	80	91	E	1	29.91	759.7	69	75	E ...		
Amoy,	14	29.75	755.6	77	92	WSW	1	6		
Swatow,	"	2		
Taihoku,	12	29.82	757.5	82	63	ENE	4	b	29.89	759.3	63	88	E ...	
Taichu,	"	29.79	756.6	84	...	NW	2	b	29.81	757.2	68	
Tainan,	"	29.79	756.6	86	...	WSW	4	b	29.80	756.9	70	
Koshun,	"	29.78	756.3	84	...	NNW	2	b	29.81	757.2	72	
Pescadores,	"	29.82	757.5	82	...	NNW	4	b	29.84	757.8	73	...	NNE ...	
Canton,	15	2		
Hongkong,.....	14	29.73	755.1	83	75	E	2	c	29.79	756.6	77	84	E ...	
Gap Rock,	"	29.74	755.4	SSE	2	c	29.78	756.4	77	...	E ...	
Macao,	"	29.72	754.8	86	71	SE	2	b	29.76	756.0	77	88	SE ...	
Wuchow,	15	3		
Pakhoi,	"	4		
Hoihow,	"	5		
Phulien,	"	29.60	751.8	85	71	SE	4	bf	7	29.67	753.6	79	92	SE ...
Tourane,	"	29.65	753.0	84	...	NNE	2	b	29.69	754.2	79	...	W ...	
Cape St. James,	"	29.71	754.5	86	...	SSE	2	b	29.74	755.4	77	
Aparri,	14	29.72	754.8	86	68	NNW	4	o	6		
Dagupan,	"	5		
Manila,	"	29.71	754.5	90	66	WSW	4	o	7		
Legaspi,	"	29.66	753.3	93	57	WSW	2	b	29.76	756.0	77	
Tuloban,	"	2		
Hoilo,	"	29.63	753.9	86	65	S	4	o	7		
Surigao,	"	29.67	753.6	90	60	N	2	o	7		
Guam,	12.20	29.73	755.1	ENE	4	o	4.20	29.80	756.9	
Yap,	12.47	29.73	755.1	E	4	b	4.47	29.80	756.9	...	NE ...	
Labuan,	14	29.73	755.1	82	83	E	2	o	6	29.74	755.4	78	N ...	

May 16d. 10h. 45m.—Pressure has increased moderately to slightly in all districts. The existence of a typhoon indicated by the Formosa 6 a.m. observations yesterday was not confirmed by subsequent observations.

The Eastern Sea depression has moved eastward.

A shallow depression is still shown over Indo-China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 10.41 inches, against an average of 16.56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17th.

DISTRICT. FORECAST.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamock, { E. winds, moderate; cloudy, some rain later.
- 3.—Hongkong to Gap Rock,
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

16TH MAY, 1923.

17TH MAY, 1923.

STATION.	HONGKONG						HONGKONG								
	STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. AT 8H.	HUMIDITY.	WIND.	STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. AT 8H.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direct ion.	Force.		Inches.	Millrs.		Direct ion.	Force.	WEATHER.	
Vladivostock, .	12	6	
Nenaro, .	11	30.35	771.0	SE	3	5	30.32	770.0	...	SSE	4	...	
Hokodate, .	"	30.24	768.0	ESE	6	5	30.18	766.5	...	ESE	4	...	
Tokio, .	"	30.16	766.0	NE	4	"	30.18	766.5	...	N	4	...	
Kochi, .	"	29.94	760.5	SW	1	"	30.08	764.0	...	SW	1	...	
Nagasaki, .	"	29.90	759.5	ENE	3	"	30.02	762.5	0	...	
Kagoshima, .	"	29.90	759.5	NE	3	"	30.00	762.0	...	NNE	1	...	
Ishima, .	"	N	2	"	29.94	760.5	...	SE	1	...	
Naha, .	"	29.86	758.5	NNW	2	"	29.92	760.0	1	...	
Ishigakijima, .	"	29.92	760.0	NW	1	"	29.94	760.5	...	N	1	...	
Bonin Island, .	"	29.86	758.5	ENE	1	"	29.88	759.0	1	...	
Weihaiwei, .	14	"	
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	30.06	763.5	70	65	E	1	"	30.06	763.5	59	93	1	o	
Gutzlaff, .	"	30.07	763.8	68	79	N	1	"	30.09	764.3	58	94	2	o	
Sharp Peak, .	15	29.94	760.5	69	80	E	4	7	29.97	761.2	67	84	1	o	
Amoy, .	14	29.86	753.4	80	87	ENE	1	6	29.91	759.7	69	95	2	o	
Swatow, .	"	"	
Taihoku, .	12	29.93	760.2	79	61	ENE	6	b	29.92	759.9	66	88	4	b	
Taichu, .	"	29.86	753.4	84	...	NNW	4	b	29.93	759.9	68	...	0	b	
Tainan, .	"	29.86	754.4	84	...	W	4	b	29.88	759.0	70	...	1	b	
Koshun, .	"	29.87	753.7	75	...	ENE	4	o	29.88	759.0	73	...	2	b	
Pescadores, .	"	29.89	759.3	79	...	NNE	6	b	29.92	759.9	75	...	7	b	
Canton, .	15	"	
Hongkong, .	14	29.83	757.7	77	78	E	5	"	29.86	758.4	75	83	4	o	
Gap Rock, .	"	29.81	757.2	77	80	E	5	"	29.84	757.9	75	83	5	o	
Macao, .	"	29.79	756.6	79	80	E	4	"	29.79	756.6	75	85	4	o	
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.69	754.2	82	87	E	4	rf	29.82	757.5	70	98	4	rf	
Tourane, .	"	29.66	753.3	84	...	E	2	b	"	29.81	757.2	75	...	2	o
Cape St. James, .	"	29.73	755.1	90	...	SW	2	b	"	29.81	757.2	75	...	2	o
Aparri, .	14	29.76	756.0	86	61	NE	4	b	6	29.82	757.5	75	92	2	o
Dagupan, .	"	"	
Manila, .	"	29.73	755.1	90	69	SW	4	o	"	29.81	757.2	75	92	1	b
Legaspi, .	"	29.75	755.7	77	85	SSW	4	o	"	29.84	757.8	79	84	2	o
Tacloban, .	"	"	
Ililo, .	"	29.72	754.8	86	65	SW	4	o	"	29.80	756.9	77	86	2	o
Surigao, .	"	"	29.81	757.2	75	94	0	o	
Guam, .	12.20	4.20	29.84	757.8	2	o	
Yap, .	12.47	29.75	755.7	88	73	S	4	b	4.47	29.81	757.2	4	o
Labuan, .	14	29.73	755.1	88	73	E	2	b	6	29.78	756.4	80	91	2	b

May 17d. 11h. 30m. - Pressure has increased moderately to slightly at the majority of reporting stations.

The Eastern Sea depression has filled up.

A V-shaped depression is shown over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 10.41 inches, against an average of 16.97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

DISTRICT. FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, E. winds, fresh to moderate, squally; overcast, some rain.
- 3.—Hongkong to Gap Rock, N. winds, fresh to moderate, squally.
- 4.—South coast of China between Hongkong and Hainan, . Variable winds, moderate, squally.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	17TH MAY, 1923.							18TH MAY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		THER- MOMETER AT 8 A.M.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		THER- MOMETER AT 8 A.M.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direct. ion.	Force.		Inches.	Millrs.			Direct. ion.	Force.		
Wladivostock, .	12	30.01	762.3	62	...	WSW	3	b	6	30.00	761.9	51	...	S	4	0
Nemuro, .	11	30.26	763.5	SSE	4	...	5	30.04	763.0	SSW	3	1
Hokodate, .	"	30.10	764.5	E	6	...	"	SSW	1	1
Tokio, .	"	30.16	766.0	N	1	...	"	30.20	767.0	1
Kochi, .	"	30.04	763.0	SE	1	...	"	30.02	762.5	SW	1	0
Nagasaki, .	"	30.04	763.0	WSW	2	...	"	30.02	762.5	0
Kagoshima, .	"	30.02	762.5	NE	1	...	"	29.96	761.0	0
Oshima, .	"	29.96	761.0	NNW	1	...	"	29.92	760.0	NNE	0	0
Naha, .	"	29.96	761.0	NW	2	...	"	29.92	760.0	NNE	1	0
Ishigakijima, .	"	29.98	761.5	NE	1	...	"	29.92	760.0	0	0
Bonin Island, .	"	29.90	759.5	SW	1	...	"	29.90	759.5	0	0
Weihaiwei, .	14	"	0
Hankow, .	15	"	0
Ichang, .	"	"	0
Changsha, .	"	"	0
Shanghai, .	11	30.10	764.4	75	53	E	2	b	"	29.95	760.8	63	92	SE	1	0
Gutzlaff, .	"	30.07	763.8	64	84	ENE	2	b	"	29.98	761.5	60	100	SSE	2	0
Sharp Peak, .	15	29.98	761.5	75	75	S	4	bf	7	29.97	761.2	68	87	bt	0	0
Amoy, .	14	29.90	759.4	80	87	ENE	1	o	6	0
Swatow, .	"	"	0
Taihoku, .	12	29.97	761.1	81	62	NE	6	b	"	29.91	759.6	68	94	SE	2	b
Taichu, .	"	29.93	760.2	82	...	NNW	2	o	"	29.91	759.6	68	0	0
Tainan, .	"	29.91	759.6	86	...	WSW	4	b	"	29.88	759.0	70	...	NE	2	0
Koshun, .	"	29.93	760.2	82	...	ENE	4	o	"	29.88	759.0	72	0	b
Pescadores, .	"	29.95	760.8	79	...	NNE	6	b	"	29.91	759.6	72	...	NNE	4	b
Canton, .	15	"	0
Hongkong, .	14	29.90	759.4	75	84	E	4	od	"	29.85	758.2	74	91	E	2	0
Gap Rock, .	"	29.86	758.4	E	5	o	"	29.84	757.9	I SE	3	c
Macao, .	"	29.86	758.4	77	84	ESE	4	o	"	29.82	757.5	73	98	SSE	4	0
Wuchow, .	15	9	0
Pakhoi, .	"	"	0
Hoihow, .	"	"	0
Phulien, .	"	29.80	756.9	77	88	E	3	r	7	29.79	756.6	75	96	SE	4	0
Tourane, .	"	29.79	756.6	79	...	NW	4	o	"	29.80	756.9	77	...	WNW	2	b
Cape St. James, .	"	29.79	756.6	84	...	ESE	2	o	"	29.81	757.2	75	...	ENE	2	0
Aparri, .	14	29.84	757.8	81	80	NE	4	o	6	0
Dagupan, .	"	"	0
Manila, .	"	29.76	756.0	90	57	o	o	o	"	29.82	757.5	73	92	NE	1	b
Legaspi, .	"	29.78	756.3	90	66	NE	4	b	"	29.80	756.9	75	94	...	0	0
Tacloban, .	"	"	0
Ililo, .	"	29.74	755.4	90	55	NE	4	o	"	0
Surigao, .	"	29.76	756.0	84	71	NE	4	o	"	0
Guam, .	12.20	29.79	756.6	E	4	o	4.20	29.78	756.3	NE	2	0
Yap, .	12.47	29.78	756.3	ENE	2	o	4.47	29.78	756.3	ENE	4	0
Labuan, .	14	29.75	755.6	88	73	E	2	b	6	29.77	756.1	77	94	S	1	b

May 18d. 11h. 11m. Pressure has decreased moderately over N.E. Japan and at Shanghai, and slightly from the Visayas to Guam. It is nearly stationary elsewhere.

The depression in the China Sea has filled up.

A shallow depression lies over Indo-China and a feeble anticyclone over Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.32 inch. Total since January 1st, 10.37 inches, against an average of 17.38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

DISTRICT.

FORECAST.

- | | |
|---|--|
| 1.—Formosa Channel, . | N.E. winds, moderate. |
| 2.—South coast of China between Hongkong and Lamoeks, . | E. or variable winds, light to moderate; generally cloudy. |
| 3.—Hongkong to Gap Rock, . | |
| 4.—South coast of China between Hongkong and Hainau, . | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

18TH MAY, 1923.

19TH MAY, 1923.

STATION.	HONGKONG							HONGKONG								
	STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.	WEATHER.	STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.	WEATHER.		
	HONGKONG STANDARD TIME.	Inches.	Milhrs.	ATMOS.		Direct. ion.	Force.		HONGKONG STANDARD TIME.	Inches.	Milhrs.	ATMOS.	Humid.	Direct. ion.	Force.	WEATHER.
Vladivostock, .	12	SSE	1	...	6
Nemuro, .	11	30.00	762.0	SSE	2	...	5	30.00	762.0	SE	2	...
Hokodate, .	"	30.04	763.0	SSE	2	...	"	29.98	761.5	ESE	1	0
Tokio, .	"	30.06	763.5	SE	1	...	"	30.08	764.0	0	0
Kochi, .	"	30.04	763.0	WSW	1	...	"	29.96	761.0	SE	3	0
Nagasaki, .	"	29.94	760.5	SSE	1	...	"	29.96	761.0	0	0
Kagoshima, .	"	29.98	761.5	ESE	1	...	"	29.92	760.0	SE	1	0
Ushima, .	"	29.94	760.5	ESE	1	...	"	29.92	760.0	ENE	1	0
Naha, .	"	29.94	760.5	S	2	...	"	29.94	760.5	S	2	0
Ishigakijima, .	"	29.94	760.5	NNE	1	...	"	29.92	760.0	NE	3	0
Bonin Island, .	"	30.30	769.5	0
Weihaiwei, .	14	0
Hankow, .	15	0
Ichang, .	"	0
Changsha, .	"	0
Shanghai, .	11	29.93	760.2	73	62	SSE	2	o	"	29.81	757.2	66	98	SSE	1	r
Gutzlaff, .	"	29.90	759.4	64	95	SE	2	o	"	29.85	758.2	60	100	S	2	0
Sharp Peak, .	15	29.92	759.9	80	70	E	2	b	7	29.88	758.9	71	94	E	1	0
Amoy, .	14	29.83	757.7	77	92	WNW	2	b	6	0
Swatow, .	"	"	0
Taihoku, .	12	29.88	759.0	86	56	NW	2	b	"	29.87	758.7	70	94	S	2	0
Taichu, .	"	29.88	759.0	84	...	WNW	2	b	"	29.87	758.7	70	0	b
Tainan, .	"	29.88	759.0	86	...	W	4	b	"	29.86	758.4	72	0	b
Koshun, .	"	29.89	759.3	82	...	E	4	b	"	29.87	758.7	70	0	b
Pescadores, .	"	29.91	759.6	81	...	N	4	o	"	29.87	758.7	70	...	W	2	b
Canton, .	15	0
Hongkong, .	14	29.85	758.2	78	85	E	4	o	"	29.83	757.7	76	91	E	1	0
Gap Rock, .	"	29.84	757.9	ENE	4	cp	"	29.83	757.7	SE	3	0
Macao, .	"	29.81	757.2	82	81	SE	4	o	"	29.81	757.2	77	91	SE	4	0
Wuchow, .	15	9	0
Pakhoi, .	"	"	0
Hoihow, .	"	"	0
Phulien, .	"	29.71	754.5	84	81	SSE	6	o	7	29.72	754.8	79	95	SSE	6	of
Tourane, .	"	29.74	755.4	82	...	SE	2	b	"	29.78	756.3	75	...	SW	4	o
Cape St. James, .	"	29.78	756.3	82	...	ENE	2	o	"	29.81	757.2	75	...	ENE	2	o
Aparri, .	14	29.81	757.2	79	87	SE	4	r	6	29.81	757.2	75	96	...	0	b
Dagupan, .	"	"	0
Manila, .	"	29.76	756.0	77	85	ESE	1	o	"	29.79	756.6	75	94	NE	1	b
Legaspi, .	"	29.76	756.0	90	66	NNE	2	o	"	0
Tacloban, .	"	"	0
Iloilo, .	"	29.72	754.8	90	48	NE	4	o	"	0
Surigao, .	"	29.75	755.7	84	74	...	0	o	"	0
Guam, .	12.20	29.74	755.4	ENE	4	o	4.20	29.79	756.6	E	2	o
Yap, .	12.47	29.71	754.5	ENE	4	o	4.47	29.75	755.7	ENE	4	o
Latuan, .	14	29.76	755.9	86	76	N	2	b	6	29.75	755.6	78	91	E	2	b

May 19d. 10h. 35m.—Pressure has decreased moderately to slightly at the majority of reporting stations.

A feeble anticyclone covers Japan.

The Indo-China depression appears to have merged into a depression covering the whole of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1923, inches, against an average of 17.80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- S.E. winds, moderate; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	19TH MAY, 1923.							20TH MAY, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		
	Inches.	Millrs.	Direction.	Force.				Inches.	Millrs.	Direction.	Force.					
Vladivostock, .	12	29.89	759.1	67	...	N	4	6	29.81	757.1	48	...	E	3	r	
Nemuro, .	11	29.94	760.5	S	5	5	30.00	762.0	S	1	..	
Hokodate, .	"	29.96	761.0	SE	1	"	29.96	761.0	SE	1	..	
Tokio, .	"	30.02	762.5	SSE	4	"	30.02	762.5	0	..	
Kochi, .	"	30.02	762.5	SE	1	"	29.96	761.0	0	1	..	
Nagasaki, .	"	29.92	760.0	SSE	3	"	29.86	758.5	SW	1	..	
Kyushima, .	"	29.94	760.5	SE	1	"	29.92	760.0	SSE	0	..	
Oshima, .	"	29.90	759.5	N	1	"	29.90	759.5	0	..	
Naba, .	"	29.90	759.5	WNW	2	"	29.88	759.0	2	..	
Ishigakijima, .	"	29.90	759.5	SW	2	"	29.86	758.5	SW	1	..	
Bonin Island, .	"	29.92	760.0	ENE	1	"	29.98	761.5	ENE	1	..	
Weihaiwei, .	14	"	
Hankow, .	25	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	29.82	757.5	81	73	...	0	"	29.71	754.5	68	98	SE	1	b	
Gutzlaff, .	"	29.81	757.2	71	91	...	0	"	29.70	754.4	64	100	S	4	b	
Sharp Peak, .	15	29.83	757.7	81	78	S	1	7	29.80	756.9	75	100	SSW	2	b	
Amoy, .	14	29.79	756.6	84	68	SW	2	6	29.80	756.9	75	100	SSW	2	b	
Swatow, .	"	"	
Taihoku, .	12	29.87	758.7	86	58	E	2	b	"	29.84	757.8	70	94	...	0	h
Taichu, .	"	29.89	759.3	82	0	"	29.86	758.4	73	0	o	
Tainan, .	"	29.87	758.7	86	...	WSW	4	b	"	29.82	757.5	72	...	ESE	1	h
Koshun, .	"	29.88	759.0	84	...	ESE	2	b	"	29.85	758.1	72	0	b
Pescadores, .	"	29.91	759.6	82	...	WSW	2	o	"	29.84	757.8	77	...	SSW	4	b
Canton, .	15	"	29.83	757.7	75	95	SE	1	c	
Hongkong, .	14	29.81	757.2	82	75	ESE	2	o	"	29.83	757.7	77	92	...	0	c
Gap Rock, .	"	29.82	757.5	ESE	3	b	"	29.82	757.4	SE	3	b
Macao, .	"	29.80	756.9	86	75	SSE	2	b	"	29.80	756.9	77	92	SSE	4	o
Wuchow, .	15	9	
Pakhol, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.67	753.6	86	75	SSE	6	b	7	29.75	755.7	79	90	SSE	6	of
Tourane, .	"	29.75	755.7	84	...	E	2	b	"	29.80	756.9	79	0	h
Cape St. James, .	"	29.80	756.9	81	...	E	2	o	"	29.86	758.4	75	...	NE	2	b
Aparri, .	14	29.79	756.6	86	68	NE	4	b	6	29.82	757.5	75	94	...	0	b
Dagupan, .	"	"	
Manila, .	"	29.75	755.7	90	60	SE	2	o	"	29.82	757.5	73	92	...	0	o
Legaspi, .	"	29.80	756.9	90	66	ENE	2	o	"	29.80	756.9	75	94	...	0	o
Tacloban, .	"	"	
Illoilo, .	"	29.74	755.4	90	51	NE	4	o	"	29.78	756.3	79	92	N	2	o
Surigao, .	"	29.73	755.1	82	84	SSW	2	o	"	
Guam, .	12.20	29.76	756.0	ESE	4	r	4.20	
Yap, .	12.47	29.75	755.7	SE	4	b	4.47	
Labuan, .	14	29.74	755.4	88	69	E	2	b	6	29.78	756.4	78	94	E	2	b

May 20d. 12h. 35m.—Pressure has decreased moderately at Shanghai and Vladivostock. Changes are slight elsewhere.

A feeble anticyclone is central to the east of Tokio and a depression covers China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1923, inches, against an average of 18.22 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st. DISTRICT.

Forecast.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- S.E. winds, moderate; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG. DAILY WEATHER REPORT.

20TH MAY, 1923.

STATION.	HONGKONG STANDARD TIME,		BAROMETER AT SEA LEVEL,		TEMPER- ATURE, ATMOS.	HUMIDITY,	WIND.		WEATHER.	HONGKONG STANDARD TIME,		BAROMETER AT SEA LEVEL,		TEMPER- ATURE, ATMOS.	HUMIDITY,	WIND.		WEATHER.
	Inches.	Mills.					Direction.	Force.								Direction.	Force.	
Vladivostock, .	12	29.74	755.3	50	...		S	4	f	6	29.98	761.5	51	...		N	4	o
Kemuro, .	11	29.96	761.0		SE	2	...	5
Hokodate, .	"	29.90	759.5		E	1	...	"
Tokio, .	"	29.96	761.0		S	5	...	"
Kochi, .	"	29.98	761.5		SSE	1	...	"
Nagasaki, .	"	29.88	759.0		S	3	...	"
Kagoshima, .	"	29.92	760.0		SSE	1	...	"
Oshima, .	"	29.92	760.0		SE	2	...	"
Naha, .	"	29.92	760.0		WSW	2	...	"
Ishigakijima, .	"	29.90	759.5		SW	2	...	"
Bonin Island, .	"	29.98	761.5		E	1	...	"
Weihaiwei, .	14	"
Hankow, .	15	"
Chinang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.74	755.4	75	83		NNE	1	b	"	29.84	757.8	63	100	...	N	1	of
Gutzlaff, .	"	29.75	755.6	70	91		N	2	o	"	29.86	758.4	62	100	NNW	1	o	
Sharp Peak, .	15	29.78	756.4	83	75		S	4	b	7	29.79	756.6	76	91	...	0	...	
Amoy, .	14	29.79	756.6	86	96		SSW	1	b	6	
Swatow, .	"	"
Taihoku, .	12	29.87	758.7	84	71		WNW	2	o	"	29.84	757.8	72	95	...	c	o	
Taichu, .	"	29.88	759.0	84	...		WSW	2	b	"	29.86	758.4	70	0	b	
Taiman, .	"	29.88	759.0	86	...		SW	4	b	"	29.85	758.1	72	...	SE	4	b	
Koshum, .	"	29.89	759.3	84	...		S	4	b	"	29.87	758.7	72	...	SSW	4	b	
Pescadores, .	"	29.91	759.6	82	..		SW	4	b	"	29.86	758.4	77	
Canton, .	15	"
Hongkong, .	14	29.83	757.7	85	66		S	2	c	"	29.86	758.4	79	83	...	s	1	
Gap Rock, .	"	29.84	757.9	...			SSE	2	b	"	29.85	758.2	SW	2	b	
Macao, .	"	29.81	757.2	86	71		SSE	4	b	"	29.80	756.9	79	92	SW	4	o	
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.71	754.5	90	69		SSE	4	b	7	29.82	757.5	79	95	S	4	b	
Tourane, .	"	24.78	756.3	84	...		E	2	b	"	29.84	757.8	79	...	SW	2	b	
Cape St. James, .	"	29.79	756.6	84	...		NNE	2	b	"	29.86	758.4	75	...	ENE	2	o	
Aparri, .	14	29.78	756.3	90	63		NE	4	b	6	
Bagupan, .	"	"	
Manila, .	"	29.78	756.3	90	63		WSW	2	o	"	29.86	758.4	77	92	NE	1	o	
Legaspi, .	"	29.78	756.3	86	58		E	2	o	"	29.84	757.8	81	89	NE	2	o	
Iloilo, .	"	"	
Surigao, .	"	29.75	755.7	86	68		NE	4	o	"	
Guam, .	12.20	29.80	756.0	86	75		ENE	4	o	4.20	29.84	757.8	ENE	2	o	
Yap, .	12.47	29.79	756.6		NE	4	o	4.47	29.82	757.5	NE	2	o	
Lauhan, .	14	29.80	756.9	84	79		NW	2	b	6	29.80	756.9	73	90	E	2	b	

May 21st, 11h. 10m.—Pressure has increased moderately at Vladivostock and Shanghai, and slightly at other reporting stations.

A shallow depression is shown to the west of Tongking.

The Chinese depression has probably moved eastward.

Gradients appear to be shallow over S. China and the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 10.73 inches, against an average of 18.65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND. DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- Light, variable winds; fine.*

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	21ST MAY, 1923.							22ND MAY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL		TEMP. ATM.	Humid.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL		TEMP. ATM.	Humid.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.	
Vladivostock, .	12	29.99	761.8	65	...	NW	4	...	6	30.05	763.3	47	...	SE	4	o
Nemuro, .	14	29.63	752.5	NW	6	...	5
Hokodate, .	"	29.78	756.5	NW	1	...	"
Tokio, .	"	29.82	757.5	"
Kochi, .	"	29.82	757.5	SW	7	...	"
Nagasaki, .	"	29.78	756.5	SSW	1	...	"
Kagoshima, .	"	29.84	758.0	NNE	1	...	"
Oshima, .	"	29.86	758.5	SW	2	...	"
Naha, .	"	29.90	759.5	SW	3	...	"
Ishigakijima, .	"	29.88	759.0	SSW	2	...	"
Bonin Island, .	"	29.55	750.5	"
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"	29.84	757.8	64	96	SE	1	o
Shanghai, .	11	29.89	759.3	68	83	N	1	o	"	29.87	758.7	62	100	SSE	2	o
Gutzlaff, .	"	29.88	758.9	67	95	N	1	o	"	29.84	757.9	74	94	NE	2	of
Sharp Peak, .	15	29.77	756.1	80	89	S	4	o	7	29.76	755.9	77	95	SE	1	o
Amoy, .	14	29.72	754.9	86	80	WSW	2	b	6	29.76	755.9	77	95
Swatow, .	"	"
Taihoku, .	12	29.86	758.4	90	55	W	4	b	"	29.82	757.5	73	96	...	0	h
Taichu, .	"	29.88	759.0	86	...	S	4	b	"	29.82	757.5	75	0	0
Tainan, .	"	29.89	759.3	86	...	WSW	4	b	"	29.85	758.1	77	...	SSE	4	0
Koshun, .	"	29.87	758.7	86	...	SW	4	b	"	29.86	758.4	73	0	h
Pescadores, .	"	29.91	759.6	84	...	SSW	4	b	"	29.88	759.0	79	...	S	4	0
Canton, .	15	"
Hongkong, .	14	29.83	757.7	87	65	W	2	b	"	29.83	757.7	81	80	S	1	op
Gap Rock, .	"	29.86	758.4	SSW	2	b	"	29.83	757.7	SW	4	b
Macao, .	"	29.82	757.5	90	66	SW	2	b	"	29.80	756.9	79	90	SSW	4	b
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.74	755.4	86	71	SSE	4	b	7	29.78	756.3	79	95	SSE	4	bf
Tourane, .	"	29.79	756.6	70	...	SE	2	b	"	29.81	757.2	77	...	NNE	0	b
Cape St. James, .	"	29.80	756.9	84	...	ENE	4	o	"	29.85	758.1	79	...	ESE	2	0
Aparri, .	14	29.79	756.6	86	65	6	29.84	757.8	75	94	S	2	0
Dagupan, .	"	"
Manila, .	"	29.78	756.3	90	63	W	2	o	"	29.85	758.1	75	89	NE	1	0
Legaspi, .	"	29.80	756.9	90	63	ENE	4	b	"	29.82	757.5	79	89	NE	2	0
Tucloban, .	"	"
Ililo, .	"	29.78	756.3	86	65	N	4	o	"	29.80	756.9	81	80	N	2	0
Surigao, .	"	29.78	756.3	77	91	...	0	r	"
Guam, .	12.20	29.82	757.5	E	4	o	4.20	29.85	758.1	ENE	2	0
Yap, .	12.47	29.80	756.9	NW	1	o	4.47	29.81	757.2	ENE	4	0
Labuan, .	14	29.75	755.6	86	72	E	2	b	6	29.78	756.4	80	91	E	1	b

May 22d. 12h. 12m.—Pressure changes are small at all reporting stations.

Gradients are shallow from Shanghai to the Visayes.

A shallow depression is shown over S.W. China and an anticyclone over Manchuria.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1923, inches, against an average of 19.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD. DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamoeks, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- S. winds, moderate; fine.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	22ND MAY, 1923.							23RD MAY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEM- PERA- TUR. ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEM- PERA- TUR. ATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.01	762.2	49	...	SSE	5	o	6	29.77	756.1	44	...	SE	5	o
Nemuro,	11	30.18	766.5	SE	3	...	5
Hokodate,	"	30.14	765.5	ESE	6	...	"
Tokio,	"	30.02	762.5	NW	3	...	"
Kochi,	"	29.80	757.0	SE	1	...	"
Nagasaki,	"	29.82	757.5	W	2	...	"
Kagoshima,	"	29.82	757.5	W	1	...	"
Oshima,	"	29.84	758.0	S	1	...	"
Naha,	"	29.74	755.5	SSW	2	...	"
Ishigakijima,	"	29.88	759.0	SW	3	...	"
Bonin Island,	"	29.94	760.5	NNE	2	...	"
Weihaiwei,	14	"
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.84	757.9	70	82	ESE	1	o	"	29.69	754.1	66	100	SE	1	rf
Gutzlaff,	"	29.81	757.2	62	100	E	4	o	"	29.69	754.1	64	100	NNW	1	b
Sharp Peak,	15	29.80	756.9	82	83	E	2	o	7	29.75	755.6	78	91	S	4	b
Amoy,	14	29.73	755.1	86	76	SSW	2	b	6	29.72	754.9	78	92	S	4	...
Swatow,	"	"
Taihoku,	12	29.85	758.1	86	68	SW	2	o	"	29.75	755.7	75	98	...	0	of
Taichu,	"	29.86	758.4	86	...	WSW	2	o	"	29.82	757.5	72	0	b
Tainan,	"	29.86	758.4	86	...	SW	4	b	"	29.82	757.5	73	...	SE	4	b
Koshun,	"	29.87	758.7	86	...	SW	2	b	"	29.81	757.2	75	0	b
Pescadores,	"	29.88	759.0	86	...	SW	4	b	"	29.81	757.2	79	...	S	4	b
Canton,	15	"
Hongkong,	14	29.79	756.6	87	63	SW	2	c	"	29.78	756.4	81	83	SW	1	o
Gap Rock,	"	29.81	757.2	SW	4	b	"	29.79	756.6	S	4	o
Macao,	"	29.80	756.9	90	69	SW	4	o	"	29.76	756.0	79	61	SW	4	o
Wuchow,	15	9
Pakhoi,	"	"
Hoibow,	"	"
Phulien,	"	29.72	754.8	86	75	SSE	6	of	7	29.69	754.2	79	95	SSE	6	of
Tourane,	"	29.74	755.4	84	...	SE	2	b	"	29.78	756.3	79	...	WSW	4	b
Cape St. James, .	"	29.80	756.9	84	...	ESE	2	o	"	29.82	757.5	75	...	WNW	2	o
Aparri,	14	29.76	756.0	90	63	NE	4	b	6	29.81	757.2	77	92	S	2	b
Dagupan,	"	"
Manila,	"	29.75	755.7	90	63	W	2	o	"	29.82	757.5	77	88	NE	1	o
Legaspi,	"	29.78	756.3	90	69	NE	2	o	"	29.81	757.2	79	92	NE	2	o
Taeloban,	"	"	29.80	756.9	77	94	SSE	2	o
Illoilo,	"	29.75	755.7	84	74	N	4	o	"	29.76	756.0	77	88	S	4	o
Surigao,	"	29.75	755.7	79	92	NE	2	r	"
Guam,	12.20	29.79	756.6	NE	4	o	4.20	29.81	757.2	NE	4	r
Yap,	12.47	29.75	755.7	E	4	o	4.47	29.79	756.6	ENE	4	o
Labuan,	14	29.74	755.4	86	76	NW	2	b	6	29.80	756.9	76	91	NE	2	r

May 23d. 11h. 48m.—Pressure has decreased considerably at Wladivostock, moderately at Shanghai and slightly at other reporting stations.

The depression has deepened and now covers the whole of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 10.73 inches, against an average of 19.52 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

DISTRICT. FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lemocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- S. winds, moderate; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	23RD MAY, 1923.							24TH MAY, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL		TEMP. ATM.	HUMIDITY.	WIND.	HONGKONG STANDARD TIME.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL		TEMP. ATM.	HUMIDITY.	WIND.	
	Inches.	Mills.	Dir. ct.	Force.					Dir. ct.	Force.	Inches.	Mills.	Dir. ct.	Force.		
Wladivostock, .	12	29.70	754.5	45	SE	5	f	6	29.67	753.7	48	...	SE	5
Nemuro, .	11	30.06	763.5	SE	5
Hokodate, .	"	29.88	759.0	ESE	6
Tokio, .	"	29.92	760.0	N	1
Kochi, .	"	29.72	755.0	E	1
Nagasaki, .	"	29.69	754.0	SSE	1
Kagoshima, .	"	29.69	754.0	S	2
Oshima, .	"	29.76	756.0	SSW	3
Naha, .	"	29.82	757.5	SSW	5
Ishigakijima, .	"	29.82	757.5	SSW	1
Bonin Island, .	"	29.90	759.5	SSW	1
Weihaiwei, .	14
Hankow, .	15
Ichang, .	"
Changsha, .	"
Shanghai, .	11	29.71	754.5	73	79	...	o	o	29.59	751.6	66	100	E	1
Gutzlaff, .	"	29.69	754.1	73	86	...	N	1	o	...	29.59	751.6	64	100	ESE	1
Sharp Peak, .	15	29.68	753.9	84	79	...	S	4	b	7	29.65	753.1	78	91	S	2
Anoy, .	14	29.66	753.3	86	76	...	SSW	2	b	6	29.68	753.9	78	82	SW	1
Swatow, .	"
Taihoku, .	12	29.76	756.0	90	48	...	SW	2	b	...	29.69	754.2	75	94	...	0
Taichu, .	"	29.81	757.2	90	S	4	b	...	29.75	755.7	79	...	S	2
Tainan, .	"	29.82	757.5	90	WSW	4	b	...	29.76	756.0	77	...	SE	0
Koshun, .	"	29.82	757.5	86	W	4	b	...	29.75	755.7	79	...	W	2
Pescadores, .	"	29.82	757.5	86	S	4	o	...	29.75	755.7	79	...	S	4
Canton, .	15
Hongkong, .	14	29.75	755.7	87	62	...	SW	2	o	...	29.73	755.1	81	79	WSW	3
Gap Rock, .	"	29.75	755.7	S	4	b	...	29.71	754.6	SW	4
Maono, .	"	29.74	755.4	90	69	...	SW	4	b	...	29.69	754.2	79	90	SW	4
Wuchow, .	15	9
Pakhoi, .	"
Hohow, .	"
Phulien, .	"	29.65	753.0	90	72	...	SSE	6	b	...	29.65	753.0	81	96	SSE	6
Tourane, .	"	29.69	754.2	84	SE	4	b	...	29.69	754.2	82	...	0	b
Cape St. James, .	"	29.76	756.0	86	SSE	2	o	...	29.78	756.3	79	...	W	2
Aparri, .	14	29.73	755.1	90	66	...	NE	4	b	6	29.75	755.7	77	92	S	2
Dagupan, .	"
Manila, .	"	29.73	755.1	90	60	...	W	2	o	...	29.76	756.0	77	89	SE	1
Legaspi, .	"	29.76	756.0	86	71	...	NE	2	o	...	29.78	756.3	77	91	NE	2
Tacloban, .	"	29.78	756.3	81	80	...	SSE	2	r	...	29.75	755.7	75	96	...	0
Illoilo, .	"	29.72	754.8	86	65	...	NE	4	o	...	29.73	755.1	77	91	W	2
Surigao, .	"
Guam, .	12.20	29.75	755.7	E	4	o	4.20	29.76	756.0	NE	2
Yap, .	12.47	29.74	755.4	E	6	o	4.47	29.74	755.4	NE	0
Labuan, .	14	29.78	756.4	86	72	...	NE	2	o	6	29.75	755.6	78	94	E	4

May 24d. 11h. 20m.—Pressure has decreased moderately to slightly at all reporting stations.

A depression still covers China.

Gradients appear to be shallow over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 10.77 inches, against an average of 19.97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH DISTRICT.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- S. winds, moderate; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

24TH MAY, 1923.

25TH MAY, 1923.

STATION.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMIDIT.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMIDIT.	WIND.	WEATHER.	
	Inches.	Millrs.									Inches.	Millrs.					
Vladivostock, .	12	29.61	752.1	50	FSE	7	f	6	29.49	748.9	45	...	N	2	o
Namuro,	13	29.88	759.0	SE	1	..	5	29.90	759.5	NNE	1	..
Hokodate,	"	29.84	58.0	SE	3	..	"	29.71	54.5	E	4	..
Tokio,	"	29.80	757.0	E	1	..	"	29.73	755.0	N	2	..
Kochi,	"	29.72	755.0	E	1	..	"	29.67	753.5	SE	1	..
Nagasaki,	"	29.67	753.5	SW	5	..	"	29.80	757.0	WNW	1	..
Kagoshima,	"	29.70	754.5	SE	1	..	"	29.78	756.5	WNW	1	..
Oshima,	"	29.76	756.0	S	2	..	"	29.82	757.5	S	2	..
Naha,	"	29.80	757.0	SSW	3	..	"	29.86	758.5	SSW	2	..
Ishigakijima,	"	29.76	756.0	SW	5	..	"	29.82	757.5	SW	4	1
Bonin Island,	"	29.88	759.0	SW	2	..	"	29.94	760.5	SW	1	..
Weihaiwei,	14	"
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.63	752.7	73	82	W NW	1	r	"	29.8	759.3	61	85	ENE	1	b	
Gutzlaff,	"	29.65	753.1	70	95	WSW	1	o	"	29.89	759.2	63	83	E	2	o	
Sharp Peak,	15	29.67	753.6	86	80	S	2	b	7	29.81	757.2	75	90	NNE	1	o	
Amoy,	14	29.62	752.3	88	69	SW	2	b	6	29.68	753.9	80	87	SE	1	b	
Swatow,	"	"	
Taihoku,	12	29.69	754.2	93	46	WSW	4	b	"	29.81	757.2	77	89	SE	1	b	
Taichu,	"	29.78	756.3	90	...	SSW	4	b	"	29.81	757.2	73	...	SE	2	o	
Tainan,	"	29.79	756.6	86	...	SW	2	b	"	29.80	756.9	73	...	SE	2	b	
Koskun,	"	29.78	756.3	86	...	WNW	4	b	"	29.80	756.9	79	...	NW	2	b	
Pescadores,	"	29.80	756.9	86	...	SSW	4	b	"	29.79	756.6	79	...	SSW	4	b	
Canton,	15	"	
Hongkong,	14	29.73	755.1	87	67	WSW	3	o	"	29.76	755.9	80	82	SSW	1	o	
Gap Rock,	"	29.73	755.1	SW	4	b	"	29.76	755.9	SW	4	b	
Macao,	"	29.71	754.5	90	66	SSW	4	o	"	29.74	755.4	79	87	SW	4	o	
Wuchow,	15	"	
Pakhoi,	"	"	
Hoihow,	"	"	
Phulien,	"	29.58	751.2	90	63	SSE	6	b	7	29.67	753.6	81	94	SSE	2	of	
Tourane,	"	29.66	753.3	86	...	E	2	b	"	29.73	755.1	79	...	SW	2	b	
Cape St. James,	"	29.71	754.5	90	...	WSW	2	r	"	29.78	756.3	77	...	WNW	1	o	
Aparri,	14	29.73	755.1	93	50	SE	2	o	6	29.79	756.6	77	91	SW	2	o	
Dagupan,	"	"	
Manila,	"	29.69	754.2	90	60	W	2	o	"	29.79	756.6	75	96	NE	1	o	
Legaspi,	"	29.73	755.1	86	71	ESE	2	o	"	29.78	756.3	77	89	NNE	2	o	
Tacloban,	"	29.61	754.2	84	72	SSE	2	o	"	
Hailor,	"	29.69	754.2	81	86	NE	6	o	"	29.72	754.8	75	96	N	2	o	
Surigao,	"	"	
Quam,	12.20	29.74	755.4	NE	4	o	4.20	29.80	756.0	NE	2	o	
Iap,	12.47	29.71	754.5	E	4	o	4.47	29.76	756.0	E	4	o	
Labuan,	14	29.74	755.4	86	76	N	2	b	6	29.75	755.6	78	94	E	1	b	

May 25d. 11h. 15m. Pressure has increased considerably at Shanghai, and decreased moderately from Vladivostok to central and N.E. Japan. It has increased slightly at other reporting stations.

The Chinese depression is now shown as a V-shaped depression over the Sea of Japan.

A depression remains over S.W. China.

Gradients are still shallow over the China Sea and the Philippines.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inch. Total since January 1st, 10.79 inches, against an average of 20.43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

DISTRICT.

FORECAST.

- | | |
|--|---|
| 1.—Formosa Channel, | S. to S.E. winds, moderate; fair at first, some rain later. |
| 2.—South coast of China between Hongkong and Lamock, | { |
| 3.—Hongkong to Gap Rock, | } |
| 4.—South coast of China between Hongkong and Hainan, | } |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	25TH MAY, 1923.							26TH MAY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDT.	WIND.		WEATHER.
	Hours.	Inches.	Mills.			Direction.	Force.		Hours.	Inches.	Mills.			Direction.	Force.	
Vladivostock, .	12	29.55	750.6	61	...	NE	4	b	6	29.80	756.8	53	...	SW	2	..
Nemuro, .	11	29.84	758.0	ENE	2	..	5	29.80	757.0	SW	2	..
Hokodate, .	"	29.67	753.5	ESE	7	..	"	29.86	758.5	SSE	1	..
Tokio, .	"	29.69	754.0	NNW	3	..	"	30.04	763.0	E	1	..
Kochi, .	"	29.76	756.0	SE	1	..	"	29.96	761.0	SW	1	..
Nagasaki, .	"	29.84	758.0	SW	2	..	"	29.96	761.0	SW	1	..
Kagoshima, .	"	29.86	758.5	NW	1	..	"	29.96	761.0	NW	1	..
Oshima, .	"	29.86	758.5	W	1	..	"	29.94	760.5	SSE	1	..
Naha, .	"	29.92	760.0	S	3	..	"	29.96	761.0	S	1	..
Ishigakijima, .	"	29.90	759.5	SSW	3	..	"	29.92	760.0	SSW	2	..
Bonin Island, .	"	29.94	760.5	WSW	1	..	"	30.00	762.0	WSW	1	..
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.93	760.2	75	49	ESE	2	b	"	29.80	756.9	66	94	SSE	2	o
Gutzlaff, .	"	29.95	760.7	67	84	SE	2	o	"	29.83	757.7	66	100	S	4	o
Sharp Peak, .	15	29.85	758.2	82	81	E	4	b	"	29.89	759.2	74	90	of	0	b
Amoy, .	14	29.72	754.9	86	76	SSW	2	b	6	29.81	757.2	78	95	SSW	1	b
Swatow, .	"	"
Taihoku, .	12	29.85	758.1	90	60	N	2	b	"	29.88	759.0	73	94	...	0	b
Taichu, .	"	29.85	758.1	90	...	NNW	2	b	"	29.88	759.0	73	0	o
Tainan, .	"	29.85	758.1	90	...	SW	4	b	"	29.86	758.4	75	...	E	4	o
Koshun, .	"	29.87	758.7	90	...	S	2	b	"	29.89	759.3	79	...	ESE	2	b
Pescadores, .	"	29.87	758.7	86	...	SW	4	b	"	29.87	758.7	79	...	SSE	4	b
Canton, .	15	"	29.83	757.7	77	95	E	1	b
Hongkong, .	14	29.78	756.4	88	65	S	2	o	"	29.84	757.9	81	83	S	1	o
Gap Rock, .	"	29.79	756.6	S	4	o	"	29.84	757.9	S	4	o
Macao, .	"	29.76	756.0	90	69	SSE	4	o	"	29.82	757.5	79	92	SSE	4	o
Wuchow, .	15	"	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.63	752.7	86	61	SSE	6	o	"	29.76	756.0	77	89	
Tourane, .	"	29.68	753.9	86	...	SE	1	o	"	29.82	757.5	
Cape St. James, .	"	29.75	755.7	86	...	SSE	2	o	"	29.76	755.9	77	94	
Aparri, .	14	29.79	756.6	90	55	S	2	o	"	29.80	756.9	75	91	SE	1	o
Dugupan, .	"	"	29.80	756.9	75	91	SE	1	o
Manila, .	"	29.73	755.1	90	57	E	4	o	"	29.80	756.9	75	91	SE	1	o
Legaspi, .	"	29.73	755.1	82	84	NE	4	o	"	29.80	756.9	75	91	SE	1	o
Tacloban, .	"	"	29.80	756.9	75	91	SE	1	o
Iloilo, .	"	29.68	753.9	86	75	SW	6	o	"	29.76	756.0	77	89	...	0	o
Surigao, .	"	29.69	754.2	90	72	ENE	4	o	"	29.76	756.0	77	89	...	0	o
Guam, .	12.20	29.75	755.7	ENE	4	o	4.20	29.82	757.5	ENE	2	o
Yap, .	12.47	29.72	754.8	ENE	6	b	4.47	29.81	757.2	NE	6	o
Labuan, .	14	29.75	755.6	88	73	E	2	b	6	29.76	755.9	77	94	SE	2	b

May 26d. 10h. 45m. Pressure has increased considerably over central Japan and moderately to slightly at other reporting stations, except at Shanghai where it has decreased slightly.

Gradients remain shallow over the China Sea and the Philippines.

The V-shaped depression has passed into the Pacific.

A feeble anticyclone is central between Tokio and the Bonins.

A depression appears to be forming over China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inch. Total since January 1st, 1923, 10.89 inches, against an average of 20.90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH. DISTRICT.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- S. winds, moderate; fine.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

26TH MAY, 1923.

STATION.	HONGKONG STANDARD TIME.						BAROMETER AT SEA LEVEL.			HONGKONG STANDARD TIME.						BAROMETER AT SEA LEVEL.		
	Inches.	Millrs.	TEMPER- ATURE.	HUMIDITY.	WIND.	Dir- ec- tion.	Force.	WEATHER.	Inches.	Millrs.	TEMPER- ATURE.	HUMIDITY.	WIND.	Dir- ec- tion.	Force.	WEATHER.		
Vladivostock, .	12	29.75	755.7	60	...	SSE	2	o	6	29.76	755.8	48	...	SW	3	o		
Nemuro, .	11	5	29.96	761.0	ENE	4	o		
Hokodate,	29.92	760.0		
Tokio, .	"	29.90	759.5	o	...		
Kochi, .	"	29.84	758.0	WSW	1	...		
Nagasaki, .	"	29.78	756.5	SW	8	...		
Kagoshima, .	"	29.84	755.0		
Oshima, .	"	29.88	759.0	S	0	...		
Naha, .	"	29.92	760.0	SSW	1	...		
Ishigakijima, .	"	29.90	759.5	WSW	2	...		
Bonin Island, .	"	29.94	760.5	WSW	1	...		
Weihaiwei, .	14		
Hankow, .	15		
Ichang, .	"		
Changsha, .	"		
Shanghai, .	11	29.78	756.4	82	67	SSW	2	b	29.73	755.1	70	98	NW	1	o			
Gutzlaff, .	"	29.77	756.1	73	86	S	4	b	29.76	755.9	70	95	NE	2	o			
Sharp Peak, .	15	29.97	761.2	88	73	E	2	b	29.83	757.7	80	82	S	1	b			
Anoy, .	14	29.81	757.2	88	73	SSW	1	b	29.80	756.9	78	86	SSW	1	b			
Swatow, .	"		
Taihoku, .	12	29.91	759.6	90	66	NNW	4	b	29.85	758.1	73	98	...	0	b			
Taichu, .	"	29.89	759.3	90	...	SW	4	b	29.86	758.4	73	0	b			
Tainan, .	"	29.91	759.6	90	...	W	2	b	29.81	757.2	73	...	E	2	b			
Koshun, .	"	29.92	759.9	90	...	ESE	4	b	29.85	758.1	79	...	E	2	b			
Pescadores, .	"	29.92	759.9	86	...	S	6	b	29.82	757.5	79	...	SSE	2	b			
Canton, .	15	29.78	756.4	90	66	SSW	2	o	29.82	757.5	70	95	...	0	b			
Hongkong, .	14	29.83	757.7	86	66	E	3	c	29.80	756.9	86	87	ESE	3	b			
Gap Rock, .	"	29.82	757.4	SE	4	b	29.80	756.9	SE	2	b			
Macao, .	"	29.81	757.2	90	66	SE	4	b	29.80	756.9	84	77			
Wuchow, .	15	9			
Pakhoi, .	"			
Heihow, .	"			
Phulien, .	"	29.67	753.6	90	69	SSE	6	of	7	29.74	755.4	77	96	NE	2	of		
Tourane, .	"	29.74	755.4	86	...	SE	2	o	29.76	756.0	77	...	WSW	2	o			
Cape St. James, .	"	29.74	755.4	86	...	SW	2	b	29.78	756.3	77	0	o			
Aparri, .	14	29.78	756.3	90	66	NE	2	b	6			
Dagupan, .	"			
Manila, .	"	29.74	755.4	90	57	ESE	4	o	29.79	756.6	75	89	E	1	o			
Legaspi, .	"	29.75	755.7	86	71	E	2	o	29.81	757.2	77	94	...	0	b			
Tacloban, .	"			
Ililo, .	"	29.72	754.8	82	81	NE	2	o			
Surigao, .	"	29.75	755.7	90	66	ENE	4	o			
Guam, .	12.20	29.78	756.3	E	4	o	4.20	29.76	756.0	NE	2	o		
Yap, .	12.47	29.73	755.1	ENE	4	o	4.47	29.75	755.7	NE	4	o		
Lubuan, .	14	29.74	755.4	88	73	NW	1	b	6	29.75	755.6	81	95	NE	2	b		

May 27d. 11h. 43m.—Pressure is highest from the Bonins to Hokkaido. It has decreased moderately over central and S.W. Japan, and slightly from Shanghai to Formosa and the Loochoos and from Guam to Yap. It is nearly stationary from the Philippines to Indo-China.

The Chinese depression is moving eastward, leaving a separate depression over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 10.89 inches, against an average of 21.38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH. DISTRICT.

E. or variable winds, moderate; fine.

- 1. Formosa Channel, .
- 2. South coast of China between Hongkong and Lamocks, .
- 3. Hongkong to Gap Rock, .
- 4. South coast of China between Hongkong and Hainan, .

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	27TH MAY, 1923.							28TH MAY, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMIDITY.	WIND.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMIDITY.	WIND.	WEATHER.	
		Inches.	Mills.			Direction.	Force.		Inches.	Mills.			Direction.	Force.	
Vladivostock, .	12	29.66	753.3	49	...	SW	3	0	6	29.56	750.9	50	...	0	
Nemuro, .	11	29.98	761.5	SE	4	...	5	29.61	752.0	...	ESE	6	
Hokodate, .	"	29.84	758.0	E	6	...	"	29.39	746.5	...	S	1	
Tokio, .	"	29.82	757.5	S	1	...	"	29.53	750.0	...	NNE	1	
Kochi, .	"	29.78	756.5	0	...	"	29.73	755.0	...	SW	1	
Nagasaki, .	"	29.74	755.5	SW	7	...	"	29.84	758.0	1	
Kagoshima, .	"	29.82	757.5	SSW	3	...	"	29.82	757.5	...	NW	1	
Oshima, .	"	29.86	758.5	SSW	3	...	"	29.84	758.0	...	NNW	1	
Naha, .	"	29.92	760.0	SSW	2	...	"	29.88	759.0	...	S	1	
Ishigakijima, .	"	29.92	760.0	SSW	3	...	"	29.86	758.5	...	S	1	
Bonin Island, .	"	29.92	760.0	WSW	1	...	"	29.86	758.5	...	NW	1	
Weihaiwei, .	14	"	
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	29.80	756.9	68	92	N	4	o	"	29.98	761.5	63	98	ESE	1
Gutzlaff, .	"	29.78	756.4	63	100	N	4	r	"	29.98	761.5	63	91	E	1
Sharp Peak, .	15	29.79	756.6	90	70	S	2	b	7	29.89	759.2	74	86	NE	4
Amoy, .	14	29.75	755.6	86	68	SSE	4	b	6	29.76	755.9	80	87	SSW	1
Swatow, .	"	"	
Taihoku, .	12	29.87	758.7	86	68	NW	2	b	"	29.84	757.8	75	92	...	b
Taichu, .	"	29.87	758.7	90	...	NNW	2	b	"	29.80	756.9	75	...	0	b
Tainan, .	"	29.86	758.4	90	...	W	4	b	"	29.78	756.3	75	...	0	b
Koshun, .	"	29.87	758.7	86	...	E	4	b	"	29.80	756.9	77	...	ESE	2
Pescadores, .	"	29.88	759.0	86	...	S	4	b	"	29.80	756.9	79	...	SSW	4
Canton, .	15	29.77	756.1	92	61	SW	1	c	"	29.76	755.9	77	95	ENE	1
Hongkong, .	14	29.79	756.6	87	69	E	3	b	"	29.74	755.4	80	87	E	1
Gap Rock, .	"	29.79	756.6	E	3	b	"	29.74	755.4	E	3
Macao, .	"	29.79	756.6	90	60	SE	2	b	"	29.78	756.4	79	89	...	2
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.69	754.2	86	81	SSE	6	of	7	29.73	755.1	79	92	NE	2
Tourane, .	"	29.72	754.8	84	...	SE	2	o	"	29.66	753.3	79	...	NW	2
Cape St. James, .	"	29.71	754.5	86	...	W	2	o	"	29.67	753.6	79	...	SW	4
Aparri, .	14	29.75	755.7	90	57	S	2	o	6	29.76	756.0	77	88	S	2
Dagupan, .	"	"	
Manila, .	"	29.73	755.1	90	51	SE	2	o	"	29.74	755.4	75	91	...	0
Legaspi, .	"	29.74	755.4	90	69	NE	4	b	"	
Tacloban, .	"	"	29.75	755.7	75	96	...	0
Ilollo, .	"	29.72	754.8	86	65	SW	4	o	"	29.75	755.7	77	91	N	2
Surigao, .	"	29.73	755.1	84	77	N	2	o	"	29.74	755.4	75	96	...	0
Guam, .	12.20	29.73	755.1	NE	4	o	4.20	29.73	755.1	ENE	0
Yap, .	12.47	29.72	754.8	ENE	4	o	4.47	29.71	754.5	NE	2
Labuan, .	14	29.78	754.4	90	70	NW	2	b	6	29.73	755.1	80	91	N	1

May 28d. 11h. 50m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 111° E., direction unknown.

May 28d. 11h. 50m.—Pressure has increased considerably at Shanghai and decreased considerably over N.E. Japan. It has decreased slightly at other reporting stations.

A somewhat deep depression covers N.E. Japan.

A depression, which may become a typhoon, has formed to the south of the Paracels. Its direction of motion is unknown at present.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 10.89 inches, against an average of 21.86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

DISTRICT.

FORECAST.

- | | | | |
|---|-----|---|---|
| 1.—Formosa Channel, . | ... | { | E. winds, moderate; fine at first, some rain later. |
| 2.—South coast of China between Hongkong and Lamocks, . | ... | | |
| 3.—Hongkong to Gap Rock, . | ... | | |
| 4.—South coast of China between Hongkong and Hainan, . | ... | | |

ROYAL OBSERVATORY, HONGKONG DAILY WEATHER REPORT.

28TH MAY, 1923.

29TH MAY, 1923.

STATION.	HONGKONG		WEATHER.	HONGKONG		WEATHER.	HONGKONG		WEATHER.
	STANDARD	AT SEA LEVEL.		STANDARD	AT SEA LEVEL.		STANDARD	AT SEA LEVEL.	
	Time.	Inches.	Mills.	Time.	Inches.	Mills.	Time.	Wind.	Wind.
Vladivostock, .	12	29.54	750.4	33	W	5	SW
Nenoro, .	11	29.78	756.5	SSE
Hakodate, .	"	29.55	750.5	WNW	5	..
Tokio, .	"	29.59	751.5	N	2	..
Kochi, .	"	29.76	756.0	W	3	..
Nagasaki, .	"	29.90	759.5	WSW	1	..
Kagoshima, .	"	29.88	759.0	NNW	1	..
Oshima, .	"	N	2	..
Naha, .	"	29.90	759.5	SSW	2	..
Ishigakijima, .	"	29.88	759.0	SSW	2	..
Beniu Island, .	"	29.88	752.0	WNW	1	..
Weihaiwei, .	14
Hankow, .	15
Chang, .	"
Changsha, .	"
Shanghai, .	11	30.04	762.9	66	87	..	S	1	..
Gatzlaff, .	"	30.00	762.0	63	91	..	SW	1	..
Sharp Peak, .	15	29.86	758.4	72	85	..	NNE	4	..
Anoy, .	14	29.71	754.6	69	65	..	SSW	2	..
Swatow, .	"
Taihoku, .	12	29.84	757.8	90	60	..	NW	2	..
Taichu, .	"	29.82	757.5	90	NW	4	..
Fanfan, .	"	29.81	757.2	90	W	4	..
Keshun, .	"	29.82	757.5	80	E	4	..
Pescadores, .	"	29.82	757.5	90	S	6	..
Canton, .	15	29.71	754.6	91	61	..	S	2	..
Hongkong, .	14	29.73	755.1	86	68	..	E	3	..
Gap Rock, .	"	29.75	755.6	E	3	..
Macao, .	"	29.79	756.6	93	67	..	ESE	3	..
Wuchow, .	15	SSE	2	..
Pakhoi, .	"
Hohow, .	"
Phulien, .	"	29.67	753.6	90	57	..	SSE
Tourane, .	"	29.65	753.0	73	WNW	4	..
Cape St. James, .	"	29.65	753.0	84	SW	4	..
Aparri, .	14	29.71	754.8	90	60	..	E	4	b
Lagupan, .	"	4	..
Manila, .	"	29.68	753.9	90	55	..	ESE	4	..
Legaspi, .	"	29.71	754.5	84	74	..	NE	4	..
Tacloban, .	"	29.72	754.8	79	NE	4	..
Hollo, .	"	29.67	753.6	86	92	..	S	2	..
Surigao, .	"	61
Guam, .	12.20	29.74	755.4	ENE	4	..
Yap, .	12.47	29.68	753.9	NE	2	..
Labuan, .	14	29.69	754.1	88	76	..	NE	1	b

May 29d. 12h. 15m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 111° E., stationary or very slow.

May 29d. 12h. 55m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 60 miles of Lat. 16° N. Long. 110° E., moving N.W.

May 29d. 12h. 14m.—Pressure is probably highest over S.W. Japan. It has increased slightly at Vladivostock, and is nearly stationary over Kwangtung, Formosa and the Philippines. It has decreased slightly at other reporting stations.

At 6 a.m. this morning the depression or typhoon appeared to be near Lat. 16° N. and Long. 110° E. moving N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inch. Total since January 1st, 10.94 inches, against an average of 22.34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lameoks,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan,
- E. winds, moderate; fine at first, some rain later.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG

DAILY WEATHER REPORT.

STATION.	29TH MAY, 1923.							30TH MAY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.
		Hours.	Inches.	Millib.		Direct- ion.	Force.		Hours.	Inches.	Millib.			Direct- ion.	Force.	
Wladivostock, .	12	29.64	752.9	63	...	SW	5	c	6	29.71	754.7	53	...	N	2	c
Nemuro, .	11	29.57	751.0	SSW	6	...	5	29.82	757.5	W	1	...
Hokodate, .	"	29.67	753.5	SW	7	...	"	29.86	758.5	0	...
Tokio, .	"	29.92	760.0	S	8	...	"	29.94	760.5	0	...
Kochi, .	"	29.94	760.5	SE	1	...	"	29.90	759.5	0	...
Nagasaki, .	"	20.92	760.0	SE	2	...	"	29.80	757.0	ESE	1	...
Kagoshima, .	"	29.92	760.0	SSE	1	...	"	29.78	756.5	0	...
Oshima, .	"	29.76	756.0	ESE	2	...	"	29.84	758.0	SSE	2	...
Naha, .	"	29.88	759.0	ESE	3	...	"	29.88	759.0	SSW	1	...
Ishigakijima, .	"	29.76	756.0	SSW	3	...	"	29.86	758.5	SSW	2	...
Bonin Island, .	"	29.94	760.5	SSW	1	...	"	30.00	762.0	0	...
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Chengsha, .	"	"
Shanghai, .	11	29.87	758.7	63	94	E	2	r	"	29.84	757.8	61	98	S	1	r
Gutzlaff, .	"	29.83	757.7	62	94	SE	4	n	"	29.85	758.2	60	94	ENE	2	o
Sharp Peak, .	15	29.82	757.4	80	74	SSE	2	b	"	29.79	756.6	77	91	...	0	b
Amoy, .	14	29.74	755.4	82	75	SSW	1	o	"	29.77	756.1	80	87	...	0	e
Swatow, .	"	"
Taihoku, .	12	29.84	757.8	86	71	NW	2	o	"	29.81	757.2	73	92	SSW	2	b
Taichu, .	"	29.82	757.5	90	...	WNW	2	b	"	29.84	757.8	75	0	b
Tainan, .	"	29.81	757.2	90	...	WNW	4	b	"	29.79	756.6	73	...	SE	2	b
Koshun, .	"	29.84	757.8	86	...	E	4	o	"	29.80	756.9	77	...	E	2	r
Pescadores, .	"	29.86	758.4	86	...	NE	4	b	"	29.80	756.9	79	...	SSE	4	b
Canton, .	15	29.71	754.6	92	57	S	2	c	"	29.74	755.4	77	91	E	1	b
Hongkong, .	14	29.74	755.4	85	68	E	3	h	"	29.73	755.1	81	87	E	2	o
Gap Rock, .	"	29.74	755.4	E	2	b	"	29.71	754.6	ESE	4	o
Macao, .	"	29.72	754.8	93	64	ESE	2	o	"	29.69	754.2	81	89	ESE	4	o
Wuchow, .	15	"	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.63	752.7	86	65	ESE	4	o	7	29.66	753.3	79	90	NE	4	b
Tourane, .	"	29.53	750.0	77	...	NNW	6	o	"	29.46	748.2	75	...	NW	8	r
Cape St. James, .	"	29.63	752.7	77	...	W	7	o	"	29.67	753.6	79	...	SW	4	o
Aparri, .	14	29.72	754.8	90	63	E	4	b	6	29.76	756.0	77	88	S	2	b
Lagupan, .	"	"
Manila, .	"	29.71	754.5	86	65	WSW	4	o	"	29.76	756.0	73	98	E	1	o
Legaspi, .	"	29.71	754.5	86	75	NE	2	o	"	29.76	756.0	77	92	E	2	o
Tacloban, .	"	"	29.74	755.4	77	96	WNW	2	o
Ililo, .	"	29.67	753.6	86	61	NE	4	o	"	29.72	754.8	77	91	N	4	o
Surigao, .	"	29.68	53.9	82	81	NNE	1	o	"
Guam, .	12.20	29.71	754.5	ENE	4	o	4.20	29.73	755.7	ENE	2	o
Yap, .	12.47	29.63	752.7	ENE	4	o	4.47	29.69	754.2	E	6	o
Labuan, .	14	29.67	753.6	88	73	NE	2	b	6	29.72	754.9	78	94	E	2	b

May 29th, 19h. 5m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 16° N. Long. 110° E., moving W.N.W.

May 30th, 11h. 35 m.—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 60 miles of Lat. 16° N. Long. 109° E., moving West.

May 30th, 11h. 33m. Pressure is highest to the N.E. of the Bonins. It has increased considerably over N.E. Japan and decreased moderately over S.W. Japan and at Tourane. Changes are slight elsewhere.

A V-shaped depression covers Korea and the Sea of Japan.

The typhoon in the China Sea is moving westward. It will probably pass near Tourane this evening.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.55 inch. Total since January 1st, 1149 inches, against an average of 2283 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st. DISTRICT.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamecks, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- E. winds, moderate; variable, occasional rain.
- N.E. to E. winds, strong, moderating.

T. F. CLAXTON Director

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

30TH MAY, 1923.

31ST MAY, 1923.

STATION.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
	Inches.	Milrs.	Direct- ion.	Force.				Inches.	Milrs.	Direct- ion.	Force.				WEATHER.		
Vladivostock, .	12	29.76	756.0	49	...		SE	4	r	6	29.97	761.1	47	...	SW	2	r
Nemuro, .	11	29.84	758.0	...			S	0	...	5	30.02	762.5	NE	4	..
Hokodate, .	"	29.80	757.0	...			SE	1	..	"	29.84	758.0	E	1	..
Tokio, .	"	29.94	760.5	...			SE	1	..	"	29.86	758.5	0	..
Kochi, .	"	29.86	758.5	...			WSW	1	..	"	29.84	758.0	WSW	1	..
Nagasaki, .	"	29.82	757.5	...			W	1	..	"	29.88	759.0	NNW	1	..
Kagoshima, .	"	"	29.84	758.0
Okima, .	"	29.88	759.0	...			SSW	2	..	"	29.88	759.0	S	0	..
Naha, .	"	29.90	759.5	...			SSW	2	..	"	29.90	759.5	SSW	2	..
Ishigakijima, .	"	29.88	759.0	...			SSW	2	..	"	29.88	759.0	0	..
Bonin Island, .	"	29.98	761.5	...			E	1	..	"	30.02	762.5	0	..
Weihaiwei, .	14	"
Hankow, .	15	"
Jehang, .	"	"
Changsha, .	"	"	29.92	759.9	63	94	NNE	1	r
Shanghai, .	11	29.88	759.0	64	92		S	1	r	"	29.91	759.7	62	100	NNE	2	rf
Gmzlaff, .	"	29.87	758.7	62	100		SE	1	r	"	29.84	757.9	80	91	N	1	o
Sharp Peak, .	15	29.79	756.6	86	76		S	4	b	7	29.78	756.4	80	92	...	0	o
Amoy, .	14	29.73	755.1	86	76		SSW	1	b	6	29.78	757.2	81
Swatow, .	"	"
Taihoku, .	12	29.82	757.5	90	60		NNW	2	b	"	29.84	757.8	75	88	SSW	2	b
Taichu, .	"	29.81	757.2	90	..		NW	2	b	"	29.85	758.1	73	0	b
Tainan, .	"	29.81	757.2	90	..		WSW	7	b	"	29.82	757.5	75	..	ESE	2	b
Koshun, .	"	29.84	757.8	84	..		E	2	o	"	29.82	757.7	77	..	E	2	b
Pescadores, .	"	29.82	757.5	86	..		S	6	b	"	29.81	757.2	81	..	SSE	4	b
Canton, .	15	29.75	755.6	90	66		...	2	o	"	29.79	756.6	77	91	ENE	1	c
Hongkong, .	14	29.74	755.4	83	81		E	3	op	"	29.78	756.4	78	91	E	1	c
Gap Rock, .	"	29.74	755.4	...			SE	4	e	"	29.77	754.6	E	4	o
Macao, .	"	29.71	754.5	86	81		SE	4	o	"	29.75	755.7	77	98	SE	2	r
Wuchow, .	15	"	9
Pakhoi, .	"	"
Hoikow, .	"	"
Phudien, .	"	29.61	752.1	86	65		ENE	6	o	7	29.67	753.6	79	85	NE	4	b
Tourane, .	"	29.45	757.9	75	..		NW	4	r	"	29.54	750.3	75	..	SSE	2	ro
Cape St. James, .	"	"	29.72	754.8	77	..	SW	4	o
Aparri, .	14	29.74	755.4	90	60		E	4	b	6	29.80	756.9	77	88	SW	2	b
Dagupan, .	"	"
Manila, .	"	29.69	754.2	90	51		E	4	b	"	29.80	756.9	75	91	E	1	o
Legaspi, .	"	29.73	755.1	86	71		NE	4	o	"	29.79	756.6	79	92	..	0	o
Tacloban, .	"	"
Hoilo, .	"	29.68	753.9	90	63		NE	4	o	"	29.74	755.4	79	90	N	4	o
Surigao, .	"	29.71	754.5	64	45		SE	6	r	"	29.73	755.1	75	94	...	2	o
Guam, .	12.20	29.74	755.4	...			E	4	o	4.20	29.79	756.6	ENE	6	o
Iap, .	12.47	29.71	754.5	...			ENE	6	o	4.47	29.73	755.1	E	0	o
Labuan, .	14	29.70	754.4	88	88		N	1	b	6	29.73	755.1	81	87	N	4	b

May 30d. 19h. 05m.—Warning to Hongkong, Coast Ports, &c.—Typhoon of unknown intensity within 60 miles of Lat. 16° N. Long. 109° E., stationary or very slow.

May 31d. 12h. 04m.—Warning to Hongkong, Coast Ports, &c.—Typhoon of unknown intensity within 60 miles of Lat. 16° N. Long. 107° E., filling up.

May 31d. 12h. 48m. Pressure has increased considerably at Vladivostock and Hokkaido. It has increased slightly at the majority of other stations.

The typhoon is filling up to the west of Tourane.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.42 inch. Total since January 1st, 11.91 inches, against an average of 23.32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1ST.

DISTRICT.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamock,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan,
- E. winds, moderate; generally overcast, occasional rain.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.


JUNE,

1923.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE
ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER
REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,
DIRECTOR.



HONGKONG :
PRINTED BY NORONHA & CO.
GOVERNMENT PRINTERS.

1923.

ROYAL OBSERVATORY, HONGKONG.

R E S U L T S

O F

METEOROLOGICAL OBSERVATIONS.

JUNE,

1923.

HOURLY VALUES OF BAROMETRIC PRESSURE AND AIR TEMPERATURE,

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of JUNE, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.
1	29.771	29.755	29.745	29.744	29.748	29.767	29.770	29.788	29.806	29.821	29.828	29.832	1
2	29.812	29.802	29.800	29.792	29.788	29.795	29.808	29.816	29.825	29.835	29.828	29.831	2
3	29.809	29.789	29.776	29.780	29.782	29.778	29.786	29.808	29.814	29.807	29.799	29.793	3
4	29.766	29.745	29.735	29.734	29.736	29.740	29.754	29.764	29.776	29.771	29.768	29.762	4
5	29.723	29.702	29.686	29.674	29.697	29.716	29.741	29.759	29.768	29.761	29.745	29.738	5
6	29.716	29.710	29.686	29.681	29.699	29.705	29.720	29.730	29.740	29.739	29.734	29.713	6
7	29.688	29.665	29.663	29.663	29.665	29.673	29.675	29.676	29.679	29.679	29.668	29.661	7
8	29.611	29.592	29.580	29.568	29.568	29.572	29.575	29.586	29.600	29.600	29.594	29.570	8
9	29.514	29.498	29.488	29.493	29.508	29.517	29.535	29.539	29.556	29.558	29.547	29.539	9
10	29.568	29.544	29.544	29.532	29.554	29.560	29.573	29.566	29.562	29.554	29.551	29.551	10
11	29.605	29.589	29.587	29.581	29.579	29.589	29.615	29.624	29.630	29.628	29.613	29.601	11
12	29.596	29.581	29.571	29.572	29.565	29.561	29.574	29.588	29.589	29.594	29.585	29.588	12
13	29.530	29.538	29.515	29.512	29.522	29.523	29.543	29.552	29.568	29.586	29.600	29.592	13
14	29.617	29.602	29.587	29.582	29.590	29.610	29.637	29.646	29.661	29.676	29.677	29.665	14
15	29.673	29.662	29.660	29.656	29.651	29.662	29.684	29.707	29.703	29.686	29.687	29.687	15
16	29.666	29.660	29.639	29.632	29.630	29.629	29.641	29.646	29.658	29.662	29.650	29.636	16
17	29.590	29.571	29.557	29.551	29.541	29.535	29.537	29.549	29.561	29.569	29.569	29.552	17
18	29.533	29.517	29.505	29.505	29.505	29.517	29.523	29.526	29.549	29.564	29.560	29.557	18
19	29.569	29.561	29.559	29.554	29.556	29.561	29.579	29.591	29.597	29.598	29.598	29.587	19
20	29.595	29.583	29.575	29.579	29.579	29.586	29.593	29.601	29.607	29.600	29.597	29.585	20
21	29.560	29.556	29.553	29.547	29.555	29.559	29.565	29.581	29.588	29.596	29.585	29.575	21
22	29.564	29.538	29.537	29.531	29.529	29.527	29.545	29.548	29.554	29.559	29.557	29.541	22
23	29.521	29.506	29.507	29.500	29.506	29.502	29.528	29.544	29.547	29.550	29.539	29.541	23
24	29.549	29.544	29.541	29.535	29.541	29.555	29.576	29.583	29.589	29.593	29.591	29.583	24
25	29.556	29.554	29.543	29.544	29.540	29.552	29.561	29.566	29.561	29.555	29.556	29.557	25
26	29.569	29.551	29.545	29.553	29.551	29.557	29.570	29.573	29.597	29.601	29.611	29.607	26
27	29.649	29.639	29.633	29.631	29.635	29.642	29.652	29.662	29.669	29.681	29.681	29.681	27
28	29.684	29.674	29.662	29.666	29.664	29.676	29.688	29.692	29.699	29.699	29.688	29.683	28
29	29.641	29.629	29.621	29.608	29.615	29.619	29.627	29.629	29.643	29.635	29.631	29.619	29
30	29.599	29.577	29.563	29.567	29.563	29.569	29.583	29.587	29.592	29.597	29.587	29.575	30
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.
1	29.809	29.808	29.790	29.784	29.785	29.792	29.802	29.812	29.822	29.825	29.830	29.826	1
2	29.815	29.805	29.787	29.785	29.775	29.787	29.795	29.810	29.828	29.832	29.836	29.817	2
3	29.785	29.766	29.760	29.763	29.766	29.775	29.773	29.783	29.791	29.793	29.803	29.789	3
4	29.748	29.742	29.741	29.724	29.734	29.732	29.731	29.755	29.761	29.755	29.757	29.739	4
5	29.721	29.710	29.695	29.689	29.685	29.703	29.713	29.725	29.738	29.743	29.725	29.725	5
6	29.705	29.685	29.681	29.663	29.658	29.670	29.682	29.695	29.697	29.706	29.709	29.703	6
7	29.639	29.632	29.612	29.590	29.596	29.614	29.630	29.640	29.642	29.632	29.626	29.626	7
8	29.565	29.527	29.504	29.496	29.495	29.497	29.509	29.520	29.515	29.526	29.534	29.526	8
9	29.529	29.511	29.495	29.483	29.485	29.495	29.518	29.546	29.561	29.579	29.579	29.570	9
10	29.535	29.511	29.505	29.510	29.516	29.536	29.563	29.571	29.592	29.610	29.618	29.616	10
11	29.593	29.573	29.565	29.540	29.543	29.558	29.564	29.588	29.604	29.622	29.628	29.618	11
12	29.562	29.538	29.526	29.517	29.505	29.508	29.530	29.547	29.552	29.562	29.568	29.568	12
13	29.593	29.565	29.552	29.538	29.532	29.553	29.575	29.592	29.614	29.634	29.640	29.633	13
14	29.653	29.643	29.625	29.613	29.604	29.612	29.634	29.657	29.681	29.695	29.702	29.699	14
15	29.682	29.662	29.641	29.629	29.615	29.621	29.629	29.637	29.651	29.677	29.693	29.689	15
16	29.615	29.596	29.574	29.570	29.557	29.556	29.569	29.579	29.581	29.595	29.606	29.605	16
17	29.531	29.513	29.491	29.480	29.462	29.470	29.493	29.522	29.539	29.545	29.553	29.553	17
18	29.547	29.531	29.519	29.517	29.509	29.522	29.550	29.572	29.579	29.577	29.587	29.585	18
19	29.587	29.569	29.543	29.531	29.523	29.531	29.554	29.581	29.597	29.613	29.619	29.613	19
20	29.573	29.549	29.532	29.517	29.515	29.527	29.539	29.562	29.563	29.586	29.591	29.580	20
21	29.551	29.535	29.518	29.505	29.510	29.529	29.537	29.560	29.560	29.572	29.576	29.568	21
22	29.521	29.497	29.473	29.457	29.453	29.469	29.485	29.517	29.521	29.533	29.533	29.529	22
23	29.516	29.495	29.476	29.472	29.473	29.485	29.517	29.549	29.537	29.555	29.578	29.561	23
24	29.555	29.548	29.528	29.516	29.514	29.533	29.549	29.560	29.579	29.595	29.599	29.573	24
25	29.537	29.515	29.497	29.487	29.490	29.499	29.521	29.536	29.547	29.558	29.585	29.579	25
26	29.601	29.600	29.586	29.570	29.575	29.581	29.584	29.621	29.629	29.653	29.663	29.659	26
27	29.669	29.655	29.645	29.643	29.633	29.621	29.648	29.675	29.679	29.693	29.704	29.702	27
28	29.661	29.643	29.617	29.607	29.605	29.612	29.630	29.639	29.656	29.666	29.663	29.663	28
29	29.603	29.587	29.570	29.563	29.551	29.555	29.571	29.588	29.598	29.611	29.615	29.601	29
30	29.551	29.527	29.517	29.502	29.497	29.498	29.512	29.524	29.536	29.548	29.545	29.530	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of JUNE, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	78.9	78.7	78.8	79.2	79.5	79.9	80.2	81.2	79.2	79.5	79.0	77.0	1
2	77.1	77.1	77.0	76.6	76.5	76.1	76.0	76.9	77.0	77.0	76.9	76.9	2
3	75.9	76.0	76.0	75.3	75.1	75.0	75.5	75.6	75.6	77.3	77.4	77.5	3
4	71.8	71.8	71.8	71.3	71.4	71.5	71.7	71.5	71.5	72.6	73.5	74.0	4
5	73.7	73.6	73.5	73.8	73.9	73.7	74.8	75.7	76.8	78.0	78.3	79.0	5
6	76.4	76.3	76.1	75.9	75.8	75.7	75.5	75.6	76.0	77.1	78.1	78.3	6
7	77.5	77.7	77.9	77.3	77.3	77.0	77.5	78.2	78.1	77.9	78.0	77.4	7
8	78.7	78.8	78.0	78.6	78.9	79.5	80.3	80.7	80.2	80.0	80.5	81.8	8
9	79.9	79.8	79.7	77.7	77.1	76.6	76.8	78.3	79.2	81.1	82.1	82.7	9
10	79.2	79.2	79.1	79.0	78.9	78.8	79.0	78.2	78.2	78.6	78.5	79.8	10
11	77.2	76.9	76.2	76.5	76.7	76.4	77.1	79.9	80.2	83.0	83.7	82.8	11
12	78.2	77.6	77.8	78.0	78.3	78.7	79.3	80.6	82.1	83.1	82.1	77.9	12
13	79.4	79.8	79.9	78.0	78.4	77.9	77.7	78.2	78.6	80.3	78.5	76.6	13
14	79.0	79.1	79.3	78.5	77.8	78.3	75.9	76.1	76.5	76.1	75.1	75.9	14
15	78.8	79.3	79.3	79.3	79.2	79.4	80.0	80.1	78.3	80.9	81.9	82.0	15
16	79.6	79.2	79.0	79.3	80.3	80.6	81.6	83.1	84.8	84.4	85.5	87.0	16
17	81.9	81.6	81.5	81.5	81.3	81.6	82.2	83.3	83.5	84.3	83.5	84.6	17
18	81.5	81.2	81.1	81.1	81.0	81.2	81.9	83.5	81.7	84.7	85.0	86.0	18
19	80.0	79.8	80.0	79.6	79.7	79.8	82.1	82.0	84.1	85.0	84.9	85.7	19
20	80.3	80.4	79.9	80.0	80.2	80.2	80.9	83.0	84.6	85.5	85.8	87.6	20
21	83.0	82.5	81.8	80.8	80.5	79.4	81.5	83.4	85.5	84.0	87.3	89.6	21
22	84.1	83.5	82.9	82.0	78.4	79.2	82.2	83.5	85.1	85.6	85.7	87.6	22
23	83.9	83.8	83.6	83.3	83.2	82.9	83.3	84.5	85.3	86.2	88.1	87.0	23
24	82.5	81.9	81.7	81.8	81.3	80.5	81.2	81.5	80.3	81.2	82.5	81.1	24
25	80.3	78.7	77.9	78.3	78.2	77.2	78.0	79.8	81.1	83.8	85.4	80.8	25
26	81.3	81.0	80.9	81.1	81.1	78.8	79.1	81.8	81.8	83.5	81.7	81.1	26
27	82.6	82.1	82.2	81.4	81.5	82.4	83.7	85.2	84.6	84.3	84.6	84.6	27
28	81.9	81.7	81.3	81.3	81.1	82.9	84.4	85.1	83.9	84.6	88.8	88.8	28
29	81.0	80.9	80.5	80.2	80.1	80.1	81.5	83.4	83.0	86.6	86.9	88.2	29
30	81.0	81.1	81.4	81.4	81.5	81.0	81.8	83.9	84.8	86.8	88.0	85.5	30
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	o	o	o	o	o	o	o	o	o	o	o	o	
1	79.6	78.4	77.9	77.7	77.0	74.8	76.0	75.8	77.0	77.8	77.8	77.6	1
2	76.9	76.7	77.0	76.9	75.8	76.0	76.3	76.7	76.8	77.3	77.5	77.0	2
3	77.1	77.1	76.9	73.8	73.0	72.7	72.3	71.9	71.9	71.8	71.9	71.6	3
4	74.2	73.4	72.9	72.9	72.3	72.4	73.0	73.0	73.2	73.2	73.2	73.6	4
5	79.4	79.0	78.9	79.0	78.1	77.6	77.1	77.1	77.1	77.2	76.7	76.5	5
6	79.4	79.3	80.0	79.9	79.1	77.7	77.0	77.4	78.0	78.1	77.6	77.5	6
7	78.1	78.8	78.9	79.0	78.9	78.6	78.3	78.3	78.3	78.3	78.3	78.1	7
8	80.6	81.1	82.5	82.4	81.7	81.1	81.0	80.7	80.6	80.3	80.1	79.9	8
9	84.0	83.3	83.7	84.3	83.4	82.1	81.1	80.8	80.3	79.8	79.5	79.3	9
10	81.7	81.7	80.9	79.8	79.3	79.3	76.9	77.3	77.8	77.6	77.4	77.3	10
11	82.7	82.1	81.8	81.0	80.7	80.0	79.3	79.0	79.0	78.9	78.9	78.5	11
12	77.5	77.3	77.9	79.4	79.0	78.9	78.4	78.3	77.9	77.9	78.3	78.3	12
13	76.0	76.8	77.8	78.3	78.5	78.6	78.1	78.6	79.3	77.5	79.0	79.0	13
14	75.9	76.6	77.3	77.9	78.3	78.8	78.7	79.1	78.9	78.8	78.7	78.6	14
15	82.5	84.0	83.0	81.8	81.5	81.0	80.5	80.2	80.2	79.9	79.9	79.8	15
16	85.6	83.8	84.8	84.5	83.1	83.1	82.3	81.3	81.2	81.3	81.5	81.6	16
17	86.6	86.6	84.9	85.3	84.2	83.5	83.0	82.7	82.1	81.9	81.5	81.4	17
18	87.8	85.6	85.1	84.8	84.4	83.6	82.7	82.1	81.4	81.1	80.9	80.8	18
19	86.0	86.0	85.8	85.2	84.6	83.8	83.0	82.1	81.8	81.7	81.6	81.7	19
20	87.0	86.3	88.4	86.3	85.4	84.8	84.0	83.1	82.9	82.3	82.4	82.6	20
21	89.3	88.6	88.8	86.4	85.9	84.6	84.6	84.0	83.7	83.8	83.6	83.3	21
22	90.0	88.4	88.9	88.5	88.4	87.0	85.6	85.3	84.6	84.3	84.3	84.3	22
23	88.0	89.3	89.7	87.7	87.4	86.5	84.9	84.6	83.9	84.1	83.0	82.7	23
24	82.9	85.4	84.2	83.5	83.6	82.0	81.8	81.1	81.5	80.6	79.8	80.4	24
25	80.2	82.0	84.5	83.2	82.7	82.2	79.7	80.5	80.6	80.8	80.2	80.3	25
26	82.0	80.8	80.2	82.5	82.6	82.6	82.6	82.8	82.9	82.6	82.8	82.8	26
27	87.3	86.6	86.4	86.1	85.0	84.0	83.6	80.2	81.8	81.9	81.7	81.8	27
28	88.0	87.0	87.0	86.4	86.0	84.7	84.4	82.6	82.4	81.9	81.6	81.8	28
29	88.3	88.5	88.2	86.7	85.1	85.0	83.7	82.7	81.7	81.0	81.3	81.5	29
30	88.4	87.3	86.9	85.9	83.5	84.0	83.4	83.1	82.7	82.5	82.5	82.4	30

6 HOURLY VALUES OF THE TEMPERATURE OF EVAPORATION, AMOUNT OF CLOUD, AND SUNSHINE

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of JUNE, 1923.

Days of the Month.	Hours, Hongkong Standard Time.											Days of the Month.	
	1	2	3	4	5	6	7	8	9	10	11		
1	75.5	75.5	75.6	76.0	76.0	76.3	76.8	76.7	76.1	76.0	74.6	75.0	1
2	73.6	73.1	72.9	72.8	72.8	72.4	71.2	72.3	72.2	72.1	72.0	71.8	2
3	68.7	68.9	68.9	68.9	68.9	69.2	69.0	68.3	68.3	69.0	68.8	69.5	3
4	69.9	69.7	69.8	69.5	69.3	69.6	69.9	70.0	69.9	70.1	70.3	70.6	4
5	68.6	68.1	67.9	68.6	68.4	68.4	68.1	68.1	69.3	69.5	69.8	70.1	5
6	71.8	72.1	72.0	71.9	72.0	72.0	71.5	71.8	71.3	71.1	70.8	71.3	6
7	74.8	74.9	75.1	75.2	75.3	75.2	75.4	75.8	75.7	75.7	75.7	75.4	7
8	76.5	76.3	76.3	76.2	76.5	76.4	77.0	77.4	77.1	77.9	78.1	78.1	8
9	77.9	77.9	77.9	76.1	75.8	75.6	75.7	76.2	77.0	77.8	77.5	78.0	9
10	77.2	77.3	77.5	77.2	76.6	76.9	77.2	74.4	73.0	75.4	75.5	75.5	10
11	74.1	74.0	73.6	73.7	73.8	74.3	75.0	76.1	76.2	77.6	77.0	76.9	11
12	75.4	75.3	75.5	75.9	76.3	76.2	76.5	77.2	77.8	78.3	77.2	76.0	12
13	76.3	76.0	75.8	75.1	75.9	76.0	76.0	76.2	76.7	77.8	76.3	75.1	13
14	77.9	78.0	78.0	77.3	77.1	77.0	74.7	74.9	75.3	75.8	74.7	75.0	14
15	77.3	78.0	78.2	78.0	78.1	78.0	78.5	78.9	76.9	78.2	79.0	79.0	15
16	77.7	77.7	77.9	78.0	78.0	78.1	78.3	78.9	79.3	79.4	79.6	80.2	16
17	78.5	78.1	78.1	78.0	77.5	77.3	77.4	78.0	78.3	78.9	79.3	79.5	17
18	78.4	78.3	78.1	78.1	78.0	78.0	78.2	78.8	77.3	79.0	79.1	79.3	18
19	78.2	78.0	77.8	77.8	78.0	77.9	79.0	78.7	80.1	80.5	80.0	80.0	19
20	77.0	77.8	77.8	77.7	77.9	77.9	78.2	79.2	78.6	79.5	80.0	80.5	20
21	79.0	78.3	78.0	78.1	78.1	77.9	79.5	80.0	80.5	78.0	78.6	80.4	21
22	79.1	78.9	79.0	76.3	77.5	79.8	80.0	81.3	80.6	80.5	80.8	80.8	22
23	79.3	79.4	79.3	79.3	79.7	79.8	79.7	80.6	80.4	81.0	82.2	80.8	23
24	79.6	79.6	79.8	79.3	79.2	78.4	78.1	78.5	78.2	77.6	78.9	77.9	24
25	78.3	78.0	76.9	76.9	76.7	76.2	76.5	77.2	77.8	78.7	79.4	78.2	25
26	77.4	77.3	77.4	77.2	77.3	76.3	76.4	77.8	78.3	78.2	77.7	77.2	26
27	78.8	78.7	77.9	78.4	78.7	78.1	78.4	79.0	79.9	79.2	79.0	78.9	27
28	77.8	77.7	77.3	77.3	77.3	77.1	78.1	79.1	78.8	78.1	78.0	80.1	28
29	78.2	77.8	77.6	77.7	77.2	77.2	78.4	79.0	78.8	79.6	79.4	79.5	29
30	77.9	78.1	77.2	77.8	77.8	77.2	77.7	78.1	78.8	80.8	79.0	78.3	30
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	76.3	76.0	75.8	75.9	75.9	74.1	75.1	74.1	74.7	75.0	74.6	74.1	1
2	71.2	71.6	71.6	71.8	71.6	71.8	71.8	71.0	69.1	68.6	68.6	68.6	2
3	69.4	69.6	69.9	69.6	69.6	69.9	70.1	69.8	69.9	70.0	70.1	70.2	3
4	70.7	70.5	70.6	70.9	70.6	70.1	70.6	70.2	70.1	70.0	69.2	69.0	4
5	71.8	71.2	71.1	72.0	72.0	72.1	72.0	72.5	72.2	71.7	71.9	72.0	5
6	71.9	70.1	69.1	69.5	70.2	72.4	73.2	74.0	74.8	74.6	74.3	74.5	6
7	76.0	76.1	75.7	75.9	75.9	75.7	75.9	76.2	76.2	76.3	76.7	77.0	7
8	78.1	78.3	79.0	78.7	78.1	77.5	77.4	77.8	77.5	77.1	77.2	77.2	8
9	77.7	76.6	75.5	75.9	74.8	75.3	74.4	74.4	74.5	75.2	76.0	76.1	9
10	76.3	75.4	76.1	76.1	75.5	75.5	73.4	74.0	74.3	74.2	74.0	74.5	10
11	76.6	76.8	76.5	76.2	76.2	75.2	75.0	75.1	75.1	75.1	75.3	74.9	11
12	75.7	75.7	76.0	76.6	76.5	76.6	76.5	76.8	76.5	76.4	76.1	76.6	12
13	74.5	75.0	75.4	75.9	75.9	76.0	75.9	76.1	76.7	76.1	77.0	77.2	13
14	75.1	75.3	75.9	75.8	76.3	76.7	76.8	77.3	77.5	77.7	77.9	77.8	14
15	79.5	79.8	80.0	79.9	79.9	79.5	79.3	79.1	79.0	78.9	78.9	78.5	15
16	78.5	79.0	79.0	78.6	78.0	78.4	77.6	78.1	78.0	78.2	78.2	78.9	16
17	79.7	80.1	79.1	79.5	78.4	78.9	78.5	78.6	78.7	78.7	78.7	78.7	17
18	80.5	78.9	78.7	78.9	78.7	78.9	78.9	78.9	78.8	78.6	78.9	79.1	18
19	80.0	79.0	79.2	79.3	79.3	78.9	78.0	78.1	78.2	78.4	78.5	77.9	19
20	80.5	80.3	79.0	79.9	79.9	79.0	78.9	78.7	79.0	78.7	78.5	78.8	20
21	80.2	80.5	80.4	79.8	80.0	79.0	79.3	79.5	78.9	78.9	78.9	78.9	21
22	81.8	81.0	80.8	80.6	79.9	79.9	80.0	79.9	79.2	79.7	79.2	79.2	22
23	81.5	80.6	79.2	80.0	79.8	80.2	79.9	79.9	79.1	79.0	79.4	79.5	23
24	78.9	80.5	79.7	79.0	78.8	78.9	78.5	78.6	78.1	77.5	77.0	77.3	24
25	78.0	78.8	79.4	78.1	77.9	77.8	77.0	77.1	77.1	77.1	77.0	77.6	25
26	78.0	77.0	77.0	78.2	78.0	78.0	78.4	78.8	78.9	78.8	78.6	78.9	26
27	81.0	80.5	79.9	79.8	78.6	78.6	78.9	77.8	78.8	78.2	78.0	78.0	27
28	79.6	78.7	77.9	77.6	77.3	77.2	77.4	78.3	78.1	77.9	78.0	78.6	28
29	79.3	80.0	80.4	79.5	78.8	78.3	78.5	78.7	78.8	78.8	77.9	78.0	29
30	78.0	77.0	77.3	77.1	78.0	78.6	78.6	76.5	77.0	77.0	77.3	77.2	30

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of JUNE, 1923.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																							Days of the Month.	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Mean	
1	4	3	4	5	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	1
2	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	2
3	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	3
4	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	4
5	10	5	2	1	9	10	9	10	8	7	6	6	8	8	6	7	4	9	10	4	6	6	2	6	5
6	9	8	10	10	10	10	10	10	10	10	10	10	6	7	7	6	5	7	7	8	10	10	10	8	8
7	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	9	10	10	10	7
8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8
9	10	10	10	10	10	10	10	10	7	10	9	8	9	8	10	10	10	9	10	10	10	10	10	10	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	5	3	8	10	10	10	10	10	9	9	8	6	8	8	10	10	10	9	8	9	10	8	9	6	11
12	4	9	9	10	10	9	8	8	7	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	12
13	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	13
14	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	14
15	10	8	10	10	10	10	10	10	9	9	9	10	10	9	10	10	10	8	4	7	6	6	6	6	15
16	8	7	9	9	9	10	10	10	9	9	9	8	10	10	10	9	8	9	10	8	9	9	8	8	16
17	9	9	9	10	10	10	8	9	9	10	8	7	5	7	8	9	8	8	10	9	7	8	7	7	17
18	9	8	9	10	7	8	8	9	10	8	9	7	9	7	9	10	10	9	10	8	4	5	5	5	18
19	6	8	6	2	3	7	4	6	5	4	6	5	7	6	5	5	3	4	4	1	2	1	2	1	19
20	6	4	2	2	2	10	9	9	8	7	6	7	8	6	5	5	4	4	3	9	2	1	8	20	
21	6	6	8	9	7	5	6	5	5	4	3	3	3	3	2	7	10	9	8	9	7	7	6	7	21
22	8	6	9	10	10	6	2	9	2	4	8	3	4	2	2	2	4	8	9	8	9	10	9	9	22
23	10	9	10	10	10	10	10	10	9	9	6	4	3	6	8	8	8	9	7	9	8	9	10	9	23
24	10	8	10	9	10	10	10	10	10	10	10	10	10	8	10	7	8	10	5	8	10	10	10	10	24
25	10	10	10	10	10	10	10	10	7	8	10	10	10	9	10	10	9	9	10	9	10	10	10	25	
26	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	9	10	9	10	10	26
27	10	9	8	10	10	9	9	10	10	10	10	7	8	9	9	8	8	10	10	9	8	7	8	7	27
28	7	7	4	8	6	4	7	7	9	9	8	4	6	2	3	2	2	3	2	1	2	2	2	3	28
29	1	1	4	5	6	3	4	2	3	5	1	2	1	1	2	10	8	3	6	3	2	2	2	2	29
30	1	1	6	5	7	1	2	4	4	9	9	8	3	4	3	5	7	5	8	8	9	9	9	30	

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of JUNE, 1923.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.	
	6	7	8	9	10	11	Noon	12	13	14	15	16	17	18	
1	0.1	0.4	1
2	2
3	3
4	0.1	4
5	...	0.1	...	0.8	0.9	1.0	0.9	0.7	0.8	0.9	1.0	0.9	0.4	...	5
6	0.1	0.7	1.0	0.9	0.2	0.9	1.0	0.9	0.9	0.9	...	6
7	0.1	0.1	0.2	7
8	0.1	8
9	0.1	0.2	...	0.8	0.8	0.5	0.8	0.6	9
10	0.4	1.0	1.0	10
11	0.1	0.6	0.2	1.0	0.9	0.8	0.4	0.3	11
12	0.8	0.9	0.8	0.1	12
13	13
14	14
15	0.1	0.3	0.1	0.2	0.9	0.3	0.4	0.1	0.6	15
16	0.2	0.9	0.7	0.6	0.8	1.0	0.7	0.5	0.7	0.7	0.4	0.4	0.1	...	16
17	0.6	0.7	0.5	0.5	0.7	1.0	1.0	1.0	1.0	0.9	0.4	0.4	17
18	0.1	0.9	0.6	0.2	1.0	0.9	1.0	0.5	18
19	0.6	0.8	0.7	0.9	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.6	...	19
20	0.6	0.6	0.2	1.0	1.0	0.9	1.0	1.0	1.0	1.0	1.0	1.0	0.9	0.4	20
21	0.5	1.0	1.0	0.8	0.7	1.0	1.0	1.0	0.3	...	0.1	0.3	21
22	0.5	1.0	0.9	1.0	0.8	0.9	1.0	0.8	1.0	1.0	1.0	0.9	0.3	...	22
23	...	0.1	0.5	1.0	0.9	1.0	1.0	1.0	0.3	1.0	1.0	0.9	0.9	...	23
24	0.3	...	0.1	0.1	0.5	0.7	1.0	0.9	0.2	0.7	24
25	0.9	0.9	0.6	...	0.4	0.6	0.9	0.9	0.3	0.8	25
26	...	0.2	0.4	1.0	0.3	26
27	...	1.0	0.9	1.0	0.6	0.1	0.7	1.0	1.0	0.9	0.9	0.8	27
28	0.4	0.9	1.0	0.7	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.9	...	28
29	0.5	0.8	0.8	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.6	...	29
30	0.1	0.6	0.5	0.8	0.9	0.9	0.8	1.0	1.0	1.0	1.0	1.0	0.3	...	30

HOURLY VALUES OF RAINFALL AND WIND;

TABLE VI.—AMOUNT OF RAINFALL registered in each HOUR of the DAY, in the MONTH of JUNE, 1923.
 (d = Unregistered Drizzle. = No Rainfall.)

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the

MONTH of JUNE, 1923.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. 0 = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.													
1	13	6	10	3	...	1	7	9	7	14	7	9	7	18	7	16	7	14	7	17	7	25	8	18	1	
2	7	34	7	36	7	33	6	29	7	31	6	26	7	29	7	27	7	29	7	27	8	29	7	31	2	
3	8	29	7	26	8	28	7	25	7	26	7	23	7	25	7	24	7	25	7	23	7	25	8	19	3	
4	4	12	4	15	4	17	4	19	4	2	3	2	4	2	3	2	4	2	3	2	4	5	11	5	12	4
5	6	18	6	15	6	14	6	16	5	15	5	15	6	17	6	20	6	25	6	28	7	26	7	26	5	
6	7	19	7	18	6	20	6	21	6	17	7	17	7	21	7	20	7	24	7	24	7	31	7	28	6	
7	9	12	9	12	9	14	9	13	9	14	9	11	8	12	7	17	7	15	7	16	7	17	7	19	7	
8	11	8	12	4	12	3	13	3	14	3	16	6	17	4	19	12	19	13	20	12	19	15	20	18	8	
9	23	12	24	10	25	7	26	8	27	8	27	4	26	6	26	7	26	10	26	10	27	11	27	12	9	
10	28	5	...	1	28	3	29	5	29	12	9	10	9	10	10		
11	...	1	...	1	1	9	4	10	6	10	8	10	7	9	10	10	11			
12	...	1	1	13	2	11	6	10	7	8	10	8	15	9	15	10	14	9	8	12		
13	10	17	11	13	11	17	11	17	12	11	14	11	16	12	16	4	1	19	9	18	7	13		
14	11	18	11	25	10	20	9	23	10	13	9	17	8	10	7	4	5	7	4	3	5	6	7	14		
15	8	9	9	12	9	12	10	11	9	13	9	13	10	12	10	12	9	11	8	8	13	8	13	15		
16	13	3	...	1	...	1	13	2	14	7	15	3	16	4	17	4	17	9	17	8	17	5	17	7	16	
17	17	9	17	3	17	6	17	9	18	10	18	9	18	8	19	6	18	6	19	5	17	10	17			
18	15	6	15	7	16	6	16	7	17	7	17	6	16	9	16	8	15	7	16	5	17	7	18			
19	13	4	13	6	12	4	13	2	10	5	10	2	1	9	7	9	11	8	13	7	14		
20	8	5	8	3	2	5	...	1	27	3	30	6	3	7	20	
21	16	2	18	3	21	4	25	3	...	1	1	...	1	24	6	20	7	19	8	19	8	21		
22	19	9	20	9	22	6	25	2	28	7	29	2	28	7	25	8	22	8	22	6	22		
23	20	8	20	11	20	11	21	8	21	5	22	5	22	6	22	5	22	8	22	10	23	10	23	8		
24	17	2	1	7	10	6	9	6	8	6	11	10	6	13	9	12	12		
25	7	10	7	12	6	3	5	12	5	12	5	3	5	10	6	10	7	14	8	14	9	17	9	17		
26	16	14	16	12	16	11	15	12	15	12	15	11	10	10	16	19	16	13	16	15	16	19	17	20		
27	16	15	16	14	16	19	16	13	16	13	16	14	15	15	16	14	16	15	16	17	11	17	12	27		
28	16	7	16	7	16	8	17	8	17	6	17	7	16	7	17	8	18	7	19	7	19	10	28			
29	16	2	16	2	...	18	3	...	1	19	2	22	6	24	7	26	7	25	9	29			
30	9	5	10	9	9	9	9	9	9	9	8	4	...	6	2	6	4	6	6	5	14	6	18	30		

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.											
1	9	22	8	19	8	22	8	14	11	18	11	10	9	25	8	21	7	28	7	33	7	34	1	
2	7	29	7	28	7	28	8	26	8	22	8	21	8	27	8	28	8	29	8	33	8	34	2	
3	8	14	9	14	9	10	8	6	7	6	9	5	4	...	1	...	1	...	1	4	5	5	13	
4	6	11	7	12	8	14	9	19	8	14	7	19	7	24	7	22	6	20	6	18	6	19	4	
5	8	23	8	24	8	25	9	23	9	26	9	22	9	18	9	25	8	23	8	21	8	22	5	
6	7	26	8	25	8	24	8	21	8	28	9	23	9	20	9	16	9	21	9	17	8	13	6	
7	8	11	9	16	9	18	9	17	8	14	9	15	9	13	10	13	10	12	9	11	10	9	7	
8	20	12	20	11	20	11	20	16	21	14	21	15	21	21	13	21	15	21	14	22	12	22	8	
9	26	12	24	12	26	11	28	12	27	9	25	6	24	8	22	2	22	5	...	1	27	2	...	9
10	9	15	9	17	9	18	9	14	9	16	9	17	9	13	8	15	8	13	8	10	7	5	10	
11	9	9	10	11	11	9	11	11	13	11	15	5	15	6	15	6	15	5	15	5	15	4	11	
12	8	8	8	14	8	15	8	14	8	19	8	19	8	14	9	13	9	14	8	12	9	12	12	
13	16	4	15	3	12	4	9	11	8	14	7	17	8	17	8	18	9	15	7	13	12	21	13	
14	8	7	9	5	10	6	9	9	9	15	8	8	9	8	10	9	10	9	12	8	10	14		
15	9	11	9	10	9	11	8	13	8	12	8	11	9	12	8	9	9	9	6	10	2	11	3	
16	16	8	16	9	16	8	16	7	17	10	16	7	16	4	17	5	16	2	17	2	16	3	16	
17	18	6	17	6	16	9	17	7	17	6	17	4	16	6	16	5	15	5	15	5	14	5	17	
18	8	6	17	9	17	6	17	6	17	5	16	6	16	5	15	4	14	5	12	6	12	6	18	
19	8	15	8	16	8	16	8	17	8	15	9	11	10	12	11	7	11	7	11	7	10	2	19	
20	8	13	12	12	13	7	13	9	14	9	16	10	16	6	16	3	16	4	15	2	...	1	...	20
21	18	9	18	10	18	9	18	8	17	9	17	7	17	5	18	7	17	7	18	3	18	6	21	
22	23	6	21	8	21	8	22	9	21	6	19	9	19	10	19	9	19	10	19	9	19	10	22	
23	24	9	24	6	23	7	20	8	18	10	18	6	18	6	17	4	16	2	16	4	16	2	23	
24	10	15	9	14	10	18	10	15	8	13	8	14	8	13	7	10	7	14	8	14	8	10	24	
25	10	13	12	19	14	20	15	19	16	12	15	11	15	6	16	8	17	7	18	2	16	3	16	9
26	18	16	19	17	19	14	18	11	17	13	17	10	16	11	16	12	16	12	16	15	16	14	26	
27	17	14	17	13	17	18	12	18	13	17	11	17	9	16	10	16	7	16	3	16	8	17		
28	18	11	18	9	17	11	17	10	17	10	17	7	17	6	17	5	16	2	16	2	16	2	28	
29	26	7	25	8	23	9	19	5	17	6	15	4	13	4	11	5	10	7	9	7	9	10	29	
30	6	17	7	28	7	25	6	27	6	34	6	24	6	25	6	27	6	28	5	25	5	26	5	20

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS,
in the MONTH of JUNE, 1923.
(... = no clouds.)

Hours, Hongkong Standard Time.

Days of the Month.	1		4		7		10		13		16		19		22			
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.		
1	ci-st	SW	eu	SE	en nb	ESE E	nb	NE	nb	E	nb	E	nb	E	nb	E		
2	nb	E	nb	E	nb	E	nb	ESE	nb	E	nb	E	nb	E	nb	E		
3	nb	E	eu-nb	E	en	E	eu	E	a-st	E	nb	E	nb	E	nb	E		
4	nb	ENE	nb	ENE	nb	ENE	nb	E	nb	E	nb	E	nb	E	eu-nb	E		
5	a-en en	WSW E	eu	E	en	E	eu	E	a-cu eu	WNW E	a-en en	WNW E	a-en en	W E	en	E		
6	en	E	eu	E	eu-nb	E	st-eu	E	a-cu eu	W E	ci-st	WNW W	el-st eu	WNW E	eu	E		
7	eu	E	nb	E	a-en en	WNW E	nb	E	nb	E	en-nb	E	eu-nb	E	eu-nb	E		
8	eu-nb	E	nb	E	eu-nb	S	nb	S	nb	SW	en-nb	SW	en-nb	SW	eu-nb	SW		
9	eu-nb	SW	nb	SW	en nb	SW	ci-st eu	WSW W	en	WNW E	ci-st en	WSW W	eu	W	eu-nb	W		
10	eu	WSW	eu	WSW	nb	WSW	nb	E	a-cu eu	WSW E	en-nb	E	nb	E	eu	SE		
11	en	E	eu	E	eu	E	a-cu eu	SE E	a-en eu	WSW NNW	a-eu	WSW E	a-en eu	W ESE	eu	ESE		
12	eu	E	eu-nb	E	a-cu en	SSE E	eu	E	nb	E	eu-nb	ESE	eu-nb	ESE	eu-nb	ESE		
13	nb	ESE	nb	ESE	nb	SE	eu-nb	E	nb	ESE	nb	SE	nb	ESE	nb	ESE		
14	nb	ESE	nb	ESE	nb	ESE	nb	SE	nb	ESE	nb	ESE	nb	ESE	eu	E		
15	nb	ESE	nb	E	en nb	SE	eu	ESE	eu	SSW	ci-st en	en S	en	S	a-en en	ENE SSW	ou	SSW
16	eu	SSE	eu-nb	SSE	eu	SSE	eu	S	eu	S	eu	S	eu	S	a-en en	ENE SSW	ou	SSW
17	eu	SSW	eu	SSW	ci-st eu	NE SSW	nb	SSW	eu	SSW	eu	SSW	eu	SSW	en	SSW	en	S
18	eu	S	eu	S	eu	SSW	eu	S	ci-st eu	SNE SSW	eu	SW	eu	SW	en	SW	en	SW
19	eu-nb	SSW	eu	SW	a-cu en	NW S	eu	E	ci-st eu	SSW	eu	ci-st E	SSW	ci-st	WSW	ci-st	WSW	ci-st
20	eu	ESE	eu	ESE	a-en en	SSW	ci-st en	E	ci-st en	ENE	ci-st en	S	en	S	ci-st en	E	eu	SSE
21	en	S	nb	SSW	eu	SSW	eu	SE	eu	SSW	eu	SW	ci-st en	WNW SW	eu	SW	ne	
22	eu	SW	eu	SW	en	SW	eu	WNW	ci-en en	NE WSW	ci-en en	WNW	ci-st en	NE WSW	ci-st en	NE SW	ci-st en	
23	eu	SW	eu	SW	eu	W	eu	WSW	eu	SW	ci-st eu	SW	ci-st eu	SW	en	SW	en	SW
24	eu	WSW	en	WSW	eu-nb	SSE	eu-nb	SE	nb	SE	en	NNE ESE	eu	SE	nb	ESE	en	
25	nb	ESE	nb	E	nb	E	en	ESE	nb	E	nb	SSE	eu	S	eu	S	en	
26	nb	SSE	eu-nb	SSE	nb	S	eu	S	nb	S	nb	S	eu-nb	S	eu	SSW	en	
27	eu	SSW	eu	SSW	ci-st en	NE S	eu	SW	ci-st en	NE SSW	eu	ci-st en	SSW	ci-st en	NE SW	en	SW	
28	eu	SSW	eu	SSW	eu	SSW	eu	SW	eu	SW	eu	SSW	en	SSW	eu	SSW	en	
29	eu	SSW	eu	SSW	eu	SW	eu	W	eu	WSW	en	WSW	ci-st	NE	ci-st	NE	en	
30	eu	E	eu	E	ci-st en	WNW E	eu	N	en	E	ci-cu en	NE E	ci-st en	NE E	en	E	en	

TABLE IX.—DAILY VALUES OF METEOROLOGICAL ELEMENTS IN THE MONTH OF JUNE, 1923.
(British Units.)

Days of the Month	Mean Barometric Pressure.	Temperature.						Mean Degree of Humidity (Saturation 100). Mean Amount of Cloud (0-100).	Bright Sunshine.		Rainfall.		Wind.		Resultant.		
		Of the Air			Mean Vapour Tension.	Daily Duration.	Percentage of possible amount		Amount.	Duration.	North.	East.	Direction.	Velocity.			
		Highest.	Lowest.	Range.										Observed Velocity.			
1	29.794	81.9	74.1	7.8	78.3	75.5	0.846	87	90	0.5	4	2475	11	m.p.h.	m.p.h.	87 16.8 17.3	
2	29.808	77.7	75.7	2.0	76.7	71.7	71.1	77	100	0.015	7	+ 0.8	+ 28.5	82 28.6 29.1	
3	29.785	77.9	71.6	6.3	74.8	69.4	64.7	73	100	0.335	12	+ 2.2	+ 15.5	82 15.7 15.9	
4	29.749	74.5	71.2	3.3	72.6	70.0	70.0	88	100	0.1	1	0.465	18	+ 4.5	+ 11.5	69 12.4 12.8	
5	29.719	80.0	73.3	6.7	76.6	70.3	65.7	72	66	7.5	56	+ 2.6	+ 20.5	83 20.7 21.2	
6	29.701	80.2	75.4	4.8	77.4	72.0	71.3	75	86	6.5	49	+ 2.0	+ 20.9	84 21.0 21.2	
7	29.646	79.6	76.7	2.9	78.1	75.7	85.8	89	99	0.4	3	0.055	6	- 1.4	+ 13.7	96 13.8 13.8	
8	29.551	82.9	78.0	4.9	80.3	77.4	90.3	87	100	0.190	7	- 7.4	- 6.6	222 9.9 11.0	
9	29.527	85.2	76.3	8.9	80.5	76.2	84	81	96	3.8	28	0.900	3	+ 2.3	- 7.0	288 7.4 7.7	
10	29.555	82.7	76.8	5.9	78.9	75.5	83.8	85	93	2.4	18	0.075	5	- 0.3	+ 6.8	93 6.8 8.4	
11	29.593	84.2	76.2	8.0	79.5	75.4	82.6	82	85	4.3	32	0.010	1	- 3.0	+ 3.4	132 4.5 5.2	
12	29.560	83.7	77.2	6.5	78.9	76.4	87.7	89	92	2.6	19	0.760	5	- 1.2	+ 10.0	97 10.1 10.2	
13	29.568	80.5	76.0	4.5	78.4	76.0	86.6	89	100	2.070	12	- 4.7	+ 8.2	120 9.5 11.4	
14	29.640	79.6	74.9	4.7	77.7	76.5	89.8	94	98	4.365	16	- 1.8	+ 10.6	100 10.8 11.2	
15	29.664	84.3	78.2	6.1	80.5	78.8	96.3	92	90	2.7	20	0.255	4	- 1.7	+ 10.2	99 10.3 10.3	
16	29.615	87.1	79.0	8.1	82.4	78.5	92.3	83	85	7.3	54	0.035	...	- 5.0	- 0.1	179 5.0 5.1	
17	29.535	88.5	81.2	7.3	83.1	78.6	91.9	81	84	8.3	61	0.035	2	- 6.3	- 1.4	192 6.5 6.6	
18	29.540	89.0	80.6	8.4	82.9	78.7	92.6	82	84	5.2	39	0.030	...	- 6.1	+ 0.3	177 6.1 6.4	
19	29.574	86.5	79.4	7.1	82.7	78.8	93.3	83	86	11.4	84	0.010	...	- 1.6	+ 7.9	102 8.1 8.4	
20	29.571	89.0	79.7	9.3	83.5	78.9	92	81	56	10.0	74	0.005	...	- 1.5	+ 1.8	130 2.4 4.4	
21	29.556	89.9	79.2	10.7	84.4	79.2	92.9	78	60	8.7	64	0.135	1	- 4.5	- 2.2	206 5.0 5.5	
22	29.522	90.2	78.3	11.9	85.0	79.8	94.9	78	62	11.2	83	0.255	1	- 3.1	- 5.2	239 6.1 7.1	
23	29.521	90.8	81.9	8.9	85.3	80.0	95.4	78	84	7.7	57	0.130	...	- 3.8	- 5.0	233 6.3 6.9	
24	29.560	85.4	79.6	5.8	81.8	78.7	94.1	87	93	4.4	33	0.310	4	- 1.2	+ 9.0	198 9.1 9.7	
25	29.541	85.5	77.0	8.5	80.7	77.7	91.1	87	96	5.4	40	1.380	8	- 3.5	+ 6.8	117 7.7 11.0	
26	29.592	84.3	78.3	6.0	81.7	77.8	90.1	83	98	11.9	14	1.220	6	- 13.3	- 1.2	185 13.4 13.6	
27	29.659	88.8	80.0	8.8	83.5	78.9	92.7	81	91	9.0	67	0.180	1	- 12.3	- 1.1	185 12.4 12.3	
28	29.657	88.5	81.1	7.4	83.8	78.0	88.2	76	45	11.8	87	0.005	...	- 6.5	- 1.5	193 6.7 6.7	
29	29.605	89.4	80.0	9.4	83.6	78.6	91.2	79	32	10.0	74	- 1.3	- 0.9	215 1.6 4.8	
30	29.552	88.8	80.9	7.9	83.8	77.8	87.3	75	55	9.2	68	- 5.3	+ 15.2	71 16.2 16.5	
Means	29.615	84.6	77.6	7.0	80.6	76.6	0.865	82	92	15.2	3	15.720	130	- 2.3	+ 6.2	110 6.6 11.1	
Normals	29.654	85.3	77.6	7.7	80.9	76.9	0.873	83	77	16.3	6	16.090	87	- 4.9	+ 2.8	150 5.6 13.9	
Absolute Max.	29.836	90.8	...	11.9	...	83.0	10.57	11.8	87	4.365	18	36.0	
Dry.	z	23	...	22	...	23	25	28	28	14	4	
Absolute Min.	29.453	...	7.1	2.0	...	6.78	0.563	55	
Day	22	...	4	z	...	3	6	6	

Phenomena:—

Solar halo:—on the 6th, 16th and 23rd.

Lunar halo:—on the 22nd, 24th, 27th and 30th.

Lunar corona:—on the 1st, 5th and 25th.

Slight fog:—on the 10th.

Unusual visibility:—on the 19th, 22nd and 25th.

Dew:—on the 16th and 29th.

Rainbow:—on the 1st, 11th, 20th and 24th.

Lightning:—on the 6th, 8th, 9th, 15th, 16th, 17th, 22nd, 23rd and 24th.

Thunder:—on the 1st, 7th and 13th.

Thunderstorms as follows:—

9^h 21^m to 6^h 15^m WSW to ENE; nearest at 4^h 38^m (21').13^h 11^m 12^s to 12^h 50^m NW to SE; nearest at 11^h 12^m (10').Rain fell on 24 days. The mean hourly intensity was 0.121^{in.}, and the maximum fall in one hour was 1.190^{in.} at 10^h on the 14th.The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 49 miles per hour at 2^h 42^m on the 2nd and at 17^h 3^m on the 30th.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1923.
(C. G. S. Units:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure. m.m.	Temperature.					Mean Vapour Tension. mm.	Rainfall.		Wind.		Observed Velocity. m.p.h.		
		Of the Air.			Components.			Resultant.		Resultant.				
		Highest.	Lowest.	Range.	Mean.	Of Evaporation.		Amount.	Duration.	North.	East.			
1	1010.9	3001.7	296.4	4.3	298.7	297.2	28.5	62.9	11	+ 0.2	+ 5.5	87 5.5 5.7		
2	1011.4	298.4	297.3	1.1	297.8	295.1	24.0	0.4	7	+ 1.2	+ 9.3	82 9.4 9.5		
3	1010.6	298.5	295.0	3.5	296.8	293.8	21.8	8.5	12	+ 0.7	+ 5.1	82 5.1 5.2		
4	1009.4	296.6	294.8	1.8	295.6	294.1	23.6	11.8	18	+ 1.5	+ 3.8	69 4.1 4.2		
5	1008.3	299.7	295.9	3.8	297.8	294.3	22.1	+ 0.9	+ 6.7	83 6.8 6.9		
6	1007.7	299.8	297.1	2.7	298.2	295.2	24.0	+ 0.7	+ 6.9	84 6.9 6.9		
7	1005.8	299.4	297.8	1.6	298.6	297.3	28.9	1.4	6	- 0.5	+ 4.5	96 4.5 4.5		
8	1002.6	301.3	298.6	2.7	299.8	298.2	30.5	4.8	7	- 2.4	- 2.2	222 3.2 3.6		
9	1001.8	302.6	297.6	5.0	299.9	297.6	28.6	22.9	3	+ 0.8	- 2.3	288 2.4 2.5		
10	1002.8	301.2	297.9	3.3	299.1	297.2	28.3	1.9	5	- 0.1	+ 2.2	93 2.2 2.8		
11	1004.0	302.0	297.6	4.4	299.4	297.1	27.9	0.2	1	- 1.0	+ 1.1	132 1.5 1.7		
12	1002.9	301.7	298.1	3.6	299.1	297.7	29.6	19.3	5	- 0.4	+ 3.3	97 3.3 3.3		
13	1003.2	299.9	297.4	2.5	298.8	297.4	29.2	52.6	12	- 1.5	+ 2.7	120 3.1 3.7		
14	1005.6	299.4	296.8	2.6	298.4	297.7	30.3	110.9	16	- 0.6	+ 3.5	100 3.5 3.7		
15	1006.4	302.1	298.7	3.4	299.9	299.0	32.5	6.5	4	- 0.6	+ 3.3	99 3.4 3.4		
16	1004.7	303.6	299.1	4.5	301.0	298.8	31.1	0.9	...	- 1.6	...	180 1.6 1.7		
17	1002.0	304.4	300.3	4.1	301.4	298.9	31.0	0.9	2	- 2.1	- 0.5	192 2.1 2.2		
18	1002.2	304.7	300.0	4.7	301.3	298.9	31.2	1.3	...	- 2.0	+ 0.1	177 2.0 2.1		
19	1003.4	303.3	299.3	4.0	301.2	299.0	31.5	0.2	...	- 0.5	+ 2.6	102 2.7 2.8		
20	1003.3	304.7	299.5	5.2	301.6	299.1	31.3	0.1	...	- 0.5	+ 0.6	130 0.8 1.4		
21	1002.8	305.2	299.2	6.0	302.1	299.2	31.3	3.4	1	- 1.5	- 0.7	205 1.6 1.8		
22	1001.6	305.3	298.7	6.6	302.4	299.6	32.0	6.5	1	- 1.0	- 1.7	239 2.0 2.3		
23	1001.6	305.7	300.7	5.0	302.6	299.7	32.2	3.3	...	- 1.2	- 1.6	233 2.1 2.3		
24	1002.9	302.7	299.4	3.3	300.7	298.9	31.8	7.9	4	- 0.4	+ 3.0	98 3.0 3.2		
25	1002.3	302.7	298.0	4.7	300.1	298.4	30.7	35.0	8	- 1.1	+ 2.2	117 2.5 3.6		
26	1004.0	302.1	298.7	3.4	300.6	298.4	30.4	31.0	6	- 4.4	- 0.4	185 4.4 4.5		
27	1006.2	304.6	299.7	4.9	301.6	299.1	31.3	4.6	1	- 4.0	- 0.4	185 4.1 4.0		
28	1006.2	304.4	300.3	4.1	301.8	298.6	29.8	0.1	...	- 2.1	- 0.5	193 2.2 2.2		
29	1004.4	304.9	299.7	5.2	301.7	298.9	30.8	- 0.4	- 0.3	214 0.5 1.6		
30	1002.5	304.6	300.2	4.4	301.8	298.4	29.5	+ 1.7	+ 5.0	71 5.3 5.4		
Means.	1004.8	302.2	298.3	3.9	300.0	297.8	29.2	399.3	130	- 0.8	+ 2.0	110 2.2 3.6		
Normal	1006.1	302.6	298.3	4.3	300.2	297.9	29.5	408.7	87	- 1.6	+ 0.9	150 1.8 3.9		
Absolute Maximum.	1012.3	305.7	...	6.6	...	301.3	35.7	110.9	18		
Day.	2	23	...	2.2	...	2.3	23	14	4		
Absolute Minimum.	999.2	...	294.8	1.1	...	292.9	19.0		
Day.	22	...	4	2	...	3	6		

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1923.
(British Units.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature.			Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall, Percentage of Total		Wind.			Observed Velocity.
		Of the Alt.	Of Evaporation	Mean Vapour Tension				Amount.	Duration	Components.	Resultant.		
	ins.	°	ins.	%	%	%	%	m.p.h.	m.p.h.	North.	East.	Direction.*	Velocity
1	29.629	79.6	76.4	0.871	25	81	1	—	2.5	+ 5.6	114	6.1	9.9
2	29.614	79.4	76.3	0.869	86	79	3	—	2.1	+ 5.6	111	6.0	9.6
3	29.605	79.2	76.2	0.867	86	82	2	—	1.9	+ 5.1	110	5.5	9.2
4	29.602	79.0	76.1	0.865	86	85	—	—	1.1	+ 5.4	102	5.5	9.1
5	29.605	78.8	76.0	0.864	87	87	—	—	1.2	+ 5.1	103	5.3	8.9
6	29.612	78.6	75.9	0.862	87	88	9	—	—	+ 4.8	107	5.0	7.8
7	29.625	79.3	76.2	0.866	86	85	34	—	—	+ 5.0	105	5.2	8.5
8	29.634	80.4	76.6	0.869	82	89	34	—	—	+ 4.8	102	4.9	9.2
9	29.643	80.8	76.7	0.868	81	87	42	—	—	+ 5.3	97	5.3	10.8
10	29.646	81.8	77.0	0.867	79	84	45	—	—	+ 4.7	102	4.8	11.4
11	29.641	82.1	76.9	0.859	77	84	47	10	—	—	1.6	104	6.6
Noon.	29.633	82.2	77.0	0.862	77	85	54	—	6	—	1.9	107	6.6
13	29.618	82.8	77.2	0.863	76	78	55	—	6	—	2.5	111	6.9
14	29.601	82.6	77.0	0.857	76	78	53	—	+	—	3.7	118	7.9
15	29.585	82.7	76.8	0.846	74	79	48	—	+	—	4.0	119	8.2
16	29.576	82.3	76.9	0.857	77	83	39	—	+	+ 4.0	120	8.0	13.2
17	29.572	81.6	76.7	0.856	78	83	35	—	3	—	+ 4.2	119	8.6
18	29.580	81.0	76.6	0.860	80	82	12	—	3	—	3.7	118	7.8
19	29.595	80.4	76.5	0.864	82	83	—	—	4	—	3.2	114	7.8
20	29.614	80.1	76.6	0.873	84	82	—	—	5	—	3.2	115	7.7
21	29.624	80.1	76.6	0.873	84	79	—	1	3	—	2.6	110	7.5
22	29.636	79.9	76.4	0.867	84	77	—	2	3	—	1.8	104	7.3
23	29.643	79.8	76.4	0.869	84	78	—	1	2	—	1.9	105	7.5
Midn.	29.635	79.7	76.5	0.874	85	81	—	2	3	—	1.8	105	7.4

TABLE XII.—MEAN HOURLY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1923.
(C. G. S. Units:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature.			Mean Vapour Tension.	Components.			Wind.			Observed Velocity.
		Of the Alt.	Of Evaporation	Mean Vapour Tension.		North.	East.	Direction.*	Velocity.			
	m.b.	°	ins.	m.b.	m.p.s.	m.p.s.	m.p.s.	m.p.s.	m.p.s.	Direction.*	Velocity.	m.p.s.
1	1005.3	299.4	297.7	29.4	—	0.8	+ 1.8	114	—	2.0	3.2	—
2	1004.7	299.3	297.6	29.3	—	0.7	+ 1.8	111	—	2.0	3.3	—
3	1004.4	299.2	297.6	29.3	—	0.6	+ 1.7	110	—	1.8	3.0	—
4	1004.3	299.1	297.5	29.2	—	0.4	+ 1.8	102	—	1.8	3.0	—
5	1004.4	299.0	297.4	29.1	—	0.4	+ 1.7	103	—	1.7	2.9	—
6	1004.7	298.9	297.4	29.1	—	0.5	+ 1.6	107	—	1.6	2.6	—
7	1005.1	299.3	297.6	29.2	—	0.4	+ 1.6	105	—	1.7	2.8	—
8	1005.4	299.9	297.8	29.3	—	0.3	+ 1.6	102	—	1.6	3.0	—
9	1015.7	300.1	297.8	29.3	—	0.2	+ 1.7	97	—	1.7	3.5	—
10	1005.8	300.7	298.0	29.3	—	0.3	+ 1.5	102	—	1.6	3.7	—
11	1015.6	300.8	297.9	29.0	—	0.5	+ 2.1	104	—	2.2	4.3	—
Noon.	1005.4	300.9	298.0	29.1	—	0.6	+ 2.1	107	—	2.2	4.4	—
13	1004.9	301.2	298.1	29.1	—	0.8	+ 2.1	111	—	2.3	4.1	—
14	1004.3	301.1	298.0	28.9	—	1.2	+ 2.3	118	—	2.6	4.4	—
15	1003.7	301.2	297.9	28.5	—	1.3	+ 2.3	119	—	2.7	4.4	—
16	1003.4	300.9	297.9	28.9	—	1.3	+ 2.3	120	—	2.6	4.3	—
17	1003.3	300.6	297.8	28.9	—	1.4	+ 2.5	119	—	2.8	4.5	—
18	1003.6	300.2	297.8	29.0	—	1.2	+ 2.3	118	—	2.6	4.0	—
19	1004.1	299.9	297.7	29.1	—	1.0	+ 2.3	114	—	2.6	3.8	—
20	1004.7	299.7	297.8	29.5	—	1.0	+ 2.3	115	—	2.5	3.7	—
21	1005.1	299.7	297.8	29.5	—	0.9	+ 2.3	110	—	2.5	3.6	—
22	1005.5	299.6	297.7	29.3	—	0.6	+ 2.3	104	—	2.4	3.4	—
23	1005.7	299.6	297.7	29.3	—	0.6	+ 2.4	105	—	2.5	3.5	—
Midn.	1005.5	299.5	297.7	29.5	—	0.6	+ 2.3	105	—	2.3	3.4	—

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

JUNE,

1923.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	31ST MAY, 1923.							1ST JUNE, 1923.								
	HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.		THRES. ATMOS.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.		THRES. ATMOS.	HUMIDIT.	WIND.			
	Hours.	Inches.	Millrs.			Direct- ion.	Force.		Hours.	Inches.	Millrs.			Direct- ion.	Force.	
Vladivostock, .	12	29.96	761.1	55	2	○	6	30.03	762.8	47	...	SW	0	f
Nemuro, .	11	29.92	760.0	NE	3	..	5	29.94	760.5	ENE	1	..
Hokodate, .	"	29.84	758.0	SE	4	..	"	29.86	758.5	E	2	..
Tokio, .	"	29.86	758.5	SSE	1	..	"	29.84	758.0	0	..
Kochi, .	"	29.84	758.0	N	1	..	"	29.94	760.5	WNW	1	..
Nagasaki, .	"	29.90	759.5	ENE	1	..	"	29.98	761.5	N	1	..
Kagoshima, .	"	29.82	757.5	SSE	2	..	"	29.96	761.0	NNW	1	..
Oshima, .	"	29.86	758.0	S	2	..	"	29.90	759.5	SSE	1	..
Naha, .	"	29.90	759.5	NW	2	..	"	29.90	759.5	NNE	0	..
Ishigakijima, .	"	29.88	759.0	SE	1	..	"	29.90	759.5	0	..
Bonin Island, .	"	29.98	761.5				"	29.98	761.5
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.01	762.3	68	81	SE	2	b	"	30.12	763.0	55	100	NE	1	bf
Gutzlaff, .	"	30.03	762.7	67	74	NNE	4	b	"	30.13	765.3	60	82	NNE	2	b
Sharp Peak, .	15	29.85	758.2	81	71	...	0	o	"	29.97	761.2	70	90	NNE	1	r
Amoy, .	14	29.74	755.4	86	80	SSE	2	o	6	29.87	758.7	74	81	ENE	4	o
Swatow, .	"	"
Taihoku, .	12	29.85	758.1	86	71	W	4	b	"	29.93	760.2	72	96	E	4	r
Taihu, .	"	29.84	757.8	90	...	W	2	b	"	29.89	759.7	73	..	NN	2	oo
Tainan, .	"	29.84	757.8	90	...	SW	4	b	"	29.86	758.4	75	2	b
Koshun, .	"	29.85	758.1	90	...	SE	4	b	"	29.85	758.1	75	0	o
Pescadores, .	"	29.86	758.4	90	...	S	4	o	"	29.87	758.7	77	..	NE	4	o
Canton, .	15	29.76	755.9	82	75	S	2	o	"	29.85	758.2	76	95	ENE	1	o
Hongkong, .	14	29.77	756.1	77	93	NNW	1	o	"	29.82	757.4	80	85	ENE	2	o
Gap Rock, .	"	29.79	756.6	ESE	2	o	"	29.82	757.4	E	3	o
Macno, .	"	29.75	755.7	77	96	S	2	r	"	29.76	756.0	79	89	ENE	2	o
Wuchow, .	15	"	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.62	752.4	84	74	ENE	6	o	7
Tourane, .	"	29.56	750.9	75	...	SSW	2	r	"
Cape St. James, .	"	29.71	754.5	82	...	SW	4	o	"
Aparri, .	14	29.75	755.7	90	69	E	4	b	6	29.81	757.2	77	85	S	2	b
Dagupan, .	"	"
Maula, .	"	29.74	755.4	90	57	WNW	4	o	"	29.80	756.9	73	89	E	1	b
Legaspi, .	"	29.74	755.4	86	75	ENE	4	b	"
Tacloban, .	"	"	29.78	756.3	79	90	ENE	2	o
Hollo, .	"	29.71	754.5	86	65	N	4	o	"	29.75	755.7	77	94	NW	1	o
Surigao, .	"	29.69	754.2	82	86	NE	4	r	"	29.75	755.7	79	89	N	4	o
Guam, .	12.20	29.75	755.7	ENE	4	o	4.20	29.78	756.3	ENE	2	r
Yap, .	12.47	29.72	754.8	ESE	4	o	4.47	29.74	755.4	E	2	o
Lubutan, .	14	29.71	754.6	88	73	N	2	b	6	29.75	755.6	81	87	NE	4	b

June 1d. 11h. 42m.—Pressure has increased considerably at Shanghai and slightly at the majority of other reporting stations.

Gradients are shallow over the Philippines and the eastern portion of the China Sea.

A feeble anticyclone is central over N.E. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.79 inch. Total since January 1st, 12.70 inches, against an average of 23.82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND. DISTRICT.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamocks, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- E. winds, moderate; generally overcast, occasional rain.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG

DAILY WEATHER REPORT.

STATION.	1ST JUNE, 1923.							2ND JUNE, 1923.							
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER. ATMOS.	HUMIDITY.	WIND.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER. ATMOS.	HUMIDITY.	WIND.	
	Inches.	Millrs.	Direct. ION.	Force.				Inches.	Millrs.	Direct. ION.	Force.				
Wladivostock, 12	30.00	762.1	59	...	WSW	2	b	6	29.89	759.3	58	...	N	1	6
Nemuro, 11	29.92	760.0	SE	2	...	5	29.82	757.5	SSW	4	...
Hokodate, 12	29.88	759.0	E	1	...	"	29.94	766.5	W	4	...
Tokio, 12	29.84	758.0	NNE	1	...	"	30.04	763.0	N	6	...
Kochi, 12	30.02	762.5	NNW	2	...	"	30.02	762.5	SW	1	...
Nagasaki, 12	30.02	762.5	N	3	...	"	30.02	762.5	N	2	...
Kagoshima, 12	29.98	761.5	ESE	1	...	"	30.00	762.0	NW	1	...
Oshima, 12	29.98	761.5	NW	1	...	"	29.96	761.0	SE	1	...
Naha, 12	29.94	760.5	NW	2	...	"	29.94	760.5	N	2	...
Ishigakijima, 12	29.92	760.0	NE	1	...	"	29.90	759.5	NNE	1	...
Bonin Island, 12	29.98	761.5	SSW	1	...	"	29.98	761.5	SSW	1	...
Weihaiwei, 14	"
Hankow, 15	"
Ichang, 12	"
Changsha, 12	"
Shanghai, 11	30.18	766.5	77	44	ENE	2	b	"	30.12	765.0	57	96	E	1	0
Gutzlaff, 12	30.16	766.0	68	70	NE	2	o	"	30.14	765.5	63	62	...	0	0
Sharp Peak, 15	30.00	752.8	74	81	E	2	o	7	30.02	762.5	70	85	N	1	0
Amoy, 14	29.89	759.2	78	74	ENE	1	o	6	29.92	759.9	72	50	NE	2	0
Swatow, 12	+	"
Taiboku, 12	29.98	761.4	79	80	E	6	o	"	29.95	760.8	70	88	E	4	0
Taichu, 12	29.89	759.3	86	...	NNW	2	b	"	29.91	759.6	70	0	0
Taihan, 12	29.88	759.0	90	...	VNW	4	b	"	29.86	758.4	72	...	NE	2	0
Koshun, 12	29.92	759.9	90	...	NE	4	b	"	29.85	758.1	77	...	NNE	4	b
Pescadores, 12	29.92	759.9	84	...	NNE	7	b	"	29.89	759.3	75	...	NNE	6	0
Canton, 15	29.88	758.9	77	95	S	1	or	"	29.88	758.9	74	95	ENE	1	0
Hongkong, 14	29.87	758.7	79	89	E	4	or	"	29.85	758.2	76	83	E	5	0
Gap Rock, 12	29.86	758.4	ENE	4	op	"	29.82	757.5	ENE	6	0
Macao, 12	29.85	758.1	77	94	SE	2	r	"	29.81	757.2	77	84	WSW	4	0
Wuchew, 15	"	
Pakhoi, 12	"	
Hoihow, 12	"	
Phulien, 12	7	
Tourane, 12	"	
Cape St. James, 12	"	
Aparri, 14	29.78	756.3	90	63	E	4	o	6	29.80	756.9	77	91	...	0	0
Dagupan, 12	"	
Manila, 12	29.76	756.0	86	61	ESE	4	o	"	29.76	756.0	73	94	...	0	b
Legaspi, 12	29.74	755.4	81	62	NE	2	b	"	29.74	755.4	81	86	NNE	2	0
Taoloban, 12	29.72	754.8	90	66	E	1	o	"	
Ilollo, 12	29.71	754.5	90	63	NE	6	o	"	29.73	755.1	79	85	N	2	0
Surigao, 12	"	29.71	754.5	77	96	...	0	0
Guam, 12.20	29.79	756.6	FSE	4	o	4.20	29.80	756.0	ENE	2	0
Yap, 12.47	29.75	755.7	NE	4	o	4.47	29.73	755.1	NNW	1	0
Labuan, 14	29.73	755.1	88	98	N	4	b	6	29.73	755.1	80	91	N	1	0

June 2d. 10h. 58m. Pressure has decreased moderately at Wladivostock and increased moderately at Tokio.

Changes are slight at other reporting station.

The anticyclone is spreading eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1.94 inch. Total since January 1st, 14.6+ inches, against an average of 24.33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD. DISTRICT.

FORECAST.

- 1.—Formosa Channel, ... N.E. winds; strong, moderating.
- 2.—South coast of China between Hongkong and Lamock, ... E. winds, strong, moderating; overcast, occasional rain.
- 3.—Hongkong to Gap Rock, ... E. winds, strong, moderating; overcast, occasional rain.
- 4.—South coast of China between Hongkong and Hainan, ... E. winds, strong, moderating; overcast, occasional rain.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG

DAILY WEATHER REPORT.

STATION.	2ND JUNE, 1923.							3RD JUNE, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.			
		Inches.	Mills.			Dir.	Force.		Inches.	Mills.			Dir.	Force.		
Vladivostock, .	12	SSE	...	6	
Nemuro, .	11	29.70	754.5	SSW	6	5	
Hokodate, .	11	29.84	758.0	
Tokio, .	0	30.00	762.0	SW	1	
Kochi, .	0	29.96	761.0	NNW	2	
Nagasaki, .	0	30.00	762.0	SE	1	
Kagoshima, .	0	29.96	761.0	0	
Osshima, .	0	29.96	761.0	NNE	2	
Naha, .	0	29.94	760.5	ENE	4	
Ishigakijima, .	0	29.88	759.0	SSW	2	
Bonin Island, .	0	29.92	760.0	
Weihaiwei, .	14	
Hankow, .	15	
Iohang, .	0	
Changsha, .	0	
Shanghai, .	11	30.12	765.0	77	40	ESE	1	b	...	30.01	762.3	59	89	SE	1	b
Gutzlaff, .	0	30.08	764.0	68	65	E	2	o	...	30.03	762.7	62	90	SSW	2	o
Sharp Peak, .	15	30.00	762.0	70	75	N	2	r	7	29.97	761.2	67	100	N	2	o
Amoy, .	14	29.89	759.2	78	50	ENE	2	o	6
Swatow, .	0
Taihoku, .	12	29.94	760.5	79	76	E	2	o	...	29.91	759.6	68	83	E	4	o
Taichu, .	0	29.87	758.7	86	...	NNE	2	b	...	29.84	757.8	70	...	W	1	o
Tainan, .	0	29.86	758.4	86	...	NW	2	b	...	29.82	757.5	72	...	NE	2	b
Keshum, .	0	29.85	758.1	86	...	NE	4	b	...	29.80	756.9	77	...	ENE	4	o
Pescadores, .	0	29.89	759.3	81	...	NNE	7	o	...	29.85	758.1	73	...	NNE	6	o
Canton, .	15	29.86	758.4	81	74	E	1	o	...	29.87	758.1	73	95	N	2	o
Hongkong, .	14	29.86	758.4	77	74	E	5	o	...	29.84	757.9	75	74	E	4	o
Gap Rock, .	0	29.83	757.7	ENE	6	o	...	29.81	757.2	ENE	6	o
Macao, .	0	29.67	753.6	77	84	ESE	4	o	...	29.78	756.3	75	79	ESE	4	o
Wuchow, .	15	9	
Pakhoi, .	0	
Hoihow, .	0	
Phulien, .	0	29.73	755.1	E	4	rf	7	29.75	755.7	72	98	NE	6	rf
Tourane, .	0	29.73	755.1	82	...	SE	2	b	...	29.71	754.5	77	...	SSE	1	o
Cape St. James, .	0	29.75	755.7	75	...	W	2	r	...	29.75	755.7	75	b
Aparri, .	14	29.75	755.7	90	66	E	4	b	6	29.75	755.7	77	92	...	o	b
Dagupan, .	0	
Manila, .	0	29.73	754.8	90	63	WSW	4	o	...	29.72	754.8	75	92	FSE	1	o
Legaspi, .	0	29.69	754.2	90	69	NE	4	o	...	29.61	752.1	82	87	NNE	7	o
Tacloban, .	0	29.68	753.9	75	94	NW	2	r	
Ililo, .	0	29.69	754.2	86	68	NE	4	o	...	29.63	757.2	81	92	SE	1	o
Surigao, .	0	
Juan, .	12.20	29.79	756.6	E	4	o	4.20	
Iap, .	12.47	29.66	753.3	NE	6	o	4.47	
Labuan, .	14	29.67	753.6	88	76	N	2	b	6	29.69	754.1	80	91	E	4	b

June 3d. 12h. 15m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 60 miles of Lat. 12° N. Long. 125° E., moving West.

June 3d. 12h. 20m. Pressure has decreased moderately at Shanghai and over the Visayas, and slightly over Luzon and Formosa. It has increased slightly over Tongking.

The anticyclone is moving eastward.

A typhoon is shown to the south-east of Legaspi. It appears to be moving westward.

A shallow depression is shown over Indo-China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 14.66 inches, against an average of 24.84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong, moderating.
- 2.—South coast of China between Hongkong and Lamock, E. winds, strong, moderating, overcast at first, improving later.
- 3.—Hongkong to Gap Rock, E. winds, strong, moderating.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG

DAILY WEATHER REPORT.

STATION.	3RD JUNE, 1923.							4TH JUNE, 1923.							
	HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		
		Inches.	Millrs.			Dir- ec- tion.	Force.		Inches.	Millrs.			Dir- ec- tion.	Force.	
Vladivostock, .	12	29.73	755.2	67	...	N	3	0	6	29.89	759.2	50	...	N	5
Nemuro, .	11	29.63	752.5	ENE	1	...	5	29.73	755.0	ENE	2
Hokodate, .	"	29.72	755.0	SW	2	...	"	29.67	753.5	SW	2
Tokio, .	"	29.84	758.0	ESE	2	...	"	29.84	758.0	N	2
Kochi, .	"	29.88	759.0	WSW	4	...	"	29.86	758.5	WSW	1
Nagasaki, .	"	29.92	760.0	SW	1	...	"	29.88	759.0	0
Kagoshima, .	"	29.90	759.5	0	...	"	29.86	758.5	NW	1
Oshima, .	"	29.88	759.0	N	2	...	"	29.84	758.0	SSE	1
Naha, .	"	29.90	759.5	ENE	2	...	"	29.84	758.0	N	1
Ishigakijima, .	"	29.84	758.0	NE	5	...	"	29.82	757.5	NNE	3
Bonin Island, .	"	29.86	758.5	SW	1	...	"	29.86	758.5	SSW	3
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.98	761.5	79	36	S	1	b	"	29.89	759.3	59	83	SSE	1
Gutzlaff, .	"	29.96	761.0	71	53	S	2	b	"	29.91	759.	64	68	SSW	2
Sharp Peak, .	15	29.96	761.0	64	84	N	1	r	7	29.89	759.2	65	78	NW	2
Amoy, .	14	6	29.82	757.4	54	89	NE	1
Swatow, .	"	"
Taihoku, .	12	29.93	760.2	73	55	NNE	1	b	"	29.85	758.1	64	96	E	4
Taichu, .	"	29.82	757.5	82	...	NNW	4	o	"	29.81	757.2	68	...	N	2
Tainan, .	"	29.81	757.2	86	...	N	4	b	"	29.63	752.7	70	...	N	2
Koshun, .	"	29.81	757.2	84	...	NNE	4	o	"	29.76	756.0	75	...	NNE	0
Pescadores, .	"	29.87	758.7	79	...	NNE	7	o	"	29.79	756.6	72	...	NNE	6
Canton, .	15	29.86	758.4	72	90	N	2	or	"	29.85	758.2	66	95	N	2
Hongkong, .	14	29.82	757.4	7	67	E	3	o	"	29.80	756.9	71	93	ENE	4
Gap Rock, .	"	29.82	757.4	ENE	6	o	"	29.78	756.4	ENE	0
Macao, .	"	29.81	757.2	73	82	NNE	2	r	"	29.78	756.3	70	94	NNE	4
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.78	756.3	76	96	NNE	4	rf	7	29.81	757.2	70	94	NNW	2
Tourane, .	"	29.67	753.6	82	...	NNE	2	b	"	29.73	755.1	73	...	NW	4
Cape St. James, .	"	29.73	755.1	86	...	SE	2	o	"	29.76	756.0	79	...	SSW	2
Aparri, .	14	29.68	753.9	90	66	E	1	b	6	29.69	754.2	77	92	o	b
Dagupan, .	"	"
Manila, .	"	29.65	753.0	90	57	NE	4	o	"	29.63	752.7	79	87	N	2
Legaspi, .	"	"
Tacloban, .	"	"	29.71	754.5	81	86	SW	4
Iloilo, .	"	"	29.72	754.8	80	98	SW	0
Surigao, .	"	"
Guam, .	12.20	4.20	29.78	756.3	E	2
Yap, .	12.4	29.67	753.6	S	4	o	4.47	29.78	756.3	SE	4
Labuan, .	14	29.69	754.1	84	83	NE	2	b	6	29.75	755.6	77	94	N	2

June 3d. 18h. 40m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 13° N. Long. 124° E., moving W.N.W.

June 4d. 11h. 25m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 14° N. Long. 123° E., moving N.W.

June 4d. 11h. 30m. Pressure is highest over Korea. It has increased moderately at Vladivostock and Yap, and slightly at Haiphong and Iloilo. It has decreased slightly at the majority of other reporting stations.

At 6 a.m. this morning the typhoon appeared to be near Lat. 14° N. and Long. 123° moving N.W. It may now curve to the N.E.

Heavy weather is reported 100 miles to the south of Hongkong.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.65 inch. Total since January 1st, 1531 inches, against an average of 2535 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH. DISTRICT.

Forecast.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock,) N.E. winds, moderate; overcast at first, fine later.
- 3.—Hongkong to Gap Rock,)
- 4.—South coast of China between Hongkong and Hainan, ..)

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	4TH JUNE, 1923.							5TH JUNE, 1923.							
	HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.	TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.		HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.	TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.		
	Inches.	Mills.	A.M.			Direct- ion.	Force.		Inches.	Mills.	A.M.			Force.	
Vladivostock, .	12	29.97	761.3	49	..	SE	4	o	6	30.05	763.2	44	..	SE	4
Jemuro,	11	29.78	756.5	NNE	4	..	5	30.04	763.0	WSW	2
Iokodate,	"	29.76	756.0	NNW	4	..	"	30.02	762.5	E	1
Okio,	"	29.84	758.0	S	1	..	"	29.96	761.0	NNE	1
Ochi,	"	29.86	758.5	0	..	"	29.94	760.5	SW	1
Jagasaki,	"	29.88	759.0	W	2	..	"	30.02	762.5	0
Jagoshima,	"	29.86	758.5	ENE	1	..	"	29.88	759.0	NW	1
Shimoda,	"	29.86	758.5	0	..	"	29.86	758.5	SSE	1
Gaha,	"	29.86	758.5	NNE	3	..	"	29.84	758.0	NNE	1
Shigakijima,	"	29.84	758.0	NE	3	..	"	29.90	759.5	NNE	2
Join Island,	"	29.86	758.5	SSW	3	..	"	29.90	759.5	SSW	2
Weihaiwei,	14	"
Lankow,	15	"
Chang,	"	"
Haungsha,	"	"
Shanghai,	11	29.92	759.9	82	84	WSW	1	b	"	29.89	759.2	61	93	SE	1
Jutzlaff,	"	29.92	759.9	73	63	SSE	2	b	"	29.93	760.2	64	91	SSE	4
Sharp Peak,	15	29.95	760.7	78	61	E	2	b	7	29.94	760.5	69	85	N	2
Imoy,	14	29.81	757.2	76	69	NNE	2	o	6	29.81	757.2	66	91	NE	1
Iwatoe,	"	"
Taihoku,	12	29.89	759.3	70	88	E	4	r	"	29.84	757.8	68	85	ESE	4
Taichu,	"	29.82	757.5	75	0	..	"	29.75	755.7	68	0
Tainan,	"	29.81	757.2	73	..	NNE	4	r	"	29.73	755.7	70	0
Cosun,	"	29.78	756.3	84	..	NE	6	b	"	29.73	755.1	75	..	NE	7
Pescadores,	"	29.86	758.4	73	..	NNE	6	r	"	29.75	755.7	73	..	NNE	7
Kanton,	15	29.80	756.9	77	77	SSE	1	o	"
Hongkong,	14	29.80	756.9	73	86	ENE	2	or	"	29.77	756.1	74	76	ENE	3
Gap Rock,	"	29.79	756.6	NE	4	o	"	29.75	755.6	ENE	5
Macao,	"	29.79	756.6	72	86	NE	4	r	"	29.75	755.7	73	79	NE	4
Huchow,	15	9
Akhoi,	"	"
Loihow,	"	"
Bulien,	"	29.78	756.5	75	89	SW	2	rf	7	29.76	756.0	73	98	N	2
Ourane,	"	29.72	754.8	75	..	NW	4	o	"	29.73	755.1	75	..	NNW	2
ape St. James,	"	29.73	755.1	84	..	SW	2	o	"	29.76	756.0	79	..	W	2
Parri,	14	29.66	753.3	90	69	NE	4	o	6
Agupan,	"	"
Ianla,	"	29.62	752.4	79	90	o	"	29.68	753.9	82	84	WSW	4
Agaspi,	"	"
Acloban,	"	"
Loilo,	"	29.72	754.8	86	81	S	4	o	"
Jurigao,	"	"
Guam,	12.20	29.78	756.3	ENE	4	o	4.20	29.81	757.2	ENE	2
Ap,	12.47	29.76	756.0	SE	2	o	4.47	29.80	756.9	E	2
Abuan,	14	29.74	755.4	86	72	N	2	b	6	29.78	756.4	78	94	N	1

June 4d. 17h. 54m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 16° N. Long. 121° E., moving N.W.

June 5d. 11h. 35m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 17° N. Long. 124° E., moving N.N.E.

June 5d. 11h. 38m. Pressure is highest in the extreme N.E. It has increased considerably over N.E. Japan, moderately from Vladivostock to S.W. Japan and slightly at Manila and Guam. It has decreased slightly from Formosa to Hongkong.

At 6 a.m. this morning the typhoon appeared to be in about Lat. 17° N. and Long. 124° E., moving N.N.E.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.14 inch. Total since January 1st, 1545 inches, against an average of 25.86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. gale.
- 2.—South coast of China between Hongkong and Lamock, N.E. winds, fresh; fair.
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; fair.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG

DAILY WEATHER REPORT.

STATION.	5TH JUNE, 1923.							6TH JUNE, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		
		Inches.	Milbra.			Direction.	Force			Inches.	Milbra.			Direction.	Force	
Wladivostock, .	12	30.02	762.4	48	...	SE	5	o	6	29.98	761.5	46	...	SE	4	o
Nemuro,	11	30.04	763.0	NNW	1	...	5	30.10	764.5	SW	1	...
Hokodate,	10	30.06	763.5	ESE	5	...	5	30.06	763.5	E	1	...
Tokio,	10	29.98	761.5	SSE	2	...	5	30.10	764.5	ENE	1	...
Kochi,	10	29.94	760.5	SSW	1	...	5	30.06	763.5	SW	1	...
Nagasaki,	10	29.96	761.0	SW	1	...	5	30.00	762.0	ESE	1	...
Kagoshima,	10	29.96	761.0	SE	1	...	5	30.02	762.5	NW	5	...
Oshima,	10	29.90	759.5	NNW	3	...	5	29.94	760.5	SE	1	...
Naha,	10	29.90	759.5	NE	2	...	5	29.88	759.0	NE	1	...
Ishigakijima,	10	29.88	759.0	ENE	4	...	5	29.82	757.5	ENE	3	...
Bonin Island,	10	29.88	759.0	S	1	...	5	29.90	759.5	S	5	...
Weihaiwei,	14
Hankow,	15
Ichang,	10
Changsha,	10
Shanghai,	11	29.95	760.8	81	46	SE	2	b	...	29.89	759.3	63	82	SE	2	b
Gutzlaff,	11	29.96	761.0	71	76	SSE	4	b	...	29.93	760.2	64	84	SSE	4	o
Sharp Peak,	15	29.89	759.2	78	70	NE	2	o	7	29.88	758.9	69	80	NNW	1	b
Amoy,	14	29.79	756.6	83	49	NNE	2	b	6	29.79	756.6	71	76	SW	1	b
Swatow,	10
Taihoku,	12	29.86	758.4	82	62	E	6	b	...	29.81	757.2	72	84	E	4	b
Taichu,	10	29.78	756.3	86	...	WSW	2	b	...	29.76	756.0	75	0	0
Tainan,	10	29.80	756.9	84	...	ENE	2	b	...	29.75	755.7	75	...	SE	2	0
Koshun,	10	29.80	756.9	82	...	NNE	6	o	...	29.75	755.7	77	...	NNE	4	0
Pescadores,	10	29.80	756.9	82	...	N	6	b	
Canton,	15	29.76	755.9	84	54	SE	2	c	
Hongkong,	14	29.77	756.1	79	66	E	4	c	...	29.76	755.9	76	83	ENE	3	o
Gap Rock,	10	29.76	755.9	ENE	6	o	...	29.75	755.6	ENE	6	o
Macao,	10	29.75	755.7	79	66	NE	4	o	...	29.73	755.1	79	85	SE	4	o
Wuchow,	15	9	
Pakhoi,	10	
Hoihow,	10	
Phulien,	10	29.71	754.5	82	74	NNE	1	o	7	29.68	753.9	75	98	NNE	2	rf
Tourane,	10	29.68	753.9	79	...	NW	2	o	...	29.68	753.9	77	...	SW	4	o
Cape St. James, .	10	29.69	754.2	86	...	W	4	b	...	29.75	755.7	77	...	NW	2	o
Aparri,	14	29.65	753.0	84	81	NNW	4	o	6	29.71	754.5	75	92	W	2	o
Dagupan,	10	
Manila,	10	29.68	753.9	86	75	WSW	6	o	...	29.72	754.8	75	96	ENE	1	o
Legaspi,	10	
Tacloban,	10	
Illoilo,	10	29.72	754.8	86	75	SSW	4	o	...	29.74	755.4	79	98	S	4	o
Surigao,	10	
Guam,	12.20	29.78	756.3	E	4	o	4.20	29.81	757.2	ENE	2	b
Yap,	12.47	29.78	756.3	E	4	o	4.47	29.78	756.3	NE	2	b
Labuan,	14	29.76	755.9	86	76	N	2	b	6	29.75	755.6	80	87	NE	2	b

June 5d. 16h. 00m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 18° N. Long. 124° E., moving N.N.E.

June 6d. 10h. 40m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 127° E., moving N.E.

June 6d. 10h. 47m.—Pressure is highest to the east of Tokio. Changes are small at all reporting stations.

A depression is central over the Gulf of Tongking.

At 6 a.m. this morning the typhoon was 300 to 400 miles east of the Balintang Channel, moving N.E.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 1545 inches, against an average of 26.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

DISTRICT

FORESIGHT

- | | |
|---|--|
| 1.—Formosa Channel, | N.E. winds, strong. |
| 2.—South coast of China between Hongkong and Lamocks, | E. winds, fresh; fair at first, some rain later. |
| 3.—Hongkong to Gap Rock, | |
| 4.—South coast of China between Hongkong and Hainan, | |

T. F. CLAXTON *Director*.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	6TH JUNE, 1923.								7TH JUNE, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDIT.	WIND.		
	Inches.	Millrs.	Dir.	Force.			Dir.	Force.			Inches.	Millrs.			Dir.	Force.	WEATHER.
Vladivostock, .	12	29.94	760.6	48	SE	4	f	6	29.90	759.4	51	...	SE	4	f
Nemuro, .	11	30.04	763.0	S	3	...	5	29.98	761.5
Iokodate, .	"	30.02	762.5	SE	1	...	"	30.00	762.0	E	1	...
Tokio, .	"	30.06	763.5	SSE	2	...	"	30.06	763.5	W	1	...
Iochi, .	"	30.04	763.0	SE	1	...	"	30.04	763.0	SW	1	...
Nagasaki, .	"	30.00	762.0	ESE	2	...	"	29.94	760.5	ESE	1	...
Iagoshima, .	"	30.00	762.0	ESE	2	...	"	29.98	761.5
Osshima, .	"	29.92	760.0	E	2	...	"	29.88	759.0	SE	1	...
Naba, .	"	29.90	759.5	ENE	3	...	"	29.82	757.5	E	2	...
Ishigakijima, .	"	29.84	758.0	E	4	...	"	29.76	756.0	E	1	...
Sonin Island, .	"	29.88	759.0	SW	1	...	"	29.94	760.5	E	1	...
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.91	759.6	77	50	...	SSE	4	o	"	29.79	756.6	68	91	SSE	2	o
Gutzlaff, .	"	29.88	758.9	71	85	...	SSE	4	o	"	29.80	756.9	68	95	SSE	4	o
Sharp Peak, .	15	29.86	758.4	80	66	...	E	4	b	7	29.80	756.9	74	84	NW	2	o
Amoy, .	14	29.75	755.6	86	58	...	E	1	b	6	29.74	755.4	75	86	...	0	b
Swatow, .	"	"
Taihoku, .	12	29.78	756.3	90	51	...	E	4	c	"	29.7+	755.4	72	92	...	0	b
Taichu, .	"	29.78	756.3	90	ENE	2	c	"	29.76	756.0	73	0	bb
Tainan, .	"	29.78	756.3	86	W	4	b	"	29.73	755.1	73	...	ESE	2	bb
Koshun, .	"	29.76	756.0	90	NNE	6	b	"	29.73	755.1	77	...	NNE	2	b
Pescadores, .	"	29.80	756.9	82	N	6	o	"	29.75	755.7	75	...	N	2	b
Canton, .	15	"
Hongkong, .	14	29.74	755.4	79	60	...	E	4	o	"	29.73	755.1	78	90	E	1	cd
Gap Rock, .	"	29.74	755.4	E	5	o	"	29.71	754.6	E	4	o
Macao, .	"	29.73	755.1	82	74	...	ESE	4	o	"	29.69	754.2	77	94	ESE	2	o
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.62	752.4	86	71	...	SE	2	o	7	29.65	753.0	79	96	SSE	6	rf
Tourane, .	"	29.65	753.0	84	ESE	2	o	"	29.68	753.9	79	...	SW	2	o
Cape St. James, .	"	29.73	755.1	86	SW	4	o	"	29.78	756.3	77	0	b
Aparri, .	14	29.68	753.9	82	77	...	N	2	o	6	29.72	754.8	75	94	SW	2	o
Ingpan, .	"	"
Manila, .	"	29.71	754.5	86	78	...	SW	2	o	"	29.74	755.4	77	94	E	1	r
Legaspi, .	"	"
Saeloban, .	"	"
Ilolo, .	"	29.73	755.1	81	76	...	SSW	4	o	"
Burigao, .	"	"
Guam, .	12.20	29.75	755.7	E	4	o	4.20	29.81	757.2	E	2	o
Iap, .	12.47	29.75	755.7	ENE	4	o	4.47	29.80	756.9	ENE	2	b
abuan, .	14	29.77	756.1	88	73	...	N	2	b	6	29.78	756.4	80	87	N	2	b

June 7d. 11A. 00M.—Pressure is nearly stationary from Cochin-China to Guam. It has decreased slightly in other districts.

A feeble anticyclone covers Eastern Japan.

The Tongking depression appears to be spreading over China.

The typhoon continues to move away to E.N.E.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inch. Total since January 1st, 15.50 inches, against an average of 26.88 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- S.E. winds, moderate; overcast, rainy.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

7TH JUNE, 1923.

8TH JUNE, 1923.

STATION.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMID.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMID.	WIND.	WEATHER.
	Inches.	Mills.	Direct. ion.	Force.					Inches.	Mills.	Direct. ion.	Force.				
Wladivostock,	12	SSE	...	6
Nemuro,	13	29.98	761.5	SE	3	5	30.16	766.0	NE
Hokodate,	13	30.35	771.0	SSE	1	5	30.02	762.5	ESE	3	...
Tokio,	13	30.02	762.5	SSE	3	5	30.02	762.5	0	...
Kobe,	13	30.00	762.0	SE	1	5	29.88	759.0
Nagasaki,	13	29.94	760.5	SE	2	5	29.82	757.5	NE	2	...
Kagoshima,	13	29.98	761.5	ENE	1	5	29.76	756.0	NE	+	...
Oshima,	13	29.88	759.0	ESE	2	5	29.69	754.0	SE	2	...
Naha,	13	29.80	757.0	ESE	4	5	29.65	753.0	NNE	1	...
Ishigakijima,	13	NE	1	5	29.67	753.5	0	...
Round Island,	13	29.94	760.5	NE	1	5	29.94	760.5	0	...
Weihaiwei,	14	6
Haakow,	15	6
Jehung,	13	6
Changsha,	13	6
Shanghai,	13	29.82	757.5	72	91	6	29.67	753.6	66	100	ENE	1	...
Gutzlaff,	14	29.82	757.2	69	100	...	SSE	2	6	29.67	753.6	54	100	NNE	0	...
Sharp Peak,	14	29.76	755.9	86	76	...	SE	1	6	29.65	753.1	76	91	...	0	...
Annoy,	14	29.66	753.3	82	75	...	SSE	1	6	29.64	752.8	78	82	...	0	...
Swatow,	13	6
Taihoku,	13	29.73	755.1	90	60	...	N	z	5	29.65	753.0	73	91	S	2	b
Taichu,	13	29.74	755.4	90	WSW	2	5	29.68	753.9	73	...	SE	0	o
Tainan,	13	29.75	755.7	90	W	4	5	29.65	753.0	77	...	SE	2	r
Kochun,	13	29.74	755.4	90	ENE	4	5	29.66	753.3	77	...	E	2	o
Pereadores,	13	29.75	755.7	84	NW	4	5	29.63	752.7	81	...	NE	4	o
Canton,	14	29.66	753.3	81	87	...	S	2	6	29.63	752.6	78	95	SE	1	or
Hongkong,	13	29.69	754.1	79	87	...	SE	3	6	29.63	752.6	80	87	S	1	o
Gap Rock,	13	29.71	754.6	EE	4	6	29.63	752.6	S	4	r
Macao,	13	29.66	753.3	81	89	...	SE	4	6	29.60	751.8	79	95	S	4	o
Wuchow,	15	6
Pakhot,	13	6
Hoikow,	13	6
Phuilles,	13	29.58	751.2	86	71	...	SE	4	6	29.68	753.9	77	98	W	4	rf
Tourane,	13	29.62	752.4	86	SE	2	6	29.66	753.3	82	...	WSW	2	o
Cape St. James,	13	29.72	754.8	86	WSW	2	6	29.78	756.3	79	...	W	2	b
Aparri,	14	29.73	755.1	84	74	...	NE	4	6	29.66	753.3	75	94	S	4	o
Dagupan,	13	6
Manila,	13	29.72	754.8	90	76	...	WNW	4	6	29.76	756.0	77	94	E	1	o
Legaspi,	13	6
Tacloban,	13	6
Iloilo,	13	29.74	755.4	82	81	...	SSW	4	6	29.81	757.2	81	89	S	4	o
Surigao,	13	6	29.80	756.9	75	94	o	4	b
Guam,	12.20	29.79	756.6	E	2	6	29.85	758.1	E	1	o
Yap,	12.47	29.78	756.3	S	4	6	29.81	757.2	NE	4	o
Lanman,	14	29.75	755.6	88	76	...	SE	1	6	29.79	756.6	82	83	NE	4	h

June 8th, 11h. 42m.—Pressure has decreased moderately at Shanghai and slightly from Formosa to Kwangtung. It has increased moderately over Tongking.

The Chinese depression is now central over the lower Yangtze Valley. It is probably moving eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.12 inch. Total since January 1st, 15.62 inches, against an average of 27.39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH

DISTRICT.

FORECAST.

- | | |
|---|--|
| 1.—Formosa Channel,
2.—South coast of China between Hongkong and Lamock,
3.—Hongkong to Gap Rock,
4.—South coast of China between Hongkong and Hainan, | } S.W. winds, moderate; overcast, occasional rain. |
|---|--|

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	8TH JUNE, 1923.							9TH JUNE, 1923.								
	HONGKONG		BAROMETER AT SEA LEVEL.		TEMPER- ATURE	HUMIDITY	WIND.	WEATHER.	HONGKONG		BAROMETER AT SEA LEVEL.		TEMPER- ATURE	HUMIDITY	WIND.	WEATHER.
	HONGKONG STANDARD	TIME.	Inches.	Millrs.					HONGKONG STANDARD	TIME.	Inches.	Millrs.				
Vladivostock, .	12	6	
Nemuro, .	11	30.16	766.0	SE	2	5	30.20	767.0	SE	3	
Hokodate, .	"	30.02	762.5	ESE	5	"	29.98	761.5	ESE	5	
Tokio, .	"	29.94	760.5	SSE	2	"	29.75	755.5	N	3	
Kochi, .	"	29.92	760.0	"	29.45	748.0	SW	1	
Nagasaki, .	"	29.70	754.5	NE	6	"	29.49	749.0	N	1	
Kagoshima, .	"	29.69	754.0	ESE	3	"	
Okima, .	"	29.59	751.5	ESE	3	"	
Naha, .	"	29.61	752.0	NNW	3	"	SSW	1	
Ishigakijima, .	"	29.67	753.5	SW	4	"	NNE	1	
Bonin Island, .	"	29.92	760.0	S	1	"	29.86	758.5	SSE	5	
Weihaiwei, .	14	"	
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	29.68	753.9	68	92	NNE	2	r	"	29.69	754.1	64	98	NE	1	
Gutzlaff, .	14	29.63	752.6	67	100	NNE	4	of	"	29.67	753.6	64	95	NNE	4	
Sharp Peak, .	"	29.64	752.8	82	83	S	2	o	7	29.64	752.8	72	94	NE	4	
Amoy, .	14	29.57	751.1	82	83	SSW	1	o	6	29.49	749.0	77	95	SW	1	
Swatow, .	"	"	
Taihoku, .	11	29.62	752.4	90	57	W	2	b	5	29.52	759.7	75	96	...	0	
Taichu, .	"	29.63	752.7	90	...	SW	4	b	"	29.56	750.9	77	0	
Tainan, .	"	29.63	752.7	84	...	SSW	4	r	"	29.56	750.9	75	...	SSE	4	
Koshun, .	"	29.65	753.0	86	...	SW	2	o	"	29.56	750.9	79	...	W	2	
Pescadores, .	"	29.63	752.7	86	...	SSE	4	o	"	29.54	750.3	81	...	WSW	4	
Canton, .	14	29.55	750.5	80	91	SSE	1	or	6	29.59	751.6	76	91	NNW	1	
Hongkong, .	"	29.58	751.3	82	87	SW	2	o	"	29.57	751.1	77	96	W	1	
Gap Rock, .	"	29.61	752.1	SW	4	o	"	29.58	751.3	NW	5	
Macao, .	"	29.54	750.3	82	87	SW	4	o	"	29.56	750.9	75	92	N	4	
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.63	752.7	75	92	WNW	6	r	7	29.66	753.3	73	98	WNW	4	
Tourane, .	"	29.61	752.1	86	...	ENE	2	o	"	29.60	751.8	81	...	NW	2	
Cape St. James, .	"	29.73	755.1	86	...	S	2	o	"	29.81	757.2	77	...	WSW	4	
Aparri, .	14	29.75	755.7	93	59	S	2	o	6	29.63	752.7	77	92	S	2	
Dagupan, .	"	"	
Manila, .	"	29.75	755.7	79	95	N	1	r	"	29.76	756.0	77	98	...	0	
Legaspi, .	"	29.71	754.5	86	71	SW	4	o	"	
Tacloban, .	"	"	
Bohol, .	"	29.74	755.4	86	78	S	6	o	"	
Surigao, .	"	"	
Siamp, .	12.20	29.79	756.6	E	4	o	4.20	29.82	757.5	E	1	
Yap, .	12.47	29.79	756.6	E	4	o	4.47	29.81	757.2	SE	2	
Leban, .	14	29.75	755.6	90	70	N	1	b	6	29.79	756.6	81	87	N	2	

June 9d. 11h. 36m.—Pressure has decreased considerably over S.W. Japan and slightly from N. Luzon to Formosa. It is nearly stationary in S.W. districts.

A trough of low pressure extends from the Annam Coast to S.W. Japan, with a depression at its N.E. extremity.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.97 inch. Total since January 1st, 16.60 inches, against an average of 27.90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- } N.W. or variable winds, moderate, squally; thunder showers.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	9TH JUNE, 1923.										10TH JUNE, 1923.									
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.				
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.					
Vladivostock, .	12	29.83	757.6	56	...	SW	4	o	6	29.79	756.7	52	o	c		
Nemuro, .	11	30.18	766.5	SE	6	...	5		
Hokodate, .	"	29.90	759.5	ESE	5	...	"		
Tokio, .	"	29.57	751.0	NW	1	...	"		
Kochi, .	"	29.53	750.0	SE	2	...	"		
Nagasaki, .	"	29.53	750.0	NE	1	...	"		
Kagoshima, .	"	29.53	750.0	"		
Oshima, .	"	29.55	750.5	ESE	1	...	"		
Naha, .	"	29.55	750.5	SSW	1	...	"		
Ishigakijima, .	"	29.57	751.0	SW	4	...	"		
Bonin Island, .	"	29.80	757.0	SSE	5	...	"		
Weihaiwei, .	14	"		
Hankow, .	15	"		
Ichang, .	"	"		
Changsha, .	"	"		
Shanghai, .	11	29.74	755.4	72	78	E	1	o	"	29.65	753.0	63	100	SE	1	1	1	1		
Gutzlaff, .	14	29.71	754.6	73	81	NNE	1	o	"	29.67	753.6	64	91	SSE	1	0	0	0		
Sharp Peak, .	"	29.62	752.3	70	95	NE	2	r	7	29.67	753.6	72	85	N	1	0	0	0		
Amoy, .	14	29.51	749.5	81	87	NE	1	o	6		
Swatow, .	"	"		
Taihoku, .	11	29.58	751.2	73	96	E	4	r	5	29.63	752.7	70	96	SW	1	1	1	1		
Taichu, .	"	29.59	751.5	75	...	SSE	2	r	"	29.56	750.9	72	0	0	0	0		
Tainan, .	"	29.60	751.8	81	...	WSW	6	r	"	29.61	752.1	75	...	NNE	2	0	0	0		
Koshun, .	"	29.59	751.5	82	...	W	4	o	"	29.59	751.5	79	...	SW	4	0	0	0		
Pescadores, .	"	29.58	751.2	81	...	WSW	6	o	"	29.63	752.7	75	...	N	4	0	0	0		
Canton, .	14	29.58	751.3	85	64	W	2	o	6	29.59	751.6	78	95	...	0	0	0	0		
Hongkong, .	"	29.57	751.1	83	72	W	3	o	"	29.61	752.1	79	91	...	0	0	0	0		
Gap Rock, .	"	29.59	751.6	W	3	o	"	29.61	752.1	77	88	WSW	3	0	0	0		
Macao, .	"	29.58	751.2	84	68	NNW	2	o	"	29.63	752.7	77	88	...	2	0	0	0		
Wuchow, .	15	"		
Pakhoi, .	"	"		
Hoihow, .	"	"		
Phulien, .	"	29.65	753.0	75	96	NW	4	if	7	29.65	753.0	75	89	W	4	0	0	0		
Tourane, .	"	29.61	752.1	84	...	ENE	2	o	"	29.65	753.0	77	...	WNW	2	0	0	0		
Cape St. James, .	"	29.71	754.5	82	...	SW	6	o	"		
Aparri, .	14	29.60	751.8	93	53	WSW	4	o	6	29.66	753.3	79	92	S	2	0	0	0		
Dagupan, .	"	"		
Manila, .	"	29.71	754.5	84	81	WSW	4	o	"	29.75	755.7	79	92	NNE	3	0	0	0		
Legaspi, .	"	29.69	754.2	86	68	SW	4	o	"		
Tacloban, .	"	"		
Doilo, .	"	29.74	755.4	86	75	SSW	6	o	"		
Surigao, .	"	29.71	754.5	90	63	WNW	2	b	"	29.76	756.0	75	94	W	1	0	0	0		
Guam, .	12.20	29.80	756.9	ESE	4	o	4.20	29.78	756.3	ENE	1	0	0	0		
Yap, .	12.47	29.80	756.9	SSE	2	o	4.47		
Labuan, .	14	29.78	756.4	88	76	N	2	b	6	29.77	756.1	81	91	N	2	0	0	0		

June 10th, 12h. 30m.—Pressure has decreased slightly at Shanghai, Haiphong and Labuan. It is nearly stationary at other reporting stations.

The trough of low pressure has narrowed. Conditions are favourable for the formation of a typhoon to the south or south-east of Hongkong, but there are no indications of this at present.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inch. Total since January 1st, 16.66 inches, against an average of 28.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- E. or variable winds, moderate; cloudy, occasional rain.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG DAILY WEATHER REPORT.

STATION.	10TH JUNE, 1923.							11TH JUNE, 1923.										
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.			HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP- ERATURE.	HUMIDIT.	WIND.		
	Hongkong Standard Time.	Inches.	Millrs.	Direct. ion.	Force.	Weather.	Inches.	Millrs.	Direct. ion.	Force.	Weather.	Inches.	Millrs.	Direct. ion.	Force.	Weather.		
Vladivostock, .	12	29.77	756.1	59	...	SW	2	0	6	...	SW	2	0	...	2	0		
Nemuro, .	11	29.88	759.0	E	6	...	5	29.71	754.5	50	...	NE	4	...		
Hokodate, .	"	29.70	754.5	SSE	3	...	"	29.75	755.5	E	2	...		
Fukio, .	"	29.57	751.0	SSE	1	...	"	29.73	755.0	ENE	1	...		
Kochi, .	"	29.53	750.0	WSW	1	...	"	29.63	752.5		
Nagasaki, .	"	29.57	751.0	"	29.69	754.0	N	1	...		
Kagoshima, .	"	29.82	757.5	SE	1	...	"	29.65	753.0	NW	1	...		
Oshima, .	"	29.57	751.0	NW	1	...	"	29.65	753.0	SE	1	...		
Naha, .	"	29.59	751.5	N	3	...	"	29.69	754.0	NNW	1	...		
Ishigakijima, .	"	29.65	753.0	NNW	4	...	"	29.67	753.5	NNW	1	...		
Bonin Island, .	"	29.90	759.5	SSW	3	...	"	29.63	752.5	SSW	3	...		
Weihaiwei, .	14	"		
Hankow, .	15	"		
Ichang, .	"	"		
Changsha, .	"	"		
Shanghai, .	11	29.63	752.7	79	69	SE	2	b	"	29.65	753.0	66	98	SE	2	b		
Gutzlaff, .	14	29.68	753.9	72	71	SSE	2	b	"	29.68	753.9	68	95	SSE	4	b		
Sharp Peak, .	"	29.66	753.3	78	78	SE	2	o	7	29.69	754.1	73	88	NW	1	b		
Amoy, .	14	29.56	750.8	72	67	ESE	1	o	6	29.62	752.3	74	86	S	1	b		
Swatow, .	"	"		
Taiboku, .	11	29.67	753.6	77	71	...	0	o	5	29.67	753.6	70	87	SSW	2	o		
Taichu, .	"	29.65	753.0	81	...	SW	2	o	"	29.66	753.3	73	0	o		
Tainan, .	"	29.65	753.0	77	...	NNE	4	r	"	29.63	752.7	73	0	r		
Keshun, .	"	29.65	753.0	77	...	N	2	o	"	29.63	752.7	75	...	E	2	o		
Pescadores, .	"	29.66	753.3	79	...	NNE	4	r	"	29.65	752.0	77	...	N	4	r		
Canton, .	14	29.55	750.5	91	96	N	1	e	6	29.66	753.3	76	95	E	1	o		
Hongkong, .	"	29.57	751.1	82	72	E	3	c	"	29.65	753.1	76	93	...	0	o		
Gap Rock, .	"	29.58	751.3	ESE	3	c	"	29.64	752.8	NE	3	r		
Macao, .	"	29.55	750.6	86	75	ESE	2	o	"	29.62	752.4	77	89	...	2	r		
Wuchow, .	15	9		
Pakhoi, .	"	"		
Hoikow, .	"	"		
Phulien, .	"	29.59	751.5	77	68	W	4	o	7	29.62	752.4	77	72	NW	2	o		
Tourane, .	"	29.61	752.1	82	...	NNW	2	o	"	29.65	753.0	77	...	SW	2	o		
Cape St. James, .	"	29.73	755.1	82	...	SW	4	b	"	29.78	756.3	79	...	SW	2	o		
Aparri, .	14	29.62	752.4	86	65	NW	4	o	6	29.68	753.9	77	89	ESE	2	o		
Degupan, .	"	"		
Manila, .	"	29.73	755.1	84	74	SW	4	o	"		
Legaspi, .	"	29.71	754.5	90	57	SW	4	b	"		
Tacloban, .	"	"		
Hollo, .	"	29.74	755.4	86	71	SW	6	o	"	29.78	756.3	77	91	SSE	4	o		
Surigao, .	"	29.71	754.5	90	55	WNW	2	b	"	29.80	756.9	79	89	...	0	b		
Guam, .	12.20	29.78	756.3	E	4	o	4.20		
Yap, .	12.47	29.75	755.7	ENE	4	o	4.47		
Labuan, .	14	29.73	755.6	90	70	NE	1	b	6	29.81	757.2	78	94	S	4	b		

June 10d. 16h. 45m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon forming within 60 miles of Lat. 20° N. Long. 113° E.

June 10d. 16h. 40m.—Local signal No. 1 hoisted.

June 11d. 11h. 30m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon filling up in Lat. 20° N. Long. 110° E., position uncertain.

June 11d. 11h. 33m.—Pressure has increased slightly from Formosa to Kwangtung and Luzon. It is nearly stationary over Indo-China and has decreased considerably over the Bonins.

The incipient typhoon to the South of Hongkong has not developed. It appears to be filling up in about Lat. 20° N. and Long. 110° E.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 16.68 inches, against an average of 28.92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- Light easterly or variable winds; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	11TH JUNE, 1923.							12TH JUNE, 1923.								
	HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.		
Vladivostock, .	12	29.72	755.0	53	...	SE	4	0	6	29.71	754.7	48	...	SE	7	OF
Nemuro, .	11	29.65	753.0	NNE	6	...	5	29.73	755.0	SE	1	...
Hokodate, .	"	29.72	755.0	SSE	2	...	"	29.78	756.5	SE	0	...
Tokio, .	"	29.72	755.0	E	1	...	"	29.78	756.5	0	...
Kochi, .	"	29.70	754.5	0	"	29.75	755.5	0	...
Nagasaki, .	"	29.70	754.5	SW	2	...	"	29.75	755.5	0	...
Kagoshima, .	"	29.69	754.0	SE	1	...	"	29.75	755.5	NW	1	...
Oshima, .	"	29.70	754.5	NNE	2	...	"	29.73	755.0	SSE	1	...
Naba, .	"	29.70	754.5	N	1	...	"	29.69	754.0	ENE	1	...
Ishigakijima, .	"	29.74	755.5	SSW	1	...	"	29.61	752.0	SSE	1	...
Bonin Island, .	"	29.50	759.5	SSW	3	...	"	29.88	759.0	SSW	3	...
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.66	753.3	86	65	SSW	1	b	"	29.69	754.2	70	98	E	2	o
Gutzlaff, .	14	29.67	753.6	74	86	S	2	b	"	29.70	754.4	69	95	NE	1	o
Sharp Peak, .	"	29.70	754.4	84	95	S	2	b	7	29.70	754.4	73	86	W	2	b
Amoy, .	14	29.61	752.1	82	75	SSE	2	o	6	29.62	752.3	75	92	ESE	1	b
Swatow, .	"	"
Taihoku, .	11	29.69	754.2	84	60	...	0	o	5	29.65	753.0	70	95	...	0	b
Taichu, .	"	29.69	754.2	79	...	SE	2	r	"	29.65	753.0	75	...	ESE	0	o
Tainan, .	"	29.67	753.6	77	...	WNW	2	o	"	29.61	752.1	75	...	ESE	2	o
Koshun, .	"	29.67	753.6	79	...	SE	4	o	"	29.62	752.4	73	0	o
Pescadores, .	"	29.68	753.9	81	...	NE	4	o	"	29.63	752.7	66	...	NNW	4	o
Canton, .	14	29.60	751.8	88	66	S	1	o	6	29.61	752.1	78	95	ESE	1	o
Hongkong, .	"	29.63	752.6	82	78	E	3	o	"	29.62	752.3	79	89	E	1	o
Gap Rock, .	"	29.64	752.8	E	3	c	"	29.63	752.6	SE	3	c
Macao, .	"	29.62	752.4	86	71	ESE	2	o	"	29.60	751.8	79	90	SE	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoibow, .	"	"
Phulien, .	"	29.58	751.2	86	65	...	0	o	7	29.55	750.6	77	98	NW	2	of
Tourane, .	"	29.59	751.5	84	...	SE	2	o	"	29.60	751.8	81	...	WSW	0	o
Cape St. James, .	"	29.74	755.4	81	...	SW	6	o	"	29.78	756.3	79	...	SW	6	o
Aparri, .	14	29.67	753.6	86	65	SW	4	o	6	29.67	753.6	79	95	...	0	o
Dagupan, .	"	"
Manila, .	"	29.79	756.6	81	62	WSW	4	o	"	29.75	755.7	77	94	SW	2	r
Legaspi, .	"	29.74	755.4	90	69	WSW	4	o	"	29.76	756.0	77	92	SW	2	o
Tacloban, .	"	"
Ililo, .	"	29.79	756.6	77	89	SW	4	o	"	29.79	756.6	79	90	SW	4	o
Surigao, .	"	29.75	755.7	86	71	WNW	1	o	"	29.79	756.6	77	94	WSW	1	o
Guam, .	12.20	29.78	756.3	E	4	o	4.20	29.75	755.7	NE	1	o
Yap, .	12.47	29.76	756.0	E	4	o	4.47	29.79	756.6	NNE	2	o
Labuan, .	14	29.75	755.6	88	76	N	2	b	6	29.78	756.4	80	95	SW	1	b

June 11d. 13h. 30m.—Local signal No. 1 lowered.

June 12d. 12h. 15m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon forming within 60 miles of Lat 23° N. Long. 123° E.

June 12d. 12h. 12m.—Pressure has decreased moderately at Ishigakijima, and slightly from Formosa to Tongking and Luzon. It has increased slightly over Japan.

A feeble anticyclone lies to the east of the Bonins and a depression is shown over Tongking.

There are indications of a typhoon forming between Ishigakijima and Formosa.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 16.60 inches, against an average of 29.43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH. DISTRICT.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamoeks,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan,
- N.W. winds, light to moderate; rain, at first, improving later.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG DAILY WEATHER REPORT.

12TH JUNE, 1923.

STATION.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.			TEMPER- ATURE. ATM.	HUMIDIT.	WIND.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.			TEMPER- ATURE. ATM.	HUMIDIT.	WIND.	WEATHER.
		Inches.	Mills.	Direction.						Inches.	Mills.	Direction.				
Vladivostock, .	12	29.69	754.2	50	..	ESE	7	0	6	29.78	756.3	50	..	S	2	or
Nemuro,	13	29.80	757.0	NE	4	..	5
Hokodate,	"	29.78	756.5	E	3	..	"
Tokio,	"	29.80	757.0	SE	1	..	"
Kochi,	"	29.74	755.5	SE	1	..	"
Nagasaki,	"	29.74	755.5	SW	2	..	"
Kagoshima,	"	29.72	755.0	E	1	..	"
Oshima,	"	29.70	754.5	"
Naha,	"	29.70	754.5	ESE	1	..	"
Ishigakijima,	"	29.61	752.0	SW	6	..	"
Bonin Island,	"	29.88	759.0	SSW	3	..	"
Weihaiwei,	14	"
Hankow,	15	"
Iehang,	"	"
Changsha,	"	"
Shanghai,	11	29.75	755.7	81	46	E	..	b	"	29.79	756.6	68	96	ESE	1	o
Gutzlaff,	14	29.73	755.1	74	86	E	2	o	"	29.80	756.9	68	100	ESE	4	ob
Sharp Peak,	"	29.70	754.4	86	72	E	1	b	7	29.79	756.6	75	86	N	1	b
Amoy,	14	29.60	751.8	83	71	SSE	2	o	6	29.64	752.8	77	86	ENE	2	o
Swatow,	"	"
Taihoku,	11	29.76	756.0	85	65	E	4	b	5	29.69	754.2	68	81	SE	4	b
Taichu,	"	29.63	752.7	86	..	W	2	o	"	29.68	753.9	75	..	N	2	ob
Tainan,	"	29.66	753.3	84	..	NW	4	o	"	29.66	753.3	73	..	SE	2	b
Koshun,	"	29.66	753.3	86	..	NW	2	o	"	29.65	753.0	72	0	b
Pescadores,	"	29.67	753.6	82	..	NW	4	b	"	29.66	753.3	77	..	NNE	2	o
Caution,	14	29.56	750.8	81	83	ESE	2	o	6	29.59	751.6	77	95	E	2	or
Hongkong,	"	29.59	751.6	77	93	E	3	or	"	29.58	751.3	78	91	SE	2	ed
Gap Rock,	"	29.61	752.1	ESE	2	o	"	29.58	751.3	SW	5	o
Macao,	"	29.56	750.9	77	98	SE	2	r	"	29.56	750.9	77	92	S	2	o
Wuchow,	15	9
Pukhoi,	"	"
Hoikow,	"	"
Phulien,	"	29.48	748.8	86	68	WSW	2	o	7	29.48	748.8	79	95	ESE	4	o
Tsurane,	"	29.50	749.4	90	..	SSW	2	b	"	29.56	750.9	82	6	b
Cape St. James,	"	29.68	753.9	84	..	SW	6	o	"	29.74	755.4	77	..	SW	6	o
Aparri,	14	29.66	753.3	86	61	SSW	2	o	6	29.66	753.3	79	89	S	2	o
Dagupan,	"	"
Manila,	"	29.74	755.4	81	87	N	1	o	"	29.72	754.8	75	96	E	1	o
Legaspi,	"	29.71	754.5	90	60	WSW	4	o	"	29.74	755.4	77	92	SW	1	b
Tebloban,	"	"
Dilo,	"	29.74	755.4	86	71	SW	4	o	"
Surigao,	"	29.73	755.1	86	78	WSW	2	o	"
Guam,	12.20	29.75	755.7	E	2	r	4.20
Yap,	12.47	29.73	755.1	ENE	4	o	4.47	29.69	754.2	N	2	o
Labuan,	14	29.76	755.9	90	70	N	1	b	6

June 12d. 17h. 10m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 26° N. Long. 124° E., moving N.E.

June 13d. 10h. 45m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 7° N. Long. 142° E., moving West.

June 13d. 10h. 45m.—Pressure has increased slightly from Shanghai to Formosa and decreased slightly from Hongkong to the Philippines and Yap.

The typhoon probably continues to move north-eastward. Another has formed to the S.E. of Yap.

A depression is shown over S.W. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1.57 inch. Total since January 1st, 18.16 inches, against an average of 29.94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH. DISTRICT.

- 1.—Formosa Channel, N.E. winds, moderate.
- 2.—South coast of China between Hongkong and Lamock, E. winds, moderate.
- 3.—Hongkong to Gap Rock, S.E. winds, moderate; overcast, rainy.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG

DAILY WEATHER REPORT.

STATION.	13TH JUNE, 1923.							14TH JUNE, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		
		Inches.	Mills.			Dirct. ion.	Forc.			Inches.	Mills.			Dirct. ion.	Forc.	
Wladivostock, .	12	29.82	757.5	50	..	SW	4	o	6	29.95	760.8	50	..	S	2	o
Nemuro,	11	29.96	761.0	NNE	3	..	5	29.86	758.5	ENE	1	o
Hokodate,	"	29.90	759.5	E	2	..	"	29.88	759.0
Tokio,	"	29.84	758.0	0	..	"	29.92	760.0
Kochi,	"	29.80	757.0	SE	1	..	"	29.96	761.0	SW	3	o
Nagasaki,	"	29.80	757.0	NNW	2	..	"	29.90	759.5	SE	3	..
Kagoshima,	"	"	29.88	759.0
Oshima,	"	"	29.80	757.0	ESE	1	..
Naha,	"	"	29.75	755.5	S	1	..
Ishigakijima,	"	"	29.76	756.0	N	1	..
Bonin Island,	"	29.92	760.0	S	3	..	"	30.00	762.0	S	3	..
Weihaiwei,	14	"
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	13	29.84	757.8	81	59	SE	2	o	"	29.86	758.4	63	100	ESE	1	b
Gutzlaff,	14	29.85	758.2	72	92	E	2	o	"	29.88	758.9	66	95	ESE	2	b
Sharp Peak,	"	29.76	755.9	81	83	E	2	o	7	29.82	757.4	75	81	N	2	o
Amoy,	14	29.67	753.6	84	65	ENE	1	o	6
Swatow,	"	"
Taihoku,	11	29.74	755.4	86	61	ESE	4	b	5	29.78	756.3	73	94	SE	2	o
Taichu,	"	29.72	754.8	84	0	o	"	29.75	755.7	75	0	h
Taihan,	"	29.72	754.8	86	..	WSW	2	o	"	29.73	755.8	75	..	E	2	b
Koahun,	"	29.71	754.5	86	..	NNW	2	o	"	29.74	755.4	75	2	o
Pescadores,	"	29.73	755.1	86	..	N	4	o	"	29.74	755.4	79	..	NE	4	o
Canton,	14	29.58	751.3	83	83	SE	2	o	6
Hongkong,	"	29.62	752.3	77	92	NE	1	od	"	29.67	753.6	78	97	E	3	or
Gap Rock,	"	29.61	752.0	ESE	3	o	"	29.66	753.3	S	5	or
Macao,	"	29.59	751.5	75	98	SE	2	r	"	29.62	752.4	77	98	ESE	4	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.46	748.2	90	76	SE	1	o	7	29.54	750.3	82	95	ESE	4	of
Tourane,	"	29.50	749.4	93	0	b	"	29.60	751.8	82	0	b
Cape St. James,	"	29.69	754.2	84	..	SW	4	o	"	29.73	755.1	77	..	SW	4	of
Aparri,	14	29.65	753.0	90	66	N	2	o	6	29.75	755.7	75	96	S	2	o
Dagupan,	"	"
Manila,	"	29.74	755.4	82	77	WSW	4	o	"	29.76	756.0	77	94	E	1	o
Legaspi,	"	29.71	754.5	90	60	SW	4	o	"	29.79	756.6	77	94	..	0	o
Tacloban,	"	"	29.80	756.9	79	92	..	0	o
Hoito,	"	29.73	755.1	86	68	SSW	4	o	"
Sarigao,	"	29.72	754.8	86	65	WNW	2	o	"	29.78	756.3	75	94	SSW	1	b
Guam,	12.20	29.76	756.0	E	4	o	4.20	29.84	757.8	E	4	o
Yap,	12.47	29.66	753.3	NNE	4	o	4.47	29.75	755.7	ENE	6	b
Leyte,	14	29.76	755.9	83	73	N	2	b	6	29.78	756.4	81	87	S	4	b

June 13d. 18h. 10m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 2° N. Long. 141° E., moving West.

June 14d. 10h. 00m.—Warning to Hongkong, Coast Ports, &c.—Typhoon of unknown intensity within 120 miles of Lat. 2° N. Long. 136° E., moving West.

June 14d. 11h. 50m.—Pressure has increased slightly at all reporting stations.

The depression over S.W. China is farther South this morning.

The Yap typhoon continues to move westward. It was approaching the Pelew Islands this morning.

The Loochoos typhoon has filled up.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 4.04 inch. Total since January 1st, 22.30 inches, against an average of 30.45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15th.

DISTRICT.

Forecast.

1.—Fermosa Channel, N.E. winds, moderate.

2.—South coast of China between Hongkong and Lamecks, E. winds, moderate.

3.—Hongkong to Gap Rock, S.E. winds, moderate; overcast, rain.

4.—South coast of China between Hongkong and Hainan,

ROYAL OBSERVATORY, HONGKONG

DAILY WEATHER REPORT.

STATION.	14TH JUNE, 1923.							15TH JUNE, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	WEATHER.		
		H.	Millrs.			Dir- ec- tion.	Force.		H.	Millrs.			Dir- ec- tion.	Force.		
Vladivostock, .	12	29.96	760.9	57	..	S	4	0	6	29.90	759.5	51	..	SSW	2	f
Nemuro, .	11	29.84	758.6	N	2	..	5	29.98	761.5	NW	2	
Bokodate, .	"	29.83	759.0	S	1	..	"	30.02	762.5	W	2	
Fukio, .	"	29.92	760.0	SSE	1	..	"	30.00	762.0	NW	1	
Kochi, .	"	29.92	760.0	S	1	..	"	29.94	760.5	W	1	
Nagasaki, .	"	29.90	759.5	ESE	2	..	"	29.88	759.0	ESE	2	
Kagoshima, .	"	29.92	760.0	ESE	2	0	"	29.88	759.0	ESE	1	
Oshima, .	"	29.82	757.5	SSW	2	..	"	29.84	758.0	SSE	1	
Naha, .	"	29.80	757.0	SW	1	..	"	29.86	758.5	S	1	
Ishigakijima, .	"	29.78	756.5	SSW	3	..	"	29.84	758.0	SSW	2	
Bonin Island, .	"	30.00	762.0	SSW	3	..	"	30.04	763.0	S	1	
Weihaiwei, .	14	"	
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	29.88	759.0	81	53	SE	2	b	"	29.82	757.5	70	98	ESE	1	o
Gutzlaff, .	14	29.88	759.0	82	87	ESE	2	b	"	29.85	758.2	70	100	NE	1	ef
Sharp Peak, .	"	29.86	758.4	84	74	E	2	b	7	29.83	757.7	76	91	..	0	of
Amoy, .	14	29.71	754.6	86	65	SSE	1	0	6	29.73	755.1	78	86	ENE	2	o
Swatow, .	"	"	
Taihoku, .	11	29.79	756.6	86	65	ENE	4	b	5	29.81	757.2	75	96	..	0	o
Taichu, .	"	29.78	756.3	86	..	W	2	0	"	29.81	757.2	75	0	b
Tainan, .	"	29.76	756.0	86	..	SW	4	b	"	29.80	756.9	77	..	SE	2	b
Koshun, .	"	29.79	756.6	89	..	SSE	2	0	"	29.80	756.9	77	0	r
Pescadores, .	"	29.79	756.6	84	..	S	4	0	"	29.79	756.6	79	..	ESE	2	o
Canton, .	14	6	
Hongkong, .	"	29.70	754.4	76	94	E	1	or	"	29.72	754.9	79	93	E	3	od
Gap Rock, .	"	29.68	753.9	ENE	3	op	"	29.72	754.9	ESE	3	e
Macao, .	"	29.66	753.3	77	96	NE	2	r	"	29.68	753.9	77	98	ESE	4	o
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.52	749.7	90	66	..	0	of	7	29.62	752.4	81	96	SE	6	rf
Tourane, .	"	29.56	750.9	90	..	SE	2	b	"	29.63	752.7	82	0	b
Cape St. James, .	"	29.69	754.2	86	..	SW	2	b	"	29.78	756.3	77	..	NNW	2	o
Aparri, .	14	29.73	755.1	86	75	NNE	4	0	6	29.80	756.9	75	92	SE	2	o
Dagupan, .	"	"	
Manila, .	"	29.74	755.4	90	66	WSW	4	0	"	29.81	757.2	77	89	ESE	1	o
Legaspi, .	"	29.72	754.8	90	60	SW	4	0	"	29.81	757.2	79	93	..	0	o
Tacloban, .	"	"	
Boilo, .	"	29.73	755.1	90	69	S	4	b	"	29.81	757.2	77	91	..	0	o
Surigao, .	"	29.73	755.1	86	65	S	2	b	"	
Guam, .	12.20	29.80	756.9	E	4	0	4.20	29.85	758.1	E	4	o
Yap, .	12.47	29.73	755.1	SE	4	0	4.47	29.82	757.5	SSW	2	o
Labuan, .	14	29.75	755.6	90	73	N	2	b	6	29.82	757.4	80	91	SE	2	b

June 14d. 16h. 30m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 9° N. Long. 134° E., moving W.N.W.

June 15d. 15h. 00m.—Warning to Hongkong, Coast Ports, &c.—Typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 133° E., moving North.

June 15d. 13h. 05m.—Pressure has decreased slightly from Vladivostock to Foochow. It has increased slightly at other reporting stations.

The depression over S.W. China is shallower this morning.

At 6 a.m. the typhoon was in about Lat. 13° N. and Long. 133° E., moving Northward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1.80 inch. Total since January 1st, 24.10 inches, against an average of 30.96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South east of China between Hongkong and Hainan,
- E. winds, moderate; generally cloudy.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	15TH JUNE, 1923.										16TH JUNE, 1923.										
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		WEATHER.					
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.				Direction.	Force.					
Vladivostock, .	12	29.85	758.2	54	...	SSE	4	f	6	29.63	752.7	53	0	f
Nemuro, .	13	29.96	761.0	ESE	1	...	5	29.84	758.0	NW	2	
Hokodate, .	"	29.96	761.0	SE	2	...	"	29.75	755.5	E	1	
Tokio, .	"	29.96	761.0	ESE	1	...	"	29.75	755.5	N	1	
Kochi, .	"	29.92	760.0	SE	1	...	"	29.71	754.5	SW	1	
Nagasaki, .	"	29.82	757.5	SE	1	...	"	29.71	754.5	SW	2	
Kagoshima, .	"	29.86	758.5	S	1	...	"	29.75	755.5	
Oshima, .	"	29.84	758.0	SW	1	...	"	29.78	756.5	SSE	1	
Naha, .	"	29.83	759.0	SSW	2	...	"	29.82	757.5	S	2	
Ishigakijima, .	"	29.86	758.5	SSW	3	...	"	29.80	757.0	SSW	4	
Bonin Island, .	"	30.00	762.0	SW	1	...	"	29.94	760.5	SW	1	
Weihaiwei, .	14	"	
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	29.79	756.6	79	73	SE	2	o	"	29.61	752.1	72	100	0	r	
Gintzlaif, .	14	29.79	756.6	72	95	SSE	2	o	"	29.64	752.8	71	100	SSW	2	0	
Sharp Peak, .	"	29.82	757.4	83	83	SSE	2	o	7	29.75	755.6	80	91	S	4	0	0	
Aimoy, .	14	29.72	754.9	84	79	SSE	1	o	6	
Swatow, .	"	"	
Taihoku, .	11	29.81	757.2	90	66	NNW	4	o	5	29.74	755.4	75	98	S	1	0	
Taichu, .	"	29.81	757.2	90	...	SW	2	o	"	29.79	756.6	73	0	0	
Tainsan, .	"	29.82	757.5	86	...	SSW	4	b	"	29.75	755.4	79	...	SSW	4	0	0	
Koshun, .	"	29.85	758.1	84	...	SSE	2	o	"	29.79	756.6	77	0	b	
Pescadores, .	"	29.85	758.1	86	...	S	6	b	"	29.75	755.7	79	...	S	4	b	
Canton, .	14	6	29.69	754.1	78	95	SE	1	0	
Hongkong, .	"	29.72	754.9	84	81	E	3	o	"	29.69	754.1	81	89	S	1	0	
Gap Rock, .	"	29.73	755.1	ESE	3	o	"	29.70	754.4	SSE	3	0	
Macao, .	"	29.72	754.8	86	87	ESE	2	o	"	29.66	753.3	79	98	SE	2	r	
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.60	751.8	86	87	SSE	4	of	7	29.71	754.5	75	98	NE	4	r	
Tourane, .	"	29.61	752.1	90	...	SE	2	b	"	29.65	753.0	81	0	b	
Cape St. James, .	"	29.75	755.7	77	...	SW	6	c	"	29.78	756.3	77	...	SW	2	0	
Aparri, .	14	29.74	755.4	90	60	S	4	o	6	29.79	756.6	77	94	...	0	0	
Dagupan, .	"	"	
Manila, .	"	29.74	755.4	90	66	WNW	4	o	"	29.79	756.6	75	96	E	1	b	
Legaspi, .	"	"	29.79	756.6	77	92	W	1	0	
Tacloban, .	"	"	
Iloilo, .	"	29.75	755.7	86	65	SSW	4	o	"	29.78	756.3	75	92	SSW	4	0	
Surigao, .	"	"	29.79	756.6	73	96	WSW	1	r	
Guam, .	12.20	29.82	757.5	E	4	r	4.20	29.82	757.5	SE	1	r	
Yap, .	12.47	29.79	756.6	ESE	4	o	4.47	29.80	756.9	SW	2	0	
Laowan, .	14	29.76	755.9	90	73	NE	1	b	6	29.80	756.9	76	94	S	2	r	

June 15th, 19h. 00m.—Warning to Hongkong, Coast Ports, &c.—Typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 131° E., moving North.

June 16th, 10h. 30m.—Warning to Hongkong, Coast Ports, &c.—Typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 135° E., moving N.E.

June 16th, 12h. 27m.—Pressure has decreased considerably from Vladivostock to central Japan, moderately from Shanghai to S.W. Japan and slightly from the Bonins to S.E. China. It has increased slightly over Tongking.

A small, shallow depression remains over Indo-China and a large, deeper depression covers N.E. China and S.W. Manchuria.

At 6 a.m. this morning the typhoon was in about Lat. 17° N. and Long. 135° E., moving N.E.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inch. Total since January 1st, 24.15 inches, against an average of 31.47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.
DISTRICT.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamocke,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan, } S. winds, moderate, squally; showery.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

16TH JUNE, 1923.

17TH JUNE, 1923.

STATION.	16TH JUNE, 1923.					17TH JUNE, 1923.										
	HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDT.	WIND.		HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDT.	WIND.			
	Inches.	Millrs.				Direct. ion.	Force		Inches.	Millrs.			Direct. ion.	Force		
Vladivostock, .	12	29.58	751.3	60	...	ESE	4	f	6	29.56	750.9	51	...	ESE	2	f
Iemuro,	11	30.18	766.5	S	4	...	5
Jokodate,	"	29.71	754.5	SSE	1	...	"
Okio,	"	29.71	754.5	NNE	1	...	"
Oochi,	"	29.67	753.5	"
Jagasaki,	"	29.67	753.5	WSW	5	...	"
Jagoshima,	"	29.71	754.5	SSW	1	...	"
Ishima,	"	29.76	756.0	S	2	...	"
Java,	"	29.80	757.0	SSW	4	...	"
Shigakijima,	"	29.78	756.5	SW	6	...	"
Jonin Island,	"	29.92	760.0	ESE	2	...	"
Weihaiwei,	14	"
Lankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.56	750.9	73	98	NW	2	r	"	29.58	751.2	68	100	NNW	1	...
Gutzlaff,	14	29.57	751.1	74	95	E	2	o	"	29.60	751.8	69	100	S	1	of
Sharp Peak,	"	29.71	754.6	86	80	S	4	b	7	29.68	753.9	82	83	S	4	b
Amoy,	14	29.61	752.1	84	83	SSW	2	o	6	29.56	750.8	80	92	SSW	4	o
Swatow,	"	"
Taihoku,	11	29.73	755.1	90	63	SW	2	o	5	29.62	752.4	77	98	...	0	o
Taichu,	"	29.76	756.0	90	...	S	4	b	"	29.56	750.9	75	0	b
Tainan,	"	29.76	756.0	90	...	SSW	4	b	"	29.66	753.3	77	...	SE	4	b
Koshun,	"	29.78	756.3	86	...	S	2	b	"	29.66	753.3	77	0	o
Pescadores,	"	29.76	756.0	81	...	S	4	o	"	29.65	753.0	81	...	S	4	o
Canton,	14	29.61	752.1	90	70	S	2	c	6	29.59	751.6	79	95	ESE	1	o
Hongkong,	"	29.65	753.1	84	77	S	2	o	"	29.59	751.6	82	83	S	3	o
Gap Rock,	"	29.65	753.1	SSW	4	f	"	29.59	751.6	82	83	SSW	4	o
Macao,	"	29.63	752.7	86	81	SSE	2	o	"	29.56	750.9	81	89	SW	2	o
Wuchow,	15	9
Pakhoi,	"	"
Hoibow,	"	"
Phulien,	"	29.62	752.4	84	81	WNW	1	o	7	29.58	751.2	81	96	SSE	1	o
Tourane,	"	29.61	752.1	86	...	NNW	2	b	"	29.56	750.9	82	...	W	2	b
Cape St. James,	"	"	29.71	754.5	75	...	SW	6	o
Aparri,	14	29.69	754.2	90	72	NNE	4	o	6	29.68	753.9	79	98	...	0	o
Dagupan,	"	"
Manila,	"	29.72	754.8	86	71	WSW	4	o	"	29.71	754.5	77	96	SW	1	o
Legaspi,	"	29.72	754.8	82	84	NE	1	o	"	29.68	753.9	75	94	WSW	4	o
Tacloban,	"	"	29.69	754.2	79	80	NW	2	e
Ililo,	"	29.75	755.7	81	80	S	2	o	"	29.73	755.1	75	91	...	0	o
Surigao,	"	29.71	754.5	79	84	WSW	4	o	"
Guam,	12.20	29.81	757.2	SE	2	r	4.20	29.84	757.8	ENE	1	o
Yap,	12.47	29.78	756.3	WSW	4	o	4.47	29.81	757.2	0	o
Labuan,	14	29.76	755.9	84	75	SW	2	o	6	29.73	755.1	80	89	S	4	b

June 16d. 19h. 10m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon in Lat. 17° N. Long. 129° E., moving W.N.W., position uncertain.

June 17d. 12h. 15m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon in Lat. 17° N. Long. 128° E., moving West, position uncertain.

June 17d. 12h. 20m.—Pressure has increased slightly at Shanghai and decreased slightly at the majority of other reporting stations.

A shallow depression covers China and S.E. Manchuria.

The position of the typhoon this morning is uncertain. It is probably in about Lat. 17° N. and Long. 128° E., moving W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inch. Total since January 1st, 24.16 inches, against an average of 31.99 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH. DISTRICT.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamocks,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan,
- S.W. to variable winds, moderate; fine.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	HONGKONG STANDARD TIME.	17TH JUNE, 1923.						18TH JUNE, 1923.									
		BAROMETER AT SEA LEVEL.		TEMPER. ATMOS.	HUMIDT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER. ATMOS.	HUMIDT.	WIND.		WEATHER.
		Inches.	Millrs.			Direct. ion.	Force.		Inches.	Millrs.	Direct. ion.	Force.			Direct. ion.	Force.	
Vladivostock, .	12	29.56	750.7	56	...	SE	5	+	6	29.68	753.9	54	...	SE	3	+	
Nemuro,	13	29.76	756.0	SSE	2	...	5	29.80	757.0	S	1	+	
Hokodate,	"	29.69	754.0	SE	2	...	"	29.73	755.0	ESE	2	+	
Tokio,	"	29.59	751.5	NNE	1	...	"	29.65	753.0	0	+	
Kochi,	"	29.53	750.0	"	29.67	753.5	WSW	1	+	
Nagasaki,	"	29.55	750.5	SW	4	...	"	29.63	752.5	SE	2	+	
Kagoshima,	"	29.61	752.0	WSW	2	...	"	29.67	753.5	SE	1	+	
Oshima,	"	29.67	753.5	S	3	...	"	29.73	755.0	ESE	1	+	
Naha,	"	29.72	755.0	SSW	3	...	"	29.69	754.0	0	+	
Ishigakijima,	"	29.70	754.5	SSW	6	...	"	29.69	754.0	SSW	3	+	
Bonin Island,	"	29.86	758.5	SW	2	...	"	29.92	760.0	SSW	1	+	
Weihaiwei,	14	"	
Hankow,	15	"	
Ichang,	"	"	
Changsha,	"	"	
Shanghai,	11	29.59	751.5	79	73	SSW	1	c	"	29.53	750.0	72	100	SE	1	o	
Gutzlaff,	14	29.57	751.1	73	92	SSE	2	o	"	29.57	751.1	71	100	SSW	2	o	
Sharp Peak,	"	29.61	752.1	84	83	S	1	o	7	29.60	751.8	80	91	S	1	o	
Amoy,	14	29.50	749.3	84	83	S	4	b	6	29.53	750.0	80	92	SSW	4	o	
Swatow,	"	"	
Taihoku,	11	29.75	753.7	90	69	...	0	o	5	29.63	752.7	75	98	...	0	b	
Taichu,	"	29.67	753.6	90	...	SSW	4	b	"	29.66	753.3	75	0	h	
Tainan,	"	29.67	753.6	90	...	S	4	b	"	29.63	752.7	77	...	SE	2	h	
Koshun,	"	29.67	753.6	86	...	WNW	2	b	"	29.63	752.7	52	0	b	
Pescadores,	"	29.68	753.9	82	...	S	4	o	"	29.63	752.7	79	...	S	4	b	
Canton,	14	29.52	749.3	89	73	S	2	o	6	29.57	751.1	68	95	...	0	c	
Hongkong,	"	29.57	751.1	87	73	SSE	1	o	"	29.57	751.1	81	87	S	2	o	
Gap Rock,	"	29.57	751.1	SW	4	b	"	29.57	751.1	S	4	cp	
Macao,	"	29.55	750.6	90	72	SW	4	b	"	29.55	750.6	82	86	S	4	b	
Wuchow,	15	9		
Pakhoi,	"	"		
Hoihow,	"	"		
Phulien,	"	29.49	749.1	84	87	SSE	4	o	7	29.49	749.1	77	92	E	4	o	
Tourane,	"	29.55	750.6	86	...	N	4	b	"	29.56	750.9	81	...	WSW	2	b	
Cape St. James,	"	29.67	753.6	84	...	SW	4	b	"	29.72	754.8	73	...	SW	4	r	
Aparri,	14	29.63	752.7	90	69	N	4	o	6	29.63	752.7	79	93	...	0	b	
Dagupan,	"	"		
Manila,	"	29.67	753.6	82	81	SW	4	o	"	29.66	753.3	77	91	SSW	4	o	
Legaspi,	"	29.67	753.6	81	90	WSW	4	o	"		
Taibon,	"	"		
Bohol,	"	29.71	754.5	82	77	S	4	o	"	29.73	755.1	75	98	S	4	o	
Sarigao,	"	"		
Guam,	12.20	29.79	756.6	ENE	2	o	4.20	29.82	757.5	NE	2	b	
Yap,	12.47	29.79	756.6	NE	2	o	4.47		
Lubuan,	14	29.71	754.6	88	76	N	1	b	6	29.72	754.9	81	91	NW	2	b	

June 17d. 18h. 30m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 126° E., moving N.N.W.

June 18d. 10h. 45m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon in Lat. 17° N. Long. 126° E., direction unknown, position uncertain.

June 18d. 10h. 37m.—Pressure has increased slightly from Vladivostock to the Bonins. It has decreased slightly at the majority of other reporting stations.

A depression extends from S.W. China to S.E. Manchuria.

The position of the typhoon is uncertain. It appears to be nearly stationary, 200 or 300 miles E. of northern Luzon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, inches, against an average of 32.51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

DISTRICT. FORECAST.

- | | | |
|---|---|------------------------------|
| 1.—Formosa Channel, | { | S. winds, moderate; showery. |
| 2.—South coast of China between Hongkong and Lamoeks, | | |
| 3.—Hongkong to Gap Rock, | | |
| 4.—South coast of China between Hongkong and Hainan, | | |

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	18TH JUNE, 1923.							19TH JUNE, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temper- ature.	Humid.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temper- ature.	Humid.	WIND.			
		Inches.	Mills.			Direction.	Force.		Direction.	Mills.			Direction.	Force.	WEATHER.	
Vladivostock, .	12	29.72	755.0	55	...	SE	3	f	6	29.69	754.2	58	...	ESE	6	o
Nemuro, .	11	29.80	757.0	S	4	...	5	29.92	760.0	SW	2	...
Tokodate, .	"	29.78	756.5	SE	4	...	"	29.90	759.5	SE	1	...
Tokio, .	"	29.67	753.5	SSE	2	...	"	29.88	759.0	NNE	1	...
Zuchi, .	"	29.72	755.0	SE	1	...	"	29.86	758.5
Nagasaki, .	"	29.80	757.0	WSW	1	...	"	29.78	756.5	S	3	...
Iagoshima, .	"	29.72	755.0	S	2	...	"	29.82	757.5	SSE	0	...
Ishima, .	"	29.74	755.5	SE	4	...	"	29.78	756.5	SE	2	...
Naha, .	"	29.74	755.5	SSE	5	...	"	29.76	756.0	ESE	1	...
Shibakijima, .	"	29.70	754.5	SSE	3	...	"	29.63	752.5	4	...
Bonin Island, .	"	29.92	760.0	SW	2	...	"	30.02	762.5	0	...
Weihaiwei, .	14	"
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.58	751.2	84	77	SSW	2	b	"	29.65	753.0	73	89	S	1	b
Gutzlaff, .	14	29.60	751.8	76	92	S	2	b	"	29.67	753.6	72	100	S	4	o
Sharp Peak, .	"	29.61	752.1	86	84	S	2	b	"	29.76	755.9	80	91	SSW	0	b
Amoy, .	14	29.57	751.1	86	84	SSE	2	o	"	29.62	752.3	80	92	SSW	1	b
Swatow, .	"	"
Taihoku, .	11	29.68	753.9	86	71	N	4	b	5	29.68	753.9	75	98	...	0	r
Taichu, .	"	29.66	753.3	90	...	WSW	2	b	"	29.69	754.2	73	0	b
Tainan, .	"	29.66	753.3	86	...	S	4	b	"	29.63	752.7	75	...	E	2	o
Koshun, .	"	29.66	753.3	90	...	S	2	b	"	29.65	753.0	75	0	b
Pescadores, .	"	29.66	753.3	86	...	S	4	b	"	29.65	753.0	79	0	o
Canton, .	14	29.59	751.6	80	87	...	0	o	6	29.63	752.6	79	95	ENE	1	c
Hongkong, .	"	29.59	751.6	86	74	S	3	o	"	29.62	752.3	80	91	...	0	b
Gap Rock, .	"	29.60	751.8	SSW	4	o	"	29.61	752.1	SE	4	o
Macao, .	"	29.58	751.2	84	85	SW	4	o	"	29.59	751.5	81	90	SE	2	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.47	748.5	86	78	SSE	4	o	7	29.50	749.4	81	92	SSE	4	o
Lourane, .	"	29.52	749.7	86	...	SE	2	o	"	29.58	751.2	81	0	o
Cape St. James, .	"	29.68	753.9	84	...	SW	4	o	"	29.72	754.8	75	...	SW	2	o
Aparri, .	14	29.60	751.8	90	69	N	4	b	6	29.62	752.4	77	92	S	2	o
Bagpan, .	"	"
Manila, .	"	29.71	754.5	84	74	SW	6	o	"	29.68	753.9	77	92	SW	4	r
Legaspi, .	"	29.68	753.9	81	84	SW	4	o	"
Tacloban, .	"	"
Uilo, .	"	29.72	754.8	82	77	S	4	o	"	29.73	755.1	81	80	S	2	o
Surigao, .	"	29.71	754.5	86	75	...	0	o	"
Buan, .	12.20	29.80	756.9	NE	4	o	4.20
Fap, .	12.47	29.79	756.6	ENE	4	b	4.47	29.85	758.1	80	91	E	2	b
Anuan, .	14	29.73	755.1	88	69	N	1	b	6	29.73	755.1	80	91	N	1	b

June 18d. 18h. 52m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 125° E., stationary or very slow.

June 19d. 9h. 55m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 123° E., moving N.W.

June 19d. 10h. 02m.—Pressure is highest to the east of the Bonins. It has decreased slightly over the Visayas and increased slightly at the majority of other reporting stations.

The continental depression has centres over S.W. China and over S.E. Mongolia.

The typhoon appears to be moving N.W. At 6 a.m. this morning it was about 150 miles N.E. of Aparri.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inch. Total since January 1st, 24.23 inches, against an average of 33.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, Variable winds, freshening from N.
- 2.—South coast of China between Hongkong and Lamock, } S. or variable winds; fair.
- 3.—Hongkong to Gap Rock, }
- 4.—South coast of China between Hongkong and Hainan, ..

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

19TH JUNE, 1923.

20TH JUNE, 1923.

STATION.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	WEATHER.
	Inches.	Mills.	Direct- ion.	Force.					Inches.	Mills.	Direct- ion.	Force.				
Wladivostock, .	1.2	29.66	753.3	57	ESE	7	or	6	29.74	755.3	53	...	SE	4
Nemuro, .	1.1	29.90	759.5	S	3	...	5	29.86	758.5	S	3
Hokodate, .	"	29.88	759.0	ESE	4	...	"	29.78	756.5	0
Tokio, .	"	29.90	759.5	NNE	1	...	"	29.88	759.0	0
Kochi, .	"	29.86	758.5	SE	1	...	"	29.90	759.5	0
Nagasaki, .	"	29.82	757.5	SSW	5	...	"	29.86	758.5	SW	5
Kagoshima, .	"	29.84	758.0	SSE	1	...	"	29.92	760.0	0
Oshima, .	"	29.82	757.5	SSE	3	...	"	29.80	757.0	SSE	2
Naha, .	"	29.80	757.0	S	3	...	"	29.41	747.0	S	0
Ishigakijima, .	"	29.70	754.5	SSE	5	...	"	30.04	763.0	0
Bonin Island, .	"	30.04	763.0	WSW	1	...	"	29.63	752.6	81	87	SSW	1
Weihaiwei, .	1.4	"
Hankow, .	1.5	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	1.1	29.69	754.2	90	63	...	SSW	1	b	"	29.72	754.8	73	94	SE	2
Gutzlaff, .	1.4	29.73	755.1	77	92	...	SSE	2	o	"	29.75	755.6	73	100	SSE	4
Sharp Peak, .	"	29.72	754.9	88	80	...	E	1	b	"	29.71	754.6	78	91	N	0
Amoy, .	1.4	29.56	750.8	86	80	...	SSE	1	b	"	29.63	752.6	81	87	SSW	1
Swatow, .	"	"
Taihoku, .	1.1	29.68	753.9	90	66	...	ENE	4	b	5	29.60	751.8	75	94	...	0
Taichu, .	"	29.69	751.2	90	NW	2	o	"	29.62	752.4	77	0
Tainan, .	"	29.69	754.2	86	WSW	4	b	"	29.61	752.1	81	...	WNW	4
Kosbun, .	"	29.67	753.6	90	o	b	o	"	29.61	752.1	79	...	NW	4
Pescadores, .	"	29.72	754.8	86	WSW	4	o	"	29.63	752.6	79	...	NW	0
Canton, .	1.4	29.60	751.8	88	73	...	SE	1	e	6	29.65	753.1	79	95	SSE	1
Hongkong, .	"	29.62	752.3	86	73	...	E	3	e	"	29.64	752.8	80	92	...	0
Gap Rock, .	"	29.63	752.6	SSE	3	b	"	29.65	753.1	SW	3
Macao, .	"	29.64	752.1	90	76	...	SE	2	o	"	29.61	752.1	79	95	...	0
Wuchow, .	1.5	9
Pakhui, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.52	749.7	86	78	...	SSE	4	o	7	29.55	750.6	81	90	S	4
Tourane, .	"	29.56	750.9	86	NNW	2	o	"	29.62	752.4	81	0
Cape St. James, .	"	29.67	753.6	82	SW	6	r	"	29.78	756.3	77	...	SW	6
Aparri, .	1.4	29.61	752.1	90	60	...	S	2	o	6	29.68	753.9	77	64	S	4
Dagupan, .	"	"
Manila, .	"	29.71	754.5	82	81	...	o	o	o	"	29.76	756.0	75	96	ESE	2
Legaspi, .	"	29.69	754.2	90	63	...	SSW	4	o	"	29.79	756.6	77	92	...	0
Tacloban, .	"	29.73	755.1	86	68	...	SE	4	o	"	29.81	757.2	81	86	S	2
Ililo, .	"	29.73	755.1	86	75	...	S	4	o	"	29.80	756.9	7	92	SE	0
Surigao, .	"	"
Guam, .	12.20	29.81	57.2	ENE	4	o	4.20	29.84	757.8	NE	2
Yap, .	12.47	29.80	56.9	E	4	o	4.47	29.80	756.9	ENE	2
Lahman, .	1.4	29.71	754.6	90	73	...	N	1	b	6	29.78	756.4	82	91	NE	2

June 19th, 15h. 45m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 122° E., moving W.N.W.

June 20th, 15h. 30m. Warning to Hongkong, Coast Ports, &c.—A Severe typhoon within 60 miles of Lat. 24° N. Long. 123° E., moving N.

June 20th, 12h. 40m.—Pressure is highest in the neighbourhood of the Bonins. It has increased slightly from Wladivostock to S.W. Japan and Shanghai. Also from Cochin China to the Philippines. It has decreased considerably at Ishigakijima and slightly over Formosa.

A depression is shown over S.W. China.

The estimated position of the typhoon at 2 p.m. yesterday was too far to the South-west, apparently. At 6 a.m. this morning it was about 50 miles N.W. of Ishigakijima, moving northward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 24.24 inches, against an average of 33.57 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21ST.
DISTRICT**

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N.W. to W. winds, fresh.
- S. or variable winds, moderate; fair.
- S.E. winds, moderate.

T. F. CLAXTON, Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	20TH JUNE, 1923.							21ST JUNE, 1923.														
	HONGKONG STANDARD TIME,		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.		HUMIDIT.	WIND.		WEATHER.		HONGKONG STANDARD TIME,		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.		HUMIDIT.	WIND.		WEATHER.	
	Inches.	Millrs.			°F.	°C.		Direction.	Force.			Inches.	Millrs.			°F.	°C.		Direction.	Force.		
Vladivostock, .	12	29.67	753.5	57	...			SE	4	f		6	29.73	755.1	55	...			0		f	
Jemuro, .	11	29.82	755.5			S	3	...		5	29.69	754.0	N	1				
Iokodate, .	"	29.74	755.5			SE	1	...		"	29.69	754.0	ESE	1				
Okio, .	"	29.82	757.5			SE	2	...		"	29.73	755.0					
Ochi, .	"	29.92	760.5		"	29.82	757.5	S	3				
Asagasaki, .	"	29.88	759.0			SW		"	29.75	755.5	S	1				
Agoshima, .	"	29.90	759.5			SSE	3	...		"	29.78	756.5	SSE	1				
Ishima, .	"	29.88	759.0			SE	4	...		"	29.76	756.0	S	3				
Iaha, .	"	29.80	757.0			S	3	...		"	29.73	755.0	SW	3				
Shigakijima, .	"	29.57	753.0			SW	10	...		"	29.61	752.0	NW	1				
Ionin Island, .	"	30.00	762.0			NNW	1	...		"	29.94	760.5					
Weibaiwei, .	14		6	
Lankow, .	15		"	
Chang, .	"		"	
Hangsha, .	"		"	
Hanghai, .	11	29.73	755.1	86	75			SSE	2	b		"	29.54	750.3	75	98	SE	1		b		
Itzlafl, .	14	29.73	755.1	77	92			SE	4	o		"	29.57	751.1	72	100	SSE	4		of		
Harb Peak, .	"	29.64	752.8	88	75			E	2	b		7	29.66	753.3	82	83	S	2		b		
Imoy, .	14	29.52	749.8	90	70			SSW	2	b		6	29.59	751.6	82	87	SW	1		o		
Watow, .	"		"	
Taihoku, .	11	29.58	751.2	81	87			NW	2	r		5	29.59	751.5	77	89	...	0		b		
Taichu, .	"	29.62	752.4	84	...			NW	4	o		"	29.65	753.0	77	0		o		
Fainan, .	"	29.66	753.3	84	...			NW	4	o		"	29.65	753.0	77	...	SE	4		o		
Koshun, .	"	29.66	753.3	84	...			WNW	4	o		"	29.66	753.3	81	...	SSW	2		b		
Escadores, .	"	29.68	753.9	84	...			NNW	6	o		"	29.65	753.0	81	...	S	4		o		
Lanton, .	14	29.58	751.3	91	63			SW	1	o		6	29.61	752.3	80	96	...	0		c		
Hongkong, .	"	29.50	751.8	86	78			E	3	o		"	29.62	752.3	79	95	...	0		c		
Jap Rock, .	"	29.63	752.6			SW	2	o		"	29.62	752.3	SW	4		ep		
Macno, .	"	29.60	751.8	90	76			SSE	2	o		"	29.60	751.8	81	90	SW	4		b		
Wuchow, .	15		9		
Takhoi, .	"		"		
Tishow, .	"		"		
Bilien, .	"	29.53	750.0	86	81			SE	4	o		7	29.58	751.2	75	96	NE	4		r		
Fourane, .	"	29.58	751.2	86	...			NW	2	b		"	29.65	753.0	81	...	SSW	2		o		
Cape St. James, .	"	29.73	755.1	79	...			SW	2	of		"	29.79	756.6	77	...	SW	2		o		
Aparsi, .	14	29.65	753.0	86	61			S	4	o		6	29.71	754.5	77	85	S	4		o		
Agupan, .	"		"		
Dailla, .	"	29.74	755.4	84	74			SW	1	o		"	29.79	756.6	75	92	N	2		o		
Tegasapi, .	"	29.74	755.4	86	75			E	2	o		"	29.79	756.6	75	96	...	0		o		
Tacoban, .	"	29.75	755.7	86	65			SE	4	o		"		
Lollo, .	"		"	29.81	757.2	77	94	...	2		o		
Uringao, .	"		"		
Ham, .	12.20		4.20	29.80	756.9	NE	1		o		
Jap, .	12.47	29.78	756.3			E	4	o		4.47	29.79	756.6	NE	2		b		
Abuan, .	14	29.73	755.1	88	73			N	2	b		6	29.75	755.6	81	87	E	1		b		

June 20th. 17h. 05m.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 25° N. Long. 124° E., moving North.

June 21st. 11h. 35m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 28° N. Long. 120° E., moving N.W.

June 21st. 11h. 39m.—Pressure is highest in the neighbourhood of the Bonins. It has decreased moderately at Shanghai and slightly over Japan and the Loochoos. It is nearly stationary in southern districts.

The typhoon appears to have curved to N.W. and entered the coast early this morning, near Wenchow.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.14 inch. Total since January 1st, 24.38 inches, against an average of 34.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, S. winds, moderate.
- 2.—South coast of China between Hongkong and Lamecka, S.W. winds, moderate; fine at first, some rain later.
- 3.—Hongkong to Gap Rock, S.W. winds, moderate; fine at first, some rain later.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	21ST JUNE, 1923.				22ND JUNE, 1923.										
	(HONGKONG STANDARD TIME.)	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. Atmos.	HUMIDIT.	WIND.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. Atmos.	HUMIDIT.	WIND.			
		Inches.	Millrs.					Direction.	Force.						
Vladivostock, .	12	29.72	754.9	63	...	SW	4	b	6	29.72	754.8	60	...	SSW	2
Nemuro.....	11	29.69	754.0	NE	4	...	5	29.82	757.5	NNE	2
Hokodate,	"	29.67	753.5	SE	7	...	"	29.75	755.5	ESE	5
Tokio,	"	29.70	754.5	SE	1	...	"	29.61	752.0	E	2
Kochi,	"	29.74	755.5	NE	1	...	"	29.23	742.5	S	2
Nagasaki,	"	29.69	754.0	SW	3	...	"	29.41	747.0	NNW	3
Kagoshima,	"	29.70	754.5	S	3	...	"	29.43	747.5	W	1
Oshima,	"	29.70	754.5	SSE	3	...	"	29.57	751.0	S	4
Naha,	"	29.70	754.5	SSW	2	...	"	29.65	753.0	SSW	2
Ishigakijima,	"	29.69	754.0	SW	7	...	"	29.59	751.5	WSW	1
Bonin Island,	"	29.92	760.0	WNW	1	...	"	29.86	758.5	SSW	1
Weihaiwei,	14	6
Hankow,	15	"
Iehang,	"	"
Changsba,	"	"
Shanghai,	11	29.54	750.3	82	77	W	1	o	"	29.56	750.9	70	98	NE	4
Gutzlaff,	14	29.48	748.8	80	87	...	0	o	"	29.56	750.8	70	100	NNE	1
Sharp Peak,	"	29.57	751.1	88	84	S	2	b	7	29.59	751.5	83	83	SSW	1
Amoy,	14	29.50	749.3	90	84	SSW	1	o	6	29.54	750.3	83	87	SSW	2
Swatow,	"	"
Taihoku,	11	29.61	752.1	90	63	W	4	b	5	29.58	751.2	75	89	SE	2
Taichu,	"	29.66	753.3	90	...	S	2	o	"	29.65	753.0	75	0
Tainan,	"	29.66	753.3	84	...	SW	4	o	"	29.63	752.7	75	...	SE	4
Kosbun,	"	29.66	753.3	86	...	S	4	o	"	29.63	752.7	81	...	WSW	4
Pescadores,	"	29.66	753.3	86	...	S	4	o	"	29.60	751.8	81	...	S	4
Canton,	14	29.56	750.8	92	64	S	1	c	6	29.60	751.8	81	91	...	0
Hongkong,	"	29.59	751.6	89	68	SW	3	c	"	29.58	751.3	80	91	...	0
Gap Rock,	"	29.61	752.1	SW	4	c	"	29.60	751.8	WSW	4
Macao,	"	29.58	751.2	90	76	SW	2	b	"	29.56	750.9	81	89	WSW	4
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.53	750.0	86	78	SSE	2	o	7	29.54	750.3	81	87	SE	2
Tourane,	"	29.61	752.1	85	...	NNE	2	o	"	29.61	752.1	82	0
Cape St. James,	"	29.76	756.0	77	...	SW	2	r	"	29.78	756.3	77	...	SW	2
Aparri,	14	29.68	753.9	86	71	SSW	4	o	6	29.67	753.6	75	91	SE	2
Dagupan,	"	"
Manila,	"	29.75	755.7	79	87	N	2	o	"	29.74	755.4	75	96	...	0
Legaspi,	"	29.76	756.0	81	84	WNW	2	o	"	29.75	755.7	77	96	WNW	1
Tacloban,	"	"
Iloilo,	"	29.75	755.7	86	71	SSE	4	o	"
Surigao,	"	29.74	755.4	86	71	N	1	o	"
Guam,	12.20	29.78	756.3	...	71	E	2	o	4.20
Yap,	12.47	29.76	756.0	...	71	E	4	o	4.47	29.76	756.0	NNE	1
Lauzan,	14	29.75	755.6	90	73	N	2	b	6	0

June 22d. 10h. 53m.—Pressure has increased slightly at Shanghai. It has decreased considerably over S.W. Japan, and slightly from the Bonins to Yap and the Philippines.

The typhoon has filled up, leaving a vague depression over China.

A somewhat deep depression is shown over S.W. Japan this morning.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.27 inch. Total since January 1st, 24.65 inches, against an average of 34.64 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD, DISTRICT.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- FORECAST.
- S.W. winds, moderate; generally fair with occasional showers.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG

DAILY WEATHER REPORT.

22ND JUNE, 1923.

23RD JUNE, 1923.

STATION.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temper- ature.	Humid.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temper- ature.	Humid.	WIND.		WEATHER.
		Inches.	Millrs.			Direct. ion.	Force.			Inches.	Millrs.			Direct. ion.	Force.	
Vladivostock, .	12	29.66	753.4	66	...	W	3	o	6	29.62	752.2	61	...	SE	2	f
Nemuro, .	11	29.84	758.0	E	2	...	5	29.63	752.5	E	2	..
Hokodate, .	"	29.74	755.5	ESE	5	...	29.41	747.0	NE	3	..	
Tokio, .	"	29.39	746.5	SE	6	...	29.75	755.5	1	..	
Kochi, .	"	29.31	744.5	SSW	2	...	29.59	751.5	ENE	0	..	
Nagasaki, .	"	29.53	750.0	N	4	...	29.67	753.5	NW	1	..	
Kagoshima, .	"	29.51	749.5	W	2	...	29.57	751.0	0	..	
Oshima, .	"	29.57	751.0	S	4	...	29.59	751.5	0	..	
Naha, .	"	29.61	752.0	SSW	4	...	29.65	753.0	0	..	
Ishigakijima, .	"	29.63	752.5	SW	5	...	29.61	752.0	SW	4	..	
Bonin Island, .	"	29.84	758.0	S	2	...	29.84	758.0	SW	2	..	
Weihaiwei, .	14	6
Jankow, .	15
Ichang, .	"
Changsha, .	"
Shanghai, .	12	29.66	753.3	74	72	NE	4	b	29.73	755.1	66	100	NNE	1	bb	
Gutzlaff, .	14	29.65	753.1	73	81	NNE	4	o	29.75	755.6	68	95	...	0	bb	
Sharp Peak, .	"	29.57	751.1	81	89	S	4	r	29.69	754.1	76	86	NE	2	r	
Amoy, .	14	29.50	749.3	88	73	SW	1	o	29.56	750.8	82	92	SSW	1	..	
Swatow, .	"
Taihoku, .	11	29.58	751.2	93	59	W	4	b	5	29.63	752.7	75	94	E	4	r
Taichu, .	"	29.65	753.0	90	...	SSW	4	b	29.62	752.4	77	0	oo	..
Tainan, .	"	29.66	753.3	82	...	SE	4	o	29.60	751.8	79	...	SE	4	o	..
Koskun, .	"	29.65	753.0	81	...	WSW	4	r
Pescadores, .	"	29.63	752.7	90	...	S	4	b	29.60	751.8	81	...	N	4	o	..
Canton, .	14	29.52	749.8	92	61	W	1	b	6	29.58	751.3	81	96	...	0	or
Hongkong, .	"	29.55	750.5	89	71	SW	1	o	29.56	750.8	83	86	WSW	2	o	..
Gap Rock, .	"	29.57	751.1	WSW	4	o	29.57	751.1	SW	4	o	..
Macao, .	"
Wuchow, .	15	9
Pakhoi, .	"	9
Boihow, .	"	9
Phulien, .	"	29.50	749.4	90	63	SSW	2	o	7	29.52	749.7	81	92	S	2	o
Tourane, .	"	29.59	751.5	90	...	SSE	2	o	29.59	751.5	81	...	SW	2	o	..
Cape St. James, .	"	29.73	755.1	86	...	SW	2	o	29.75	755.7	79	...	SW	2	b	..
Aparri, .	14	29.86	758.4	90	60	S	4	o	6
Dagupan, .	"
Manila, .	"	29.74	755.4	79	61	SSW	1	r	29.74	755.4	75	96	ESE	1	o	..
Legaspi, .	"
Taichow, .	"
Ililo, .	"	29.74	755.4	86	71	S	4	o	29.78	756.3	81	84	...	0	o	..
Surigao, .	"	29.71	754.5	86	71	NNW	2	b	29.78	756.3	81	84	...	0	o	..
Guam, .	12.20	29.74	755.4	ENE	4	o	4.20	29.79	756.6	ENE	2	..
Yap, .	12.47	29.72	754.8	o	0	o	4.47	29.75	755.7	NE	1	o
Lubuan, .	14	29.77	756.1	86	68	N	2	o	6	29.76	755.9	80	91	N	1	b

June 23d. 11h. com.—Pressure is highest to the east of the Bonins. It has decreased considerably over N.E. Japan and increased considerably over central Japan. It has increased moderately from S.W. Japan to Shanghai and is nearly stationary at the majority of other reporting stations.

The northern depression is approaching Hokkaido. It has left a shallow depression behind it, S.W. of Kobe.

A depression is shown over S.W. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 24.65 inches, against an average of 35.18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH. DISTRICT.

1.—Formosa Channel,
2.—South coast of China between Hongkong and Lantau,
3.—Hongkong to Gap Rock,
4.—South coast of China between Hongkong and Hainan,

S.W. or variable winds, moderate; generally fair, occasional showers.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	23RD JUNE, 1923.										24TH JUNE, 1923.											
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATM.		HUMIDIT.		WIND.		WEATHER.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATM.		HUMIDIT.		WIND.	
	Inches.	Milrs.	THER.	ATM.	DIREC-	ION.	FORCE.															
Vladivostock, .	12	29.59	751.6	72	WNW	2	b	6	29.79	756.6	63	...	E	2	0
Nemuro,	11	29.53	750.0	ENE	4	...	5	29.65	753.0	NE	4
Hokodate,	"	29.35	745.5	NNW	5	...	"	29.61	752.0
Tokio,	"	29.33	745.0	SSE	2	...	"	29.65	753.0	NW	1
Kochi,	"	29.63	752.5	SE	1	...	"	29.76	756.0	WSW	1
Nagasaki,	"	29.70	754.5	NNW	1	...	"	29.76	756.0	NW	0
Kagoshima,	"	29.67	753.5	SSE	1	...	"	29.76	756.0	SSE	1
Oshima,	"	29.67	753.5	N	2	...	"	29.73	755.0	S	1
Naha,	"	29.69	754.0	S	2	...	"	29.71	754.5	W	4	2
Ishigakijima,	"	29.69	754.0	SW	3	...	"	29.69	754.0	SW	4
Bonin Island,	"	29.82	757.5	SW	3	...	"	29.88	759.0								
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.78	756.3	79	65	...	0	b	...	"	29.75	755.7	70	96	SE	1	0
Gutzlaff,	14	29.76	755.9	77	73	...	0	b	...	"	29.77	756.1	70	95	SSE	2	0
Sharp Peak,	"	29.70	754.4	78	78	ESE	4	o	7	29.74	755.4	76	82	N	1	0	
Amoy,	14	29.59	751.6	86	72	ENE	1	o	6	
Swatow,	"	"
Taihoku,	11	29.68	753.9	82	81	ENE	4	o	5	29.68	753.9	77	94	E	2	0	
Taichu,	"	29.63	752.7	90	...	NW	2	o	"	29.68	753.9	75	...	S	0	1	
Tainan,	"	29.63	752.7	86	...	S	2	o	"	29.66	753.3	79	...	S	2	0	
Kosbun,	"	29.54	750.3	82	...	NW	4	o	"	29.67	753.6	77	...	ESE	2	0	
Pescaderes,	"	29.63	752.7	90	...	S	2	o	"	29.66	753.3	79	...	SSE	1	0	
Canton,	14	29.54	750.3	88	92	...	5	o	6	
Hongkong,	"	29.55	750.5	89	67	W	2	e	"	29.61	752.1	80	93	E	2	or	
Gap Rock,	"	29.58	751.3	WSW	4	e	"	29.61	752.1	SW	2	ep	
Macao,	"	"	
Wuchow,	15	"	9	
Pakhoi,	"	"	
Hoishow,	"	"	
Phaliens,	"	29.48	748.8	93	64	SSW	2	o	7	29.55	750.6	81	92	SSE	6	0	
Tourane,	"	29.59	751.5	86	0	o	"	29.62	752.4	82	...	W	2	0	
Cape St. James, .	"	29.69	754.2	84	...	SW	6	o	"	29.76	756.0	77	...	SW	4	0	
Aparri,	14	29.65	753.0	86	75	NW	2	r	6	
Bagupan,	"	"	
Maula,	"	29.73	755.1	79	87	SSW	1	r	"	29.75	755.7	75	98	...	0	0	
Legaspi,	"	29.72	754.8	86	71	WSW	4	o	"	29.75	755.7	73	96	SW	1	0	
Tacloban,	"	"	
Illoilo,	"	29.73	755.1	84	77	S	4	o	"	29.76	756.0	75	94	...	0	0	
Sririgao,	"	29.71	754.5	86	65	WNW	2	b	"	
Guam,	12.20	29.76	756.0	NE	4	r	4.20	
Yap,	12.47	29.71	754.5	ENE	2	o	4.47	29.74	755.4	ESE	2	r	
Lubuan,	14	29.73	755.1	90	70	NE	1	b	6	

June 24d. 10h. 53m.—Pressure has increased considerably over N.E. Japan and slightly in other districts, except over Luzon, where it has decreased slightly.

A depression is still shown over S.W. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.37 inch. Total since January 1st, 25.02 inches, against an average of 35.73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH DISTRICT.

FORECAST.

- | | | | | |
|-------------------------------|---|------------------------------------|--|--|
| 1.—Formosa Channel, | 2.—South coast of China between Hongkong and Lamocks, | 3.—Hongkong to Gap Rock, | 4.—South coast of China between Hongkong and Hainan, | E. winds, moderate; generally overcast, occasional rain. |
|-------------------------------|---|------------------------------------|--|--|

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	24TH JUNE, 1923.							25TH JUNE, 1923.									
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		Temp. atm.	Humid.	Wind.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		Temp. atm.	Humid.	Wind.			
	Inches.	Millrs.	Direct. ion.	Force.				Inches.	Millrs.	Direct. ion.	Force.						
advostock, .	12	29.81	757.2	66	...		NE	3	0	6	29.83	757.6	62	...	SE	2	0
muro, .	11	29.72	755.0		NNE	6	...	5	29.98	761.5	SE	1	...
kodate, .	"	29.69	754.0		S	1	...	"	29.88	759.0	E	2	...
kio, .	"	29.72	755.0		S	0	...	"	29.84	758.0	ESE	1	...
ichi, .	"	29.78	756.5		N	1	...	"	29.80	757.0	0	...
agasaki, .	"	29.76	756.0		SE	1	...	"	29.80	757.0	0	...
agosima, .	"	29.78	756.5		SE	1	...	"	29.78	756.5	0	...
shima, .	"	29.72	755.0		SSW	2	...	"	29.76	756.0	SSW	2	...
sha, .	"	29.74	755.5		WSW	2	...	"	29.78	756.5	WSW	3	...
shikajima, .	"	29.74	755.5		SW	2	...	"	29.78	756.5	S	1	...
bon Island, .	"	29.88	759.0		SW	2	...	"	29.94	760.5	2	...
Weihaiwei, .	14	6
Hankow, .	15	"
ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.78	756.3	82	67		SE	2	0	"	29.84	757.9	68	100	ESE	1	b
Jutzlaff, .	14	29.81	757.2	77	77		SE	2	0	"	29.85	758.2	72	92	E	2	rf
arp Peak, .	"	29.74	755.4	83	79		E	1	0	"	29.83	757.7	75	94	NE	4	o
imoy, .	14	29.61	752.1	90	73		ENE	1	b	6	29.68	753.9	80	92	NE	2	o
Watow, .	"	"
Tahoku, .	11	29.74	755.4	90	69		NE	4	b	5
tschu, .	"	29.73	755.1	90	...		NW	2	b	"
aihan, .	"	29.74	755.4	86	...		S	4	b	"
oshibun, .	"	29.75	755.7	84	...		S	2	0	"
Pescadores, .	"	29.74	755.4	86	...		S	4	b	"
aten, .	14	29.58	751.3	85	83		E	2	0	6	29.63	752.6	78	95	...	0	o
ongkong, .	"	29.60	751.8	85	79		E	3	0	"	29.61	752.1	77	95	ENE	2	or
ip Rock, .	"	29.60	751.8		ENE	3	0	"	29.60	751.8	E	3	ep
ao, .	"	"
uchow, .	15	"
khoi, .	"	"
thow, .	"	"
Julien, .	"	29.54	750.3	81	89		WNW	4	0	7	29.59	751.5	79	98	NE	1	of
urane, .	"	29.60	751.8	86	...		SE	2	0	"	29.63	752.7	82	...	WNW	2	o
pe St. James, .	"	29.71	754.5	84	...		SW	4	b	"	29.76	756.0	77	...	WSW	4	b
parri, .	14	29.68	753.9	86	71		SW	4	0	6	29.76	756.0	75	94	S	2	o
ugupan, .	"	"
aila, .	"	29.73	755.1	90	63		WSW	4	0	"	29.79	756.6	75	96	...	0	o
egaspi, .	"	29.72	754.8	90	69		ENE	4	b	"
eboban, .	"	"
ilo, .	"	29.72	754.8	86	71		SW	4	0	"
ngao, .	"	29.69	754.2	90	63		ENE	4	b	"	29.79	756.6	75	92	...	0	b
um, .	12.20	29.78	756.3		SE	4	r	4.20	W	1	...
ip, .	12.47	29.69	754.2		E	2	0	4.47	29.74	755.4	N	1	b
ian, .	14	29.81	757.2	80	73		N	4	0	6	29.79	756.6	80	87	N	1	b

June 25d. 11h. 32m.—Pressure has increased considerably over N.E. Japan and slightly from the Bonins to the China Coast and the Philippines.

A depression is shown over S.W. China.

The threatened typhoons have not developed.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1.13 inch. Total since January 1st, 26.15 inches, against an average of 36.18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

DISTRICT.

FORECAST.

—Formosa Channel,
—South coast of China between Hongkong and Lamocka,
—Hongkong to Gap Rock,
—South coast of China between Hongkong and Hainan,

E. winds, moderate; generally cloudy, showery.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	25TH JUNE, 1923.								26TH JUNE, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDIT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDIT.	WIND.		WEATHER.
		Inches.	Milrs.			Direct- ion.	Force.			Inches.	Milrs.			Direct- ion.	Force.	
Vladivostock, .	12	29.78	756.5	63	...	SE	5	o	6	29.82	757.4	57	...	SSE	2	o
Nemuro,	11	30.00	762.0	SE	3	..	5	29.98	761.5	SSE	2	0
Hokodate,	"	29.90	759.5	E	5	..	"	29.88	759.0	E	1	0
Tokio,	"	29.82	757.5	SSE	1	..	"	29.83	759.0	0	0
Kochi,	"	29.78	756.5	SE	1	..	"	29.88	759.0	W	1	0
Nagasaki,	"	29.82	757.5	NW	1	..	"	29.86	758.5	NW	1	0
Kagoshima,	"	29.80	757.0	SSE	1	..	"	29.86	758.5	0	0
Oshima,	"	29.80	757.0	NW	2	..	"	29.82	757.5	0	0
Naha,	"	29.82	757.5	SSW	2	..	"	29.84	758.0	S	1	0
Ishigakijima,	"	29.80	757.0	SW	4	..	"	29.82	757.5	SW	5	0
Bonin Island,	"	29.95	760.5	SSW	1	..	"	29.96	761.0	SW	5	0
Weihaiwei,	14	6	0	0
Hankow,	15	"	0	0
Iehang,	"	"	0	0
Changsha,	"	"	0	0
Shanghai,	11	29.86	758.4	84	64	SE	2	b	"	29.75	755.7	72	100	SE	1	r
Gutzlaff,	14	29.87	758.7	77	86	SSE	2	o	"	29.78	756.4	71	95	SE	4	r
Sharp Peak,	"	29.77	756.1	77	94	N	1	r	7	29.76	755.9	78	94	...	0	r
Amoy,	14	29.65	753.1	86	80	SE	1	o	6	29.69	754.1	78	86	SSE	4	r
Swatow,	"	"	0	0
Taihoku,	11	29.76	756.0	86	68	ENE	2	b	5	29.78	756.3	75	96	...	0	0
Taichu,	"	29.75	755.7	90	...	NNW	2	b	"	29.79	756.6	75	0	0
Tainan,	"	29.76	756.0	82	...	S	4	o	"	29.76	756.0	77	...	SE	4	0
Koshun,	"	29.79	756.6	81	0	o	"	29.79	756.6	77	0	b
Pescadores,	"	29.75	755.7	81	...	SE	6	o	"	29.78	756.3	75	...	SE	4	r
Canton,	14	29.55	750.5	84	79	SE	2	o	6	0	0
Hongkong,	"	29.57	751.1	82	87	E	4	o	"	29.61	752.1	78	91	SSE	2	op
Gap Rock,	"	29.56	750.8	SSE	4	o	"	29.60	751.8	SSW	5	op
Macao,	"	"	0	0
Wuchow,	15	9	0	0
Pakhoi,	"	"	0	0
Hoihow,	"	"	0	0
Phulien,	"	29.54	750.3	86	71	S	1	o	7	29.53	750.0	81	98	ENE	2	of
Tourane,	"	29.63	752.7	84	...	NE	2	o	"	29.65	753.0	82	0	0
Cape St. James, .	"	29.72	754.8	82	...	WSW	6	o	"	29.74	755.4	77	...	SW	2	b
Aparri,	14	29.74	755.4	90	63	S	2	o	6	29.79	756.6	75	94	SW	2	o
Dagupan,	"	"	0	0
Masila,	"	29.74	755.4	90	66	WSW	2	o	"	29.80	756.9	77	94	E	1	o
Legaspi,	"	29.75	755.7	90	66	E	2	o	"	29.79	756.6	75	94	W	1	b
Taeloban,	"	"	0	0
Illoilo,	"	29.74	755.4	86	65	S	4	o	"	0	0
Surigao,	"	29.73	755.1	86	68	NNW	1	b	"	0	0
Guam,	12.20	29.84	757.8	SE	1	r	4.20	0	0
Yap,	12.47	29.71	754.5	SW	1	o	4.47	29.76	756.0	S	2	0
Labuan,	14	29.79	756.6	86	76	NW	4	b	6	29.79	756.6	80	91	NW	2	b

June 26d, 10h. 53m.—Pressure has increased slightly from central Japan to Formosa. It has decreased slightly at Shanghai and Haiphong and is nearly stationary elsewhere.

The Chinese depression appears to be spreading north-eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.77 inch. Total since January 1st, 16.92 inches, against an average of 36.83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

DISTRICT.

FORECAST.

- | | | |
|--|---|--|
| 1.—Formosa Channel, | } | S. winds, fresh, squally; generally overcast, showery. |
| 2.—South coast of China between Hongkong and Lamock, | | |
| 3.—Hongkong to Gap Rock, | | |
| 4.—South coast of China between Hongkong and Hainan, | | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

26TH JUNE, 1923.

STATION.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
	Inches.	Millrs.	Direction.	Force.			Inches.	Millrs.		Inches.	Millrs.	Direction.	Millrs.			Direction.	Force.	
Vladivostock, .	12	29.80	757.0	61	SSE	4	o	6	29.80	756.8	55	SSE	2	f
Nemuro, .	11	29.96	761.0	SE	2	...	5
Hokodate, .	"	29.90	759.5	SE	1	...	"
Tokio, .	"	29.88	759.0	SE	2	...	"
Kochi, .	"	29.92	759.5	S	1	...	"
Nagasaki, .	"	29.86	758.5	ESE	1	...	"
Kagoshima, .	"	29.88	759.0	S	1	...	"
Oshima, .	"	29.82	757.5	"
Naha, .	"	29.86	758.5	S	2	...	"
Ishigakijima, .	"	29.84	758.0	SW	4	...	"
Bonin Island, .	"	29.96	761.0	S	2	...	"
Weihaiwei, .	14	6
Bankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	12	29.72	754.8	75	96	...	ESE	2	r	"	29.62	752.4	73	100	...	WNW	1	r
Gutzlaff, .	14	29.68	753.9	73	100	...	SE	4	o	"	29.64	752.8	74	100	0	if
Sharp Peak, .	"	29.74	755.4	86	80	...	S	4	o	7	29.75	755.6	80	89	S	4	o	
Amoy, .	14	29.65	753.1	86	76	...	SSE	2	o	6	29.73	755.1	78	92	SW	2	r	
Swatow, .	"	"
Taihoku, .	11	29.76	756.0	90	72	...	N	2	b	5	29.78	756.3	77	96	0	o
Taichu, .	"	29.78	756.3	90	SSW	4	b	"	29.80	756.9	77	0	b
Tainan, .	"	29.81	757.2	86	S	4	b	"	29.81	757.2	77	...	SSE	4	o	
Koshun, .	"	29.82	757.5	90	SSW	4	b	"	29.84	757.8	77	0	b	
Pescadores, .	"	29.79	756.6	81	S	4	r	"	29.80	756.9	81	...	S	4	o	
Canton, .	14	29.60	751.8	86	80	...	SE	2	o	6	29.68	753.9	79	91	ESE	2	o	
Hongkong, .	"	29.66	753.3	81	82	...	SW	4	cq	"	29.70	754.4	81	87	S	3	eq	
Gap Rock, .	"	29.64	752.8	SW	5	cqr	"	29.69	754.7	SSW	5	c	
Macao, .	"	"	
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoikow, .	"	"	
Phuien, .	"	29.53	750.0	81	96	...	SSE	4	if	7	29.56	750.9	81	90	S	4	o	
Tourane, .	"	29.62	752.4	86	SSE	4	o	"	29.66	753.3	81	...	SW	2	o	
Cape St. James, .	"	29.72	754.8	77	SW	4	of	"	29.60	756.9	77	...	SW	4	of	
Aparri, .	14	29.76	756.0	90	69	...	NE	4	b	6	29.79	756.6	75	96	...	o	b	
Dagupan, .	"	"	
Manila, .	"	29.75	755.7	86	65	...	WSW	1	o	"	29.80	756.9	75	96	E	1	o	
Legaspi, .	"	29.74	755.4	84	74	...	E	1	o	"	29.76	756.0	77	92	W	1	o	
Tacloban, .	"	"	29.78	756.3	75	60	NW	2	o	
Boilo, .	"	29.75	755.7	86	71	...	S	4	o	"	
Sarigao, .	"	29.74	755.4	84	77	...	WNW	2	o	"	29.74	755.4	77	91	WSW	2	o	
Guam, .	12.20	29.79	756.6	E	2	o	4.20	29.85	758.1	E	1	o	
Yap, .	12.47	29.75	755.7	SW	2	o	4.47	29.84	757.8	W	1	o	
Lahuan, .	14	29.80	756.9	84	75	...	NW	2	o	6	29.80	756.9	80	91	N	1	b	

June 27d. 114. 57m.—Pressure has decreased slightly at Shanghai and from Borneo to Mindanao. It has increased slightly at Yap and over Formosa, and is nearly stationary at other reporting stations.

The Chinese depression has now two centres; one over Tongking, and one to the north of Shanghai.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.87 inch. Total since January 1st, 27.79 inches, against an average of 37.38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

DISTRICT.

FORECAST.

- | | |
|---|---|
| 1.—Formosa Channel, .
2.—South coast of China between Hongkong and Lamock, .
3.—Hongkong to Gap rock, .
4.—South coast of China between Hongkong and Hainan, . | S. winds, fresh, equally; generally cloudy, some showers. |
|---|---|

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	27TH JUNE, 1923.							28TH JUNE, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock, .	12	29.75	755.7	62	...	SE	2	b	6	29.72	754.9	57	...	SE	3	r
Nemuro, .	11	29.96	761.0	SSW	3	...	5
Hokodate, .	"	29.90	759.5	SSE	2	...	"
Tokio, .	"	29.92	760.0	SSW	1	...	"
Kochi, .	"	29.69	754.0	0	...	"
Nagasaki, .	"	29.63	752.5	SW	10	...	"
Kagoshima, .	"	29.70	754.5	SW	1	...	"
Oshima, .	"	29.80	757.0	SSE	2	...	"
Naha, .	"	29.84	758.0	SSW	2	...	"
Ishigakijima, .	"	29.84	758.0	SW	4	...	"
Bonin Island, .	"	29.98	761.5	SSE	3	...	"
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.69	754.1	77	84	NNW	2	o	"	29.69	754.2	73	98	SE	1	c
Gutzlaff, .	14	29.69	754.1	75	94	NNE	1	o	"	29.69	754.2	72	100	SE	2	a
Sharp Peak, .	"	29.74	755.4	86	80	S	4	b	7	29.75	755.6	82	87	S	1	b
Amoy, .	14	29.70	754.4	86	80	SSW	2	o	6	29.71	754.6	81	92	SW	1	c
Swatow, .	"	"
Taihoku, .	11	29.78	756.3	90	63	NW	2	o	5	29.76	756.0	77	96	SE	1	b
Taichu, .	"	29.80	756.9	90	...	SW	4	o	"	29.80	756.9	75	...	SE	2	b
Tainan, .	"	29.81	757.2	90	...	S	4	b	"	29.78	756.3	77	...	SE	0	b
Koshun, .	"	29.82	757.5	86	...	SW	2	b	"	29.76	756.0	77	0	b
Pescadores, .	"	29.81	757.2	86	...	SSE	4	o	"	29.75	755.7	79	...	S	4	b
Canton, .	14	29.61	753.6	87	76	SSE	2	o	6	29.71	754.6	80	91	SSE	1	c
Hongkong, .	"	29.71	754.6	87	76	S	3	o	"	29.73	755.1	81	84	S	2	c
Gap Rock, .	"	29.71	754.6	SSW	5	o	"	29.73	755.1	SSW	4	b
Macao, .	"	"
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.55	750.6	84	81	SSE	6	o	7	29.61	752.1	79	87	S	6	b
Tourane, .	"	29.66	753.3	90	...	SE	2	h	"	29.71	754.5	81	...	WSW	2	b
Cape St. James, .	"	29.75	755.7	84	...	WSW	4	b	"	29.80	756.9	77	...	SW	2	b
Aparri, .	14	29.75	755.7	90	69	NNW	4	b	6	29.74	755.4	81	87	N	2	o
Dagupan, .	"	"
Manila, .	"	29.74	755.4	84	77	WSW	4	o	"	29.76	756.0	75	96	...	0	o
Legaspi, .	"	"	29.68	753.9	79	89	WSW	2	o
Tacloban, .	"	"
Iloilo, .	"	29.73	755.1	82	77	S	4	o	"	29.72	754.8	82	81	SW	4	o
Surigao, .	"	29.68	753.9	81	80	W	2	o	"	29.72	754.8	81	80	WSW	4	o
Quam, .	12.20	29.80	756.9	E	4	o	4.20	29.81	757.2	NE	1	v
Yap, .	12.47	29.82	757.5	SE	2	o	4.47	29.81	757.2	N	1	o
Labuan, .	14	29.80	756.9	86	72	N	2	b	6	29.81	757.2	80	95	NE	2	b

June 27d. 18h. 48m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 128° E., moving N.W.

June 28d. 9h. 50m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 126° E., moving N.W.

June 28d. 11h. 32m.—Pressure has increased slightly at Shanghai and over N. Indo-China. It has decreased slightly from S. Formosa to the Visayas.

At 6 a.m. this morning the typhoon was about 300 miles E. of Manila moving N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inch. Total since January 1st, 27.89 inches, against an average of 37.93 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

DISTRICT. FORECAST.

- 1.—Formosa Channel, S. or variable winds, freshening from N.E. later.
- 2.—South coast of China between Hongkong and Lamock, S. or variable winds, moderate; fine.
- 3.—Hongkong to Gap Rock, S. or variable winds, moderate; fine.
- 4.—South coast of China between Hongkong and Hainan, S. or variable winds, moderate; fine.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

28TH JUNE, 1923.

STATION.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock, .	12	29.70	754.5	60	4	F	6	29.55	750.5	60	...	SE	5	F
Kemuro, .	11	29.84	758.0	SE	4	...	5	29.84	758.0	S	2	...
Hokodate, .	"	29.78	756.5	SE	3	...	"	29.80	757.0	SSE	1	...
Tokio, .	"	29.74	755.5	N	2	...	"	29.90	759.5	SSE	1	...
Iochi, .	"	29.76	756.0	SE	2	...	"	29.80	757.0	0	...
Nagasaki, .	"	29.76	756.0	WSW	1	...	"	29.76	756.0	SW	4	...
Kagoshima, .	"	29.76	756.0	SE	1	...	"	29.82	757.5
Shimoda, .	"	29.82	757.5	SW	3	...	"	29.80	757.0	S	1	...
Naha, .	"	29.82	757.5	NNW	1	...	"	29.78	756.5	S	1	...
Kitagakijima, .	"	29.80	757.0	SW	1	...	"	29.75	755.5	S	3	...
Sonai Island, .	"	29.94	760.5	SSW	1	...	"	29.94	760.5	0	...
Weihaiwei, .	14	6
Hankow, .	15	"
Changsha, .	"	"
Shanghai, .	11	"
Gutzlaff, .	14	"
Sharp Peak, .	"	29.72	754.9	88	80	SSE	2	b	7	29.70	754.4	82	91	S	1	b
Amy, .	14	29.64	752.8	88	73	SW	1	b	6	29.63	752.6	81	92	SW	1	b
Swatow, .	"	"
Taihoku, .	11	29.76	756.0	90	60	NW	4	b	5	29.69	754.2	77	96	...	0	o
Taichu, .	"	29.79	756.6	90	...	Ssw	2	b	"	29.73	755.1	75	0	o
Tainan, .	"	29.79	756.6	90	...	W	4	b	"	29.75	755.7	77	...	SE	2	b
Koshun, .	"	29.81	757.2	86	...	WNW	4	b	"	29.67	753.6	81	...	NE	6	b
Pescadores, .	"	29.80	756.9	86	...	SSE	4	b	"	29.69	754.2	79	...	S	2	b
Canton, .	14	29.65	753.1	90	70	S	2	c	6	29.68	753.9	79	95	ESE	1	c
Hongkong, .	"	29.70	754.4	87	67	SW	2	b	"	29.68	753.9	80	88	...	0	b
Gap Rock, .	"	29.70	754.4	SSW	4	e	"	29.69	754.1	SW	3	...
Macao, .	"	"
Wuchow, .	15	"	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.60	751.8	86	71	SSE	6	b	7	29.61	752.1	79	93	S	4	bf
Tourane, .	"	29.66	753.3	86	...	SE	2	b	"	29.67	753.6	82	0	b
Cape St. James, .	"	29.73	755.1	86	...	S	2	e	"	29.79	756.6	77	...	W	2	o
Aparri, .	14	29.66	753.3	86	68	NNW	4	o	6	29.54	750.3	79	84	E	4	o
Dagupan, .	"	"
Manila, .	"	29.71	754.5	81	84	N	2	o	"	29.78	756.3	77	94	WSW	6	r
Legaspi, .	"	29.60	751.8	81	80	WSW	4	o	"
Tacloban, .	"	"	29.72	754.8	75	94	...	0	o
Bohol, .	"	29.69	754.2	81	80	SW	4	o	"	29.68	753.9	79	84	S	4	o
Surigao, .	"	29.68	753.9	86	68	WSW	2	o	"	29.73	755.1	75	91	...	0	o
Guam, .	12.20	29.78	756.3	WNW	4	o	4.20	29.79	756.6	E	1	o
Iap, .	12.47	29.79	756.6	NNE	2	o	4.47	29.79	756.6	NNE	1	b
Labuan, .	14	29.78	756.4	88	76	N	2	b	6	29.75	755.6	80	91	S	2	b

June 28d. 16h. 40m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 125° E., moving N.W.

June 29d. 11h. 30m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 17° N. Long. 121° E., moving W.N.W.

June 29d. 11h. 35m.—Pressure has decreased moderately over Luzou, and slightly over Formosa and along the S. coast of China.

A depression is still shown to the north of Haipbong.

At 6 a.m. this morning the typhoon was about midway between Manila and Aparri, moving W. or W.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 27.89 inches, against an average of 38.47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamoek, Light S.W. winds, freshening from N.E. later; fine at first, cloudy later.
- 3.—Hongkong to Gap Rock,
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	29TH JUNE, 1923.							30TH JUNE, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temp. Atm.	Humid.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temp. Atm.	Humid.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Direction.	Force.			Direction.	Force.		
Vladivostock, .	12	29.49	749.1	58	...	SE	3	f	6	29.53	750.0	61	...	NE	2	b
Nemuro,	11	29.84	758.0	S	3	...	5
Hokodate,		29.72	755.0	SE	3	...	"	29.35	745.5	ESE	4	...
Tokio,	"	29.84	758.0	E	4	...	"	29.67	753.5
Koohi,	"	29.82	757.5	SW	1	...	"	29.69	754.0	NNE	1	...
Nagasaki,	"	29.76	756.0	SW	6	...	"	29.67	753.5	SW	9	...
Kagoshima,	"	S	2	...	"	29.75	755.5	SSW	2	...
Oshima,	"	29.82	757.5	SE	1	...	"	29.80	757.0	S	3	...
Naha,	"	29.82	757.5	S	2	...	"	29.82	757.5	S	1	...
Ishigakijima,	"	29.76	756.0	SSW	4	...	"	29.76	756.0	SSW	5	...
Bonin Island,	"	29.96	761.0	WSW	1	...	"	29.94	760.5
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.59	751.5	86	71	SSW	2	o	"	29.60	751.8	73	98	NNE	1	o
Gutzlaff,	14	29.59	751.0	76	92	S	4	o	"	29.61	752.1	76	95	SSW	2	o
Sharp Peak,	"	29.70	754.4	86	80	SSE	4	b	"	29.67	753.6	81	62	...	0	o
Amoy,	14	29.60	751.8	92	67	SSW	2	b	6	29.62	752.3	83	79	SW	1	b
Swatow,	"	"
Taihoku,	11	29.71	754.5	90	66	WNW	2	b	5	29.66	753.3	75	94	SE	1	b
Taichu,	"	29.72	754.8	90	...	W	2	o	"	29.67	753.6	75	0	o
Fainan,	"	29.71	754.5	90	...	W	4	b	"	29.63	752.7	77	...	NE	2	b
Koshun,	"	29.71	754.5	86	...	ENE	4	b	"	29.66	753.3	81	...	ENE	4	b
Pescadores,	"	29.72	754.8	86	...	SSW	2	b	"	29.65	753.0	81	...	NW	4	b
Canton,	14	29.62	752.3	90	63	S	1	c	6	29.65	753.1	79	95	...	0	b
Hongkong,	"	29.64	752.8	88	68	W	2	b	"	29.62	752.3	81	84	NE	1	b
Gap Rock,	"	29.65	753.1	SW	3	b	"	29.62	752.3	E	3	o
Macao,	"	29.62	752.4	90	69	S	2	b	"	29.60	751.8	81	87	...	2	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.54	750.3	90	72	SSE	4	b	7	29.56	750.9	82	96	ESE	4	b
Tourane,	"	29.62	752.4	86	...	SE	2	h	"	29.61	752.1	84	...	SW	2	b
Cape St. James, .	"	29.71	754.5	84	...	WSW	4	b	"	29.75	755.7	77	...	SW	6	b
Aparri,	14	29.41	747.0	86	68	E	4	o	6
Dagupan,	"	"
Manila,	"	29.55	750.6	75	88	SW	6	r	"	29.68	753.9	72	92	S	4	r
Legaspi,	"	29.69	754.2	73	96	WSW	4	o	"	29.74	755.4	75	96	...	0	o
Tacloban,	"	"	29.80	756.9	77	88	SW	2	o
Ililo,	"	29.67	753.6	79	89	S	4	o	"	29.76	756.0	75	98	SE	2	r
Surigao,	"	29.69	754.2	82	77	WNW	2	o	"	29.79	756.6	75	96	...	0	o
Guam,	12.20	29.78	756.3	E	4	o	4.20	29.80	756.9	E	1	o
Yap,	12.47	29.76	756.0	E	4	o	4.47	29.78	756.3	NE	2	o
Labuan,	14	29.71	754.6	90	70	N	2	b	6	29.75	755.6	80	82	NW	2	b

June 29d. 18h. 25m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 17° N. Long. 121° E., moving W.N.W.

June 30d. 11h. 55m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 117° E., moving W.N.W.

June 30d. 11h. 20m.—Local signal No. 1 hoisted.

June 30d. 12h. 05m.—Pressure has decreased considerably over N.E. Japan, owing to the approach of a somewhat deep depression from Westward. It has decreased slightly from Shanghai to Hongkong and increased moderately at Manila.

A depression is still shown over S.W. China.

At 6 a.m. this morning the typhoon was in about Lat. 18° N. and Long 117° E., moving W.N.W. Judging from the wind reports from Gap Rock, however, the centre may still pass to the east of the Colony.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 27.89 inches, against an average of 39.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1ST. DISTRICT.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamocka, } N.E. winds, moderate, possibly increasing to a gale; fine.
- 3.—Hongkong to Gap Rock, first, cloudy and rainy later.
- 4.—South coast of China between Hongkong and Hainan, .

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.


JULY,

1923.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE
ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER
REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,
DIRECTOR.



HONGKONG:
PRINTED BY NORONHA & CO.
GOVERNMENT PRINTERS.

1923.

ROYAL OBSERVATORY, HONGKONG.

R E S U L T S

O F

METEOROLOGICAL OBSERVATIONS.

JULY,

1923.

HOURLY VALUES OF BAROMETRIC PRESSURE AND AIR TEMPERATURE,

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of JULY, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	1
2	29.501	29.492	29.483	29.476	29.466	29.465	29.474	29.479	29.495	29.511	29.501	29.484	2
3	29.283	29.265	29.241	29.202	29.220	29.209	29.224	29.225	29.258	29.290	29.312	29.312	2
4	29.510	29.516	29.506	29.505	29.534	29.539	29.555	29.573	29.591	29.597	29.601	29.609	3
5	29.683	29.675	29.675	29.679	29.691	29.701	29.715	29.727	29.738	29.744	29.752	29.743	4
6	29.774	29.766	29.756	29.752	29.757	29.773	29.792	29.796	29.798	29.802	29.805	29.807	5
7	29.752	29.733	29.733	29.727	29.727	29.735	29.753	29.752	29.755	29.759	29.756	29.750	6
8	29.693	29.679	29.666	29.662	29.666	29.676	29.686	29.696	29.696	29.698	29.691	29.683	7
9	29.643	29.633	29.633	29.633	29.633	29.641	29.650	29.657	29.654	29.658	29.648	29.631	8
10	29.643	29.631	29.628	29.627	29.629	29.641	29.656	29.666	29.671	29.668	29.666	29.659	9
11	29.649	29.649	29.637	29.639	29.651	29.671	29.676	29.687	29.685	29.690	29.665	29.665	10
12	29.650	29.649	29.645	29.651	29.651	29.657	29.665	29.684	29.685	29.690	29.686	29.682	11
13	29.682	29.661	29.651	29.651	29.647	29.665	29.683	29.693	29.707	29.707	29.700	29.690	12
14	29.669	29.665	29.657	29.645	29.648	29.653	29.659	29.661	29.668	29.674	29.668	29.652	13
15	29.617	29.601	29.595	29.581	29.587	29.597	29.605	29.609	29.611	29.615	29.608	29.593	14
16	29.540	29.534	29.529	29.519	29.521	29.521	29.531	29.542	29.557	29.565	29.567	29.557	15
17	29.583	29.575	29.571	29.563	29.573	29.589	29.591	29.600	29.603	29.613	29.613	29.627	16
18	29.661	29.661	29.659	29.659	29.657	29.662	29.665	29.664	29.675	29.679	29.686	29.682	17
19	29.701	29.695	29.691	29.687	29.687	29.692	29.704	29.708	29.711	29.711	29.715	29.709	18
20	29.689	29.681	29.659	29.657	29.651	29.679	29.677	29.680	29.687	29.690	29.682	29.672	19
21	29.615	29.597	29.579	29.562	29.567	29.580	29.590	29.565	29.579	29.577	29.562	29.562	20
22	29.423	29.385	29.376	29.362	29.336	29.325	29.347	29.337	29.335	29.328	29.324	29.301	21
23	29.342	29.351	29.349	29.351	29.393	29.396	29.404	29.430	29.452	29.486	29.507	29.505	22
24	29.605	29.585	29.577	29.581	29.589	29.587	29.595	29.633	29.653	29.652	29.649	29.649	23
25	29.671	29.645	29.631	29.629	29.628	29.635	29.637	29.650	29.657	29.660	29.657	29.642	24
26	29.556	29.531	29.509	29.480	29.471	29.487	29.500	29.506	29.513	29.524	29.518	29.501	25
27	29.260	29.227	29.167	29.150	29.062	29.011	28.991	28.975	28.977	28.973	28.987	29.039	26
28	29.510	29.508	29.490	29.509	29.522	29.514	29.563	29.575	29.612	29.612	29.610	29.623	27
29	29.673	29.660	29.645	29.650	29.643	29.650	29.666	29.674	29.692	29.722	29.717	29.712	28
30	29.717	29.702	29.686	29.677	29.676	29.674	29.692	29.703	29.719	29.719	29.726	29.724	29
31	29.709	29.683	29.680	29.673	29.672	29.683	29.696	29.702	29.705	29.717	29.723	29.716	30
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midi.	Days of the Month.
1	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	1
2	29.463	29.449	29.421	29.401	29.393	29.380	29.398	29.394	29.393	29.386	29.356	29.330	2
3	29.324	29.338	29.340	29.339	29.350	29.364	29.408	29.431	29.451	29.483	29.493	29.509	3
4	29.601	29.577	29.575	29.578	29.599	29.623	29.647	29.659	29.683	29.697	29.686	29.686	4
5	29.737	29.737	29.737	29.733	29.725	29.723	29.739	29.753	29.761	29.774	29.782	29.784	5
6	29.798	29.790	29.778	29.770	29.764	29.759	29.764	29.767	29.774	29.784	29.788	29.780	6
7	29.744	29.718	29.719	29.687	29.683	29.693	29.698	29.702	29.704	29.707	29.709	29.707	7
8	29.674	29.654	29.637	29.616	29.616	29.616	29.637	29.650	29.656	29.660	29.653	29.653	8
9	29.615	29.601	29.599	29.585	29.587	29.577	29.592	29.611	29.639	29.664	29.667	29.655	9
10	29.647	29.623	29.625	29.612	29.608	29.615	29.640	29.648	29.668	29.684	29.676	29.663	10
11	29.649	29.627	29.619	29.607	29.601	29.603	29.618	29.642	29.668	29.668	29.674	29.671	11
12	29.671	29.644	29.631	29.622	29.617	29.629	29.657	29.675	29.679	29.687	29.688	29.688	12
13	29.679	29.660	29.646	29.641	29.635	29.630	29.641	29.652	29.666	29.678	29.687	29.684	13
14	29.636	29.617	29.591	29.574	29.562	29.563	29.579	29.595	29.600	29.622	29.626	29.621	14
15	29.577	29.561	29.541	29.517	29.514	29.521	29.523	29.544	29.562	29.578	29.578	29.576	15
16	29.531	29.515	29.493	29.482	29.473	29.477	29.497	29.507	29.519	29.546	29.548	29.542	16
17	29.547	29.536	29.515	29.500	29.501	29.506	29.525	29.538	29.548	29.561	29.578	29.582	17
18	29.621	29.613	29.601	29.585	29.573	29.573	29.591	29.606	29.622	29.645	29.651	29.659	18
19	29.682	29.666	29.659	29.645	29.643	29.643	29.653	29.661	29.675	29.696	29.700	29.695	19
20	29.688	29.684	29.675	29.675	29.676	29.664	29.680	29.694	29.707	29.715	29.713	29.697	20
21	29.634	29.641	29.623	29.603	29.599	29.597	29.610	29.634	29.659	29.668	29.668	29.648	21
22	29.542	29.507	29.503	29.478	29.469	29.462	29.472	29.477	29.476	29.494	29.470	29.458	22
23	29.271	29.252	29.212	29.154	29.142	29.144	29.178	29.215	29.242	29.295	29.343	29.345	23
24	29.507	29.499	29.503	29.497	29.497	29.507	29.526	29.556	29.585	29.602	29.612	29.611	24
25	29.649	29.629	29.623	29.607	29.609	29.627	29.642	29.657	29.673	29.673	29.681	29.678	25
26	29.617	29.593	29.565	29.547	29.559	29.582	29.583	29.601	29.601	29.601	29.607	29.587	26
27	29.477	29.457	29.427	29.405	29.363	29.428	29.465	29.443	29.394	29.385	29.356	29.327	27
28	29.089	29.123	29.179	29.210	29.251	29.292	29.336	29.392	29.438	29.465	29.480	29.502	28
29	29.620	29.623	29.621	29.605	29.601	29.612	29.634	29.639	29.639	29.675	29.681	29.678	29
30	29.702	29.693	29.668	29.646	29.644	29.660	29.677	29.704	29.715	29.729	29.733	29.725	30
31	29.704	29.695	29.681	29.685	29.665	29.674	29.690	29.700	29.704	29.706	29.703	29.699	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the Month of JULY, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	82.3	82.4	82.0	82.0	82.1	80.4	80.5	81.8	82.2	81.3	83.0	82.9	1
2	80.7	79.7	78.9	76.8	77.9	80.9	81.0	78.0	79.7	78.7	80.4	79.3	2
3	80.9	80.4	81.0	81.7	81.5	81.4	81.7	82.3	82.8	83.3	84.0	82.9	3
4	81.7	81.3	80.5	80.1	80.3	80.5	80.9	81.9	83.0	82.8	83.8	83.7	4
5	79.8	80.0	79.3	78.9	78.9	79.3	79.9	81.0	82.0	85.2	85.0	85.3	5
6	78.7	78.9	78.7	78.9	79.0	79.1	79.9	82.5	83.2	84.3	85.2	85.6	6
7	80.9	80.0	79.9	80.0	80.1	79.9	80.7	83.0	83.8	85.1	86.2	86.4	7
8	81.9	82.0	80.9	81.4	81.8	81.0	81.4	82.5	84.9	84.3	85.8	86.8	8
9	82.6	82.7	82.5	82.4	82.3	82.2	82.5	83.7	83.9	85.0	86.3	85.8	9
10	82.9	82.8	82.8	82.6	82.6	82.6	83.0	84.1	84.2	85.1	86.8	88.2	10
11	82.6	82.3	82.4	82.3	82.4	82.5	83.2	85.7	87.2	87.2	88.8	85.6	11
12	82.2	82.0	82.0	81.7	81.8	81.9	82.3	83.8	84.9	86.0	87.1	88.4	12
13	82.5	82.2	81.7	81.8	81.5	81.2	82.0	83.0	84.1	86.1	87.2	87.4	13
14	82.0	82.0	81.8	81.9	81.7	82.0	82.7	84.4	85.8	87.4	87.7	88.8	14
15	82.9	82.6	82.6	82.8	82.7	82.4	83.7	85.6	86.4	87.0	88.7	88.3	15
16	82.9	82.6	82.1	82.0	81.9	82.0	83.7	85.4	86.5	86.2	87.8	88.0	16
17	81.0	80.6	80.5	80.5	80.6	80.8	82.6	84.3	86.0	87.3	87.0	82.2	17
18	80.4	80.3	79.9	79.7	79.2	78.8	81.9	83.8	86.1	85.7	85.8	86.9	18
19	79.9	79.9	80.0	80.2	79.7	79.7	80.0	83.4	85.0	84.5	81.0	80.6	19
20	82.0	81.8	81.8	81.7	82.2	81.7	83.0	84.1	84.4	85.7	86.0	86.4	20
21	77.3	78.8	80.2	81.0	81.7	79.1	79.7	82.1	81.2	80.7	77.7	78.8	21
22	81.3	81.6	76.9	77.9	80.1	80.0	76.8	79.9	81.9	81.4	80.5	80.5	22
23	77.1	78.9	78.4	76.1	75.9	77.6	77.7	79.4	80.5	80.8	81.9	82.1	23
24	80.9	80.5	80.5	80.7	80.5	80.8	81.0	81.7	82.4	83.6	83.7	83.7	24
25	79.7	79.4	79.1	79.0	78.9	78.9	80.3	81.8	81.4	83.9	84.6	85.7	25
26	80.0	79.9	79.9	80.0	79.9	80.0	80.5	82.0	84.1	83.6	85.0	86.3	26
27	82.0	78.2	76.0	76.9	77.0	78.3	75.9	76.4	75.0	76.5	75.0	75.0	27
28	79.7	79.5	79.0	78.9	79.0	79.0	79.8	79.7	78.9	80.1	81.1	81.1	28
29	79.7	80.5	79.4	79.7	79.9	79.3	79.0	80.0	80.5	76.4	78.1	79.0	29
30	76.4	76.8	77.1	76.9	77.4	78.9	78.2	78.9	79.4	80.0	77.0	77.0	30
31	78.8	78.9	78.9	78.8	78.9	78.9	79.0	79.2	80.0	80.2	80.8	81.8	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	82.0	80.3	83.1	82.9	82.3	82.7	81.6	81.0	81.5	81.0	82.0	81.5	1
2	79.8	80.0	80.4	80.8	80.1	80.4	80.0	81.0	81.2	80.0	80.0	81.2	2
3	82.8	82.0	82.4	82.5	82.2	82.0	81.7	81.5	81.3	81.0	80.9	80.3	3
4	84.4	83.8	84.3	83.8	82.9	82.6	81.0	80.9	80.0	80.4	80.1	79.9	4
5	86.9	87.0	86.0	84.9	83.6	81.9	81.0	80.0	79.9	79.5	79.4	78.9	5
6	83.9	83.9	83.9	84.2	84.3	82.8	81.6	81.1	80.9	80.9	80.9	80.6	6
7	86.9	86.0	86.1	85.5	85.2	84.0	82.8	82.7	82.5	82.1	82.0	82.0	7
8	87.7	87.0	86.3	86.8	85.3	84.5	83.2	82.0	82.8	82.7	82.6	82.9	8
9	87.0	87.2	87.2	86.9	85.9	84.5	84.0	83.4	83.2	83.0	83.0	83.0	9
10	88.9	88.1	87.4	86.8	86.1	85.0	83.9	83.2	82.9	82.9	83.1	83.0	10
11	88.8	88.6	88.3	87.3	86.3	84.8	83.8	83.5	83.2	83.0	82.8	82.5	11
12	88.9	89.2	89.4	87.8	86.2	85.1	83.7	83.0	82.6	82.5	82.3	82.1	12
13	89.1	88.9	89.0	87.8	86.6	85.4	83.8	82.7	82.5	82.0	82.0	81.9	13
14	89.0	89.8	88.9	87.1	87.0	84.5	83.7	83.2	83.0	83.2	83.0	82.8	14
15	88.8	88.4	87.9	87.0	86.6	86.0	84.4	83.6	83.0	83.1	83.1	82.7	15
16	86.9	87.8	88.5	86.9	85.3	84.6	83.8	82.6	82.2	82.1	81.9	81.5	16
17	85.8	88.5	87.9	88.6	86.5	85.0	83.3	82.4	81.9	80.9	80.4	80.2	17
18	86.9	86.7	85.5	86.0	85.1	84.2	83.6	82.8	82.7	82.0	81.5	81.1	18
19	84.4	84.0	85.3	85.0	85.7	83.7	82.9	82.8	82.5	82.9	82.9	82.6	19
20	84.9	86.2	84.6	85.2	84.6	84.6	83.2	82.7	77.9	80.5	79.3	80.7	20
21	79.7	80.6	80.8	81.3	81.4	78.6	81.0	80.0	81.1	81.0	81.2	80.0	21
22	80.9	79.4	79.0	78.5	78.1	77.8	77.3	75.8	75.8	76.9	79.1	79.9	22
23	82.3	83.1	82.8	82.6	82.5	82.0	81.5	81.6	81.3	81.4	81.1	80.4	23
24	83.5	83.7	83.2	82.6	81.8	80.9	80.3	80.0	80.0	79.9	79.8	79.7	24
25	85.6	85.8	86.9	87.0	87.0	85.1	82.8	81.4	81.0	80.5	80.1	80.0	25
26	87.0	86.1	86.5	86.0	86.0	82.2	79.3	80.2	81.7	81.0	82.4	81.8	26
27	75.7	76.9	76.3	77.0	78.6	77.3	77.3	77.4	77.0	78.2	79.5	79.7	27
28	75.1	75.7	75.9	76.7	77.0	77.4	77.2	78.0	79.3	78.8	80.2	79.6	28
29	77.4	78.6	79.8	81.0	80.9	80.3	80.0	75.2	76.2	76.1	76.2	76.8	29
30	78.7	78.8	79.7	79.7	80.0	79.5	79.1	79.0	78.9	78.9	78.7	78.7	30
31	82.8	82.8	82.6	79.7	80.3	80.0	79.3	78.5	78.8	78.5	78.6	78.5	31

6 HOURLY VALUES OF THE TEMPERATURE OF EVAPORATION, AMOUNT OF CLOUD, AND SUNSHINE

TABLE III.—TEMPERATURE OF EVAPORATION at every HOUR of the DAY, in the MONTH of JULY, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	76.1	76.0	76.2	76.3	76.4	76.2	76.9	77.3	78.1	77.0	78.2	77.9	1
2	74.9	75.6	75.7	75.9	75.9	76.6	76.0	76.9	76.0	75.7	76.0	76.3	2
3	78.0	77.9	77.9	77.9	77.9	77.9	77.9	78.0	78.1	78.5	79.0	78.9	3
4	77.7	77.5	77.2	77.2	77.3	77.3	77.3	77.8	78.1	77.9	78.0	77.9	4
5	76.8	76.4	76.3	76.2	76.3	76.4	76.6	77.0	76.9	78.3	78.1	78.8	5
6	76.1	75.8	76.0	75.7	75.2	75.4	75.6	76.9	76.9	76.6	77.4	77.7	6
7	77.0	76.9	76.6	76.8	76.8	76.9	77.1	78.4	78.1	79.0	79.6	79.1	7
8	76.8	76.8	76.8	76.9	76.9	76.9	76.7	77.4	78.6	78.4	79.9	80.4	8
9	77.8	77.8	77.7	77.8	77.6	77.5	77.1	77.9	78.4	79.0	80.3	80.2	9
10	78.0	77.9	77.8	77.9	77.9	78.1	78.4	79.0	78.2	78.5	80.0	80.8	10
11	78.6	78.2	78.1	78.1	77.9	77.8	78.3	79.5	80.0	79.8	81.0	78.1	11
12	78.3	78.2	78.0	77.8	77.6	77.4	77.7	78.0	78.3	78.1	79.0	79.0	12
13	77.8	77.3	77.1	77.0	77.5	77.2	78.8	78.7	78.7	78.8	78.9	79.0	13
14	77.3	77.5	77.5	78.7	77.9	78.2	79.1	80.0	80.0	80.9	80.9	81.0	14
15	78.0	77.9	78.0	78.1	78.2	78.4	78.7	79.3	79.7	80.0	80.3	79.9	15
16	79.1	78.7	78.3	78.1	77.9	77.7	78.3	79.1	79.2	78.9	79.9	79.2	16
17	77.8	77.4	77.4	77.0	77.0	77.5	78.0	78.0	79.0	79.8	79.4	78.1	17
18	77.1	76.9	76.7	76.6	76.8	77.0	77.3	78.8	79.8	79.0	78.9	79.0	18
19	78.0	77.3	77.4	77.3	77.0	77.0	77.6	79.3	79.3	79.4	77.7	77.5	19
20	78.5	78.4	78.2	78.2	78.0	78.0	79.0	78.8	79.0	79.5	79.5	79.9	20
21	76.9	77.0	77.9	77.0	77.4	76.0	76.0	77.8	77.1	76.6	74.9	75.5	21
22	76.9	77.2	75.9	75.1	76.7	76.6	74.3	76.1	77.2	77.0	75.4	76.0	22
23	75.9	73.9	73.4	75.7	75.4	74.6	76.2	76.8	77.0	77.1	77.3	77.9	23
24	78.0	77.8	77.2	77.1	77.0	77.0	77.0	77.4	77.8	78.1	78.4	78.1	24
25	77.4	77.5	77.2	76.5	77.1	76.7	78.0	78.5	78.0	78.8	78.8	79.0	25
26	76.8	75.6	75.1	76.0	75.5	76.0	76.8	77.9	79.3	79.4	79.8	80.3	26
27	74.0	73.9	74.0	73.7	73.6	73.7	73.9	74.0	74.0	74.0	75.0	74.8	27
28	77.2	77.0	76.9	76.5	76.5	77.1	76.9	76.8	77.2	77.4	77.5	77.5	28
29	76.5	76.3	76.6	76.7	76.8	76.8	76.0	77.0	77.5	74.0	75.5	76.4	29
30	74.2	75.0	74.9	75.7	76.1	76.0	76.3	76.5	77.0	73.3	73.8	30	30
31	76.0	75.9	75.8	76.0	76.5	76.5	76.8	76.9	77.1	77.9	77.9	77.9	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	—	—	—	—	—	—	—	—	—	—	—	—	1
2	78.0	77.3	77.5	77.8	76.4	76.1	75.9	75.2	75.0	75.8	76.0	75.7	2
3	76.0	75.8	75.4	75.7	75.4	75.3	75.3	76.0	77.0	77.0	77.5	77.9	3
4	78.8	78.8	78.8	78.8	78.7	78.4	78.2	78.1	78.0	78.0	77.9	77.7	4
5	79.5	80.0	78.5	78.0	77.7	77.1	77.0	76.8	76.8	76.8	76.7	76.4	5
6	76.7	77.3	76.9	77.8	77.7	77.6	77.6	77.1	77.1	76.9	76.9	76.6	6
7	80.0	78.5	78.5	78.1	78.4	77.8	77.0	77.2	77.3	77.7	77.8	77.6	7
8	80.8	80.2	79.4	79.1	78.6	78.4	77.5	77.8	77.9	77.9	78.0	78.1	8
9	80.6	80.6	80.2	80.0	79.0	78.9	78.5	78.5	78.8	78.5	78.5	78.4	9
10	80.8	79.9	79.8	79.4	79.4	78.5	78.3	78.3	78.5	78.9	78.8	78.6	10
11	80.1	79.4	80.1	79.5	79.5	78.8	78.6	78.0	78.4	78.1	78.0	78.0	11
12	79.6	80.1	80.5	80.0	79.3	79.0	78.8	78.3	78.1	77.9	78.0	77.7	12
13	79.8	79.1	79.5	78.6	78.2	78.7	78.2	77.7	77.5	77.1	77.3	77.4	13
14	81.2	81.0	80.9	80.0	80.1	79.9	78.0	77.9	77.9	77.9	78.1	78.0	14
15	79.8	80.0	80.4	80.3	80.4	79.4	78.9	78.8	78.8	78.9	79.0	79.0	15
16	79.0	79.5	80.2	79.0	78.4	78.3	78.0	77.9	77.9	77.9	77.9	77.8	16
17	79.0	78.8	78.0	79.1	78.1	78.0	77.7	77.9	77.8	77.7	77.7	77.2	17
18	78.8	78.1	78.0	77.8	77.7	76.9	76.7	76.8	76.9	76.7	76.7	76.9	18
19	79.0	78.9	79.2	79.2	79.7	79.4	78.8	78.9	78.6	78.8	79.0	79.0	19
20	78.3	78.9	78.5	78.9	79.4	79.2	79.0	79.0	77.0	77.4	76.3	77.4	20
21	76.2	76.6	77.8	77.3	77.1	77.1	77.7	77.7	77.9	77.8	76.5	76.7	21
22	75.9	75.4	75.0	75.0	74.8	75.7	74.0	75.1	75.7	75.7	75.1	74.9	22
23	78.0	79.0	78.7	78.3	78.5	77.8	78.0	78.0	78.0	78.0	78.0	77.9	23
24	78.2	78.9	78.2	78.0	77.9	77.5	77.1	77.3	77.0	77.0	76.6	76.9	24
25	78.0	78.0	79.0	77.6	77.6	76.1	76.3	76.3	76.3	76.8	76.8	77.1	25
26	80.8	80.4	81.0	81.0	80.3	78.1	76.1	75.3	75.0	74.7	74.6	74.2	26
27	75.7	75.8	74.0	74.3	75.6	76.2	75.9	75.0	75.0	77.0	77.0	77.3	27
28	73.1	73.9	73.9	74.9	74.4	74.5	74.6	75.0	76.2	76.7	77.0	76.7	28
29	73.9	74.8	77.0	77.4	77.0	77.0	77.0	73.2	73.4	73.3	74.0	74.7	29
30	74.4	76.0	76.4	77.0	76.8	77.1	76.9	77.0	76.6	76.8	76.7	76.5	30
31	78.7	77.5	77.5	76.4	77.8	76.8	76.8	76.8	76.9	76.9	76.5	76.6	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of JULY, 1923.
 (... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																						Days of the Month.		
	1	2	3	4	5	6	7	8	9	10	11	Noon	12	13	14	15	16	17	18	19	20	21	22	23	
1	9	8	10	10	10	10	8	10	9	10	10	10	10	9	9	10	10	10	10	10	8	7	10	9	10
2	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
3	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10
4	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	9	10	8	9	10	9	10	10	10
5	10	10	10	10	10	10	9	8	8	8	7	7	7	6	6	5	6	5	4	1	2	3	3	3	
6	7	9	9	9	7	5	9	4	3	5	6	7	6	7	6	7	7	9	10	6	7	5	7	9	
7	9	8	8	9	10	8	7	5	6	5	4	4	5	4	4	5	7	6	8	8	7	6	7	9	
8	7	9	8	10	9	10	6	9	9	8	10	8	9	7	6	7	8	9	8	9	10	9	9	9	
9	9	9	10	9	10	8	4	6	9	7	8	8	7	7	7	9	8	7	8	9	9	8	9	9	
10	7	9	8	10	9	10	9	8	8	9	7	8	7	8	7	8	7	8	6	6	9	10	10	10	
11	10	10	10	10	10	8	5	5	6	6	5	8	6	7	8	8	9	8	9	7	7	6	3	4	
12	9	8	10	7	10	7	9	10	8	4	6	7	9	8	9	8	9	9	10	9	7	4	7	6	
13	4	3	5	2	2	9	9	9	10	7	4	6	7	8	7	8	8	4	5	2	2	1	2	13	
14	5	5	7	7	6	5	7	10	9	7	4	5	5	3	5	7	6	7	10	9	2	4	5	8	
15	8	10	10	10	10	9	8	7	6	4	5	4	7	8	10	10	9	8	6	9	7	8	6	15	
16	8	10	7	6	10	7	5	6	7	6	7	6	5	4	5	8	9	10	10	7	3	4	4	2	
17	1	1	1	...	5	6	3	4	3	5	5	9	7	5	4	4	2	3	4	1	...	1	1	17	
18	4	6	2	1	2	3	4	4	4	3	3	2	3	1	2	1	1	1	18	
19	2	2	4	...	1	7	9	6	10	3	8	9	8	10	9	7	6	4	7	2	2	6	4	19	
20	9	10	8	10	10	8	8	7	7	6	6	7	8	6	7	9	10	10	10	10	10	9	10	10	
21	10	10	10	7	10	10	9	9	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	
22	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	
23	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	
24	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	7	7	5	10	24	
25	9	9	10	6	8	9	3	2	2	2	1	1	4	4	4	4	5	6	6	4	4	2	1	25	
26	1	2	2	1	2	4	5	7	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	
27	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	
28	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	
29	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	
30	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	
31	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	5	9	10	10	

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of JULY, 1923.
 (... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.												Days of the Month.			
	6	7	8	9	10	11	Noon	12	13	14	15	16	17	18		
1	0.1	0.4	0.2	0.8	0.7	0.5	0.6	0.1	0.9	0.9	0.2	0.2	0.2	0.1	1	
2	2	
3	0.1	0.5	0.5	3	
4	...	0.1	0.7	1.0	0.9	0.7	0.1	1.0	0.9	0.2	0.1	0.6	0.3	0.4	4	
5	...	0.1	0.5	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.3	5	
6	0.1	1.0	1.0	1.0	1.0	0.9	1.0	0.9	1.0	0.5	0.9	1.0	0.2	0.2	6	
7	0.1	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.2	7	
8	0.1	0.5	0.8	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.2	8	
9	0.1	0.8	0.7	0.6	1.0	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.7	9	
10	...	0.3	0.8	0.8	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.4	10	
11	0.3	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.1	11	
12	0.1	0.8	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.8	0.9	0.8	...	12	
13	...	0.6	0.9	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.6	13	
14	0.1	0.4	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.9	0.6	0.3	...	14	
15	...	0.7	1.0	1.0	1.0	1.0	1.0	1.0	0.9	0.7	1.0	0.2	0.6	0.5	15	
16	0.7	1.0	1.0	0.6	0.7	1.0	1.0	1.0	1.0	0.9	0.9	0.3	0.2	...	16	
17	0.4	1.0	1.0	1.0	0.8	0.5	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.5	17	
18	0.7	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.8	18	
19	...	0.9	0.9	0.7	0.8	...	0.7	0.8	1.0	1.0	1.0	0.9	0.9	0.4	19	
20	0.1	0.7	0.9	1.0	1.0	1.0	1.0	1.0	1.0	0.9	1.0	1.0	0.9	0.1	20	
21	...	0.3	0.6	0.1	0.1	21	
22	22	
23	0.3	0.2	0.1	0.1	0.6	0.5	...	0.2	0.1	...	23	
24	0.3	0.2	0.1	0.1	0.6	0.5	...	0.2	0.1	...	24
25	0.5	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.8	25	
26	...	0.4	0.1	0.6	0.3	0.7	0.1	0.1	0.2	0.4	0.2	26	
27	27	
28	28	
29	29	
30	30	
31	0.2	...	0.1	0.1	0.2	0.1	0.1	0.2	0.1	...	31	

HOURLY VALUES OF RAINFALL AND WIND,

TABLE VI.—AMOUNT OF RAINFALL registered in each HOUR of the DAY, in the MONTH of JULY, 1923.
 (d = Unregistered Drizzle. = No Rainfall.)

Hours, Hongkong Standard Time.													Days of the Month.
1	2	3	4	5	6	7	8	9	10	11	Noon.	
ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	d	1
1	0.010	0.015	...	0.030	0.005	d	d	d	2
2	0.120	0.020	0.080	0.200	0.020	0.010	0.015	0.165	0.075	0.045	0.235	...	3
3	0.045	0.040	0.005	4
4	...	0.030	0.220	0.020	0.005	...	d	5
5	6
6	7
7	...	0.065	0.070	0.060	8
8	...	0.010	0.010	...	0.005	0.050	0.025	9
9	d	d	10
10	d	...	d	11
11	0.005	12
12	13
13	14
14	15
15	d	16
16	d	0.015	17
17	18
18	0.010	d	19
19	0.005	...	0.010	20
20	...	0.015	0.010	d	21
21	0.115	0.095	0.020	...	0.075	0.040	d	0.005	0.190	d	0.020	0.010	22
22	...	d	0.330	0.060	0.190	0.340	0.120	0.005	d	0.025	d	d	23
23	0.335	0.060	0.050	0.325	0.600	0.295	0.395	0.060	0.045	0.010	d	d	24
24	25
25	26
26	27
27	0.005	0.060	0.255	0.215	0.065	0.040	0.060	0.075	0.130	0.150	0.365	0.650	28
28	0.090	0.085	0.110	0.150	0.025	0.085	0.105	0.160	0.215	0.030	0.055	0.010	29
29	d	d	0.045	d	0.020	0.045	0.045	...	0.220	0.110	0.115	0.015	30
30	...	0.030	...	0.040	0.040	0.020	0.440	0.045	0.025	d	0.635	0.350	31
31	d	...	0.020	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.												
1	0.015	0.080	0.040	0.010	d	0.005	d	0.010	d	0.005	1
2	0.080	0.005	d	0.005	0.005	0.005	d	d	d	d	d	d	2
3	...	0.005	0.080	0.015	0.005	3
4	4
5	5
6	6
7	d	d	...	d	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	d	0.025	d	0.010	0.425	0.015	0.005	0.460	20
21	d	0.030	0.010	0.110	d	0.100	0.200	0.020	0.090	0.010	d	...	21
22	0.085	0.090	0.050	0.130	0.060	0.070	0.110	0.160	0.120	0.060	d	0.010	22
23	d	d	0.010	d	0.005	23
24	24
25	25
26	d	0.010	0.140	d	d	d	26
27	0.810	0.275	0.265	0.140	0.040	0.275	0.490	0.350	0.280	0.225	0.190	0.110	27
28	0.100	0.220	0.150	0.060	0.005	d	...	d	0.005	0.015	0.005	0.010	28
29	0.095	0.015	d	d	d	0.130	0.040	d	0.005	...	29
30	0.010	0.030	p	...	30
31	0.085	0.010	0.030	d	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every Hour of the Day, in the

MONTH of JULY, 1923.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hongkong Standard Time.													Days of the Month.											
	1	2	3	4	5	6	7	8	9	10	11	Noon.													
1	Dir. 6	Vel. 21	Dir. 5	Vel. 23	Dir. 5	Vel. 21	Dir. 4	Vel. 22	Dir. 5	Vel. 23	Dir. 5	Vel. 22	Dir. 5	Vel. 26	Dir. 6	Vel. 31	1								
2	6	49	7	51	7	54	8	58	9	62	9	60	10	58	11	56	12	55	13	47	14	43	2		
3	15	38	15	26	15	27	15	31	15	24	15	22	15	26	15	27	16	25	16	24	16	21	3		
4	15	22	15	20	15	21	15	21	15	20	14	16	15	16	14	19	15	20	15	19	15	18	4		
5	13	5	14	9	14	5	13	7	13	7	14	9	14	9	14	11	14	9	14	9	14	7	15	8	
6	15	5	15	5	16	2	17	2	16	2	16	6	15	9	15	9	16	7	17	11	
7	18	8	17	9	17	5	17	6	18	8	19	11	19	10	20	13	20	10	20	12	20	12	20	11	
8	18	8	19	15	19	17	19	19	18	17	18	18	19	21	19	18	20	13	19	14	19	19	18	8	
9	19	14	19	10	19	16	19	10	19	14	19	14	19	15	19	14	19	13	19	19	18	19	21	9	
10	18	10	19	12	19	14	19	13	19	15	19	13	19	15	19	18	19	18	19	19	21	19	21	10	
11	16	10	17	9	17	8	18	7	18	10	18	9	18	10	19	11	19	12	20	11	20	9	19	11	
12	18	6	18	7	18	10	19	7	19	8	20	8	20	9	20	10	20	10	20	11	22	7	24	9	
13	18	6	19	6	19	6	20	7	21	10	21	9	22	12	23	9	22	8	21	11	22	8	22	9	
14	21	7	21	9	22	10	21	9	21	10	22	10	24	8	26	5	26	6	26	7	25	8	22	9	
15	19	6	20	8	20	9	19	8	19	10	20	11	20	11	20	8	20	12	20	11	19	12	15		
16	17	6	18	6	18	5	18	5	18	5	18	9	17	7	17	11	18	8	18	9	18	10	17	11	
17	13	5	12	2	12	2	12	2	13	2	13	6	14	12	15	10	15	9	16	10	17	10	
18	10	3	9	6	8	9	13	8	13	8	17	18	
19	9	5	9	5	9	3	...	1	1	8	8	9	13	10	10	9	18	9	14	19	
20	8	19	8	21	8	23	9	18	9	21	8	15	7	20	7	23	7	21	7	23	7	24	7	24	
21	6	21	6	22	6	28	7	29	7	27	6	29	6	26	6	29	7	30	6	21	6	32	6	27	
22	6	38	6	39	7	44	7	35	6	40	7	44	8	44	7	48	7	51	7	54	7	54	7	22	
23	14	44	14	43	14	40	13	46	14	40	13	42	14	40	14	42	14	42	15	40	15	33	15	30	
24	14	25	14	22	15	25	15	21	15	23	20	25	15	25	15	23	15	25	15	24	15	22	14	24	
25	10	8	10	9	11	6	11	8	10	6	10	6	10	8	9	11	9	13	8	15	11	8	10	25	
26	26	7	25	8	25	9	25	10	27	11	28	11	27	5	26	2	25	5	25	6	26	5	26	6	
27	31	24	31	26	31	29	30	41	30	41	29	42	28	30	27	27	26	32	25	33	21	37	27		
28	16	35	16	32	16	34	15	32	15	30	15	29	16	30	16	25	16	25	16	25	16	24	28		
29	14	22	14	26	15	20	14	16	14	20	14	21	15	25	14	24	14	25	13	16	13	14	13		
30	9	16	10	13	10	15	10	21	11	15	11	22	11	21	12	24	12	21	12	21	12	22	11	15	
31	10	20	10	19	10	20	10	16	10	16	10	12	9	14	9	13	9	14	9	17	8	16	8	20	
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.		Days of the Month.											
Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.										
1	7	29	7	29	7	31	6	29	6	30	5	30	6	33	6	41	6	39	5	44	.5	46	5	45	1
2	15	40	15	40	15	35	15	32	15	34	16	28	16	29	16	28	15	38	15	42	15	44	2		
3	16	24	16	21	15	21	15	20	15	17	15	18	15	19	15	16	15	12	15	17	15	15	19	3	
4	15	17	14	19	15	18	14	17	14	14	13	11	12	12	12	12	10	12	10	12	12	7	4		
5	15	7	16	10	16	9	16	11	16	6	16	4	15	6	14	9	13	4	13	5	14	4	5		
6	16	9	16	10	18	9	18	7	18	10	18	11	17	7	16	9	16	11	17	10	17	8	17	6	
7	19	13	19	17	19	15	19	12	19	15	19	13	18	11	18	10	18	11	18	10	18	12	7		
8	19	19	19	21	19	20	19	16	18	10	18	9	18	13	18	14	18	13	18	13	18	12	8		
9	19	24	19	20	19	17	19	17	19	14	18	14	18	13	18	13	18	9	18	13	18	12	9		
10	19	22	19	19	19	20	19	14	19	13	18	11	18	10	17	8	16	6	16	7	15	10	16	6	
11	19	11	19	13	19	12	18	11	17	13	17	10	18	7	17	8	18	6	17	3	17	6	18	7	
12	25	7	24	8	22	7	19	10	18	10	17	9	17	9	18	9	18	8	18	5	18	3	18	2	
13	21	10	20	10	19	13	19	13	18	12	18	10	18	7	18	1	20	6	20	4	19	4	20	5	
14	20	12	20	13	19	12	19	11	18	12	18	12	18	7	18	2	18	5	18	3	18	4	19	6	
15	18	14	19	13	19	12	18	14	18	9	18	9	18	6	19	5	19	2	18	3	18	7	15		
16	16	12	16	12	17	12	16	11	16	8	17	8	16	5	17	5	15	5	15	3	14	5	13	5	
17	17	11	17	12	16	17	11	17	8	17	5	18	4	17	5	16	2	16	2	14	4	13	17		
18	8	16	8	16	8	16	8	15	9	15	9	13	9	9	5	9	5	9	3	9	4	...	18		
19	8	19	9	17	9	15	8	14	8	14	9	17	9	17	9	15	8	17	7	18	7	19	19		
20	6	24	6	24	7	26	7	28	7	24	6	23	7	25	7	27	7	28	6	27	6	22	5	25	
21	6	28	6	29	6	28	5	26	6	28	6	32	6	32	6	33	7	32	7	37	7	37	21		
22	8	56	8	57	9	62	9	62	10	64	10	62	11	56	12	59	12	52	13	40	13	40	13	43	
23	15	26	15	25	15	23	15	25	15	24	14	24	15	24	15	24	15	24	15	24	15	27	23		
24	14	18	13	15	13	14	12	12	14	12	12	12	12	14	11	12	11	15	11	13	11	10	9	24	
25	8	14	8	7	26	5	25	8	25	6	25	7	26	5	26	5	25	5	25	4	26	5	25		
26	25	7	25	6	25	7	26	10	29	12	31	16	1	16	32	13	1	16	1	25	1	23	1	26	
27	19	42	18	49	17	60	17	46	17	35	17	29	17	28	17	33	16	36	15	34	15	36	27		
28	17	23	16	22	16	18	15	17	14	16	14	16	13	12	13	20	13	24	14	28	14	28	28		
29	13	18	12	16	12	21	15	22	13	29	15	21	16	18	15	24	15	24	12	9	9	14	9		
30	10	15	9	17	10	14	10	15	10	18	11	19	10	20	10	21									

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS,
in the MONTH of JULY, 1923.
(... = no clouds.)

HOURS, Hongkong Standard Time.

Days of the Month.	Hours, Hongkong Standard Time.																
	1		4		7		10		13		16		19		22		
Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	ci-st en	NNE E	eu	E	eu-nb	E	eu	E	eu	E	nb	E	nb	E	nb	E	nb
2	nb	E	nb	E	nb	E	nb	ESE	nb	S	nb	S	eu-nb	S	nb	S	
3	nb	S	nb	S	nb	S	nb	S	eu-nb	S	eu-nb	SSE	nb	S	nb	SSW	
4	nb	SSW	nb	SSW	eu-nb	SSE	eu-nb	S	eu	S	eu	SSW	eu	S	eu	S	
5	en	SSE	eu	SSE	eu	S	eu	SE	ci-en en	ENE S	eu	S	ci-st en	ENE SSW	eu	S	
6	eu	S	eu	SSW	eu	SSW	eu	SSW	eu	SW	eu	SSW	ci-st eu	ENE SSW	eu	SSW	
7	eu	SSW	eu	SSW	eu	SSW	eu	SSW	eu	SW	eu	SSW	ci-st eu	ENE SSW	eu	SSW	
8	eu	SW	eu-nb	SW	eu	SW	eu	WSW	ci-en eu	ENE WSW	eu	NE	ci-st en	ENE WSW	eu	SW	
9	eu	SW	eu	SW	ci-st en	ENE sw	eu-nb	SW	eu	SW	eu	SW	ci-st en	ENE SW	eu	SW	
10	eu	SSW	eu	SSW	nb	SW	eu	SW	ci-st en	ENE sw	eu	SW	ci-st en	ENE sw	eu	SSW	
11	eu	SSW	eu	SSW	eu	SW	ci-st en	NE	ci-st en	ENE ws	eu	NE	ci-st en	ENE sw	eu	SW	
12	eu	SW	eu	SW	eu	SW	eu	SSW	ci-st eu	ENE sw	eu	SW	ci-st eu	ENE sw	eu	SW	
13	eu	SSW	eu	SSW	ci-st eu	ENE w	ci-st en	NE	ci-st eu	ENE ws	eu	NE	ci-st eu	ENE ws	
14	eu	SSW	eu	SW	ci-st en	ENE sw	ci-st eu	ENE	ci-st eu	ENE ws	eu	NE	ci-st eu	ENE ws	eu	SSW	
15	eu	SW	eu	SW	ci-st en	E	eu	SW	ci-st en	E	eu	SW	ci-st en	E	eu	SSW	
16	eu	SSW	eu	SSW	ci-st eu	ENE ssw	eu	ESE	ci-st en	NE	ci-st en	NE	ci-st en	NE	eu	SSE	
17	eu	ESE	ci-st en	NE S	eu	S	en	S	en	S	ci-st en	NE S	
18	eu	S	eu	S	eu	SE	eu	ESE	eu	ESE	eu	SE	ci-st en	ESE	
19	eu	SE	eu	ESE	eu	SE	ci-st eu	NNE ESE	eu	E	ci-st eu	NE E	eu	E	
20	eu	E	eu	E	ci-st en	NNE E	eu	SE	eu	E	ci-st en	NW E	en	E	eu-nb	E	
21	nb	E	eu-nb	E	eu	E	eu-nb	E	nb	E	nb	E	nb	E	nb	E	
22	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	ESE	
23	nb	SE	nb	SSE	nb	SSE	nb	S	nb	SSE	eu-nb	SSE	nb	SSE	nb	S	
24	nb	S	eu-nb	S	eu-nb	S	eu-nb	S	eu	SSE	en	SE	eu	SSE	eu	SSE	
25	en	SE	eu	ESE	ci-st en	ENE E	eu	E	eu	E	ci-st en	ESE WSW	ci-st	ESE	ci-st	ESE	
26	ci-st	ENE	ci-st	ENE	a-en	ENE	a-en	SE	a-en	SE	a-en	ESE WSW	a-en	ESE NW	eu-nb	NE	
27	nb	NE	nb	NNE	nb	NNE	nb	NW	nb	SW	nb	SW	nb	SSW	nb	SSW	
28	nb	SSW	ub	SSW	nb	S	nb	SE	nb	SSE	nb	SSE	nb	SSE	nb	SE	
29	nb	SE	eu-nb	SE	nb	SSE	nb	SE	nb	SE	nb	SE	nb	SE	nb	SE	
30	nb	SE	nb	SE	nb	SE	nb	SE	nb	SE	nb	SE	eu-nb	ESE	en-nb	ESE	
31	en	SE	eu-nb	SE	eu-nb	ESE	eu-nb	SE	eu	E	nb	ESE eu-nb	ci-st	ESE	eu-nb	ESE	

TABLE IX.—DAILY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1923.
(British Units.)

Days of the Month	Mean Barometric Pressure, Ins.	Temperature.					Mean Degree of Humidity (Saturation 100). Mean Amount of Cloud (0.100).	Percentage of possible amount.	Bright Sunshine.		Rainfall.		Wind.		Resultant. Velocity, Direction,* Observed Velocity			
		Of the Air			Mean Vapour Tension, Ins.	Mean Amount of Evaporation, Ins.			Daily Duration.		Amount,	Duration.	Components.					
		Highest.	Lowest.	Range.					Mean.	Mean.			North.	East.				
1	29.441	84.9	76.6	8.3	81.9	76.6	0.846	78	94	5.6	41	0.225	3	+ 13.8	+ 25.4	62 29.0 29.3		
2	29.324	82.1	76.6	5.3	79.9	76.1	0.851	83	100	1.570	12	+ 25.3	+ 25.2	13.5 35.7 44.5		
3	29.590	84.3	79.9	4.4	81.9	78.3	0.852	85	100	1.1	8	0.190	3	+ 22.0	+ 31.2	17.2 22.2 22.2		
4	29.729	85.6	79.9	5.7	81.9	77.6	0.889	82	97	6.6	49	0.275	2	+ 14.9	+ 30.1	16.1 15.7 15.8		
5	29.778	87.6	78.8	8.8	81.8	77.3	0.877	81	69	8.9	66	+ 7.0	+ 2.0	16.4 7.3 7.5		
6	29.725	86.2	78.4	7.8	81.8	76.7	0.851	78	69	10.5	78	+ 6.8	+ 0.7	18.6 6.8 6.9		
7	29.662	87.6	79.7	7.9	83.1	77.8	0.883	78	66	11.2	84	0.195	1	+ 9.3	+ 5.6	21.1 10.9 11.0		
8	29.629	88.0	80.6	7.4	83.7	78.2	0.892	77	85	10.5	78	0.100	1	+ 13.3	+ 7.1	21.0 15.4 15.4		
9	29.646	88.1	82.0	6.1	84.2	78.7	0.908	77	80	9.8	73	+ 12.7	+ 7.5	21.1 14.8 14.7		
10	29.649	89.4	82.4	7.0	84.5	78.8	0.909	76	83	10.3	77	+ 11.9	+ 6.7	20.9 13.7 13.9		
11	29.639	89.8	82.2	7.6	84.8	78.8	0.905	76	73	11.4	85	0.005	...	+ 8.3	+ 3.8	20.5 9.1 9.3		
12	29.668	90.0	81.5	8.5	84.5	78.5	0.895	75	79	10.4	78	+ 5.5	+ 4.6	22.0 7.2 7.9		
13	29.629	89.7	81.1	8.6	84.3	78.1	0.879	75	52	11.0	82	+ 5.3	+ 5.5	22.6 7.7 8.2		
14	29.575	90.5	81.6	8.9	84.7	79.2	0.925	77	62	9.3	69	+ 4.5	+ 5.9	23.3 7.4 8.3		
15	29.530	89.8	82.4	7.4	85.0	79.2	0.920	77	78	9.6	72	+ 7.4	+ 4.9	21.3 8.9 9.0		
16	29.538	89.8	81.4	8.4	84.4	78.6	0.901	76	65	9.4	71	+ 7.6	+ 1.0	18.7 7.7 7.8		
17	29.602	89.4	80.1	9.3	83.5	78.1	0.891	77	33	11.2	84	0.015	...	+ 5.9	+ 0.5	17.5 5.9 6.2		
18	29.668	87.3	78.6	8.7	83.2	77.6	0.872	77	21	12.5	94	+ 0.6	+ 7.5	9.5 7.5 7.5		
19	29.695	85.8	79.6	6.2	82.4	78.5	0.923	83	55	9.0	68	0.025	1	+ 0.8	+ 11.5	9.4 11.5 11.6		
20	29.654	87.0	77.0	10.0	83.1	78.5	0.914	81	85	10.6	80	0.965	3	+ 4.3	+ 22.5	7.9 23.0 23.1		
21	29.531	82.4	74.2	8.2	80.2	77.0	0.886	86	97	11.1	8	1.140	7	+ 9.5	+ 27.5	7.1 29.1 29.2		
22	29.290	81.9	75.8	6.1	79.1	75.7	0.844	85	100	2.015	12	+ 6.8	+ 44.7	9.9 45.2 50.1		
23	29.478	83.6	75.9	7.7	80.4	77.1	0.886	86	100	2.190	11	+ 30.5	+ 10.1	16.2 32.1 32.2		
24	29.630	84.6	79.7	4.9	81.5	77.6	0.895	83	95	1.6	+ 15.8	+ 7.3	15.5 17.4 18.0		
25	29.617	87.3	78.8	8.5	82.3	77.5	0.880	80	45	12.3	93	+ 0.4	+ 2.9	9.8 2.9 7.8		
26	29.459	87.5	79.0	8.5	82.6	77.5	0.876	79	76	3.1	23	0.150	2	+ 7.7	+ 4.0	33.3 8.7 10.9		
27	29.191	82.0	75.0	7.0	77.2	74.9	0.830	89	100	5.420	23	+ 7.9	+ 11.8	23.6 14.2 35.0		
28	29.597	81.1	73.1	6.0	78.6	76.0	0.864	89	100	1.690	18	+ 23.5	+ 3.7	17.1 23.8 24.4		
29	29.683	81.2	74.8	6.4	78.7	75.8	0.854	87	100	0.900	10	+ 15.8	+ 9.2	15.0 18.3 19.0		
30	29.690	80.1	76.0	4.1	78.5	75.9	0.861	88	100	1.310	5	+ 8.8	+ 16.1	11.9 18.4 18.6		
31	29.694	83.2	78.1	5.1	79.8	76.9	0.886	87	97	4.5	34	0.145	1	+ 4.2	+ 15.3	10.6 15.9 15.8		
Means	29.589	86.1	-8.8	7.3	82.0	77.5	0.885	81	79	202.0	49	18.525	115	- 8.0	+ 5.5	14.5 9.2 17.5		
Normals	29.616	86.7	-8.3	8.4	82.0	77.7	0.895	82	67	209.9	51	13.382	68	- 3.9	+ 2.9	14.3 +9.9 15.9		
Absolute Max.	29.807	90.5	...	10.0	...	82.3	1.027	...	12.5	94	5.420	23	64.0†		
Dry.	5	14	...	20	...	14	26	...	18	18	27	27	29.174		
Absolute Min.	28.973	...	7.2	4.2	4.1	...	72.9	0.719	63		
Day	27	...	21	30	...	29	26		

Phenomena :—

Solar halo :—on the 8th, 13th, 15th and 19th.

Lunar halo :—on the 25th.

Lunar corona :—on the 25th.

Unusual visibility :—on the 12th, 18th and 25th.

Dew :—on the 18th.

Rainbow :—on the 1st, 9th, 19th and 20th.

Lightning :—on the 8th, 14th, 20th, 22nd and 26th.

Thunder :—on the 19th and 26th.

Rain fell on 18 days. The mean hourly intensity was 0.161^{in.}, and the maximum fall in one hour was 0.810^{in.} at 13^h on the 27th.The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 88 miles per hour at 20^h 20^m on the 22nd.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1923.
(C. G. S. Units:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature.					Mean Vapour Tension.	Rainfall, Amount.	Wind.			Observed Velocity,			
		Of the Air.			Duration.	Components.			Resultant.						
		Highest.	Lowest.	Range.					North.	East.	Direction.				
1	998.9	302.4	297.8	4.6	300.7	297.8	28.5	5.7	3	+ 4.5	+ 8.3	62	9.5	9.6	
2	994.9	302.8	297.9	2.9	299.6	297.5	28.7	39.9	12	- 8.3	+ 8.3	135	11.7	14.6	
3	1003.9	302.1	299.6	2.3	300.7	298.7	31.1	4.8	3	- 7.2	+ 1.0	172	7.3	7.3	
4	1008.6	302.8	299.6	3.2	300.7	298.3	30.0	7.0	2	- 4.9	+ 1.6	161	5.1	5.2	
5	1010.3	303.9	299.0	4.9	300.7	298.2	29.6	+ 2.3	+ 0.7	164	2.4	2.5	
6	1008.5	303.1	298.8	4.3	300.7	297.8	28.7	- 2.2	- 0.2	186	2.2	2.3	
7	1006.3	303.9	299.5	4.4	301.4	298.4	29.8	4.9	1	- 3.0	- 1.8	211	3.6	3.6	
8	1005.2	304.1	300.0	4.1	301.7	298.7	30.1	3.5	1	- 4.4	- 2.5	210	5.0	5.0	
9	1005.8	304.2	300.8	3.4	302.0	298.9	30.6	- 4.2	- 2.5	211	4.9	4.8	
10	1005.9	304.9	301.0	3.9	302.2	299.0	30.7	- 3.9	- 2.2	209	4.5	4.6	
11	1006.2	305.1	300.9	4.2	302.3	299.0	30.5	0.1	...	- 2.7	- 1.2	205	3.0	3.0	
12	1006.5	305.2	300.5	4.7	302.2	298.8	30.2	- 3.8	- 1.5	220	2.4	2.6	
13	1005.2	305.1	300.3	4.8	302.1	298.6	29.7	- 1.7	- 1.8	226	2.5	2.7	
14	1003.4	305.5	300.6	4.9	302.3	299.2	31.2	- 1.5	- 1.9	233	2.4	2.7	
15	1001.9	305.1	301.0	4.1	302.4	299.2	31.0	- 2.4	- 1.6	213	2.9	3.0	
16	1002.1	305.1	300.4	4.7	302.1	298.9	30.4	- 2.5	- 0.3	187	2.5	2.6	
17	1004.3	304.9	299.7	5.2	301.6	298.6	30.1	0.4	...	- 1.9	+ 0.2	175	1.9	2.0	
18	1006.3	303.7	298.9	4.8	301.4	298.3	29.4	- 0.2	+ 2.5	95	2.5	2.5	
19	1007.5	302.9	299.4	3.5	301.0	298.8	31.1	0.6	1	- 0.3	+ 3.8	94	3.8	3.8	
20	1006.1	303.6	298.0	5.6	301.4	298.8	30.8	24.5	3	+ 1.4	+ 7.4	79	7.5	7.6	
21	1001.9	301.0	296.4	4.6	299.8	208.0	29.9	29.0	7	+ 3.1	+ 9.0	71	9.5	9.6	
22	993.7	300.7	297.3	3.4	299.2	297.3	23.5	51.2	12	- 2.2	+ 1.7	99	4.8	6.4	
23	1000.1	301.7	297.4	4.3	299.9	298.1	30.0	55.6	11	- 10.0	+ 3.3	162	10.5	10.6	
24	1005.3	302.2	299.5	2.7	300.5	298.3	30.2	- 5.2	+ 2.4	155	5.7	5.9	
25	1004.8	303.7	299.0	4.7	300.9	298.3	29.7	- 0.1	+ 1.0	98	1.0	2.6	
26	999.5	303.8	299.1	4.7	301.1	298.3	29.6	3.8	2	+ 2.5	- 1.3	333	2.9	3.6	
27	990.4	300.8	296.9	3.9	298.1	296.8	28.2	137.7	23	- 2.6	- 3.9	236	4.7	11.5	
28	1004.2	300.3	296.9	3.4	298.9	297.4	29.1	42.9	18	- 7.7	+ 1.2	171	7.8	8.0	
29	1007.1	300.3	296.8	3.5	298.9	297.3	28.8	22.9	10	- 5.2	+ 3.0	150	6.0	6.2	
30	1007.6	299.7	297.4	2.3	298.8	297.4	29.0	53.3	5	- 2.9	+ 5.3	119	6.0	6.1	
31	1007.5	301.4	298.6	2.8	299.6	297.9	29.9	3.7	1	- 1.4	+ 5.0	106	5.2	5.2	
Means.	1003.9	303.1	299.0	4.1	300.8	298.3	29.9	4.05	115	- 2.6	+ 1.8	145	3.2	5.7	
Normals.	1004.8	303.4	298.7	4.7	300.8	298.4	30.2	339.9	68	- 1.3	+ 1.0	143	1.6	3.6	
Absolute Maximum.	1011.3	305.5	...	5.6	...	300.9	34.6	137.7	23	27.0†	
Day.	5	14	...	20	...	14	26	37	37	22.174	
Absolute Minimum.	983.0	...	296.4	2.3	...	295.7	24.2	
Day.	27	...	21	30	...	29	26	

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1923.
(British Units.)

Hours, Hongkong Standard Time.	Barometric Pressure,	Temperature.			Mean Vapour Tension	Degree of Humidity	Rainfall, Percentage of Total	Wind.			
		at the Alt.	at the Evaporation	Amount of Cloud (0-100)				Components.	Resultant	Observed Velocity.	
		ins.	ins.	%	%	%	Amount.	Duration	North.	East.	Velocity.
1	29.599	80.8	77.1	0.883	8.4	80	4	—	6.3	+ 6.0	136 8.7 16.1
2	29.587	80.6	76.9	0.877	8.4	83	3	—	6.4	+ 5.7	138 8.5 16.3
3	29.576	80.2	76.8	0.879	8.5	84	6	—	6.4	+ 5.6	139 8.5 17.0
4	29.570	80.2	76.8	0.879	8.5	83	5	—	6.7	+ 6.1	138 9.1 16.7
5	29.570	80.3	76.8	0.877	8.5	84	6	—	6.4	+ 5.2	141 8.3 17.3
6	29.577	80.4	76.8	0.876	8.4	84	5	6	6.2	+ 5.4	139 8.2 17.3
7	29.587	80.8	77.1	0.883	8.4	80	6	5	7.5	+ 4.8	147 8.9 18.1
8	29.593	82.1	77.8	0.897	8.2	80	3	5	8.4	+ 5.3	148 9.9 18.9
9	29.603	82.9	78.0	0.895	7.9	82	5	5	8.8	+ 5.5	148 10.4 18.1
10	29.608	83.3	78.1	0.894	7.8	75	2	5	8.8	+ 4.4	153 9.8 19.1
11	29.609	83.9	78.2	0.891	7.6	78	1	5	7.8	+ 4.6	149 9.1 18.8
Noon.	29.604	83.9	78.3	0.895	7.7	85	5	5	8.8	+ 5.9	156 9.6 18.8
13	29.595	84.3	78.3	0.890	7.5	80	6	4	10.3	+ 4.3	157 11.2 19.5
14	29.583	84.4	78.3	0.888	7.5	79	4	4	10.4	+ 4.6	156 11.4 19.6
15	29.572	84.4	78.3	0.888	7.5	80	3	3	11.1	+ 4.8	157 12.1 19.5
16	29.558	84.1	78.2	0.888	7.5	81	3	4	9.9	+ 4.8	154 11.0 18.5
17	29.553	83.6	78.0	0.886	7.2	82	1	3	9.6	+ 5.1	149 11.2 17.7
18	29.560	82.6	77.7	0.886	7.9	82	17	3	8.5	+ 6.0	145 10.4 17.0
19	29.578	81.7	77.4	0.884	8.2	84	4	2	7.8	+ 6.0	142 9.8 15.6
20	29.593	81.1	77.1	0.879	8.3	79	4	3	7.6	+ 5.8	143 9.6 15.3
21	29.606	80.9	77.1	0.882	8.4	68	5	4	7.4	+ 6.4	139 9.8 15.1
22	29.620	81.0	77.2	0.885	8.4	70	2	3	6.7	+ 6.8	135 9.6 15.9
23	29.624	81.0	77.1	0.880	8.3	74	3	3	6.9	+ 7.1	134 9.9 16.2
Midn.	29.617	80.9	77.1	0.882	8.4	75	2	3	6.7	+ 6.8	135 9.6 16.1

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1923.
(C. G. S. Units:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure,	Temperature.			Mean Vapour Tension	Components.	Wind.			
		at the Alt.	at the Evaporation	Amount of Cloud (0-100)			North.	East.	Direction.*	Velocity.
		m.b.	m.b.	m.b.	m.p.s.	10.0.8.		m.p.s.	m.p.s.	
1	1004.2	300.1	298.1	29.8	—	2.1	+	2.0	136	2.9 5.3
2	1003.8	300.0	297.9	29.6	—	2.1	+	1.9	138	2.8 5.3
3	1003.5	299.8	297.9	29.7	—	2.1	+	1.8	139	2.8 5.6
4	1003.3	299.8	297.9	29.7	—	2.2	+	2.0	138	3.0 5.5
5	1003.3	299.8	297.9	29.6	—	2.1	+	1.7	141	2.7 5.7
6	1003.5	299.9	297.9	29.6	—	2.0	+	1.8	139	2.7 5.7
7	1003.8	300.1	298.1	29.8	—	2.5	+	1.6	147	2.9 5.9
8	1004.0	300.8	298.4	30.3	—	2.8	+	1.5	148	3.2 6.0
9	1004.3	301.3	298.6	30.2	—	2.9	+	1.5	148	3.4 6.1
10	1004.5	301.5	298.6	30.2	—	2.9	+	1.4	153	3.2 6.3
11	1004.5	301.8	298.1	30.1	—	2.6	+	1.5	149	3.0 6.2
Noon.	1004.4	301.8	298.7	30.2	—	2.9	+	1.3	156	3.1 6.2
13	1004.3	302.1	298.7	30.0	—	3.4	+	1.4	157	3.7 6.4
14	1003.7	302.1	298.7	30.0	—	3.4	+	1.5	156	3.7 6.4
15	1003.3	302.1	298.7	30.0	—	3.6	+	1.6	157	4.0 6.4
16	1002.8	301.9	298.7	30.0	—	3.2	+	1.6	154	3.6 6.1
17	1002.6	301.7	298.6	29.9	—	3.1	+	1.9	149	3.7 5.8
18	1002.9	301.1	298.4	29.9	—	2.8	+	2.0	145	3.4 5.6
19	1003.5	300.6	298.2	29.8	—	2.6	+	2.0	142	3.2 5.4
20	1004.0	300.3	298.1	29.7	—	2.5	+	1.9	143	3.1 5.0
21	1004.5	300.2	298.1	29.8	—	2.4	+	2.1	139	3.2 5.0
22	1005.0	300.2	298.1	29.9	—	2.2	+	2.2	135	3.1 5.2
23	1005.1	300.2	298.1	29.7	—	2.3	+	2.3	134	3.2 5.3
Midn.	1004.9	300.2	298.1	29.8	—	2.2	+	2.2	135	3.1 5.3

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

JULY,

1923.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

30TH JUNE, 1923.

1ST JULY, 1923.

STATION.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	WEATHER.		
		Inches.	Millrs.						Inches.	Millrs.						
Vladivostock, .	12	29.52	749.7	72	...	WSW	3	6	29.68	753.8	63	0	b	
Nemuro, .	11	w	2	5	0	...	
Iokodate, .	"	29.65	753.0	w	6	"	
Okio, .	"	29.84	758.0	E	2	"	
Iochi, .	"	SW	7	"	
Nagasaki, .	"	29.70	754.5	WSW	2	"	
Kagoshima, .	"	29.76	756.0	S	3	"	
Obima, .	"	29.78	756.5	S	3	"	
Jaha, .	"	29.82	757.5	SSW	5	"	
Shigakijima, .	"	29.76	756.0	S	1	"	
Bonin Island, .	"	29.94	760.5	"	
Weihaiwei, .	14	6	
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	29.67	753.6	72	96	NE	1	r	29.71	754.5	68	96	ENE	1	o	
Gutzlaff, .	14	29.66	753.3	71	95	NNE	2	o	29.72	754.9	68	95	E	2	o	
Sharp Peak, .	"	29.67	753.6	92	81	E	2	b	29.68	753.9	82	91	...	0	o	
Amoy, .	14	29.59	751.6	92	61	WSW	1	b	6	
Swatow, .	"	"	
Taihoku, .	11	29.66	753.3	90	63	N	2	b	5	29.67	753.6	79	93	E	1	o
Taichu, .	"	29.66	753.3	90	...	NW	2	b	"	29.67	753.6	79	0	o
Tainan, .	"	29.65	753.0	90	...	WSW	4	b	"	29.67	753.6	77	...	ESE	4	o
Keshun, .	"	29.68	753.9	84	...	E	6	b	"	29.68	753.9	75	...	E	2	b
Pescadores, .	"	29.67	753.6	90	...	NNW	4	b	"	29.67	753.6	81	...	SSE	6	b
Canton, .	14	29.58	751.3	91	63	SSE	1	c	6	29.57	751.1	78	91	NE	1	c
Hongkong, .	"	29.58	751.3	87	60	E	6	c	"	29.52	749.8	81	80	ENE	3	cpd
Gap Rock, .	"	29.59	751.6	NNE	4	b	"	29.51	749.5	ENE	6	c
Macao, .	"	29.58	751.2	86	71	NE	2	o	"	29.50	749.4	81	76	NNE	4	o
Wuchow, .	15	9	
Pakboi, .	"	"	
Hoitow, .	"	"	
Phulien, .	"	29.52	749.7	90	72	SSE	2	b	7	29.54	750.3	82	94	E	4	b
Tourane, .	"	29.55	750.6	90	...	NW	2	b	"	29.56	750.9	81	...	SSW	2	o
Cape St. James, .	"	29.67	753.6	84	...	SW	6	b	"	29.72	754.8	77	...	SW	7	o
Aparri, .	14	29.53	750.0	90	55	SSE	4	o	6	29.67	753.6	77	88	S	2	o
Dagupan, .	"	"	
Manila, .	"	29.67	753.6	77	91	SSE	4	r	"	29.72	754.8	72	96	ESE	1	o
Legaspi, .	"	29.73	755.1	82	89	SW	2	o	"	29.78	756.3	75	94	WSW	1	o
Tacloban, .	"	29.74	755.4	86	71	SE	2	o	"	
Ililo, .	"	"	
Surigao, .	"	29.73	755.1	86	71	"	
Guam, .	12.20	29.79	756.6	NNW	1	o	4.20	
Yap, .	12.47	29.78	756.3	ENE	4	o	4.47	29.80	756.9	E	2	o
Labuan, .	14	29.77	756.1	88	76	N	2	b	6	

June 30th. 18h. com.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 117° E., moving W.N.W.

July 1st. 6h. 40m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 19° N. Long. 115° E., moving W.N.W.

June 30th. 18h. 05m.—Local signal No. 4 hoisted.

July 1st. 11h. 30m.—Pressure has increased moderately at Shanghai and Aparri. It has decreased moderately at Hongkong and is nearly stationary over Formosa and Indo-China.

At 6 a.m. this morning the typhoon was about 200 miles S. by E. from Hongkong. It will probably strike the coast near Kwang Cha Wan tomorrow afternoon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inch. Total since January 1st, 27.95 inches, against an average of 39.51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND. DISTRICT.

- | | |
|---|-------------------------------------|
| 1.—Formosa Channel, . | S.E. winds, fresh. |
| 2.—South coast of China between Hongkong and Lamocks, . | E. winds, strong, moderating. |
| 3.—Hongkong to Gap Rock, . | E. winds, strong; cloudy and rainy. |
| 4.—South coast of China between Hongkong and Hainan, . | Cyclonic gales. |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	1ST JULY, 1923.								2ND JULY, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temp. ATM.	Humid.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temp. ATM.	Humid.	WIND.		WEATHER.
		Inches.	Millrs.			Dir- ec- tion.	Force.			Inches.	Millrs.			Dir- ec- tion.	Force.	
Wladivostock, .	12	29.68	753.9	75	...	SE	2	b	6	29.73	755.1	59	...	ESE	4	f
Nemuro,	11	29.57	751.0	WSW	1	...	5	29.71	754.5	SSW	0	...
Hokodate,	"	29.67	753.5	SSW	4	...	"	29.76	756.0	0	...
Tokio,	"	29.72	755.0	NNE	3	...	"	29.76	756.0	0	...
Kochi,	"	29.70	754.5	E	1	...	"	29.75	755.5	SSW	1	...
Nagasaki,	"	29.72	755.0	0	...	"	29.73	755.0	SW	2	...
Kagoshima,	"	29.78	756.5	WSW	2	...	"	29.75	755.5	SSW	2	...
Oshima,	"	29.82	757.5	SSE	2	...	"	29.82	757.5	S	0	...
Naha,	"	29.84	758.0	S	3	...	"	29.88	759.0	1	...
Ishigakijima,	"	29.80	757.0	SW	6	...	"	29.82	757.5	SSW	5	...
Bonin Island,	"	29.94	760.5	SW	1	...	"	29.98	761.5	SSW	1	...
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.75	755.6	68	88	ENE	1	o	"	29.75	755.7	70	98	ENE	1	o
Gutzlaff,	14	29.76	755.9	68	91	ENE	4	o	"	29.77	756.1	69	100	SE	2	of
Sharp Peak,	"	29.67	753.6	88	73	S	2	b	7	29.77	756.1	81	91	S	2	o
Amoy,	14	29.64	752.8	90	66	SSE	+	b	6
Swatow,	"	"
Taihoku,	11	29.69	754.2	90	66	N	2	b	5	29.75	755.7	73	96	...	0	b
Taichu,	"	29.69	754.2	90	...	W	2	o	"	29.75	755.7	73	0	b
Tainan,	"	29.69	754.2	90	...	S	6	b	"	29.69	754.2	81	...	S	4	o
Koshun,	"	29.72	754.8	86	...	SE	4	o	"	29.75	755.7	81	...	SE	4	o
Pescadores,	"	29.69	754.2	86	...	SSE	6	o	"	29.71	754.5	82	...	SSE	6	b
Canton,	14	29.53	750.0	80	96	SSE	1	c	6
Hongkong,	"	29.50	749.3	80	87	E	6	cg	"	29.28	743.7	81	81	E	10	op
Gap Rock,	"	29.47	748.5	ENE	6	o	"	29.03	737.3	ENE	12	om
Macao,	"	29.50	749.4	79	90	NE	4	o	"
Wuchow,	15	9
Pakhoi,	"	"
Hoikow,	"	"
Phulien,	"	29.50	749.4	82	81	WNW	10	r	7	29.47	748.5	79	92	WNW	4	0
Tourane,	"	29.53	750.0	86	...	SSW	2	o	"	29.53	750.0	84	...	WNW	2	0
Cape St. James,	"	29.66	753.3	86	...	SW	7	b	"	29.73	755.1	77	...	SW	7	0
Aparri,	14	29.63	752.7	86	68	SSE	4	o	6	29.74	755.4	77	86	S	4	0
Dagupan,	"	"
Manila,	"	29.69	754.2	86	68	SE	6	o	"	29.76	756.0	77	88	ESE	2	0
Legaspi,	"	29.75	755.7	90	72	ENE	4	o	"	29.80	756.9	79	92	...	0	0
Tacloban,	"	"
Illoilo,	"	29.73	755.1	86	68	S	4	o	"	29.80	756.9	77	92	N	2	0
Surigao,	"	"
Guam,	12.20	29.80	756.9	E	2	o	"	29.79	756.6	75	96	...	0	0
Yap,	12.47	29.76	756.0	ENE	4	o	4.20	29.82	757.5	SE	1	0
Labuan,	14	29.73	755.1	88	76	N	4	b	4.47	29.80	756.9	78	91	SW	2	0
									6	29.76	755.9	78	91	S	2	r

July 1d. 18h. 35m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 114° E., moving W.N.W.

July 1d. 6h. 00m.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 21° N. Long. 113° E., moving N.N.W.

July 2d. 0h. 35m.—Local signal No. 6 lighted.

July 2d. 11h. 30m.—Pressure has decreased considerably at Gap Rock and Hongkong and moderately over N. Indo-China. It has increased slightly over Japan and from Shanghai to the Philippines.

Last evening the typhoon commenced to curve to N.N.W. and passed very near Gap Rock at 8 a.m. this morning. It will probably strike the coast a little to the West of Macao.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.89 inch. Total since January 1st, 28.84 inches, against an average of 39.98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD. DISTRICT.

Forecast.

- 1.—Formosa Channel, S.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamock, Cyclonic gales, moderating; overcast, rain.
- 3.—Hongkong to Gap Rock, Cyclonic gales, moderating; overcast, rain.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG DAILY WEATHER REPORT.

2ND JULY, 1923.

3RD JULY, 1923.

STATION.	2ND JULY, 1923.						3RD JULY, 1923.									
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direct. ion.	Force.		Inches.	Millrs.			Direct. ion.	Force.	WEATHER.	
Vladivostock, .	12	29.71	754.7	65	...	SE	+	0	6	29.79	756.6	59	...	SE	3	f
Tamuro,	11	29.65	753.0	SE	2	...	5	29.67	753.5	NNE	1	..
Iokodate,	"	29.72	755.0	NW	2	...	"	29.76	756.0	WSW	3	..
Okio,	"	29.76	756.0	0	...	"	29.82	757.5	0	..
Iochi,	"	"	29.73	755.0	SE	1	..
Iagasaki,	"	29.76	756.0	SE	3	...	"	29.69	754.0	W	1	..
Agoshima,	"	29.82	757.5	SW	1	...	"	29.69	754.0	WSW	3	..
Ishima,	"	29.84	758.0	S	2	...	"	29.82	757.5	SSE	3	..
Iaba,	"	29.88	759.0	SSW	2	...	"	29.88	759.0	S	1	..
Shigakijima,	"	29.86	758.5	S	1	...	"	29.84	758.0	SW	3	..
Ichin Island,	"	29.94	760.5	"	29.98	761.5
Weihaiwei,	14	6
Lankow,	15	"
Chang,	"	"
Hangsha,	"	"
Hanghai,	11	29.73	755.1	81	80	ESE	2	0	"	29.71	754.5	73	100	SSE	1	r
Intzlaaff,	14	29.72	754.9	75	100	SE	2	of	"	29.73	755.1	73	100	S	4	o
Sharp Peak,	"	29.81	757.2	88	73	S	4	b	7	29.84	757.9	80	91	...	0	bf
Imoy,	14	29.66	753.3	82	87	SSE	1	r	6	29.68	753.9	77	92	SSE	2	r
Iwatom,	"	"
Faihoku,	11	29.76	756.0	90	60	N	2	0	5	29.78	756.3	75	98	W	2	o
Faichu,	"	29.76	756.0	90	...	W	2	0	"	29.80	756.9	75	0	b
Fainan,	"	29.76	756.0	90	...	SSE	6	b	"	29.76	756.0	79	...	SE	2	b
Foshun,	"	29.80	756.9	86	...	SSE	4	o	"	29.79	756.6	79	0	b
Pescadores,	"	29.76	756.0	90	...	SSE	7	b	"	29.78	756.3	82	...	SSE	6	o
Kanton,	14	6	
Hongkong,	"	29.39	746.5	80	81	SE	7	eq	"	29.60	751.8	81	85	S	5	o
Jap Rock,	"	29.33	745.0	S	10	eq	"	29.58	751.3	S	6	o
Macao,	"	29.21	741.9	77	92	SSE	7	r	"	29.52	749.7	81	94	SSE	6	o
Nuchow,	15	9	
Takhoi,	"	"	
Ioihow,	"	"	
Hulien,	"	29.41	747.0	90	66	WSW	4	b	7	29.46	748.2	82	86	SW	1	o
Tourane,	"	29.53	750.0	86	...	WSW	2	o	"	29.58	751.2	81	...	SW	2	o
Cape St. James,	"	29.71	754.5	77	...	SW	7	r	"	
Parri,	14	29.75	755.7	86	71	E	2	o	6	29.80	756.9	75	96	...	0	o
Hugupan,	"	"	
Fnaila,	"	29.75	755.7	90	60	SE	2	o	"	29.80	756.9	75	96	...	0	o
Legaspi,	"	29.80	756.9	86	75	ENE	2	o	"	29.80	756.9	77	89	...	0	b
Acloban,	"	"	
Loilo,	"	29.76	756.0	90	63	NE	4	o	"	29.79	756.6	77	88	N	2	b
Urugao,	"	29.78	756.3	82	77	ENE	2	o	"	29.78	756.3	75	96	...	0	o
Nam,	12.20	29.78	756.3	NE	4	o	4.20	29.81	757.2	ENE	1	o
Ap,	12.47	29.78	756.3	SSW	2	o	4.47	29.85	758.1	W	2	r
Abuan,	14	29.76	755.9	88	73	N	2	b	6	29.78	756.4	76	94	S	2	b

July 2d. 17h. 50m.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 22° N. Long. 112° E., moving N.N.W.

July 3d. 11h. 50m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 24° N. Long. 109° E., filling up.

July 2d. 14h. 40m.—Local signal No. 3 hoisted.

July 3d. 5h. 55m.—" " 3 lowered.

July 3d. 11h. 59m.—Pressure has increased considerably at Hongkong and slightly over Formosa and N.E. Japan. It has decreased moderately over S.W. Japan and slightly over the Visayas. The typhoon is filling up over S.W. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.94 inch. Total since January 1st, 29.78 inches, against an average of 40.42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, S. winds, fresh.
- 2.—South coast of China between Hongkong and Lamocks,
- 3.—Hongkong to Gap Rock, S. winds, strong, moderating; overcast, rain.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	3RD JULY, 1923.								4TH JULY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMIDIT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMIDIT.	WIND.		WEATHER.	
		Hours.	Inches.	Millrs.			Direct. ion.	Force.		Hours.	Inches.	Millrs.			Direct. ion.	Force.	
Vladivostock, .	12	29.78	756.3	64	...	SE	4	o	6	29.88	758.8	58	...	SE	4	o	
Nemuro, .	11	29.69	754.0	NE	2	...	5	29.82	757.5	NNE	1	...	
Hokodate, .	"	29.74	755.5	W	6	...	"	29.78	756.5	
Tokio, .	"	29.80	757.0	SE	1	...	"	29.82	757.5	WSW	1	...	
Koichi, .	"	29.65	753.0	0	...	"	29.86	758.5	SW	1	...	
Nagasaki, .	"	29.74	755.5	WSSW	3	...	"	29.84	758.0	
Kagoshima, .	"	29.74	755.5	W	2	...	"	29.86	758.5	NNW	1	...	
Oshima, .	"	29.84	758.0	S	2	...	"	29.88	759.0	SSW	
Naha, .	"	29.88	759.0	SSW	2	...	"	29.90	759.5	SSW	1	...	
Ishigakijima, .	"	29.88	759.0	SW	4	...	"	29.88	759.0	SSW	4	...	
Bonin Island, .	"	29.94	760.5	SSE	3	...	"	29.94	760.5	
Weihaiwei, .	14	6	
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	29.75	755.7	81	76	SSW	4	o	"	29.74	755.4	75	92	SSW	1	o	
Gutzlaff, .	14	29.72	754.9	76	95	S	4	o	"	29.76	755.9	76	92	SW	2	o	
Sharp Peak, .	"	29.79	756.6	81	87	N	1	o	7	29.83	757.7	81	91	S	1	b	
Amoy, .	14	29.71	754.6	83	87	S	2	o	6	
Swatow, .	"	"	
Taihoku, .	11	29.81	757.2	86	65	WNW	2	o	5	29.84	757.8	75	94	...	0	o	
Taichu, .	"	29.82	757.5	86	...	S	2	o	"	29.85	758.1	77	0	b	
Tainan, .	"	29.82	757.5	86	...	S	6	o	"	29.82	757.5	77	...	ESE	2	o	
Koshun, .	"	29.84	757.8	86	...	SSE	4	b	"	29.86	758.4	77	...	ESE	2	b	
Pescadores, .	"	29.82	757.5	86	...	SSE	6	b	"	29.84	757.8	81	...	S	4	o	
Canton, .	14	6	
Hongkong, .	"	29.66	753.3	82	87	S	4	or	"	29.76	755.9	80	88	SSE	4	o	
Gap Rock, .	"	29.65	753.1	SSE	6	om	"	29.76	755.9	SSE	5	o	
Macao, .	"	29.60	751.8	81	92	SSE	4	o	"	29.73	755.1	79	93	SSE	4	o	
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.53	750.0	75	98	S	2	rf	-7	29.59	751.5	81	89	S	6	r	
Tourane, .	"	29.56	750.9	90	...	SSW	2	o	"	29.66	753.3	82	...	SSW	2	o	
Cape St. James, .	"	29.69	754.2	84	...	SSW	6	o	"	29.79	756.6	75	...	SW	4	o	
Aparri, .	14	29.78	756.3	86	65	NNE	4	o	6	29.82	757.5	75	91	S	2	b	
Dagupan, .	"	"	
Manila, .	"	29.75	755.7	84	74	WNW	2	o	"	29.82	757.5	75	96	...	0	o	
Legaspi, .	"	29.74	755.4	86	71	ENE	4	b	"	29.81	757.2	77	96	...	0	o	
Tacloban, .	"	"	
Iloilo, .	"	29.73	755.1	97	63	NE	4	o	"	
Surigao, .	"	29.74	755.4	86	71	ENE	4	o	"	
Guam, .	12.20	29.79	756.6	W	2	o	4.20	
Yap, .	12.47	29.79	756.6	0	o	4.47	29.85	758.1	0	b	
Labuan, .	14	29.74	755.4	86	80	N	2	b	6	29.78	756.4	80	87	N	2	b	

July 4d. 11h. 05m.—Pressure is highest near the Bonins. It has increased slightly to moderately in all districts.

A depression is still shown to the N.W. of Haiphong.

The incipient depression to the E. of the Visayas has not developed.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.37 inch. Total since January 1st, 30.15 inches, against an average of 40.82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

DISTRICT.

FORECAST.

- | | |
|---|---|
| 1.—Formosa Channel,
2.—South coast of China between Hongkong and Lamocks,
3.—Hongkong to Gap Rock,
4.—South coast of China between Hongkong and Hainan, ... | } S. winds, moderate, squally; overcast, showery. |
|---|---|

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	4TH JULY, 1923.							5TH JULY, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDIT.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDIT.	WIND.	WEATHER.
	HONGKONG STANDARD TIME.	Inches.	Millrs.	Direct- ion.	Force.				Inches.	Millrs.	Direct- ion.	Force.				
Vladivostock, .	12	29.88	758.8	59	...	SE	4	o	6	29.85	758.1	58	...	SE	4	o
Yemuro, .	11	29.84	758.0	NNE	4	...	5	29.90	759.5	WSW	1	...
Iokodate, .	"	29.82	757.5	SE	2	...	"	0	...
Tokio, .	"	29.86	758.5	SW	2	...	"	29.90	759.5	SSW	1	...
Kochi, .	"	29.86	758.5	SE	1	...	"	29.80	757.0	ENE	1	...
Nagasaki, .	"	29.86	758.5	SE	3	...	"	29.67	753.5	WSW	6	...
Iagoshima, .	"	29.86	758.5	S	1	...	"	29.73	755.0	W	1	...
Osshima, .	"	29.88	759.0	"	29.84	758.0	SSE	1	...
Yaha, .	"	29.90	759.5	S	1	...	"	29.88	759.0	SSW	1	...
Shigakijima, .	"	29.90	759.5	SW	2	...	"	29.86	758.5	SW	3	...
Bonin Island, .	"	29.92	760.0	SSE	1	...	"	29.92	760.0
Weihaiwei, .	14	6
Jankow, .	15	"
ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.75	755.7	84	71	SSW	2	o	"	29.68	753.9	77	98	SSW	1	o
Jutzlaff, .	14	29.76	755.9	80	87	SSW	2	o	"	29.71	754.6	76	100	WSW	4	o
sharp Peak, .	"	29.84	757.9	84	87	S	2	o	7	29.84	757.9	80	91	S	4	o
Amoy, .	14	29.79	756.6	84	83	SSW	2	o	6	29.78	756.4	80	87	S	2	b
Swatow, .	"	"
Taihoku, .	11	29.87	758.7	86	68	W	2	o	5	29.85	758.1	77	96	...	o	o
Taichu, .	"	29.87	758.7	90	...	SW	2	o	"	29.88	759.0	77	o	o
Tainan, .	"	29.87	758.7	86	...	SSW	4	o	"	29.86	758.4	75	o	o
Koshun, .	"	29.87	758.7	84	...	SSE	2	o	"	29.86	758.4	77	r	o
Pescadores, .	"	29.88	759.0	86	...	SSW	4	o	"	29.86	758.4	81	...	S	2	o
Canton, .	14	6
Hongkong, .	"	29.79	756.6	85	76	S	4	o	"	29.83	757.7	79	87	SSE	1	o
Gap Rock, .	"	29.80	756.9	SE	5	o	"	29.84	757.9	SSE	4	o
Macno, .	"	29.75	755.7	84	85	SSE	4	o	"	29.80	756.9	79	92	SSE	4	o
Wuchow, .	"	9
Pakhoi, .	15	"
Hoihow, .	"	"
Phulien, .	"	29.62	752.4	86	75	S	6	o	7	29.69	754.2	81	92	SSE	6	of
Tourane, .	"	29.66	753.3	86	...	SSW	2	o	"	29.74	755.4	81	...	SW	2	o
Cape St. James, .	"	29.74	755.4	73	...	SW	4	r	"	29.78	756.3	75	...	NW	2	o
Aparri, .	14	29.76	756.0	90	66	NE	4	o	6
Dagupan, .	"	"
Manila, .	"	29.76	756.0	86	71	WNW	2	o	"	29.86	758.4	75	96	...	o	o
Legaspi, .	"	29.76	756.0	86	68	E	2	b	"	29.85	758.1	75	96	...	o	o
Taoloban, .	"	"
Boilo, .	"	29.75	755.7	84	77	S	4	o	"	29.82	757.5	77	96	N	2	o
Surigao, .	"	29.76	756.0	77	89	o	4	r	"
Ham, .	12.20	29.80	756.9	SE	4	o	4.20
Iap, .	12.47	29.81	757.2	SE	1	o	4.47	29.85	758.1	NE	1	b
abuan, .	14	29.79	756.6	84	75	N	2	o	6	29.80	756.9	78	91	S	1	b

July 5d. 11h. 20m.—Pressure has decreased moderately over S. Japan and slightly along the coast from Foochow to Vladivostock; it has increased slightly elsewhere. An anticyclone is probably situated in the Pacific to the east of the Bonins, and an area of relatively low pressure covers China generally, with indications of centres over the Shantung peninsula, and to the N.W. of Haiphong.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 30.15 inches, against an average of 41.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamocka, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- S. winds, moderate; fair generally.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	5TH JULY, 1923.							6TH JULY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.		
Wladivostock, .	12	29.80	757.0	61	...	SE	4	f	6	29.79	756.6	58	...	SE	2	0
Nemuro, .	11	29.86	758.5	SSE	2	...	5
Hokodate, .	"	29.86	758.5	SE	2	...	"
Tokio, .	"	29.88	759.0	SSW	3	...	"
Kochi, .	"	29.65	753.0	E	4	...	"
Nagasaki, .	"	29.65	753.0	W	6	...	"
Kagoshima, .	"	29.70	754.5	WSW	4	...	"
Oshima, .	"	29.80	757.0	SSE	3	...	"
Naha, .	"	29.88	759.0	SSW	3	...	"
Ishigakijima, .	"	29.90	759.5	SW	4	...	"
Bonin Island, .	"	29.90	759.5	SSE	1	...	"
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.71	754.5	86	81	SW	1	o	"	29.65	753.0	77	100	W	1	0
Gutzlaff, .	14	29.71	754.6	82	92	WSW	2	o	"	29.67	753.6	75	100	ENE	2	0
Sharp Peak, .	"	29.82	757.4	88	76	S	2	o	7	29.77	756.1	81	91	...	0	0
Amoy, .	14	29.79	756.6	88	73	SSW	2	o	6	29.70	754.4	80	82	SSW	1	b
Swatow, .	"	"
Taihoku, .	11	29.86	758.4	90	57	W	4	o	5	29.75	755.7	75	98	W	1	b
Taichu, .	"	29.89	759.3	90	...	SSW	2	b	"	29.84	757.8	77	0	0
Tainan, .	"	29.89	759.3	90	...	SW	4	b	"	29.80	756.9	75	2	b
Koshun, .	"	29.89	759.3	86	...	S	4	b	"	29.84	757.8	79	...	W	2	b
Pescadores, .	"	29.91	759.6	86	...	SSW	4	b	"	29.81	757.2	79	...	S	2	b
Canton, .	14	29.80	756.9	88	73	SSE	2	c	6	29.79	756.6	78	95	SSE	1	c
Hongkong, .	"	29.85	758.2	88	72	S	2	c	"	29.79	756.6	79	85	SSW	1	c
Gap Rock, .	"	29.86	758.4	SSE	4	b	"	29.80	756.9	S	4	b
Macao, .	"	29.81	757.2	90	76	SSE	4	o	"	29.75	755.7	79	92	S	4	4
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.71	754.5	84	81	SSE	6	o	7	29.72	754.8	81	96	S	+	bf
Tourane, .	"	29.73	755.1	86	...	SE	2	o	"	29.73	755.1	77	...	SSW	4	0
Cape St. James, .	"	29.75	755.7	84	...	NNW	2	b	"	29.80	756.9	73	...	NW	2	0
Aparri, .	14	29.80	756.9	90	66	NE	4	b	6	29.78	756.3	77	94	SW	2	b
Dagupan, .	"	"
Manila, .	"	29.80	756.9	86	71	W	4	o	"	29.81	757.2	75	96	E	1	0
Legaspi, .	"	29.78	756.3	86	71	ENE	1	o	"
Tacloban, .	"	"
Iloilo, .	"	29.76	756.0	90	60	NE	2	o	"	29.80	756.9	75	92	N	1	0
Surigao, .	"	29.78	756.3	90	63	ENE	4	b	"	29.79	756.6	73	92	SW	1	b
Guam, .	12.20	29.78	756.3	NE	2	o	4.20	29.78	756.3	ENE	1	b
Yap, .	12.47	29.79	756.6	SE	2	b	4.47	29.81	757.2	0	0
Labuan, .	14	29.76	755.9	84	75	NW	4	b	6	29.81	757.2	75	94	NW	4	r

July 6d. 13A. zom.—Pressure has decreased slightly at the majority of reporting stations.

The wedge of relatively high pressure now extends as far south as Borneo and Yap.

Gradients are shallow from Indo-China to Yap and Guam.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 30.15 inches, against an average of 41.55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7th.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- S. winds, moderate; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	6TH JULY, 1923.								7TH JULY, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		Temper. ature.	Humidit.	WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		Temper. ature.	Humidit.	WIND.		WEATHER.
	Hongkong Standard Time.	Inches.	Millrs.	Direct. ion.			Force.	WEATHER.			Inches.	Millrs.			Direct. ion.	Force.	
Vladivostock, .	12	29.78	756.5	62	...		SW	4	0	6	29.77	756.2	56	...	S	4	0
Nemuro, .	11	29.82	757.5		NNE	2	...	5	29.67	753.5	NNE	3	...
Hokodate, .	"	29.69	754.0		ENE	3	...	"	29.67	753.5
Tokio, .	"	29.49	749.0		N	6	...	"	29.67	753.5	SSW	4	...
Kochi, .	"	29.53	750.0		N	1	...	"	29.65	753.0	SW	1	...
Nagasaki, .	"	29.65	753.0		NW	1	...	"	29.65	753.0	0	...
Kagoshima, .	"	29.59	751.5		NNW	7	...	"	29.63	752.5	NW	1	...
Oshima, .	"	29.65	753.0		SW	1	...	"	29.65	753.0	SW	2	...
Naha, .	"	29.74	753.5		ENE	1	...	"	29.67	753.5	SW	3	...
Ishigakijima, .	"	29.76	756.0		WSW	5	...	"	29.69	754.0	SW	1	...
Bonin Island, .	"	29.76	756.0		SSW	3	...	"	29.69	754.0	SW	1	...
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.66	753.3	77	96		ESE	2	r	"	29.53	750.0	77	100	SSE	1	0
Gutzlaff, .	14	29.68	753.9	74	100		SE	2	r	"	29.57	751.1	75	95	SSW	2	0
Sharp Peak, .	"	29.72	754.9	86	84		SSE	2	o	7	29.73	755.1	81	91	S	1	b
Amoy, .	14	29.69	754.1	88	69		SSW	1	o	6	29.62	752.3	81	83	WNW	2	b
Swatow, .	"	"
Taihoku, .	11	29.74	755.4	90	63		W	4	o	5	29.66	753.3	73	94	S	2	a
Taichu, .	"	29.80	756.9	90	...		SSW	4	o	"	29.78	756.3	75	...	S	2	b
Tainan, .	"	29.80	756.9	86	...		SW	4	b	"	29.75	755.7	75	...	SE	2	2
Koshun, .	"	29.80	756.9	86	...		W	2	b	"	29.69	754.2	81	...	NW	1	b
Pescadores, .	"	29.81	757.2	86	...		SW	4	o	"	29.74	755.4	81	...	S	4	a
Canton, .	14	29.74	755.4	84	75		SSW	2	or	6	29.73	755.1	77	95	...	0	0
Hongkong, .	"	29.77	756.1	84	70		S	3	c	"	29.73	755.1	80	86	SW	2	0
Gap Rock, .	"	29.78	756.4		S	4	b	"	29.74	755.4	S	4	0
Macao, .	"	29.75	755.7	86	75		SSE	4	o	"	29.71	754.5	79	89	SW	4	b
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.68	753.9	86	71		SSE	7	o	7	29.69	754.2	81	92	E	6	bf
Tourane, .	"	29.68	753.9	86	...		SE	4	b	"	29.68	753.9	77	...	WSW	4	0
Cape St. James, .	"	29.73	755.1	82	...		SW	2	o	"	29.79	756.6	73	0	0
Aparri, .	14	29.75	755.7	90	60		N	4	b	6	
Lagupan, .	"	"	
Manila, .	"	29.76	756.0	86	68		SSW	4	o	"	29.78	756.3	75	96	...	0	0
Legaspi, .	"	29.74	755.4	77	79		ESE	4	o	"	29.75	755.7	75	96	NW	1	0
Tacloban, .	"	"	
Ililo, .	"	29.75	755.7	86	68		SE	4	o	"	29.76	756.0	75	92	...	0	0
Surigao, .	"	29.73	755.1	86	65		N	2	b	"	
Guam, .	12.20	29.75	755.7	4.20	
Yap, .	12.47	29.74	755.4		SSE	2	b	4.47	29.79	756.6	N	1	b
Labuan, .	14	29.76	755.9	86	76		N	2	b	6	29.78	756.4	76	91	N	2	b

July 7d. 11h. 20m.—Pressure has increased considerably over S.W. Japan. It has decreased considerably over N.E. Japan and at Shanghai, moderately from the Bonins to Formosa, and slightly at the majority of other stations.

Depressions are shown to the north of Shanghai and to the north-east of Tokio.

Gradients remain shallow from Indo-China to Guam.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.20 inch. Total since January 1st, 30.35 inches, against an average of 41.87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- S.W. winds, moderate; generally fair, some showers.*

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	7TH JULY, 1923.							8TH JULY, 1923.								
	HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.			
		Inches.	Millrs.			Direct. ion.	Force.		Inches.	Millrs.			Direct. ion.	Force.		
Vladivostock, .	12	29.72	754.9	57	...	SE	4	0	6	29.66	753.3	60	...	ESE	5	0
Nemuro, .	11	29.70	754.5	NNW	3	...	5	29.84	758.0	SSW	3	...
Hokodate, .	"	29.70	754.5	SE	2	...	"	29.80	757.0	0	...
Tokio, .	"	29.72	755.0	SE	2	...	"	29.84	758.0	NW	1	...
Kochi, .	"	29.63	752.5	E	1	...	"	29.67	753.5	W	1	...
Nagasaki, .	"	29.63	752.5	SE	1	...	"	29.45	748.0	SE	6	...
Kagoshima, .	"	29.65	753.0	SSW	1	...	"	29.53	750.0	SSE	3	...
Oshima, .	"	29.61	752.0	N	1	...	"	29.55	750.5	SSE	1	...
Naha, .	"	29.67	753.5	SW	2	...	"	29.61	752.0	SSW	1	...
Ishigakijima, .	"	29.65	753.0	SW	2	...	"	29.61	752.0	WSW	3	...
Bonin Island, .	"	29.67	753.5	SW	2	...	"	29.75	755.5	SW	4	...
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.50	749.4	86	71	SSW	2	0	"	29.47	748.5	75	92	NW	2	0
Gutzlaff, .	14	29.50	749.3	82	100	SW	2	0	"	29.40	746.7	77	95	NW	4	0
Sharp Peak, .	"	29.62	752.3	90	84	S	2	b	7	29.61	752.1	82	91	S	1	b
Amoy, .	14	29.57	751.1	90	69	SSW	1	b	6	29.56	750.8	82	79	S	2	b
Swatow, .	"	"
Taiboku, .	11	29.65	753.0	75	45	W	4	b	5	29.62	752.4	77	88	...	0	o
Taichu, .	"	29.74	755.4	90	...	SSW	4	b	"	29.72	754.8	77	...	SSE	2	o
Tainan, .	"	29.75	755.7	90	...	W	4	b	"	29.72	754.8	77	...	E	2	h
Koshun, .	"	29.72	754.8	84	...	NW	6	b	"	29.67	753.6	81	...	WNW	4	b
Pescadores, .	"	29.74	755.4	86	...	SSW	4	b	"	29.71	754.5	81	...	S	4	o
Canton, .	14	29.64	752.8	90	66	S	2	c	6
Hongkong, .	"	29.71	754.6	86	72	SW	2	o	"	29.70	754.4	81	83	SW	4	o
Gap Rock, .	"	29.72	754.9	SW	4	b	"	29.69	754.1	SW	5	o
Macao, .	"	29.68	753.9	86	71	SW	4	o	"	29.67	753.6	79	92	SW	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.62	752.4	86	78	SSE	6	b	7	29.65	753.0	81	90	SSE	4	bf
Tourane, .	"	29.66	753.3	86	...	SE	2	b	"	29.69	754.2	81	...	SSE	2	b
Cape St. James, .	"	29.76	756.0	81	...	SW	4	o	"
Aparri, .	14	6	29.74	755.4	75	89	S	4	o
Dagupan, .	"	"
Manila, .	"	29.72	754.8	84	74	WSW	4	o	"	29.78	756.3	75	96	...	0	h
Legaspi, .	"	29.71	754.5	90	60	E	2	b	"	29.76	756.0	75	96	W	1	o
Tacloban, .	"	"
Iloilo, .	"	29.73	755.1	82	81	SW	2	o	"
Surigao, .	"	29.69	754.2	86	68	WNW	1	b	"
Guam, .	12.20	29.73	755.1	NE	1	r	4.20
Yap, .	12.47	29.74	755.4	N	2	o	4.47	29.79	756.6	NE	1	b
Labuan, .	14	29.74	755.4	86	80	NW	2	b	6	29.78	756.4	77	94	NE	2	o

July 8d. 11h. 27m.—Pressure has decreased considerably over S.W. Japan and at Gutzlaff. It has increased considerably over N.E. Japan and is nearly stationary in other districts.

The Shanghai depression has deepened and moved into the Eastern Sea.

A depression still lies to the N.W. of Haiphong.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inch. Total since January 1st, 3045 inches, against an average of 4219 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

DISTRICT.

FORECAST.

- | | |
|---|---|
| 1.—Formosa Channel, . | S.W. winds, moderate; generally fair, some showers. |
| 2.—South coast of China between Hongkong and Lamecks, . | |
| 3.—Hongkong to Gap Rock, . | |
| 4.—South coast of China between Hongkong and Hainan, . | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

8TH JULY, 1923.

STATION.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDITY.	WIND.		WEATHER.
	Inches.	Millrs.	Direct. ion.	Force.			Direct. ion.	Force.		Inches.	Millrs.	Direct. ion.	Force.			Direct. ion.	Force.	
Vladivostock, .	12	29.66	753.3	62	...	ESE	5	0	6	29.64	752.8	63	...	ESE	2	f		
Jemuro, .	11	29.92	760.0	S	5	...	5	30.02	762.5	SE	2	...		
Iokodate, .	"	29.80	757.0	ESE	3	...	"	29.75	755.5	E	5	...		
Okio, .	"	29.82	757.5	NNE	1	...	"	29.57	751.0	SW	2	...		
Iochi, .	"	29.61	752.0	ENE	1	...	"	29.43	747.5	WSW	1	...		
Jagaasaki, .	"	29.29	744.0	SE	9	...	"	29.57	751.0	NNW	2	...		
Iagoshima, .	"	29.43	747.5	NE	2	...	"	29.57	751.0	WNW	1	...	53°	
Sehima, .	"	29.55	750.5	S	3	...	"	29.59	751.5	SSE	1	...		
Jaha, .	"	29.63	752.5	SW	3	...	"	24.67	753.5	SSW	1	...		
shigakijima, .	"	29.65	753.0	SW	2	...	"	29.65	753.0	WSW	3	...		
ionin Island, .	"	29.74	755.5	SSW	4	...	"		
Weibaiwei, .	14	6		
Jankow, .	15	"		
Ichang, .	"	"		
Changsha, .	"	"		
Shanghai, .	11	29.60	751.8	73	88	N	1	0	"	29.59	751.5	68	98	E	2	r		
Gutzlaff, .	14	29.56	750.8	71	95	N	4	0	"	24.61	752.1	69	100	ESE	4	ro		
Sharp Peak, .	"	29.60	751.8	90	79	S	4	b	7	29.63	752.6	82	91	S	4	b		
Amoy, .	14	29.57	751.1	90	66	SSW	4	b	6	29.62	752.3	83	83	SSW	1	b		
Swatow, .	"	"		
Taihoku, .	11	29.61	752.1	93	53	W	6	b	5	29.67	753.6	75	92	...	0	b		
Tsichu, .	"	29.73	755.1	90	...	S	4	0	"	29.73	755.1	77	...	SSE	2	o		
Taihan, .	"	29.76	756.0	86	0	0	"	29.73	755.1	77	...	SE	2	o		
Koshun, .	"	29.69	754.2	84	...	WNW	6	b	"	29.71	754.5	81	...	WNW	4	o		
Pescadores, .	"	29.74	755.4	84	...	SSW	4	0	"	29.72	754.8	81	...	S	4	o		
Canton, .	14	29.62	752.3	90	66	S	2	0	6	29.69	754.1	79	91	SSE	1	o		
Hongkong, .	"	29.66	753.3	87	71	SW	4	0	"	29.69	754.1	82	82	SW	2	o		
Gap Rock, .	"	29.69	754.1	SW	5	0	"	29.69	754.1	SW	5	o		
Macno, .	"	29.63	752.7	86	78	SW	4	0	"	29.67	753.6	82	89	SSW	4	o		
Wuchow, .	15	9		
Pakhoi, .	"	"		
Hoihow, .	"	"		
Phulien, .	"	29.58	751.2	90	69	SSE	6	b	7	29.61	752.1	81	84	S	6	b		
Tourane, .	"	29.67	753.6	90	...	SE	2	b	"	29.73	755.1	82	...	WSW	2	b		
Cape St. James, .	"	29.78	756.3	86	...	SW	2	b	"	29.84	757.8	77	...	SW	2	b		
Aparri, .	14	29.72	754.8	90	57	NNE	4	b	6	29.78	756.3	75	96	S	2	o		
Bagpan, .	"	"		
Manila, .	"	29.74	755.4	90	63	W	4	0	"	29.80	756.9	75	96	...	0	o		
Legaspi, .	"	29.72	754.8	90	69	E	4	b	"		
Tacloban, .	"	"	29.80	756.9	79	95	...	0	o		
Illoilo, .	"	29.72	754.8	86	65	S	4	0	"	29.80	756.9	77	88	N	1	o		
Burgao, .	"	29.73	755.1	90	63	...	0	b	"	29.80	756.9	75	94	SW	1	b		
Juan, .	12.20	29.73	755.1	W	1	r	4.20	29.76	756.0	ENE	1	o		
Yap, .	12.47	29.74	755.4	WSW	2	0	4.47	29.78	756.3	NE	2	b		
Tabuan, .	14	29.76	755.9	88	73	N	2	b	6	29.84	757.9	74	94	S	2	r		

July 9d. 11h. 22m.—Pressure has decreased considerably over central Japan and increased considerably over S.W. Japan. It has increased slightly from the Loochoos to Hongkong and over the Philippines.

The northern depression is now central to the north of Kobe.

A depression covers the whole of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 30.43 inches, against an average of 42.51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamoeks, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- S.W. winds, moderate; generally fair, some showers.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	9TH JULY, 1923.							10TH JULY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.		
Wladivostock, .	12	29.60	751.9	67	...	SE	2	0	6	29.70	754.3	58	...	ESE	7	0
Nemuro,	11	29.94	760.5	ESE	2	...	5	29.71	754.5	SSW	2	...
Hokodate,	29.61	752.0	E	3	...	29.71	754.5	SSW	2	...	
Tokio,	"	29.51	749.5	S	6	...	29.78	756.5	S	1	...	
Kochi,	"	29.53	750.0	NE	1	...	"	29.73	755.0	0	...
Nagasaki,	"	29.67	753.5	SW	1	...	"	29.61	752.0	SE	3	...
Kagoshima,	"	29.63	752.5	W	1	...	"	29.65	753.0	NW	1	...
Oshima,	"	29.67	753.5	SSW	1	...	"	29.71	754.5	ESE	2	...
Naba,	"	29.72	755.0	SW	2	...	"	29.73	755.0	S	2	...
Ishigakijima,	"	29.70	754.5	WSW	3	...	"	29.67	753.5	WSW	5	...
Bonin Island,	"	29.90	759.5	S	2	...	"	29.96	761.0
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.60	751.8	70	98	SE	2	r	"	29.53	750.0	73	100	N	1	r of
Gutzlaff,	14	29.59	751.6	72	95	SE	2	o	"	29.54	750.3	74	100	N	1	b b
Sharp Peak,	"	29.65	753.1	88	84	S	4	b	7	29.67	753.6	83	87	SSW	4	b b
Amoy,	14	29.60	751.8	90	73	SSW	2	o	6	29.67	753.6	81	87	WSW	2	...
Swatow,	"	"
Taihoku,	11	29.68	753.9	90	57	W	4	b	5	29.68	753.9	77	89	W	4	b
Taichu,	"	29.76	756.0	86	...	SW	4	o	"	29.75	755.7	79	...	S	2	0
Tainan,	"	29.78	756.3	86	...	SW	4	b	"	29.75	755.7	79	0	0
Koshun,	"	29.74	755.4	86	...	NW	4	b	"	29.72	754.8	81	...	W	4	0
Pescadores,	"	29.76	756.0	86	...	SSW	4	o	"	29.73	755.1	81	...	S	4	b
Canton,	14	29.64	752.8	92	64	SW	2	c	6	29.69	754.1	80	96	SE	1	0
Hongkong,	"	29.68	753.9	87	74	SSW	4	c	"	29.71	754.6	83	83	SW	3	0
Gap Rock,	"	29.70	754.4	SW	5	b	"	29.71	754.6	SW	5	0
Macao,	"	29.66	753.3	90	76	SW	4	o	"	29.68	753.9	81	90	SSW	4	...
Wuchow,	15	"
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.59	751.5	93	61	S	4	b	7	29.62	752.4	81	84	SSE	6	b b
Tourane,	"	29.72	754.8	90	...	SE	2	b	"	29.75	755.7	81	...	SSW	2	b b
Cape St. James, .	"	29.80	756.9	86	...	W	2	b	"	29.84	757.8	77	...	SW	2	h
Aparri,	14	29.76	756.0	90	63	N	4	b	6	29.76	756.0	77	92	S	2	0
Dagupan,	"	"
Manila,	"	29.75	755.7	90	66	WSW	4	b	"	29.79	756.6	75	92	NE	1	0
Legaspi,	"	"	29.79	756.6	75	96	...	0	...
Tacloban,	"	"
Illoilo,	"	29.74	755.4	90	57	NE	2	o	"	29.78	756.3	79	61	S	4	0
Surigao,	"	29.74	755.4	90	...	N	2	b	"	29.76	756.0	75	94	...	0	...
Guam,	12.20	29.73	755.1	NE	2	o	4.20
Yap,	12.47	29.74	755.4	NE	2	o	4.47	29.72	754.8	N	1	0
Labuan,	14	29.81	757.2	84	79	N	1	b	6	29.81	757.2	76	94	E	2	r

July 10th, 11h. com.—Pressure is highest to the east of the Bonins. It has decreased considerably over N.E. Japan and decreased slightly from S.W. Japan to Shanghai, over the Philippines and at Yap.

The northern depression has moved to the north of Hokkaido.

The northern portion of the Chinese depression is moving eastward, leaving a separate depression over S.W. China.

A typhoon may be forming near Yap.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 30.43 inches, against an average of 42.82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH. DISTRICT.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- FORECAST.
- S. W. winds, moderate; generally fair, some showers.*

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	10TH JULY, 1923.								11TH JULY, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDITY.	WIND.		WEATHER.
		Hours.	Inches.	Millrs.					Hours.	Inches.	Millrs.			Direct- ion.	Force.	
Vladivostock, .	12	29.70	754.3	62	...	ESE	6	o	6	29.76	756.0	62	...	SE	4	o
Nemuro, .	11	29.78	756.5	S	3	...	5	29.86	758.5	S	1	o
Hokodate, .	"	29.80	757.0	SSW	3	...	"	29.78	756.5	3	1
Tokio, .	12	29.84	758.0	E	3	...	"	29.90	759.5	SSE	1	1
Kochi, .	"	29.92	760.0	o	0	...	"	29.80	757.0	SE	1	1
Nagasaki, .	"	29.67	753.5	SW	6	...	"	29.67	753.5	SW	9	1
Kagoshima, .	"	29.72	755.0	SSW	3	...	"	29.86	758.5	SSW	1	1
Oshima, .	"	29.72	755.0	SE	2	...	"	29.78	756.5	NW	1	1
Naha, .	"	29.74	755.5	SSW	3	...	"	29.78	756.5	SSW	1	1
Ishigakijima, .	"	29.72	755.0	SW	5	...	"	29.71	754.5	SSW	4	1
Bonin Island, .	"	29.94	760.5	ESE	2	...	"	29.94	760.5	ENE	1	1
Weihaiwei, .	14	~	~	...	6
Haukow, .	15	~	~	...	"
Ichang, .	"	~	~	...	"
Changsha, .	"	~	~	...	"
Shanghai, .	11	29.58	751.2	75	100	o	0	r	"	29.68	753.9	72	100	SSW	1	of
Gutzlaff, .	14	29.59	751.6	75	100	NW	1	rf	"	29.70	754.4	74	100	NE	1	of
Sharp Peak, .	"	29.65	753.1	86	84	SSW	4	o	7	29.75	755.6	82	91	S	2	b
Amoy, .	14	29.61	752.1	88	73	SSW	2	o	6	29.66	753.3	81	92	WSW	2	b
Swatow, .	"	~	~	...	"
Taihoku, .	11	29.68	753.9	93	57	W	4	b	5	29.72	754.8	77	94	...	0	b
Taichu, .	"	29.76	756.0	90	...	S	4	o	"	29.76	756.0	75	0	o
Tainan, .	"	29.79	756.6	86	...	WSW	4	o	"	29.74	755.4	77	0	b
Keshun, .	"	29.74	755.4	86	...	WNW	6	o	"	29.72	754.8	81	...	WNW	4	b
Pescadores, .	"	29.79	756.6	86	...	SSW	4	o	"	29.74	755.4	81	...	SSW	4	b
Canton, .	14	29.64	752.8	92	61	SSW	2	c	6	29.71	754.6	81	91	S	2	o
Hongkong, .	"	29.68	753.9	88	69	SW	4	o	"	29.71	754.6	83	80	SSW	2	o
Gap Rock, .	"	29.70	754.4	SW	5	o	"	29.71	754.6	SSW	4	c
Macao, .	"	29.67	753.6	90	76	SW	4	c	"	29.68	753.9	81	92	WSW	4	o
Wuchow, .	15	~	~	...	9	
Pakhoi, .	"	~	~	...	"	
Hoihow, .	"	~	~	...	"	
Phulen, .	"	29.56	750.9	93	59	S	4	b	7	29.61	752.1	81	87	S	2	b
Tourane, .	"	29.68	753.9	90	...	SE	2	b	"	29.73	755.1	81	0	b
Cape St. James, .	"	29.76	756.0	86	...	S	2	b	"	29.81	757.2	77	...	SW	2	b
Aparri, .	14	29.74	755.4	90	66	NNW	4	o	6
Egupan, .	"	~	~	...	"	
Manila, .	"	29.72	754.8	90	66	WSW	2	o	"	29.78	756.3	73	98	...	0	b
Legaspi, .	"	29.75	755.7	90	66	ENE	4	o	"	29.74	755.4	75	96	...	0	b
Tacloban, .	"	~	~	...	"	29.75	755.7	77	96	WNW	2	b
Illoilo, .	"	29.69	754.2	90	63	SE	2	o	"	29.75	755.7	77	92	NW	2	o
Surigao, .	"	~	~	...	"	
Guam, .	12.20	29.68	753.9	E	2	o	4.20	29.74	755.4	S	1	r
Yap, .	12.47	29.66	753.3	ENE	4	o	4.47	29.67	753.6	SE	4	o
Labuan, .	14	29.76	755.9	86	76	N	2	b	6	29.79	756.6	76	94	NW	2	b

July 11d. 11h. 55m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 10° N. Long. 135° E., moving N.W.

July 11d. 11h. 59m.—Pressure has increased considerably at Shanghai, moderately over Formosa and slightly from Hongkong to Indo-China. It has decreased slightly at Yap and over the Philippines.

Depressions are shown to the north of Shanghai and over S.W. China.

There is a typhoon 200 miles to the west of Yap moving N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 30.44 inches, against an average of 43.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamocks, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- } S.W. winds, moderate; fair.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	11TH JULY, 1923.								12TH JULY, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		Therm. Atm.	Humid.	WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		Therm. Atm.	Humid.	WIND.		
	Inches.	Mills.	Direction.	Force.			Inches.	Mills.			Direction.	Force.			Direction.	Force.	
Wladivostock, .	12	29.77	756.2	6+	SE	5	o	6	29.82	757.3	59	...	SE	3	i
Nemuro, .	11	29.84	758.0	SSE	1	...	5
Hokodate, .		29.80	757.0	SE	1	...	"
Tokio, .	"	29.90	759.5	S	6	...	"
Kochi, .	"	29.80	757.0	S	2	...	"
Nagasaki, .	"	29.78	756.5	SW	2	...	"
Kagoshima, .	"	29.82	757.5	SW	3	...	"
Oshima, .	"	29.82	757.5	E	2	...	"
Naha, .	"	29.82	757.5	S	2	...	"
Ishigakijima, .	"	29.76	756.0	SW	3	...	"
Bonin Island, .	"	29.92	760.0	E	1	...	"
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.71	754.5	8+	74	...	S	1	o	"	29.68	753.9	73	98	FSE	1	o
Gutzlaff, .	14	29.72	754.9	77	95	ESE	2	o	"	29.70	754.4	74	100	SSE	1	of	
Sharp Peak, .	"	29.71	754.6	88	84	S	2	b	7	29.75	755.6	82	91	SSE	1	o	
Amoy, .	14	29.64	752.8	88	73	S	2	o	6	29.68	753.9	81	87	WSW	1	b	
Swatow, .	"	"
Taihoku, .	12	29.75	755.7	90	60	W	2	o	5	29.74	755.4	77	91	S	2	b	
Taichu, .	"	29.76	756.0	90	...	SSW	4	o	"	...	75	0	0	
Tainan, .	"	29.78	756.3	90	...	W	4	o	"	29.73	755.1	75	0	0	
Koshun, .	"	"	29.74	755.4	73	0	b	
Pescadores, .	"	29.78	756.3	86	...	SSW	4	o	"	29.74	755.4	79	...	SSW	4	b	
Canton, .	14	29.65	753.1	92	64	S	2	c	6	29.72	754.9	80	91	S	1	o	
Hongkong, .	"	29.70	754.4	8+	65	SW	3	c	"	29.72	754.9	82	81	S	1	o	
Gap Rock, .	"	29.71	754.6	SW	4	b	"	29.72	754.9	SW	4	b	
Macao, .	"	29.68	753.9	90	72	SSW	4	c	"	29.69	754.2	81	89	SW	4	b	
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.58	751.2	68	56	SSE	4	b	7	29.63	752.7	81	94	SSE	6	o	
Tourane, .	"	29.67	53.6	90	...	SE	2	b	"	29.72	754.8	82	...	SSW	2	h	
Cape St. James, .	"	29.74	55.4	86	...	SW	2	b	"	29.79	756.6	77	...	SW	2	h	
Aparri, .	14	29.71	754.5	90	66	N	4	b	6	29.73	755.1	75	96	...	0	o	
Dagupan, .	"	"	
Manila, .	"	29.69	754.2	90	66	W	4	b	"	29.73	755.1	75	91	NE	1	o	
Legaspi, .	"	29.67	53.6	90	66	NNE	4	b	"	29.68	753.9	77	91	WSW	1	o	
Tacloban, .	"	"	29.69	754.2	77	92	WNW	1	o	
Ilolo, .	"	29.67	53.6	86	68	S	4	o	"	
Surigao, .	"	29.66	753.3	86	61	WNW	2	o	"	29.68	753.9	75	94	SW	1	o	
Guam, .	12.20	29.75	755.7	S	2	r	4.20	29.76	756.0	SE	1	r	
Yap, .	12.47	29.63	752.7	SSE	4	o	4.47	29.72	754.8	SW	2	o	
Labuan, .	14	29.77	756.1	84	75	N	1	b	6	29.76	755.9	77	94	N	2	b	

July 11d. 15h. 40m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 12° N. Long. 134° E., moving N.W.

July 12d. 9h. 10m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 131° E., moving N.W.

July 12d. 12h. 00.—Pressure has increased slightly from Formosa to Tongking and at Yap. It has decreased slightly over the Philippines and at Guam.

The depression over S.W. China remains unchanged.

At 6 a.m. this morning the typhoon appeared to be about 400 miles E. of Legaspi moving N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 30.44 inches, against an average of 43.42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH. DISTRICTS

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- FORECAST.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	12TH JULY, 1923.							13TH JULY, 1923.										
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TRIP- P. ATM.	HUMID.	WIND.		WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TRIP- P. ATM.	HUMID.	WIND.		WEATHER.
	Inches.	Millrs.	Direction.	Force.			Inches.	Millrs.				Direction.	Force.					
Wladiivostock, .	12	29.76	755.8	64	SE	4	f	6	29.75	755.5	63	...	SE	2	f	
Nemuro,	11	29.72	755.0	SSW	1	...	5	
Hokodate,	29.76	756.0	SSW	3	...	"	
Tokio,	29.84	758.0	SSW	5	...	"	
Kochi,	29.86	758.5	SE	1	...	"	
Nagasaki,	29.82	757.5	W	1	...	"	
Kagoshima,	29.84	758.0	SSW	1	...	"	
Oshima,	29.84	758.0	ESE	2	...	"	
Naha,	29.82	757.5	SSE	2	...	"	
Ishigakijima,	29.78	756.5	S	3	...	"	
Bonin Island,	29.90	759.5	SSE	1	...	"	
Weihaiwei,	14	6	
Hankow,	15	"	
Ichang,	"	
Changsha,	"	
Shanghai,	11	29.69	754.2	77	96	...	E	1	r	"	29.66	753.3	72	98	NNW	1	o	
Gutzlaff,	14	29.67	753.6	76	100	...	SSE	2	r	"	29.67	753.6	74	100	NW	2	r	
Sharp Peak,	29.74	755.4	86	84	S	2	o	7	29.70	754.4	82	87	S	1	b	
Amoy,	14	29.62	752.3	90	73	...	SSE	1	o	6	29.63	752.6	81	87	ENE	1	b	
Swatow,	"	
Taihoku,	11	29.75	755.7	90	63	...	NW	2	o	5	29.69	754.2	79	90	S	2	o	
Taichu,	29.76	756.0	86	ESE	4	o	"	29.73	755.1	59	2	b	
Tainan,	29.76	756.0	90	WSW	4	b	"	29.71	754.5	77	...	SE	2	o	
Koehun,	29.75	755.7	86	NW	4	o	"	29.71	754.5	75	0	b	
Pescadores,	29.76	756.0	86	SSW	4	o	"	29.71	754.5	79	...	S	4	o	
Canton,	14	29.69	754.1	92	61	...	SSW	2	o	6	29.72	754.9	80	91	S	1	o	
Hongkong,	29.71	754.6	89	66	W	2	o	"	29.71	754.6	81	82	SW	2	o	
Gap Rock,	29.74	755.4	SW	4	o	"	29.71	754.6	82	87	SW	4	o	
Macao,	29.69	754.2	90	69	SW	4	o	"	29.67	753.6	81	87	SW	4	o	
Wuchow,	15	9	
Pakhoi,	"	
Hoihow,	"	
Phulien,	29.63	752.7	90	66	...	SSE	6	b	7	29.66	753.3	81	97	SSE	6	of	
Tourane,	29.69	754.2	86	SSW	2	b	"	29.71	754.5	82	...	SW	4	b	
Cape St. James, .	29.73	755.1	86	SSW	2	b	"	29.78	756.3	77	...	SW	2	b	
Aparri,	14	29.69	754.2	90	66	...	NNW	4	o	6	
Dagupan,	"	
Manila,	29.68	753.9	86	71	N	2	o	"	29.73	755.1	75	98	SE	1	r	
Legaspi,	"	
Tacloban,	"	
Iloilo,	29.67	753.6	86	61	S	4	o	"	
Surigao,	"	
Guam,	12.20	29.79	756.6	SE	1	r	4.20	29.79	756.6	ENE	1	o	
Yap,	12.47	29.72	754.8	SW	4	o	4.47	29.76	756.0	0	o	
Labuan,	14	29.78	756.4	86	72	...	N	2	o	6	29.78	756.4	77	94	SE	4	b	

July 13d. 12h. 25m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon in Lat. 15° N. Long. 128° E., position uncertain, direction unknown.

July 13d. 12h. 20m.—Pressure has decreased slightly over Formosa and at Guam. It is nearly stationary at the majority of other reporting stations.

The position of the typhoon is uncertain. It is estimated to be about 400 miles E. of Manila this morning. It may still be travelling N.W. but this is also uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 30.44 inches, against an average of 43.75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH. DISTRICT.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocka,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- S. W. winds, moderate; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	13TH JULY, 1923.							14TH JULY, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		THERM. ATM.	HUMID.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		THERM. ATM.	HUMID.	WIND.		
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.
Vladivostock, .	12	29.71	754.6	71	...	SE	3	o	6	29.72	754.8	64	o
Nemuro, .	11	29.78	756.5	SE	1	...	5	f
Hokodate, .		29.80	757.0	S	2	...	"	f
Tokio, .	"	29.84	758.0	NE	4	...	"	f
Kochi, .	"	29.78	756.5	SE	1	...	"	f
Nagasaki, .	"	29.70	754.5	SW	4	...	"	f
Kagoshima, .	"	29.74	755.5	SSE	2	...	"	f
Oshima, .	"	29.74	755.5	ESE	2	...	"	f
Naha, .	"	29.74	755.5	S	1	...	"	f
Ishigakijima, .	"	29.72	755.0	SSW	2	...	"	f
Boein Island, .	"	29.88	759.0	SE	2	...	"	f
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	13	29.71	754.5	73	85	N	1	o	"	29.71	754.6	70	96	...	o
Gutzlaff, .	14	29.69	754.1	72	100	N	2	r	"	29.70	754.4	70	100	NE	2
Sharp Peak, .	"	29.69	754.1	88	84	SE	2	o	7	29.68	753.9	83	91	E	2
Amoy, .	14	29.58	751.3	88	73	SSE	1	o	6	29.59	751.6	81	87	ENE	1
Swatow, .	"	"
Taihoku, .	11	29.69	754.2	90	60	NW	2	b	5	29.63	752.7	79	89	SSE	2
Taichu, .	"	29.72	754.8	90	...	S	2	b	"	29.56	750.9	79	...	SE	2
Tainan, .	"	29.73	755.1	90	...	WSW	4	o	"	29.54	750.3	77	...	ESE	2
Koshun, .	"	29.72	754.8	86	...	WNW	4	b	"	29.53	750.0	79	...	NW	2
Pescadores, .	"	29.73	755.1	90	...	S	4	b	"	29.54	750.3	79	...	S	2
Canton, .	14	29.63	752.6	92	61	SW	1	c	6
Hongkong, .	"	29.67	753.6	89	63	W	2	o	"	29.65	753.1	82	83	W	1
Gap Rock, .	"	29.69	754.1	WSW	4	b	"	29.65	753.1	WSW	4
Macao, .	"	29.65	753.0	90	69	SW	2	o	"	29.63	752.7	81	89	WSW	4
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.60	751.8	90	69	SSE	4	b	7	29.60	751.8	82	94	SSE	4
Tourane, .	"	29.67	753.6	86	...	SSW	2	b	"	29.67	753.6	82	...	SW	2
Cape St. James, .	"	29.73	755.1	86	...	S	2	b	"	29.75	755.7	75	...	SW	2
Aparri, .	14	29.63	752.7	90	66	NNW	4	o	6	29.63	752.7	77	91	...	o
Dagupan, .	"	"
Manila, .	"	29.66	755.3	82	77	WNW	2	o	"	29.69	754.2	75	96	S	1
Legaspi, .	"	29.65	753.0	84	81	WSW	2	o	"	29.69	754.2	75	98	WSW	4
Tacloban, .	"	"
Iloilo, .	"	29.67	753.6	81	76	S	4	o	"
Surigao, .	"	29.67	753.6	86	68	SSW	4	o	"
Guam, .	12.20	29.75	755.7	ENE	4	o	4.20
Yap, .	12.47	29.76	756.0	W	2	o	4.47	29.79	756.6	NNW	2
Labuan, .	14	29.79	756.6	86	76	NE	1	b	6	29.78	756.4	78	82	N	2

July 13d. 16h. 35m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 126° E., moving N.W.

July 14d. 10h. 45m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 22° N. Long. 123° E., moving N.N.W.

July 14d. 11h. 18m.—Pressure has decreased considerably over Formosa and slightly over N. Luzon and Indo-China. It has increased slightly at Shanghai and Labuan.

A depression remains over S.W. China.

At 6 a.m. this morning the typhoon was in about Lat. 22° N. and Long. 123° E., moving N.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 30.44 inches, against an average of 44.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.W. to W. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, } W. or variable winds, moderate; fair.
- 3.—Hongkong to Gap Rock, }
- 4.—South coast of China between Hongkong and Hainan, . }

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

14TH JULY, 1923.

STATION.	HONGKONG STANDARD TIME.						HONGKONG STANDARD TIME.						HONGKONG STANDARD TIME.					
	BAROMETER AT SEA LEVEL.		TEMPS.	ATMOS.	HUMIDIT.	WIND.	HONGKONG STANDARD		BAROMETER AT SEA LEVEL.		TEMPS.	ATMOS.	HUMIDIT.	WIND.	Direction.	Force.	WEATHER.	
	Inches.	Millrs.				Direction.	Force.		Inches.	Millrs.				Direction.	Force.	WEATHER.		
Vladivostock,	12	29.70	754.5	73	...	SSE	2	c	6	29.81	757.2	61	...	SE	2	o		
Nemuro,	11	29.90	759.5	E	2	...	5	29.73	755.0	ESE	6	..		
Hokodate,	"	29.63	752.5	E	6	...	"		
Tokio,	"	29.72	755.0	SSE	3	...	"	29.71	754.5	S	2	..		
Kochi,	"	29.67	753.5	0	...	"	29.63	752.5	SW	1	..		
Nagasaki,	"	29.65	753.0	SW	4	...	"	29.65	753.0	0	..		
Kagoshima,	"	29.67	753.5	WNW	1	...	"	29.63	752.5	0	..		
Oshima,	"	29.65	753.0	E	1	...	"	ESE	1	..		
Naha,	"	29.65	753.0	ESE	1	...	"	29.57	751.0	NNE	1	..		
Ishigakijima,	"	29.65	753.0	S	1	...	"	N	1	..		
Bonin Island,	"	29.84	758.0	SSW	3	...	"	29.88	759.0	SSW	2	..		
Weihaiwei,	14	6		
Hankow,	15	"		
Ichang,	"	"		
Changsha,	"	"		
Shanghai,	11	29.73	755.1	77	79	SE	1	o	"	29.71	754.5	68	100	o	0	b		
Gutzlaff,	14	29.74	755.4	77	95	NNE	1	b	"	29.73	755.1	70	95	E	2	b		
Sharp Peak,	"	29.73	755.1	84	85	SE	1	b	7	29.66	753.3	75	86	W	1	a		
Amoy,	14	29.55	750.5	86	76	ESE	1	o	6	29.55	750.5	80	87	ENE	1	b		
Swatow,	"	"		
Taihoku,	11	29.65	753.0	90	66	WSW	2	o	5	29.61	752.1	77	92	SW	2	o		
Taichu,	"	29.66	753.3	90	...	S	2	o	"	29.62	752.4	77	...	o	0	b		
Tainan,	"	29.67	753.6	90	...	W	4	b	"	29.61	752.1	77	...	E	2	b		
Kosban,	"	29.66	753.3	86	...	NW	4	b	"	29.59	751.5	79	...	NW	4	b		
Pescadores,	"	29.67	753.6	86	...	NNE	4	o	"	29.59	751.5	79	...	SSW	4	o		
Canton,	14	29.56	750.8	94	55	SSW	1	o	6	29.60	751.8	80	91	S	1	e		
Hongkong,	"	29.62	752.3	90	66	SSW	3	o	"	29.60	751.8	82	83	WSW	2	o		
Gap Rock,	"	29.63	752.6	WSW	4	b	"	29.60	751.8	SW	4	o		
Macao,	"	29.60	751.8	93	71	SW	4	o	"	29.58	751.2	81	90	SW	4	o		
Wuchow,	15	9		
Pakhoi,	"	"		
Heilow,	"	"		
Phulien,	"	29.53	750.0	90	76	SE	4	o	7	29.50	749.4	82	96	S	6	bf		
Tourane,	"	29.62	752.4	86	...	SE	2	b	"	29.60	751.8	84	...	W	2	b		
Cape St. James, . . .	"	29.71	754.5	86	...	W	2	b	"	29.75	755.7	79	...	WSW	4	..		
Aparri,	14	29.59	751.5	90	66	NW	4	o	6	29.62	752.4	75	92	S	2	o		
Dagupan,	"	"		
Manila,	"	29.66	753.3	86	78	WSW	4	o	"	29.68	753.9	79	84	SW	2	o		
Legaspi,	"	29.65	753.0	82	90	WSW	2	o	"	29.68	753.9	75	96	S	2	o		
Tacloban,	"	"	29.71	754.5	77	94	o	0	o		
Iloilo,	"	29.66	753.3	84	71	S	4	o	"		
Surigao,	"	29.69	754.2	86	61	WSW	2	o	"	29.71	754.5	81	80	WSW	2	o		
Guam,	12.20	29.73	755.1	ENE	2	o	4.20	29.76	756.0	ENE	1	o		
Yap,	12.47	29.75	755.7	NNW	4	o	4.47	29.76	756.0	NE	2	o		
Labuan,	14	29.77	756.1	86	72	N	2	b	6	29.81	757.2	75	98	W	4	r		

July 15d. 12h. 35m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 24° N. Long. 128° E., moving N.

July 15d. 12h. 38m.—Pressure has decreased considerably at Nemuro, and, with few exceptions has decreased slightly to moderately elsewhere. The northern depression is moving into the Pacific and the southern depression remains to the west of Haiphong.

The typhoon appears to be situated about 100 miles south of Naha, moving slowly northward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 30.44 inches, against an average of 44.48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH. DISTRICT.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- S.W. winds, moderate; fair.

C. W. JEFFRIES,—Chief Assistant.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	15TH JULY, 1923.								16TH JULY, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		
	Inches.	Millrs.	Direct. ion.	Force.			Direct. ion.	Force.	Inches.	Millrs.	Direct. ion.	Force.	Direct. ion.		Force.		
Vladivostock, .	12	29.82	757.3	68	S	3	○	6	29.90	759.5	60	...	SE	4	○
Nemuro,	11	29.76	756.0	NE	2	...	5
Hokodate,	"	29.65	753.0	SSW	2	...	"
Tokio,	"	29.69	754.0	S	2	...	"
Kochi,	"	29.65	753.0	SE	1	...	"
Nagasaki,	"	29.65	753.0	NNW	1	...	"
Kagoshima,	"	29.65	753.0	SE	1	...	"
Oshima,	"	29.59	751.5	ESE	1	...	"
Naha,	"	29.55	750.5	NE	2	...	"
Ishigakijima,	"	29.59	751.5	NW	3	...	"
Bonin Island,	"	29.88	759.0	S	2	...	"
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	13	29.71	754.5	82	67	...	E	1	○	"	29.72	754.8	66	100	ESE	1	b
Gutzlaff,	14	29.72	754.9	75	95	...	ENE	2	b	"	29.73	755.1	71	95	ENE	2	o
Sharp Peak,	"	29.66	753.3	78	82	...	NE	1	r	7	29.67	753.6	77	92	...	o	o
Amoy,	14	29.54	750.3	84	79	...	SSE	4	o	6	29.56	750.8	78	86	ENE	1	o
Swatow,	"	"
Taihoku,	13	29.61	752.1	86	71	...	SW	0	○	5	29.62	752.4	73	89	SW	2	o
Taihu,	"	29.60	751.8	90	SW	2	○	"	29.62	752.4	75	0	b
Tainan,	"	29.61	752.1	82	WNW	4	○	"	29.61	752.1	77	...	E	2	r
Koishun,	"	29.61	752.1	84	WNW	2	○	"	29.60	751.8	77	...	NNW	2	r
Pescadores,	"	29.62	752.4	79	WSW	6	r	"	29.60	751.8	79	0	b
Canton,	14	29.51	749.5	95	53	...	SSW	2	c	6	29.58	751.3	81	91	S	1	c
Hongkong,	"	29.57	751.1	88	69	...	SSW	3	○	"	29.58	751.3	82	83	S	2	c
Gap Rock,	"	29.59	751.6	SW	3	b	"	29.58	751.3	SSW	4	b
Macao,	"	29.54	750.3	90	72	...	SSW	4	o	"	29.55	750.6	81	87	S	4	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.45	747.9	97	53	...	SW	2	b	7	29.46	749.2	82	96	SSE	4	o
Tourane,	"	29.55	750.6	86	0	b	"	29.56	750.9	82	...	SW	2	b
Cape St. James,	"	29.67	753.6	84	WSW	4	b	"
Aparri,	14	29.59	751.5	90	60	...	N	4	o	6	29.63	752.7	77	91	S	2	o
Dagupan,	"	"
Manila,	"	29.66	753.3	84	71	...	SW	6	○	"	29.68	753.9	75	96	SE	1	o
Legaspi,	"	29.62	752.4	86	75	...	SSW	4	○	"	29.68	753.9	75	96	NNW	2	o
Tacloban,	"	29.66	753.3	86	85	...	WSW	2	○	"	29.69	754.2	75	96	...	0	o
Iloilo,	"	29.65	753.0	84	68	...	S	4	r	"	29.72	754.8	79	90	S	4	o
Surigao,	"	"
Guam,	12.20	29.73	755.1	E	4	○	4.20	29.78	756.3	E	1	o
Yap,	12.47	29.74	755.4	NE	4	○	4.47	29.68	753.9	N	2	o
Labuan,	14	29.77	756.1	84	75	...	W	4	b	6	29.74	755.4	76	94	S	4	o

July 15d. 17h. 35m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 24° N. Long. 128° E., stationary or very slow.

July 16d. 12h. 50m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 25° N. Long. 130° E., moving N.E.

July 16d. 12h. 28m.—Pressure has increased slightly from Shanghai to Formosa and over the Visayas. It has decreased moderately at Yap (where a typhoon may be forming), and slightly over Indo-China.

The typhoon is probably to the south-east of the Loochoos, moving slowly north-eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st; 30.44 inches, against an average of 44.89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.
DISTRICT.

Forecaster.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- } S. winds, moderate; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	16TH JULY, 1923.							17TH JULY, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.	WEATHER.
	Inches.	Millrs.	Direct. ion.	Force.					Inches.	Millrs.	Direct. ion.	Force.				
Vladivostook, .	12	29.92	759.9	67	SE	3	0	6	29.96	760.9	63	...	SE	f.
Nemuro,	11	29.67	753.5	WSW	1	...	5	29.90	759.5	WNW	2
Hokodate,	"	29.82	757.5	WSW	2	...	"	29.94	760.5	N	1
Tokio,	"	29.84	758.0	SE	1	...	"	29.92	760.0	0
Kochi,	"	29.70	754.5	SE	1	...	"	29.82	757.5
Nagasaki,	"	29.69	754.0	NNE	4	...	"	29.76	756.0	N	1
Kagoshima,	"	29.65	753.0	NE	3	...	"	29.75	755.5	NE	2
Oshima,	"	29.57	751.0	WSW	1	...	"	29.55	750.5	E	6
Naha,	"	29.53	750.0	N	2	...	"	29.53	750.0	W	1
Ishigakijima,	"	"	29.57	751.0	W	2
Bonin Island,	"	29.92	760.0	SSE	3	...	"	30.00	762.0	1
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.74	755.4	81	66	...	ESE	2	0	"	29.72	754.8	68	98	E	1
Gutzlaff,	14	29.75	755.6	75	100	...	E	2	0	"	29.74	755.4	72	100	ESE	2
Sharp Peak,	"	29.67	753.6	88	76	...	E	1	0	7	29.70	754.4	80	88	E	1
Amoy,	14	29.57	751.1	86	72	...	NNW	1	0	6	29.62	752.3	81	78	ENE	1
Swatow,	"	"
Taihoku,	11	29.65	753.0	79	85	...	W	2	r	5	29.67	753.6	77	96	...	0
Taichu,	"	29.62	752.4	90	WNW	2	b	"	29.67	753.6	75	0
Iainan,	"	29.65	753.0	86	W	2	r	"	29.66	753.3	77	0
Koshun,	"	29.63	752.7	86	WNW	4	o	"	29.66	753.3	77	...	NW	2
Pescadores,	"	29.63	752.7	86	SW	2	o	"	29.67	753.6	79	0
Canton,	14	29.55	750.5	92	67	...	S	2	c	6	29.63	752.6	80	96	SE	1
Hongkong,	"	29.59	751.6	87	68	...	S	3	c	"	29.65	753.1	81	86	...	0
Gap Rock,	"	29.60	51.8	SSW	4	b	"	29.63	752.6	S	3
Macao,	"	29.53	750.0	93	67	...	SSW	4	o	"	29.56	750.9	81	89	SSE	4
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.45	747.9	90	76	...	SSE	6	o	7	29.50	749.4	82	96	SE	6
Tourane,	"	29.53	750.0	90	ESE	2	...	"	29.56	750.9	81	...	WSW	2
Cape St. James, .	"	29.61	752.1	86	WSW	6	b	"	29.65	753.0	77	...	SSE	6
Aparri,	14	29.62	752.4	90	60	...	N	4	b	6	29.68	753.9	77	92	...	0
Dagupan,	"	"
Manila,	"	29.65	753.0	86	68	...	SW	4	o	"	29.69	754.2	75	96	NE	1
Legaspi,	"	29.63	752.7	86	75	...	WNW	2	o	"	29.69	754.2	77	91	W	1
Tacloban,	"	"	29.72	754.8	77	94	WNW	2
Ilollo,	"	29.66	753.3	84	71	...	SW	6	o	"
Surigao,	"	"	29.71	754.5	75	96	WSW	1
Guam,	12.20	29.73	755.1	ENE	2	o	4.20	29.78	756.3	S	1
Yap,	12.47	29.66	753.3	NE	6	o	4.47	29.72	754.8	SSW	2
Labuan,	14	29.72	754.9	86	68	...	SW	2	o	6	29.71	754.6	78	91	W	1

July 16d. 16h. 45m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 7° N. Long. 138° E., moving W.N.W.

July 17d. 12h. 05m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 11° N. Long. 137° E., moving N.

July 17d. 12h. 10m.—Pressure has increased considerably over N.E. Japan, moderately from S.W. Japan to the Bonins and slightly from Hongkong to Haiphong. It is nearly stationary at the majority of other stations.

At 6 a.m. the northern typhoon was in about Lat. 27° N. and Long. 130° E., moving northward.

The Yap typhoon was in about Lat. 11° N. and Long. 137° E., also moving northward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 30.44 inches, against an average of 45.30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, Variable winds, moderate.
- 2.—South coast of China between Hongkong and Lamock, S. winds, moderate; fair.
- 3.—Hongkong to Gap Rock,
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	17TH JULY, 1923.								18TH JULY, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		
	Inches.	Millrs.	Direct- ion.	Force.			Inches.	Millrs.			Inches.	Millrs.			Direct- ion.	Force.	
Wladivostock, .	12	29.98	761.4	65	...		SSE	3	0	6	29.92	760.0	64	...	SE	2	f
Nemuro,	13	29.94	760.5		SE	3	...	5	29.92	760.0	SSW	1	..
Hokodate,	"	29.96	761.0		SSE	1	...	"	29.92	760.0	0	..
Tokio,	"	29.90	759.5	...			SSW	2	...	"	29.90	759.5
Kochi,	"	29.88	759.0		S	1	...	"	29.80	757.0	1	..
Nagasaki,	"	29.76	756.0		SE	3	...	"	29.86	758.5	SSE	5	..
Kagoshima,	"	29.78	756.5		SSE	2	...	"	29.82	757.5	SSE	2	..
Oshima,	"	29.61	752.0	...			ESE	5	...	"	29.86	758.5	ESE	2	..
Naha,	"	29.67	753.5		SSW	5	...	"	29.78	756.5	SSW	2	..
Ishigakijima,	"	29.67	753.5		WNW	3	...	"	30.02	762.5	SSW	3	..
Bonin Island,	"	30.00	752.0		ESE	2	...	"	29.92	760.0	64	...	SSW	0	..
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.74	755.4	84	64	ESE	2	b	...	"	29.73	755.1	73	98	E	1	0
Gutzlaff,	14	29.74	755.4	78	95	NE	2	b	...	"	29.75	755.6	73	100	...	0	b
Sharp Peak,	"	29.72	754.9	88	80	E	2	b	...	7	29.75	755.6	81	91	...	0	0
Amoy,	14	29.65	753.1	80	82	...	0	o	6	29.71	754.6	80	92	...	0	b	
Swatow,	"	"
Taihoku,	11	29.69	754.2	86	68	N	2	o	5	29.76	756.0	77	96	SE	2	b	
Taijhu,	"	29.69	754.2	86	...	SW	2	b	...	"	29.78	756.3	75	...	SE	0	0
Tainan,	"	29.71	754.5	86	...	SSW	2	o	...	"	29.74	755.4	75	...	E	2	0
Koshun,	"	29.71	754.5	82	o	b	...	"	29.75	755.7	75	0	b
Pescadores,	"	29.71	754.5	84	...	NW	2	o	...	"	29.75	755.7	79	...	SE	2	0
Canton,	14	29.62	752.3	92	64	S	2	o	6	29.72	754.9	79	91	SSE	1	0	
Hongkong,	"	29.67	753.6	88	62	S	3	o	...	"	29.72	754.9	79	92	SSE	0	b
Gap Rock,	"	29.68	753.9	SSW	4	b	...	"	29.72	754.9	SSE	3	c
Macao,	"	29.63	752.7	90	66	SSE	4	b	...	"	29.68	753.9	81	86	SE	2	0
Wuchow,	15	9	
Pakhoi,	"	"	
Hoihow,	"	"	
Phulien,	"	29.55	750.6	90	72	SSE	6	o	7	29.65	753.0	79	93	ENE	2	o	
Tourane,	"	29.54	750.3	90	...	SE	2	b	...	"	29.62	752.4	79	...	SSW	4	h
Cape St. James, .	"	29.59	751.5	82	...	WSW	2	o	...	"	
Aparri,	14	6	29.72	754.8	79	88	S	2	o	
Dagupan,	"	"	
Manila,	"	29.66	753.3	86	68	WSW	4	o	...	"	29.72	754.8	75	96	NE	1	0
Legaspi,	"	29.66	753.3	86	71	W	4	o	...	"	29.67	753.6	75	96	SSW	2	0
Tacloban,	"	
Iloilo,	"	29.68	753.9	82	74	S	4	o	...	"	29.73	755.1	75	89	SW
Surigao,	"	29.68	753.9	82	81	...	0	r	...	"	29.71	754.5	75	92	W
Guam,	12.20	29.72	754.8	ENE	2	o	4.20	29.72	754.8	NE	
Yap,	12.47	29.71	754.5	W	2	o	4.47	29.74	755.4	NW	4	o	
Labuan,	14	29.70	754.4	86	80	SW	2	b	6	29.82	757.4	78	86	SW	4	b	

July 17d, 16h, 50m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 137° E., moving N.

July 18d, 12h, 57m.—Pressure has increased considerably over the Loochoos moderately over S.W. Japan, Formosa and Indo-China and slightly over Kwangtung and Luzon. It has decreased slightly over the Visayas.

Both typhoons have filled up. Another may be forming to the east of the Visayas.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 30.45 inches, against an average of 45.73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH. DISTRICT.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- FORECAST.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	18TH JULY, 1923.							19TH JULY, 1923.								
	HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL		TEMP. ATMOS.	HUMID.	WIND.		HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL		TEMP. ATMOS.	HUMID.	WIND.			
		Inches.	Millrs.			Dir.	Int.		Inches.	Millrs.			Dir.	Force.		
Vladivostock, .	12	29.89	759.2	70	...	SE	2	0	6	29.84	757.8	66	...	SE	2	0
Nemuro, .	11	29.88	759.0	SSW	4	...	5	29.86	758.5	0	...
Hokodate, .	"	29.90	759.5	SSE	1	...	"	29.88	759.0
Tokio, .	"	29.90	759.5	N	1	...	"	29.88	759.0
Kochi, .	"	29.94	760.5	SE	1	...	"	29.92	760.0
Nagasaki, .	"	29.80	757.0	S	8	...	"	29.90	759.5	SW	4	...
Kagoshima, .	"	29.84	758.0	SSE	2	...	"	29.92	760.0
Osima, .	"	29.84	758.0	E	2	...	"	29.92	760.0
Naha, .	"	29.86	758.5	S	2	...	"	29.88	759.0
Ishigakijima, .	"	29.82	757.5	SSW	4	...	"	29.84	758.0	S	1	...
Bonin Island, .	"	30.00	762.0	ESE	2	...	"	29.98	761.5	ESE	1	...
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.74	755.4	82	74	SE	1	0	"	29.73	755.1	77	100	S	1	0
Gutzlaff, .	14	29.73	755.1	80	96	ESE	1	b	"	29.76	755.9	76	100	SSW	2	0
Sharp Peak, .	"	29.81	757.2	88	84	S	4	b	7	29.86	758.4	80	95	S	1	r
Amoy, .	14	29.68	753.9	88	73	SSW	1	b	6	29.75	755.6	82	83	...	0	o
Swatow, .	"	"
Taihoku, .	12	29.75	755.7	86	58	E	2	b	5	29.81	757.2	79	92	...	0	o
Taichu, .	"	29.75	755.7	86	...	W	2	b	"	29.80	756.9	75	0	b
Tainan, .	"	29.75	755.7	90	...	S	4	b	"	29.79	756.6	77	...	NE	2	b
Koskun, .	"	29.78	756.3	90	...	E	4	b	"	29.80	756.9	79	...	E	2	b
Pescadores, .	"	29.78	756.3	90	...	S	4	b	"	29.80	756.9	79	0	b
Canton, .	14	29.70	754.4	90	60	S	2	c	6	29.77	756.1	79	95	SSE	1	c
Hongkong, .	"	29.72	754.9	87	68	E	3	b	"	29.75	755.6	80	87	ESE	0	b
Gap Rock, .	"	29.74	755.4	ESE	3	cp	"	29.75	755.6	ESE	3	...
Macao, .	"	29.71	754.5	93	67	SE	2	b	"	29.72	754.8	81	84	E	2	b
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.66	753.3	86	68	S	4	o	7	29.73	755.1	77	91	ENE	4	o
Tourane, .	"	29.60	751.8	90	...	SE	4	b	"	29.67	753.6	75	...	WNW	2	o
Cape St. James, .	"	29.63	752.7	77	...	WSW	6	r	"	29.71	754.5	75	...	SW	6	o
Aparri, .	14	29.67	753.6	90	66	NE	4	o	6	29.72	754.8	77	94	...	0	r
Dagupan, .	"	"
Manila, .	"	29.66	753.3	86	68	W	2	o	"	29.63	752.7	75	94	NE	2	o
Legaspi, .	"	29.60	751.8	75	96	SW	4	o	"
Tacloban, .	"	"
Ililo, .	"	29.68	753.9	75	86	SW	6	o	"
Surigao, .	"	29.66	753.3	82	70	W	2	o	"	29.72	754.8	75	85	...	0	o
Guam, .	12.20	29.67	753.6	E	2	o	4.20	29.69	754.2	SE	4	r
Yap, .	12.47	29.71	754.5	N	4	o	4.47	29.73	755.1	WSW	4	o
Labuan, .	14	29.68	753.9	86	72	N	2	b	6	29.76	755.9	77	91	SW	4	b

July 18d. 19d. 20m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 126° E., moving W.N.W.

July 19d. 12h. 20m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 120° E., moving West.

July 19d. 12h. 26m.—Pressure has decreased moderately at Manila and slightly from Yap to Guam. It has increased slightly from S.W. Japan to Formosa and is nearly stationary elsewhere.

The typhoon has crossed the Visayas in the form of a shallow depression apparently. It will probably deepen in the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 30.47 inches, against an average of 46.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH. DISTRICT.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamocks, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- E. winds, moderate; generally fair, some showers.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	19TH JULY, 1923.							20TH JULY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		WEATHER.
		Inches.	Mills.			Direction.	Force.			Inches.	Mills.			Direction.	Force.	
Wladivostock, .	12	29.82	757.5	75	...	SE	3	o	6	29.95	760.7	62	...	SE	3	o
Nemuro, .	11	29.82	757.5	SE	1	...	5	29.90	759.5	NE	1	...
Hokodate, .	"	29.86	758.5	SW	1	...	"	29.88	759.0	0	...
Tokio, .	"	29.82	757.5	SSW	3	...	"	29.82	757.5	0	...
Kochi, .	"	29.92	760.0	SW	1	...	"	29.94	760.5	WSW	1	...
Nagasaki, .	"	29.90	759.5	SW	4	...	"	29.92	760.0	SSW	1	...
Kagoshima, .	"	29.94	760.5	ESE	1	...	"	29.94	760.5	N	1	...
Oshima, .	"	"	29.90	759.5	ESE	1	...
Naha, .	"	"	29.86	758.5	SE	1	...
Ishigakijima, .	"	"	29.82	757.5	S	2	...
Bonin Island, .	"	30.00	762.0	ESE	3	...	"	30.00	762.0	SE	2	...
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"	29.79	756.6	73	98	SW	2	...
Shanghai, .	11	29.75	755.7	86	71	SW	1	b	"	29.83	757.7	75	100	SW	4	...
Gutzlaff, .	14	29.78	756.4	82	100	SSW	2	b	"	29.82	757.2	80	87	W	1	0
Sharp Peak, .	"	29.81	757.2	90	77	NE	2	b	7	29.72	754.9	82	79	W	1	0
Anoy, .	14	29.72	754.9	88	73	...	0	o	6	29.72	754.9	82	79	W	1	0
Swatow, .	"	"
Taihoku, .	11	29.80	756.9	93	59	N	2	b	5	29.79	756.6	77	91	SSW	2	0
Taichu, .	"	29.80	756.9	90	...	NW	4	b	"	29.81	757.2	75	0	b
Tainan, .	"	29.78	756.3	90	...	N	4	b	"	29.78	756.3	77	0	b
Koshun, .	"	29.79	756.6	86	...	ENE	4	b	"	29.76	756.0	79	...	ENE	4	0
Pescadores, .	"	29.79	756.6	86	...	NW	4	o	"	29.78	756.3	79	0	b
Canton, .	14	29.72	754.9	90	73	SSE	2	o	6	29.76	755.9	79	87	ENE	1	c
Hongkong, .	"	29.74	755.4	84	78	E	4	o	"	29.74	755.4	82	84	E	4	0
Gap Rock, .	"	29.73	755.1	E	5	ort	"	29.71	754.6	E	5	0
Macao, .	"	"	29.71	754.5	82	81	ESE	4	...
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.71	754.5	86	68	ENE	4	b	7	29.71	754.5	81	86	NE	4	0
Tourane, .	"	29.68	753.9	77	...	NE	2	r	"	29.67	753.6	77	0	r
Cape St. James, .	"	29.67	753.6	75	...	SSW	6	o	"	29.72	754.8	73	...	SW	6	r
Aparri, .	14	29.68	753.9	86	61	E	4	o	6	29.73	755.1	0	b
Dagupan, .	"	"
Manila, .	"	29.66	753.3	86	71	SE	4	o	"	29.71	754.5	75	94	SE	1	r
Legaspi, .	"	"	29.74	755.4	75	96	...	0	b
Taoleban, .	"	"
Iloilo, .	"	29.73	755.1	81	76	S	4	o	"
Surigao, .	"	"
Guam, .	12.20	29.73	755.1	SSE	4	o	4.20
Yap, .	12.47	29.73	755.1	SSW	6	o	4.47	29.78	756.3	W	2	b
Labuan, .	14	29.70	754.4	84	79	SW	2	b	6	29.74	755.4	78	94	N	2	b

July 19d. 17h. 35m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 117° E., moving W.N.W.

July 20d. 12h. com.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 114° E., moving W.N.W.

July 20d. 12h. 00m.—Local signal No. 1 hoisted.

July 20d. 12h. 07m.—Pressure has increased moderately at Wladivostock and slightly from Shanghai to the Philippines and Yap. It has decreased slightly over N. Indo-China and is nearly stationary in other districts.

A shallow depression is shown over N.E. Japan.

The depression in the China Sea has probably developed into a typhoon. At 6 a.m. this morning it was a little to the south of the Maclesfields moving W.N.W. or N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 30.50 inches, against an average of 46.60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st. DISTRICT.

Forecast.

- 1.—Formosa Channel, Light variable winds, freshening from N.E.
- 2.—South coast of China between Hongkong and Lamock, } E. winds, strong, possibly increasing to a gale; cloudy,
- 3.—Hongkong to Gap Koch, rain later.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG. DAILY WEATHER REPORT.

STATION.	20TH JULY, 1923.							21ST JULY, 1923.											
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	Dir- ec- tion.	Force.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	Dir- ec- tion.	Force.	WEATHER.
	Inches.	Mills.	Inches.	Mills.						Inches.	Mills.	Inches.	Mills.						
Vladivostock, .	12	29.94	760.4	70	...	SE	4	o	6	29.86	758.3	63	...	SSE	2	f	
Nemuro, .	11	29.94	760.5	ESE	2	..	5	
Ilokodate, .	"	29.90	759.5	SE	2	..	"	
Tokio, .	"	29.88	759.0	SE	3	..	"	
Yochi, .	"	29.92	760.0	SE	1	..	"	
Nagasaki, .	"	20.92	760.0	SW	4	..	"	
Kagoshima, .	"	29.94	760.5	S	1	..	"	
Osshima, .	"	29.90	759.5	E	1	..	"	
Naha, .	"	29.88	759.0	E	2	..	"	
Ishigakijima, .	"	29.84	758.0	S	3	..	"	
Bonin Island, .	"	29.98	761.5	ESE	2	..	"	
Weibaiwei, .	14	6	
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	29.82	757.5	77	89	SW	2	r	"	29.79	756.6	73	98	
Gutzlaff, .	14	29.84	757.9	76	100	SW	2	r	"	29.83	757.7	76	100	SSE	2	o	
Sharp Peak, .	"	29.76	755.9	84	83	E	1	o	7	29.79	756.6	83	87	N	4	o	
Amoy, .	14	29.69	754.1	92	64	SSW	1	o	6	29.69	754.1	82	83	..	0	
Swatow, .	"	"	
Taihoku, .	11	29.79	756.6	90	63	NW	4	o	5	29.73	755.1	77	88	S	1	o	
Taichu, .	"	29.79	756.6	86	...	NW	4	o	"	29.74	755.4	77	0	b	
Tainan, .	"	29.78	756.3	86	...	W	2	o	"	29.71	754.5	79	..	NE	2	b	
Koshun, .	"	29.78	756.3	84	...	ENE	4	o	"	29.74	755.4	79	..	ENE	2	b	
Pescadores, .	"	29.81	757.2	86	...	NNW	4	b	"	29.74	755.4	79	..	NW	2	b	
Canton, .	14	29.67	753.6	94	...	ESE	2	c	6	
Hongkong, .	"	29.70	754.4	86	71	E	5	c	"	29.64	752.8	79	87	E	4	o	
Gap Rock, .	"	29.69	754.1	E	6	cp	"	29.60	751.8	E	7	c	
Macao, .	"	29.66	753.3	90	72	ESE	4	o	"	29.62	752.4	77	91	ENE	4	o	
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Pbulien, .	"	29.67	753.6	86	71	SE	2	o	7	29.66	753.3	79	90	NNE	2	bf	
Tourane, .	"	29.63	752.7	81	...	NW	4	o	"	29.63	752.7	79	..	W	2	o	
Cape St. James, .	"	29.69	754.2	75	...	SW	7	of	"	29.76	756.0	73	..	SW	10	o	
Aparri, .	14	29.67	753.6	90	60	NE	4	o	6	
Pagupan, .	"	"	
Manila, .	"	29.71	754.5	86	68	SE	1	o	"	29.75	755.7	75	96	SE	1	o	
Legaspi, .	"	29.73	755.1	86	65	S	4	o	"	29.71	754.5	77	88	S	2	o	
Facoban, .	"	"	
Doilo, .	"	29.73	755.1	84	71	S	6	o	"	29.78	756.3	79	89	SW	4	o	
Jingao, .	"	"	
iam, .	12.20	29.79	756.6	ESE	4	o	4.20	
Yap, .	12.47	29.78	756.3	WSW	2	o	4.47	29.82	757.5	W	2	o	
abuan, .	14	29.73	755.1	88	76	N	2	b	6	29.78	756.4	78	94	SE	1	b	

July 20h. 18d. 15m.—Warning to Hongkong, Coast Ports, &c.—Typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 112° E., moving W.N.W.

July 21d. 10h. 25m.—Warning to Hongkong, Coast Ports, &c.—Typhoon of unknown intensity within 60 miles of Lat. 18° N. Long. 113° E., moving N.N.W.

July 21d. 5h. 34m.—Local signal No. 4 hoisted.

July 21d. 11h. 47m.—Pressure has decreased moderately over Kwangtung and slightly over N. Indo-China and Formosa. It has increased slightly at Cape St. James, Labuan and Yap, and is nearly stationary over the Philippines.

At 6 a.m. this morning the typhoon was in about Lat. 18° N. and Long. 113° E., moving N.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1.35 inch. Total since January 1st, 31.85 inches, against an average of 47.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND. DISTRICT

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamocks, Cyclonic gales; overcast, rain.
- 3.—Hongkong to Gap Rock, Cyclonic gales; overcast, rain.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	21ST JULY, 1923.							22ND JULY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER. ATMOS.	HUMID.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER. ATMOS.	HUMID.	WIND.			
		Inches.	Millrs.			Direct. ion.	Force.		Inches.	Millrs.			Direct. ion.	Force.		
Vladivostock, .	12	29.81	757.1	71	...	S	3	0	6	29.73	755.1	68	...	S	2	0
Nemuro,	11	29.80	757.0	SSE	4	...	5
Hokodate,	"	29.80	757.0	SE	3	...	"
Tokio,	"	29.82	757.5	SSE	2	...	"
Kochi,	"	"
Nagasaki,	"	29.92	760.0	SE	1	...	"
Kagoshima,	"	29.94	760.5	S	1	...	"
Oshima,	"	29.90	759.5	ESE	2	...	"
Naha,	"	29.88	759.0	ESE	2	...	"
Ishigakijima,	"	29.80	757.0	SE	4	...	"
Bonin Island,	"	29.96	761.0	E	1	...	"
Weihaiwei,	14	6
Hankow,	15	5
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.84	757.8	90	66	SSW	1	b	"	29.73	755.2	75	96	ESE	2	b
Gutzlaff,	14	29.80	756.9	80	100	SSE	4	b	"	29.78	756.4	76	95	SSE	4	b
Sharp Peak,	"	29.79	756.6	88	84	ENE	4	b	7	29.73	755.1	81	87	N	1	b
Amoy,	14	29.66	753.3	88	76	SSW	1	o	6	29.59	751.6	83	83	ENE	1	o
Swatow,	"	"
Taihoku,	11	29.73	755.1	90	63	S	2	b	5
Taichu,	"	29.73	755.1	90	...	SW	2	o	"	29.73	755.1	73	0	b
Tainan,	"	29.73	755.1	86	...	WNW	4	o	"	29.67	753.6	75	2	o
Koshun,	"	29.75	755.7	90	...	ENE	4	b	"	29.69	754.2	75	...	E	2	o
Pescadores,	"	29.75	755.7	90	...	NW	2	b	"	29.67	753.6	81	...	ESE	2	b
Canton,	14	29.61	752.1	77	95	ENE	2	o	6
Hongkong,	"	29.56	750.8	81	83	E	5	"p	"	29.38	746.2	80	85	E	8	op
Gap Rock,	"	29.54	750.3	E	7	o	"	29.30	744.2	E	10	op
Macao,	"	29.56	750.8	81	84	ESE	4	o	"	29.36	745.8	79	92	ENE	4	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.60	751.8	90	60	W	1	o	7	29.53	750.0	81	97	WNW	1	bf
Tourane,	"	86	...	NW	4	o	"	29.69	754.2	79	...	WSW	0	o
Cape St. James, .	"	29.72	754.8	79	...	SW	10	r	"	29.75	755.7	75	...	SE	4	o
Aparri,	14	29.66	753.3	93	53	N	2	o	6	29.69	754.2	77	94	SW	1	o
Dagupan,	"	"
Manila,	"	29.71	754.5	86	68	WSW	6	o	"	29.74	755.4	79	89	SSE	2	o
Legaspi,	"	29.69	754.2	90	72	SW	4	o	"	29.74	755.4	79	89	SW	2	o
Tacloban,	"	"
Iloilo,	"	29.73	755.1	86	68	S	6	b	"
Surigao,	"	"
Guam,	12.20	29.78	756.3	ESE	2	o	4.20
Yap,	12.47	29.79	756.6	SSE	2	o	4.47	29.79	756.6	E	1	b
Labuan,	14	29.74	755.4	88	73	N	1	b	6	29.76	755.9	77	91	NW	4	b

July 21d. 17h. 45m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 19° N. Long. 113° E., moving North.

July 22d. 6h. 30m.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 21° N. Long. 113° E., moving N.

July 21d. 19h. 15m.—Local signal No. 6 hoisted.

July 22d. 11h. 50m.—Pressure has decreased considerably at Hongkong, moderately at Shanghai and Haiphong and slightly over Formosa. It is nearly stationary over the Philippines and Cochin China.

At 6 a.m. the typhoon was about 50 miles south of Gap Rock moving northward. It will probably pass between Macao and Hongkong tonight.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1.45 inch. Total since January 1st, 33.30 inches, against an average of 47.50 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.
DISTRICT.**

- | | |
|---|---------------------------------|
| 1.—Formosa Channel, | E. winds, moderate. |
| 2.—South coast of China between Hongkong and Lamocka, | Cyclonic gales; overcast, rain. |
| 3.—Hongkong to Gap Rock, | |
| 4.—South coast of China between Hongkong and Hainan, | |

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	22ND JULY, 1923.							23RD JULY, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.	WEATHER.	
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	
Vladivostock, .	12	SSE	2	...	6
Nemuro, .	11	29.63	752.5	0	...	5	29.65	753.0	0
Hokodate, .	"	29.72	755.0	SSW	1	...	"	29.69	754.0	SW	2
Iokio, .	"	29.82	757.5	ESE	1	...	"	29.84	758.0	NW	1
Kochi, .	"	29.92	760.0	SSE	1	...	"	29.94	760.5	SW	1
Nagasaki, .	"	29.88	759.0	S	1	...	"	29.82	757.5	S	2
Kagoshima, .	"	29.90	759.5	FSE	4	...	"	29.88	759.0	S	1
Usshima, .	"	29.82	757.5	SSE	3	...	"	29.86	758.5	SSE	1
Naha, .	"	29.76	756.0	SW	2	...	"	29.84	758.0	S	1
Ishigakijima, .	"	29.72	755.0	ESE	1	...	"
Bonin Island, .	"	30.02	762.5			30.00	762.0
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.74	755.4	86	68	SSE	2	b	"	29.65	753.1	75	98	SE	2
Gutzlaff, .	14	29.75	755.6	81	100	SE	4	b	"	29.69	754.1	77	100	S	4
Sharp Peak, .	"	29.79	756.6	90	77	E	1	b	7	29.80	756.9	81	98	S	1
Amoy, .	14	29.62	752.3	82	87	ESE	1	b	6	29.62	752.3	81	92	SSE	2
Swatow, .	"	"
Taiboku, .	11	29.68	753.9	93	53	NNW	2	b	5	29.73	755.1	75	96	E	10
Taichu, .	"	29.73	755.1	86	...	SSW	2	o	"	29.74	755.4	75	0
Tainan, .	"	29.72	754.8	86	...	S	4	o	"	29.71	754.5	79	...	SSE	4
Koshun, .	"	29.71	754.5	86	...	ESE	4	o	"	29.74	755.4	77	0
Pescadores, .	"	29.72	754.8	86	...	SE	4	o	"	29.69	754.2	81	...	SSE	6
Canton, .	14	6
Hongkong, .	"	29.31	744.5	79	82	E	10	org	"	29.45	748.0	78	86	SSE	9
Gap Rock, .	"	29.00	736.6	E	12	org	"	29.40	746.7	SSE	9
Macao, .	"	29.21	741.9	77	88	E	6	r	"
Wuchow, .	15	9
Pakhoi, .	"	"
Heihow, .	"	"
Phulien, .	"	29.45	747.9	97	60	SSW	1	b	7	29.43	747.6	82	87	WNW	4
Tourane, .	"	29.54	750.3	86	...	NNW	2	o	"	29.54	750.3	82	0
Cape St. James, .	"	29.71	754.5	82	...	ESE	4	o	"	29.78	756.3	77	...	SW	4
Aparri, .	14	29.67	753.6	86	71	NE	4	o	6	29.73	755.1	75	91	N	2
Dagupan, .	"	"
Manila, .	"	29.74	755.4	86	68	WSW	4	o	"	29.75	755.7	77	92	NE	1
Legaspi, .	"	29.69	754.2	90	72	WSW	4	o	"	29.71	754.5	81	92	WSW	4
Tacloban, .	"	"
Boilo, .	"	29.74	755.4	86	71	S	6	o	"	29.75	755.7	82	81	S	4
Surigao, .	"	"	29.74	755.4	WSW	2
Guam, .	12.20	29.78	756.3	ENE	2	o	4.20	29.80	756.9	ENE	1
Yap, .	12.47	29.79	756.6	SE	2	o	4.47	29.81	757.2	0
Labuan, .	14	29.73	755.1	88	73	N	2	b	6	29.76	755.9	77	91	N	1

July 23d. 7h. 10m.—Warning to Hongkong, Coast Ports, &c.—Typhoon of unknown intensity within 60 miles of Lat. 24° N. Long. 112° E., filling up.

July 23d. 6h. 50m.—Local signal No. 3 hoisted.

July 23d. 12h. 20m.—Pressure has decreased moderately at Shanghai and over N. Indo-China, and slightly over the Visayas. It has increased slightly over Formosa and considerably at Hongkong.

At 6 a.m. this morning the typhoon was in about Lat. 24° N. and Long. 112° E., filling up slowly. Hongkong was threatened with a wind of full typhoon force until 6 p.m. yesterday when the barometer began to rise, before the typhoon had reached our latitude; indicating that it began to fill up as the northern portion approached the land.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 2.43 inch. Total since January 1st, 35.73 inches, against an average of 47.95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.
DISTRICT.

- | | |
|--|---|
| 1.—Formosa Channel, . | S. winds, moderate. |
| 2.—South coast of China between Hongkong and Lamock, . | S. winds, strong, moderating; overcast, rain. |
| 3.—Hongkong to Gap Rock, . | S. winds, strong, moderating. |
| 4.—South coast of China between Hongkong and Hainan, . | S.W. winds, strong, moderating. |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	23RD JULY, 1923.							24TH JULY, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Millrs.			Direct. Ion.	Force.		Inches.	Millrs.			Direct. Ion.	Force.	
Wladivostock, .	12	29.58	751.4	75	...	SSE	2	0	6	29.60	751.8	70	...	SE	2
Nemuro,	11	29.59	751.5	SE	2	...	5	29.57	751.0	SE	1
Hokodate,	"	29.65	753.0	SW	5	...	"	29.63	752.5	S	1
Tokio,	"	29.82	757.5	SSE	1	...	"	29.73	755.0	S	4
Kochi,	"	29.90	759.5	SE	1	...	"	29.88	759.0	SW	6
Nagasaki,	"	29.82	757.5	SSW	6	...	"	29.88	759.0	SW	6
Kagoshima,	"	29.88	759.0	SSE	2	...	"	29.92	760.0	0
Oshima,	"	29.88	759.0	SE	3	...	"	29.92	760.0	0	0
Naha,	"	29.88	759.0	SSE	2	...	"	29.88	759.0	SSE	1
Ishigakijima,	"	SSW	1	...	"	29.82	757.5	SE	2
Bonin Island,	"	30.00	762.0	SSW	1	...	"	30.02	762.5
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.69	754.2	90	96	SW	2	b	"	29.73	755.1	79	98	S	2
Gutzlaff,	14	29.73	755.1	84	96	SSW	2	b	"	29.78	756.4	78	100	SSW	4
Sharp Peak,	"	29.77	756.1	84	83	NE	2	o	7	29.83	757.7	82	91	N	1
Amoy,	14	29.65	753.1	86	80	SSE	1	o	6	29.70	754.4	81	92	SE	1
Swatow,	"	"
Taihoku,	11	29.78	756.3	90	63	NW	2	b	5	29.80	756.9	75	94	SE	2
Taichu,	"	29.76	756.0	90	...	NNW	4	o	"	29.81	757.2	73	0
Tainan,	"	29.76	756.0	86	...	S	6	b	"	29.75	755.7	75	...	NE	2
Koshun,	"	29.80	756.9	90	...	SE	4	b	"	29.76	756.0	79	...	ENE	4
Pescadores,	"	29.75	755.7	86	...	SSE	6	o	"	29.76	756.0	81	...	S	4
Canton,	14	6
Hongkong,	"	29.55	750.5	84	80	SSE	4	oq	"	29.64	752.8	81	84	S	4
Gap Rock,	"	29.44	747.8	SSE	7	oq	"	29.62	752.3	SSE	6
Macao,	"	29.46	748.2	81	94	SSE	6	r	"	29.59	751.5	79	96	SSE	4
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.43	747.6	90	60	WSW	4	o	7	29.47	748.5	81	89	SW	4
Tourane,	"	29.55	750.6	90	o	o	"	29.61	752.1	82	...	SSW	4
Cape St. James,	"	29.75	755.7	81	...	SW	6	o	"	29.79	756.6	77	...	SW	4
Aparri,	14	29.72	754.8	90	63	NNE	4	o	6	29.72	754.8	81	87	NW	4
Dagupan,	"	"
Manila,	"	29.73	755.1	90	72	SW	4	o	"	29.72	754.8	77	89	N	1
Legaspi,	"	"	29.66	753.3	77	88	SSW	4
Tacloban,	"	29.69	754.2	84	62	WNW	4	o	"
Iloilo,	"	29.72	754.2	84	62	WNW	4	o	"	29.72	754.8	82	81	SW	6
Surigao,	"	"
Guam,	12.20	29.78	756.3	NE	2	o	4.20	29.80	756.9	SSE	1
Yap,	12.47	29.79	756.6	NNE	2	o	4.47	29.81	757.2	0
Labuan,	14	29.79	756.6	88	73	NW	2	b	6	29.80	756.9	81	87	N	4

July 24d. 11h. 50m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 126° E., moving W.N.W.

July 24d. 12h. 05m.—Pressure has decreased considerably over N. Japan, and slightly over the Philippines; it has increased considerably at Hongkong and slightly at other reporting stations. An anticyclone is situated in the Pacific to the east of the Bonins, a depression to the N.W. of Haiphong and a typhoon about 300 miles E.N.E. of Manila, moving W.N.W. or N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 3574 inches, against an average of 4840 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH. DISTRICT.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- S. winds, moderate; fair.

C. W. JEFFRIES,—Chief Assistant.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	24TH JULY, 1923.							25TH JULY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.		
Vladivostock, .	12	29.64	752.8	70	...	ESE	4	o	6	29.87	758.6	64	...	SSE	2	o
Nemuro, .	11	29.59	751.5	SE	2	...	5	29.76	756.0	NNE	2	...
Jokodate, .	"	29.61	752.0	SSE	1	...	"	29.67	753.5	SE	1	...
Fukio, .	"	29.74	755.5	SSE	3	...	"	29.76	756.0	SSW	1	...
Iochi, .	"	29.92	760.0	SE	1	...	"	29.96	761.0	SW	1	...
Nagasaki, .	"	29.92	760.0	SW	4	...	"	30.00	762.0	S	1	...
Takoshima, .	"	29.94	760.5	WSW	1	...	"	30.00	762.0	NW	1	...
Osshima, .	"	29.94	760.5	SE	2	...	"	29.96	761.0	ESE	1	...
Naha, .	"	29.92	760.0	SE	3	...	"	29.90	759.5	SE	1	...
Ishigakijima, .	"	29.84	758.0	ESE	5	...	"	29.78	756.5	ESE	6	...
Bonin Island, .	"	30.04	763.0	SW	1	...	"	30.04	763.0
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.78	756.3	90	60	SSW	4	b	"	29.82	757.5	77	88	SSE	2	b
Gutzlaff, .	14	29.80	756.9	82	100	S	4	b	"	29.88	758.9	77	100	S	4	b
Sharp Peak, .	"	29.83	757.7	88	75	E	1	o	7	29.82	757.4	81	91	NE	6	o
Anoy, .	14	29.73	755.1	88	76	SSW	2	o	6	29.66	753.3	80	82	NNW	1	b
Swatow, .	"	"
Taihoku, .	11	29.78	56.3	90	60	E	2	b	5	29.75	755.7	81	80	E	4	o
Taichu, .	"	29.78	756.3	90	...	NNW	4	b	"	29.66	753.3	73	0	b
Tainan, .	"	29.78	56.3	90	...	N	4	b	"	29.66	753.3	77	...	NE	2	b
Koshun, .	"	29.79	756.6	86	...	ENE	4	b	"	29.63	752.7	79	...	NE	6	o
Pescadores, .	"	29.79	756.6	90	...	NNE	4	b	"	29.66	753.3	81	...	N	2	o
Canton, .	14	6	29.70	754.4	77	95	E	1	c
Hongkong, .	"	29.68	753.9	84	79	SE	3	o	"	29.69	754.1	79	90	E	1	c
Gap Rock, .	"	29.68	753.9	SSE	5	o	"	29.69	754.1	SE	4	c
Macao, .	"	29.63	752.7	84	90	SSE	4	o	"	29.66	753.3	77	96	SE	4	o
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.50	749.4	81	89	ESE	4	o	7	29.54	750.3	79	92	SSW	4	r
Touraue, .	"	29.59	751.5	90	...	SSW	2	o	"	29.62	752.4	81	...	SW	2	o
Cape St. James, .	"	29.73	755.1	82	...	SW	6	o	"	29.78	756.3	77	...	SW	6	o
Aparri, .	14	29.58	751.2	82	87	NW	6	r	6	
Bagupan, .	"	"	
Manila, .	"	29.67	753.6	81	80	WNW	4	r	"	29.62	752.4	77	92	WSW	6	r
Legaspi, .	"	29.60	751.8	82	84	WNW	4	o	"	29.67	753.6	81	84	SW	4	o
Tacloban, .	"	"	
Illoilo, .	"	29.68	753.9	86	71	S	6	o	"	29.73	755.1	82	81	S	6	o
Surigao, .	"	"	
Guaim, .	12.20	29.74	755.4	NE	4	o	4.20	
Yap, .	12.47	29.75	756.0	E	4	o	4.47	29.80	756.9	WNW	1	o
Lubuan, .	14	29.78	756.4	88	73	NE	1	b	6	29.76	755.9	80	87	N	2	b

July 24d. 16h. 05m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 124° E., moving W.N.W.

July 25h. 10d. 50m.—Warning to Hongkong, Coast Ports, &c.—Typhoon of unknown intensity within 60 miles of Lat. 19° N. Long. 122° E., moving W.N.W.

July 25d. 10h. 58m.—Pressure has increased considerably at Vladivostock and slightly from Shanghai to S.W. Japan. It has decreased considerably from S. Formosa to N. Luzon and is nearly stationary from Hongkong to Indo-China.

Depressions are shown over Hokkaido and over S.W. China.

At 6 a.m. this morning the typhoon was in about Lat. 19° N. and Long. 122° E., moving W.N.W. or N.W.

Hongkong rainfall for the 24 hours ending at 18 hours to-day, 0.00 inch. Total since January 1st, 35.74 inches, against an average of 48.55 inches.

FORECAST FOR THE 24 HOURS ENDING AT 18 HOURS ON THE 26TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, increasing to a gale.
- 2.—South coast of China between Hongkong and Lamock, } E. winds, freshening; fine at first, cloudy and rainy later.
- 3.—Hongkong to Gap Rock, S.E. or variable winds, moderate to light.
- 4.—South coast of China between Hongkong and Hainan, .

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	25TH JULY, 1923.							26TH JULY, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Milles.			Dir- ec- tion.	Force.		Dir- ec- tion.	Force.			Dir- ec- tion.	Force.	
Wladivostock,	12	29.89	759.3	69	...	SE	4	0	6	29.86	758.5	67	...	SE	4
Nemuro,	11	29.80	757.0	NE	2	...	5	29.92	760.0	SE	1
Hokodate,	"	29.72	755.0	SE	3	...	"	29.92	760.0	W	1
Tokio,	"	29.78	756.5	NNW	2	...	"	30.00	762.0	SSE	1
Kochi,	"	29.96	761.0	S	1	...	"	30.00	762.0	0
Nagasaki,	"	30.02	762.5	SW	3	...	"	30.02	762.5	0
Kagoshima,	"	30.02	762.5	ESE	1	...	"	30.04	763.0	NW	1
Oshima,	"	29.98	763.5	ESE	2	...	"	29.98	761.5
Naha,	"	"	29.94	760.5	SSE	1
Ishigakijima,	"	29.82	757.5	ESE	7	...	"	29.80	757.0	SSE	6
Bonin Island,	"	30.02	762.5	E	1	...	"	30.02	762.5	ENE	1
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	13	29.86	758.4	90	66	S	4	b	"	29.85	758.1	77	94	SSE	2
Gutzlaff,	14	29.91	759.7	82	100	SSE	2	b	"	29.88	758.9	78	100	SSE	6
Sharp Peak,	"	29.78	756.4	86	84	NNE	4	o	7	29.71	754.6	82	87	NNE	6
Amoy,	14	29.56	750.8	94	55	NNE	4	b	6	29.48	748.8	83	71	NE	1
Swatow,	"	"
Taihoku,	11	29.73	755.1	68	51	SE	6	r	5	29.66	753.3	81	66	SE	6
Taichu,	"	29.65	753.0	90	...	NNW	4	b	"	29.59	751.5	77	0
Tainan,	"	29.61	752.1	86	...	W	4	o	"	29.56	750.9	79	0
Koshun,	"	29.61	752.1	79	...	NNE	7	r	"	29.58	751.2	79	...	E	6
Pescadores,	"	29.63	752.7	86	...	NNW	2	b	"	29.55	750.6	79	...	W	2
Canton,	14	29.66	753.3	89	66	S	2	b	6	29.57	751.1	79	91	WNW	2
Hongkong,	"	29.67	753.6	87	69	E	2	c	"	29.54	750.3	80	82	W	2
Gap Rock,	"	29.68	753.9	SE	3	b	"	29.55	750.5	WNW	4
Macao,	"	29.66	753.3	86	75	SE	2	b	"	29.54	750.3	79	84	NNW	0
Wuchow,	15	"
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.61	752.1	82	81	NNW	1	r	7	29.53	750.0	82	87	SE	4
Tourane,	"	29.60	751.8	90	...	E	2	o	"	29.60	751.8	81	...	SW	2
Cape St. James,	"	"	29.75	755.7	77	...	SW	6
Aparri,	14	6
Dagupan,	"	"
Manila,	"	29.65	753.0	77	88	SSW	"	29.68	753.9	73	96	SE	2
Legaspi,	"	29.69	754.2	84	81	SSW	4	r	"	29.78	756.3	73	96	WSW	1
Tacloban,	"	29.73	755.1	86	71	SE	2	o	"	0
Iloilo,	"	29.72	754.8	84	74	S	6	o	"	29.76	756.0	75	89	SE	4
Surigao,	"	"	29.78	756.3	75	94	SW	0
Guam,	12.20	29.75	755.7	NNE	2	o	4.20	29.74	755.4	ENE	1
Yap,	12.47	29.75	755.7	NE	2	o	4.47	29.75	755.7	NNE	1
Labuan,	14	29.79	756.6	86	72	NW	4	b	6	29.78	756.4	78	91	SW	2

July 26h. 12d. 30m.—Warning to Hongkong, Coast Ports, &c.—Typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 118° E., moving W.N.W.

July 26d. 9h. 30m.—Local signal No. 1 hoisted.

July 26d. 12h. 35m.—Pressure has decreased moderately from Formosa to Tongking and slightly at Guam and Yap. It has increased slightly over the Philippines.

A feeble anticyclone is central between the Bonins and Japan.

At 6 a.m. this morning, the typhoon, which seems to be of small diameter, was in about Lat. 20° N. and Long. 118° E., moving W.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 35.7+ inches, against an average of 49.30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH. DISTRICT.

- 1.—Formosa Channel,
 - 2.—South coast of China, between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- E. winds, strong.
Moderate northerly winds at first; cyclonic gales with rain later.
Light, variable winds, freshening from N.W. later.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	26TH JULY, 1923.							27TH JULY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	Humid.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	Humid.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Direction.	Force.			Direction.	Force.		
Vladivostock, .	12	29.83	757.8	72	...	SE	4	f	6	29.70	754.3	70	...	SE	3	f
Nemuro, .	11	29.88	759.0	SE	2	...	5
Hokodate, .	"	29.94	760.5	WSW	1	...	"
Tokio, .	"	29.98	761.5	S	2	...	"
Kochi, .	"	30.04	763.0	SE	1	...	"
Nagasaki, .	"	30.04	763.0	W	2	...	"
Kagoshima, .	"	30.04	763.0	SE	1	...	"
Oshima, .	"	29.98	761.5	FSE	3	...	"
Naha, .	"	29.94	760.5	ESE	3	...	"
Ishigakijima, .	"	29.84	750.0	SSE	6	...	"
Bonin Island, .	"	30.00	762.0	ENE	1	...	"
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.86	758.4	90	66	SSE	4	b	"	29.82	757.4	79	92	SE	2	b
Gutzlaff, .	14	29.88	758.9	81	96	FSE	6	b	"	29.87	758.7	77	100	SSE	4	b
Sharp Peak, .	"	29.70	754.4	84	87	NNE	4	o	7	29.77	756.1	81	87	W	1	o
Amoy, .	15	29.52	749.8	92	64	SSW	2	o	9	29.61	752.1	82	79	SE	4	o
Swatow, .	"	"
Taihoku, .	11	29.68	753.9	86	61	SE	7	o	5	29.74	755.4	77	88	NW	2	b
Taichu, .	"	29.60	751.8	84	...	0	o	...	"	29.73	755.1	75	0	o
Tainan, .	"	29.60	751.8	82	...	SW	2	r	"	29.68	753.9	79	...	SSE	4	o
Koshun, .	"	29.63	752.7	81	...	E	4	o	"	29.75	755.7	81	...	SE	4	o
Pescadores, .	"	29.61	752.1	84	...	SSW	4	o	"	29.67	753.6	82	...	SSE	7	o
Canton, .	14	6
Hongkong, .	"	29.51	749.5	86	77	W	2	cm	"	29.07	738.4	78	80	NNW	8	o:q
Gap Rock, .	"	29.53	750.0	NNW	4	o	"	29.13	739.9	NNW	12	o:q
Macau, .	"	29.50	749.4	90	82	...	2	o	"	29.22	742.2	81	76	NNW	6	o
Wuchow, .	15	9
Pakhoi, .	"	"
Heihow, .	"	"
Phulien, .	"	29.53	750.0	84	77	S	1	o	7	29.54	750.3	79	93	NE	4	o
Tourane, .	"	29.56	750.9	86	...	SW	2	o	"	29.58	751.2	82	...	WNW	2	o
Cape St. James, .	"	29.72	754.8	79	...	SW	4	r	"	29.76	756.0	73	...	WSW	6	r
Aparri, .	14	6
Dagupan, .	"	"
Manila, .	"	29.71	754.5	81	89	ESE	2	o	"	29.79	756.6	75	94	E	1	o
Legaspi, .	"	29.75	755.7	86	65	SW	4	o	"	29.80	756.9	75	96	...	0	o
Tacloban, .	"	29.76	756.0	90	69	ESE	2	o	"
Uloilo, .	"	29.74	755.4	86	71	SW	6	o	"
Surigao, .	"	29.74	755.4	86	71	WNW	2	b	"
Guam, .	12.20	29.71	754.5	E	2	o	4.20	29.71	754.5	S	1	o
Yap, .	12.47	29.73	755.1	ESE	2	o	4.47	29.75	755.7	o	0	o
Labuan, .	14	29.76	755.9	88	69	N	2	b	6	29.80	756.9	78	91	S	2	b

July 26d. 17h. 35m.—Warning to Hongkong, Coast Ports, &c.—Typhoon of unknown intensity within 120 miles of Lat. 21° N. Long. 117° E., moving W.N.W.

July 26d. 13h. 10m.—Local signal No. 2 hoisted.

July 27d. 1h. 20m.—" " 6 lighted.

July 27d. 10h. 35m.—Pressure has decreased very considerably in the neighbourhood of Hongkong and slightly over N. Indo-China. It has increased moderately over Formosa and slightly over the Philippines.

At 10 a.m. this morning the typhoon was about 10 miles to the N.E. of Waglan, moving W.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1.21 inch. Total since January 1st, 36.95 inches, against an average of 49.75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

DISTRICT.

FORECAST.

1.—Formosa Channel, S.E. winds, strong, moderating later.

2.—South coast of China between Hongkong and Lamocka, } Cyclonic gales, moderating later; overcast, rain.

3.—Hongkong to Gap Rock, }

4.—South coast of China between Hongkong and Hainan, . }

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	27TH JULY, 1923.								28TH JULY, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direct- ion.	Force.			Inches.	Millrs.			Direct- ion.	Force.	
Wladivostock,	12	29.64	752.8	79	...	S	4	o	6	29.56	750.9	70	...	SE	4	f
Nemuro,.....	11	29.76	756.0	SSW	4	...	5
Hokodate,.....	"	29.80	757.0	SSW	4	...	"
Tokio,.....	"	29.92	760.0	SSE	2	...	"
Kochi,.....	"	30.12	765.0	SE	1	...	"
Nagasaki,.....	"	30.04	763.0	ENE	1	...	"
Kagoshima,.....	"	30.02	762.5	SSE	1	...	"
Oshima,.....	"	30.00	762.0	SE	1	...	"
Naha,.....	"	29.96	761.0	E	2	...	"
Ishigakijima,.....	"	29.90	759.5	SSE	5	...	"
Bonin Island,.....	"	29.98	761.5	NE	1	...	"
Weihaiwei,.....	14	6
Hankow,.....	15	"
Ichang,.....	"	"
Changsha,.....	"	"
Shanghai,.....	11	29.86	758.4	90	66	SSE	4	b	"	29.84	757.8	79	85	SSE	4	b
Gutziaff,.....	14	29.86	758.4	80	100	SSE	6	b	"	29.88	758.9	78	95	SSE	4	0
Sharp Peak,.....	"	29.81	757.2	90	81	SE	2	b	7	29.65	758.2	82	87	SE	2	0
Amoy,.....	14	29.68	753.9	76	95	ESE	6	r	6	29.72	754.9	78	82	SE	6	0
Swatow,.....	"	"
Taihoku,.....	11	29.78	756.3	93	59	S	2	b	5	29.86	758.4	75	96	...	0	b
Taichu,.....	"	29.76	756.0	90	...	N	2	o	"	29.84	757.8	70	0	0
Tainan,.....	"	29.76	756.0	86	...	S	4	o	"	29.80	756.9	77	...	ESE	2	0
Kosbun,.....	"	29.82	757.5	86	...	ENE	4	o	"	29.84	757.8	77	...	E	2	0
Pescadores,.....	"	29.78	756.3	86	...	SE	6	o	"	29.80	756.9	81	...	SSE	4	0
Canton,.....	14	6
Hongkong,.....	"	29.18	741.2	77	95	SW	8	org	"	29.60	756.8	79	89	SSE	5	org
Gap Rock,.....	"	29.28	743.7	SW	9	org	"	29.58	751.3	S	8	org
Macao,.....	"	29.18	741.3	75	98	WNW	7	r	"	29.52	749.7	75	98	SSE	6	r
Wuchow,.....	15	"
Pakhoi,.....	"	"
Hoihow,.....	"	"
Phulien,.....	"	29.48	748.8	90	60	W	2	b	7	29.49	749.1	79	95	SSW	1	0
Tourane,.....	"	29.55	750.6	90	0	o	"	29.62	752.4	79	0	0
Cape St. James,.....	"	29.74	755.4	77	...	SW	6	o	"	29.79	756.6	72	...	SW	7	r
Aparri,.....	14	6
Dagupan,.....	"	"
Manila,.....	"	29.78	756.3	86	71	SW	2	o	"	29.82	757.5	73	98	E	1	0
Legaspi,.....	"	"	29.80	756.9	75	96	...	0	0
Tacloban,.....	"	29.75	755.7	86	65	WNW	2	o	"
Illoilo,.....	"	"
Surigao,.....	"	29.75	755.7	86	65	...	0	o	"
Guam,.....	12.20	29.73	755.1	NE	1	r	4.20	29.73	755.1	SE	2	r
Yap,.....	12.47	29.74	755.4	W	2	b	4.47	29.74	755.4	S	2	b
Labuan,.....	14	29.80	756.9	86	79	N	2	b	6	29.80	756.9	83	95	N	2	b

July 28d. 5h. 50m.—Local signal No. 3 lowered.

July 28d. 11h. 33m.—Pressure has increased considerably in the neighbourhood of Hongkong, moderately over Formosa and slightly at Tourane. It has decreased slightly from Borneo to Guam.

The typhoon is filling up to the N.W. of Wuchow.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 5.42 inch. Total since January 1st, 42.57 inches, against an average of 50.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.
 DISTRICT. FORECAST.

- | | |
|--|--|
| 1.—Formosa Channel, | S. winds, moderate. |
| 2.—South coast of China between Hongkong and Lamock, | S. winds, strong, moderating; overcast with rain at first, |
| 3.—Hongkong to Gap Rock, | improving later. |
| 4.—South coast of China between Hongkong and Hainan, | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	28TH JULY, 1923.								29TH JULY, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		THINP. ATMOS.	HUMIDT.	WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		THINP. ATMOS.	HUMIDT.	WIND.		
	Inches.	Millrs.	Direct. ion.	Force.			Inches.	Millrs.			Direct. ion.	Force.			Direct. ion.	Force.	
Vladivostock, .	12	29.55	750.6	70	ESE	5	0	6	29.59	751.5	73	...	SSE	4	0
Nemuro,	11	29.74	755.5	ESE	1	...	5	29.59	751.5	WSW	1	...
Hokodate,	"	29.69	754.0	SSW	4	...	"	29.65	753.0	SSW	1	...
Fukio,	"	29.82	757.5	S	2	...	"	29.80	757.0	0	...
Kochi,	"	29.92	760.0	SE	1	...	"	29.88	759.0
Nagasaki,	"	29.98	761.5	W	3	...	"	29.96	761.0	SW	1	...
Kagoshima,	"	29.98	761.5	W	1	...	"	29.96	761.0	NW	1	...
Oshima,	"	29.94	760.5	0	"	29.94	760.5	0	...
Naha,	"	29.94	760.5	ENE	2	...	"	29.92	760.0	0	...
Ishigakijima,	"	29.90	759.5	SSE	2	...	"	29.88	759.0	ESE	1	...
Bonin Island,	"	29.96	761.0	NNE	1	...	"	29.92	760.0	N	1	...
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.85	758.1	90	66	S	4	b	...	29.85	758.1	77	94	S	1	b	
Gutzlaff,	14	29.87	758.7	78	100	S	4	b	...	29.89	759.2	77	100	S	4	b	
Sharp Peak,	"	29.86	758.4	90	81	SSE	2	b	...	29.90	759.4	81	87	...	0	b	
Amoy,	14	29.77	756.1	84	83	SSE	4	o	6	29.84	757.9	80	92	ESE	1	o	
Swatow,	"	"
Taihoku,	11	29.84	757.8	93	57	E	4	o	5	29.85	758.1	73	100	SE	1	b	
Taichu,	"	29.85	758.1	90	0	o	...	29.88	759.0	73	0	o	
Tainan,	"	29.85	758.1	86	...	SSW	4	o	...	29.84	757.8	75	...	N	2	b	
Koshin,	"	29.88	759.0	86	...	ENE	4	o	...	29.86	758.4	75	0	b	
Pescadores,	"	29.87	758.7	86	...	SSE	6	o	...	29.85	758.1	77	0	b	
Canton,	14	6	
Hongkong,	"	29.68	753.9	76	91	S	4	org	...	29.71	754.6	79	89	SSE	4	o	
Gap Rock,	"	29.66	753.3	S	6	org	...	29.69	754.1	SE	5	o	
Macao,	"	29.61	752.1	77	96	S	6	r	...	29.65	753.0	79	92	SE	4	o	
Wuchow,	15	9	
Pakhoi,	"	
Hoihow,	"	
Phulien,	"	29.47	748.5	90	60	SSE	4	b	7	29.49	749.1	81	89	S	4	o	
Tourane,	"	29.62	752.4	82	...	SSW	2	o	...	29.67	753.6	77	0	o	
Cape St. James,	"	29.78	756.3	81	...	SW	2	o	...	29.82	757.5	75	2	o	
Aparri,	14	29.76	756.0	86	75	N	4	o	6	29.82	757.5	75	96	...	0	o	
Dagupan,	"	
Manila,	"	29.79	756.6	86	68	WSW	4	o	...	29.80	756.9	73	94	ENE	1	o	
Legaspi,	"	29.78	756.3	86	75	SSE	2	o	...	29.79	756.6	73	96	NW	1	o	
Tacloban,	"	29.74	755.4	82	77	SW	2	o	
Ililo,	"	29.78	756.3	75	98	...	0	o	...	29.80	756.9	75	92	N	2	o	
Surigao,	"	
Guam,	12.20	29.72	754.8	W	2	r	4.20	29.72	754.8	SE	1	o	
Yap,	12.47	29.73	755.1	SW	4	o	4.47	29.74	755.4	W	1	o	
Lanhan,	14	29.79	756.6	88	73	NW	2	b	6	29.81	757.2	78	91	NW	2	b	

July 29d. 11h. 45m.—Pressure has increased slightly from Hongkong to N. Formosa and Shanghai. It has decreased slightly from the Philippines to Yap and Guam and over Japan.

A feeble anticyclone is central between the Bonins and the Loochoos.

The typhoon is still shown as a shallow depression over S.W. China.

A typhoon may be forming to the north of Yap.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1.12 inch. Total since January 1st, 43.49 inches, against an average of 50.65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- S.E. winds, moderate; overcast, occasional rain.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	29TH JULY, 1923.								30TH JULY, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direct- ion.	Force.			Inches.	Millrs.			Direct- ion.	Force.	
Wladivostock, .	12	29.53	749.9	86	...	SW	5	o	6	29.63	752.6	71	...	WSW	2	o
Nemuro, .	11	29.57	751.0	E	1	...	5	29.59	751.5	SSW	1	..
Hokodate, .	"	29.65	753.0	SSE	2	...	"	29.71	754.5	N	1	..
Tokio, .	"	29.74	755.5	SSE	2	...	"	29.78	756.5	N	1	..
Kochi, .	"	29.84	758.0	0	...	"	29.86	758.5	0	..
Nagasaki, .	"	29.96	761.0	WSW	3	...	"	29.94	760.5	0	..
Kagoshima, .	"	29.94	760.5	W	2	...	"	29.92	760.0	NNW	1	..
Oshima, .	"	29.92	760.0	NNE	1	...	"	29.92	760.0	S	1	..
Naha, .	"	29.92	760.0	ESE	2	...	"	29.86	758.5	0	..
Ishigakijima, .	"	29.90	759.5	SE	3	...	"	29.86	758.5	ENE	1	..
Bonin Island, .	"	29.90	759.5	N	1	...	"	29.90	759.5	0	..
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.87	758.7	90	60	SSW	1	b	"	29.84	757.8	75	86	S	1	b
Gutzlaff, .	14	29.87	758.7	80	100	S	4	b	"	29.88	758.9	76	100	S	4	b
Sharp Peak, .	"	29.90	759.4	88	80	ENE	4	b	7	29.89	759.2	81	91	W	2	b
Amoy, .	14	86	80	SSE	1	o	6	29.80	756.9	80	92	...	0	o
Swatow, .	"	"
Taihoku, .	11	29.85	758.1	90	57	NNE	2	b	5	29.85	758.1	73	92	SSE	2	b
Taichu, .	"	29.87	758.7	86	...	NNW	2	b	"	29.86	758.4	73	0	b
Tainan, .	"	29.84	757.8	90	...	NNE	4	b	"	29.79	756.6	75	...	NNW	4	b
Koshun, .	"	29.86	758.4	86	...	ENE	4	b	"	29.80	756.9	75	0	b
Pescadores, .	"	29.87	758.7	86	...	NNW	4	b	"	29.82	757.5	79	...	N	2	b
Canton, .	14	6
Hongkong, .	"	29.75	755.6	79	82	SE	3	od	"	29.73	755.1	79	88	SE	4	o
Gap Rock, .	"	29.72	754.9	ESE	5	ogp	"	29.72	754.9	ESE	5	cp
Macao, .	"	29.69	754.2	79	90	ESE	4	r	"	29.69	754.2	77	96	ESE	4	o
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.48	748.8	90	63	SSW	1	o	7	29.54	750.3	75	98	ENE	4	rf
Tourane, .	"	29.65	753.0	86	...	W	2	o	"	29.65	753.0	75	...	SSW	4	o
Cape St. James, .	"	29.80	756.9	73	...	SW	6	r	"	29.81	757.2	75	...	SW	4	o
Aparri, .	14	29.78	756.3	86	68	NNE	4	o	6
Dagupan, .	"	"
Manila, .	"	29.79	756.6	81	80	NE	2	o	"	29.78	756.3	72	96	NE	1	o
Legaspi, .	"	29.74	755.4	86	61	SSE	2	o	"	29.73	755.1	75	94	...	0	o
Tacloban, .	"	"
Iloilo, .	"	29.75	755.7	82	74	W	4	o	"	29.76	756.0	73	96	N	1	o
Surigao, .	"	"
Guam, .	12.20	29.71	754.5	SE	2	o	4.20
Yap, .	12.47	29.71	754.5	WSW	4	o	4.47	29.73	755.1	WSW	2	o
Labuan, .	14	29.83	757.7	84	79	N	1	b	6	29.81	757.2	77	94	N	2	b

July 30th, 11d. 30m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon in Lat. 14° N. Long. 132° E., position uncertain, direction unknown.

July 30th, 12h. 12m.—Pressure has increased moderately at Wladivostock and slightly over N.E. Japan and over Tongking. It has decreased slightly from S. Formosa to the Visayas and over Cochin China.

The anticyclone has weakened slightly. The depression over S.W. China is farther south this morning.

There are indications of a typhoon about 600 miles to the East of Manila. Its direction of motion is unknown at present.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1.05 inch. Total since January 1st, 44.54 inches, against an average of 51.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31ST.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, Light, variable winds.
- 2.—South coast of China between Hongkong and Lamock, } S.E. winds, moderate; overcast, occasional rain.
- 3.—Hongkong to Gap Rock, }
- 4.—South coast of China between Hongkong and Hainan, .. }

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	30TH JULY, 1923.							31ST JULY, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.	
Vladivostock, .	12	29.60	751.9	83	...	E	2	0	6	29.68	753.8	64	...	N	4	C
Nemuro, .	11	SW	5	...	5	29.61	752.0	SW	1	+
Hokodate, .	"	29.67	753.5	SE	2	...	"	29.59	751.5	SSW	1	
Tokio, .	"	29.74	755.5	SE	3	...	"	29.75	755.5	0	
Kochi, .	"	29.82	757.5	W	4	...	"	29.82	757.5	SW	1	
Nagasaki, .	"	29.90	759.5	NW	1	...	"	29.86	758.5	
Kagoshima, .	"	29.88	759.0	NNE	1	...	"	29.86	758.5	NW	1	
Oshima, .	"	29.90	759.5	ENE	2	...	"	29.86	758.5	0	
Naha, .	"	29.88	759.0	ESE	2	...	"	29.84	758.0	0	
Ishigakijima, .	"	29.84	758.0	NNW	1	...	"	0	
Bonin Island, .	"	29.90	759.5	"	29.88	759.0	
Weihaiwei, .	14	6	
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	29.85	758.2	90	57	S	2	b	"	29.76	755.9	77	96	SSE	1	b
Gutzlaff, .	14	29.85	758.2	82	96	SSE	2	b	"	29.80	756.9	77	95	SSW	4	b
Sharp Peak, .	"	29.97	761.2	88	80	E	2	b	7	29.91	759.7	81	87	N	1	b
Amoy, .	15	29.76	755.9	86	76	SSW	1	b	9	29.75	755.6	80	87	WNW	1	b
Swatow, .	"	"	
Taihoku, .	11	29.81	757.2	93	57	E	4	b	5	29.80	756.9	75	89	SE	2	b
Taichu, .	"	29.82	757.5	86	...	NNW	2	b	"	29.80	756.9	75	0	o
Tainan, .	"	29.82	757.5	86	...	NE	4	o	"	29.75	755.7	75	...	NE	2	o
Koshun, .	"	29.82	757.5	86	...	ENE	4	o	"	29.76	756.0	75	0	o
Pescadores, .	"	29.88	759.0	86	...	N	4	b	"	29.78	756.3	79	...	NNW	2	o
Canton, .	14	6	
Hongkong, .	"	29.76	755.9	79	87	E	3	o	"	29.74	755.4	79	91	E	3	o
Gap Rock, .	"	29.74	755.4	ESE	4	o	"	29.72	754.9	SSE	5	o
Macao, .	"	29.68	753.9	77	94	SE	4	r	"	29.71	754.5	77	96	ESE	4	o
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.53	750.0	81	90	SSW	2	r	7	29.52	749.7	73	100	WSW	4	rf
Tourane, .	"	29.65	753.0	84	...	SSW	4	o	"	29.65	753.0	79	0	o
Cape St. James, .	"	29.78	756.3	81	...	SW	4	o	"	29.81	757.2	77	...	SW	4	o
Aparri, .	14	29.74	755.4	86	65	NE	4	o	6	29.72	754.8	73	96	...	0	o
Dagupan, .	"	"	
Manila, .	"	29.73	755.1	84	71	SW	2	o	"	29.71	754.5	75	92	NNE	2	o
Legaspi, .	"	29.67	753.6	86	68	SSE	2	o	"	29.67	753.6	77	91	NNW	2	o
Taloban, .	"	"	
Ililo, .	"	29.71	754.5	86	65	W	4	o	"	29.71	754.5	75	96	...	0	o
Surigao, .	"	29.68	753.9	82	77	W	4	o	"	29.68	753.9	81	90	W	4	o
Juan, .	12.20	29.71	754.5	SSE	2	o	4.20	29.74	755.4	S	1	o
Yap, .	12.47	29.68	753.9	WSW	4	o	4.47	29.71	754.5	WSW	4	o
Labuan, .	14	29.78	756.4	88	69	N	1	b	6	29.78	756.4	76	94	S	2	r

July 31st. 12d. 55m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of in Lat. 14° N. Long. 129° E., moving West.

July 31d. 12h. 56m.—Pressure has increased slightly at Vladivostock and over N. Formosa. It has decreased slightly to moderately at the majority of other reporting stations.

The anticyclone has again weakened slightly. The depression over S.W. China is farther North this morning.

At 6 a.m. this morning the typhoon appeared to be about 500 miles to the East of Manila, moving West.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.69 inch. Total since January 1st, 45.23 inches, against an average of 51.56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1ST.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N. winds, moderate.
- 2.—South coast of China between Hongkong and Lamock, E. winds, moderate; fair.
- 3.—Hongkong to Gap Rock, S.E. winds, moderate.
- 4.—South coast of China between Hongkong and Hainan, .

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.


AUGUST,

1923.

**CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE
ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER
REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.**

PREPARED UNDER THE DIRECTION OF

**T. F. CLAXTON, F.R.A.S.,
DIRECTOR.**



**HONGKONG :
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.**

1923.

ROYAL OBSERVATORY, HONGKONG.

R E S U L T S

O F

METEOROLOGICAL OBSERVATIONS.

AUGUST,

1923.

HOURLY VALUES OF BAROMETRIC PRESSURE AND AIR TEMPERATURE,

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of AUGUST, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.
1	29.694	29.682	29.662	29.662	29.660	29.672	29.672	29.683	29.690	29.696	29.703	29.698	1
2	29.669	29.650	29.640	29.640	29.647	29.643	29.653	29.652	29.664	29.669	29.671	29.659	2
3	29.590	29.577	29.567	29.565	29.564	29.564	29.565	29.570	29.565	29.562	29.552	29.537	3
4	29.466	29.450	29.428	29.422	29.411	29.412	29.442	29.462	29.461	29.456	29.451	29.432	4
5	29.384	29.378	29.361	29.354	29.348	29.337	29.334	29.350	29.342	29.320	29.273	29.233	5
6	29.319	29.333	29.337	29.357	29.375	29.397	29.413	29.427	29.462	29.477	29.496	29.492	6
7	29.565	29.557	29.557	29.558	29.562	29.566	29.575	29.588	29.597	29.587	29.582	29.566	7
8	29.512	29.500	29.496	29.496	29.501	29.498	29.506	29.524	29.531	29.534	29.525	29.515	8
9	29.473	29.453	29.441	29.441	29.445	29.451	29.446	29.452	29.462	29.463	29.449	29.424	9
10	29.389	29.371	29.360	29.345	29.335	29.350	29.359	29.382	29.400	29.417	29.417	29.397	10
11	29.399	29.365	29.355	29.340	29.335	29.355	29.363	29.382	29.401	29.404	29.420	29.422	11
12	29.487	29.478	29.469	29.467	29.469	29.483	29.501	29.518	29.539	29.553	29.553	29.548	12
13	29.624	29.613	29.603	29.603	29.608	29.623	29.641	29.652	29.658	29.663	29.647	13	
14	29.693	29.683	29.667	29.662	29.661	29.673	29.683	29.691	29.707	29.714	29.720	29.713	14
15	29.734	29.710	29.695	29.680	29.679	29.687	29.702	29.709	29.716	29.729	29.723	29.717	15
16	29.690	29.675	29.662	29.645	29.652	29.662	29.661	29.679	29.689	29.692	29.688	29.679	16
17	29.624	29.610	29.598	29.594	29.600	29.598	29.599	29.595	29.594	29.587	29.572	29.558	17
18	29.509	29.485	29.463	29.435	29.417	29.391	29.324	29.226	29.024	28.638	28.991	29.257	18
19	29.602	29.592	29.580	29.576	29.582	29.578	29.596	29.609	29.616	29.636	29.634	29.629	19
20	29.596	29.574	29.566	29.561	29.562	29.576	29.580	29.587	29.595	29.589	29.573	29.573	20
21	29.556	29.537	29.518	29.512	29.508	29.507	29.519	29.532	29.535	29.543	29.539	29.531	21
22	29.534	29.527	29.518	29.504	29.510	29.516	29.534	29.554	29.576	29.590	29.590	29.588	22
23	29.607	29.596	29.588	29.580	29.574	29.584	29.598	29.608	29.619	29.623	29.619	29.619	23
24	29.596	29.578	29.580	29.579	29.579	29.587	29.605	29.626	29.634	29.632	29.619	29.610	24
25	29.587	29.569	29.557	29.556	29.554	29.556	29.571	29.599	29.606	29.623	29.619	29.598	25
26	29.555	29.561	29.543	29.536	29.533	29.539	29.553	29.567	29.577	29.579	29.574	29.553	26
27	29.539	29.515	29.497	29.483	29.491	29.490	28.488	28.494	28.504	29.500	28.479	29.483	27
28	29.458	29.443	29.449	29.445	29.449	29.453	29.460	29.481	29.492	29.500	29.507	29.506	28
29	29.514	29.500	29.504	29.516	29.492	29.508	29.520	29.536	29.586	29.591	29.591	29.582	29
30	29.547	29.565	29.558	29.550	29.553	29.557	29.538	29.567	29.583	29.594	29.585	29.580	30
31	29.605	29.594	29.595	29.609	29.619	29.637	29.649	29.664	29.703	29.709	29.699	29.699	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.
1	29.686	29.667	29.651	29.649	29.641	29.645	29.657	29.677	29.688	29.699	29.700	29.690	1
2	29.644	29.627	29.607	29.597	29.585	29.586	29.596	29.593	29.618	29.635	29.631	29.607	2
3	29.525	29.505	29.493	29.478	29.477	29.484	29.497	29.495	29.493	29.495	29.495	29.478	3
4	29.412	29.392	29.385	29.374	29.364	29.385	29.397	29.446	29.445	29.454	29.414	29.410	4
5	29.203	29.171	29.119	29.103	29.100	29.065	29.092	29.129	29.167	29.233	29.280	29.291	5
6	29.495	29.487	29.483	29.480	29.483	29.495	29.515	29.536	29.557	29.567	29.577	29.569	6
7	29.545	29.527	29.519	29.499	29.499	29.490	29.513	29.521	29.536	29.546	29.543	29.537	7
8	29.494	29.467	29.443	29.427	29.425	29.427	29.437	29.448	29.468	29.484	29.488	29.477	8
9	29.399	29.382	29.350	29.338	29.317	29.321	29.343	29.366	29.391	29.397	29.395	29.397	9
10	29.371	29.341	29.312	29.302	29.296	29.300	29.326	29.340	29.362	29.383	29.392	29.403	10
11	29.430	29.410	29.394	29.376	29.389	29.411	29.421	29.443	29.452	29.481	29.483	29.483	11
12	29.548	29.532	29.518	29.510	29.510	29.524	29.551	29.572	29.595	29.617	29.621	29.631	12
13	29.641	29.623	29.610	29.601	29.603	29.605	29.633	29.665	29.680	29.698	29.707	29.704	13
14	29.709	29.694	29.679	29.672	29.658	29.662	29.677	29.704	29.718	29.740	29.740	29.740	14
15	29.705	29.695	29.679	29.657	29.649	29.647	29.662	29.681	29.695	29.706	29.709	29.703	15
16	29.660	29.641	29.622	29.594	29.581	29.585	29.607	29.623	29.645	29.662	29.654	29.640	16
17	29.546	29.519	29.507	29.495	29.491	29.484	29.503	29.531	29.557	29.559	29.541	29.538	17
18	29.366	29.421	29.435	29.458	29.476	29.492	29.512	29.547	29.581	29.590	29.610	29.614	18
19	29.613	29.612	29.598	29.585	29.587	29.592	29.608	29.620	29.630	29.640	29.636	29.619	19
20	29.560	29.550	29.520	29.503	29.509	29.511	29.523	29.547	29.557	29.569	29.575	29.573	20
21	29.525	29.486	29.468	29.464	29.459	29.471	29.473	29.499	29.514	29.534	29.547	29.546	21
22	29.571	29.559	29.557	29.546	29.548	29.551	29.570	29.592	29.608	29.620	29.620	29.622	22
23	29.614	29.592	29.572	29.570	29.555	29.569	29.584	29.597	29.610	29.613	29.608	29.605	23
24	29.591	29.569	29.553	29.539	29.525	29.528	29.546	29.565	29.595	29.615	29.615	29.612	24
25	29.574	29.547	29.529	29.515	29.523	29.527	29.543	29.565	29.589	29.604	29.595	29.579	25
26	29.547	29.531	29.517	29.515	29.518	29.519	29.524	29.529	29.545	29.557	29.571	29.567	26
27	29.464	29.426	29.412	29.415	29.413	29.420	29.432	29.444	29.451	29.464	29.457	29.454	27
28	29.508	29.495	29.467	29.471	29.486	29.496	29.492	29.510	29.518	29.548	29.552	29.550	28
29	29.555	29.531	29.505	29.513	29.513	29.523	29.556	29.566	29.576	29.583	29.583	29	
30	29.565	29.555	29.541	29.553	29.546	29.556	29.568	29.605	29.621	29.635	29.627	29.619	30
31	29.675	29.652	29.642	29.633	29.635	29.643	29.661	29.682	29.705	29.709	29.710	29.715	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of AUGUST, 1923.

Days of the Month.	Hours, Hongkong Standard Time.											Days of the Month.	
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	78.0	78.1	78.1	78.2	78.1	78.3	78.6	79.8	82.0	82.9	81.3	82.9	1
2	77.0	76.4	76.3	75.9	75.6	75.6	77.8	79.2	81.4	82.9	84.8	85.4	2
3	79.9	79.4	79.4	79.3	79.2	79.3	81.0	82.8	84.3	85.6	86.5	88.6	3
4	83.8	83.5	84.0	84.1	84.0	83.7	83.9	85.3	88.5	90.0	89.8	90.8	4
5	77.8	78.4	78.9	79.3	79.2	79.2	80.0	79.9	79.2	79.1	79.5	81.6	5
6	78.5	77.5	77.3	77.8	77.0	77.2	78.7	80.4	81.0	81.3	82.0	82.5	6
7	80.0	80.3	80.1	79.9	79.4	79.3	79.7	82.5	83.5	82.3	83.2	85.0	7
8	80.3	80.2	80.0	80.0	80.1	80.8	82.6	84.0	85.0	86.2	85.8	88.8	8
9	81.7	81.4	81.4	82.0	82.1	82.1	82.6	83.6	85.4	86.2	89.0	90.1	9
10	84.4	84.3	83.7	83.3	82.9	82.8	82.6	82.9	83.7	81.1	79.5	81.3	10
11	80.5	80.6	80.5	80.2	80.0	80.0	80.6	81.9	83.9	84.1	84.7	79.0	11
12	82.4	82.4	82.4	79.5	81.2	81.2	80.7	81.6	83.0	82.4	83.1	83.9	12
13	82.6	82.3	81.9	82.0	82.1	82.2	81.9	81.3	81.0	81.0	80.2	80.3	13
14	81.4	81.5	81.5	81.1	80.0	80.3	80.9	80.6	82.9	84.9	85.2	82.0	14
15	78.4	78.6	78.9	78.7	79.9	79.9	80.3	80.5	81.3	81.9	82.9	83.1	15
16	77.7	78.1	78.0	77.9	77.9	78.0	78.6	79.0	79.5	80.6	81.5	78.9	16
17	79.7	79.8	79.6	78.9	78.4	78.2	78.6	81.5	82.7	83.5	85.0	86.1	17
18	79.8	80.0	80.9	80.0	83.1	82.8	80.6	76.0	73.7	75.0	75.5	75.4	18
19	78.1	78.5	79.0	78.6	78.1	78.4	79.4	79.9	80.6	80.8	81.6	81.7	19
20	79.4	79.5	79.7	79.5	79.4	79.3	79.7	81.1	82.6	83.6	84.8	84.7	20
21	79.9	79.8	79.9	79.9	80.2	80.8	82.7	84.3	84.8	83.9	82.6	82.6	21
22	79.8	79.9	79.9	79.7	79.7	79.4	79.5	80.0	80.9	80.2	81.1	79.0	22
23	79.0	78.8	78.6	78.1	77.9	78.0	78.5	80.9	82.5	84.0	84.1	84.8	23
24	77.5	76.4	76.4	76.1	76.1	76.0	77.0	79.6	82.1	83.7	85.3	85.9	24
25	79.5	79.1	79.0	78.4	78.0	78.3	79.4	80.7	82.7	82.0	82.6	84.6	25
26	79.9	79.6	79.5	79.0	79.3	79.6	80.0	81.0	82.9	84.1	86.3	87.3	26
27	80.2	80.3	80.3	80.5	79.2	79.0	79.1	79.9	80.7	81.9	81.8	79.2	27
28	78.6	77.7	77.4	77.3	77.7	78.5	79.4	79.1	79.9	80.6	81.5	81.7	28
29	78.3	78.8	78.5	79.0	79.3	79.6	79.9	77.5	76.3	76.0	76.5	77.7	29
30	80.3	79.8	78.4	77.6	78.0	79.5	80.5	80.9	81.0	78.8	80.1	79.7	30
31	80.0	80.1	80.2	81.3	81.2	80.4	79.7	78.2	79.3	75.2	75.8	75.9	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	83.0	83.4	82.9	82.8	82.0	80.9	80.2	79.6	79.3	78.6	78.1	77.8	1
2	86.8	86.8	87.0	87.3	86.6	85.2	83.3	82.1	81.0	80.9	80.6	80.3	2
3	88.1	88.2	88.5	88.8	88.9	88.0	85.9	85.1	84.3	83.7	83.5	83.4	3
4	90.4	91.1	92.5	90.9	90.9	82.0	81.3	82.1	78.3	78.0	77.5	77.5	4
5	82.0	80.8	79.4	79.3	77.9	77.8	78.0	78.2	78.2	77.9	78.6	78.5	5
6	82.7	82.8	83.0	82.9	82.7	82.2	82.0	81.2	81.0	81.1	80.6	80.4	6
7	86.0	86.4	82.9	87.3	85.7	84.0	82.3	81.7	81.1	80.8	80.7	80.6	7
8	86.4	86.5	87.3	87.1	86.5	85.7	83.0	82.5	82.0	81.5	81.3	81.8	8
9	90.5	90.4	90.3	90.1	90.0	88.7	87.2	85.6	85.0	84.9	84.6	84.1	9
10	82.1	83.9	84.5	84.1	83.7	83.9	83.4	83.5	81.5	81.1	81.1	81.0	10
11	78.9	79.0	79.4	81.1	82.9	83.0	82.9	82.9	83.0	82.8	82.6	82.5	11
12	82.5	84.4	84.8	84.7	84.4	84.0	82.6	82.3	81.0	82.0	82.4	82.6	12
13	80.6	82.2	84.0	81.0	82.5	81.2	80.8	79.9	78.8	80.1	80.4	81.3	13
14	79.5	79.9	80.2	80.5	80.1	79.6	79.3	78.5	78.2	78.6	79.5	79.2	14
15	81.6	80.4	80.5	81.5	79.4	79.8	79.9	80.0	78.8	79.3	77.8	77.8	15
16	79.5	80.1	82.4	81.6	80.6	80.7	79.3	79.6	79.9	79.3	79.4	79.6	16
17	83.3	86.4	86.5	84.5	84.3	82.9	82.5	82.0	81.4	81.2	80.4	80.4	17
18	74.3	73.9	76.4	77.2	78.9	79.0	79.2	79.1	78.9	78.8	79.6	78.0	18
19	79.9	79.3	79.0	80.5	80.2	80.0	79.7	79.0	78.9	79.0	79.1	79.3	19
20	83.9	84.1	84.0	83.4	82.1	80.6	79.7	79.5	79.4	79.8	80.1	80.1	20
21	79.9	79.2	77.6	76.0	75.9	76.2	76.1	77.2	77.8	78.9	79.8	80.4	21
22	81.5	81.5	81.2	81.4	81.5	80.6	80.4	80.1	79.9	79.4	79.4	79.0	22
23	85.0	85.2	84.8	84.1	83.2	81.8	79.7	79.0	78.7	78.6	78.4	78.0	23
24	86.0	86.6	87.1	86.5	85.8	83.8	81.7	80.0	80.1	80.0	80.0	79.6	24
25	85.0	85.4	85.1	84.0	85.1	82.6	81.9	81.1	81.0	80.8	80.5	80.3	25
26	84.7	81.9	81.1	81.8	80.5	80.3	79.8	80.7	81.0	80.7	80.5	80.3	26
27	78.9	80.3	80.9	80.1	79.4	79.8	79.9	78.5	77.9	77.6	77.9	78.4	27
28	80.6	80.2	81.1	81.7	79.4	77.1	76.7	78.7	79.4	79.5	78.8	78.5	28
29	80.0	82.0	82.9	83.2	83.3	82.4	82.0	81.0	81.5	81.2	81.6	81.6	29
30	80.6	80.8	80.9	81.3	81.6	81.8	81.8	81.9	82.4	82.1	82.0	81.8	30
31	77.0	78.7	80.6	82.0	82.2	82.4	82.0	82.0	81.9	81.8	81.5	81.7	31

6 HOURLY VALUES OF THE TEMPERATURE OF EVAPORATION, AMOUNT OF CLOUD, AND SUNSHINE

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of AUGUST, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	76.2	75.8	76.0	76.1	76.0	76.1	75.9	76.5	77.3	77.7	77.3	77.9	1
2	75.3	75.0	75.0	74.5	74.0	73.9	75.1	75.2	76.5	77.8	78.0	78.5	2
3	77.1	76.9	77.2	77.2	77.1	77.0	76.9	78.8	79.0	79.9	80.1	81.4	3
4	79.0	79.3	78.6	78.3	77.2	77.2	77.9	79.0	80.0	78.8	81.7	81.8	4
5	75.4	76.0	76.4	76.7	76.8	76.8	77.0	76.9	77.1	77.0	77.3	77.6	5
6	76.0	75.6	75.4	75.8	74.9	75.3	76.1	77.5	78.2	78.0	78.4	78.5	6
7	77.9	77.9	77.5	77.2	77.0	77.1	77.9	79.4	80.0	80.0	80.1	81.3	7
8	78.3	78.1	77.9	77.9	78.0	78.1	78.0	78.7	79.9	80.2	80.9	80.3	8
9	78.8	78.8	78.9	78.9	79.1	79.3	80.2	80.7	81.1	81.4	82.7	82.6	9
10	81.9	81.5	81.6	81.4	81.2	81.2	79.6	79.4	80.5	77.4	78.0	77.9	10
11	77.4	77.8	77.2	77.5	77.6	77.6	78.0	78.5	79.8	79.3	80.2	77.1	11
12	78.9	78.8	78.9	76.6	78.4	78.1	78.1	78.2	79.0	78.9	79.3	79.0	12
13	78.9	78.9	78.9	78.9	78.9	78.9	79.0	78.4	77.0	78.0	78.3	78.2	13
14	78.0	77.8	77.6	76.7	76.7	76.9	77.7	77.1	78.6	79.1	79.6	78.2	14
15	76.0	76.4	76.6	76.2	76.9	77.0	77.1	77.3	77.4	77.8	78.4	78.0	15
16	75.8	76.2	76.0	76.4	76.1	76.4	76.9	77.2	76.2	78.0	77.3	77.0	16
17	75.7	75.8	75.9	75.4	75.7	75.4	76.3	77.8	77.1	77.6	78.0	78.0	17
18	75.5	75.5	74.9	75.8	73.5	72.8	72.8	72.8	72.8	74.7	74.9	74.8	18
19	76.2	76.5	76.2	76.0	75.4	75.5	75.4	76.1	76.4	76.5	76.7	77.2	19
20	76.1	75.9	75.7	75.5	75.9	75.9	75.8	76.5	76.2	76.7	76.2	75.7	20
21	76.6	76.5	76.4	76.2	76.0	75.9	76.1	77.0	77.9	76.5	76.2	74.8	21
22	76.1	76.3	76.0	75.9	75.5	75.2	75.0	75.1	75.5	76.0	76.0	75.2	22
23	75.8	75.9	75.9	75.9	75.8	75.4	75.5	76.3	76.2	76.3	76.3	76.8	23
24	75.4	74.7	74.8	74.6	74.5	74.5	75.4	76.8	78.1	78.4	78.7	78.2	24
25	76.9	76.6	76.7	76.4	76.3	76.4	76.9	77.2	78.5	77.9	78.3	79.4	25
26	76.3	76.2	76.1	75.4	75.4	75.5	76.1	76.4	76.6	77.3	78.4	78.2	26
27	74.8	74.4	74.2	74.3	74.2	74.3	74.2	74.9	74.3	76.0	76.6	76.1	27
28	75.9	75.8	75.9	75.8	75.4	75.2	76.5	76.2	77.2	77.5	77.7	77.7	28
29	77.0	77.3	77.0	77.4	77.5	78.0	78.8	76.3	75.0	74.7	75.5	76.8	29
30	78.7	78.8	77.3	75.5	76.0	77.5	78.5	79.2	79.4	77.4	78.9	78.1	30
31	77.0	77.5	77.6	77.9	78.4	78.5	78.5	77.5	78.5	74.8	75.0	75.3	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	°	°	°	°	°	°	°	°	°	°	°	°	1
2	78.1	78.2	78.0	78.0	76.9	76.9	76.9	76.9	76.7	76.6	76.6	76.4	2
3	78.9	78.0	76.8	78.0	76.7	76.5	76.4	76.6	76.6	76.5	76.2	76.0	3
4	80.8	80.7	80.6	79.8	79.5	78.8	77.3	76.9	77.4	77.4	78.2	78.4	4
5	82.9	82.7	82.8	81.6	81.5	76.7	76.7	78.0	76.5	76.8	76.5	76.8	5
6	77.5	77.4	77.2	77.3	76.6	76.0	76.3	77.0	76.3	76.6	76.1	77.0	6
7	78.5	78.8	78.8	78.5	78.7	78.4	78.7	78.4	78.4	78.3	78.5	78.0	7
8	80.8	80.8	79.9	78.9	78.0	78.2	78.0	77.9	78.0	77.9	77.2	78.0	8
9	80.3	79.6	80.0	80.1	80.0	80.0	79.4	79.5	80.8	79.2	79.0	78.8	9
10	78.0	79.4	79.5	79.9	79.7	80.0	79.3	79.5	78.2	78.4	78.2	77.2	10
11	76.9	77.2	78.0	78.8	79.6	79.1	78.9	78.6	78.9	78.5	78.5	78.9	11
12	78.8	80.1	79.7	79.0	79.1	79.2	79.4	79.3	78.4	79.0	79.1	78.8	12
13	78.9	79.1	80.1	78.5	78.9	78.8	78.2	78.6	77.0	77.8	78.0	78.3	13
14	76.3	77.0	77.6	77.2	77.3	77.1	77.0	76.8	76.9	77.0	77.3	77.5	14
15	77.8	77.6	78.0	77.6	77.0	77.0	77.1	76.9	77.1	76.4	76.6	76.0	15
16	77.0	77.6	78.1	77.6	77.7	77.1	77.0	76.9	77.1	77.1	76.7	76.2	16
17	77.5	78.9	78.8	78.8	77.4	77.3	77.0	76.9	75.7	76.1	76.2	76.4	17
18	74.2	73.8	74.8	75.3	76.5	77.0	76.3	76.2	76.5	76.8	76.8	76.2	18
19	77.1	76.6	76.8	77.0	76.7	76.6	76.5	76.7	76.8	76.8	76.5	76.2	19
20	75.9	76.2	76.5	76.5	76.5	76.2	76.1	76.0	76.3	76.1	76.1	76.3	20
21	73.5	73.8	73.6	73.8	73.5	73.8	73.8	73.9	74.0	74.8	74.7	74.9	21
22	75.8	76.5	76.3	76.9	76.6	76.0	74.9	75.7	75.5	75.9	75.9	75.9	22
23	76.7	76.4	75.9	75.7	74.5	75.0	75.7	75.8	75.6	75.8	75.7	75.8	23
24	78.0	78.4	78.6	78.4	78.1	77.4	77.2	77.0	77.4	77.5	77.3	77.2	24
25	79.2	79.2	78.3	78.3	79.9	77.6	76.6	77.7	78.0	77.3	77.5	76.9	25
26	77.0	77.2	76.2	76.5	76.4	76.0	75.0	75.0	74.7	74.9	74.3	74.5	26
27	75.0	75.2	76.1	75.9	75.6	76.1	76.2	76.8	76.8	75.4	76.0	76.2	27
28	77.0	76.5	76.9	77.5	76.2	76.0	76.1	77.4	77.6	77.0	75.6	76.8	28
29	78.1	79.4	79.6	79.7	79.2	78.5	78.5	78.5	78.8	79.0	79.0	79.0	29
30	78.5	78.0	78.4	78.8	78.4	78.4	78.2	77.5	77.4	78.4	78.5	78.0	30
31	76.0	77.0	78.3	78.9	78.3	78.9	78.3	78.3	78.3	78.2	78.4	78.3	31

AT THE ROYAL OBSERVATORY, HONGKONG, IN THE MONTH OF AUGUST, 1923.

7

TABLE IV.—AMOUNT OF CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of AUGUST, 1923.
 (... = Clear Sky.)

Days of the Month	Hours, Hongkong Standard Time.																							Days of the Month	
	1	2	3	4	5	6	7	8	9	10	11	Even.	12	13	14	15	16	17	18	19	20	21	22	23	
1	9	8	10	7	7	10	8	6	3	3	5	6	4	3	6	8	8	8	8	3	...	2	1	1	1
2	1	1	1	1	...	2	2	2	1	1	1	2	3	2	1	1	2
3	1	2	8	6	2	2	2	6	4	3	2	2	...	1	2	...	1	2	3	1	3
4	2	10	10	10	7	8	7	7	5	4	3	5	7	9	9	10	10	10	10	10	10	10	10	10	4
5	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	5
6	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	6
7	7	10	6	6	9	8	9	7	8	9	6	5	5	4	3	4	4	3	3	4	2	1	1	...	7
8	4	2	3	7	8	8	7	6	5	5	6	8	6	7	6	7	6	8	6	3	2	2	1	...	8
9	...	1	3	5	9	6	3	6	3	3	3	5	3	6	8	8	10	10	10	10	10	2	9
10	...	1	2	4	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	9	10	10	10	10
11	10	10	10	8	7	7	8	9	10	10	10	10	10	10	10	10	10	10	10	9	8	8	8	9	11
12	8	9	10	10	10	10	10	10	9	10	9	10	10	10	10	10	10	9	10	9	8	9	9	9	12
13	8	7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	13
14	9	10	10	8	10	9	9	9	10	10	10	10	10	10	10	10	10	10	10	9	8	7	7	10	14
15	10	10	10	9	7	8	10	10	9	8	8	9	10	8	9	10	10	9	10	10	8	8	9	10	15
16	10	10	10	10	8	7	8	9	10	10	10	10	10	9	8	9	9	10	10	7	7	6	4	5	16
17	5	6	8	3	4	6	9	4	3	2	2	5	8	6	4	4	3	3	8	8	5	9	10	10	17
18	7	6	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	18
19	10	9	10	10	10	10	10	10	10	10	10	8	9	10	10	8	9	8	10	8	7	4	10	9	19
20	7	9	9	9	8	9	10	9	7	5	4	4	4	5	4	1	1	2	1	2	2	9	8	8	20
21	9	10	9	7	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	21
22	10	10	9	9	10	10	10	9	10	10	10	10	8	10	10	8	10	8	6	10	10	10	7	6	22
23	6	10	9	9	5	7	6	2	1	1	1	...	2	1	2	2	23
24	2	...	1	2	2	2	1	4	2	1	1	1	1	2	1	7	7	9	2	24	
25	1	...	4	2	...	2	2	10	10	6	6	7	2	1	2	3	4	5	7	9	9	25	
26	8	8	6	5	2	8	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	26
27	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	27
28	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	28
29	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	29
30	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	30
31	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	9	9	10

TABLE V.—AMOUNT OF SUNSHINE registered in each HOUR of the DAY, in the MONTH of AUGUST, 1923.
 (... = No Sunshine recorded.)

HOURLY VALUES OF RAINFALL AND WIND.

TABLE VI.—AMOUNT OF RAINFALL registered in each HOUR of the DAY, in the MONTH of AUGUST, 1923.
 (d = Unregistered Drizzle. = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.	
	1	2	3	4	5	6	7	8	9	10	11	Noon.		
1	ins.	ins.	ins.	ins.	ins.	0°10	ins.	ins.	ins.	ins.	ins.	ins.	1	
2	2	
3	3	
4	d	d	0°20	0°20	0°05	0°25	0°085	0°165	0°085	0°035	4	
5	...	d	d	d	0°20	0°20	0°05	0°25	0°085	0°165	0°085	0°035	5	
6	0°180	0°270	0°360	0°160	0°215	0°305	0°20	0°15	0°080	0°010	6	
7	7	
8	8	
9	9	
10	d	0°015	0°170	...	10	
11	0°005	0°025	0°200	0°010	0°075	0°060	0°065	...	0°045	0°685	11	
12	0°010	0°165	...	d	0°010	0°185	0°005	...	12	
13	0°015	...	0°010	...	0°150	0°020	0°065	...	13	
14	0°030	d	...	0°035	0°005	0°250	...	0°035	0°070	...	14	
15	0°165	d	0°030	d	...	0°035	0°005	0°250	...	0°035	0°070	...	15	
16	d	d	...	0°025	0°060	...	0°010	0°150	0°185	16	
17	17	
18	d	0°010	0°005	0°475	1°000	0°270	0°180	0°680	18
19	0°080	0°030	...	0°250	...	d	...	0°005	d	d	19	
20	20	
21	0°050	...	d	...	0°010	d	0°005	21
22	0°050	d	d	...	d	0°020	0°030	22
23	23	
24	24	
25	25	
26	d	...	d	d	...	26	
27	0°020	0°005	d	...	d	0°005	...	0°245	27	
28	0°360	0°115	0°275	0°110	0°085	0°080	0°040	0°010	0°015	0°010	0°010	d	0°245	28
29	0°210	0°295	0°220	0°310	0°045	0°485	1°445	1°355	1°385	0°825	0°285	0°020	29	
30	0°055	0°215	0°180	0°150	0°060	0°025	0°050	0°035	0°125	0°285	0°760	0°330	30	
31	0°005	0°010	0°090	0°300	0°090	0°590	0°350	0°190	0°210	31	

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the
MONTH of AUGUST, 1923.
(The Direction is given in points, and the Velocity in miles per hour.)
(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hongkong Standard Time.													Days of the Month.	
	1	2	3	4	5	6	7	8	9	10	11	Noon.			
1	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	1
2	9	13	9	13	9	12	9	8	9	7	8	6	7	11	12
3	...	1	16	3	22	5	24
4	24	9	24	8	24	10	24	10	23	9	23	8	24	11	24
5	23	5	23	7	23	9	24	7	24	11	24	10	24	12	24
6	25	8	25	4	26	6	26	10	27	13	27	12	27	11	27
7	18	27	17	27	17	28	17	27	17	32	17	25	17	20	15
8	12	8	13	7	14	6	15	2	11	2	8	5	9
9	22	10	23	8	25	6	25	7	24	7	24	6	24	8	22
10	1	26	6	23	11	24	7	24
11	30	2	25	5	24	5	25	3	24	2	23	3	23	2	10
12	24	10	24	4	24	6	26	8	27	3	27	5	25	6	22
13	17	8	17	8	17	8	17	10	17	8	18	4	18	8	10
14	15	18	15	16	15	14	16	14	15	9	15	8	15	6	13
15	12	11	13	16	12	13	12	16	12	17	13	9	14	8	13
16	7	14	9	12	11	16	10	14	10	16	10	15	11	12	18
17	9	10	10	8	9	8	8	8	9	9	7	10	13	9	11
18	7	14	7	11	7	9	4	7	2	...	1	1	24
19	22	7	23	6	28	9	31	15	31	22	31	28	32	30	31
20	8	18	9	32	8	35	9	31	7	30	8	33	8	40	9
21	7	24	8	27	8	25	8	25	8	25	8	21	8	18	9
22	7	22	7	22	8	22	7	21	7	17	6	10	5	13	7
23	7	21	7	41	8	38	8	37	7	35	7	35	8	35	8
24	7	17	8	12	7	11	7	10	7	12	7	12	7	13	9
25	10	6	...	1	1	1	2
26	...	1	2
27	7	22	6	3	...	1	32	2	32	4	28	5	25	6	21
28	31	5	31	5	31	6	30	11	30	8	30	11	30	12	29
29	22	27	21	24	20	25	20	25	20	26	20	21	22	23	25
30	18	33	19	35	25	21	16	20	19	26	22	28	16	28	11
31	22	17	24	11	23	6	21	20	23	6	22	10	21	19	20
32	25	3	...	21	3	19	12	28	11	27	6	24	7	27	12
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.		
1	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	1
2	9	13	9	15	8	15	9	14	10	10	10	8	10	5	1
3	24	9	24	11	24	9	24	9	24	7	24	7	25	4	25
4	24	12	24	18	24	14	24	14	23	10	23	8	24	5	23
5	23	7	23	8	23	8	19	4	10	11	17	13	7	2	4
6	27	26	27	30	28	39	25	37	23	39	21	41	20	42	18
7	15	16	15	17	15	15	14	13	14	13	15	13	17	12	13
8	7	8	7	26	4	19	6	20	8	22	6	22	5	...	7
9	22	10	22	8	20	11	20	10	21	5	20	4	18	3	8
10	23	10	23	10	23	9	22	8	23	5	21	3	17	2	9
11	8	6	3	5	23	5	16	8	15	4	16	2	21	5	10
12	21	10	21	2	...	1	20	2	20	10	20	13	18	6	11
13	17	9	17	9	17	11	16	12	16	11	16	6	16	11	12
14	17	6	17	7	16	8	16	8	14	9	13	5	12	8	13
15	13	15	11	10	9	12	9	13	9	13	10	14	9	16	9
16	3	8	21	9	19	9	20	9	21	8	19	8	19	7	16
17	24	7	25	5	25	9	20	5	17	6	16	7	16	4	17
18	10	45	12	37	11	35	10	31	11	30	9	33	9	24	10
19	9	30	8	30	9	27	8	22	9	19	9	21	9	12	8
20	8	28	8	22	8	17	8	14	9	13	10	13	8	11	5
21	3	10	4	13	6	19	6	27	5	27	6	33	5	40	6
22	8	34	8	34	8	30	8	26	8	23	8	24	8	38	8
23	10	14	9	14	10	16	9	14	10	10	9	11	8	10	9
24	26	3	26	5	25	6	26	6	26	4	26	4	...	29	3
25	10	7	10	7	9	10	5	9	31	6	9	9	14	7	9
26	4	11	6	3	5	9	4	6	2	5	32	5	2	4	6
27	29	19	29	22	28	19	28	19	27	24	27	21	25	24	28
28	24	17	24	17	25	19	26	16	26	9	26	6	22	15	28
29	24	7	20	17	19	17	19	22	19	23	19	22	20	22	19
30	29	25	19	21	19	16	19	14	19	15	19	16	20	20	19
31	27	6	27	2	24	3	21	6	20	9	20	11	19	8	18

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS,
in the MONTH of AUGUST, 1923.
(... = no clouds.)

Hours, Hongkong Standard Time.

Days of the Month.	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	ESE	cu	ESE	a-cu cu	W ESE	cu	ESE	cu	ESE	ci-cu cu	WNW ESE	ci-st cu	WNW ESE	cu	ESE
2	cu	E	a-cu ci-cu	WNW WSW	ci-st cu	NW	ci-st cu	NW
3	cu	E	ci-cu cu	WSW SE	ci-st cu	WSW	ci-st cu	S	ci-st cu	SSE W
4	ci-st	SE	a-cu a-cu	ENE	ci-st a-cu	NE ENE	a-cu cu	ENE	u-cu cu	ENE	ou	WNW	ou	WNW	nb	W
5	nb	W	nb	W	nb	NNW	nb	NW	nb	WNW	nb	NW	nb	WSW	nb	SSW
6	ub	SSW	ub	S	ub	S	nb	SSW	eu-nb	SSW	cu	S	nb	S	nb	SSE
7	eu	SE	eu	SSE	a-cu en	SW	a-cu en	SW	eu	NE	ci-st en	ESE	et-st cu	WNW	eu	W
8	eu	W	en	W	ci-st eu	E	ci-st eu	E	ci-st eu	E	ci-st eu	WSW	ci-st eu	ENE	ci-st	ENE
9	ci-st cu	WSW	eu	WSW	ci-cu cu	WSW	en	W	ci-st	NE	ci-st	NE
10	eu	W	eu	W	nb	E	ou-nb	WNW	eu	WSW	eu	WSW	eu-nb	W
11	nb	W	ou	W	ci-cu en	ENE	eu	SW	nb	SW	nb	SW	eu	SW	en	SW
12	eu	SW	nb	SSW	nb	SW	nb	SE	nb	SSW	eu	SSW	nb	SSW	eu-nb	SSW
13	eu	S	eu-nb	S	eu-nb	SSE	eu-nb	E	nb	SSE	nb	S	nb	S	nb	S
14	eu-nb	SE	eu	SE	eu	S	en	SE	nb	SE	en-nb	SSE	nb	SE	en	ESE
15	nb	E	eu-nb	E	nb	ESE	eu	SE	nb	SE	eu	SE	nb	ESE	nb	ESE
16	nb	ESE	eu-nb	E	ci-st eu	WNW	nb	E	nb	E	eu-nb	E	nb	E	en	E
17	eu	E	eu	E	eu	ENE	eu	SW	eu	NE	eu	NE	eu	NE	eu	ENE
18	eu	WSW	eu	W	nb	NNE	nb	NE	nb	E	nb	ESE	nb	ESE	eu-nb	E
19	nb	E	nb	E	eu-nb	ESE	eu-nb	SE	nb	ESE	nb	ESE	a-cu cu	WSW	eu	E
20	eu	E	ou	E	eu	E	eu	E	eu	E	eu	E	en	E	eu	E
21	eu	E	eu	E	eu	ENE	eu-nb	ENE	nb	E	nb	ENE	nb	ENE	nb	E
22	eu-nb	E	eu-nb	E	ub	E	nb	E	eu	E	eu	E	en	E	eu	E
23	eu	E	ou	E	eu	E	eu	E	eu	E	ci-st	W
24	ou	E	eu	E	eu	E	eu	E	eu	E	ci-st	SE
25	ou	E	eu	E	eu	E	eu	E	eu	E	ci-st	SE
26	ci-st cu	SSW E	ci-st cu	SSW E	eu	ENE	eu	NE	nb	ENE	nb	ENE	nb	ENE	eu-nb	ENE
27	eu	ENE	eu	ENE	nb	NE	eu-nb	NE	nb	NNE	nb	NNW	nb	NNW	nb	W
28	nb	WNW	nb	WNW	nb	WNW	nb	WNW	nb	W	nb	W	nb	W	nb	WSW
29	nb	W	nb	W	nb	WSW	nb	N	nb	W	cu	W	en	WSW	en	WSW
30	nb	SW	nb	WSW	nb	WSW	nb	SW	nb	SW	nb	SW	ou-nb	SW	nb	SW
31	nb	SW	nb	WSW	nb	SW	nb	NE	nb	WNW	eu-nb	WNW	eu	W	eu	WNW

TABLE IX.—DAILY VALUES OF METEOROLOGICAL ELEMENTS in the Month of August, 1923.
(British Units.)

Days of the Month.	Mean Barometric Pressure, In.	Temperature.				Mean Vapor Tension, In.	Mean Degree of Humidity (Saturation 100). Mean Amount of Cloud (0-100).	Daily Duration. Hours.	Percentage of possible amount.	Rainfall. Amount. In.	Wind.								
		Of the Air			Of Evaporation.						Components.		Resultant.						
		Highest.	Lowest.	Range.							North.	East.	Direction.	Velocity.					
1	29.676	84.0	77.8	6.2	80.2	76.9	0.882	86	56	10.4	79	0.030	...	0.6	+ 9.6 9.7 9.8				
2	29.653	87.5	75.4	12.1	81.5	76.3	0.838	78	9	12.3	94	+ 0.2	- + 8 272 4.3 4.9				
3	29.529	89.0	79.1	9.9	84.2	78.5	0.899	76	21	12.4	95	- 0.6	- 9.8 266 9.8 9.8				
4	29.424	92.9	77.5	15.4	85.1	79.1	0.914	76	80	9.3	71	0.150	+	- 0.5	- 4.5 264 4.5 7.7				
5	29.249	82.6	77.2	5.4	79.1	76.8	0.892	90	100	5.095	18	- 3.7	- 18.2 23.8 18.6 25.0				
6	29.464	83.1	76.4	6.7	80.6	77.6	0.908	87	100	1.655	11	- 17.4	+ 1.9 17.5 18.6				
7	29.547	88.0	79.2	8.8	82.3	78.6	0.929	84	52	10.4	80	- 2.3	+ 0.5 168 2.3 5.5				
8	29.484	87.9	79.8	8.1	83.2	79.2	0.949	83	51	11.3	87	- 2.1	- 5.5 249 5.9 6.4				
9	29.408	91.0	81.0	10.0	85.8	80.9	0.989	79	52	10.3	79	- 0.7	- 4.4 261 4.5 5.0				
10	29.360	85.9	78.6	7.3	82.8	79.5	0.964	86	83	0.7	5	0.240	2	- 0.6	- 0.6 225 0.9 5.6				
11	29.405	85.9	78.5	7.4	81.5	78.3	0.927	86	92	1.1	8	0.945	4	- 2.8	- 5.2 242 5.9 6.9				
12	29.533	85.9	79.5	6.4	82.6	78.8	0.934	84	95	4.1	32	0.905	4	- 8.8	- 1.9 19.2 9.0 9.2				
13	29.638	85.1	78.4	6.7	81.3	78.5	0.939	88	97	1.8	14	1.045	3	- 7.2	+ 3.3 155 7.9 8.8				
14	29.694	85.4	77.3	8.1	80.6	77.5	0.903	87	94	1.6	12	0.640	2	- 5.7	+ 5.5 130 7.9 8.8				
15	29.695	84.5	77.5	7.0	80.2	77.1	0.891	87	91	5.7	44	0.885	5	- 5.7	+ 12.9 11.4 14.1 14.5				
16	29.649	82.7	77.0	5.7	79.5	76.9	0.891	89	86	7.2	56	0.575	3	- 0.7	+ 14.7 93 14.7 14.7				
17	29.558	86.9	78.1	8.8	82.2	76.9	0.855	78	56	9.7	76	0.020	...	- 1.0	- 0.3 197 1.0 5.0				
18	29.386	85.1	73.7	9.4	78.2	73.0	0.826	85	96	4.930	10	+ 6.5	+ 18.2 70 19.4 34.2				
19	29.607	81.8	76.0	5.8	79.5	76.4	0.869	87	90	5.4	42	0.400	3	- 2.1	+ 26.7 94 26.8 27.0				
20	29.559	85.2	79.2	6.0	81.2	76.1	0.833	78	57	11.2	87	- 0.3	+ 18.4 92 18.4 18.5				
21	29.513	85.8	75.4	10.4	79.7	75.2	0.815	80	97	1.2	9	0.745	9	+ 6.7	+ 20.0 71 21.2 22.0				
22	29.563	81.9	78.0	3.9	80.2	73.8	0.834	80	92	1.4	11	0.100	2	+ 1.2	+ 30.5 88 30.5 30.7				
23	29.596	85.4	77.8	7.6	80.9	75.9	0.828	78	27	11.6	91	- 0.8	+ 12.1 94 12.1 12.2				
24	29.587	87.2	75.8	11.4	81.2	76.9	0.868	82	20	11.1	87	+ 0.4	- 0.8 297 0.9 2.1				
25	29.570	85.6	78.0	7.6	81.5	77.7	0.899	84	38	7.9	62	+ 4.8	90 4.8 5.5				
26	29.546	88.5	78.7	9.8	81.3	76.1	0.832	78	90	1.1	9	0.065	2	+ 5.0	+ 1.7 19 5.3 6.4				
27	29.467	84.0	77.4	6.6	79.7	73.4	0.823	81	100	0.1	1	1.555	10	+ 8.2	- 11.9 395 14.5 16.8				
28	29.489	82.0	76.4	5.6	79.2	76.6	0.882	89	100	2.300	21	- 6.3	- 6.4 249 17.6 19.4				
29	29.539	83.4	75.5	7.9	80.0	77.9	0.928	91	100	7.485	17	- 12.3	- 12.6 226 17.6 19.3				
30	29.573	82.3	77.4	4.9	80.6	78.1	0.930	89	100	2.610	19	- 9.3	- 11.4 231 14.7 15.4				
31	29.656	82.4	75.1	7.3	80.0	77.7	0.919	90	99	1.955	10	- 1.7	- 5.0 231 5.3 6.8				
Means	29.535	85.4	77.5	7.9	81.2	77.4	0.890	84	75	159.3	40	34.310	159	- 2.1	+ 2.2 134 3.0 13.0				
Normals	29.625	86.5	77.7	8.8	81.5	77.4	0.888	83	65	201.7	51	14.051	66	- 2.2	+ 2.2 135 3.1 9.4				
Absolute Max.	29.740	92.9	...	15.4	...	84.4	1.080	12.4	95	7.485	21				
Day.	14	4	...	4	...	4	4	3	3	29	28				
Absolute Min.	28.638	...	7.3.7	3.9	...	72.8	0.673	60				
Day	18	...	18	22	...	13	18	18				

Phenomena :—

Solar halo :—on the 9th.

Lunar halo :—on the 1st, 3rd and 26th.

Lunar corona :—on the 19th and 20th.

Fog :—on the 25th.

Unusual visibility :—on the 1st, 12th, 13th, 15th and 16th.

Dew :—on the 2nd, 8th, 9th and 24th.

Rainbow :—on the 13th, 15th and 16th.

Lightning :—on the 3rd, 4th, 6th, 9th, 10th, 11th, 13th, 14th, 17th, 18th, 25th, 26th, 29th, 30th and 31st.

Thunder :—on the 4th, 10th, 11th, 13th, 29th and 30th.

Thunderstorms as follows :—

4^d 19^h 49^m to 21^h 24^m in W.N.W.; distant.10^d 9^h 30^m to 10^h 47^m in E.S.E.; distant.13^d 20^h 08^m to 21^h 02^m N.E. to S.W.; nearest at 20^h 14^m (20°).29^d 1^h 05^m to 3^h 50^m in N.N.W.; distant.29^d 6^h 35^m to 7^h 40^m W.N.W. to E.S.E.; nearest at 7^h 11^m (1½°).29^d 9^h 50^m to 11^h 30^m S.W. to N.E.; nearest at 11^h 12^m (7°).30^d 0^h 30^m to 4^h 25^m N.W. to S.E.; nearest at 1^h 18^m (4°).31^d 5^h 42^m to 5^h 56^m N.N.W. to S.S.E.; nearest at 5^h 48^m (9°).31^d 6^h 50^m to 7^h 40^m E.S.E. to W.N.W.; nearest at 7^h 10^m (5°).31^d 9^h 53^m to 12^h 45^m S.W. to N.E.; nearest at 9^h 38^m (5°).Rain fell on 22 days. The mean hourly intensity was 0.215^{in.}, and the maximum fall in one hour was 1.585^{in.} at 9^h on the 29th.The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 130 miles per hour at 10^h 13^m on the 18th.

TABLE X.—DAILY VALUES OF METEOROLOGICAL ELEMENTS IN THE MONTH OF JULY, 1923.
(C. G. S. UNITS:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure m.b.	Temperature.					Mean Vapor Tension, m.b.	Rainfall, mm.	Wind.					Observed Velocity, m.p.h.			
		OF the AIR.			Mean Range, Highest, Lowest,	Mean of Evaporation,			Components.		Resultant.						
		Highest,	Lowest,	Mean,					North.	East.	Direction,*	Velocity,					
1	1006.8	301.9	298.4	3°5	299.8	297.9	29.8	0.3	...	- 0.5	+ 3.1	99	3.2	3.2			
2	1005.4	303.8	297.1	6.7	300.5	297.6	28.3	+ 0.1	- 1.6	272	1.6	1.6			
3	1001.8	304.7	299.2	5.5	302.0	298.8	30.3	- 0.2	- 3.2	266	3.2	3.2			
4	998.2	306.8	298.3	8.5	302.5	299.2	30.8	3.8	4	- 0.2	- 1.5	264	1.5	2.5			
5	992.4	301.1	298.1	3.0	299.2	297.9	30.1	129.4	1.8	- 1.2	- 6.0	258	6.1	8.2			
6	999.6	301.4	297.7	3.7	300.0	298.3	30.6	42.0	11	- 5.7	+ 0.6	174	5.7	6.1			
7	1002.4	304.1	299.2	4.9	300.9	298.9	31.3	- 0.8	+ 0.3	168	0.8	1.8			
8	1000.3	304.1	299.6	4.5	301.4	299.3	32.0	- 0.7	- 1.8	249	1.9	2.1			
9	997.7	305.8	300.2	5.6	302.9	300.2	33.4	- 0.2	- 1.4	261	1.5	1.6			
10	996.1	302.9	298.9	4.0	301.2	299.4	32.5	6.1	2	- 0.2	- 0.2	225	0.3	1.8			
11	997.6	302.9	298.8	4.1	300.5	298.7	31.3	24.0	+	- 0.9	- 1.7	242	1.9	2.3			
12	1002.0	302.9	299.4	3.5	301.1	299.0	31.5	23.0	4	- 2.9	- 0.6	192	3.0	3.0			
13	1005.6	302.5	298.8	3.7	300.4	296.8	31.7	26.5	3	- 2.4	+ 1.1	155	2.6	2.9			
14	1007.5	302.7	298.2	4.5	300.0	298.3	30.5	16.3	2	- 1.9	+ 1.8	136	2.6	2.9			
15	1007.5	302.2	298.3	3.9	299.8	298.1	30.1	22.5	5	- 1.9	+ 4.2	114	4.6	4.8			
16	1005.9	301.2	298.0	3.2	299.4	297.9	30.1	14.6	3	- 0.2	+ 4.8	93	4.8	4.8			
17	1002.8	303.5	298.6	4.9	300.9	297.9	28.8	0.5	..	- 0.3	- 0.1	197	0.3	1.6			
18	997.0	301.4	296.2	5.2	298.7	296.9	27.9	125.2	10	+ 2.1	+ 6.0	70	6.4	11.2			
19	1004.5	300.7	297.4	3.3	299.4	297.7	29.3	10.2	3	- 0.7	+ 8.8	94	8.8	8.9			
20	1002.9	302.6	299.2	3.4	300.3	297.5	28.1	- 0.2	+ 6.0	92	6.0	6.1			
21	1001.3	302.9	297.1	5.8	299.5	297.0	27.5	18.9	9	+ 2.2	+ 6.6	71	6.9	7.2			
22	1003.0	300.7	298.6	2.1	299.8	297.3	28.1	2.5	2	+ 0.4	+ 10.0	88	10.0	10.1			
23	1004.1	302.7	298.4	4.3	300.2	297.4	27.9	- 0.3	+ 4.0	94	4.0	4.0			
24	1003.8	303.7	297.3	6.4	300.3	297.9	29.3	+ 0.1	- 0.3	297	0.3	0.7			
25	1003.2	302.8	298.6	4.2	300.5	298.4	30.3	+ 1.6	90	1.6	1.8			
26	1002.4	304.4	298.9	5.5	300.4	297.5	28.1	1.6	2	+ 1.6	+ 0.6	19	1.7	2.1			
27	999.8	301.9	298.2	3.7	299.5	297.1	27.8	39.5	10	+ 2.7	- 3.9	305	4.8	5.5			
28	1000.5	300.8	297.7	3.1	299.2	297.8	29.8	58.4	21	- 2.1	- 5.4	249	5.8	6.4			
29	1002.2	301.6	297.2	4.4	299.7	298.5	31.3	190.1	17	- 4.0	- 4.1	226	5.8	6.3			
30	1003.4	300.9	298.2	2.7	300.0	298.6	31.4	66.3	19	- 3.0	- 3.7	231	4.8	5.0			
31	1006.2	301.0	296.9	4.1	299.7	298.4	31.0	49.7	10	- 0.6	- 1.6	251	1.7	2.2			
Means.	1002.0	302.7	298.3	4.4	300.3	298.2	30.0	871.4	159	- 0.7	+ 0.7	134	1.0	4.3			
Normal.	1005.1	303.3	298.4	4.9	300.5	298.2	30.0	356.9	66	- 0.7	+ 0.7	135	1.0	3.1			
Absolute Maximum.	1009.0	306.8	...	8.5	...	302.1	36.4	190.1	21	34.7†			
Day.	14	4	...	4	...	4	4	29	28	18d 10h			
Absolute Minimum.	971.7	...	296.2	2.1	...	295.7	22.7			
Day.	18	...	18	2.2	...	18	18			

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of AUGUST, 1923.
(British Units.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature.		Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall, Percentage of Total		Wind.				
		Of the Air.	Of Evaporation					Amount.	Duration	Components.	Resultant.	Direction.	Velocity.	Observed Velocity.
								m.p.h.	m.p.h.	North.	East.	Velocity.	m.p.h.	m.p.h.
*	Inns.	°	°	100.	%	68	%	%	+	— 2·8	+ 3·0	133	4·1	13·1
1	29·552	79·8	76·9	0·887	87	74	3	+	— 3·5	+ 3·0	140	4·6	12·1	
2	29·539	79·7	76·9	0·889	88	78	3	+	— 3·1	+ 2·7	139	4·1	11·7	
3	29·539	79·7	76·8	0·884	87	74	4	—	— 2·7	+ 1·8	146	3·3	12·2	
4	29·525	79·5	76·6	0·878	87	74	1	—	— 1·0	+ 1·8	119	2·1	11·8	
5	29·524	79·5	76·5	0·874	87	73	3	—	— 1·0	+ 1·8	119	2·1	11·8	
6	29·528	79·6	76·6	0·878	87	81	4	5	— 1·0	+ 1·1	132	1·5	11·4	
7	29·536	80·0	76·9	0·886	87	82	6	5	— 0·6	...	180	0·6	11·3	
8	29·546	80·7	77·3	0·894	85	78	7	5	+ 0·4	+ 1·0	68	1·1	12·1	
9	29·551	81·8	77·7	0·896	83	74	10	4	+ 1·7	+ 0·8	25	1·9	12·9	
10	29·544	82·1	77·7	0·892	81	75	6	5	+ 2·6	+ 3·4	53	4·3	15·4	
11	29·552	82·8	78·1	0·901	80	74	6	5	— 1·2	+ 3·3	110	3·5	15·4	
Noon.	29·550	82·8	78·0	0·896	80	77	7	5	— 2·1	+ 2·3	133	3·1	15·6	
13	29·540	82·6	77·8	0·890	80	77	5	6	— 2·1	+ 2·7	128	3·4	14·4	
14	29·523	83·0	78·0	0·894	79	77	5	5	— 1·9	+ 1·3	146	2·3	15·6	
15	29·507	83·2	78·2	0·900	79	74	1	3	— 1·8	+ 1·5	140	2·3	14·0	
16	29·498	83·2	78·1	0·896	79	74	1	3	— 2·5	+ 1·8	144	3·1	13·8	
17	29·496	82·9	77·8	0·886	79	74	3	3	— 2·8	+ 1·2	157	3·0	13·2	
18	29·500	81·9	77·5	0·886	81	75	14	3	— 3·5	+ 2·6	143	4·4	13·3	
19	29·516	81·1	77·2	0·884	83	77	2	3	— 3·7	+ 3·4	137	5·0	13·5	
20	29·536	80·8	77·3	0·892	85	72	5	3	— 3·7	+ 2·4	147	4·4	12·8	
21	29·553	80·4	77·3	0·898	87	70	5	5	— 3·7	+ 2·5	146	4·5	12·1	
22	29·569	80·3	77·3	0·899	87	76	3	4	— 3·9	+ 2·4	148	4·6	11·7	
23	29·570	80·3	77·2	0·895	87	75	2	4	— 3·9	+ 3·5	138	5·3	11·8	
Midn.	29·566	80·2	77·2	0·896	87	71	4	5	— 4·4	+ 2·6	149	5·1	12·4	

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1923.
(C. G. S. Units:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature.		Mean Vapour Tension	Wind.				Observed Velocity.		
		Of the Air.	Of Evaporation		Components.		Resultant.	Velocity.			
					North.	East.					
m.b.	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.		
1	1002·6	299·6	297·9	29·9	— 0·9	+	133	1·3	4·3		
2	1002·2	299·5	297·9	30·0	— 1·1	+	140	1·5	4·0		
3	1001·9	299·5	297·9	29·8	— 1·0	+	139	1·3	3·8		
4	1001·7	299·4	297·8	29·6	— 0·9	+	145	1·1	4·0		
5	1001·7	299·4	297·7	29·5	— 0·3	+	119	0·7	3·9		
6	1001·8	299·4	297·8	29·6	— 0·3	+	132	0·5	3·7		
7	1002·1	299·7	297·9	29·9	— 0·2	...	180	0·2	3·7		
8	1002·4	300·1	298·2	30·2	— 0·1	+	68	0·4	4·0		
9	1002·6	300·7	298·4	30·2	— 0·6	+	25	0·6	4·2		
10	1002·3	300·8	298·4	30·1	— 0·9	+	53	1·4	5·0		
11	1002·6	301·2	298·6	30·4	— 0·4	+	110	1·1	5·0		
Noon.	1002·5	301·2	298·6	30·2	— 0·7	+	133	1·0	5·1		
13	1002·2	301·1	298·4	30·0	— 0·7	+	128	1·1	4·7		
14	1001·6	301·3	298·6	30·2	— 0·6	+	145	0·8	4·5		
15	1001·1	301·4	298·7	30·4	— 0·6	+	140	0·8	4·6		
16	1000·8	301·4	298·6	30·2	— 0·8	+	144	1·0	4·5		
17	1000·7	301·3	298·4	29·9	— 0·9	+	157	1·0	4·3		
18	1000·9	300·7	298·3	29·9	— 1·1	+	143	1·4	4·4		
19	1001·4	300·3	298·1	29·8	— 1·2	+	137	1·6	4·4		
20	1002·1	300·1	298·2	30·1	— 1·2	+	147	1·4	4·2		
21	1002·7	299·9	298·2	30·3	— 1·2	+	146	1·5	4·0		
22	1003·2	299·8	298·2	30·3	— 1·3	+	148	1·5	3·8		
23	1003·3	299·8	298·1	30·2	— 1·3	+	138	1·7	3·9		
Midn.	1003·1	299·8	298·1	30·2	— 1·4	+	149	1·7	4·1		

* 0° = N., 90° = E., S., W.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

AUGUST,

1923.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	31ST JULY, 1923.							1ST AUGUST, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATM.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATM.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Direct- ion.	Force.		Wind.	Force.			Wind.	Force.		
Wladivostock, .	12	29.70	754.4	75	...	NNW	+	b	6	29.80	756.8	63	...	E	3	c
Nemuro, .	11	29.57	751.0	SSE	1	...	5
Hokodate, .	"	29.53	750.0	SW	3	...	"
Tokio, .	"	29.69	754.0	SSE	3	...	"
Kochi, .	"	29.80	757.0	SE	1	...	"
Nagasaki, .	"	29.86	758.5	W	2	...	"
Kagoshima, .	"	29.84	758.0	WNW	2	...	"
Oshima, .	"	29.86	758.5	NNE	1	...	"
Naha, .	"	29.84	758.0	E	2	...	"
Ishigakijima, .	"	29.82	757.5	E	4	...	"
Bonin Island, .	"	"
Weihaiwei, .	14	6
Hankow, .	15	"
Ihang, .	"	"
Changsha, .	"	"
Shanghai, .	12	29.78	756.3	93	64	SW	1	b	"	29.73	755.1	79	84	SSE	1	b
Gutzlaff, .	14	29.78	756.4	83	100	S	2	b	"	29.76	755.9	75	100	S	2	b
Sharp Peak, .	"	29.84	757.9	86	80	E	2	o	7	29.81	757.2	80	87	W	1	o
Amoy, .	15	29.73	755.1	86	68	W	2	o	9	29.72	754.9	81	87	ENE	1	o
Swatow, .	"	"
Taihoku, .	13	29.81	757.2	93	59	E	4	o	5	29.74	755.4	75	86	S	2	b
Taichu, .	"	29.80	756.9	86	...	W	1	o	"	29.75	755.7	77	...	E	0	b
Tainan, .	"	29.78	756.3	86	...	N	4	b	"	29.73	755.1	75	2	b
Koshun, .	"	29.78	756.3	86	...	NE	4	b	"	29.73	755.1	75	2	b
Pescadores, .	"	29.80	756.9	84	...	NNW	4	o	"	29.75	755.7	79	...	NNW	2	u
Canton, .	14	6
Hongkong, .	"	29.75	755.6	83	76	ESE	4	o	"	29.73	755.1	78	91	E	2	cp
Gap Rock, .	"	29.75	755.6	ESE	4	c	"	29.72	754.9	ESE	3	c
Macao, .	"	29.68	753.9	84	85	ESE	2	o	"	29.71	754.5	77	98	SE	2	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoikow, .	"	"
Phulien, .	"	29.53	750.0	77	98	SSW	4	ff	7	29.55	750.6	77	92	S	6	r
Tourane, .	"	29.61	752.1	86	...	SW	2	o	"	29.66	753.3	79	...	SSW	2	o
Cape St. James, .	"	29.75	755.7	84	...	SW	4	o	"	29.80	756.9	73	...	NW	2	o
Aparri, .	14	6
Dagupan, .	"	"
Manila, .	"	29.69	754.2	84	71	WSW	2	o	"	29.66	753.3	75	94	NNW	1	o
Legaspi, .	"	29.62	752.4	82	77	N	4	o	"	29.60	751.8	77	91	WSW	4	o
Ticloban, .	"	29.63	752.7	84	68	WNW	4	o	"	29.62	752.4	77	89	...	0	o
Ililo, .	"	29.66	753.3	81	80	"	29.68	753.9	77	89	SW	6	r
Surigao, .	"	29.65	753.0	82	74	WSW	4	o	"
Guam, .	12.20	29.76	756.0	NE	1	r	4.20	29.78	756.3	NE	1	o
Yap, .	12.47	29.73	755.1	SW	2	o	4.47	29.78	756.3	WSW	1	r
Labuan, .	14	29.79	756.6	86	76	N	1	b	6	29.75	755.6	76	91	N	2	o

July 31st. 18d. 30m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of in Lat. 14° N. Long. 127° E., moving West.

August 1^d. 11h. 45m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 14° N. Long. 126° E., moving West.

August 1^d. 12h. 12m.—Pressure has decreased moderately at Manila and Legaspi and slightly from Shanghai to Formosa. It is nearly stationary from Hongkong to Haiphong.

The depression over S.W. China is unchanged.

The typhoon continues to move westward. At 6 a.m. this morning it was about 300 miles East of Manila.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.14 inch. Total since January 1st, 45.37 inches, against an average of 52.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND. DISTRICT.

- 1.—Formosa Channel, N.E. winds, moderate.
- 2.—South coast of China between Hongkong and Lamoeks, E. winds, moderate; fine.
- 3.—Hongkong to Gap Rock, S.E. winds, moderate.
- 4.—South coast of China between Hongkong and Hainan, .

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	1ST AUGUST, 1923.							2ND AUGUST, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock, .	12	29.77	756.1	72	...	SSE	4	o	6	29.74	755.3	67	...	SSE	2	o
Nemuro,	11	S	1	...	5
Hokodate,	"	29.82	757.5	E	1	...	"
Tokio,	"	29.80	757.0	WSW	1	...	"
Kochi,	"	29.82	757.5	SE	1	...	"
Nagasaki,	"	29.84	758.0	SW	3	...	"
Kagoshima,	"	29.86	758.5	SE	1	...	"
Oshima,	"	29.82	757.5	N	2	...	"
Naha,	"	29.80	757.0	ENE	3	...	"
Ishigakijima,	"	29.74	755.5	E	4	...	"
Bonin Island,	"	29.90	759.5	WSW	1	...	"
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.79	756.6	93	61	W	1	b	"	29.73	755.1	77	96	SSE	2	b
Gutzlaff,	14	29.76	755.9	84	100	SSW	2	b	"	29.76	755.9	77	100	SSE	4	b
Sharp Peak,	"	29.79	756.6	88	76	E	6	b	7	29.78	756.4	82	83	N	1	b
Amoy,	15	29.62	752.3	84	79	SSE	1	b	9	29.66	753.3	82	87	...	0	b
Swatow,	"	"
Taihoku,	11	29.73	755.1	93	50	SE	4	b	5	29.69	754.2	77	91	E	4	b
Taichu,	"	29.74	755.4	90	...	WNW	2	o	"	29.68	753.9	77	0	b
Tainan,	"	29.73	755.1	86	...	W	4	b	"	29.65	753.0	79	...	N	2	b
Koshun,	"	29.72	754.8	86	...	NNE	4	b	"	29.65	753.0	72	0	b
Pescadores,	"	29.74	755.4	86	...	NNW	4	b	"	29.66	753.3	81	...	NNW	4	o
Canton,	14	6
Hongkong,	"	29.72	754.9	83	79	E	4	c	"	29.70	754.4	76	91	...	0	b
Gap Rock,	"	29.73	755.1	ESE	3	c	"	29.71	754.6	0	c
Macao,	"	29.73	755.1	75	79	ESE	2	o	"	29.68	753.9	77	96	...	0	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.56	750.9	81	89	ENE	2	o	7	29.61	752.1	81	90	SSE	6	o
Tourane,	"	29.62	752.4	86	...	SSW	2	o	"	29.66	753.3	81	...	WSW	2	o
Cape St. James,	"	29.80	756.9	72	...	WSW	6	r	"	29.79	756.6	75	...	WSW	2	o
Aparri,	14	6
Dagupan,	"	"
Manila,	"	29.61	752.1	'84	71	SSW	1	o	"	29.59	751.5	81	80	W	4	o
Legaspi,	"	29.55	750.6	82	81	WSW	4	o	"
Tacloban,	"	29.60	751.8	82	77	W	2	o	"
Iloilo,	"	29.65	753.0	77	89	SW	6	r	"	29.65	753.0	81	73	SW	6	o
Surigao,	"	"
Guam,	12.20	29.76	756.0	N	2	o	4.20	29.78	756.3	NE	2	o
Yap,	12.47	29.74	755.4	SW	2	o	4.47	29.82	757.5	o	0	o
Labuan,	14	29.76	755.9	88	73	NW	2	b	6	29.78	756.4	76	91	N	2	o

August 1h. 18d. 30m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of in Lat. 14° N. Long. 125° E., moving West.

August 2d. 10h. 55m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 18° N. Long. 124° E., moving North.

August 2d. 10h. 59m.—Pressure has decreased slightly from Shanghai to the Philippines. It has increased slightly at Yap and over N. Indo-China.

The depression over S.W. China is more shallow this morning.

The typhoon has curved northward. At 6 a.m. this morning it was about 200 miles East of Aparri.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 45.57 inches, against an average of 52.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.
DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N. winds, freshening considerably.
- N. or variable winds, light to moderate; fine.
- S.E. winds, moderate.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

2ND AUGUST, 1923.

STATION.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		THRES. ATOM.	HUMIDIT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		THRES. ATOM.	HUMIDIT.	WIND.		WEATHER.
	Inches.	Millrs.	Direct. ion.	Force.			Direct. ion.	Force.		Inches.	Millrs.	Direct. ion.	Force.			Direct. ion.	Force.	
Vladivostock, .	12	29.70	754.4	73	...		SSE	4	o	6	29.63	752.6	67	...		SE	4	o
Nemuro, .	11	29.84	758.0		SE	3	..	5	67
Hokodate, .	"	29.74	755.5		SSW	3	..	"
Tokio, .	"	29.84	758.0		SSE	3	..	"
Iochi, .	"	29.86	758.5		SE	1	..	"
Nagasaki, .	"	29.84	758.0		S	3	..	"
Agoshima, .	"	29.84	758.0		SSW	1	..	"
Osima, .	"	29.78	756.5		ENE	1	..	"
Naha, .	"	29.72	755.0		NE	3	..	"
Shigakijima, .	"	29.69	754.0		ENE	6	..	"
Bonin Island, .	"	29.90	759.5		E	1	..	"
Weihaiwei, .	14	6
Jankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.73	755.1	93	61		S	1	b	"	29.71	754.5	77	89		SSE	2	b
Gutzlaff, .	14	29.74	755.4	82	100		SSE	4	b	"	29.75	755.6	76	100		SSE	4	b
Sharp Peak, .	"	29.78	756.4	88	76		ENE	2	b	7	29.73	755.1	82	83		N	2	b
Amoy, .	15	29.61	752.1	90	70		E	1	b	9	29.58	751.3	82	79		o	0	b
Swatow, .	"	"
Taiboku, .	11	29.91	759.6	93	57		ENE	6	b	5	29.61	752.1	79	92		ENE	...	b
Taichu, .	"	29.66	753.3	90	...		WNW	2	b	"	29.56	750.9	79	...		o	0	r
Tainan, .	"	29.63	752.7	90	...		WSW	4	b	"	29.54	750.3	79	...		ENE	4	o
Kosun, .	"	29.65	753.0	86	...		NNE	4	b	"	29.52	759.7	79	...		NE	4	o
Pescadores, .	"	29.66	753.3	90	...		NE	4	b	"	29.55	750.6	81
Canton, .	14	6
Hongkong, .	"	29.68	753.9	87	68		W	2	b	"	29.62	752.3	79	91		WSW	2	b
Gap Rock, .	"	29.70	754.4		NNW	2	b	"	29.63	752.6		WNW	3	o
Macao, .	"	29.71	754.5	86	78		ESE	2	b	"	29.61	752.1	79	92		NW	2	o
Wuchow, .	15	9
Pakhoi, .	"	"
Heihow, .	"	"
Phulien, .	"	29.61	752.1	84	77		SE	4	o	7	29.67	753.6	77	98		ENE	4	o
Tourane, .	"	29.65	753.0	86	77		SSW	4	b	"	29.67	753.6	81	...		WSW	2	o
Cape St. James, .	"	29.74	755.4	82	...		SW	2	o	"	29.80	756.9	75	...		NW	4	o
Aparri, .	14	6
Dagupan, .	"	"
Danila, .	"	29.55	750.6	82	77		WSW	4	o	"	29.55	750.6	81	84		WSW	4	o
Legaspi, .	"	29.54	750.3	84	77		SSW	4	o	"	29.61	752.1	79	84		S	4	o
Padoban, .	"	29.65	753.0	79	85		W	4	r	"
Iloilo, .	"	29.66	753.3	79	85		SW	6	r	"	29.72	754.8	77	96		SW	6	o
Burgao, .	"	29.66	753.3	86	61		SW	2	b	"
Ham, .	12.20	29.75	755.7		NE	2	o	4.20
Cap, .	12.47	29.79	756.6		SSW	2	o	4.47	29.81	757.2		o	o	..
Abuan, .	14	29.77	756.1	88	73		N	2	b	6	29.80	756.9	80	91		NW	4	b

August 3d. 10h. 35m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of in Lat. 19° N. Long. 121° E., moving W.N.W.

August 3d. 10h. 50m.—Pressure has decreased moderately from Formosa to Kwangtung and slightly at Manila. It has increased slightly over Tongking.

The typhoon has curved again. At 6 a.m. this morning it was in about Lat. 19° N. and Long. 121° E., moving W.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 45.37 inches, against an average of 53.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH. DISTRICT.

- 1.—Formosa Channel, N.E. winds, strong.
 2.—South coast of China between Hongkong and Lamocks. } N.W. to N. winds, moderate to fresh; fine at first, cloudy
 3.—Hongkong to Gap Rock, } later.
 4.—South coast of China between Hongkong and Hainan, .

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	3RD AUGUST, 1923.							4TH AUGUST, 1923.						
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMID.	WIND.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMID.	WIND.	WEATHER.
	Hongkong Inches.	Millrs.			Direct- ion.	Force.		Hongkong Inches.	Millrs.			Direct- ion.	Force.	
Vladivostock, -	12	29.55	750.5	67	...	ESE	5	or	6	29.59	751.7	68
Nemuro,	11	29.82	757.5	SE	3	...	5	29.69	754.0	SSW
Hokodate,	"	29.76	756.0	SSW	6	...	"	29.71	754.5	SW
Tokio,	"	29.88	759.0	S	4	...	"	29.88	759.0	SW
Kochi,	"	29.82	757.5	SE	1	...	"	29.86	758.5	WSW
Nagasaki,	"	29.80	757.0	WSW	2	...	"	29.82	757.5
Kagoshima,	"	29.80	757.0	NE	1	...	"	29.78	756.5	NE
Oshima,	"	29.72	755.0	ESE	1	...	"	29.69	754.0
Naha,	"	29.70	754.5	ESE	2	...	"	29.67	753.5
Ishigakijima,	"	29.65	753.0	ESE	3	...	"	29.59	751.5	SE
Bonin Island,	"	29.80	757.0	ENE	1	...	"	29.69	754.0	S
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.73	755.1	90	60	SSE	2	b	"	29.72	754.8	77	98	SE
Gutzlaff,	14	29.74	755.4	84	100	SSE	4	b	"	29.76	755.9	77	100	SE
Sharp Peak,	"	29.69	754.1	88	76	ENE	4	1	7	29.69	754.1	81	87	NE
Amoy,	15	29.49	749.0	90	66	ENE	2	b	9	29.44	747.8	86	65	NE
Swatow,	"	"
Taihoku,	11	29.63	752.7	90	69	E	6	b	5	29.52	749.7	81	80	E
Taichu,	"	29.49	749.1	86	...	NNW	2	o	"	29.43	747.6	79
Tainan,	"	29.50	749.4	86	...	SE	2	o	"	29.53	750.0	82	...	WNW
Koshun,	"	29.52	749.7	81	...	NE	6	r	"	29.48	748.8	77	...	ESE
Pescadores,	"	29.52	749.7	84	...	NNE	6	o	"	29.42	747.3	81	...	N
Canton,	14	6
Hongkong,	"	29.56	750.8	88	72	W	4	b	"	29.47	748.5	83	75	W
Gap Rock,	"	29.57	751.1	WSW	4	b	"	29.47	748.5	WNW
Macao,	"	29.56	750.9	93	61	WSW	2	b	"	29.46	748.2	82	77	NW
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.61	752.1	81	89	ESE	1	o	7	29.63	752.7	77	98	NW
Tourane,	"	29.62	752.4	86	...	SSW	2	b	"	29.62	752.4	81
Cape St. James,	"	29.72	754.8	82	...	SW	6	o	"	29.76	756.0	77	...	SW
Aparri,	14	6
Dagupan,	"	"
Manila,	"	29.56	750.9	86	71	WSW	4	o	"	29.62	752.4	79	90	SW
Legaspi,	"	29.59	751.5	84	74	SSW	4	o	"	29.67	753.6	79	85	S
Tacloban,	"	29.66	753.3	86	58	SW	4	o	"	29.73	755.1	79	76	SSE
Ililo,	"	29.67	753.6	77	92	SW	6	r	"	29.73	755.1	79	87	S
Surigao,	"	29.67	753.3	86	75	W	4	b	"	29.74	755.4	82	70	SW
Guam,	12.20	29.68	753.9	NE	4	o	4.20	29.67	753.6	NE
Yap,	12.47	29.75	755.7	WNW	2	o	4.47	29.78	756.3	W
Labuan,	14	29.77	756.1	88	69	N	2	b	6	29.78	756.4	76	94	S

August 4d. 10h. 50m.—Warning to Hongkong, Coast Ports, &c.:- Depression or typhoon of unknown intensity within 120 miles of Lat. 22° N. Long. 118° E., moving N.W.

August 3d. 17h. 45m.—Local signal No. 1 hoisted.

August 4d. 12h. 10m.—Pressure has decreased moderately at Hongkong and at the Pescadores. It has increased slightly over the Philippines and is nearly stationary over Tongking.

At 6 a.m. this morning the typhoon appeared to be in about Lat. 22° N. and Long. 118° E., moving towards Swatow. Another typhoon is forming to the South of Guam.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 45.37 inches, against an average of 53.51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH. DISTRICT.

FORECAST.

- | | |
|--|------------------|
| 1.—Formosa Channel, | Cycloonic gales. |
| 2.—South coast of China between Hongkong and Lamock, | |
| 3.—Hongkong to C. T. Dock, | |
| 4.—South coast of China between Hongkong and Hainan, | |
- W. winds, possibly increasing to a gale; fine at first, rain later.
W. winds, moderate to fresh.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG. DAILY WEATHER REPORT.

STATION.	4TH AUGUST, 1923.							5TH AUGUST, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		
	Hongkong Inches.	Millire.				Direction.	Force.		Hongkong Inches.	Millire.				Direction.	Force.	
Wladivostock, .	12	29.62	752.4	75	...	N	3	o	6	29.78	756.5	70	...	N	3	c
Nemuro, .	11	...	754.0	SW	3	..	5	29.63	752.5	WSW	3	..
Hokodate, .	29.69	754.0	SW	3	..	29.71	754.5	SSW	3	..	
Tokio, .	29.84	758.0	S	3	..	29.86	758.5	NNW	1	..	
Kochi, .	29.82	757.5	SE	1	..	29.78	756.5	WSW	1	..	
Nagasaki, .	29.80	757.0	WSW	2	..	29.76	756.0	0	..	
Kagoshima, .	29.78	756.5	NE	2	..	29.73	755.0	N	1	..	
Osima, .	29.70	754.5	NNE	1	..	29.61	752.0	N	2	..	
Naha, .	29.67	753.5	NNE	2	..	29.61	752.0	NE	1	..	
Ishigakijima, .	29.63	752.5	SE	5	..	29.61	752.0	SSE	1	..	
Bonin Island, .	29.70	754.5	SSW	3	..	29.76	756.0	SE	4	..	
Weihaiwei, .	14	6	
Hankow, .	15	
Ichang,	
Changsha,	
Shanghai, .	29.74	755.4	90	57	...	SE	2	b	29.73	755.1	77	98	SE	1	b	
Gutzlaff, .	29.75	755.6	84	100	ESE	4	b	29.76	755.9	78	100	ESE	2	b		
Sharp Peak, .	29.64	752.8	88	86	NNE	4	b	29.63	752.6	82	91	N	4	o		
Amoy, .	29.45	748.0	92	61	NNE	2	o	29.44	747.8	82	83	E	4	o		
Swatow,	
Taihoku, .	11	29.54	750.3	93	64	ESE	6	b	5	29.53	750.0	79	69	E	2	o
Taichu, .	29.49	749.1	90	W	2	o	29.54	750.3	77	0	o	
Tainan, .	29.47	748.5	84	SE	2	o	29.50	749.4	79	...	SSE	6	o	
Koshun, .	29.49	749.1	82	ENE	4	o	29.50	749.4	81	...	SE	4	b	
Pescadores, .	29.48	748.8	84	WSW	4	o	29.55	750.6	79	...	SSE	4	o	
Canton, .	14	6	
Hongkong, .	29.45	748.0	92	66	WSW	2	o	29.39	746.5	79	90	WNW	3	o		
Gap Rock, .	29.47	748.5	N	2	o	29.41	747.0	79	...	W	5	c		
Macao, .	29.45	747.9	97	63	SW	4	o	29.40	746.7	79	95	NNW	4	o		
Wuchow, .	15	9	
Pakhoi,	
Hoihow,	
Phulien, .	29.54	750.3	90	60	SW	2	b	7	29.53	750.0	81	97	WSW	1	bf	
Tourane, .	29.56	750.9	86	...	NNW	2	b	29.58	751.2	81	...	WSW	2	of		
Cape St. James, .	29.69	754.2	81	...	SW	6	o	29.76	756.0	75	...	NNW	6	o		
Aparri, .	14	6	
Dagupan,	
Manila, .	29.61	752.1	82	81	SW	2	r	29.67	753.6	79	92	S	4	o		
Legaspi, .	29.61	752.1	86	71	SW	4	o	29.67	753.6	77	89	SW	2	o		
Tacloban, .	29.67	753.6	86	65	WNW	4	o	
Ilolo, .	29.68	753.9	82	81	S	6	o	29.71	754.5	79	92	S	4	o		
Surigao, .	29.68	753.9	86	71	W	4	b	
Guam, .	12.20	29.62	752.4	...	FSE	4	o	4.20	
Yap, .	12.47	29.74	755.4	...	WNW	4	o	4.47	29.67	753.6	WNW	4	o	
Labuan, .	14	29.77	756.1	84	N	2	o	6	29.76	755.9	78	94	N	2	o	

August 4d. 18d. 40m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon in Lat. 22° N. Long. 118° E., direction unknown, position uncertain.

August 5d. 6h. 07m.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 23° N. Long. 116° E., moving N.W.

August 5d. 11h. 15m.—Local signal No. 5 hoisted.

August 4d. 11h. 20m.—Pressure is highest over Japan. It has decreased considerably at Hongkong, moderately at Yap and slightly at Haiphong. It has increased slightly over the Philippines.

At 6 a.m. the typhoon was a few miles to the South of Swatow. It is small but violent. It may now curve to W. or W.S.W.

The Guam typhoon is moving W. or W.N.W. It was in about Lat. 11° N. and Long. 141° E., this morning.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.55 inch. Total since January 1st, 45.92 inches, against an average of 54.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, S.E. winds, strong, moderating.
- 2.—South coast of China between Hongkong and Lamock, | Cyclonic gales; overcast, rain.
- 3.—Hongkong to Gap Rock, W. winds, freshening considerably.
- 4.—South coast of China between Hongkong and Hainan, .

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	5TH AUGUST, 1923.								6TH AUGUST, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		WEATHER.
		Inches.	Millrs.			Dir.	Force.			Inches.	Millrs.			Dir.	Force.	
Wladivostock, .	12	29.75	755.7	80	...	NNW	2	C	6	29.86	758.3	70	O
Nemuro, .	11	29.61	752.0	SSE	3	...	5
Hokodate, .	"	29.70	754.5	SW	4	...	"
Tokio, .	"	29.82	757.5	ENE	1	...	"
Kochi, .	"	29.74	755.5	S	1	...	"
Nagasaki, .	"	29.74	755.5	NNE	1	...	"
Kagoshima, .	"	29.70	754.5	NE	2	...	"
Oshima, .	"	29.82	757.5	N	4	...	"
Naha, .	"	29.59	751.5	N	4	...	"
Ishigakijima, .	"	29.65	753.0	SSW	1	...	"
Bonin Island, .	"	29.78	756.5	SE	4	...	"
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.76	756.0	90	63	SE	1	b	"	29.74	755.4	77	96	ESE	1	b
Gutzlaff, .	14	29.75	755.6	83	100	ESE	4	b	"	29.75	755.6	78	100	E	2	o
Sharp Peak, .	"	29.64	752.8	83	91	E	2	o	7	29.69	754.1	80	91	E	1	r
Amoy, .	15	29.52	749.8	88	69	SE	4	o	9	29.60	751.8	81	96	NE	4	o
Swatow, .	"	"
Taihoku, .	11	29.60	751.8	93	59	SW	2	o	5	29.63	752.7	73	98	...	0	b
Taichu, .	"	29.60	751.8	90	...	WNW	2	o	"	29.65	752.0	73	...	ESE	2	0
Tainan, .	"	29.59	751.5	84	...	SSE	6	o	"	29.62	752.4	77	...	ESE	2	0
Koshun, .	"	29.62	752.4	81	...	SSE	2	o	"	29.62	752.4	77	0	o
Pescadores, .	"	29.60	751.8	84	...	SE	6	o	"	29.63	752.7	79	...	SE	2	0
Canton, .	14	6
Hongkong, .	"	29.23	742.4	81	87	WNW	6	or	"	29.45	748.0	77	92	S	6	or
Gap Rock, .	"	29.30	744.2	WSW	6	o	"	29.43	747.5	SW	7	or
Macao, .	"	29.29	744.0	84	77	NW	4	o	"
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.45	747.9	93	67	WSW	2	b	7	29.47	748.5	81	92	WSW	4	o
Tourane, .	"	29.49	749.1	86	...	WNW	2	o	"	29.52	749.7	81	0	b
Cape St. James, .	"	29.68	753.9	77	...	WSW	6	o	"	29.68	753.9	77	...	SW	7	o
Aparri, .	14	29.60	751.8	81	90	WNW	4	o	6
Dagupan, .	"	"
Manila, .	"	29.65	753.0	86	75	WSW	6	o	"	29.69	754.2	79	87	SW	2	o
Legaspi, .	"	29.65	753.0	86	71	SW	4	o	"	29.67	753.6	79	84	SW	2	o
Tacloban, .	"	"
Ililo, .	"	29.69	754.2	86	75	S	6	o	"	29.72	754.8	50	74	SW	6	o
Surigao, .	"	29.67	753.6	86	65	WNW	4	b	"
Guam, .	12.20	29.72	754.8	SE	4	o	4.20
Yap, .	12.47	29.65	753.0	WNW	4	o	4.47	29.67	753.6	W	6	r
Labuan, .	14	29.72	754.9	90	70	N	2	b	6	29.73	755.1	81	91	N	4	b

August 5d. 14h. 40m.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 23° N. Long. 115° E., moving West.

August 6h. 10d. 40m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon filling up in Lat. 24° N. Long. 110° E., position uncertain.

August 5d. 22h. 00m.—Local signal No. 3 hoisted.

August 6d. 7h. 55m.—" " " 3 lowered.

August 6d. 10h. 40m.—Pressure has increased considerably in the neighbourhood of Hongkong. It is nearly stationary at the majority of other reporting stations.

The typhoon is filling up to the N.W. of Wuchow.

At 6 a.m. this morning the Guam typhoon was in about Lat. 12° N. and Long. 140° E., moving N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 6.31 inch. Total since January 1st, 52.23 inches, against an average of 54.50 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.
DISTRICT.**

S.E. winds, moderate.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- S. winds, strong, moderating; overcast, occasional rain.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	6TH AUGUST, 1923.							7TH AUGUST, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Dirct. ion	Forc.		Inches.	Millrs.			Dirct. ion	Forc.		
Vladivostock, .	12	29.84	757.9	83	...	NNW	2	0	6	29.82	757.5	72	...	SE	4	0
Nemuro, .	11	29.69	754.0	S	3	...	5	SSW	1	...
Hokodate, .	"	29.84	758.0	W	1	...	"	29.86	758.5	S	1	...
Tokio, .	"	29.92	760.0	SSE	4	...	"	29.94	760.5
Kochi, .	"	29.88	759.0	SE	1	...	"	29.96	761.0
Nagasaki, .	"	29.74	755.5	ESE	3	...	"	29.82	757.5	N	2	...
Kagoshima, .	"	29.74	755.5	E	3	...	"	29.63	752.5	E	4	...
Oshima, .	"	29.37	746.0	NNE	4	...	"	29.43	747.5	SSE	5	...
Naha, .	"	29.21	742.0	NNW	8	...	"	29.39	746.5	SW	7	...
Ishigakijima, .	"	29.59	751.5	WNW	5	...	"	29.94	760.5
Bonin Island, .	"	29.84	758.0	S	3	...	"
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"	29.71	754.5	82	86	ENE	2	...
Shanghai, .	11	29.76	755.9	90	57	ESE	2	b	"	29.68	753.9	81	96	NE	4	b
Gutzlaff, .	14	29.76	755.9	88	96	NE	1	b	"	29.60	751.8	80	91	W	2	o
Sharp Peak, .	"	29.71	754.6	88	84	E	2	b	7
Amoy, .	15	29.61	752.1	88	69	SSE	2	o	9
Swatow, .	"	"
Taihoku, .	11	29.66	753.3	90	60	W	2	b	5	29.49	749.1	79	73	W	4	o
Taichu, .	"	29.67	753.6	90	...	NW	2	b	"	29.62	752.4	73	0	b
Tainan, .	"	29.66	753.3	86	...	WSW	4	b	"	29.60	751.8	75	0	b
Koshun, .	"	29.66	753.3	84	...	NNW	4	o	"	29.55	750.6	79	...	WNW	4	b
Pescadores, .	"	29.68	753.9	90	...	SW	4	o	"	29.60	751.8	79	...	W	4	o
Canton, .	14	6
Hongkong, .	"	29.54	750.3	83	82	S	4	o	"	29.62	752.3	79	92	NE	1	o
Gap Rock, .	"	29.53	750.0	S	3	o	"	29.62	752.3	SE	4	b
Macao, .	"	29.49	749.1	77	96	ESE	4	o	"	29.59	751.5	79	96	SE	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.42	747.3	90	66	WSW	4	o	7	29.49	749.1	77	91	E	4	o
Tourane, .	"	29.50	749.4	86	...	SSW	2	o	"	29.56	750.9	81	0	b
Cape St. James, .	"	29.66	753.3	79	...	SW	6	o	"	29.74	755.4	75	...	SW	6	o
Aparri, .	14	6	29.62	752.4	75	92	SW	2	o
Dagupan, .	"	"
Manila, .	"	29.66	753.3	84	77	SW	4	o	"	29.69	754.2	75	96	WNW	2	r
Legaspi, .	"	29.65	753.0	86	65	SSW	4	o	"	29.69	754.2	79	92	SW	4	o
Taloban, .	"	"
Ililo, .	"	29.68	753.9	86	75	S	6	o	"	29.72	754.8	81	84	SW	6	o
Surigao, .	"	29.67	753.6	86	68	W	2	o	"	29.71	754.5	81	80	WSW	2	o
Guam, .	12.20	29.67	753.6	S	4	o	4.20	29.79	756.6	SSE	2	r
Yap, .	12.47	29.63	752.7	WNW	6	o	4.47	29.72	754.8	SW	4	o
Labuan, .	14	29.69	754.1	90	73	N	2	b	6	29.76	755.9	78	94	S	2	b

August 6h. 18d. 37m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 13° N. Long. 139° E., moving N.W.

August 7d. 11h. 50m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 138° E., moving N.W.

August 7d. 12h. 02m.—Pressure has decreased moderately at Foochow and increased considerably over the Loochoos and over Kwangtung. It has increased moderately to slightly elsewhere.

The depression over S.W. China is farther South this morning.

At 6 a.m. this morning the Guam typhoon was about 300 miles north of Yap, moving N.W.

The Loochoos typhoon has curved W.N.W. It is now in about Lat. 27° N. and Long. 125° E., threatening Che-kiang.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inch. Total since January 1st, 52.27 inches, against an average of 55.01 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.
DISTRICT.**

1.—Formosa Channel, W. to S.W. winds, freshening considerably.

2.—South coast of China between Hongkong and Lamocks, Light variable winds, freshening from westward; fair.

3.—Hongkong to Gap Rock, S.E. winds, moderate.

4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	7TH AUGUST, 1923.							8TH AUGUST, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.			
		Inches.	Mills.			Dir.	Force.		Dir.	Force.			Dir.	Force.		
Wladivostock, .	12	29.78	756.3	76	...	SE	4	o	6	29.70	754.3	69	...	SE	3	F
Nemuro,	11	29.76	756.0	N	2	...	5	29.80	757.0
Hokodate,	"	29.86	758.5	NW	1	...	"	29.76	756.0
Tokio,	"	29.88	759.0	SSE	3	...	"	29.86	758.5
Kochi,	"	29.88	759.0	0	...	"	SW	0	0
Nagasaki,	"	29.86	758.5	ESE	3	...	"	29.90	759.5
Kagoshima,	"	29.86	758.5	SE	2	...	"	29.80	757.0	ESE	1	...
Oshima,	"	29.72	755.0	ESE	4	...	"	29.71	754.5	ESE	2	...
Naha,	"	29.61	752.0	SSE	4	...	"	29.59	751.5	S	6	...
Ishigakijima,	"	29.47	748.5	SSW	9	...	"	29.57	751.0
Bonin Island,	"	29.92	760.0	E	1	...	"
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.68	753.9	86	68	ENE	6	o	"	29.65	753.1	81	80	ESE	6	0
Gutzlaff,	14	29.61	752.1	82	100	ENE	6	o	"	29.66	753.3	80	100	SE	7	0
Sharp Peak,	"	29.42	747.2	90	84	SW	2	o	7	29.50	749.3	81	95	SW	6	rf
Amoy,	15	29.42	747.2	92	57	SSW	4	o	9	29.37	746.0	86	72	SSW	4	b
Swatow,	"	"
Taihoku,	11	29.41	747.0	82	70	W	6	o	5	29.52	749.7	73	94	...	0	0
Taichu,	"	29.60	751.8	84	...	SSE	2	o	"	29.54	750.3	77	...	SSE	2	0
Tainan,	"	29.60	751.8	86	...	W	4	o	"	29.56	750.9	75	...	SE	4	0
Koshun,	"	29.55	750.6	84	...	NW	6	o	"	29.56	750.9	81	...	W	4	0
Pescadores,	"	29.61	752.1	86	...	SW	4	o	"	29.53	750.0	81	...	S	6	0
Canton,	14	6
Hongkong,	"	29.58	751.3	87	76	W	2	o	"	29.55	750.5	80	91	W	2	0
Gap Rock,	"	29.60	751.8	SE	3	o	"	29.56	750.8	WSW	4	0
Macao,	"	29.58	751.2	90	79	SE	2	o	"	29.54	750.3	79	90	WSW	4	0
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.50	749.4	81	87	NNW	4	o	7	29.58	751.2	79	93	ENE	4	b
Tourane,	"	29.53	750.0	86	...	SSW	2	o	"	29.60	751.8	81	...	WNW	2	0
Cape St. James,	"	29.69	754.2	82	...	SW	4	b	"	29.78	756.3	77	...	SW	6	0
Aparri,	14	29.59	751.5	90	66	NW	4	o	6	29.60	751.8	77	91	SW	2	0
Dagupan,	"	"
Manila,	"	29.66	753.3	82	81	SW	4	o	"	29.69	754.2	75	96	NE	2	r
Legaspi,	"	29.65	753.0	90	60	WSW	6	o	"	29.66	753.3	81	84	SW	4	0
Tacloban,	"	29.68	753.9	86	68	WNW	2	o	"	29.71	754.5	75	89	...	0	r
Iloilo,	"	29.71	754.5	82	81	S	6	o	"	29.72	754.8	81	86	SW	4	0
Surigao,	"	"
Guam,	12.20	29.76	756.0	SSW	4	o	4.20	29.79	756.6	S	1	0
Yap,	12.47	29.73	755.1	SW	2	r	4.47	29.82	757.5	0	0
Labuan,	14	29.73	755.1	88	76	N	1	b	6	29.78	756.4	81	91	N	4	b

August 7h. 17d. 15m.—Warning to Hongkong, Coast Ports, &c.—Typhoon of unknown intensity within 60 miles of Lat. 27° N. Long. 124° E., moving West.

August 8d. 9h. 30m.—Warning to Hongkong, Coast Ports, &c.—Typhoon of unknown intensity within 60 miles of Lat. 28° N. Long. 120° E., filling up.

August 8d. 11h. 56m.—Pressure has increased moderately over the Loochoos and N. Formosa and slightly at Foochow and over Indo-China. It is nearly stationary over the Philippines.

The Loochoos typhoon entered the coast early this morning less than 100 miles to the north of Foochow.

The position of the Guam typhoon is still doubtful. It is probably about 700 miles East of Aparri moving W.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 52.27 inches, against an average of 55.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.
DISTRICT.

- | | |
|--|-------------------------------|
| 1.—Formosa Channel, | S. winds, strong, moderating. |
| 2.—South coast of China between Hongkong and Lamock, | S.W. winds, moderate; fair. |
| 3.—Hongkong to Gap Rock, | |
| 4.—South coast of China between Hongkong and Hainan, | |

T. F. CLAXTON, Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	8TH AUGUST, 1923.							9TH AUGUST, 1923.									
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.		HUMIDIT.	WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.		HUMIDIT.	WIND.
	Inches.	Mills.	Temp.	Atmos.	Humid.	Direct- ion.	Force.	WEATHER.		Inches.	Mills.	Temp.	Atmos.	Humid.	Direct- ion.	Force.	WEATHER.
Wladivostock, .	12	29.64	752.9	...	80	E	2	c	6	29.82	757.3	71	NNE	2	c
Nemuro, .	11	29.78	756.5	SE	3	...	5
Hokodate, .	"	29.69	754.0	SSW	2	...	"
Tokio, .	"	29.80	757.0	S	2	...	"
Kochi, .	"	29.88	759.0	SE	1	...	"
Nagasaki, .	"	29.90	759.5	SE	1	...	"
Kagoshima, .	"	29.90	759.5	E	1	...	"
Oshima, .	"	29.80	757.0	E	2	...	"
Naha, .	"	29.70	754.5	NE	4	...	"
Ishigakijima, .	"	29.65	753.0	SE	4	...	"
Bonin Island, .	"	29.90	759.5	ESE	1	...	"
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.68	753.9	86	71	SSE	6	o	"	29.67	753.6	77	91	ESE	2	b	
Gutzlaff, .	14	29.70	754.4	82	100	SE	7	o	"	29.71	754.6	77	100	SE	6	o	
Sharp Peak, .	"	29.59	751.6	84	91	SSW	2	o	7	29.60	751.8	81	91	E	1	b	
Aney, .	15	29.40	746.7	94	64	SW	1	o	9	29.51	749.5	82	92	SW	1	o	
Swatow, .	"	"
Taihoku, .	11	29.56	750.9	90	69	E	1	o	5	29.54	750.3	84	86	ESE	2	b	
Taichu, .	"	29.58	751.2	90	...	SSW	4	o	"	29.56	750.9	77	0	0	b
Tai'an, .	"	29.60	751.8	86	...	SW	4	o	"	29.53	750.0	75	0	0	b
Koshun, .	"	29.59	751.5	84	...	SSW	4	o	"	29.52	749.7	77	0	0	b
Pescadores, .	"	29.58	751.2	90	...	SSW	4	o	"	29.53	750.0	79	...	Z	2	b	
Canton, .	14	29.50	749.3	92	67	WSW	2	c	6
Hongkong, .	"	29.52	749.8	86	74	WSW	3	c	"	29.51	749.5	82	89	SW	3	c	
Gap Rock, .	"	29.54	750.3	WSW	4	c	"	29.50	749.3	WSW	5	c	
Macao, .	"	29.52	749.7	90	72	SW	2	o	"	29.48	748.8	81	94	WSW	4	o	
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.56	750.9	77	88	NW	1	o	7	29.59	751.5	77	89	NNE	1	bf	
Tourane, .	"	29.60	751.8	86	...	SW	2	o	"	29.60	751.8	81	...	WNW	2	o	
Cape St. James, .	"	29.72	754.8	86	...	SW	4	o	"	29.76	756.0	77	...	SW	6	o	
Aparri, .	14	29.53	750.0	90	63	NW	4	o	6	29.48	748.8	81	87	W	2	o	
Dagupan, .	"	"
Manila, .	"	29.68	753.9	73	92	NW	4	r	"	29.62	752.4	75	96	WSW	4	r	
Legaspi, .	"	29.62	752.4	82	81	SW	4	o	"
Taloban, .	"	29.66	753.3	86	61	SW	4	o	"	29.69	754.2	79	84	WNW	2	o	
Boilo, .	"	"	29.68	753.9	79	89	SW	6	r	
Sarigao, .	"	29.67	753.6	86	52	W	4	b	"	29.69	754.2	82	77	SW	4	r	
Guam, .	12.20	29.75	755.7	NE	1	o	4.20	29.76	756.0	SE	1	r	
Yap, .	12.47	29.76	756.0	SW	4	o	4.47	29.78	756.3	W	2	o	
Labuan, .	14	29.76	755.9	88	73	N	2	b	6	29.78	756.4	80	70	S	1	b	

August 8d. 18h. 35m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 130° E., moving W.N.W.

August 9d. 10d. 57m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 125° E., moving W.N.W.

August 9d. 11h. 10m.—Pressure has decreased moderately over N. Luzon and S. Formosa. It is nearly stationary over S. China.

The Loochoos typhoon is still shown as a depression to the south of the Yangtze Valley.

At 6 a.m. this morning the Guam typhoon was in about Lat. 20° N. and Long. 125° E., moving W.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 52.27 inches, against an average of 56.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, Light, variable winds, freshening from North.
- 2.—South coast of China between Hongkong and Lamocks, } West or variable winds; moderate.
- 3.—Hongkong to Gap Rock, }
- 4.—South coast of China between Hongkong and Hainan, . Light, variable winds.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	9TH AUGUST, 1923.							10TH AUGUST, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temp. ATM.	Humid.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temp. ATM.	Humid.	WIND.		
		Inches.	Millrs.			Direct Ion.	Force.		Wind.	Force.			Direct Ion.	Force.	Weather.
Wladivostock, .	12	E	2	6	SE	1	...
Nemuro, .	11	29.59	751.5	WNW	3	5	29.98	761.5	E	1	...
Hokodate, .	"	29.69	754.0	SSW	2	"	29.88	759.0	NNE	1	...
Tokio, .	"	29.72	755.0	SE	1	"	29.86	758.5	0	...
Kochi, .	"	29.82	757.5	SE	2	"	29.90	759.5	3	...
Nagasaki, .	"	29.78	756.5	ESE	1	"	29.80	757.0	ENE	3	...
Kagoshima, .	"	29.78	756.5	ESE	1	"	29.80	757.0	3	...
Oshima, .	"	29.65	753.0	ESE	4	"	29.65	753.0	E	4	...
Naha, .	"	29.47	748.5	E	6	"	29.41	747.0	SE	6	...
Ishigakijima, .	"	29.37	746.0	N	6	"	28.25	722.5	N	12	...
Bonin Island, .	"	29.86	758.5	0	0	"	29.55	750.5
Weihaiwei, .	14	6
Hankow, .	15	"
Jehang, .	"	"
Changsha, .	"	"	29.63	752.7	79	95	E	4	b
Shanghai, .	12	29.68	753.9	86	68	ESE	4	"	29.66	753.3	78	100	ENE	4	b
Gutzlaff, .	14	29.68	753.9	84	100	SE	4	"	29.45	748.0	80	91	N	2	o
Sharp Peak, .	"	29.57	751.1	84	89	E	2	7	29.40	746.7	81	92	WNW	1	o
Amoy, .	15	29.40	746.7	88	76	SSE	1	9	29.35	745.5	81	...	NNW	7	o
Swatow, .	"	"
Taihoku, .	11	29.52	749.7	86	78	N	2	5	29.26	743.1	79	92	NE	4	r
Taichu, .	"	29.55	750.6	81	...	N	2	"	29.29	744.0	77	...	N	4	r
Tainan, .	"	29.52	749.7	86	...	NNW	4	"	29.29	744.0	81	...	NNW	6	o
Koshun, .	"	29.47	748.5	84	...	NW	4	"	29.24	742.8	79	...	W	6	r
Pescadores, .	"	29.53	50.0	86	...	W	4	"	29.35	745.5	81	...	NNW	7	o
Canton, .	14	29.41	747.0	95	59	NW	1	6	olt
Hongkong, .	"	29.44	747.8	90	68	W	2	"	29.41	747.0	83	96	...	0	o
Gap Rock, .	"	29.45	748.0	W	4	"	29.43	747.5	WSW	5	o
Macao, .	"	29.48	748.8	90	76	ESE	2	"	29.39	746.4	82	77	WSW	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.49	749.1	90	66	WSW	1	7	29.48	748.8	75	95	SW	1	o
Tourane, .	"	29.55	750.6	86	...	WNW	2	"	29.54	750.3	82	...	W	2	o
Cape St. James, .	"	29.71	754.5	77	...	WSW	4	"	29.72	754.8	77	...	SW	4	o
Aparri, .	14	6
Dagupan, .	"	"
Manila, .	"	29.56	750.9	79	93	WSW	2	"	29.58	751.2	79	92	SW	4	r
Legaspi, .	"	"	29.61	752.1	77	92	SW	4	o
Taoloban, .	"	29.62	752.4	86	71	WSW	4	"	29.68	753.9	79	76	SSW	2	o
Iloilo, .	"	29.62	752.4	82	86	S	6	"	29.67	753.6	81	86	S	6	r
Surigao, .	"	"	29.68	753.9	79	58	SW	4	o
Guam, .	12.20	29.75	755.7	NE	2	4.20	29.76	756.0	NE	4	o
Yap, .	12.47	29.76	756.0	WNW	2	4.47	29.81	757.2	N	2	o
Labuan, .	14	29.74	755.4	88	76	N	1	6

August 9d. 18h. 50m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 23° N. Long. 125° E., moving N.W.

August 10d. 8h. 45m.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 23° N. Long. 123° E., moving W.N.W.

August 10d. 11d. 25m.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 24° N. Long. 124° E., moving N.N.W.

August 10d. 13h. 32m.—Pressure has decreased very considerably at Ishigakijima, considerably over Formosa and slightly over Kwangtung and Indo-China. It has increased slightly over the Philippines.

Observations received from Formosa at 8.16 a.m. indicated that the typhoon was near Lat. 22° N. and Long. 123° E., but observations received from Ishigakijima at 10.55 a.m. showed that the centre was passing over or very near this station, at 5 a.m. this morning, on a N. or N.N.W. track.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 52.28 inches, against an average of 56.59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, Cyclonic gales, moderating.
 - 2.—South coast of China between Hongkong and Lamock, W. winds, strong; moderating.
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- } W. winds, moderate, generally cloudy.

T. F. CLAXTON Director.

**ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.**

STATION.	10TH AUGUST, 1923.							11TH AUGUST, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDIT.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDIT.	WIND.	WEATHER.
	Inches.	Millrs.								Millrs.						
Vladivostock, .	12	29.80	757.0	77	..		SSW	b	6	29.88	758.8	70	..	0	c	
Nemuro,.....	11	29.94	760.5		S	2	5	29.86	758.5	1	1	
Hokodate,	"	29.86	758.5		SE	3	"	29.80	757.0	2	2	
Tokio,.....	"	29.86	758.5		S	2	"	29.88	759.0	1	..	
Kochi,	"	29.90	759.5		SE	1	"	29.96	761.0	0	..	
Nagasaki,	"	29.80	757.0		E	4	"	29.88	759.0	3	..	
Kagoshima,	"	29.82	757.5		SE	2	"	29.88	759.0	1	..	
Oshima,	"		S	6	"	29.76	756.0	3	..	
Naha,	"		ESE	4	"	29.67	753.5	3	..	
Ishigakijima,	"	28.19	716.0		SW	1	"	29.47	748.5	10	..	
Bonin Island,	"	29.92	760.0		ENE	1	"	29.96	761.0	
Weihaiwei,	14	6	
Hankow,	15	"	
Ichang,	"	"	
Changsha,	"	"	29.48	748.8	81	84	8	o	
Shanghai,	11	29.66	753.3	86	65		E	6	"	29.46	748.3	80	100	10	..	
Gutzlaff,	14	29.60	751.8	81	100		ENE	4	"	29.17	749.9	80	95	4	r	
Sharp Peak,	"	29.34	745.2	86	88		WNW	0	7	29.27	743.4	83	83	1	o	
Amoy,	15	29.30	744.2	86	80		NE	2	9	
Swatow,	"	"	29.38	746.1	81	..	6	o	
Taihoku,	11	29.17	741.0	79	95		N	6	5	29.26	743.1	77	94	8	o	
Taichu,	"	29.27	743.4	81	..		NNW	6	"	29.40	746.7	77	..	4	o	
Tainan,	"	29.34	745.2	82	..		NW	7	"	29.45	747.9	81	..	6	r	
Koshun,	"	29.29	744.0	84	..		W	6	"	29.47	748.5	81	..	4	o	
Pescadores,	"	29.36	745.8	82	..		NW	8	"	29.38	746.1	81	..	6	o	
Canton,	14	29.35	745.5	91	79		W	2	6	
Hongkong,	"	29.40	746.7	84	83		..	0	"	29.41	747.0	80	89	1	c	
Gap Rock,	"	29.43	747.5		SSW	3	"	2	o	
Macao,	"	29.39	746.4	90	79		..	2	"	29.39	746.4	79	89	
Wuchow,	15	9	
Pakhoi,	"	"	
Hoihow,	"	"	
Phulien,	"	29.42	747.3	90	63		SW	2	7	29.46	748.2	82	92	1	bf	
Tourane,	"	29.50	749.4	86	..		WSW	2	"	29.52	749.7	82	..	2	o	
Cape St. James,	"	29.66	753.3	81	..		SW	6	"	29.72	754.8	77	..	4	of	
Aparri,	14	6	
Dagupan,	"	29.56	750.9	82	87		S	2	"	29.68	753.9	79	93	1	o	
Manila,	"	29.59	751.5	84	85		WSW	4	"	29.71	754.5	79	93	2	o	
Legaspi,	"	29.62	752.4	82	84		SSW	4	"	29.75	755.7	75	96	0	o	
Tacloban,	"	29.66	753.3	86	65		SSW	2	"	29.74	755.4	77	89	4	o	
Ililo,	"	29.66	753.3	77	96		S	2	"	29.75	755.7	75	92	0	o	
Surigao,	"	"	29.75	755.7	75	92	0	o	
Guam,	12.20	29.74	755.4		ENE	2	4.20	29.75	755.7	1	o	
Yap,	12.47	29.78	756.3	75	79		N	0	4.47	
Labuan,	14	29.75	755.6		NE	4	6	29.78	756.4	78	91	4	b	

August 10th, 18d. 20m.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 25° N. Long. 124° E., moving N.N.W.

August 11d. 10h. 30m.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 30 miles of Lat. 26° N. Long. 121° E., moving W.N.W.

August 11th. 11h. 31m.—Pressure has increased considerably over Formosa and the Loochoos, and slightly over central and S.W. Japan; also over the Philippines. It has decreased considerably from Foochow to Shanghai.

The typhoon is entering the coast very near Foochow, travelling W.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.23 inch. Total since January 1st, 52.51 inches, against an average of 57.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

- 1.—Formosa Channel, S. winds, strong, moderating.
 2.—South coast of China between Hongkong and Lamocks, }
 3.—Hongkong to Gap Rock, S.W. winds, fresh; generally cloudy, occasional rain.
 4.—South coast of China between Hongkong and Hainan, . }

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	11TH AUGUST, 1923.								12TH AUGUST, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		WEATHER.
		Inches.	Millrs.			Direct. ion.	Force.			Inches.	Millrs.			Direct. ion.	Force.	
Vladivostock, .	12	6
Nemuro, .	11	29.80	757.0	ESE	2	...	5
Hokodate, .	"	29.84	758.0	NNW	3	...	"
Tokio, .	"	29.86	758.5	E	1	...	"
Kochi, .	"	29.96	761.0	NE	1	...	"
Nagasaki, .	"	29.92	760.0	SE	3	...	"
Kagoshima, .	"	29.92	760.0	SSE	2	...	"
Oshima, .	"	29.82	757.5	SE	4	...	"
Naha, .	"	SSE	4	...	"
Ishigakijima, .	"	28.59	751.5	SSW	7	...	"
Bonin Island, .	"	29.94	760.5	E	1	...	"
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.45	748.0	81	86	ESE	6	o	"	29.38	746.1	79	95	SSE	8	r
Gutzlaff, .	14	29.45	748.0	78	95	SE	10	o	"	29.50	749.3	78	92	SSE	7	o
Sharp Peak, .	"	29.40	746.7	84	95	S	6	o	7	29.63	752.6	80	95	S	4	rf
Amoy, .	15	29.34	745.2	88	76	SSW	4	o	9
Swatow, .	"	"
Taihoku, .	11	29.42	747.3	82	89	E	2	o	5	29.62	752.4	79	96	SE	1	o
Taichu, .	"	29.50	749.4	84	...	SSW	4	o	"	29.65	753.0	79	...	SSE	2	o
Tainan, .	"	29.54	50.3	84	...	SSW	4	o	"	29.67	753.6	75	...	SSE	4	o
Koshun, .	"	29.59	751.5	84	...	SW	4	o	"	29.69	754.2	79	...	SSW	4	r
Pescadores, .	"	29.49	749.1	84	...	S	7	o	"	29.63	752.7	81	...	S	6	o
Canton, .	14	6
Hongkong, .	"	29.47	748.5	79	95	"	29.54	750.3	80	87	SW	1	c
Gap Rock, .	"	29.46	748.3	SW	5	o	"	29.54	750.3	SSW	4	cp
Macao, .	"	29.42	747.3	82	86	SSW	2	o	"	29.50	749.4	81	94	SSW	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hohow, .	"	"
Phulien, .	"	29.42	747.3	93	67	WNW	4	b	7
Tourane, .	"	29.50	749.4	86	...	SSW	2	b	"
Cape St. James, .	"	29.67	753.6	81	...	SW	4	of	"
Aparri, .	14	6
Dagupan, .	"	"
Manila, .	"	29.69	754.2	82	77	WSW	4	o	"
Legaspi, .	"	29.71	754.5	90	66	SSW	4	o	"
Tacloban, .	"	29.73	755.1	86	68	SE	2	o	"
Iloilo, .	"	29.74	755.4	82	74	S	6	o	"
Surigao, .	"	"
Guam, .	12.20	29.68	753.9	NE	2	o	4.20
Yap, .	12.47	29.74	755.4	NE	4	o	4.47
Labuan, .	14	29.76	755.9	86	76	NW	2	b	6

August 11d. 15h. 45m.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 120 miles of Lat. 28° N. Long. 118° E., moving N.W.

August 12d. 12h. 12m.—Returns from the majority of stations are lacking this morning; no weather map will be issued. The typhoon is still shown as a depression over the lower Yangtze.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1.56 inch. Total since January 1st, 54.07 inches, against an average of 57.66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.
 DISTRICT. FORECAST.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamock,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan,
 } S. winds, moderate; cloudy, showery.

C. W. JEFFRIES,—Chief Assistant.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	12TH AUGUST, 1923.							13TH AUGUST, 1923.									
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.	WEATHER.	
	Hours	Inches.	Millrs.	Hours					Hours	Inches.	Millrs.	Hours	Millrs.				
Vladivostock, ..	12	29.83	757.6	71	ESE	4	r	6	29.69	754.2	71	...	SE	6	f
Nemuro,	11	29.86	758.5	SSE	1	...	5	29.92	760.0	SW	2	..
Hokodate,	"	29.88	759.0	SSE	2	...	"	29.90	759.5	1	..
Tokio,	"	29.88	759.0	N	1	...	"	29.92	760.0	SW	1	..
Kochi,	"	29.92	760.0	SE	1	...	"	29.94	760.5	SW	1	..
Nagasaki,	"	29.92	760.0	S	4	...	"	29.92	760.0	SSE	4	..
Kagoshima,	"	29.94	760.5	SSE	1	...	"	29.94	760.5	0	..
Osima,	"	29.88	759.0	SE	2	...	"	29.88	759.0	1	..
Naha,	"	29.84	758.0	S	2	...	"	29.88	759.0	SSE	1	..
Ishigakijima,	"	29.76	756.0	SSW	3	...	"	S	4	..
Bonin Island,	"	29.90	759.5	ENE	1	...	"	29.92	760.0	SSE	1	..
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.48	748.8	81	90	...	SSE	8	r	"	29.65	753.0	79	98	SSW	2	r
Gutzlaff,	14	29.54	750.3	78	95	...	S	6	o	"	29.70	754.4	77	100	S	6	r
Sharp Peak,	"	29.64	752.8	83	83	...	SSE	2	r	7	29.78	756.4	77	94	...	0	r
Amoy,	15	29.59	751.6	81	92	...	SW	4	r	9	29.68	753.9	81	92	S	4	o
Swatow,	"	"
Taihoku,	11	29.68	753.9	86	75	...	N	4	o	5	29.78	756.3	77	98	...	0	o
Taichu,	"	29.72	754.8	86	SSW	4	o	"	29.78	756.3	75	0	o
Tainan,	"	29.75	755.7	75	SSE	2	r	"	29.78	756.3	77	...	SE	4	o
Koshun,	"	29.75	755.7	86	S	2	o	"	29.78	756.3	77	0	o
Pescadores,	"	29.72	754.8	81	SSE	6	r	"	29.76	756.0	81	...	S	4	o
Canton,	14	29.56	750.8	84	83	...	NW	1	o	6
Hongkong,	"	29.59	751.6	85	80	...	SW	4	o	"	29.66	753.3	82	87	SE	3	o
Gap Rock,	"	29.59	751.6	SW	5	o	"	29.66	753.3	S	4	c
Macao,	"	29.55	750.6	86	81	...	S	4	o	"	29.63	752.7	81	92	SSE	4	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.49	749.1	81	87	...	WNW	7	r	7	29.54	750.3	75	94	SSW	4	r
Tourane,	"	29.54	750.3	86	W	2	o	"	29.60	751.8	79	...	SW	2	o
Cape St. James,	"	"	29.79	756.6	73	...	WSW	4	r
Aparri,	14	29.71	754.5	90	66	...	NE	4	o	6	29.76	756.0	75	91	S	2	o
Dagupan,	"	"
Manila,	"	29.72	754.8	86	71	...	SW	2	o	"	29.79	756.6	75	96	E	1	o
Legaspi,	"	29.75	755.7	79	89	...	SW	2	o	"	29.80	756.9	75	96	...	0	o
Tacloban,	"	"
Ililo,	"	29.76	756.0	82	70	...	SW	6	o	"	29.84	757.8	75	91	SW	6	o
Surigao,	"	29.75	755.7	81	76	...	W	2	o	"	29.79	756.6	75	91	W	2	o
Guam,	12.20	29.68	753.9	SSW	4	o	4.20	29.76	756.0	SW	1	r
Yap,	12.47	29.73	755.1	W	2	o	4.47	29.79	756.6	WSW	2	o
Labuan,	14	29.77	756.1	88	69	...	SW	4	b	6	29.77	756.1	78	91	S	2	b

August 13d. 12h. 06m.—Pressure has increased slightly to moderately at the majority of reporting stations.

A feeble anticyclone covers Japan, and a depression covers China.

The position of the Guam typhoon is uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.47 inch. Total since January 1st, 54.54 inches, against an average of 58.18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

DISTRICT. FORECAST.

- | | | |
|---|---|--|
| 1.—Formosa Channel, | { | S. winds, moderate; overcast, occasional rain. |
| 2.—South coast of China between Hongkong and Lamocks, | | |
| 3.—Hongkong to Gap Rock, | | |
| 4.—South coast of China between Hongkong and Hainan, | | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	13TH AUGUST, 1923.								14TH AUGUST, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temper- ature.	Humid.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temper- ature.	Humid.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	29.61	752.0	73	...	SE	7	f	6	29.51	749.6	75	...	WSW	4	b
Nemuro, .	11	5	29.78	756.5	S	4	...
Hokodate, .	"	29.88	759.0	ESE	2	...	"	29.75	755.5	SE	1	...
Tokio, .	"	29.90	759.5	SW	2	...	"	29.90	759.5	SW	1	...
Kochi, .	"	29.92	760.0	SE	1	...	"	29.94	760.5	WSW	1	...
Nagasaki, .	"	29.92	760.0	S	3	...	"	29.94	760.5	S	1	...
Kagoshima, .	"	29.94	760.5	SE	1	...	"	29.96	761.0	NW	1	...
Oshima, .	"	29.90	759.5	SE	2	...	"	29.92	760.0	0	...
Naha, .	"	29.90	759.5	S	1	...	"	29.88	759.0	2	...
Ishigakijima, .	"	29.86	758.5	S	3	...	"	29.86	758.5	S	2	...
Bonin Island, .	"	29.92	760.0	ESE	1	...	"	29.92	760.0
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.73	755.1	81	90	SSW	2	o	"	29.76	756.0	75	96	S	2	b
Gutzlaff, .	14	29.74	755.4	78	100	S	2	o	"	29.80	756.9	77	95	S	4	o
Sharp Peak, .	"	29.79	756.6	84	87	S	1	o	7	29.84	757.9	73	81	o	0	r
Amoy, .	15	29.72	754.9	81	92	SSW	2	r	9	29.76	755.9	76	95	SE	1	o
Swatow, .	"	"
Taihoku, .	11	29.82	757.5	86	81	E	2	o	5	29.85	758.1	72	96	ENE	2	b
Taichu, .	"	29.82	757.5	86	...	o	0	o	"	29.82	757.5	72	0	o
Tainan, .	"	29.80	756.9	86	...	S	4	o	"	29.82	757.5	75	...	ESE	2	o
Koshun, .	"	29.82	757.5	90	...	o	0	o	"	29.86	758.4	73	0	r
Pescadores, .	"	29.82	757.5	84	...	S	4	o	"	29.82	757.5	81	...	S	4	o
Canton, .	14	29.66	753.3	83	83	S	2	o	6
Hongkong, .	"	29.68	753.9	82	86	SS	2	o	"	29.73	755.1	80	85	SE	2	c
Gap Rock, .	"	29.68	753.9	S	4	o	"	29.71	754.6	SSE	4	c
Macao, .	"	29.66	753.3	86	85	SSE	4	o	"	29.68	753.9	79	90	ESE	4	o
Wuchow, .	15	9
Pakboi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.54	750.3	84	81	E	4	o	7	29.60	751.8	77	98	NE	1	r
Tourane, .	"	29.56	750.9	86	...	SW	2	o	"	29.63	752.7	81	...	WSW	2	b
Cape St. James, .	"	29.72	754.8	75	...	SSW	6	o	"	29.79	756.6	75	...	SW	4	of
Aparri, .	14	29.73	755.1	86	71	NNE	4	o	6	29.80	756.9	73	96	...	0	o
Dagupan, .	"	"
Manila, .	"	29.74	755.4	82	77	SW	2	o	"	29.81	757.2	73	96	E	1	o
Legaspi, .	"	29.78	756.3	79	90	SSW	2	o	"
Tacloban, .	"	"	29.81	757.2	75	96	...	0	o
Illoilo, .	"	29.76	756.0	82	77	S	6	o	"	29.81	757.2	79	80	S	4	o
Surigao, .	"	29.76	756.0	82	77	W	2	o	"	29.81	757.2	55	96	...	0	o
Guam, .	12.20	29.74	755.4	SW	2	o	4.20	29.76	756.0	E	1	o
Yap, .	12.47	29.75	755.7	SSW	4	o	4.47	29.80	756.9	W	1	o
Labuan, .	14	29.76	755.9	86	80	N	1	b	6	29.80	756.9	78	91	N	2	b

August 14th. 11h. 40m.—Pressure has decreased moderately from Wladivostock to N.E. Japan. It is nearly stationary at Yap and Guam and has increased slightly at the majority of other reporting station.

A feeble anticyclone covers Japan and a depression covers China.

The position of the Guam typhoon is uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1.01 inch. Total since January 1st, 55.60 inches, against an average of 58.69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

DISTRICT.

FORECAST.

- | | |
|---|--|
| 1.—Formosa Channel,
2.—South coast of China between Hongkong and Lamocks,
3.—Hongkong to Gap Rock,
4.—South coast of China between Hongkong and Hainan, ... | } S. winds, moderate; generally overcast, occasional rain. |
|---|--|

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	14TH AUGUST, 1923.								15TH AUGUST, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock, ..	12	29.61	752.1	87	...	NW	4	b	6	29.85	758.2	72	0	o
Nemuro,	11	29.63	752.5	SSE	6	...	5	29.55	750.5	W	1	..
Hokodate,	"	29.67	753.5	W	6	...	"	29.75	755.5	W	2	..
Tokio,	"	29.84	758.0	SSE	3	...	"	29.86	758.5	NNW	1	..
Kochi,	"	29.92	760.0	SE	1	...	"	29.92	760.0	0	..
Nagasaki,	"	29.92	760.0	SSW	2	...	"	29.94	760.5	1	..
Kagoshima,	"	29.92	760.0	S	1	...	"	29.92	760.0	NW	1	..
Oshima,	"	29.90	759.5	E	1	...	"	29.88	759.0	NW	1	..
Naha,	"	30.00	762.0	E	2	...	"	29.86	758.5	ENE	1	..
Ishigakijima,	"	29.86	758.5	S	1	...	"	29.86	758.5	N	1	..
Bonin Island,	"	29.90	759.5	ESE	1	...	"	29.86	758.5	NE	1	..
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.78	756.3	84	74	SSW	3	b	"	29.80	756.9	73	92	S	1	b
Gutzlaff,	14	29.79	756.6	82	100	SSE	4	b	"	29.85	758.2	77	92	S	2	b
Sharp Peak,	"	29.84	757.9	84	72	SE	1	r	7	29.87	758.7	77	91	W	1	o
Amoy,	15	29.77	756.1	80	92	...	0	o	9	29.80	756.9	78	92	SE	2	o
Swatow,	"	"
Taihoku,	11	29.87	758.7	86	65	WNW	2	o	5	29.86	758.4	73	96	SW	1	o
Taichu,	"	29.86	758.4	84	0	o	"	29.87	758.7	73	2	b
Tainan,	"	29.84	757.8	84	...	SSE	4	o	"	29.82	757.5	75	0	o
Kosbun,	"	29.84	757.8	84	...	ESE	2	o	"	29.82	757.5	75	0	o
Pescadores,	"	29.84	757.8	82	...	SSE	4	o	"	29.85	758.1	79	...	ESE	2	o
Canton,	14	29.72	754.9	83	83	SE	2	o	6
Hongkong,	"	29.75	755.6	79	93	N	1	o	"	29.74	755.4	80	87	ESE	3	o
Gap Rock,	"	29.73	755.1	SE	4	o	"	29.73	755.1	ESE	4	op
Macao,	"	29.68	753.9	79	93	SE	4	o	"	29.72	754.8	79	95	ESE	4	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.62	752.4	77	100	ENE	4	rf	7	29.66	753.3	77	100	NNE	4	rf
Tourane,	"	29.61	752.1	86	...	NNW	2	o	"	29.68	753.9	79	...	WSW	2	o
Cape St. James,	"	29.73	755.1	82	...	SW	4	o	"	29.81	757.2	75	...	SW	2	o
Aparri,	14	29.78	756.3	86	71	NE	4	o	6
Dagupan,	"	"
Manila,	"	29.78	756.3	86	68	SW	4	o	"	29.81	757.2	75	96	E	1	o
Legaspi,	"	29.76	756.0	81	87	ENE	2	o	"	29.80	756.9	75	96	SW	1	o
Tacloban,	"	"	29.82	757.5	77	91	...	0	o
Boillo,	"	29.79	756.6	84	71	S	6	o	"	29.84	757.8	75	91	N	2	o
Surigao,	"	29.78	756.3	86	61	W	2	b	"	29.66	753.3	0	b
Guam,	12.20	29.73	755.1	NNW	1	b	4.20
Yap,	12.47	29.76	756.0	W	4	o	4.47	29.74	755.4	W	4	o
Labuan,	14	29.79	756.6	88	76	N	1	b	6	29.83	757.7	78	86	S	1	b

August 15th. 12h. 07m.—Pressure has increased slightly at Shanghai and over Indo-China. It has decreased moderately at Guam and slightly at Yap. At other reporting stations it is nearly stationary.

A depression lies over Indo-China.

It is doubtful whether the Guam typhoon, suspected on August 11, is still in existence. Another has formed to the South of Guam.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.96 inch. Total since January 1st, 55.50 inches, against an average of 59.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

DISTRICT.

FORECAST.

- | | |
|---|--|
| 1.—Formosa Channel,
2.—South coast of China between Hongkong and Lamocks,
3.—Hongkong to Gap Rock,
4.—South coast of China between Hongkong and Hainan, ... | } S.E. winds, moderate; generally cloudy, showery. |
|---|--|

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	15TH AUGUST, 1923.							16TH AUGUST, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER. ATM.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER. ATM.	HUMIDIT.	WIND.		
		Inches.	Millrs.			Direct. ion.	Force.		Inches.	Millrs.			Direct. ion.	Force.	WEATHER.
Wladivostook, .	12	29.86	758.5	81	...	WSW	2	0	6	29.93	760.2	67	...	ESE	4
Nemuro, .	11	5	30.02	762.5	NE	2
Hokodate, .	"	29.76	756.0	WSW	3	...	"	30.00	762.0	0
Tokio, .	"	29.82	757.5	SE	1	...	"	29.92	760.0	1
Kochi, .	"	29.90	759.5	SE	1	...	"	29.88	759.0	SW	0
Nagasaki, .	"	"	29.90	759.5	0
Kagoshima, .	"	"	29.90	759.5	NW	1
Oshima, .	"	29.88	759.0	NNW	3	...	"	29.84	758.0	ESE	0
Naha, .	"	29.86	758.5	E	2	...	"	29.82	757.5	N	1
Ishigakijima, .	"	"	29.75	755.5	2
Bonin Island, .	"	29.88	759.0	NE	1	...	"	29.78	756.5	NNE	1
Weihaiwei, .	14	6	1
Hankow, .	15	"	1
Ichang, .	"	"	1
Changsha, .	"	"	29.84	757.9	75	98	S	b
Shanghai, .	11	29.84	757.8	86	61	S	1	b	"	29.85	758.2	76	100	S	b
Gutzlaff, .	14	29.83	757.7	83	83	S	4	b	7	29.86	758.4	80	93	...	0
Sharp Peak, .	"	29.87	758.7	84	81	S	1	o	9	29.76	755.9	80	92	SE	0
Amoy, .	15	29.78	756.4	84	79	SSW	1	o	"	0
Swatow, .	"	"	0
Taihoku, .	11	29.84	757.8	90	66	ENE	2	b	5	29.82	757.5	72	98	...	0
Taichu, .	"	29.86	758.4	90	...	SSW	2	b	"	29.82	757.5	73	...	NNE	0
Tainan, .	"	29.84	757.8	86	...	NNW	10	b	"	29.76	756.0	73	2
Koshun, .	"	29.84	757.8	86	...	E	2	b	"	29.86	758.4	73	b
Pescadores, .	"	29.87	758.7	86	...	NNE	2	o	"	29.82	757.5	77	0
Canton, .	14	6	0
Hongkong, .	"	29.75	755.6	80	91	S	4	o	"	29.72	754.9	78	94	E	0
Gap Rock, .	"	29.73	755.1	SE	4	c	"	29.70	754.4	SE	4
Macao, .	"	86	81	SE	4	o	"	29.68	753.9	77	96	E	0
Wuchow, .	15	9	0
Pakhoi, .	"	"	0
Hoihow, .	"	"	0
Phulien, .	"	29.65	753.0	79	95	E	4	of	7	0
Tourane, .	"	29.67	753.6	86	...	SSW	2	o	"	0
Cape St. James, .	"	29.79	756.6	82	...	SSW	4	o	"	0
Aparri, .	14	29.78	756.3	90	66	NNE	4	b	6	29.72	754.8	73	94	SW	2
Dagupan, .	"	"	0
Manila, .	"	29.78	756.3	84	71	SW	1	o	"	29.74	755.4	77	94	NE	1
Legaspi, .	"	"	29.72	754.8	77	92	SW	0
Tacloban, .	"	"	0
Hilo, .	"	29.76	756.0	84	71	S	6	o	"	29.74	755.4	79	84	SW	6
Surigao, .	"	"	0
Guam, .	12.20	29.65	753.0	ESE	2	r	4.20	29.61	752.1	S	1
Yap, .	12.47	29.72	754.8	SSW	4	o	4.47	29.71	754.5	W	4
Labuan, .	14	29.81	757.2	88	76	N	1	b	6	29.81	757.2	81	87	N	0

August 15d. 17h. 35m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 12° N. Long. 143° E., moving W.N.W.

August 16d. 11h. 30m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 128° E., moving W.N.W.

August 16d. 11h. 32m.—Pressure has increased considerably over N.E. Japan. It has decreased moderately over Luzon, the Bonins and Guam, and slightly at Hongkong and Yap.

An anticyclone covers N.E. Japan and a depression is central over Tongking.

The Guam typhoon which formed on August 11, is now shown in about Lat. 17° N. and Long. 128° E., moving W.N.W.

The typhoon which formed to the South of Guam yesterday has curved to northward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.46 inch. Total since January 1st, 55.96 inches, against an average of 59.71 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.
DISTRICT.**

- | | |
|--|--|
| 1.—Formosa Channel, . | Light variable winds, freshening from N.E. |
| 2.—South coast of China between Hongkong and Lamock, . | ... |
| 3.—Hongkong to Gap Rock, . | E. winds, moderate; generally cloudy, showery. |
| 4.—South coast of China between Hongkong and Hainan, . | ... |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	16TH AUGUST, 1923.							17TH AUGUST, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temp. Atmos.	Humid.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temp. Atmos.	Humid.	WIND.			
		Inches.	Millrs.			Dirct. ion.	Force.		Dirct. ion.	Force.			Dirct. ion.	Force.		
Vladivostock, .	12	29.86	758.9	70	...	ESE	7	0	6	29.89	759.1	69	...	SSE	4	f
Nemuro, .	11	30.00	762.0	5
Hokodate, .	"	29.98	761.5	SE	4	...	"
Tokio, .	"	29.90	759.5	E	1	...	"
Kochi, .	"	29.90	759.5	SE	1	...	"
Nagasaki, .	"	29.88	759.0	W	2	...	"
Kagoshima, .	"	29.88	759.0	SSW	1	...	"
Oshima, .	"	29.86	758.5	E	1	...	"
Naha, .	"	29.82	757.5	ESE	3	...	"
Ishigakijima, .	"	29.74	755.5	N	6	...	"
Bonin Island, .	"	29.78	756.5	ENE	1	...	"
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.85	758.1	90	57	SSW	2	b	"	29.84	757.8	73	96	SSE	2	b
Gutzlaff, .	14	29.86	758.4	82	96	SSE	4	b	"	29.87	758.7	76	100	SSE	2	b
Sharp Peak, .	"	29.83	757.7	86	80	E	2	b	7	29.71	754.6	80	91	NW	4	b
Amoy, .	15	29.68	753.9	86	80	SSW	1	o	9	29.61	752.1	81	91	N	4	o
Swatow, .	"	"
Taihoku, .	11	29.80	756.9	86	56	E	4	b	5	29.66	753.3	79	76	E	6	o
Taichu, .	"	29.78	756.3	90	...	NNW	4	b	"	29.60	751.8	77	0	o
Taiwan, .	"	29.75	755.7	86	...	N	4	b	"	29.54	750.3	75	...	ENE	4	o
Koshun, .	"	29.74	755.4	86	...	NNW	2	o	"	29.47	748.5	75	...	NNE	6	r
Pescadores, .	"	29.78	756.3	86	...	NNW	4	b	"	29.56	750.9	79	...	N	2	o
Canton, .	14	6
Hongkong, .	"	29.70	754.4	80	89	E	4	op	"	29.66	753.3	78	88	...	0	c
Gap Rock, .	"	29.68	753.9	E	4	c	"	29.65	753.1	ENE	4	b
Macao, .	"	29.67	753.6	84	77	E	4	o	"	29.63	752.7	79	87	NNE	4	o
Wuchow, .	15	9
Pakhot, .	"	"
Hoibow, .	"	"
Phulien, .	"	29.61	752.1	86	68	SSE	4	o	7	29.62	752.4	77	98	ENE	4	o
Tourane, .	"	29.65	753.0	86	...	WSW	2	o	"	29.63	752.7	79	...	WNW	2	o
Capo St. James, .	"	29.74	755.4	86	...	SW	4	b	"	29.76	756.0	73	...	SW	6	o
Aparri, .	14	29.62	752.4	86	71	WNW	4	o	6	29.53	750.0	75	88	S	4	o
Dagupan, .	"	"
Manila, .	"	29.72	754.8	79	87	SW	1	r	"	29.66	753.3	77	89	SW	2	o
Legaspi, .	"	29.68	753.9	84	77	SW	4	o	"	29.69	754.2	77	91	SSW	2	o
Taftoban, .	"	29.71	754.5	50	74	SSW	4	o	"	29.73	755.1	75	96	...	0	o
Ililo, .	"	29.71	754.5	82	74	S	6	o	"	29.74	755.4	77	89	S	4	o
Surigao, .	"	"
Guam, .	12.20	29.61	752.1	S	4	o	4.20	29.66	753.3	SW	4	o
Yap, .	12.47	29.67	753.6	WSW	6	o	4.47	29.73	755.1	WSW	4	o
Labuan, .	14	29.79	756.6	88	76	NW	1	b	6	29.78	756.4	80	87	N	2	b

August 16d. 17h. 22m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 126° E., moving N.W.

August 17d. 10h. 00m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon within 60 miles of Lat. 21° N. Long. 122° E., moving W.N.W.

August 17d. 11h. 25m.—Local signal No. 1 hoisted.

August 17d. 11h. 32m.—Pressure has decreased considerably over S. Formosa and N. Luzon. It has decreased slightly over Kwangtung, Indo-China and the Visayas.

At 6 a.m. this morning the western typhoon was about 100 miles S.E. of Koshun moving rather rapidly W.N.W. or W.

Present conditions indicate that it will strike the coast between Amoy and Hongkong tomorrow morning.

The position of the eastern typhoon is uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.48 inch. Total since January 1st, 56.44 inches, against an average of 60.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, . Cyclonic gales.
- 2.—South coast of China between Hongkong and Lamock, . Moderate N. winds at first, possibly cyclonic gales later.
- 3.—Hongkong to Gap Rock, . fair at first, overcast and rainy later.
- 4.—South coast of China between Hongkong and Hainan, . N.E. winds at first, freshening considerably from N. later.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	17TH AUGUST, 1923.							18TH AUGUST, 1923.								
	HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER. ATMOS.	HUMIDT.	WIND.		HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER. ATMOS.	HUMIDT.	WIND.			
		Inches.	Millrs.			Direct. ion.	Force.		Inches.	Millrs.			Direct. ion.	Force.	WEATHER.	
Wladivostock, .	12	29.87	758.6	74	...	SE	4	f	6	29.87	758.7	70	...	SE	2	+
Nemuro, .	11	29.94	760.5	74	...	SSE	1	...	5	30.00	762.0	SSW	1	..
Hokodate, .	"	29.98	761.5	74	...	SE	2	...	"	29.94	760.5	0	..
Tokio, .	"	29.96	761.0	74	...	SE	1	...	"	29.94	760.5	NNE	3	..
Kochi, .	"	29.90	759.5	74	...	SE	2	...	"	29.92	760.0
Nagasaki, .	"	29.88	759.0	74	...	WSW	2	...	"	29.92	760.0
Kagoshima, .	"	29.90	759.5	74	...	SSE	1	...	"	29.92	760.0	W	1	..
Oshima, .	"	29.86	758.5	74	...	NE	1	...	"	29.86	758.5	0	..
Naha, .	"	29.84	758.0	74	...	ESE	2	...	"	29.76	756.0
Ishigakijima, .	"	29.78	756.5	74	...	SE	4	...	"	29.80	757.0	SSE	1	..
Bonin Island, .	"	29.82	757.5	74	...	ENE	1	...	"	29.80	757.0	0	..
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"	29.86	758.4	77	98	SE	2	b
Shanghai, .	11	29.87	758.7	90	66	S	4	b	"	29.89	759.2	76	100	SE	2	b
Gutzlaff, .	14	29.86	758.4	83	96	SE	4	b	"	29.74	755.4	80	87	NNE	2	b
Sharp Peak, .	"	29.74	755.4	84	83	NNE	4	b	7	29.63	752.6	81	78	NNE	1	0
Amoy, .	15	29.54	750.3	90	60	NNE	2	o	9	29.66	753.9	79
Swatow, .	"	"
Taihoku, .	11	29.67	753.6	90	60	ESE	6	o	5	29.68	753.9	81	73	SE	4	b
Taichu, .	"	29.54	750.3	90	...	S	4	o	"	29.67	753.6	73	0	0
Tainan, .	"	29.54	750.3	79	...	NE	2	r	"	29.66	753.3	73	...	ESE	2	0
Koshun, .	"	29.56	750.9	75	...	ESE	6	r	"	29.68	753.9	77	...	E	4	0
Pescadores, .	"	29.55	750.6	90	...	N	2	o	"	29.66	753.3	79	...	NW	2	0
Canton, .	14	29.56	750.8	91	64	NW	2	b	6
Hongkong, .	"	29.57	751.1	87	69	W	2	o	"	29.45	748.0	83	60	N	6	op
Gap Rock, .	"	29.60	751.8	N	3	b	"	29.42	747.2	NNW	6	c
Macao, .	"	29.58	751.2	90	69	ENE	2	o	"
Wuchow, .	15	9
Pakhoi, .	"	"
Hoibow, .	"	"
Phulien, .	"	29.58	751.2	82	84	ESE	4	o	7	29.62	752.4	77	94	...	0	0
Tourane, .	"	29.58	751.2	86	...	SW	2	o	"	29.61	752.1	79	...	NW	2	0
Cape St. James, .	"	29.72	754.8	82	...	WSW	6	o	"	29.75	755.7	75	...	SW	6	0
Aparri, .	14	29.56	750.9	86	65	S	2	o	6	29.65	753.0	75	96	S	2	0
Dagupan, .	"	"
Manila, .	"	29.65	753.0	84	71	SW	4	o	"	29.71	754.5	75	94	SE	1	0
Legaspi, .	"	29.68	753.9	82	84	SW	4	o	"
Tacloban, .	"	"
Hoilo, .	"	29.72	754.8	75	91	SW	6	r	"
Surigao, .	"	29.71	754.5	82	70	WSW	4	o	"
Guam, .	12.20	29.66	753.3	SW	2	o	4.20	29.72	754.8	S	4	0
Yap, .	12.47	29.69	754.2	WSW	4	o	4.47	29.73	755.1	WSW	4	0
Labuan, .	14	29.77	756.1	88	76	NW	2	b	6

August 17d. 17h. 05m.—Warning to Hongkong, Coast Ports, &c.—Typhoon of unknown intensity within 60 miles of Lat. 22° N. Long. 119° E., moving W.N.W.

August 17d. 16h. 30m.—Local signal No. 2 hoisted.

August 18d. 8h. 23m.—" " " 6 "

August 18d. 9h. 00m.—" " " 7 "

August 18d. 12h. 08m.—Pressure has decreased considerably in the neighbourhood of Hongkong and increased moderately over Formosa and slightly over Luzon. It is nearly stationary in other districts.

At 8 a.m. this morning the typhoon was about 30 miles east of Waglan moving West.

The centre passed a few miles to the South of the Observatory at 10 a.m.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1.78 inch. Total since January 1st, 58.22 inches, against an average of 60.65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH. DISTRICT.

- | | |
|---|--|
| 1.—Formosa Channel,
2.—South coast of China between Hongkong and Lamock,
3.—Hongkong to Gap Rock,
4.—South coast of China between Hongkong and Hainan, | E. winds, moderate.
Cyclonic gales, moderating; overcast, rain. |
|---|--|

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	18TH AUGUST, 1923.							19TH AUGUST, 1923.										
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		WEATHER.
	Inches.	Mills.	Direct. ion.	Force.			Direct. ion.	Force.		Inches.	Mills.	Direct. ion.	Force.			Direct. ion.	Force.	
Vladivostock, .	12	29.81	757.2	75	...	SE	3	0		6	29.78	756.5	70	...	SW	4	b	
Nemuro,	11	29.94	760.5	...	SE	5	...			5	29.88	759.0	S	4	..	
Hokodate,	"	29.92	760.0	...	SE	2	...			"	29.78	756.5	0	..	
Tokio,	"	29.96	761.0	...	SSE	1	...			"	29.90	759.5	0	..	
Kochi,	"	29.90	759.5	...	ESE	2	...			"	29.88	759.0	0	..	
Nagasaki,	"	29.90	759.5	...	SW	2	...			"	29.88	759.0	0	..	
Kagoshima,	"	29.88	759.0	...	SSE	1	...			"	29.82	757.5	NW	1	..	
Ushima,	"	29.86	758.5	...	N	2	...			"	29.80	757.0	0	..	
Naha,	"	29.84	758.0	...	ESE	2	...			"	29.76	756.0	ENE	1	..	
Ishigakijima,	"	29.80	757.0	...	ESE	3	...			"	29.76	756.0	E	2	..	
Bonin Island,	"	29.76	756.0	...	NE	1	...			"	29.76	756.0	E	1	..	
Weihaiwei,	14		6	
Hankow,	15		"	
Ichang,	"		"	
Changsha,	"		"	
Shanghai,	11	29.88	758.9	90	63	SSE	2	b		"	29.86	758.4	75	98	SE	1	..	
Gutzlaff,	14	29.89	759.2	84	96	SE	2	b		"	29.88	758.9	78	95	SE	1	b	
Sharp Peak,	"	29.78	756.4	84	83	N	4	o		7	29.80	756.9	80	91	N	2	o	
Amoy,	15	29.64	752.8	90	66	NNE	1	o		9	29.66	753.3	81	71	NNE	4	b	
Swatow,	"		"	
Taihoku,	11	29.71	754.5	77	91	E	7	b		5	29.74	755.4	77	84	...	0	b	
Taichu,	"	29.71	754.5	84	...	0	b	...		"	29.66	753.3	73	0	b	
Tainan,	"	29.69	754.2	86	...	0	o	...		"	29.67	753.6	75	0	..	
Koshun,	"	29.72	754.8	59	...	ENE	4	o		"	29.72	754.8	79	...	NE	4	o	
Pescadores,	"	29.71	754.5	86	...	SW	4	o		"	29.66	753.3	79	...	NW	2	o	
Canton,	14	29.51	749.5	77	86	ENE	4	or		6	
Hongkong,	"	29.48	748.8	74	100	ESE	8	orq		"	29.64	752.8	78	90	E	5	oq	
Gap Rock,	"		"	
Maeno,	"		"	
Wuchow,	15		"	
Pakhoi,	"		"	
Hoihow,	"		"	
Pbulien,	"	29.56	750.9	86	75	S	1	o		7	29.58	751.2	79	96	NW	4	o	
Tourane,	"	29.59	751.5	81	...	NW	4	o		"	29.60	751.8	79	...	SW	2	o	
Cape St. James,	"	29.71	754.5	77	...	SW	7	of		"	29.79	756.6	73	...	SW	4	o	
Aparri,	14	29.62	752.4	90	63	S	2	o		6	29.66	753.3	75	92	S	2	o	
Lagupan,	"		"	
Manila,	"	29.72	754.8	77	89	SSW	2	r		"	29.66	753.3	75	94	N	2	r	
Legaspi,	"	29.71	754.5	86	68	SW	4	o		"	29.74	755.4	77	92	SW	4	o	
Tacloban,	"		"	
Ilolo,	"	29.74	755.4	81	80	S	6	o		"	
Surigao,	"	29.74	755.4	86	71	W	2	o		"	
Guam,	12.20	29.66	753.3	SW	4	o		4.20	
Yap,	12.47	29.72	754.8	W	4	o		4.47	29.73	755.1	WSW	6	o	
Labuan,	14	29.75	755.6	90	70	NE	1	b		6	29.79	756.6	78	86	S	4	b	

August 18d. 14h. 50m.—Local signal No. 7 lowered.

August 19d. 12h. 50m.—Pressure has increased considerably in the neighbourhood of Hongkong and decreased slightly from S.W. Japan to Formosa, and also at Yap. It is nearly stationary over Tongking and the Philippines.

The typhoon has filled up, leaving a shallow depression central over the Gulf of Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 3.54 inch. Total since January 1st, 61.76 inches, against an average of 61.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- } E. winds, fresh to moderate; generally cloudy, occasional rain.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	19TH AUGUST, 1923.								20TH AUGUST, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		Temps. Atm.	Humid.	WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		Temps. Atm.	Humid.	WIND.		WEATHER.
	Inches.	Mills.	Direction.	Force.			Inches.	Mills.			Direction.	Force.			Direction.	Force.	
Wladivostock, .	12	29.79	756.7	84	...		WNW	2	b	6	29.88	758.9	69	...	E	1	b
Nemuro, .	11	29.80	757.0		SSE	6	...	5	29.78	756.5	0	...
Hokodate, .	"	29.74	755.5		ESE	2	...	"	29.86	758.5	N	2	...
Tokio, .	"	29.84	758.0		SSE	2	...	"	29.86	758.5	SW	1	...
Kochi, .	"	29.86	758.5		SSW	1	...	"	29.84	758.0	1	...
Nagasaki, .	"	29.86	758.5		SW	2	...	"	29.82	757.5	NW	1	...
Kagoshima, .	"	29.86	758.5		S	2	...	"	29.82	757.5	SE	1	...
Oshima, .	"	29.80	757.0		NNW	3	...	"	29.76	756.0	NE	1	...
Naha, .	"	29.84	758.0		ENE	2	...	"	29.75	755.5	E	2	...
Ishigakijima, .	"	29.80	757.0		SE	3	...	"	29.71	754.5	ENE	3	...
Bonin Island, .	"	29.74	755.5		ENE	2	...	"	29.69	754.0
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.88	759.0	77	54		SSE	1	b	"	29.81	757.2	75	96	ESE	1	b
Gutzlaff, .	14	29.88	758.9	78	95		SE	2	b	"	29.85	758.2	78	95	NE	2	b
Sharp Peak, .	"	29.75	755.6	86	84		ENE	2	b	"	29.75	755.6	81	89	N	2	o
Amoy, .	15	29.63	752.6	92	64		ENE	4	b	9	29.63	752.6	82	71	ENE	2	o
Swatow, .	"	"
Taihoku, .	11	29.72	754.8	60	97		E	6	b	5	29.67	753.6	79	84	E	2	b
Taichu, .	"	29.71	754.5	86	...		SSW	2	b	"	29.69	754.2	75	0	o
Tainan, .	"	29.69	754.2	86	...		W	4	b	"	29.62	752.4	75	0	o
Kochun, .	"	29.72	754.8	90	...		NE	4	o	"	29.63	752.7	79	...	NE	4	b
Pescadores, .	"	29.72	754.8	86	...		NNE	6	b	"	29.63	752.7	77	...	SW	2	b
Canton, .	14	29.66	753.3	84	79		E	2	o	6
Hongkong, .	"	29.67	753.6	79	89		E	5	op	"	29.62	752.3	79	86	E	4	o
Gap Rock, .	"	"	29.61	752.1	E	5	o
Macao, .	"	"
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.54	750.3	77	96		NNE	4	b	7	29.50	749.4	75	100	SSE	4	ri
Tourane, .	"	29.59	751.5	59	...		NNW	2	o	"	29.58	751.2	79	...	SW	2	o
Cape St. James, .	"	29.75	755.7	79	...		SW	4	of	"	29.75	755.7	77	...	SW	6	o
Aparri, .	14	29.62	752.4	84	71		S	4	o	6
Dagupan, .	"	"
Manila, .	"	29.71	754.5	77	94		SW	2	b	"	29.66	753.3	75	92	WSW	4	r
Legaspi, .	"	29.71	754.5	86	61		SSW	4	b	"	29.68	753.9	79	89	SW	4	o
Tacloban, .	"	29.72	754.8	77	61		SW	2	o	"
Iloilo, .	"	29.74	755.4	82	70		SW	2	o	"	29.73	755.1	79	89	S	6	o
Surigao, .	"	"
Guam, .	12.20	29.62	752.4		SW	4	o	4.20
Yap, .	12.47	29.73	755.1		W	6	o	4.47	29.72	754.8	W	6	o
Lubuan, .	14	29.84	757.9	82	79		S	4	o	6	29.77	756.1	80	87	N	1	o

August 20d. 12h. 40m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon in Lat. 19° N. Long. 119° E., direction unknown, position uncertain.

August 20d. 12h. 43m.—Pressure has decreased moderately to slightly at the majority of reporting stations.

The depression over the Gulf of Tongking has deepened slightly and moved westward.

Another typhoon has formed to the west of the Balutang Channel. Its direction of motion is unknown at present.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inch. Total since January 1st, 61.79 inches, against an average of 61.52 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21ST. DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
- 2.—South coast of China between Hongkong and Lamocks, . } E. winds, fresh to strong; fair at first cloudy, later.
- 3.—Hongkong to Gap Rock, .
- 4.—South coast of China between Hongkong and Hainan, . E. or variable winds, moderate.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG. DAILY WEATHER REPORT.

STATION.	20TH AUGUST, 1923.							21ST AUGUST, 1923.									
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		Temp. ATM.	HUMID.	WIND.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		Temp. ATM.	HUMID.	WIND.	WEATHER.		
	Inches.	Millrs.					Dir. ct. ion.	For. ce.		Inches.	Millrs.			Dir. ct. ion.	For. ce.		
Vladivostock, .	12	29.86	758.5	78	...		SE	4	b	6	29.91	759.7	71	...	SE	4	o
Nemuro, .	11	29.80	757.0		W	1	..	5	29.96	761.0
Hokodate, .	"	29.86	758.5		WSW	2	..	"	29.96	761.0	NE	1	o
Tokio, .	"	29.88	759.0		S	2	..	"	29.96	761.0	0	..
Kochi, .	"	29.80	757.0		SE	1	..	"	29.84	758.0	WSW	1	..
Nagasaki, .	"	29.76	756.0		SW	2	..	"	29.78	756.5	NE	0	..
Kagoshima, .	"	29.78	756.5		S	1	..	"	29.76	756.0	NE	2	..
Oshima, .	"	29.74	755.5		NNW	2	..	"	29.65	753.0	N	2	..
Naha, .	"	29.70	754.5		ESE	3	..	"	29.63	752.5	NE	1	..
Ishigakijima, .	"	29.70	754.5		E	4	..	"	29.65	753.0	NNE	2	..
Bonin Island, .	"	29.69	754.0		ESE	2	..	"	29.73	755.0	SE	5	..
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"	29.76	756.0	81	84	SSE	2	b
Shanghai, .	11	29.80	756.9	90	66		SSE	2	b	"	29.80	756.9	78	100	SSE	2	b
Gutzlaff, .	14	29.78	756.4	84	63		SSE	2	b	"	29.71	754.6	80	87	N	2	b
Sharp Peak, .	"	29.74	755.4	84	81		ENE	4	o	7	29.57	751.1	82	75	ENE	4	b
Amoy, .	15	29.56	750.8	92	57		NE	1	o	9
Swatow, .	"	"
Taihoku, .	11	29.63	752.7	93	59		E	6	b	5	29.63	752.7	84	90	E	4	b
Tsichu, .	"	29.62	752.4	90	...		WNW	2	b	"	29.62	752.4	75	0	..
Tainan, .	"	29.62	752.4	90	...		W	4	b	"	29.56	750.9	75	...	ENE	2	..
Koshun, .	"	29.63	752.7	82	...		NE	4	o	"	29.59	751.5	79	...	ENE	4	..
Pescadores, .	"	29.62	752.4	90	...		S	2	b	"	29.59	751.5	77	0	b
Canton, .	14	29.59	751.6	83	83		WNW	1	c	6
Hongkong, .	"	29.61	752.1	84	69		E	4	c	"	29.56	750.8	80	80	ENE	3	o
Gap Rock, .	"	29.60	751.8		E	5	c	"	29.56	750.8	E	5	c
Macao, .	"	"
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.53	750.0	75	98		SSE	4	rf	7	29.58	751.2	73	100	ENE	6	rf
Tourane, .	"	29.50	749.4	86	...		SW	2	o	"	29.54	750.3	79	...	SW	2	o
Cape St. James, .	"	29.68	753.9	82	...		SW	6	o	"	29.72	754.8	77	...	SW	6	o
Aparri, .	14	29.52	749.7	86	68		ENE	4	o	6	29.58	751.2	73	96	SW	2	o
Dagupan, .	"	"
Manila, .	"	29.59	751.5	81	92		WSW	4	o	"	29.62	752.4	75	92	WSW	2	r
Legaspi, .	"	29.60	751.5	84	71		SSW	4	o	"	29.63	752.7	79	90	SW	4	o
Tacloban, .	"	"
Illoilo, .	"	29.66	753.3	82	74		SW	6	o	"	29.73	755.1	77	98	SE	4	o
Surigao, .	"	29.65	753.0	86	58		WSW	4	o	"	29.69	754.2	81	69	SW	2	o
Quam, .	12.20	29.62	752.4		SW	4	o	4.20	29.69	754.2	SW	2	r
Yap, .	12.47	29.68	753.9		WSW	6	o	4.47	29.73	755.1	W	4	o
Labuan, .	14	29.71	754.6	88	76	N	1	b	6	29.73	755.1	80	87	NW	1	b	

August 20d, 17h. 00m.—Local signal No. 1 hoisted.

August 20d, 18h. 20m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 118° E., moving West.

August 21d, 12h. 05m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 115° E., moving West.

August 21d, 12h. 15m.—Pressure has decreased slightly from the Loochoos to Hongkong. It is nearly stationary over Indo-China and the Philippines, and has increased slightly from the Bonins to Yap.

At 6 a.m. this morning the typhoon was about 200 miles S.S.E. of Hongkong, moving West.

Another typhoon is shown to the S.E. of the Loochoos. Its direction of motion is unknown at present.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 61.80 inches, against an average of 61.95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND. DISTRICT.

FORECAST.

- 1.—Formosa Channel, { E. winds, moderate.
- 2.—South coast of China between Hongkong and Lamecks, { E. winds, possibly increasing to a gale; overcast, rain.
- 3.—Hongkong to Gap Rock, { E. winds, moderate.
- 4.—South coast of China between Hongkong and Hainan, { E. winds, possibly increasing to a gale; overcast, rain.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	21ST AUGUST, 1923.								22ND AUGUST, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		WEATHER.
		Inches.	Millrs.			Dirct. ion.	Force.			Inches.	Millrs.			Dirct. ion.	Force.	
Vladivostock,	12	29.90	759.5	74	...	SE	4	o	6	29.87	758.7	72	...	SE	3	f
Nemuro,.....	11	29.98	761.5	SE	2	...	5	30.00	762.0	S	1	..
Hokodate,.....	"	29.98	761.5	SE	1	...	"	29.96	761.0
Tokio,.....	"	29.96	761.0	SSE	1	...	"	29.96	761.0	NNW	1	..
Kochi,.....	"	29.82	757.5	SE	2	...	"	29.82	757.5	SW	1	..
Nagasaki,.....	"	29.76	756.0	ENE	1	...	"	29.71	754.5	ENE	4	..
Kagoshima,.....	"	29.74	755.5	NE	4	...	"	29.67	753.5	NE	5	..
Oshima,.....	"	29.57	751.0	N	4	...	"	29.08	738.5	N	10	..
Naha,.....	"	29.61	752.0	ENE	5	...	"	29.43	747.5	NW	6	..
Ishigakijima,.....	"	"	29.59	751.5	NW	2	..
Bonin Island,.....	"	29.76	756.0	SE	3	...	"	29.76	756.0	SE	2	..
Weihaiwei,.....	14	6
Hankow,.....	15	"
Ichang,.....	"	"
Changsha,.....	"	"
Shanghai,.....	11	29.78	756.3	90	57	S	2	b	"	29.78	756.3	82	81	SE	1	b
Gutzlaff,.....	14	29.79	756.6	86	88	ESE	1	o	"	29.78	756.3	78	95	NE	2	b
Sharp Peak,.....	"	29.73	755.1	84	83	ENE	4	b	7	29.73	755.1	80	82	...	0	..
Amoy,.....	15	29.58	751.3	90	56	ENE	1	o	9	29.64	752.8	81	71	NNE	2	b
Swatow,.....	"	"
Taihoku,.....	11	29.65	753.0	90	57	E	6	b	5	29.67	753.6	73	89	S	2	b
Taichu,.....	"	29.62	752.4	86	0	o	"	29.65	753.0	77	0	..
Tainan,.....	"	29.62	752.4	86	...	WSW	2	b	"	29.62	752.4	75	...	ESE	2	b
Koshun,.....	"	29.63	752.7	86	...	ENE	4	b	"	29.62	752.4	73	0	b
Pescadores,.....	"	29.65	753.0	86	...	W	2	b	"	29.62	752.4	79	...	SE	2	b
Canton,.....	14	6
Hongkong,.....	"	29.54	750.3	79	76	NE	4	or	"	29.57	751.1	79	87	E	5	OR
Gap Rock,.....	"	29.52	749.8	NNE	6	od	"	29.55	750.5	E	6	OR
Macao,.....	"	"
Wuchow,.....	15	9
Pakhoi,.....	"	"
Hoihow,.....	"	"
Phulien,.....	"	29.56	750.9	81	94	ENE	4	o	7
Tourane,.....	"	29.54	750.3	82	...	WSW	2	o	"
Cape St. James,.....	"	29.63	752.7	82	...	WSW	6	o	"
Aparri,.....	14	29.5	750.0	86	68	NW	4	b	6	29.61	752.1	75	94	S	2	0
Dagupan,.....	"	"
Manila,.....	"	29.61	752.1	79	89	SW	4	o	"	29.66	753.3	75	96	SSW	2	0
Legaspi,.....	"	29.62	752.4	86	71	SW	4	o	"	29.66	753.3	77	92	SW	2	0
Tacloban,.....	"	"
Ililo,.....	"	"
Surigao,.....	"	"
Guam,.....	12.20	29.69	754.2	SSW	4	o	"
Yap,.....	12.47	29.71	754.5	WSW	4	o	4.20	o	0	..
Labuan,.....	14	29.71	754.6	88	76	N	1	b	4.47	29.80	756.9	81	87	NW	1	b

August 21d. 16h. 30m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 114° E., moving N.W.

August 21d. 15h. 52m.—Local signal No. 2 hoisted.

August 21d. 19h. 20m.—" " 4 lighted.

August 22d. 11h. 15m.—" " 4 lowered.

August 22d. 7h. 20m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 113° E., moving W.N.W.

August 22d. 12h. 05m.—Pressure has increased slightly in the neighbourhood of Hongkong and from Luzon to Yap. It has decreased very considerably at Oshima.

At 6 a.m. the typhoon was less than 100 miles S.W. or S.S.W. of Gap Rock moving W.N.W. apparently.

The Loochoos typhoon passed very near Oshima this morning on a northerly track.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.79 inch. Total since January 1st, 62.59 inches, against an average of 62.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD. DISTRICT.

- 1.—Formosa Channel,
- 2.—South coast of China between Hongkong and Lamocks, } E. winds, strong, moderating; overcast, occasional rain.
- 3.—Hongkong to Gap Rock,..... Cyclonic gales.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	22ND AUGUST, 1923.							23RD AUGUST, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMIDIT.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMIDIT.	WIND.	WEATHER.
	HONGKONG STANDARD TIME.	Inches.	Millrs.	Direct. ion.	Force.				HONGKONG STANDARD TIME.	Inches.	Millrs.	Direct. ion.	Force.			
Vladivostock, ..	12	29.85	758.2	73	...	SE	4	r	6	29.97	761.3	68	...	N	4	b
Nemuro,	11	30.00	762.0	SW	4	...	5	29.88	759.0	S	2	...
Hokodate,	"	29.94	760.5	SE	3	...	"	29.88	759.0	NE	1	...
Tokio,	"	29.98	761.5	NNW	2	...	"	29.94	760.5	0	...
Kochi,	"	29.84	758.0	SE	4	...	"	29.86	758.5	SW	1	...
Nagasaki,	"	29.69	754.0	NE	3	...	"	29.75	755.5	E	2	...
Kagoshima,	"	29.69	754.0	ESE	3	...	"	29.75	755.5	ESE	1	...
Oshima,	"	"
Naha,	"	29.47	748.5	W	5	...	"	29.59	751.5	SSW	2	...
Ishigakijima,	"	29.63	752.5	WNW	2	...	"	29.61	752.0	WNW	1	...
Bonin Island,	"	29.82	757.5	SE	7	...	"	29.84	758.0	0	...
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.79	756.6	90	57	NE	2	b	"	29.69	754.2	79	90	N	4	b
Gutzlaff,	14	29.75	755.6	86	93	NNE	2	b	"	29.61	752.1	80	100	NNE	6	...
Sharp Peak,	"	29.75	755.6	92	74	E	1	b	7	29.69	754.1	80	82	W	1	...
Amoy,	15	29.63	752.6	90	60	SSW	1	o	9	29.64	752.8	80	87	WSW	4	b
Swatow,	"	"
Taihoku,	11	29.68	753.9	86	65	WNW	2	b	5	29.65	753.0	73	91	S	1	o
Taichu,	"	29.68	753.9	90	...	NW	2	b	"	29.66	753.3	73	...	SE	1	b
Tainan,	"	29.68	753.9	86	...	W	4	b	"	29.63	752.7	75	...	SE	2	...
Koshun,	"	29.68	753.9	86	...	NNE	2	b	"	29.65	753.0	79	...	N	2	b
Pescadores,	"	29.68	753.9	86	...	NE	4	b	"	29.66	753.3	70	0	...
Canton,	14	29.59	751.6	78	95	...	o	o	6
Hongkong,	"	29.61	752.1	81	82	E	5	opq	"	29.64	752.8	78	89	ENE	3	...
Gap Rock,	"	29.59	751.6	ENE	6	o	"	29.62	752.3	E	4	...
Macao,	"	"
Wuchow,	15	"
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.55	750.6	86	75	WNW	4	o	7	29.55	750.6	77	91	NNW	6	x
Tourane,	"	29.55	750.6	79	...	WSW	2	r	"	29.58	751.2	79	...	SSW	2	o
Cape St. James,	"	29.65	753.0	82	...	WSW	6	o	"	29.71	754.5	75	...	WSW	6	o
Aparri,	14	29.59	751.5	86	75	NW	4	o	6	29.62	752.4	75	96	...	o	o
Dagupan,	"	"
Manila,	"	29.66	753.3	77	91	WSW	6	r	"	29.67	753.6	77	94	SSW	2	r
Legaspi,	"	"
Tacloban,	"	"
Illoilo,	"	29.69	754.2	77	85	SW	6	o	"	29.73	755.1	79	87	SW	4	o
Surigao,	"	"	29.73	755.1	79	85	SE	1	o
Guam,	12.20	29.74	755.4	SW	2	o	4.20	29.78	756.3	SW	1	o
Yap,	12.47	29.75	755.7	SW	4	o	4.47	29.81	757.2	NNW	1	o
Labuan,	14	29.72	754.9	88	76	NE	2	b	6	29.75	755.6	80	91	N	1	b

August 22d. 17h. 50m.—Warning to Hongkong, Coast Ports, &c.—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 110° E., moving W.

August 23d. 12h. 25m.—Pressure has decreased moderately at Shanghai and slightly at Haiphong and Manila. It is stationary at Aparri and has increased slightly at Hongkong.

There are no signs of a Balintang Channel typhoon this morning.

The typhoon which passed to the south of Hongkong yesterday, is approaching Haiphong. The Oshima typhoon has curved westward and now threatens Shanghai.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inch. Total since January 1st, 62.64 inches, against an average of 62.79 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, Light, variable winds.
- 2.—South coast of China between Hongkong and Lamock, E. winds, moderate; fine.
- 3.—Hongkong to Gap Rock, E. winds, moderate; fine.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	23RD AUGUST, 1923.							24TH AUGUST, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP- ERATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP- ERATURE.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	WEATHER.	
Wladivostock, .	12	6	
Nemuro, .	11	5	
Hokodate, .	"	29.86	759.5	S	1	"	
Tokio, .	"	29.90	759.3	SW	2	"	
Kochi, .	"	29.88	759.0	ESE	6	"	
Nagasaki, .	"	29.78	756.5	SE	3	"	
Kagoshima, .	"	29.78	756.5	"	
Oshima, .	"	S	2	"	
Naha, .	"	29.65	753.0	WNW	3	"	
Ishigakijima, .	"	29.63	752.5	ESE	1	"	
Bonin Island, .	"	29.84	758.0	"	
Weihaiwei, .	14	6	
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	29.67	753.6	84	81	NNE	4	0	29.41	747.0	79	90	N	7	r	
Gutzlaff, .	14	29.52	749.8	80	100	NNE	7	0	29.11	739.4	76	100	NNW	12	o	
Sharp Peak, .	"	29.68	753.9	90	77	S	1	0	29.67	753.6	82	87	...	0	o	
Amoy, .	15	29.58	751.3	92	64	SSW	2	0	9	
Swatow, .	"	"	
Taihoku, .	11	29.63	752.7	90	55	NW	2	b	5	29.65	753.0	75	91	SSE	2	o
Taichu, .	"	29.66	753.3	86	...	SW	2	b	"	29.66	753.3	77	0	o
Tainan, .	"	29.66	753.3	86	...	WSW	2	b	"	29.65	753.0	75	0	b
Koshun, .	"	29.67	753.6	86	...	NW	4	b	"	29.65	753.0	73	0	b
Pescadores, .	"	29.66	753.3	86	...	NW	2	b	"	29.65	753.0	77	...	SW	2	o
Canton, .	14	29.63	752.6	90	60	SW	1	b	6	
Hongkong, .	"	29.65	753.1	86	65	ESE	3	b	"	29.65	753.1	76	95	ESE	0	b
Gap Rock, .	"	29.65	753.1	ENE	5	b	"	29.65	753.1	3	o
Macao, .	"	"	
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.59	751.5	75	100	E	6	rf	7	
Tourane, .	"	"	
Cape St. James, .	"	"	
Aparri, .	14	29.61	752.1	86	68	NNE	4	o	6	
Dagupan, .	"	"	
Manila, .	"	29.69	754.2	77	92	SW	4	r	"	29.71	754.5	73	89	ESE	1	o
Legaspi, .	"	29.67	753.6	86	68	SSW	4	o	"	29.71	754.5	77	92	...	0	o
Tacloban, .	"	"	
Ililo, .	"	29.71	754.5	82	77	S	6	o	"	
Surigao, .	"	29.71	754.5	90	66	WNW	2	b	"	
Guam, .	12.20	29.76	756.0	NW	2	r	4.20	29.80	756.9	SW	1	o
Yap, .	12.47	29.76	756.0	SE	2	o	4.47	29.85	758.1	0	o
Labuan, .	14	29.73	755.1	88	73	NW	2	b	6	

August 24d. 12h. 35m.—Pressure has decreased very considerably in the neighbourhood of Shanghai. It is nearly stationary at Hongkong and has increased slightly from Luzon to Yap.

The Loochoos typhoon will pass very near Shanghai this afternoon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 62.64 inches, against an average of 63.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

DISTRICT.

FORECAST.

- | | | |
|---|-----|--|
| 1.—Formosa Channel, . | ... | S.W. winds; freshening.
Light, variable winds; fine.
E. winds, moderate. |
| 2.—South coast of China between Hongkong and Lamocks, . | ... | |
| 3.—Hongkong to Gap Rock, . | ... | |
| 4.—South coast of China between Hongkong and Hainan, . | ... | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	24TH AUGUST, 1923.							25TH AUGUST, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDT.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock, .	12	6	
Nemuro, .	11	5	
Hokodate, .	"	22	"	
Tokio, .	"	"	
Kochi, .	"	"	
Nagasaki, .	"	"	
Kagoshima, .	"	"	
Oshima, .	"	"	
Naha, .	"	"	
Ishigakijima, .	"	"	
Bonin Island, .	"	"	
Weihaiwei, .	14	6	
Hankow, .	15	5	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	29.49	749.1	77	88	NW	7	R	"	29.66	753.3	73	94	W	1	r
Gutzlaff, .	14	29.42	747.2	78	100	NW	7	O	"	29.67	753.6	76	100	NW	6	oo
Sharp Peak, .	"	29.63	752.6	92	79	ESE	1	B	7	29.64	752.8	83	91	N	1	o
Amoy, .	15	29.58	751.3	90	66	SSW	2	B	9	29.63	752.6	81	78	SSE	1	b
Swatow, .	"	"	
Taihoku, .	11	29.67	753.6	90	66	NW	2	B	5	29.67	753.6	75	85	S	2	o
Taichu, .	"	29.69	754.2	90	...	SSW	2	B	"	29.68	753.9	79	0	o
Tainan, .	"	29.68	753.9	86	...	WSW	4	B	"	29.65	753.0	75	0	b
Koshun, .	"	29.69	754.2	86	...	NW	2	B	"	29.66	753.3	77	0	r
Pescadores, .	"	29.71	754.5	86	...	SSW	4	B	"	29.66	753.3	79	...	S	2	o
Canton, .	14	29.61	752.1	93	61	NW	2	O	6	
Hongkong, .	"	29.62	752.3	86	66	WNW	1	B	"	29.61	752.1	78	94	...	0	ef
Gap Rock, .	"	29.65	753.1	N	3	O	"	29.62	752.3	NNE	2	c
Macao, .	"	"	
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoikow, .	"	"	
Phulien, .	"	7	
Tourane, .	"	"	
Cape St. James, .	"	"	
Aparri, .	14	29.63	752.7	77	91	NW	2	R	6	
Bagupan, .	"	"	
Manila, .	"	29.72	754.8	77	91	WSW	4	R	"	29.73	755.1	75	96	SE	1	o
Legaspi, .	"	29.72	754.8	79	84	SSW	4	O	"	29.74	755.4	77	94	SW	1	o
Tacloban, .	"	"	
Illoilo, .	"	29.76	756.0	77	91	SW	4	O	"	29.79	756.6	79	89	S	2	o
Surigao, .	"	29.73	755.1	90	60	W	4	B	"	
Guam, .	12.20	29.80	756.9	W	2	R	4.20	
Yap, .	12.47	29.79	756.6	W	1	O	4.47	29.84	757.8	0	b
Labuan, .	14	29.75	755.6	88	73	N	1	O	6	29.78	756.4	80	91	N	1	b

August 25th, 11h. 05. — Pressure has increased considerably at Shanghai and has decreased slightly at Manila. It is nearly stationary at Hongkong.

The position of the Shanghai typhoon is uncertain.

Gradients appear to be shallow between Shanghai and the Philippines.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 62.64 inches, against an average of 63.61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.
DISTRICT.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamocks,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan,
- Light, variable winds; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	25TH AUGUST, 1923.							26TH AUGUST, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temp. Atmos.	Humid.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temp. Atmos.	Humid.	WIND.			
		Inches.	Miles.			Dir.	Int.		Inches.	Miles.			Dir.	Int.	Force.	
Wladivostock, .	12	6	
Nemuro, .	11	29.84	758.0	S	3	5	
Hokodate, .	"	"	
Tokio, .	"	SE	1	"	
Kochi, .	"	29.78	756.5	"	
Nagasaki, .	"	"	
Kagoshima, .	"	"	
Oshima, .	"	"	
Naha, .	"	"	
Ishigakijima, .	"	29.76	756.0	SSW	2	"	
Bonin Island, .	"	29.80	757.0	NNE	1	"	
Weihaiwei, .	14	6	
Hankow, .	15	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	29.72	754.8	84	68	WNW	4	b	29.67	753.6	75	98	SW	1	b	
Gutzlaff, .	14	29.69	754.1	86	96	WNW	2	b	29.74	755.4	77	100	SSW	2	b	
Sharp Peak, .	"	29.70	754.4	88	92	E	1	b	29.74	755.4	78	91	NW	1	b	
Amoy, .	15	29.60	751.8	88	73	SSW	1	b	29.65	753.1	82	83	ENE	1	b	
Swatow, .	"	"	
Taihoku, .	11	29.69	754.2	86	65	NW	2	b	5	29.71	754.5	75	96	ESE	1	o
Taichu, .	"	29.69	754.2	90	...	NW	2	b	"	29.71	754.5	84	...	SSW	2	o
Tainan, .	"	29.71	754.5	84	...	S	4	o	"	29.67	753.6	84	...	E	2	b
Koshun, .	"	29.71	754.5	79	...	o	r	"	29.67	753.6	77	...	SSE	2	r	
Pescadores, .	"	29.72	754.8	90	...	S	4	b	"	29.67	753.6	79	...	SE	2	o
Canton, .	14	29.58	751.3	94	58	NW	2	o	6	
Hongkong, .	"	29.60	751.8	86	75	S	2	o	"	29.60	751.8	79	84	N	1	o
Gap Rock, .	"	29.61	752.1	W	2	o	"	29.59	751.6	NW	4	b
Macao, .	"	"	
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	7	SSE	1	b
Tourane, .	"	"	29.67	753.6	79	...	W	2	o	
Cape St. James, .	"	"	29.79	756.6	84	...	SW	4	o	
Aparri, .	14	29.66	753.6	86	71	S	2	o	6	29.68	753.9	77	94	SW	1	o
Dagupan, .	"	"	
Manila, .	"	29.72	754.8	84	77	WSW	4	o	"	29.75	755.7	77	98	S	1	o
Legaspi, .	"	29.72	754.8	90	60	SSW	4	o	"	
Tacloban, .	"	"	
Iloilo, .	"	29.75	755.7	86	71	S	6	o	"	29.80	756.9	79	87	SW	4	o
Surigao, .	"	"	
Guam, .	12.10	29.79	756.6	NW	1	r	4.20	
Yap, .	12.47	29.78	756.3	NW	2	b	4.47	29.84	757.8	SW	2	o
Labuan, .	14	29.75	755.6	88	76	NW	1	b	6	

August 26d. 12h. 15m.—Pressure charges are slight at all reporting stations. At Hongkong pressure is oscillating.

There are indications of a depression near the Pratas, but not of a typhoon, at present.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 62.64 inches, against an average of 64.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.
DISTRICT.

- | | |
|---|--|
| 1.—Formosa Channel, . | S.E. winds, moderate. |
| 2.—South coast of China between Hongkong and Lamocka, . | N. or variable winds, moderate to showery. |
| 3.—Hongkong to Gap Rock, . | |
| 4.—South coast of China between Hongkong and Hainan, . | |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG

DAILY WEATHER REPORT.

STATION.	26TH AUGUST, 1923.							27TH AUGUST, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.			HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		
		Inches.	Mills.			Direct- ion.	Force.	WEATHER.		Inches.	Mills.			Direct- ion.	Force.	WEATHER.
Wladivostock, .	12	29.63	752.6	75	...	SE	5	o	6	29.52	749.8	68	...	N	1	b
Nemuro,	11	29.80	757.0	SSE	5	...	5	29.73	755.0	S	3	...
Hokodate,	"	29.76	756.0	SSE	1	...	"	29.67	753.5
Tokio,	"	29.78	756.5	SE	2	...	"	29.76	756.0	0	...
Kochi,	"	29.70	754.5	SE	1	...	"	29.80	757.0	SW	1	o
Nagasaki,	"	29.74	755.5	WSW	+	...	"	29.41	747.0	NW	1	...
Kagoshima,	"	29.76	756.0	SSE	1	...	"	29.78	756.5	0	...
Oshima,	"	29.72	755.0	NNW	2	...	"	29.65	753.0	E	1	...
Naha,	"	29.70	754.5	ENE	2	...	"	29.69	754.0	WNW	9	...
Ishigakijima,	"	29.74	755.5	SSW	1	...	"	29.78	756.5
Bonin Island,	"	29.80	757.0	NW	1	...	"	29.41	747.0	0	...
Weihaiwei,	14	6	29.52	749.8	68
Hankow,	15	"	29.73	755.0
Ichang,	"	"	29.67	753.5
Changsha,	"	"	29.76	756.0
Shanghai,	11	29.73	755.1	90	63	S	1	b	"	29.71	754.5	75	98	SSE	1	b
Gutzlaff,	14	29.75	755.6	84	96	S	2	b	"	29.75	755.6	78	100	SSE	2	b
Sharp Peak,	"	29.75	755.6	90	77	E	2	b	7	29.75	755.6	81	87	N	2	b
Amoy,	15	29.62	752.3	84	83	NE	1	o	9	29.65	753.1	80	92	SE	1	o
Swatow,	"	"
Taihoku,	11	29.69	754.2	90	66	N	2	b	5	29.69	754.2	79	95	...	0	o
Taichu,	"	29.72	754.8	90	...	NW	2	o	"	29.72	754.8	75	0	b
Taiman,	"	29.72	754.8	84	...	SE	4	o	"	29.71	754.5	75	...	ESE	2	o
Koshun,	"	29.72	754.8	86	...	S	4	o	"	29.68	753.9	77	0	o
Pescadores,	"	29.72	754.8	86	...	ESE	6	o	"	29.69	754.2	79	...	ESE	2	r
Canton,	14	6
Hongkong,	"	29.59	751.6	82	81	SE	1	o	"	29.55	750.5	78	83	NW	3	od
Gap Rock,	"	29.59	751.6	NNW	4	op	"	29.54	750.3	NNW	5	o
Macao,	"	"
Wuchow,	15	"
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	"
Tourane,	"	"
Cape St. James,	"	"
Aparri,	14	29.68	753.9	86	78	NW	4	o	6	29.71	754.5	75	91	SW	4	o
Dagupan,	"	"
Manila,	"	29.74	755.4	86	71	WSW	4	o	"	29.78	756.3	75	94	SSE	1	o
Legaspi,	"	29.75	755.7	86	58	SSW	4	o	"	29.80	756.9	77	92	SW	1	b
Tactoban,	"	29.76	756.0	90	66	ENE	2	o	"	29.80	756.9	79	92
Boilo,	"	29.75	755.7	86	71	SW	4	o	"	29.80	756.9	79	92	...	0	o
Surigao,	"	"	29.80	756.9	75	96	SW	1	b
Guam,	12.20	29.79	756.6	SE	2	o	4.20	29.81	757.2	E	1	o
Yap,	12.47	29.79	756.6	ESE	4	o	4.47	29.82	757.3	0	b
Lubuan,	14	29.76	755.9	90	70	N	1	b	6	29.80	756.9	80	85	NW	1	b

August 27d. 7h. 25m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 20° N. Long. 116° E., direction unknown, position uncertain.

August 27d. 7h. 25m.—Local signal No. 1 hoisted.

August 27d. 10h. 40m.—" " " 5 "

August 27d. 12h. 25m.—Pressure has decreased moderately at Wladivostock and slightly over N.E. Japan, the Loochoo and Kwangtung. It is nearly stationary over the Philippines.

The depression in the China Sea has developed into a typhoon apparently. At present it appears to be less than 100 miles East of Waglan, moving North or N.W.

Another depression, which may become a typhoon, is shown to the South of Naha.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inch. Total since January 1st, 62.73 inches, against an average of 64.42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, S.E. winds, moderate.
- 2.—South coast of China between Hongkong and Lamocks, Cyclonic gales; overcast, rain.
- 3.—Hongkong to Gap Rock, West winds, strong.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	27TH AUGUST, 1923.							28TH AUGUST, 1923.						
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMIDITY.	WIND.	
		Inches.	Mille.			Direct- ion.	Force.							
Wladivostock, .	12	6
Nemuro, .	11	29.67	753.5	SSE	6	5
Hokodate, .	"	29.61	752.0	SSE	1	"
Tokio, .	"	29.72	755.0	SE	4	"
Kochi, .	"	29.78	756.5	SE	1	"
Nagasaki, .	"	29.80	757.0	SW	1	"
Kagoshima, .	"	29.78	756.5	SSE	1	"
Oshima, .	"	29.74	755.5	SE	1	"
Naha, .	"	29.67	753.5	SE	3	"
Ishigakijima, .	"	29.70	754.5	W	2	"
Bonin Island, .	"	29.80	757.0	NNW	1	"
Weihaiwei, .	14	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.72	754.8	90	66	SSE	2	b	"	29.67	753.6	79	96	SE
Gutzlaff, .	14	29.75	755.6	82	100	SE	4	b	"	29.71	754.6	77	100	SSE
Sharp Peak, .	"	29.75	755.6	92	77	E	2	b	7	29.73	755.1	82	87	E
Amoy, .	15	29.62	752.3	88	76	SSW	1	b	9	29.63	752.6	81	87	SE
Swatow, .	"	"
Taihoku, .	11	29.69	754.2	86	68	WNW	2	o	5	29.67	753.6	73	96	SSW
Taichu, .	"	29.69	754.2	90	...	W	2	o	"	29.73	755.1	73
Tainan, .	"	29.71	754.5	90	...	SSW	4	b	"	29.68	753.9	75	...	SSE
Keshun, .	"	29.71	754.5	86	...	SSW	4	o	"	29.74	755.4	79	...	SSE
Pescadores, .	"	29.72	754.8	86	...	S	4	b	"	29.69	754.2	81	...	S
Canton, .	14	6
Hongkong, .	"	29.48	748.8	81	76	NW	5	od	"	29.51	749.5	79	90	WSW
Gap Rock, .	"	29.53	750.0	NW	6	od	"	29.54	750.3	WSW
Macao, .	"	9
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.72	754.8	90	63	...	o	b	7	29.61	752.1	81	96	S
Tourau, .	"	29.68	753.9	81	...	NW	2	o	"	29.65	753.0	82	...	W
Cape St. James, .	"	29.76	50.0	86	...	SSW	.2	o	"	29.79	756.6	75	...	SW
Aparri, .	14	29.69	754.2	86	71	NW	4	o	6	29.75	755.7	75	94	S
Dagupan, .	"	"
Manila, .	"	29.76	756.0	86	68	WSW	4	o	"	29.80	756.9	75	96	SE
Legaspi, .	"	"
Tacloban, .	"	29.75	755.7	90	93	SE	2	o	"	29.84	757.8	75	94	...
Hoilo, .	"	29.75	755.7	86	68	S	4	o	"	29.81	757.2	79	84	...
Surigao, .	"	"
Guam, .	12.20	29.79	756.6	SE	1	r	4.20	29.75	755.7	SW
Yap, .	12.47	29.78	756.3	E	4	o	4.47	29.79	756.6	NE
Labuan, .	14	29.77	756.1	88	76	NW	1	b	6	29.82	757.4	75	94	NW

August 27d. 15h. 40m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 22° N. Long. 116° E., moving N.N.W.

August 28d. 11h. 25m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon in Lat. 25° N. Long. 114° E., filling up, position uncertain.

August 28d. 6h. 45m.—Local signal No. 5 lowered.

August 28d. 11h. 38m.—Pressure has increased slightly at Hongkong and over Formosa. It has decreased moderately at Haiphong and slightly at Shanghai. Over the Philippines it is nearly stationary.

The typhoon is filling up to the north of Hongkong.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 2.63 inch. Total since January 1st, 65.36 inches, against an average of 64.81 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH. DISTRICT.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- S. winds, moderate.
- S.W. winds, strong, moderating; overcast, occasional rain.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	28TH AUGUST, 1923.							29TH AUGUST, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	29.82	757.5	74	...	SSE	4	o	6	29.84	757.8	68	...	ESE	3	o
Nemuro,	11	29.57	751.0	NW	6	...	5	29.86	758.5	N	3	...
Hokodate,	"	29.69	754.0	WNW	5	...	"	29.88	759.0
Tokio,	"	29.76	756.0	SE	1	...	"	29.82	757.5	NNW	2	...
Kochi,	"	29.80	757.0	SE	1	...	"	29.82	757.5	SW	1	...
Nagasaki,	"	29.76	756.0	SE	2	...	"	29.78	756.5	S	2	...
Kagoshima,	"	29.78	756.5	S	1	...	"	29.78	756.5	ENE	1	...
Oshima,	"	29.70	754.5	ESE	3	...	"	29.61	752.0	SSE	5	...
Naha,	"	29.55	750.5	S	5	...	"	29.57	751.0	SSW	5	...
Ishigakijima,	"	29.67	753.5	W	4	...	"	29.69	754.0	SW	5	...
Bonin Island, ...	"	29.78	756.5	NE	1	...	"	29.82	757.5	NE	1	...
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.71	754.5	90	66	SE	2	b	"	29.67	753.6	77	98	...	0	o
Gutzlaff,	14	29.69	754.1	82	100	ESE	4	b	"	29.70	754.4	77	100	ESE	2	o
Sharp Peak,	"	29.70	754.4	88	80	SSE	4	b	7	29.70	754.4	80	91	S	1	b
Amoy,	15	29.60	751.8	86	80	SSE	1	o	9	29.60	751.8	78	92	NE	1	r
Swatow,	"	"
Taihoku,	12	29.68	753.9	86	65	W	2	b	5	29.67	753.6	75	92	SSW	4	b
Taichu,	"	29.71	754.5	86	...	SSW	4	b	"	29.72	754.8	77	...	SSE	2	o
Tainan,	"	29.72	754.8	82	...	SSE	4	o	"	29.71	754.5	75	...	SE	4	o
Koskun,	"	29.73	755.1	84	...	SSW	4	o	"	29.72	754.8	75	...	WNW	2	o
Pescadores,	"	29.71	754.5	86	...	SE	4	o	"	29.71	754.5	75	...	SE	4	o
Canton,	14	6
Hongkong,	"	29.55	750.5	80	82	W	5	or	"	29.57	751.1	79	95	SW	5	org
Gap Rock,	"	29.56	750.8	WSW	6	o	"	29.57	751.1	SW	5	o
Macao,	"	"
Wuchow,	15	9
Pakhoi,	"	"
Hoikow,	"	"
Phulien,	"	29.58	751.2	90	69	S	1	b	7	29.62	752.4	81	97	E	2	b
Tourane,	"	29.63	752.7	86	0	o	"	29.68	753.9	81	...	W	2	o
Cape St. James,	"	29.78	756.3	86	...	S	2	b	"	29.79	756.6	77	...	SW	2	o
Aparri,	14	29.69	754.2	90	72	SW	1	o	6	29.81	757.2	75	91	...	0	o
Dagupan,	"	"
Manila,	"	29.76	756.0	86	65	WSW	4	o	"	29.82	757.5	75	96	ESE	1	o
Legaspi,	"	"	29.82	757.5	77	94	...	0	b
Tacloban,	"	29.76	756.0	84	74	SE	2	o	"
Illoilo,	"	29.75	755.7	84	...	S	4	o	"	29.80	756.9	75	96	...	0	b
Burigao,	"	"	29.80	756.9	75	96	...	0	b
Guam,	12.20	29.73	755.1	NW	1	o	4.20	29.75	755.7	S	1	o
Yap,	12.47	29.76	756.0	SW	1	b	4.47	29.78	756.3	0	b
Labuan,	14	29.78	756.4	86	68	N	1	o	6	29.80	756.9	78	91	N	2	b

August 29d. 12h. 35m.—Pressure has decreased moderately at Oshima, and slightly at Shanghai and stations in the southern part of the area; it has increased considerably over north Japan, and slightly to moderately elsewhere. A shallow depression is situated over South China, another depression of a secondary nature covering the Eastern Sea; the latter is probably developing into a typhoon, moving N. or N.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 7.97 inch. Total since January 1st, 73.33 inches, against an average of 65.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

DISTRICT.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- S.W. winds, moderate; cloudy, rainy, improving later.

C. W. JEFFRIES,—Chief Assistant.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	29TH AUGUST, 1923.								30TH AUGUST, 1923.							
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMID.	WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMID.	WIND.	
	HONGKONG STANDARD TIME.	Inches.	Milrs.	Direct. ion.			Force.	WEATHER.	HONGKONG STANDARD TIME.	Inches.	Milrs.	Direct. ion.			Force.	WEATHER.
Vladivostock, .	12	29.78	756.4	73	...	SE	4	o	6	29.82	757.4	71	...	WNW	2	c
Nemuro,	11	29.90	759.5	ENE	1	...	5	29.98	761.5	E
Hokodate,	"	29.84	758.0	SE	2	...	"	29.86	758.5	N	1	..
Tokio,	"	29.82	757.5	S	1	...	"	29.88	759.0
Koochi,	"	29.80	757.0	SE	1	...	"	29.82	757.5	0	..
Nagasaki,	"	29.76	756.0	SE	2	...	"	29.67	753.5	ESE	5	..
Kagoshima,	"	29.76	756.0	S	4	...	"	29.59	751.5	SE	4	..
Oshima,	"	29.57	751.0	SSE	6	...	"	29.53	750.0	SSE	3	..
Naha,	"	29.61	752.0	SSW	4	...	"	29.69	754.0	SSW	4	..
Ishigakijima,	"	29.72	755.0	SSW	4	...	"	29.71	754.5	SSW	5	..
Bonin Island,	"	29.82	757.5	E	1	...	"	29.84	758.0	0	..
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.69	754.2	90	63	ESE	1	b	"	29.69	754.2	75	98	...	0	0
Gutzlaff,	14	29.69	754.1	84	96	ENE	2	o	"	29.73	755.1	77	100	ESE	2	0
Sharp Peak,	"	29.71	754.6	86	76	S	1	o	7	29.69	754.1	78	91	SW	2	0
Amoy,	15	29.56	750.8	80	92	...	0	r	9	29.57	751.1	78	86	SSW	4	0
Swatow,	"	"
Taihoku,	11	29.68	753.9	90	60	WSW	2	b	5	29.67	753.6	77	96	E	2	0
Taichu,	"	29.73	755.1	90	...	SSW	4	b	"	29.73	755.1	73	0	0
Tainan,	"	29.75	755.7	84	...	SE	4	b	"	29.71	754.5	75	...	ESE	4	0
Koshun,	"	29.76	756.0	81	...	W	4	o	"	29.73	755.1	79	...	SE	4	0
Pescadores,	"	29.73	755.1	77	...	S	4	r	"	29.67	753.6	79	...	SSE	6	0
Canton,	14	29.55	750.5	87	80	SW	1	o	6
Hongkong,	"	29.59	751.6	82	90	SW	4	o	"	29.59	751.6	80	93	WSW	3	or op
Gap Rock,	"	29.61	752.1	SW	5	o	"	29.61	752.1	WSW	5	..
Macao,	"	"
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.59	751.5	93	71	SSE	2	b	7	29.62	752.4	79	89	o	cf b	0
Tourane,	"	29.71	754.5	84	...	W	2	o	"	29.68	753.0	81	...	W	2	0
Cape St. James, .	"	29.79	756.6	86	...	SW	2	b	"	29.81	757.2	77	...	WSW	4	0
Aparri,	14	29.73	755.1	90	72	NNW	4	o	6
Dagupan,	"	"
Manila,	"	29.80	756.9	86	71	WSW	2	o	"	29.81	757.2	75	94	SE	1	0
Legaspi,	"	29.76	756.0	90	69	NNE	2	o	"	29.80	756.9	75	96	...	0	0
Tacloban,	"	"
Illoilo,	"	29.78	756.3	84	...	SW	4	o	"	29.80	756.9	77	91	NW	2	0
Surigao,	"	"
Guam,	12.20	29.75	755.7	SW	2	r	4.20
Yap,	12.47	29.76	756.0	SSW	2	b	4.47	29.78	756.3	WNW	1	b
Labuan,	14	29.77	756.1	86	76	N	2	b	6	29.86	758.4	75	94	S	2	r

August 30d. 12h. 12m.—Pressure has decreased moderately over S.W. Japan and slightly over Cochin China. It is nearly stationary from Hongkong to Formosa and over the Philippines.

The typhoon in the Eastern Sea is moving slowly northward.

A depression lies over S. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1.91 inch. Total since January 1st, 75.24 inches, against an average of 65.56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31ST.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, S. winds, moderate.
- 2.—South coast of China between Hongkong and Lamocks, S.W. winds, fresh, equally; overcast, rain.
- 3.—Hongkong to Gap Rock, S.W. winds, fresh, equally; overcast, rain.
- 4.—South coast of China between Hongkong and Hainan, -

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	30TH AUGUST, 1923.							31ST AUGUST, 1923.									
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDIT.	WIND.				
		Hours.	Inches.	Mills.			Direction.	Force.		Hours.	Inches.	Mills.			Direction.	Force.	WEATHER.
Wladivostock, .	12	29.85	758.2	79	...	NNW	2	o	6	29.91	759.6	63	...	SW	1	f	
Nemuro,	11	29.94	760.5	ESE	1	...	5	
Hokodate,	"	29.86	758.5	SE	3	...	"	
Tokio,	"	29.86	758.5	S	2	...	"	
Koohi,	"	"	
Nagasaki,	"	29.57	751.0	ENE	6	...	"	
Kagoshima,	"	29.88	759.0	E	4	...	"	
Oshima,	"	29.61	752.0	SSE	4	...	"	
Naha,	"	29.72	755.0	SSW	3	...	"	
Ishigakijima,	"	29.74	755.5	SSW	6	...	"	
Bonin Island,	"	29.82	757.5	E	1	...	"	
Weihaiwei,	14	6	
Hankow,	15	"	
Ichang,	"	"	
Changsha,	"	"	
Shanghai,	11	29.74	755.4	90	63	E	2	b	"	29.69	754.2	77	96	E	1	o	
Gutzlaff,	14	29.71	754.6	82	96	ENE	1	o	"	29.71	754.6	78	100	SSE	4	o	
Sharp Peak,	"	29.69	754.1	82	91	E	2	r	7	29.68	753.9	80	91	SSW	2	o	
Amoy,	15	29.54	750.3	80	87	SSW	4	r	9	29.63	752.6	80	87	SSW	2	o	
Swatow,	"	"	
Taihoku,	11	29.69	754.2	93	64	ENE	4	o	5	29.69	754.2	73	98	...	0	b	
Taichu,	"	29.73	755.1	86	...	SSW	4	o	"	29.75	755.7	75	...	SSE	2	b	
Tainan,	"	29.74	755.4	86	...	SSW	4	b	"	29.75	755.7	79	...	SW	2	o	
Koshun,	"	29.75	755.7	86	...	SSW	4	o	"	29.76	756.0	79	...	S	6	o	
Pescadores,	"	29.72	754.8	82	...	S	6	o	"	29.73	755.1	79	
Canton,	14	6	
Hongkong,	"	29.61	752.1	81	88	SW	5	ord	"	29.68	753.9	80	93	W	3	opq	
Gap Rock,	"	29.63	752.6	SW	5	o	"	29.67	753.6	SW	4	o	
Macao,	"	"	
Wuchow,	15	"	
Pakhoi,	"	"	
Hoihow,	"	"	
Phulien,	"	7	
Tourane,	"	"	
Cape St. James,	"	"	
Aparri,	14	29.73	755.1	90	72	NNE	4	b	6	29.81	757.2	77	92	SW	2	o	
Bagupan,	"	"	
Manila,	"	29.79	756.6	86	68	WSW	2	o	"	29.84	757.8	75	96	...	0	b	
Legaspi,	"	29.75	755.7	90	63	NNE	2	o	"	29.82	757.5	75	96	SW	1	b	
Facoban,	"	"	
Iloilo,	"	29.75	755.7	86	68	SW	6	o	"	
Jirigao,	"	"	
Ham,	12.20	29.75	755.7	NNE	1	r	4.20	
Ap,	12.47	29.74	755.4	S	2	b	4.47	29.80	756.9	WSW	2	b	
Labuan,	14	29.80	756.9	86	76	N	1	b	6	29.81	757.2	80	87	N	2	b	

August 31st, 12h. 40m.—Pressure has decreased slightly at Shanghai and Labuan. It has increased slightly at other reporting stations.

The depression over China is shallower and more general.

The Eastern Sea depression, or typhoon, is probably continuing on a northerly track.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 2.85 inch. Total since January 1st, 78.09 inches, against an average of 65.92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1ST. DISTRICT.

- | | |
|--|--|
| 1.—Formosa Channel, | S. winds, fresh. |
| 2.—South coast of China between Hongkong and Lamock, | S. W. winds, moderate; overcast and rainy at first, improving later. |
| 3.—Hongkong to Gap Rock, | |
| 4.—South coast of China between Hongkong and Hainan, | |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	31ST AUGUST, 1923.							1ST SEPTEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		
		Inches.	Mills.			Dir.	Int.		Inches.	Mills.			Dir.	Int.	
Wladivostock, .	12	29.90	759.4	69	...	SW	1	f	6	29.76	755.8	65	o
Nemuro,.....	11	29.86	758.5	S	2	...	5
Hokodate,	"	29.88	759.0	SE	3	...	"
Tokio,.....	"	29.86	758.5	S	3	...	"
Kochi,	"	29.57	751.0	ESE	5	...	"
Nagasaki,	"	29.55	750.5	NNW	5	...	"
Kagoshima,	"	29.57	751.0	WNW	3	...	"
Oshima,	"	29.76	756.0	W	1	...	"
Naha,	"	29.82	757.5	SSW	2	...	"
Ishigakijima,	"	29.78	756.5	SSW	4	...	"
Bonin Island,	"	29.86	758.5	NE	1	...	"
Weihaiwei,.....	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.71	754.5	82	81	SE	2	o	"	29.69	754.2	75	92	N	1
Gutzlaff,.....	14	29.70	754.4	78	100	SE	4	r	"	29.68	753.9	77	95	NNW	4
Sharp Peak,	"	29.67	753.6	86	84	S	2	b	7	29.74	755.4	81	91	SW	1
Amoy,	15	29.61	752.1	81	83	SW	1	o	9	29.70	754.4	80	87	SW	0
Swatow,	"	"
Taihoku,	11	29.72	754.8	93	67	E	4	b	5	29.74	755.4	75	94	SSE	2
Taichu,	"	29.78	756.3	90	...	S	4	b	"	29.82	757.5	75	0
Tainan,	"	29.79	756.6	86	...	SSW	4	o	"	29.81	757.2	77	...	W	0
Koshun,	"	29.81	757.2	84	...	SW	2	o	"	29.79	756.6	81	...	z	b
Pescadores,	"	29.76	756.0	84	...	S	6	o	"	29.80	756.9	79	...	S	4
Canton,	14	29.67	753.6	84	83	S	2	o	6
Hongkong,	"	29.71	754.6	79	93	NW	1	or	"	29.76	755.9	81	84	SSW	3
Gap Rock,	"	29.74	755.4	WSW	4	o	"	29.76	755.9	SW	4
Macao,	"	"
Wuchow,	15	9
Pakhoi,	"	"
Hoilhow,	"	"
Phulien,	"	29.61	752.3	90	69	SSE	2	o	7	29.69	754.2	81	96	S	4
Tourane,	"	29.71	754.5	86	...	SSW	2	o	"	29.76	756.0	81	...	W	2
Cape St. James,	"	"	29.87	758.7	75	...	SW	2
Aparri,	14	29.78	756.3	90	66	NNE	4	b	6	29.82	757.5	77	91	SW	z
Dagupan,	"	"
Manila,	"	29.78	756.3	86	61	WSW	2	o	"	29.84	757.8	77	91	NNE	1
Legaspi,	"	29.76	756.0	90	63	NNE	2	b	"	29.84	757.8	77	94	o	0
Tacloban,	"	"
Illoilo,	"	29.78	756.3	84	71	S	4	o	"
Surigao,	"	29.80	756.9	82	77	ENE	2	o	"
Guam,.....	12.20	29.76	756.0	SW	2	o	4.20
Yap,	12.47	4.47	29.84	757.8	WSW	2
Labuan,	14	29.80	756.9	86	78	NW	2	b	6	29.83	757.7	80	87	N	b

September 1d. 11h. 50m.—Pressure has increased slightly at the majority of reporting stations.

The depression over China is again shallower.

The northern depression has probably reached the Sea of Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.52 inch. Total since January 1st, 78.61 inches, against an average of 66.27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND. DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- S. winds, moderate; fair.

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

SEPTEMBER,

1923.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE
ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER
REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,
DIRECTOR.



HONGKONG:
PRINTED BY NORONHA & CO.
GOVERNMENT PRINTERS.

1923.

ROYAL OBSERVATORY, HONGKONG.

R E S U L T S

O F

METEOROLOGICAL OBSERVATIONS.

SEPTEMBER,

1923.

HOURLY VALUES OF BAROMETRIC PRESSURE AND AIR TEMPERATURE,

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	29.705	29.702	29.699	29.700	29.700	29.706	29.719	29.729	29.748	29.748	29.744	29.735	1
2	29.740	29.732	29.720	29.716	29.722	29.714	29.714	29.734	29.752	29.764	29.742	29.742	2
3	29.714	29.694	29.692	29.677	29.677	29.689	29.704	29.715	29.725	29.728	29.728	29.716	3
4	29.692	29.690	29.692	29.694	29.690	29.698	29.706	29.718	29.723	29.728	29.733	29.721	4
5	29.700	29.693	29.688	29.697	29.699	29.703	29.716	29.722	29.729	29.722	29.711	29.696	5
6	29.695	29.685	29.677	29.687	29.691	29.705	29.711	29.719	29.724	29.729	29.728	29.712	6
7	29.694	29.675	29.674	29.669	29.672	29.683	29.700	29.708	29.715	29.722	29.714	29.694	7
8	29.679	29.669	29.648	29.647	29.649	29.667	29.677	29.702	29.722	29.733	29.742	29.714	8
9	29.690	29.686	29.681	29.660	29.672	29.672	29.682	29.698	29.709	29.705	29.704	29.693	9
10	29.696	29.684	29.677	29.672	29.664	29.693	29.694	29.708	29.724	29.729	29.720	29.713	10
11	29.704	29.694	29.688	29.681	29.687	29.694	29.699	29.712	29.717	29.714	29.706	29.694	11
12	29.687	29.681	29.668	29.669	29.675	29.682	29.692	29.703	29.705	29.704	29.691	29.691	12
13	29.670	29.666	29.659	29.660	29.667	29.681	29.689	29.709	29.715	29.716	29.701	29.704	13
14	29.717	29.723	29.702	29.704	29.708	29.727	29.735	29.748	29.760	29.756	29.743	29.726	14
15	29.714	29.716	29.699	29.693	29.705	29.716	29.724	29.742	29.750	29.756	29.752	29.735	15
16	29.728	29.720	29.721	29.725	29.731	29.739	29.746	29.757	29.775	29.778	29.768	29.753	16
17	29.751	29.752	29.749	29.750	29.754	29.774	29.788	29.804	29.817	29.823	29.818	29.810	17
18	29.804	29.802	29.788	29.790	29.800	29.809	29.829	29.844	29.856	29.846	29.842	29.832	18
19	29.821	29.819	29.813	29.808	29.810	29.826	29.838	29.855	29.860	29.861	29.858	29.842	19
20	29.844	29.836	29.836	29.834	29.838	29.840	29.848	29.856	29.876	29.880	29.878	29.857	20
21	29.836	29.825	29.820	29.811	29.808	29.820	29.832	29.851	29.855	29.857	29.840	29.826	21
22	29.762	29.742	29.721	29.713	29.719	29.723	29.744	29.764	29.778	29.784	29.775	29.744	22
23	29.693	29.676	29.662	29.658	29.660	29.674	29.682	29.703	29.711	29.714	29.714	29.681	23
24	29.670	29.660	29.654	29.658	29.661	29.664	29.675	29.690	29.713	29.717	29.704	29.685	24
25	29.698	29.690	29.684	29.675	29.684	29.693	29.711	29.726	29.735	29.739	29.740	29.722	25
26	29.719	29.718	29.708	29.708	29.714	29.718	29.725	29.747	29.756	29.761	29.774	29.758	26
27	29.734	29.721	29.715	29.706	29.709	29.721	29.739	29.747	29.756	29.755	29.751	29.734	27
28	29.744	29.736	29.718	29.714	29.722	29.728	29.747	29.750	29.764	29.768	29.765	29.741	28
29	29.713	29.705	29.694	29.698	29.694	29.705	29.717	29.732	29.736	29.734	29.717	29.698	29
30	29.713	29.703	29.703	29.703	29.707	29.717	29.722	29.739	29.746	29.752	29.741	29.738	30
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	29.718	29.702	29.686	29.669	29.682	29.690	29.700	29.719	29.732	29.746	29.751	29.751	1
2	29.726	29.706	29.702	29.686	29.682	29.683	29.694	29.706	29.721	29.741	29.740	29.736	2
3	29.704	29.674	29.659	29.655	29.653	29.660	29.668	29.686	29.699	29.710	29.712	29.700	3
4	29.701	29.677	29.667	29.649	29.645	29.648	29.659	29.675	29.694	29.706	29.708	29.700	4
5	29.674	29.661	29.639	29.635	29.632	29.641	29.656	29.677	29.700	29.706	29.712	29.720	5
6	29.692	29.677	29.665	29.650	29.646	29.648	29.662	29.670	29.693	29.700	29.705	29.697	6
7	29.667	29.649	29.635	29.624	29.624	29.633	29.639	29.647	29.675	29.688	29.696	29.686	7
8	29.695	29.669	29.649	29.651	29.648	29.653	29.660	29.681	29.690	29.698	29.708	29.704	8
9	29.669	29.647	29.636	29.627	29.633	29.638	29.652	29.666	29.686	29.701	29.703	29.698	9
10	29.680	29.658	29.648	29.639	29.638	29.641	29.655	29.664	29.679	29.698	29.707	29.707	10
11	29.673	29.657	29.640	29.640	29.647	29.655	29.675	29.697	29.703	29.700	29.700	29.700	11
12	29.666	29.650	29.630	29.628	29.625	29.637	29.649	29.660	29.680	29.685	29.681	29.681	12
13	29.681	29.659	29.643	29.645	29.646	29.656	29.664	29.684	29.710	29.710	29.718	29.712	13
14	29.706	29.688	29.674	29.665	29.667	29.672	29.687	29.709	29.729	29.737	29.734	29.720	14
15	29.714	29.694	29.683	29.681	29.687	29.690	29.700	29.717	29.732	29.745	29.742	29.740	15
16	29.727	29.699	29.693	29.681	29.690	29.710	29.730	29.743	29.756	29.762	29.759	29.758	16
17	29.792	29.769	29.754	29.741	29.743	29.752	29.763	29.777	29.792	29.809	29.814	29.808	17
18	29.822	29.801	29.786	29.780	29.766	29.783	29.795	29.810	29.818	29.830	29.828	29.830	18
19	29.826	29.812	29.789	29.780	29.790	29.803	29.826	29.834	29.846	29.849	29.857	29.855	19
20	29.830	29.796	29.772	29.768	29.766	29.777	29.801	29.828	29.848	29.856	29.852	29.842	20
21	29.800	29.763	29.747	29.728	29.728	29.736	29.749	29.767	29.798	29.805	29.781	29.778	21
22	29.726	29.692	29.671	29.663	29.657	29.654	29.668	29.686	29.712	29.716	29.720	29.711	22
23	29.653	29.633	29.613	29.609	29.622	29.631	29.648	29.656	29.674	29.690	29.688	29.680	23
24	29.659	29.641	29.631	29.629	29.626	29.636	29.646	29.672	29.688	29.706	29.708	29.703	24
25	29.707	29.684	29.660	29.651	29.659	29.673	29.689	29.706	29.729	29.736	29.732	29.718	25
26	29.731	29.710	29.690	29.688	29.690	29.698	29.706	29.724	29.736	29.753	29.755	29.751	26
27	29.715	29.689	29.679	29.678	29.671	29.678	29.690	29.709	29.737	29.747	29.745	29.748	27
28	29.722	29.691	29.667	29.653	29.655	29.662	29.682	29.702	29.711	29.710	29.717	29.717	28
29	29.671	29.650	29.634	29.633	29.635	29.644	29.661	29.685	29.699	29.712	29.716	29.713	29
30	29.710	29.692	29.690	29.688	29.690	29.707	29.712	29.721	29.737	29.746	29.738	29.734	30

Table II.—TEMPERATURES of the AIR at every Hour of the Day, in the Month of September, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	81.6	81.6	81.5	81.3	81.2	81.4	81.9	82.5	83.6	86.2	86.5	87.4	1
2	82.0	82.0	82.0	81.9	81.4	81.3	82.2	82.7	83.5	85.5	85.8	86.1	2
3	81.2	81.2	81.0	80.8	80.6	81.0	82.0	82.6	83.2	86.0	83.6	85.6	3
4	82.0	81.9	82.1	81.9	81.9	82.0	82.5	83.5	84.0	84.9	84.8	86.7	4
5	81.4	81.0	81.6	81.2	81.4	80.9	81.2	81.8	83.4	86.2	87.3	86.8	5
6	81.7	81.4	81.0	80.9	80.9	81.0	81.5	81.9	83.7	86.5	86.8	87.7	6
7	79.9	79.1	78.9	79.1	79.1	77.8	79.6	81.6	83.0	85.1	86.7	87.2	7
8	81.9	82.5	81.9	81.9	80.0	79.5	81.6	81.6	80.0	79.1	77.0	80.2	8
9	79.1	79.2	78.9	78.0	77.9	77.9	78.7	80.0	81.1	84.9	84.7	85.1	9
10	78.0	77.2	77.4	77.4	77.1	76.3	76.7	78.0	81.4	82.4	83.3	84.5	10
11	77.7	76.6	76.6	76.1	75.9	76.1	77.0	78.0	80.0	82.7	83.1	85.0	11
12	79.8	79.4	78.7	78.1	77.0	76.4	77.8	79.8	81.0	83.0	82.7	84.2	12
13	78.3	78.1	77.3	77.2	77.5	77.1	78.5	82.2	83.2	85.1	86.9	87.3	13
14	79.9	77.2	76.8	77.6	77.9	78.0	78.3	79.4	80.6	83.2	83.9	86.9	14
15	79.2	79.4	79.4	80.0	80.5	80.4	81.5	84.4	85.7	86.8	87.9	86.3	15
16	78.6	78.4	78.0	78.2	78.1	78.2	78.9	83.7	83.3	84.5	82.5	81.7	16
17	80.2	80.3	80.1	80.1	80.1	80.2	81.0	83.1	84.3	83.1	84.1	83.0	17
18	80.4	80.1	80.2	79.8	79.9	77.5	76.1	76.8	79.3	81.2	83.0	82.7	18
19	80.0	79.7	79.9	76.7	78.8	78.3	78.8	80.6	81.0	82.0	81.9	82.1	19
20	78.1	78.0	78.0	77.5	77.0	77.4	79.0	81.0	82.5	84.0	83.2	86.1	20
21	79.5	79.2	78.5	78.0	78.2	78.8	80.6	82.2	84.0	84.0	86.4	85.3	21
22	77.0	77.0	76.8	76.7	76.5	77.4	76.6	76.4	78.0	80.1	81.2	82.0	22
23	77.3	77.2	77.5	77.5	77.2	77.1	77.4	79.0	81.3	81.7	80.5	82.5	23
24	78.9	78.9	79.1	79.2	78.8	78.6	79.0	79.5	79.0	81.8	83.2	83.4	24
25	79.5	79.1	78.7	78.0	77.7	77.7	78.4	81.0	83.4	84.7	84.9	84.6	25
26	79.1	78.8	79.4	79.0	79.2	79.4	79.1	79.8	81.0	82.0	77.0	77.4	26
27	77.1	77.0	77.4	77.4	76.6	76.7	76.8	77.3	79.3	79.9	79.6	81.9	27
28	75.7	74.6	75.0	74.8	74.1	74.3	76.0	78.0	79.9	81.4	82.7	83.7	28
29	77.2	77.0	74.9	74.0	75.1	73.6	75.9	76.8	78.0	79.9	81.0	82.2	29
30	78.0	77.4	76.0	76.0	75.6	74.3	74.0	75.5	78.0	79.6	81.4	83.1	30
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	86.2	85.0	84.7	84.3	84.1	83.2	82.1	81.9	82.0	82.1	82.1	81.9	1
2	85.3	88.0	85.9	84.3	85.0	83.6	82.9	82.7	82.3	82.2	82.1	81.5	2
3	86.8	86.5	87.7	87.3	86.0	83.7	83.0	82.9	82.8	82.6	82.5	82.6	3
4	85.9	86.5	86.2	85.1	85.0	83.8	82.8	82.1	81.9	81.5	81.6	80.9	4
5	87.9	86.8	87.6	87.0	86.3	84.1	82.8	82.7	82.0	81.7	82.0	81.5	5
6	87.8	86.0	87.4	86.1	85.9	84.5	82.6	82.0	80.9	82.5	79.9	80.0	6
7	87.5	88.4	89.1	88.6	85.9	84.4	84.1	83.0	83.3	83.0	83.0	82.9	7
8	80.5	81.0	81.0	80.9	80.6	79.9	78.9	79.0	78.9	78.0	78.8	79.0	8
9	87.8	84.2	82.8	83.7	82.3	81.7	80.0	80.0	79.1	78.9	78.6	77.9	9
10	85.7	86.3	86.6	85.0	84.5	83.2	81.7	80.6	79.7	78.6	80.2	79.3	10
11	84.0	85.7	86.0	85.6	84.8	82.4	80.8	80.3	80.2	79.8	79.9	80.2	11
12	84.4	84.7	84.0	83.2	82.9	82.0	80.8	80.1	80.0	79.5	78.9	78.7	12
13	88.4	87.8	87.0	85.0	84.3	83.8	82.8	82.2	81.0	81.0	79.6	79.6	13
14	84.8	85.6	85.1	83.5	84.2	82.9	81.8	81.1	79.6	79.3	79.4	79.4	14
15	85.0	85.0	83.7	83.0	83.0	81.7	80.5	80.0	79.8	79.2	78.8	78.8	15
16	83.7	85.9	83.1	82.9	82.9	82.0	81.6	81.4	81.2	81.1	80.8	80.9	16
17	83.1	82.9	83.3	82.4	81.9	81.2	80.8	80.6	80.7	80.1	80.2	80.3	17
18	82.6	83.0	82.1	82.0	81.6	81.0	80.5	80.1	79.9	79.9	80.0	80.0	18
19	83.6	82.9	82.4	81.8	80.9	80.3	79.9	79.1	79.0	78.6	78.2	78.0	19
20	86.2	85.6	86.5	86.0	85.3	83.0	80.9	80.5	80.6	80.2	80.2	79.4	20
21	85.6	86.8	86.8	85.9	84.1	82.3	81.3	77.8	77.8	77.5	77.8	76.2	21
22	80.9	81.5	81.7	81.3	80.7	79.8	79.2	78.6	78.5	78.1	78.2	77.5	22
23	82.0	81.1	81.0	81.2	81.0	80.0	79.5	79.4	79.5	79.2	79.8	79.1	23
24	83.3	82.0	82.1	81.8	80.9	80.0	79.1	79.4	79.8	79.9	79.3	79.1	24
25	83.3	83.5	83.7	82.6	81.8	80.3	79.6	79.7	80.0	80.0	79.6	79.1	25
26	80.5	82.2	82.6	81.3	81.1	80.6	80.3	79.8	79.8	78.9	75.9	76.2	26
27	80.9	81.6	81.0	80.9	80.6	79.9	78.6	78.5	78.6	79.0	77.4	77.7	27
28	83.7	85.0	85.1	84.0	82.9	81.2	80.5	79.0	78.9	78.0	77.0	78.0	28
29	85.0	84.9	85.0	84.1	83.2	81.2	79.0	77.2	79.0	78.0	78.7	78.7	29
30	84.1	84.0	83.8	82.9	82.0	80.6	79.8	79.0	78.5	77.8	77.3	76.5	30

6. HOURLY VALUES OF THE TEMPERATURE OF EVAPORATION, AMOUNT OF CLOUD, AND SUNSHINE

TABLE III.—TEMPERATURE OF EVAPORATION, at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Neon.	
1	78.4	78.1	78.0	78.0	77.8	77.5	77.8	78.1	78.5	79.9	80.0	80.8	1
2	78.3	77.9	77.8	77.5	77.1	77.3	77.7	78.3	78.5	78.9	78.5	78.2	2
3	76.8	76.8	76.5	76.4	76.4	76.7	76.6	77.1	77.2	78.6	77.5	78.9	3
4	78.0	77.8	77.6	77.7	77.8	77.8	78.5	78.1	78.1	79.0	78.5	79.0	4
5	78.1	77.8	78.1	78.3	78.3	78.0	78.5	78.8	79.0	79.2	79.8	79.8	5
6	77.6	77.1	77.0	77.0	77.0	76.8	77.0	77.7	77.8	79.0	78.0	78.6	6
7	77.0	76.4	76.2	76.6	76.6	75.8	76.6	76.8	78.0	78.8	78.5	78.4	7
8	78.5	79.0	79.4	79.2	77.0	76.2	77.4	77.0	77.2	77.6	75.1	76.6	8
9	75.3	75.6	75.8	75.3	75.3	75.3	75.6	76.0	74.8	77.8	76.8	76.6	9
10	76.1	72.2	69.1	68.8	68.0	67.9	68.2	69.6	72.0	71.7	71.9	72.1	10
11	67.9	67.6	67.7	65.9	65.9	65.0	65.2	66.8	67.9	71.2	68.8	71.6	11
12	68.7	67.9	67.0	66.6	66.0	65.5	67.9	67.8	68.5	70.0	69.7	71.5	12
13	72.0	72.5	72.1	72.2	71.5	71.6	72.0	74.0	73.7	75.0	73.5	75.8	13
14	77.0	75.3	75.3	76.0	76.0	75.8	76.0	76.9	77.0	77.8	77.0	78.1	14
15	76.7	77.0	77.2	77.1	76.0	73.4	73.8	74.5	74.8	75.0	75.5	77.0	15
16	75.4	75.8	75.9	76.0	76.0	75.8	76.6	77.5	77.9	78.2	77.0	76.9	16
17	75.0	75.7	75.0	75.0	75.1	75.0	75.7	76.8	77.1	76.9	77.0	76.6	17
18	76.0	75.8	76.0	75.3	75.4	74.9	73.9	74.7	75.6	76.3	77.0	76.5	18
19	73.6	73.1	73.0	73.3	73.0	73.5	73.4	74.6	73.5	73.7	72.8	73.0	19
20	74.4	73.9	73.8	73.8	73.5	73.0	73.6	74.5	75.3	75.8	76.0	76.4	20
21	75.6	75.3	75.3	75.8	75.5	75.5	76.2	76.7	77.3	77.6	77.9	77.0	21
22	75.0	75.2	75.5	75.3	75.3	75.0	74.6	74.0	73.0	73.5	73.1	74.5	22
23	74.6	74.2	74.4	74.1	74.5	74.1	74.4	75.4	76.4	77.2	76.5	77.1	23
24	73.9	74.0	74.2	74.0	74.5	74.2	74.5	75.0	74.8	76.3	76.7	76.8	24
25	74.7	74.5	74.2	74.3	74.0	74.7	75.0	75.2	76.7	76.5	76.7	77.5	25
26	74.8	74.9	74.6	74.2	74.3	74.1	74.2	74.8	75.5	76.0	74.7	75.0	26
27	74.9	75.0	75.3	75.2	74.9	75.0	75.0	75.2	76.5	76.6	75.1	76.8	27
28	73.8	72.1	71.6	71.2	71.9	71.5	68.4	68.8	69.0	70.0	70.3	71.2	28
29	72.2	72.5	69.8	65.8	62.4	61.7	62.8	62.7	61.4	65.9	62.5	62.7	29
30	62.2	61.3	61.0	60.8	60.3	60.2	60.5	61.5	63.0	65.0	65.3	67.0	30
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midu.	Days of the Month.
1	o	o	o	o	o	o	o	o	o	o	o	o	1
2	79.1	79.7	79.7	79.9	79.8	78.6	78.0	78.1	78.6	78.6	78.5	78.5	2
3	78.0	79.5	78.6	78.5	79.3	78.3	78.0	77.9	77.5	77.8	77.5	77.4	3
4	78.9	78.8	79.8	79.3	79.0	77.9	77.8	78.0	78.0	78.0	78.3	78.4	4
5	80.8	79.6	79.7	79.5	79.8	78.2	77.8	77.8	77.4	77.8	77.8	77.7	5
6	77.6	77.5	77.9	77.6	77.9	77.4	77.2	76.8	76.8	77.9	77.0	76.6	6
7	79.5	79.6	78.8	77.6	78.1	78.0	77.8	78.0	78.0	78.3	79.0	78.9	7
8	76.0	76.5	75.4	75.4	75.0	74.9	74.6	74.8	74.9	74.8	74.9	74.9	8
9	78.8	77.7	77.6	76.9	76.6	76.4	76.7	76.0	76.0	75.9	75.8	75.8	9
10	72.1	73.0	73.0	71.7	71.8	71.3	71.5	71.6	72.1	72.2	70.2	70.5	10
11	71.0	75.1	71.6	70.8	69.6	71.2	70.0	71.5	71.1	71.4	69.3	71.3	11
12	71.8	72.0	71.9	72.7	72.4	72.0	72.0	71.8	72.5	72.0	72.0	72.0	12
13	77.0	77.3	78.3	76.8	76.5	76.6	76.2	76.3	76.2	77.0	77.0	77.6	13
14	77.4	77.8	79.4	78.1	79.1	78.5	78.1	77.6	76.8	76.8	77.0	77.0	14
15	78.0	77.8	77.0	77.0	77.1	76.1	75.8	75.5	75.8	75.8	75.7	75.5	15
16	77.5	77.5	77.0	76.7	76.8	76.3	75.4	75.6	74.9	74.4	74.9	75.2	16
17	76.5	76.4	76.0	76.6	76.3	76.2	75.9	76.3	75.9	76.1	76.5	76.1	17
18	76.8	76.3	75.6	75.1	74.8	74.5	74.5	74.5	74.4	74.6	74.7	74.7	18
19	74.4	73.9	74.0	73.1	72.8	72.9	73.0	73.3	73.3	73.5	73.5	73.9	19
20	76.5	76.7	76.5	76.9	76.7	76.0	75.0	75.1	75.7	75.9	75.5	75.4	20
21	77.0	77.8	78.8	78.0	77.8	76.3	76.3	75.0	74.8	74.9	74.9	75.0	21
22	73.9	74.2	74.6	74.7	74.8	74.4	74.7	74.5	74.8	74.3	74.8	74.4	22
23	77.1	76.2	76.9	76.0	76.1	75.5	75.2	75.1	75.2	75.2	74.1	74.1	23
24	77.0	76.0	75.8	75.5	75.0	74.6	74.5	74.7	74.7	74.7	74.6	74.5	24
25	76.4	77.0	76.6	76.4	75.9	74.0	73.1	72.8	73.7	73.8	74.3	74.3	25
26	74.9	76.1	76.3	75.7	75.9	75.5	74.9	75.0	75.0	75.8	74.9	74.9	26
27	76.0	76.1	75.9	76.3	75.9	75.7	75.0	74.7	75.0	74.9	75.0	74.6	27
28	70.9	72.2	72.0	72.0	72.5	72.0	70.5	70.6	70.9	72.0	72.1	71.8	28
29	65.9	64.3	65.0	69.0	70.8	70.7	71.0	70.8	68.8	64.0	62.8	62.7	29
30	68.7	69.5	70.9	71.0	70.7	70.4	70.1	69.3	69.2	69.3	68.6	68.5	30

TABLE IV — AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1923.
 (... = Clear Sky.)

TABLE V.—AMOUNT OF SUNSHINE registered in each Hour of the DAY, in the MONTH of SEPTEMBER, 1923
 (... = No Sunshine recorded.)

TABLE VI.—AMOUNT OF RAINFALL registered in each HOUR of the DAY, in the MONTH of SEPTEMBER, 1923.
 (d = Unregistered Drizzle. ... = No Rainfall.)

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the
MONTH of SEPTEMBER, 1923.
(The Direction is given in points, and the Velocity in miles per hour.)
(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.									
	1	2	3	4	5	6	7	8	9	10	11	Noon.										
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.										
1	18	7	18	9	18	8	18	9	19	12	18	10	18	12	17	10	17	8	18	6	1	
2	18	10	18	12	18	12	19	11	19	12	19	9	20	11	20	10	20	12	21	10	2	
3	19	5	19	5	19	7	19	7	18	8	19	9	19	7	18	9	19	9	20	10	3	
4	18	9	18	6	19	7	20	10	20	10	20	9	20	7	19	6	19	7	21	10	4	
5	...	1	...	21	6	21	9	21	8	22	5	23	3	...	1	26	4	25	7	24	9	
6	19	4	17	2	...	1	19	2	21	2	22	2	23	5	25	2	26	4	26	7	25	9
7	25	5	...	1	...	27	4	25	6	24	7	23	8	23	8	7	
8	...	1	25	3	27	4	26	5	26	9	31	8	...	1	19	5	9	12	6	17	7	
9	1	...	9	9	9	2	3	3	1	6	3	8	10	4	11	5	9	
10	...	1	8	1	11	1	7	2	9	2	12	2	13	2	14	1	9	1	12	32	7	
11	32	12	1	6	1	5	2	5	3	2	2	2	1	5	1	10	1	11	32	8	29	
12	31	3	22	3	4	3	32	2	31	4	26	3	...	1	2	4	32	4	25	5	22	
13	...	1	...	1	1	1	25	4	23	6	22	6	13	
14	26	2	24	7	...	1	1	13	4	11	6	10	3	9	
15	1	...	1	...	1	...	1	2	8	4	9	9	15	
16	11	4	1	10	7	9	10	9	14	
17	11	9	11	9	12	9	13	8	13	9	12	9	11	6	10	7	9	11	8	15		
18	10	14	10	12	11	10	12	8	12	8	2	8	4	6	5	9	6	8	7	18		
19	10	19	11	17	10	17	8	10	6	16	6	18	6	16	6	13	7	20	8	23		
20	8	5	7	5	6	3	...	1	5	3	4	7	4	7	4	11	4	11	6	9	20	
21	8	2	1	9	3	9	2	7	5	4	4	28	5	24	7	23	
22	1	4	...	1	32	3	2	6	2	7	4	11	7	11	6	10	6	12	7	16	9	
23	9	4	8	4	7	4	7	2	6	7	5	3	5	4	6	7	2	9	9	11		
24	10	5	...	10	5	12	2	9	9	8	8	6	9	10		
25	12	2	12	2	12	3	...	1	8	4	8	6	9	8	9	13	
26	...	1	...	1	13	5	...	1	12	3	1	10	8	9	17	10	7	
27	6	3	6	3	10	4	10	8	10	4	10	7	11	13	10	11	
28	9	19	8	9	8	6	7	4	7	2	...	1	2	9	1	2	32	14	1	13	3	
29	7	6	5	5	2	8	2	7	1	3	32	13	1	6	32	13	32	17	32	8	30	
30	32	5	29	5	29	4	32	3	1	2	32	2	1	1	24	5	22	8	30	
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.									
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.										
1	16	9	15	9	15	8	16	8	17	8	17	8	17	2	17	5	17	5	17	5	1	
2	20	10	19	12	18	14	19	15	18	9	18	12	18	9	18	7	18	7	19	6	2	
3	19	17	19	12	19	13	19	13	19	18	13	18	9	18	11	18	6	17	6	18	8	3
4	20	13	20	9	20	13	20	10	21	9	21	6	20	5	...	1	18	2	18	2	4	
5	24	7	19	10	18	8	18	10	18	9	19	8	18	4	18	2	18	2	18	2	5	
6	25	8	23	9	20	8	18	12	17	9	18	6	17	5	15	2	15	3	6	
7	23	8	24	9	24	7	23	9	20	5	20	3	21	3	1	...	24	4	24	5	24	4
8	6	13	7	11	9	15	9	13	10	9	9	9	10	2	10	2	10	5	10	4	8	
9	10	7	10	9	12	7	12	3	10	4	10	5	10	3	...	1	10	6	10	4	9	
10	32	10	32	9	1	7	2	10	2	10	1	8	1	3	1	3	14	32	16	
11	25	7	24	6	20	6	9	5	4	7	2	4	32	4	...	25	2	...	1	30	5	
12	23	11	23	12	24	14	25	14	26	9	26	3	26	5	26	4	26	2	12	
13	23	6	23	10	23	10	25	6	27	5	28	5	3	6	...	17	2	...	13	
14	8	7	2	5	27	9	27	5	27	3	27	7	15	4	9	9	8	3	14	
15	9	16	10	15	10	14	12	12	5	10	8	9	5	9	3	9	6	10	4	15		
16	8	14	8	13	8	15	8	17	8	15	10	12	11	10	12	11	11	11	11	12	16	
17	8	16	8	18	8	17	8	16	9	16	10	13	10	11	9	12	9	17	10	18	17	
18	7	17	7	19	8	20	9	18	9	20	9	18	9	14	9	15	9	17	9	16	9	
19	7	18	8	14	10	14	10	16	10	17	10	16	10	10	9	6	8	4	8	3	8	
20	11	6	14	5	21	9	23	7	22	4	20	3	16	8	12	9	10	13	9	9	8	
21	26	4	30	3	28	2	23	2	16	9	15	11	14	9	8	9	6	4	...	2	7	
22	10	15	10	12	10	12	10	11	9	11	8	10	7	10	9	9	8	...	1	...	22	
23	8	14	10	11	13	4	13	2	15	5	16	7	15	6	15	5	13	4	12	6	23	
24	9	13	9	13	9	12	11	7	13	7	15	5	14	6	14	5	12	5	12	5	24	
25	9	9	9	10	9	9	10	12	12	8	13	7	14	4	14	5	14	4	25	
26	11	3	10	5	9	12	9	10	9	9	11	7	12	5	...	1	13	5	9	6	26	
27	10	9	10	6	9	8	9	6	9	7	9	5	10	6	...	1	29	3	30	5	27	
28	20	4	23	9	24	10	23	9	23	11	25	9	27	6	...	1	29	3	30	5	28	
29	30	8	29	10	28	10	28	9	28	9	28	4	...	1	29	2	6	3	8	3	29	
30	24	10	24	12	24	11	24	12	24	11	25	10	26	6	26	5	26	3	26	5	30	

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS,
in the Month of SEPTEMBER, 1923.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	eu	SW	nb	SSW	eu	SW	eu	SW	ei-st	ESE	ei-st	ENE	eu	SSW	eu	SW
2	eu	SW	eu	SW	eu	SW	eu	SSW	eu	SW	eu	WSW	eu	SW	eu	SW
3	eu	SSW	eu	SSW	eu	SW	eu	SW	ei-st	E	ei-st	E	eu	SW	eu	SW
4	eu	SW	eu	SW	eu	SW	eu	SSW	eu	SW	eu	SW	eu	WSW	eu	SW
5	eu	WSW	eu	WSW	ei-st	NE	en	NW	ei-st	ESE	ei-st	ESE	eu	W	eu	W
6	eu	W	eu	W	a-en	ENE	eu	W	a-en	ENE	ei-st	NE	eu	W
7	eu	W	ei-st	NE	eu	W	ei-st	NE	ei-st	NE	eu	W	ei-st	NE
8	eu	W	eu	W	nb	NNE	nb	SE	nb	ENE	en	E	eu	a-en	E	ENE
9	eu	ENE	eu	ENE	eu	ENE	eu	ENE	eu	E	en	ENE	eu	WNW	en	E
10	ei-st	WSW	ei-st	SW	ei-st	W	ei-st	WSW	ei-st	WSW
11	ei-st	NE	eu	ESE	eu	NW	eu	NW
12	eu	WNW	eu	WNW	eu	WNW	eu	NNE	eu	WNW
13	a-en	ESE	en	W	a-en	ENE	eu	ESE
14	eu	ESE	eu-nb	ESE	eu	W	eu	NNE	eu	N	a-en	NE	eu	W	eu	W
15	eu	E	en	W	eu	WNW	eu	NNW	en	WNW	eu	WNW
16	eu	E	eu	E	a-en	E	eu	WSW	eu	SE	eu	SE	eu	ESE
17	eu	ESE	eu	ESE	ei-en	a-en	ssw	E	eu	WNW	ei-st	w	ei-st	w	eu	ESE
18	eu	E	nb	ENE	eu	E								
19	eu-nb	E	nb	E	eu	E	eu	E	eu	E
20	eu	E	eu	ENE	en	E	eu	ENE	eu	ENE	en	E	eu	E
21	eu	E	en	E	en	E	en	ENE	en	ENE	en	ENE	eu	ENE
22	nb	ENE	nb	ENE	nb	ENE	eu	ENE	eu	E	a-en	ENE	en	SSW	eu	SSE
23	a-en	NNE	eu-nb	NW	eu	NE	eu	NE	eu	NNE	eu	NNE	eu	NNE	eu	NE
24	en	NE	eu-nb	ENE	eu	ENE	eu	SE	eu	NNE	eu	NE	eu	NE	eu	NNE
25	eu	ENE	eu	ENE	eu	NE	eu	NE	eu	NE	eu	ENE	eu	ENE
26	eu	ENE	eu	ENE	eu	NE	eu	E	eu	ENE	eu	NE	eu	ENE	nb	ENE
27	eu	ENE	eu	ENE	nb	NE	eu	ENE	eu	ENE	eu	NE	eu	ENE	eu	ENE
28	nb	E	eu	NE	eu	NE	ei-st	W	eu	NNE	eu	SW
29	eu	ENE	eu	NNE	ei-st	SSE	ei-st	ESE
30	ei-st	ESE	ei-st	E	ei-st	E

TABLE IX.—DAILY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of SEPTEMBER, 1923.
(British Units.)

Days of the Month.	Mean Barometric Pressure.	Temperature.				Mean Vapor Tension.	Mean Degree of Humidity (Saturation 100). Mean Amount of Cloud (0-100).	Daily Duration. Percentage of possible amount.	Rainfall.		Wind.				
		Of the Air			Of Evaporation.				Amount.	Duration.	Components.		Resultant.		
		Highest.	Lowest.	Range.	Mean.						North.	East.	Direction.	Velocity.	
1	ins.	0	0	0	0	ins.	%	%	h	%	ins.	h	m.p.h.	m.p.h.	
1	29° 716	87.5	81.1	6.4	83.2	78.7	0.922	81	85	6.6	53	0.015	1	— 6.9	— 1.8 195 7.1 7.3
2	29° 722	88.5	81.3	7.2	83.4	78.1	0.892	78	74	10.6	85	— 8.7	— 5.6 213 10.4 10.5
3	29° 693	87.3	80.5	6.8	83.5	77.8	0.877	76	75	9.4	75	— 8.0	— 4.6 210 9.2 9.4
4	29° 692	97.0	80.9	6.1	83.4	78.1	0.892	78	81	3.7	30	— 5.6	— 5.1 222 7.6 7.8
5	29° 688	87.9	80.9	7.0	83.6	78.6	0.912	79	49	9.5	76	— 2.9	— 3.7 232 4.7 5.5
6	29° 690	89.1	79.9	9.2	83.4	77.4	0.860	75	35	10.0	81	— 1.8	— 3.0 239 3.5 4.6
7	29° 674	90.2	77.8	12.4	83.3	77.8	0.880	77	48	9.3	75	— 0.5	— 3.8 262 3.8 4.0
8	29° 682	82.5	76.1	6.4	80.2	76.2	0.855	83	83	4.5	36	0.760	3	+ 0.3	+ 4.5 86 4.5 7.2
9	29° 676	87.8	77.9	9.9	80.9	76.3	0.846	80	75	6.9	56	0.040	1	— 0.6	+ 2.9 102 3.0 3.7
10	29° 683	86.9	76.1	10.8	80.9	71.2	0.635	60	11	11.5	93	+ 8.1	+ 1.8 13 8.3 8.4
11	29° 685	86.2	75.3	10.9	80.6	69.4	0.570	55	23	11.1	90	+ 3.6	+ 0.1 2 3.6 5.0
12	29° 671	85.0	76.2	8.8	80.7	70.1	0.595	57	10	11.7	95	+ 1.2	— 4.8 284 5.0 6.0
13	29° 682	88.4	76.9	11.5	82.2	75.0	0.772	70	34	9.3	76	0.020	...	+ 0.1	— 2.2 273 2.2 3.0
14	29° 714	87.3	76.8	10.5	81.1	77.2	0.883	83	88	5.9	48	0.145	1	+ 0.4	+ 0.7 60 0.8 3.5
15	29° 718	88.3	78.7	9.6	82.1	76.0	0.817	75	34	10.3	84	0.015	...	— 1.0	+ 5.1 101 5.2 6.0
16	29° 735	85.1	77.7	7.4	81.1	76.3	0.843	79	43	9.0	74	0.080	...	— 2.3	+ 7.6 107 8.0 8.3
17	29° 779	85.0	79.5	5.5	81.6	76.1	0.828	77	64	8.0	66	0.010	1	— 3.3	+ 12.0 105 12.5 13.0
18	29° 812	83.9	76.1	7.8	80.4	75.3	0.809	78	63	5.0	41	0.365	2	— 0.9	+ 13.7 94 13.7 14.4
19	29° 828	82.9	76.5	6.4	80.1	73.4	0.734	71	36	10.9	89	0.075	1	+ 0.2	+ 13.7 91 13.7 14.4
20	29° 832	87.3	76.9	10.4	81.6	75.2	0.789	73	22	11.4	94	— 0.5	+ 4.1 97 4.1 7.1
21	29° 798	88.8	76.2	12.6	81.4	76.3	0.839	78	61	9.3	77	0.810	2	+ 0.6	+ 0.5 140 0.8 3.9
22	29° 719	82.6	75.2	7.4	78.8	74.5	0.797	81	92	1.7	14	2.875	8	+ 0.1	+ 7.5 89 7.5 8.8
23	29° 668	83.4	76.9	6.5	79.5	75.4	0.826	82	82	5.6	46	...	1	— 1.7	+ 4.5 111 4.8 5.8
24	29° 671	84.1	78.2	5.9	80.3	75.0	0.798	77	86	5.8	48	— 2.4	+ 5.0 116 5.6 6.0
25	29° 702	85.4	77.4	8.0	80.9	75.1	0.794	75	65	2.8	65	— 2.2	+ 4.3 117 4.8 5.2
26	29° 727	82.6	75.6	7.0	79.6	75.1	0.812	80	90	2.5	21	0.425	3	— 1.4	+ 4.5 107 4.7 5.1
27	29° 720	82.0	76.3	5.7	78.9	75.4	0.834	84	87	3.8	32	0.605	3	— 1.7	+ 5.3 108 5.6 5.7
28	29° 713	85.2	74.0	11.2	79.3	71.2	0.657	66	27	11.2	93	0.045	1	+ 2.0	— 0.1 357 2.0 6.8
29	29° 691	85.0	73.6	11.4	79.2	66.2	0.471	47	6	11.4	96	+ 6.9	— 0.6 355 6.9 8.1
30	29° 719	84.5	73.0	11.5	79.0	66.0	0.466	47	10	11.1	93	+ 0.4	— 4.5 287 4.7 5.5
Means	29° 717	85.9	77.3	8.6	81.1	74.8	0.783	73	55	24.4	8	6.285	28	— 1.0	+ 1.9 118 2.1 7.0
Normals	29° 719	85.3	76.7	8.6	80.5	75.2	0.806	77	58	198.4	54	9.988	53	+ 1.1	+ 7.2 81 7.3 11.7
Absolute Max.	29° 880	90.2	...	12.6	...	81.1	0.972	11.7	96	2.875	8
Day.	20	7	...	21	...	1	8	12	29	2.2	22
Absolute Min.	29° 609	...	73.0	5.5	...	60.3	0.311	27
Day	23	...	30	17	...	30	29	29

Phenomena :—

Solar halo :—on the 7th.

Lunar corona :—on the 22nd, 24th, 25th, 27th and 28th.

Unusual visibility :—on the 6th, 10th and 17th.

Dew :—on the 7th, 16th and 25th.

Rainbow :—on the 1st.

Lightning :—on the 1st, 2nd, 3rd, 7th, 8th, 14th and 21st.

Thunder :—on the 8th and 22nd.

Thunderstorms as follows :—

8^d 2^h 37^m to 6^d 30^m in N.N.E.; distant.8^d 9^h 30^m to 11^d 35^m in E.S.E.; distant.21^d 19^h 55^m to 21^d 10^m S.W. to N.E.; nearest at 20^h 04^m (6°).Rain fell on 15 days. The mean hourly intensity was 0.224^{in.}, and the maximum fall in one hour was 1.260^{in.} at 4^h on the 22nd.The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 32 miles per hour at 10^h 30^m on the 19th.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of SEPTEMBER, 1923.
(C. G. S. Units:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure m.b.	Temperature.						Mean Vapour Tension. mm.	Rainfall.		Wind.				Observed Velocity. m.p.h.		
		Of the Air.			Mean.	Of Evaporation.	Amount.		Components.		Resultant.						
		Highest.	Lowest.	Range.					North.	East.	South.	West.					
1	1008.2	303.8	300.3	3°5	301.4	298.9	31.1	0.4	—	2.3	—	0.6	195	2°3	2°4		
2	1008.4	304.4	300.4	4°0	301.6	298.6	30.1	...	—	2.9	—	1.8	213	3°4	3°4		
3	1007.4	303.7	299.9	3°8	301.6	298.4	29.6	...	—	2.6	—	1.5	210	3°0	3°1		
4	1007.4	303.6	300.2	3°4	301.6	298.6	30.1	...	—	1.8	—	1.7	222	2°5	2°6		
5	1007.2	304.1	300.2	3°9	301.7	298.9	30.8	...	—	1.0	—	1.2	232	1°5	1°8		
6	1007.3	304.7	299.6	5°1	301.6	298.2	29.0	...	—	0.6	—	1.0	239	1°1	1°5		
7	1006.7	305.3	298.4	6°9	301.5	298.4	29.7	...	—	0.2	—	1.2	262	1°2	1°3		
8	1007.0	301.1	297.5	3°6	299.8	297.6	28.8	19.3	3	+ 0.1	+ 1.3	86	1°5	2°4			
9	1006.8	304.0	298.5	5°5	300.2	297.6	28.5	1.0	—	0.2	+ 1.0	102	1°0	1°2			
10	1007.1	303.5	297.5	6°0	300.2	294.8	21.4	...	+ 2.7	+ 0.6	13	2°7	2°8				
11	1007.2	303.1	297.1	6°0	300.0	293.8	19.2	...	+ 1.2	...	2	1°2	1°6				
12	1006.7	302.4	297.6	4°8	300.1	294.2	20.1	...	+ 0.4	— 1.6	284	1°6	2°0				
13	1007.0	304.3	297.9	6°4	300.9	296.9	26.0	0.5	...	— 0.7	273	0°7	1°0				
14	1008.1	303.7	297.9	5°8	300.3	298.1	29.8	3.7	1	+ 0.1	+ 0.2	60	0°3	1°1			
15	1008.3	304.3	298.9	5°4	300.8	297.4	27.6	0.4	...	+ 0.3	+ 1.7	101	1°7	2°0			
16	1008.8	302.5	298.4	4°1	300.3	297.6	28.4	2.0	— 0.8	+ 2.5	107	2°6	2°7				
17	1010.3	302.4	299.4	3°0	300.6	297.5	27.9	0.2	1	+ 1.1	+ 3.9	105	4°1	4°3			
18	1011.5	301.8	297.5	4°3	299.9	297.1	27.3	9.3	2	+ 0.3	+ 4.5	94	4.5	4°7			
19	1012.0	301.3	297.7	3°6	299.7	296.0	24.7	1.9	1	+ 0.1	+ 4.5	91	4°5	4°7			
20	1012.1	303.7	297.9	5°8	300.6	297.0	26.6	...	+ 0.2	+ 1.3	97	1°3	2°3				
21	1011.0	304.6	297.6	7°0	300.4	297.6	28.3	20.6	2	+ 0.2	+ 0.2	140	0.3	1°3			
22	1008.3	301.1	297.0	4°1	299.0	296.6	26.9	73.0	8	...	+ 2.5	89	2°5	2°9			
23	1006.6	301.6	297.9	3°7	299.4	297.1	27.9	...	1	+ 0.6	+ 1.5	111	1°6	1°9			
24	1006.7	301.9	298.7	3°2	299.8	296.9	26.9	...	— 0.8	+ 1.6	116	1°8	2°0				
25	1007.7	302.7	298.2	4°5	300.2	296.9	26.8	...	+ 0.7	+ 1.4	117	1°6	1°7				
26	1008.6	301.1	297.2	3°9	299.4	296.9	27.4	10.8	3	+ 0.5	+ 1.5	107	1°5	1°7			
27	1008.3	300.8	297.6	3°2	299.1	297.1	28.1	15.4	3	+ 0.6	+ 1.7	108	1°8	1°9			
28	1008.1	302.6	296.3	6°3	299.3	294.8	22.1	1.1	1	+ 0.7	...	35.7	0°7	2.2			
29	1007.4	302.4	296.1	6°3	299.2	292.0	15.9	...	— 2.3	+ 0.2	355	2°3	2°7				
30	1008.3	302.2	295.8	6°4	299.1	291.9	15.7	...	+ 0.5	+ 1.5	287	1°5	1°8				
Means.	1008.2	302.9	298.2	4°7	300.3	296.8	26.4	159.6	28	+ 0.3	+ 0.6	118	0°7	2°3			
Normals	1008.3	302.6	297.8	4°8	299.9	297.0	27.2	253.7	53	+ 0.4	+ 2.4	81	2°4	3°8			
Absolute Maximum	1013.8	305.3	...	7.0	...	300.3	32.8	73.0	8	7.9†			
Day.	20	7	...	21	...	1	8	22	22	192.11		
Absolute Minimum.	1004.6	...	295.8	3°0	...	288.7	10.5		
Day.	23	...	30	17	...	30	29		

* 0° = N, 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES OF METEOROLOGICAL ELEMENTS IN THE MONTH OF SEPTEMBER, 1923.
(British Units.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature.		Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall. Percentage of Total		Wind.				
		Of the Air.	Of Evaporation.					Amount.	Duration	Components.	Resultant.			
		Ins.	Ins.					%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.	
1	29°724	79°3	74°7	0.802	80	59	11	6	— 1.0	+ 2.2	114	2.4	5.3	
2	29°717	79°0	74°4	0.793	80	63	6	8	— 1.0	+ 1.0	135	1.4	4.4	
3	29°708	78°8	74°2	0.788	80	60	5	4	— 0.9	+ 1.2	124	1.5	4.8	
4	29°706	78°5	73°9	0.779	80	58	25	8	— 0.7	+ 0.4	150	0.8	4.4	
5	29°709	78°4	73°6	0.768	79	55	2	6	— 0.4	+ 0.1	166	0.4	4.9	
6	29°719	78°2	73°3	0.758	78	60	13	5	10	+ 0.9	+ 0.8	42	1.2	5.0
7	29°730	79°0	73°6	0.769	76	57	49	5	9	+ 0.4	+ 1.1	70	1.2	4.7
8	29°744	80°3	74°2	0.767	74	55	67	3	6	+ 1.2	+ 2.0	59	2.3	5.6
9	29°755	81°7	74°5	0.761	70	50	74	...	1	+ 1.9	+ 2.3	50	3.0	7.6
10	29°757	83°2	75°5	0.784	68	49	83	13	3	+ 1.3	+ 3.4	69	3.6	9.5
11	29°753	83°5	75°0	0.758	65	52	80	3	7	— 0.2	+ 4.0	93	4.0	10.5
Noon.	29°737	84°3	75°6	0.773	65	52	79	1	2	— 1.2	+ 3.5	109	3.7	10.6
13	29°715	84°5	75°8	0.778	65	56	77	— 1.3	+ 2.6	117	2.9	10.3
14	29°693	84°6	76°0	0.786	66	52	78	3	3	— 1.7	+ 1.9	132	2.6	10.2
15	29°678	84°5	76°0	0.787	66	56	71	1	1	— 2.6	+ 1.6	148	3.1	10.6
16	29°670	83°8	75°8	0.788	68	56	73	...	1	— 2.8	+ 1.4	153	3.1	10.0
17	29°671	83°2	75°7	0.792	69	54	63	— 2.6	+ 1.6	148	3.1	9.2
18	29°679	81°9	75°3	0.788	72	51	23	...	1	— 3.1	+ 1.3	157	3.4	8.5
19	29°692	80°9	74°9	0.789	74	52	1	— 2.8	+ 1.1	159	3.0	6.1
20	29°708	80°4	74°9	0.795	76	53	...	1	4	— 2.1	+ 1.9	138	2.8	4.8
21	29°726	80°2	74°9	0.798	77	52	— 1.8	+ 2.8	123	3.3	5.4
22	29°737	79°9	74°9	0.802	78	51	...	4	...	— 1.1	+ 2.8	112	3.0	4.9
23	29°738	79°7	74°7	0.797	78	56	— 0.8	+ 2.5	108	2.6	5.5
Midn.	29°733	79°3	74°6	0.798	79	53	12	— 0.5	+ 2.8	100	2.8	5.2

TABLE XII.—MEAN HOURLY VALUES OF METEOROLOGICAL ELEMENTS IN THE MONTH OF SEPTEMBER, 1923.
(C. G. S. Units:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature.		Mean Vapour Tension.	Wind.			
		Of the Air.	Of Evaporation.		Components.	Resultant.		
		m.b.	c		North.	East.	Direction. *	Velocity.
1	1008.5	299.3	296.7	27.1	— 0.3	+ 0.7	114	0.8
2	1008.2	299.1	296.6	26.7	— 0.3	+ 0.3	135	0.5
3	1007.9	299.0	296.4	26.6	— 0.3	+ 0.4	124	0.5
4	1007.9	298.8	296.3	26.3	— 0.2	+ 0.1	150	0.3
5	1008.0	298.8	296.1	25.9	— 0.1	...	166	0.1
6	1008.3	298.7	295.9	25.6	+ 0.3	+ 0.3	42	0.4
7	1008.7	299.1	296.1	25.6	+ 0.1	+ 0.4	70	0.4
8	1009.1	299.8	296.4	25.9	+ 0.4	+ 0.7	59	0.3
9	1009.5	300.6	296.6	25.7	+ 0.6	+ 0.8	50	0.0
10	1009.6	301.4	297.2	26.4	+ 0.4	+ 1.1	69	1.2
11	1009.4	301.6	296.9	25.6	— 0.1	+ 1.3	93	1.3
Noon.	1008.9	302.1	297.2	26.1	— 0.4	+ 1.1	109	1.2
13	1008.1	302.2	297.3	26.2	— 0.4	+ 0.9	117	1.0
14	1007.4	302.2	297.4	26.5	— 0.6	+ 0.6	132	0.9
15	1006.9	302.2	297.4	26.5	— 0.9	+ 0.5	148	1.0
16	1006.6	301.8	297.3	26.6	— 0.9	+ 0.5	153	1.0
17	1006.6	301.4	297.3	26.7	— 0.9	+ 0.5	148	1.0
18	1006.9	300.7	297.0	26.6	— 1.0	+ 0.4	157	1.1
19	1007.4	300.2	296.8	26.6	— 0.9	+ 0.4	159	1.0
20	1007.9	299.9	296.8	26.8	— 0.7	+ 0.6	138	0.9
21	1008.5	299.8	296.8	26.9	— 0.6	+ 0.9	123	1.1
22	1008.9	299.5	296.8	27.0	— 0.4	+ 0.9	112	1.0
23	1008.9	299.5	296.7	26.9	— 0.3	+ 0.8	108	0.9
Midn.	1008.8	299.3	296.7	26.9	— 0.2	+ 0.9	100	0.9

* 0° = N., 90° = E., etc.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

SEPTEMBER,

1923.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	31ST AUGUST, 1923.							1ST SEPTEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	Humid.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	Humid.	WIND.			
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	WEATHER.	
Vladivostock, .	12	29.95	759.4	69	...	SW	1	6	29.76	755.8	65	b	
Nemuro, .	11	29.86	758.5	S	2	5	
Hokodate, .	"	29.88	759.0	SE	3	"	
Tokio, .	"	29.86	758.5	S	3	"	
Kochi, .	"	29.57	751.0	ESE	5	"	
Nagasaki, .	"	29.55	750.5	NNW	5	"	
Kagoshima, .	"	29.57	751.0	WNW	3	"	
Oshima, .	"	29.76	756.0	W	1	"	
Naha, .	"	29.82	757.5	SSW	2	"	
Ishigakijima, .	"	29.78	756.5	SSW	4	"	
Bonin Island, .	"	29.86	758.5	NE	1	"	
Weihaiwei, .	15	6	
Hankow, .	"	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	29.71	754.5	82	81	SE	2	o	29.69	754.2	75	92	N	1	o	
Gntzlaaff, .	14	29.70	754.4	78	100	SE	4	r	29.68	753.9	77	95	NNW	4	o	
Sharp Peak, .	"	29.67	753.6	86	84	S	2	b	29.74	755.4	81	91	SW	1	o	
Amoy, .	15	29.61	752.1	81	83	SW	1	o	29.70	754.4	80	87	SW	1	o	
Swatow, .	"	8	
Taihoku, .	11	29.72	754.8	93	67	E	4	b	5	29.74	755.4	75	94	SSE	2	o
Taichu, .	"	29.78	756.3	90	...	S	4	b	"	29.82	757.5	75	0	o
Tainan, .	"	29.79	756.6	86	...	SSW	4	o	"	29.81	757.2	77	0	o
Koshun, .	"	29.81	757.2	84	...	SW	2	o	"	29.79	756.6	81	...	W	2	b
Pescadores, .	"	29.76	756.0	84	...	S	6	o	"	29.80	756.9	79	...	S	4	b
Canton, .	14	29.67	753.6	84	83	S	2	o	6	
Hongkong, .	"	29.71	754.6	79	93	NW	1	cr	"	29.76	755.9	81	84	SSW	3	o
Gap Rock, .	"	29.74	755.4	WSW	4	o	"	29.76	755.9	SW	4	b
Macao, .	"	
Wuchow, .	15	9	
Pakhoi, .	"	
Hoishow, .	"	
Phulien, .	"	29.61	752.1	90	69	SSE	2	o	7	29.69	754.2	81	96	S	4	o
Tourane, .	"	29.71	754.5	86	...	SSW	2	o	"	29.76	756.0	81	...	W	2	b
Cape St. James, .	"	"	29.87	758.7	75	...	SW	2	b
Aparri, .	14	29.78	756.3	90	66	NNE	4	b	6	29.82	757.5	77	91	SW	2	b
Dagupan, .	"	
Manila, .	"	29.78	756.3	86	61	WSW	2	o	"	29.84	757.8	77	91	NNE	1	b
Legaspi, .	"	29.76	756.0	90	63	NNE	2	b	"	29.84	757.8	77	94	...	0	o
Tacloban, .	"	
Iloilo, .	"	29.78	756.3	84	71	S	4	o	"	
Surigao, .	"	29.80	756.9	82	77	ENE	2	o	"	
Guam, .	12.20	29.76	756.0	SW	2	o	4.20	
Yap, .	12.47	4.47	29.84	757.8	WSW	2	b
Labuan, .	14	29.80	756.9	86	78	NW	2	b	6	29.83	757.7	80	87	N	1	b

September 1d. 11h. 50m.—Pressure has increased slightly at the majority of reporting stations.

The depression over China is again shallower.

The northern depression has probably reached the Sea of Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.52 inch. Total since January 1st, 78.61 inches, against an average of 66.27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 2.—South coast of China between Hongkong and Lamock, .
 3.—Hongkong to Gap Rock, .
 4.—South coast of China between Hongkong and Hainan, .
- S. winds, moderate; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	1ST SEPTEMBER, 1923.								2ND SEPTEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER. ATURE.	HUMIDIT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER. ATURE.	HUMIDIT.	WIND.		WEATHER.
		Inches.	Mills.			Direct. Ion.	Force.			Inches.	Mills.			Direct. Ion.	Force.	
Vladivostock, .	12	29.71	754.7	76	...	S	2	b	6	29.78	756.4	65	...	N	2	b
Nemuro,	11	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.74	755.4	81	87	N	2	r	"
Gutzlaff,	14	29.61	752.1	75	100	E	4	o	"
Sharp Peak,	"	29.79	756.6	86	85	SSE	2	o	7	29.77	756.1	81	91	SSW	0	r
Amoy,	15	29.68	753.9	90	73	SW	4	b	9	29.73	755.1	80	92	SSW	1	b
Swatow,	"	"
Taihoku,	11	29.78	756.3	90	63	W	2	b	5	29.76	756.0	75	92	...	0	b
Taichu,	"	29.84	757.8	86	...	SSW	4	o	"	29.82	757.5	73	0	b
Tainan,	"	29.86	758.4	86	...	SW	4	b	"	29.80	756.9	75	0	b
Koshun,	"	29.84	757.8	86	...	WNW	4	o	"	29.79	756.6	79	...	NW	2	b
Pescadores,	"	29.85	758.1	86	...	SSW	4	b	"	29.80	756.9	79	...	S	4	b
Canton,	14	6
Hongkong,	"	29.76	755.9	85	79	S	3	o	"	29.77	756.1	81	84	SW	2	o
Gap Rock,	"	"
Macao,	"	"
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.65	753.0	86	71	SSE	4	b	7	29.68	753.9	82	92	S	6	b
Tourane,	"	29.71	754.5	86	...	SSW	2	b	"	29.76	756.0	75	...	WSW	2	b
Cape St. James,	"	29.80	756.9	86	...	S	2	b	"	29.86	758.4	77	...	WNW	4	o
Aparri,	14	29.79	756.6	90	66	NE	4	o	6	29.82	757.5	77	92	SW	2	b
Dagupan,	"	"
Manila,	"	29.78	756.3	90	72	WSW	4	b	"	29.85	758.1	75	91	NE	1	o
Legaspi,	"	29.80	756.9	86	75	NE	2	o	"	29.82	757.5	77	96	...	0	o
Tacloban,	"	"
Illoilo,	"	29.81	757.2	79	76	NW	2	o	"	29.82	757.5	73	92	...	0	o
Surigao,	"	29.76	756.0	86	71	WNW	2	b	"	29.80	756.9	73	94	...	0	b
Guam,	12.20	29.79	756.6	NE	2	r	4.20	29.73	755.1	NE	2	o
Yap,	12.47	29.81	757.2	W	6	b	4.47	29.79	756.6	W	4	o
Lubuan,	14	29.79	756.6	88	76	N	1	b	6	29.82	757.4	80	87	NW	1	b

September 2d. 12h. 2023.—Pressure has decreased slightly over S. Formosa, and moderately at Yap and Guam. It has increased slightly over Cochin China.

A shallow depression lies over S.W. China.

A typhoon may be forming to the South of Guam.

A very large earthquake was recorded yesterday. The preliminary tremors occurred at 11.5 a.m. The origin appears to be near Tokio.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 78.62 inches, against an average of 66.61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD. DISTRICT.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamock,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan,
- S.W. winds, moderate; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	2ND SEPTEMBER, 1923.							3RD SEPTEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		
		Inches.	Millrs.			Dir- ec- tion.	For- ce.		Inches.	Millrs.			Dir- ec- tion.	For- ce.	
Vladivostock, .	12	6	
Nemuro, .	11	5	
Hokodate, .	"	"	
Tokio, .	"	"	
Kochi, .	"	"	
Nagasaki, .	"	"	
Kagoshima, .	"	"	
Oshima, .	"	"	
Naha, .	"	"	
Ishigakijima, .	"	"	
Bonin Island, .	"	"	
Weihaiwei, .	14	6	
Hankow, .	15	6	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	29.74	755.4	90	96	SSE	2	b	29.58	751.2	77	98	SSE	1	
Gutzlaff, .	14	29.73	755.1	82	96	E	1	b	29.61	752.1	78	100	SSW	2	
Sharp Peak, .	"	29.73	755.1	84	91	S	2	o	29.73	755.1	80	91	...	0	
Amoy, .	15	29.68	753.9	83	79	SW	2	o	29.64	752.8	80	87	SW	1	
Swatow, .	"	"	
Taihoku, .	11	29.80	756.9	90	63	W	4	o	5	29.73	755.1	75	94	...	0
Taichu, .	"	29.84	757.8	86	...	SSW	4	o	"	29.76	756.0	73	...	SE	2
Tainan, .	"	29.84	757.8	86	...	S	4	o	"	29.78	756.3	75	...	NW	4
Koshun, .	"	29.81	757.2	86	...	NW	4	o	"	29.74	755.4	79	...	S	4
Pescadores, .	"	29.84	757.8	86	...	S	4	o	"	29.75	755.7	79	b
Canton, .	14	29.72	754.9	77	91	SE	2	or	6	
Hongkong, .	"	29.76	755.9	87	69	SW	4	c	"	29.75	755.6	81	82	SW	2
Gap Rock, .	"	29.75	755.6	SSW	4	c	"	29.74	755.4	SSW	4
Macao, .	"	"	
Wuchow, .	15	"	
Pakhoi, .	"	"	
Hoikow, .	"	"	
Phulien, .	"	29.65	753.0	90	69	SSE	6	b	7	29.66	753.3	82	94	S	6
Tourane, .	"	29.73	755.1	86	...	SSW	2	b	"	29.74	755.4	81	...	WSW	2
Cape St. James, .	"	29.80	756.9	86	...	SSW	2	b	"	29.85	758.1	77	...	SW	4
Aparri, .	14	29.75	755.7	93	59	SW	2	b	6	
Dagupan, .	"	"	
Manila, .	"	29.76	756.0	90	66	W	4	o	"	29.82	757.5	75	92	NE	1
Legaspi, .	"	29.78	756.3	86	75	NE	4	o	"	29.80	756.9	73	98	NNW	1
Tacloban, .	"	"	29.79	756.6	77	92	SW	2
Doilo, .	"	29.75	755.7	86	61	S	4	o	"	29.81	757.2	75	96	...	0
Surigao, .	"	29.74	755.4	86	71	WNW	2	b	"	29.79	756.6	79	89	WSW	1
Guam, .	12.20	29.65	753.0	...	71	NW	2	r	4.20	29.65	753.0	S	1
Yap, .	12.47	29.82	757.5	NW	4	o	4.47	29.76	756.0	WNW	4
Labuan, .	14	29.80	756.9	83	79	SW	2	b	6	29.85	758.2	75	94	SE	2

September 3d. 12A. 11m.—Pressure has decreased moderately at Shanghai and slightly from the Visayas to Guam; also over Formosa and central Indo-China. It is nearly stationary from Hongkong to Haiphong.

A depression lies to the north of Shanghai and a typhoon about 200 miles N.W. of Guam, moving N.N.W. apparently.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 78.62 inches, against an average of 66.94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- S.W. winds, moderate; fair.*

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	3RD SEPTEMBER, 1923.							4TH SEPTEMBER, 1923.						
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDIT.	WIND.	
		Inches.	Milbs.			Direction.	Force.		Inches.	Milbs.			Direction.	Force.
Wladivostock, .	12	6
Nemuro,	11	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Weihaiwei,	14	6
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.66	753.3	79	80	NW	2	0	"
Gutzlaff,	14	29.65	753.1	83	100	NNW	2	0	"
Sharp Peak,	"	29.69	754.1	86	88	SE	2	b	"	7	29.74	755.4	80	95
Amoy,	15	29.63	752.6	88	73	SW	4	b	9
Swatow,	"	"
Taihoku,	11	29.76	756.0	90	60	SW	2	b	5	29.74	755.4	73	92	0
Taichu,	"	29.79	756.6	86	...	SSW	4	b	"	29.79	756.6	73	...	0
Tainan,	"	29.80	756.9	86	...	WSW	4	b	"	29.78	756.3	73	...	b
Koshun,	"	29.78	756.3	84	...	WNW	4	b	"	29.75	755.7	77	...	b
Pescadores,	"	29.80	756.9	86	...	S	6	b	"	29.76	756.0	77	...	b
Canton,	14	29.68	753.9	90	70	SW	2	0	6	0
Hongkong,	"	29.73	755.1	86	69	S	3	c	"	29.76	755.9	82	82	SSW
Gap Rock,	"	29.74	755.4	SW	4	c	"
Macao,	"	"
Wuchow,	15	"	9
Pakhol,	"	"
Hoihow,	"	"
Phulien,	"	29.65	753.0	86	75	SSW	4	o	7	29.69	754.2	82	97	S
Tourane,	"	29.69	754.2	86	...	WNW	2	b	"	29.73	755.1	79	...	W
Cape St. James,	"	29.78	756.3	90	...	SSW	2	b	"	29.82	757.5	77	...	SW
Aparri,	14	29.74	755.4	90	66	N	4	b	6
Dagupan,	"	"
Manila,	"	29.74	755.4	84	71	WSW	4	o	"	29.81	757.2	77	92	NNE
Legaspi,	"	29.73	755.1	86	71	SSE	2	o	"	0
Tacloban,	"	"
Ililo,	"	29.75	755.7	86	68	S	4	o	"	29.81	757.2	75	96	0
Surigao,	"	"	0
Guam,	12.20	4.20	29.63	752.7	SW
Yap,	12.47	29.73	755.1	W	4	o	4.47	29.74	755.4	WNW
Labuan,	14	29.80	756.9	86	72	N	1	b	6	29.81	757.2	78	91	NW

September 4d. 12A. 50m.—Pressure has increased slightly over the Philippines and decreased slightly at Yap and Guam. It is nearly stationary at other reporting stations.

A depression lies over S.W. China.

The typhoon is probably situated about half way between Guam and the Bonins, moving N.N.E.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 78.62 inches, against an average of 67.25 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.
 DISTRICT.

Forecast.

- | | | |
|--|---|-----------------------------|
| 1.—Formosa Channel, | { | S.W. winds, moderate; fair. |
| 2.—South coast of China between Hongkong and Lamock, | | |
| 3.—Hongkong to Gap Rock, | | |
| 4.—South coast of China between Hongkong and Hainan, | | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	4TH SEPTEMBER, 1923.							5TH SEPTEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.			
		Inches.	Millrs.			Dir- ec- tion.	For- ce.		Inches.	Millrs.			Dir- ec- tion.	For- ce.	WEATHER.	
Vladivostock, .	12	6	
Nemuro,	11	5	
Hokodate,	"	"	
Tokio,	"	"	
Kochi,	"	"	
Nagasaki,	"	"	
Kagoshima,	"	"	
Oshima,	"	"	
Naha,	"	"	
Jahigakijima,	"	"	
Bonin Island,	"	"	
Weihaiwei,	14	"	
Hankow,	15	6	
Iobang,	"	"	
Changsha,	"	"	
Shanghai,	11	29.81	757.2	84	55	NE	2	"	
Gutzlaff,	14	29.80	756.9	82	96	NE	2	"	29.86	758.4	66	100	E	1	b f	
Sharp Peak,	"	29.73	755.1	84	87	S	2	"	29.86	758.4	74	95	NE	2	b r	
Amoy,	15	29.61	752.1	92	70	SW	2	"	29.75	755.6	76	94	W	1	r	
Swatow,	"	"	
Taiboku,	11	29.74	755.4	90	57	W	4	"	29.74	755.4	77	92	WNW	1	o	
Taichu,	"	29.79	756.6	90	...	S	4	"	29.80	756.9	75	0	o	
Tainan,	"	29.81	757.2	86	...	W	4	"	29.75	755.7	75	0	b o	
Koshun,	"	29.78	756.3	84	...	NW	4	"	29.73	755.1	77	...	NNW	2	o	
Pescadores,	"	29.79	756.6	84	...	S	4	"	29.75	755.7	79	...	S	2	o	
Canton,	14	29.69	754.1	71	62	SSE	2	"	c	
Hongkong,	"	29.73	755.1	86	70	SW	3	"	29.76	755.9	81	87	SW	2	...	
Gap Rock,	"	29.73	755.1	SW	4	"	
Macao,	"	"	
Wuchow,	15	"	
Pakhoi,	"	"	
Hoihow,	"	"	
Phulien,	"	29.67	753.6	84	85	SSE	4	"	7	
Tourane,	"	29.68	753.9	86	...	SW	2	"	
Cape St. James,	"	29.74	755.4	86	...	SSW	2	"	
Aparri,	14	29.73	755.1	90	72	N	4	"	6	29.76	756.0	75	96	SW	2	b
Dagupan,	"	"	
Manila,	"	29.73	755.1	86	68	WSW	4	"	29.76	756.0	75	91	...	0	b	
Legaspi,	"	29.72	754.8	84	81	SW	2	"	29.74	755.4	75	98	...	0	o	
Tacloban,	"	"	
Boilo,	"	29.74	755.4	86	61	S	6	"	
Sarigao,	"	29.74	755.4	86	68	WSW	2	"	
Guam,	12.20	29.61	752.1	SW	4	"	4.20	
Yap,	12.47	29.71	754.5	WNW	4	"	4.47	29.73	755.1	WSW	4	...
Labuan,	14	29.79	756.6	86	76	NW	2	"	6	

September 5d. 11h. 30m.—Pressure has increased slightly at Hongkong and Shanghai and decreased slightly over S. Formosa and the Visayas.

A depression lies over S.W. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 78.62 inches, against an average of 67.55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- S.W. winds, moderate; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	5TH SEPTEMBER, 1923.							6TH SEPTEMBER, 1923.						
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDT.	WIND.	
		Inches.	Millrs.			Wind- Direction.	Force.		Inches.	Millrs.				
Vladivostock, .	12	6
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	14	29.82	757.4	86	72	SSE	1	b	6	29.88	758.9	74	92	...
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.89	759.3	82	63	E	2	b	"	29.86	758.4	64	98	ENE
Gutzlaff, .	14	29.88	758.9	81	96	NE	2	o	"	29.86	758.4	74	100	NE
Sharp Peak, .	"	29.76	755.9	78	91	N	2	r	7	29.76	755.9	75	90	W
Amoy, .	15	29.69	754.1	86	80	NNW	1	o	9	29.70	754.4	78	82	E
Swatow, .	"	"
Taihoku, .	11	29.78	756.3	82	81	N	4	r	5	29.76	756.0	73	96	...
Taichu, .	"	29.79	756.6	86	0	o	"	29.74	755.4	75
Tainan, .	"	29.76	756.0	90	...	NNW	4	o	"	29.73	755.1	75	...	N
Koshun, .	"	29.75	755.7	84	...	NW	4	b	"	29.72	754.8	75	...	o
Pescadores, .	"	29.79	756.6	86	...	WSW	2	b	"	29.75	755.7	79	...	b
Canton, .	14	29.68	753.9	92	61	S	2	c	6
Hongkong, .	"	29.72	754.9	87	71	SW	3	c	"	29.76	755.9	81	82	SW
Gap Rock, .	"	"
Macao, .	"	"
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.68	753.9	77	94	ENE	4	o	7	29.72	754.8	73	98	SSE
Tourane, .	"	29.67	753.6	86	...	SW	2	b	"	29.71	754.5	81	...	WNW
Cape St. James, .	"	29.74	755.4	86	...	SSW	2	o	"	29.79	756.6	77	...	WSW
Aparri, .	14	29.69	754.2	90	69	NNW	4	b	6	29.73	755.1	75	94	...
Dagupan, .	"	"
Manila, .	"	29.68	753.9	86	71	WSW	4	o	"	29.74	755.4	73	98	NE
Legaspi, .	"	29.69	754.2	81	86	WSW	4	o	"	29.73	755.1	73	96	...
Tacloban, .	"	"
Ilollo, .	"	29.71	754.5	84	77	S	6	o	"
Surigao, .	"	29.71	754.5	84	77	WSW	2	o	"
Guam, .	12.20	29.65	753.0	SW	4	r	4.20
Yap, .	12.47	29.68	753.9	WSW	4	o	4.47	29.72	754.8	WSW
Labuan, .	14	29.76	755.9	88	73	N	2	b	6	29.79	756.6	78	93	NW

September 6d. 12h. com.—Pressure changes are small at all reporting stations.

A depression lies over Indo-China.

There are indications of the N.E. monsoon appearing over N.E. China and of a typhoon about midway between Guam and the Louchoos. Its direction of motion is uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 78.62 inches, against an average of 67.85 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

DISTRICT.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lameeks, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- S.W. winds, moderate; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	6TH SEPTEMBER, 1923.							7TH SEPTEMBER, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMID.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMID.	WIND.	WEATHER.
	H.	M.	Inches.	Miles.					H.	M.	Inches.	Miles.				
Vladivostock, .	12	6
Nemuro, .	11	5
Hokodate, .	11	"
Tokio, .	11	"
Kochi, .	11	"
Nagasaki, .	11	"
Kagoshima, .	11	"
Oshima, .	11	"
Naha, .	11	"
Ishigakijima, .	11	"
Bonin Island, .	11	"
Chefoo, .	14	29.86	758.4	80	82	E	1	0	6
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.84	757.8	84	52	ESE	1	b	"	29.80	756.9	70	100	NNW	1	b
Gutzlaff, .	14	29.82	757.4	82	96	N	1	o	"	29.81	757.2	76	95	NNW	2	b
Sharp Peak, .	"	29.78	756.4	86	68	ENE	1	b	7	29.72	754.9	77	91	W	1	b
Amoy, .	15	29.67	753.6	86	68	SSW	1	o	9
Swatow, .	"	"
Taihoku, .	11	29.78	756.3	84	55	W	4	b	5	29.72	754.8	72	98	SW	1	o
Taichu, .	"	29.74	755.4	86	...	NW	4	b	"	29.73	755.1	73	0	o
Tainan, .	"	29.74	755.4	86	...	N	4	b	"	29.69	754.2	72	...	N	2	o
Koshun, .	"	29.73	755.1	84	...	NW	4	b	"	29.67	753.6	73	0	o
Pescadores, .	"	29.78	756.3	84	...	NNE	6	b	"	29.71	754.5	79
Canton, .	14	29.72	754.8	91	60	SSW	1	b	6
Hongkong, .	"	29.73	755.1	86	66	W	3	b	"	29.74	755.4	78	91	...	0	b
Gap Rock, .	"	"	29.73	755.1	W	3	b
Macao, .	"	29.68	753.9	93	67	S	2	b	"	29.72	754.8	77	89	W	2	o
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.68	753.9	79	92	ESE	2	o	7	29.74	755.4	77	92	SE	4	r b
Tourane, .	"	29.67	753.6	86	...	N	2	b	"	29.73	755.1	79	...	W	2	b
Cape St. James, .	"	29.71	754.5	86	...	WSW	4	b	"	29.75	755.7	77	...	SSW	2	o
Aparri, .	14	29.68	753.9	90	63	NNW	4	b	6	77	94	...	0	r
Dagupan, .	"	"
Manila, .	"	29.67	753.6	86	61	WSW	2	b	"	29.72	754.8	75	96	...	0	o
Legaspi, .	"	29.60	753.3	86	68	E	2	o	"
Tacloban, .	"	"
Ililo, .	"	29.67	753.6	86	71	S	6	o	"	29.73	755.1	79	80	S	4	o
Surigao, .	"	29.67	753.6	86	71	W	2	o	"
Siam, .	12.20	29.65	753.0	SW	4	o	4.20
Yap, .	12.47	29.68	753.9	WSW	4	o	4.47	29.72	754.8	WSW	4	o
Labuan, .	14	29.75	755.6	88	75	NW	1	b	6	29.75	755.6	78	91	N	1	o

September 7d. 11h. 30m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon in Lat. 21° N. Long. 128° E., direction unknown, position uncertain.

September 7d. 11h. 35m.—Pressure is highest over N.E. China. It has decreased slightly over Formosa, N. Luzon and Borneo. It has increased slightly over N. Indo-China.

A depression lies over Siam.

There appears to be a typhoon about 400 miles to the East of the Bashi Channel. But this position and the direction of motion are uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 78.62 inches, against an average of 68.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH. DISTRICT.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamock,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan,
- W. or variable winds, light to moderate; fine.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	7TH SEPTEMBER, 1923.							8TH SEPTEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDT.	WIND.			
		Inches.	Millrs.			Dirct. ion.	Force.		Inches.	Millrs.			Dirct. ion.	Force.	WEATHER.	
Vladivostock, .	12	6	:	
Nemuro, .	11	5	:	
Hokodate, .	"	"	:	
Tokio, .	"	"	:	
Kochi, .	"	"	:	
Nagasaki, .	"	"	:	
Kagoshima, .	"	"	:	
Oshima, .	"	"	:	
Naha, .	"	"	:	
Ishigakijima, .	"	"	:	
Bonin Island, .	"	"	:	
Chefoo, .	14	6	:	
Hankow, .	15	"	:	
Ichang, .	"	"	:	
Changsha, .	"	"	:	
Shanghai, .	11	29.85	758.1	81	73	N	4	0	29.89	759.3	70	74	N	6	b	
Gutzlaff, .	14	29.79	756.6	77	95	N	4	0	29.83	757.7	74	92	N	1	b	
Sharp Peak, .	"	29.77	756.1	83	83	E	2	0	29.79	756.6	78	86	N	1	b	
Amoy, .	15	29.64	752.8	88	66	SSW	2	b	9	:	
Swatow, .	"	"	:	
Taihoku, .	11	29.72	754.8	84	77	NNE	2	b	5	29.73	755.1	72	94	SE	2	b
Taichu, .	"	29.69	754.2	90	...	N	4	b	"	29.69	754.2	72	0	b
Tainan, .	"	29.71	754.5	82	...	N	4	r	"	29.67	753.6	77	...	E	2	b
Koshun, .	"	29.69	754.2	82	...	NNW	4	b	"	29.68	753.9	75	...	NW	2	o
Pescadores, .	"	29.74	755.4	82	...	NW	6	o	"	29.69	754.2	79	...	NNE	6	b
Canton, .	14	29.68	753.9	92	64	SSW	2	c	6	29.75	755.6	78	91	N	2	o
Hongkong, .	"	29.70	754.4	88	67	W	3	c	"	29.72	754.9	80	86	NE	4	odd
Gap Rock, .	"	:	
Macao, .	"	29.69	754.2	93	71	SE	2	b	"	29.71	754.5	77	98	NNE	4	r
Wuchow, .	15	9	:	
Pakhoi, .	"	"	:	
Hoihow, .	"	"	:	
Phulien, .	"	29.71	754.5	86	78	ESE	2	b	7	:	
Tourane, .	"	29.68	753.9	84	...	NE	2	b	"	:	
Cape St. James, .	"	29.69	754.2	82	...	S	2	o	"	:	
Aparri, .	14	29.63	752.7	90	69	NW	4	o	6	29.66	753.3	77	89	SW	2	r
Dagupan, .	"	"	:	
Manila, .	"	29.66	753.3	86	65	WSW	4	b	"	29.71	754.5	75	89	N	2	b
Legaspi, .	"	"	:	
Taoloban, .	"	"	:	
Illoilo, .	"	29.69	754.2	86	71	S	6	o	"	:	
Surigao, .	"	29.67	753.6	86	65	W	2	o	"	:	
Guam, .	12.20	29.59	751.5	SW	4	r	4.20	29.58	751.2	W	4	o
Yap, .	12.47	29.67	753.6	WSW	4	b	4.47	29.73	755.1	W	4	o
Labuan, .	14	29.76	755.9	84	75	N	2	o	6	:	

September 7d. 19h. 12m.—Warning to Hongkong, Coast Ports, &c.—Typhoon of unknown intensity within 120 miles of Lat. 21° N. Long. 126° E., moving W.

September 8d. 11h. 45m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon in Lat. 21° N. Long. 125° E., stationary or very slow; position uncertain.

September 8d. 11h. 49m.—Pressure is highest over N.E. China. It has increased slightly from Shanghai to Hongkong and is nearly stationary from S. Formosa to Luzon. It has decreased slightly at Guam.

The western typhoon seems to be nearly stationary.

The eastern typhoon is moving north-eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.70 inch. Total since January 1st, 79.32 inches, against an average of 68.48 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.
DISTRICT.**

FORECAST.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamocka, { N.E. or variable winds, moderate; generally cloudy, occasional rain.
- 3.—Hongkong to Gap Rock,
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	8TH SEPTEMBER, 1923.								9TH SEPTEMBER, 1923.							
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMIDITY.	WIND.	
	Inches.	Millrs.	Direction.	Force.			Inches.	Millrs.			Direction.	Force.			Direction.	Force.
Vladivostock,	12	6
Nenuro,	11	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	14	29.97	761.2	75	68	N	4	b	6	29.95	760.7	71	71	NE	4	o
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.89	759.3	79	48	N	4	b	"
Gutzlaff,	14	29.84	757.9	77	95	N	4	b	"
Sharp Peak,	"	29.80	756.9	88	73	E	1	o	7	29.79	756.6	75	77	NW	2	l
Amoy,	15	29.69	754.1	86	61	NW	1	o	9
Swatow,	"	"
Taihoku,	11	29.76	756.0	82	70	N	4	o	5	29.74	755.4	70	94	SE	2	o
Taichu,	"	29.73	755.1	90	...	ENE	2	o	"	29.71	754.5	72	...	N	2	o
Tainan,	"	29.66	753.3	90	...	SSW	2	b	"	29.67	753.6	73	...	o	o	r
Koshun,	"	29.72	754.8	84	...	NW	2	b	"	29.67	753.6	75	...	NNE	4	r
Pescadores,	"	29.75	755.7	86	...	NNE	6	b	"	29.71	754.5	77	...	NNE	6	b
Canton,	14	29.71	754.6	85	79	SSE	2	o	6
Hongkong,	"	29.73	755.1	81	80	E	2	o	"	29.73	755.1	78	88	...	o	o
Gap Rock,	"	"	29.72	754.9	ESE	2	o
Macao,	"	29.71	754.5	77	98	ENE	2	o	"	29.71	754.5	75	89	NNW	4	o
Wuchow,	15	"
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.71	754.5	90	69	SSE	2	b	7
Tourane,	"	29.69	754.2	86	...	NNE	2	b	"
Cape St. James,	"	29.71	754.5	81	...	SSW	2	r	"
Aparri,	14	29.62	752.4	86	71	NW	4	o	6	29.63	752.7	75	92	SW	2	b
Dagupan,	"	"
Manila,	"	29.66	753.3	90	72	SW	4	o	"	29.67	753.6	75	92	NNE	1	b
Legaspi,	"	29.62	752.4	86	71	SW	4	o	"	29.62	752.4	79	92	SW	2	b
Tacloban,	"	"
Illoilo,	"	29.66	753.3	86	75	S	6	o	"
Surigao,	"	29.63	752.7	86	58	WSW	4	b	"
Quam,	12.20	29.58	751.2	SW	2	r	4.20
Yap,	12.47	29.67	753.6	W	2	o	4.47	29.65	753.0	WSW	4	o
Lamian,	14	29.74	755.4	88	73	NW	1	b	6

September 9d. 12h. 05m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 20° N. Long. 125° E., stationary or very slow; position uncertain.

September 9d. 12h. 08m.—Pressure is highest over N.E. China. It has decreased slightly over S. Formosa and the Philippines. It is nearly stationary at other reporting stations.

The western typhoon appears to be nearly stationary in about Lat. 20° N. and Long. 125° E. No information regarding the eastern typhoon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inch. Total since January 1st, 79.39 inches, against an average of 68.82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH. DISTRICT.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamocks,
- 3.—Hongkong to Gap Rock, { E. winds, moderate; fair.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	9TH SEPTEMBER, 1923.							10TH SEPTEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL		TEMP. ATM.	HUMID.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL		TEMP. ATM.	HUMID.	WIND.		
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.
Wladivostock, .	12	6
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	14	29.91	759.7	75	77	NNE	4	o	6	29.94	760.5	64	95	...	o
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.87	758.7	79	52	NNE	4	b	"	29.85	758.1	66	90	NNW	z
Gutzlaff, .	14	29.84	757.9	78	92	N	4	b	"	29.81	757.2	73	92	N	b
Sharp Peak, .	"	29.73	755.1	83	67	E	2	bf	7	76	95	W	0
Amoy, .	15	29.68	753.9	86	68	SSE	4	b	9
Swatow, .	"	"
Taihoku, .	11	29.75	755.7	79	66	NW	2	b	5	29.73	755.1	72	96	...	o
Taichu, .	"	29.69	754.2	84	...	NNW	4	b	"	29.71	754.5	68	...	NE	o
Tainan, .	"	29.69	754.2	84	...	N	4	o	"	29.66	753.3	70	...	z	b
Koshun, .	"	29.67	753.6	84	...	NE	4	o	"	29.66	753.3	73	...	o	b
Pescadores, .	"	29.72	754.8	82	...	NNE	6	b	"	29.69	754.2	77	...	N	6
Canton, .	14	29.68	753.9	91	57	N	2	b	6	29.78	756.4	73	86	N	2
Hongkong, .	"	29.70	754.4	84	74	E	2	o	"	29.75	755.6	76	62	N	2
Gap Rock, .	"	29.71	754.6	NE	3	o	"	29.74	755.4	NNE	4
Macao, .	"	29.69	754.2	86	65	NNE	4	o	"	29.73	755.1	75	76	N	b
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.73	755.1	90	66	ESE	4	of	7
Tourane, .	"	29.67	753.6	84	...	NNE	2	b	"
Cape St. James, .	"	29.66	753.3	82	...	SW	2	b	"
Aparri, .	14	29.60	751.8	86	68	NW	4	o	6	29.65	753.0	75	91	...	o
Dagupan, .	"	"
Manila, .	"	29.61	752.1	86	71	WSW	4	o	"	29.65	753.0	77	96	...	o
Legaspi, .	"	29.59	751.5	86	75	SW	4	o	"	29.63	752.7	77	91	SW	z
Tacloban, .	"	"
Iloilo, .	"	29.63	752.7	82	77	SW	6	o	"
Surigao, .	"	"
Guam, .	12.20	29.50	749.4	W	4	o	4.20
Yap, .	12.47	29.65	753.0	WNW	4	o	4.47	29.67	753.6	WSW	b
Lobuan, .	14	29.72	754.9	86	76	N	2	b	6	29.73	755.1	78	93	NW	b

September 9d. 18h. 30m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 19° N. Long. 127° E., direction unknown, position uncertain.

September 10d. 9h. 45m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 127° E., stationary or very slow.

September 10d. 11h. 20m.—Pressure has increased slightly at Hongkong. It is nearly stationary at other reporting stations.

The approximate position of the western typhoon this morning is Lat. 18° N. and Long. 127° E. It seems to be nearly stationary.

No information regarding the eastern typhoon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inch. Total since January 1st, 83.23 inches, against an average of 69.18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH. DISTRICT.

FORCAST.

- 1.—Formosa Channel, N. winds, fresh.
- 2.—South coast of China between Hongkong and Lamocks, }
- 3.—Hongkong to Gap Rock, N.E. winds, moderate; fine.
- 4.—South coast of China between Hongkong and Hainan, . }

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	10TH SEPTEMBER, 1923.						11TH SEPTEMBER, 1923.									
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMIDITY.	WIND.	WEATHER.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMIDITY.	WIND.	WEATHER.	
		Inches.	Millrs.			Direct- ion.	Force.			Inches.	Millrs.			Direct- ion.	Force.	
Vladivostock,	12	6	
Nemuro,	11	5	
Hokodate,	"	"	
Tokio,	"	"	
Koobi,	"	"	
Nagasaki,	"	"	
Kagoshima,	"	"	
Oshima,	"	"	
Naha,	"	"	
Ishigakijima,	"	"	
Bonin Island,	"	"	
Chefoo,	14	29.92	759.9	78	65	NNE	2	b	6	29.95	760.7	70	75	NNE	2	b
Hankow,	15	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	13	29.85	758.1	81	56	NNW	2	b	"	29.82	757.5	72	96	N	2	b
Gutzlaff,	14	29.79	756.6	75	95	NNE	4	o	"	29.79	756.6	79	95	N	6	o
Sharp Peak,	"	29.73	755.1	88	59	...	0	b	7	29.72	754.9	76	73	W	1	b
Amoy,	15	29.64	752.8	82	67	W	1	b	9	29.68	753.9	77	82	...	2	b
Swatow,	"	"
Taihoku,	11	29.74	755.4	82	60	NW	4	o	5	29.72	754.8	68	85	SW	2	b
Taichu,	"	29.71	754.5	86	...	NNW	4	o	"	29.72	754.8	68	0	b
Tainan,	"	29.69	754.2	84	...	W	2	o	"	29.68	753.9	72	..	NE	2	b
Kochun,	"	29.68	753.9	82	0	o	"	29.67	753.6	72	0	b
Pescadores,	"	29.73	755.1	84	...	NNE	6	o	"	29.71	754.5	77	..	NNE	4	b
Canton,	14	29.74	755.4	88	56	N	2	b	6	29.81	757.2	72	81	N	2	b
Hongkong,	"	29.71	754.6	87	51	N	3	b	"	29.75	755.6	76	53	N	2	..
Gap Rock,	"	"	
Macao,	"	29.73	755.1	82	54	NNE	4	b	"	29.72	754.8	73	62	NNW	4	o
Wuchow,	15	9	
Pakhoi,	"	"	
Hoihow,	"	"	
Phubien,	"	29.78	756.3	79	80	NW	4	r	7	29.84	757.8	75	71	NNE	4	o
Tourane,	"	29.68	753.9	82	...	NNE	4	o	"	29.73	755.1	75	..	NW	4	o
Cape St. James,	"	29.66	753.3	77	...	W	2	o	"	29.71	754.5	77	..	SW	2	o
Aparri,	14	29.59	751.5	86	65	NE	4	b	6	29.63	752.7	75	96	..	o	o
Dagupan,	"	"	
Manila,	"	29.59	751.5	86	75	WSW	4	o	"	29.65	753.0	77	96	E	1	o
Legaspi,	"	29.59	751.5	86	75	SE	2	o	"	29.65	753.0	77	92	SW	2	b
Tacloban,	"	"	29.67	753.6	77	94	..	o	o
Uloilo,	"	29.62	752.4	86	71	S	4	o	"	29.68	753.9	79	92	SE	4	o
Sarigao,	"	"	
Guam,	12.20	29.56	750.9	SW	4	o	4.20	29.63	752.7	SW	6	o
Yap,	12.47	29.65	753.0	WSW	4	b	4.47	29.67	753.6	WSW	4	b
Labuan,	14	29.70	754.4	84	79	NNW	2	b	6	29.71	754.6	80	91	NW	1	b

September 10d. 18h. 45m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 127° E., stationary or very slow.

September 11d. 11h. 40m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon in Lat. 18° N. Long. 128° E., moving N.E.; position uncertain.

September 11d. 1h. 45m.—Pressure is highest over N.E. China. It has increased slightly from Formosa to Hongkong and the Philippines; also at Guam. It is nearly stationary at other reporting stations.

The western typhoon appears to be moving slowly north-eastward. Its approximate position this morning was Lat. 18° N. and Long. 128° E.

The eastern typhoon is in about Lat. 20° N. and Long. 144° E. It seems to be moving northward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 83.23 inches, against an average of 69.55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH. DISTRICT.

- 1.—Formosa Channel, N. winds, fresh.
- 2.—South coast of China between Hongkong and Lamock, } N.E. winds, moderate; fine.
- 3.—Hongkong to Gap Rock...
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	11TH SEPTEMBER, 1923.							12TH SEPTEMBER, 1923.						
	HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.
Vladivostock, .	12	6
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	14	29.96	761.0	77	77	NNE	2	b	6	29.97	761.2	71	91	...
Hankow, .	15	"	o
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.89	759.3	72	92	N	2	r	"	29.85	758.1	72	98	NE
Gutzlaff, .	14	29.83	757.7	73	95	NNE	4	o	"	29.84	757.9	73	100	NNE
Sharp Peak, .	"	29.73	755.1	86	76	...	0	o	7	29.73	755.1	80	92	W
Anoy, .	15	29.65	753.1	86	59	WSW	2	b	9
Swatow, .	"	"
Taihoku, .	11	29.72	754.8	84	58	W	4	b	5	29.63	752.7	73	96	SW
Taichu, .	"	29.71	754.5	86	...	N	4	b	"	29.71	754.5	73
Taiman, .	"	29.69	754.2	86	...	N	2	b	"	29.68	753.9	72
Koshun, .	"	29.69	754.2	82	...	SSW	2	o	"	29.67	753.6	73
Pescadores, .	"	82	...	NNW	4	b	"	29.71	754.5	79	...	NW
Canton, .	14	29.73	755.1	88	49	N	2	b	6
Hongkong, .	"	29.71	754.6	86	59	WNW	2	b	"	29.73	755.1	76	54	N
Gap Rock, .	"	"	z
Macao, .	"	29.71	754.5	82	48	NNW	4	b	"	29.73	755.1	73	75	NW
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.80	756.9	86	61	WNW	4	b	7
Tourane, .	"	29.73	755.1	79	...	WNW	2	o	"
Cape St. James, .	"	29.67	753.6	81	...	SSE	2	o	"
Aparri, .	14	29.61	752.1	86	71	NE	4	b	6	29.65	753.0	75	94	SW
Dagupan, .	"	"
Manila, .	"	29.62	752.4	86	71	WSW	4	o	"	29.66	753.3	77	94	SE
Legaspi, .	"	29.61	752.1	86	71	WSW	4	o	"	29.67	753.6	77	92	SW
Tacloban, .	"	"
Illoilo, .	"	29.65	753.0	86	71	S	6	o	"
Surigao, .	"	"
Guam, .	12.20	29.62	752.4	SW	4	o	4.20
Yap, .	12.47	29.69	754.2	WSW	6	o	4.47	29.74	755.4	WSW
Labuan, .	14	29.71	754.6	88	69	N	1	o	6

September 11d. 19h. 25m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon in Lat. 19° N. Long. 128° E., moving N.; position uncertain.

September 12d. 12h. 05m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon in Lat. 19° N. Long. 128° E., direction unknown, position uncertain.

September 12d. 12h. 12m.—Pressure changes are small at all reporting stations.

The position of the western typhoon is uncertain. There are no indications of its threatening Luzon or Formosa however.

No information regarding the eastern typhoon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 85.23 inches, against an average of 69.92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- N. or variable winds, moderate; fine.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	12TH SEPTEMBER, 1923.							13TH SEPTEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millrs.	TEMPER- ATURE. Atmos.	HUMIDIT.	WIND. Direct- ion.	FORCE.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	BAROMETER AT SEA LEVEL. Millrs.	TEMPER- ATURE. Atmos.	HUMIDIT.	WIND. Direct- ion.	FORCE.	WEATHER.
Vladivostock, .	12	6	29.92	759.9	63	94
Xemuro, .	13	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naba, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	14	29.92	759.9	77	77	NE	1	b	6	29.92	759.9	63	94	...	o	b
Hankow, .	15	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.91	759.6	75	94	NNE	1	r	"	29.87	758.7	73	96	NNE	1	o
Gutzlaff, .	14	29.87	758.7	77	95	NNE	2	o	"	29.86	758.4	75	100	NNE	2	o
Sharp Peak, .	"	29.72	754.9	84	100	NNW	2	o	7	29.74	755.4	78	91	N	2	o
Amoy, .	15	29.61	752.1	88	56	WSW	1	b	9	29.64	752.8	80	82	WNW	2	o
Swatow, .	"	"
Taihoku, .	11	29.62	752.4	75	92	WSW	7	r	5	29.67	753.6	75	96	E	4	r
Taichu, .	"	29.71	754.5	86	...	N	4	b	"	29.65	753.0	75	...	SE	2	o
Tainan, .	"	29.67	753.6	86	...	N	6	b	"	29.66	753.3	75	...	ESE	2	o
Koshun, .	"	29.65	753.0	84	...	NW	4	b	"	29.63	752.7	77	...	NNW	4	o
Pescadores, .	"	29.72	754.8	84	...	NNW	4	b	"	29.59	751.5	77	...	W	8	o
Can ton, .	14	29.71	754.6	89	50	NNW	2	b	6	29.78	756.4	73	86	N	1	b
Hongkong, .	"	29.71	754.6	85	50	WSW	3	b	"	29.74	755.4	77	75	WNW	1	b
Gap Rock, .	"	"	29.74	755.4	NNW	4	b
Macao, .	"	29.71	754.5	84	49	NNW	4	b	"	29.73	755.1	75	79	NW	4	b
Wuchow, .	15	"
Pakhoi, .	"	"
Ho how, .	"	"
Phulien, .	"	29.78	756.3	90	49	NW	4	b	7	29.84	757.8	73	79	NNE	4	b
Tourane, .	"	29.73	755.1	79	...	NNW	4	o	"	29.80	756.9	77	...	WNW	4	o
Cape St. James, .	"	29.69	754.2	86	...	SSW	2	b	"	29.81	757.2	75	...	W	2	o
Aparri, .	14	29.61	752.1	90	66	N	4	b	6	29.68	753.9	75	96	SW	2	b
Dagupan, .	"	"
Manila, .	"	29.67	753.6	82	81	WNW	4	o	"	29.71	754.5	77	94	SE	1	o
Legaspi, .	"	29.65	753.0	86	71	SW	4	o	"	29.72	754.8	79	93	SW	2	b
Tacloban, .	"	"
Ililo, .	"	29.72	754.8	82	77	S	6	o	"	29.76	756.0	79	100	S	4	o
Surigao, .	"	"
Guam, .	12.20	29.72	754.8	S	4	o	4.20
Yap, .	12.47	29.73	755.1	WSW	4	o	4.47
Lubuan, .	14	29.74	755.4	86	74	NW	2	b	6	78	94	N	1	o

September 12d. 18h. 18m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 19° N. Long. 128° E., posit on uncertain, direction unknown.

September 13d. 12h. 00m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 24° N. Long. 120° E., direction unknown.

September 13d. 12h. 25m.—Local signal No. 1 hoisted.

September 13d. 12h. 30m.—Pressure has decreased moderately over the Pescadores and increased moderately at Keelung. It has increased slightly from Tongking to the Philippines.

There are no signs of the western typhoon this morning, but there appears to be a small depression or typhoon a little to the north of the Pescadores. Its direction of motion is unknown. It may be travelling W.S.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 83.23 inches, against an average of 70.29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH. DISTRICT.

- 1.—Formosa Channel, Cyclonic gales.
- 2.—South coast of China between Hongkong and Lamocka, { N.W. winds, possibly increasing to a gale; fine at first, rain later.
- 3.—Hongkong to Gap Rock, later.
- 4.—South coast of China between Hongkong and Hainan, { N.W. to W. winds, moderate to fresh.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	13TH SEPTEMBER, 1923.							14TH SEPTEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.						
Vladivostock,	12	29.85	758.2	63	...	SE	4	0	6	29.95	760.8	58	...	N	3	0
Nemuro,	11	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	15	29.91	759.7	80	78	NNE	1	0	6	29.89	759.2	72	81	NNW	5	b
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.91	759.6	77	86	N	2	0	"	29.85	758.1	66	98	N	1	b
Gutzlaff,	14	29.87	758.7	81	100	NNE	2	b	"	29.87	758.7	73	95	N	4	0
Sharp Peak,	"	29.79	756.6	81	87	NNE	4	0	7	29.76	755.9	78	88	WSW	1	0
Amoy,	15	29.67	753.6	88	59	...	0	0	9	29.68	753.9	81	74	ENE	2	0
Swatow,	"	"
Taihoku,	11	29.73	755.1	86	78	E	6	0	5	29.75	755.7	75	94	E	2	b
Taijuh,	"	29.69	754.2	86	...	NNW	4	0	"	29.72	754.8	75	0	0
Tainan,	"	29.69	754.2	86	...	ENE	4	b	"	29.68	753.9	75	...	NE	2	0
Koshun,	"	29.71	754.5	84	...	NW	4	0	"	29.67	753.6	77	...	E	2	b
Pescadores,	"	29.42	747.3	79	...	WSW	7	r	"	29.68	753.9	79	...	NNE	6	0
Canton,	14	29.71	754.6	93	55	NNW	2	b	6
Hongkong,	"	29.71	754.6	88	62	W	3	b	"	29.78	756.4	78	90	...	0	0
Gap Rock,	"	"
Macao,	"	29.71	754.5	86	58	NNE	4	b	"	29.76	756.0	81	89	...	2	0
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.80	756.9	86	52	NW	4	b	7	29.86	758.4	73	85	NNW	4	b
Tourane,	"	29.74	755.4	81	...	NW	6	0	"	29.80	756.9	77	...	WNW	4	0
Cape St. James,	"	29.74	755.4	82	...	SSW	2	0	"	29.81	757.2	77	...	WSW	2	0
Aparri,	14	29.67	753.6	86	68	NW	4	b	6	29.73	755.1	75	94	...	0	b
Dagupan,	"	"
Manila,	"	29.71	754.5	84	74	WSW	6	0	"	29.78	756.3	79	89	SSW	2	0
Legaspi,	"	29.69	754.2	86	68	SW	4	b	"	29.76	756.0	79	90	SW	4	b
Tacloban,	"	"
Iloilo,	"	29.73	755.1	84	74	S	6	0	"
Surigao,	"	"
Guam,	12.20	29.75	755.7	SW	2	0	4.20
Yap,	12.47	29.79	756.6	W	4	0	4.47	29.80	756.9	W	2	0
Labuan,	14	29.78	756.4	86	72	N	1	0	6	29.78	756.4	78	91	NE	1	b

September 13d. 15h. 50m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 60 miles of Lat. 24° N. Long. 119° E., moving W.S.W.

September 13d. 20h. 20m.—Local signal No. 5 lighted.

September 14d. 9h. 25m.—" " 1 hoisted.

September 14d. 9h. 35m.—Warning to Hongkong, Coast Ports, &c.—Typhoon of unknown intensity within 60 miles of Lat. 22° N. Long. 119° E., direction unknown.

September 14d. 11h. 55m.—Pressure has increased considerably over the Pescadores, and decreased slightly at Shanghai, Labuan and Yap. It has increased slightly at other reporting stations.

The typhoon passed near the Pescadores last evening on a S.W. track. At 5 a.m. this morning it was in about Lat. 22° N. and Long. 119° E. Its present direction of motion is unknown.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.15 inch. Total since January 1st, 83.38 inches, against an average of 70.66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong, moderating.
- 2.—South coast of China between Hongkong and Lamoock, } Light, variable winds, possibly increasing to a gale; fair at first, rain later.
- 3.—Hongkong to Gap Rock, }
- 4.—South coast of China between Hongkong and Hainan, }

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	14TH SEPTEMBER, 1923.							15TH SEPTEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETERS AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	Humid.	WIND.		HONGKONG STANDARD TIME.	BAROMETERS AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	Humid.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Direction.	Force.			Direction.	Force.	WEATHER.	
Vladivostock, .	12	29.93	760.3	64	...	N	4	0	6	29.83	757.6	48	...	N	3	U
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Osima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	29.81	757.2	75	68	NW	6	b	6	29.80	756.9	70	80	N	6	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"	29.80	756.9	63	61	NW	5	b
Shanghai, .	11	29.87	758.7	'81	66	NNW	2	b	"	29.77	756.1	72	95	NNW	6	b
Gutzlaff, .	14	29.83	757.7	80	96	N	4	b	"	29.80	756.9	77	86	WNW	2	b
Sharp Peak, .	"	29.81	757.2	88	76	E	2	b	7	29.72	754.9	80	82	NNW	2	o
Amoy, .	15	29.66	753.3	90	60	WSW	1	b	9	29.74	755.4	77
Swatow, .	"	"
Ushiboku, .	11	29.75	755.7	86	71	E	4	o	5	29.76	756.0	68	83	E	4	b
Taichu, .	"	29.73	754.3	90	...	NNW	2	b	"	29.73	755.1	75	0	o
Tainan, .	"	29.69	754.2	86	...	NNW	2	r	"	29.69	754.2	73	2	b
Koshun, .	"	29.71	754.5	84	...	ENE	4	o	"	29.71	754.5	77	...	N	4	o
Pescadores, .	"	29.73	755.1	82	...	NNE	6	o	"	29.74	755.4	77	...	NNE	6	b
Canton, .	14	29.74	755.4	94	55	N	2	b	6	29.81	757.2	79	78	N	2	o
Hongkong, .	"	29.74	755.4	87	67	E	2	o	"	29.77	756.1	80	72	N	1	c
Gap Rock, .	"	29.75	755.6	ENE	2	o	"	29.77	756.1	WNW	3	b
Macao, .	"	29.74	755.4	90	66	E	2	b	"	29.76	756.0	79	87	NNW	4	b
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.79	756.6	90	55	W	2	b	7	29.84	757.8	77	84	NNW	4	b
Tourane, .	"	29.75	755.7	82	...	NNW	4	b	"	29.81	757.2	77	...	WNW	2	b
Cape St. James, .	"	29.75	755.7	84	...	SSW	2	o	"	29.82	757.5	73	...	WSW	2	o
Aparri, .	14	29.66	753.3	86	71	N	4	b	6	29.69	754.2	75	96	SW	2	o
Dagupan, .	"	"
Manila, .	"	29.71	754.5	86	68	WSW	6	b	"	29.76	756.0	79	85	SW	2	o
Legaspi, .	"	29.68	753.9	90	66	SW	4	b	"	29.69	754.2	79	95	SW	2	of
Taoloban, .	"	"
Ililo, .	"	29.72	754.8	86	71	S	4	o	"	29.80	756.9	79	87	S	4	o
Srirgao, .	"	29.72	754.8	72	42	W	8	b	"	29.78	756.3	75	92	...	0	b
Quam, .	12.20	29.74	755.4	SW	2	o	4.20	29.74	755.4	S	2	o
Yap, .	12.47	29.76	756.0	WNW	2	o	4.47	29.78	756.3	77	94	WNW	2	o
Labuan, .	14	29.74	755.4	88	73	NW	1	b	6	29.78	756.4	77	94	NW	1	o

September 14d, 17h. 40m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 118° E., direction unknown.

September 15d, 12h. 15m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 20° N. Long. 122° E., direction unknown, position uncertain.

September 15d, 12h. 10m.—Local signal No. 1 lowered.

September 15d, 12h. 25m.—Pressure has increased slightly from Hongkong to Formosa. It is nearly stationary over Indo-China and Luzon and has decreased slightly at Legaspi.

This morning there appear to be two typhoons, one about 100 miles North of Aparri and one about 400 miles East of Manila. Their direction of motion is unknown.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 83.40 inches, against an average of 71.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH. DISTRICT.

N.E. winds, fresh.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- N.W. or variable winds, moderate; fine.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	15TH SEPTEMBER, 1923.							16TH SEPTEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Milrs.			Direct- ion.	Force.		Inches.	Milrs.			Direct- ion.	Force.	
Wladivostock, .	12	29.71	754.7	62	...	N	4	0	6	29.63	752.5	51	...	N	4
Neniuwo,	13	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	15	29.75	755.6	75	81	NW	4	b	6	29.72	754.9	64	84	...	0
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	13	29.84	757.8	79	45	NNW	4	b	"	29.84	757.9	61	96	WNW	1
Gutzlaff,	14	29.78	756.4	80	96	NNW	4	o	"	29.83	757.7	60	95	NW	4
Sharp Peak,	"	29.82	757.4	90	63	E	1	b	7	29.84	757.9	75	86	E	2
Amoy,	15	29.70	754.4	86	72	SSW	2	o	9
Swatow,	"	"
Taihoku,	13	29.81	757.2	86	61	E	2	b	5	29.82	757.5	68	94	E	1
Taichu,	"	29.76	756.0	84	...	o	b	b	"	29.79	756.6	73	...	0	b
Tainan,	"	29.75	755.7	86	...	SSW	2	b	"	29.78	756.3	73	...	S	0
Koshun,	"	29.75	755.7	84	...	NNE	4	o	"	29.78	756.3	75	b
Pescadores,	"	29.80	756.9	84	...	NNE	6	o	"	29.79	756.6	77	...	N	4
Canton,	14	29.74	755.4	94	49	N	2	b	6
Hongkong,	"	29.75	755.6	85	71	E	3	o	"	29.80	756.9	78	89	0	b
Gap Rock,	"	29.76	756.0	E	4	b	"	29.79	756.6	E	2
Macao,	"	29.75	755.7	90	57	NNE	4	b	"	29.78	756.3	79	93	SE	2
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.78	756.3	90	55	S	1	b	7	29.79	756.6	79	89	NE	1
Touraua,	"	29.75	755.7	84	...	WNW	4	b	"	29.79	756.6	77	...	SW	2
Cape St. James,	"	29.78	756.3	75	...	SSW	4	r	"	29.78	756.3	75	...	SW	4
Aparri,	14	29.65	753.0	86	71	N	4	o	6	29.74	755.4	75	94	NW	2
Dagupan,	"	"
Manila,	"	29.71	754.5	81	84	W	4	o	"	29.76	756.0	75	96	E	1
Legaspi,	"	29.68	753.9	86	71	SW	4	o	"	29.74	755.4	79	92	SW	2
Tacloban,	"	"
Ililo,	"	29.73	755.1	86	71	S	6	b	"	29.75	755.7	59	79	S	4
Surigao,	"	29.64	754.2	90	63	W	2	b	"	29.75	755.7	79	89	WSW	1
Guam,	12.20	24.71	754.5	SW	2	o	4.20	29.73	755.1	SW	0
Yap,	12.47	29.69	754.2	WNW	4	b	4.47	29.80	756.9	o	0
Labuan,	14	29.76	755.9	86	76	N	2	b	6	29.81	757.2	76	98	SW	2

September 15d, 18h. 30m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon in Lat. 20° N. Long. 122° E., filling up; position uncertain.

September 16d. 12h. 15m.—Pressure has decreased slightly at Chefoo and Wladivostock. It has increased slightly from Hongkong to Formosa and is nearly stationary over the Philippines.

The depression or typhoon to the East of the Philippines has not developed.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 83.41 inches, against an average of 71.39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, moderate.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, E. or variable winds, moderate to light; fair.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	16TH SEPTEMBER, 1923.								17TH SEPTEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	29.58	751.3	66	...	NNW	4	b	6	29.76	755.9	53	...	ENE	2	b
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	29.65	753.1	84	68	NE	1	b	6	29.79	756.6	69	84	...	0	bf
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.84	757.8	82	40	W	1	b	"	29.89	759.3	64	96	ESE	1	b
Gutzlaff, .	14	29.83	757.7	82	83	WSW	2	b	"	29.94	760.5	73	95	WSW	1	b
Sharp Peak, .	"	29.86	758.4	88	69	E	1	b	7	29.90	759.4	75	77	WNW	1	b
Amoy, .	15	9	29.86	758.4	78	78	...	0	o
Swatow, .	"	"
Taihoku, .	11	29.86	758.4	86	58	E	4	b	5	29.91	759.6	64	86	S	4	b
Taichu, .	"	29.82	757.5	86	...	W	2	b	"	29.88	759.0	64	0	b
Tainan, .	"	29.81	757.2	86	...	SE	2	b	"	29.84	757.8	72	...	E	2	b
Koshun, .	"	29.82	757.5	82	0	o	"	29.85	758.1	75	...	NE	2	b
Pescadores, .	"	29.84	757.8	82	...	NNE	4	b	"	29.85	758.1	75	0	b
Canton, .	14	6	29.84	757.9	78	95	SSE	1	o
Hongkong, .	"	29.75	755.6	84	72	E	3	c	"	29.83	757.7	80	76	SE	2	o
Gap Rock, .	"	29.77	756.1	ESE	2	b	"	29.82	757.4	E	4	o
Macao, .	"	29.75	755.7	90	69	SE	2	o	"	29.81	757.2	79	89	ESE	4	o
Wuebow, .	15	"
Pakhoi, .	"	"
Hoikow, .	"	"
Phulien, .	"	29.71	754.5	90	61	SSE	2	b	7	29.80	756.9	79	95	S	4	b
Tourane, .	"	29.72	754.8	77	...	SW	2	b	"	29.79	756.6	77	...	SW	2	b
Cape St. James, .	"	29.73	755.1	77	...	SW	2	o	"	29.81	757.2	77	...	SW	2	o
Aparri, .	14	29.74	755.4	86	71	N	4	o	6	29.81	757.2	73	94	...	0	o
Dagupan, .	"	"
Manila, .	"	29.71	754.5	90	69	WSW	4	o	"	29.79	756.6	77	94	SE	1	o
Legaspi, .	"	29.69	754.2	86	71	WSW	4	o	"	29.69	754.2	77	92	SW	1	b
Taoloban, .	"	"
Illoilo, .	"	"	29.76	756.0	75	92	NW	2	o
Surigao, .	"	"	29.75	755.7	79	87	SW	1	o
Guam, .	12.20	4.20	29.72	754.8	S	1	o
Yap, .	12.47	29.72	754.8	W	2	o	4.47	29.76	756.0	0	o
Labuan, .	14	29.79	756.6	83	83	SW	4	b	6	29.78	756.4	77	94	S	1	o

September 17d. 12h. 40m.—Pressure is highest over the Yangtze Valley. It has increased moderately from Chefoo to Wladivostock and slightly at other reporting stations, except at Yap and Guam where it is nearly stationary, and at Labuan where it has decreased slightly.

A doubtful observation from Legaspi makes the condition of the depression to the East of the Philippines uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inch. Total since January 1st, 83.49 inches, against an average of 71.74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH. DISTRICT.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- E. winds, moderate; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	17TH SEPTEMBER, 1923.							18TH SEPTEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	WEATHER.
Wladivostock, .	12	6
Nemuro,	11	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	15	29.88	758.9	78	82	ENE	1	b	6	29.98	761.5	68	91	...	0
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.97	761.1	86	36	ESE	1	b	"	30.01	762.3	66	88	ESE	1
Gutzlaff,	14	29.96	761.0	80	87	E	1	o	"	30.01	762.2	73	92	SE	4
Sharp Peak,	"	29.95	760.7	86	68	E	1	b	7	29.96	761.0	75	81	NW	1
Amoy,	15	29.83	757.7	88	52	NNW	2	b	9	29.91	759.7	76	69	NNE	1
Swatow,	"	"
Taihoku,	11	29.92	759.9	84	45	WSW	4	b	5	29.91	759.6	70	82	E	4
Taichu,	"	29.89	759.3	86	...	NNW	2	b	"	29.87	758.7	66	b
Tainan,	"	29.88	759.0	84	...	W	4	b	"	29.86	758.4	70	...	E	2
Koshun,	"	29.89	759.3	84	...	NE	4	b	"	29.86	758.4	77	...	NE	6
Pescadores,	"	29.91	759.6	84	...	NW	2	b	"	29.88	759.0	77	...	NNW	4
Canton,	14	29.80	756.9	90	63	S	2	c	6	29.88	758.9	77	95	ENE	1
Hongkong,	"	29.83	757.7	83	73	E	4	o	"	29.87	758.7	77	90	NE	2
Gap Rock,	"	29.83	757.7	ESE	3	c	"	29.86	758.4	ESE	4
Macao,	"	29.81	757.2	90	69	SE	4	o	"	29.84	757.8	79	90	ESE	4
Wuchow,	15	9
Pakhoi,	"
Hoihow,	"
Phulien,	"	29.86	758.4	90	66	SSE	4	b	7	29.82	757.5	79	92	SSE	2
Tourane,	"	29.73	755.1	84	...	ESE	2	b	"	29.80	756.9	77	...	SW	2
Cape St. James,	"	29.75	755.7	86	...	SSW	2	o	"	29.82	757.5	77	...	WSW	4
Aparri,	14	29.80	756.9	86	68	NE	4	o	6	29.82	757.5	73	94	...	0
Dagupan,	"
Manila,	"	29.76	756.0	81	76	ENE	"	29.79	756.6	75	91	NE	1
Legaspi,	"	29.74	755.4	81	86	NNE	4	o	"	29.74	755.4	79	85	NE	2
Tacloban,	"	"	29.78	756.3	75	92	WNW	1
Illoilo,	"	29.75	755.7	82	84	SW	6	o	"	29.76	756.0	75	94	N	0
Surigao,	"	29.71	754.5	90	66	WSW	2	o	"
Guam,	12.20	29.67	753.6	NE	4	o	4.20	29.81	757.2
Yap,	12.47	29.71	754.5	NE	4	o	4.47	29.73	755.1	NW	4
Labuan,	14	29.79	756.6	86	76	N	1	o	6	29.82	757.4	75	98	SW	2

September 18d. 11h. 31m.—Pressure is highest over the Yellow Sea. It is nearly stationary over Formosa and the Philippines and has increased slightly at the majority of other reporting stations.

There are no signs of a depression to the East of the Philippines this morning.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.38 inch. Total since January 1st, 83.87 inches, against an average of 72.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- E. winds, moderate; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	18TH SEPTEMBER, 1923.							19TH SEPTEMBER, 1923.						
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	
		Inches.	Mills.			Direct- ion.	Force.		Inches.	Mills.			Direct- ion.	Force.
Vladivostock, .	12	6
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.04	763.0	78	78	S	1	6	30.05	763.2	70	100	SSE	1
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.04	762.9	82	44	SE	...	"	29.99	761.7	68	96	ESE	1
Gutzlaff, .	14	30.03	762.7	78	78	SE	4	"	30.01	762.2	74	95	SSE	2
Sharp Peak, .	"	29.96	761.0	83	75	E	2	7	29.97	761.2	75	86	WNW	1
Amoy, .	15	29.84	759.7	88	52	NNE	2	9	29.89	759.2	76	69	NNE	2
Swatow, .	"	"
Taihoku, .	11	29.91	759.6	86	46	E	6	5	29.91	759.6	73	94	E	4
Taichu, .	"	29.88	759.0	84	...	NW	2	"	29.88	759.0	66	0
Tainan, .	"	29.88	759.0	84	...	SW	4	"	29.85	758.1	68	...	E	2
Koshun, .	"	29.89	759.3	84	...	N	4	"	29.85	758.1	73	...	N	4
Pescadores, .	"	29.88	759.0	81	...	NW	6	"	29.88	759.0	77	...	NNE	2
Canton, .	14	29.83	757.7	89	59	SE	2	6	29.80	756.9	78	86	SE	1
Hongkong, .	"	29.86	758.4	83	71	E	4	"	29.88	758.9	78	80	E	4
Gap Rock, .	"	29.86	758.4	EE	4	"	29.87	758.7	E	4
Macao, .	"	29.84	757.8	90	69	ESE	4	"	29.87	758.7	77	89	ESE	4
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.76	756.0	90	69	SSE	4	7	29.82	757.5	79	96	E	2
Tourane, .	"	29.76	756.0	82	...	NE	2	"	29.80	756.9	77	...	SSW	2
Cape St. James, .	"	29.75	755.7	79	...	WSW	2	"	29.81	757.2	75	...	SW	2
Aparri, .	14	29.78	756.3	86	58	NE	4	6	29.79	756.6	72	96	SW	2
Dagupan, .	"	"
Manila, .	"	29.71	754.5	86	71	W	1	"	29.76	756.0	73	94	...	0
Legaspi, .	"	29.69	754.2	86	68	NE	4	"
Tacloban, .	"	"
Iloilo, .	"	29.72	754.8	84	71	S	2	"	29.78	756.3	75	94	...	1
Surigao, .	"	29.68	753.9	82	81	W	1	"	0
Guam, .	12.20	29.68	753.9	NW	2	4.20
Yap, .	12.47	29.71	754.5	WSW	1	4.47	29.78	756.3	W	1
Labuan, .	14	29.75	755.6	83	79	N	2	6	29.85	758.2	74	94	S	2

September 19d. 11h. 31m.—Pressure is highest over Korea. It has decreased slightly from Shanghai to N. Formosa and from the Visayas to Yap. It is nearly stationary at other reporting stations.

The trough of low pressure from the Philippines to Guam is not so pronounced this morning.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inch. Total since January 1st, 83.94 inches, against an average of 72.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH. DISTRICT.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamoeks, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- E. winds, moderate; fine to cloudy.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	19TH SEPTEMBER, 1923.								20TH SEPTEMBER, 1923.															
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATMOS.		HUMIDIT.		WIND.		WEATHER.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMP. ATMOS.		HUMIDIT.		WIND.			
	Inches.	Millrs.							Direct- ion.	Force.			Inches.	Millrs.							Direct- ion.	Force.		
Wladivostock, ..	12	30.11	764.7	71	..	SE	3	o			6	30.04	763.0	49	..	N	6	o						
Nemuro,	11			5	
Hokodate,	"			"	
Tokio,	"			"	
Kochi,	"			"	
Nagasaki,	"			"	
Kagoshima,	"			"	
Oshima,	"			"	
Naha,	"			"	
Ishigakijima, ..	"			"	
Bonin Island, ..	"			"	
Chefoo,	15	30.07	763.8	63	94	S	1	r			6	30.13	765.3	64	100	NNE	4	b						
Hankow,	"			"	
Ichang,	"			"	
Changsha,	"			"	
Shanghai,	11	30.01	762.3	81	56	S	4	b			"	30.01	762.3	72	96	SSE	1	0						
Gutzlaff,	14	30.01	762.3	78	78	SSE	2	o			"	30.02	762.5	75	92	..	0	0						
Sharp Peak, ..	"	29.95	760.7	84	72	E	2	b			7	29.97	761.2	77	82	N	2	0						
Amoy,	15	29.83	757.7	88	88	NNE	2	o			9	
Swatow,	"			"	
Taihoku,	11	29.91	759.6	86	65	E	6	b			5	29.87	758.7	77	96	E	4	b						
Taichu,	"	29.88	759.0	86	..	SW	2	b			"	29.87	758.7	70	0	0	b					
Tainan,	"	29.88	759.0	90	..	NNW	2	b			"	29.84	757.8	72	0	0	b					
Koshun,	"	29.88	759.0	86	..	NNE	4	b			"	29.85	758.1	79	..	NE	4	6	b					
Pescadores, ..	"	29.91	759.6	82	..	NNW	4	b			"	29.86	758.4	79	..	N	b					
Canton,	14	29.85	758.2	90	61	E	1	b			6	29.92	759.9	75	95	ENE	1	b						
Hongkong,	"	29.87	758.7	83	63	E	3	b			"	29.90	759.4	77	80	NE	1	c						
Gap Rock,	"	29.85	758.2	ENE	5	b			"	29.89	759.2	ENE	3	0						
Macao,	"	29.85	758.2	86	65	ESE	2	b			"	29.87	758.7	75	92	N	2	0						
Wuchow,	15			9	
Pakhoi,	"			"	
Hoihow,	"			"	
Phulien,	"	29.82	757.5	86	78	SSW	4	o			7	
Tourane,	"	29.79	756.6	84	..	SE	2	o			"	
Cape St. James, ..	"	29.78	756.3	75	..	SW	4	r			"	
Aparri,	14	29.75	755.7	86	65	NW	2	o			6	29.79	756.6	75	96	..	0	0						
Dagupan,	"			"	
Manila,	"	29.71	754.5	90	69	WSW	2	o			"	29.79	756.6	75	96	NE	1	b						
Legaspi,	"	29.68	753.9	90	60	SW	4	o			"	29.75	755.7	77	92	WSW	2	0						
Tacloban,	"			"	
Iloilo,	"	29.72	754.8	86	75	S	6	o			"	29.79	756.6	79	92	SW	4	0						
Surigao,	"	29.71	754.5	86	71	W	2	o			"	29.78	756.3	79	84	WSW	2	0						
Guam,	12.20	29.68	753.9	W	2	o			4.20	29.67	753.6	SW	4	0						
Yap,	12.47	29.73	755.1	W	2	o			4.47	29.80	756.9	W	2	0						
Labuan,	14	29.78	756.4	84	79	N	1	o			6	

September 20, 11h. 30m.—Pressure has decreased slightly at Wladivostock and at Guam. It has increased slightly over the Philippines and Kwangtung and is nearly stationary at other reporting stations.

An anticyclone is shown over S.E. Mongolia and N.E. China, and a depression or typhoon to the North of Guam.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 83.94 inches, against an average of 72.74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21ST.

DISTRICT.

FORECAST.

- | | |
|--|---------------------------------------|
| 1.—Formosa Channel, | N.E. winds, fresh. |
| 2.—South coast of China between Hongkong and Lamock, | N.E. winds, moderate; fine to cloudy. |
| 3.—Hongkong to Gap Rock, | |
| 4.—South coast of China between Hongkong and Hainan, | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	20TH SEPTEMBER, 1923.							21ST SEPTEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL		TEMP. ATM.	HUMID.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL		TEMP. ATM.	HUMID.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Millrs.	Direction.			Force.			
Vladivostock, .	12	6		
Nemuro, .	11	5		
Hokodate, .	"	"		
Tokio, .	"	"		
Kochi, .	"	"		
Nagasaki, .	"	"		
Kagoshima, .	"	"		
Oshima, .	"	"		
Naha, .	"	"		
Ishigakijima, .	"	"		
Bonin Island, .	"	"		
Chefoo, .	15	30.18	766.6	64	78	NW	6	0	6	30.25	768.3	60	82	NNW	6	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	13	30.07	763.8	73	82	NNW	1	0	"	30.12	765.0	66	80	NNE	2	b
Gutzlaff, .	14	30.03	762.7	77	86	NNW	2	r	"	30.07	763.8	70	75	N	6	oo
Sharp Peak, .	"	29.94	760.5	84	79	E	2	b	7	29.95	760.7	80	87	NE	1	o
Amoy, .	15	29.78	756.4	90	93	NW	1	o	9	29.85	758.2	78	65	NE	2	o
Swatow, .	"	"
Taihoku, .	11	29.88	759.0	90	72	E	6	b	5	29.87	758.7	75	98	E	4	r
Taichu, .	"	29.87	758.7	86	...	SW	2	b	"	29.82	757.5	75	0	oo
Faijan, .	"	29.87	758.7	86	...	W	2	b	"	29.79	756.6	75	0	o
Koshun, .	"	29.86	758.4	86	...	NNE	4	b	"	29.80	756.9	79	...	NNE	10	o
Pescadores, .	"	29.88	759.0	86	...	NNE	4	b	"	29.81	757.2	81	...	NNE	7	o
Canton, .	14	29.85	758.2	92	54	NW	2	b	6	29.90	759.4	77	95	E	1	o
Hongkong, .	"	29.85	758.2	86	65	ESE	2	b	"	29.88	758.9	79	86	...	0	oo
Gap Rock, .	"	29.86	758.4	E	2	b	"	29.86	758.4	NNE	2	o
Macao, .	"	29.86	758.4	86	58	NNE	4	b	"	29.87	758.7	77	88	SE	2	o
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.87	758.7	86	71	ESE	4	b	7	29.91	759.6	75	92	NNE	2	of
Tourane, .	"	29.82	757.5	82	...	NE	2	b	"	29.84	757.8	75	...	NNW	4	o
Cape St. James, .	"	29.80	756.9	77	...	NNW	4	b	"	29.84	757.8	75	...	SW	4	o
Aparri, .	14	29.74	755.4	82	84	NW	2	r	6	29.72	754.8	77	94	N	4	r
Dagupan, .	"	"	
Maulila, .	"	29.72	754.8	86	68	WSW	2	o	"	29.72	754.8	79	90	W	1	o
Legaspi, .	"	29.69	754.2	82	77	SW	4	o	"	29.68	753.9	75	92	SW	2	o
Tacloban, .	"	"	
Illoilo, .	"	29.74	755.4	82	77	S	6	o	"	29.72	754.8	82	77	SW	6	o
Surigao, .	"	29.73	755.1	82	74	WSW	4	o	"	29.71	754.5	81	84	WSW	2	o
Guam, .	12.20	29.66	753.3	SW	4	o	4.20	29.69	754.2	S	4	o
Yap, .	12.47	29.74	755.4	WSW	2	b	4.47	29.74	755.4	WSW	1	b
Labuan, .	14	29.79	756.6	86	76	N	2	b	6	29.81	757.2	77	91	SE	4	o

September 21st, 11A. 40m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 126° E., moving W.N.W.

September 21st, 11A. 50m.—Pressure has increased slightly at Chefoo, and has decreased slightly from S. Formosa to the Philippines, and at Yap. It is nearly stationary at other reporting stations.

The anticyclone has strengthened slightly.

There are indications of a typhoon in about Lat. 16° N. and Long. 126° E. It is apparently moving W.N.W.

The Guam typhoon is probably moving N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 83.94 inches, against an average of 73.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamocks, } N.E. winds, moderate; fine.
- 3.—Hongkong to Gap Rock, }
- 4.—South coast of China between Hongkong and Hainan, ..}

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG. DAILY WEATHER REPORT.

STATION.	21ST SEPTEMBER, 1923.							22ND SEPTEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	
Vladivostock, .	12	30.07	763.8	60	...	NNW	4	b	6	30.18	766.6	44	...	E	2
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.13	765.3	66	59	N	4	bf	6	30.07	763.8	54	94	N	1
Hankow, .	"	"
Iehang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.13	765.3	73	52	NNE	2	b	"	30.00	762.0	63	75	N	1
Gutzlaff, .	14	30.07	763.8	72	62	N	4	o	"	30.00	762.0	67	64	NNE	4
Sharp Peak, .	"	29.93	760.2	81	78	ENE	6	o	7	29.85	758.2	74	81	N	4
Amoy, .	15	29.78	756.4	90	56	NNE	2	o	9	29.78	756.4	76	73	NE	2
Swatow, .	"	"
Taihoku, .	11	29.91	759.6	82	77	E	6	r	5	29.82	757.5	73	79	ENE	4
Taichu, .	"	29.82	757.5	86	...	NNW	2	o	"	29.75	755.7	73	...	N	2
Tainan, .	"	29.78	756.3	90	...	W	4	b	"	29.71	754.5	73	...	NNE	2
Koshun, .	"	29.81	757.2	86	...	NE	4	b	"	29.71	754.5	77	...	NE	4
Pescadores, .	"	29.85	758.1	84	...	NNE	7	o	"	29.74	755.4	77	...	NNE	7
Canton, .	14	29.81	757.2	90	56	NNW	2	e	6	29.80	756.9	77	91	N	1
Hongkong, .	"	29.82	757.4	86	66	WNW	2	e	"	29.78	756.4	77	89	ENE	3
Gap Rock, .	"	29.82	757.4	ENE	3	b	"	29.77	756.1	ESE	5
Macao, .	"	29.81	757.2	90	63	NNE	2	o	"	29.75	755.7	77	92	ESE	2
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.86	758.4	86	58	WNW	1	b	7	29.81	757.2	77	98	WNW	2
Tourane, .	"	29.82	757.5	77	...	NNW	4	o	"	29.78	756.3	75	...	WNW	2
Cape St. James, .	"	29.76	756.0	82	...	WSW	2	b	"	29.79	756.6	75	...	WNW	4
Aparri, .	14	29.65	753.0	81	89	N	4	r	6	29.60	751.8	81	86	NE	4
Dagupan, .	"	29.60	751.8	84	77	WSW	2	o	"	29.59	751.5	77	96
Manila, .	"	29.62	752.4	86	71	WSW	4	o	"	29.55	750.6	77	92	E	1
Legaspi, .	"	"	29.55	750.6	77	92	SW	2
Faeloban, .	"	"
Ililo, .	"	29.67	753.6	81	86	SW	6	o	"	29.62	752.4	79	92	S	6
Surigao, .	"	"	29.62	752.4	81	80	SW	4
Guam, .	12.20	29.67	753.6	SW	4	o	-4.20	29.76	756.0	SW	4
Yap, .	12.47	29.71	754.5	WSW	4	o	4.47	29.73	755.1	WSW	4
Lubuan, .	14	29.81	757.2	86	76	N	1	o	6

September 21d. 18h. 25m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 125° E., moving W.N.W.

September 22d. 11h. 35m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 124° E., moving W.

September 22d. 11h. 43m.—Pressure has increased moderately at Vladivostock, and slightly at Guam. It has decreased moderately at the majority of other reporting stations.

The anticyclones has moved eastward. It is now central to the north of Vladivostock.

At 6 a.m. this morning the typhoon was in about Lat. 15° N. and Long. 124° E., moving westward. Yesterday's positions were probably too far North.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 3.69 inch. Total since January 1st, 87.63 inches, against an average of 73.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

DISTRICT.

FORECAST.

- | | |
|--|---------------------------|
| 1.—Formosa Channel, | N.E. winds, fresh. |
| 2.—South coast of China between Hongkong and Lamock, . | E. winds, moderate; fair. |
| 3.—Hongkong to Gap Rock, | |
| 4.—South coast of China between Hongkong and Hainan, . | |

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	22ND SEPTEMBER, 1923.							23RD SEPTEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDT.	WIND.		
		Inches.	Millrs.			Direct. ion.	Force.		Inches.	Millrs.			Direct. ion.	Force.	
Wladivostock, .	12	30.13	765.4	64	...	SW	2	b	6	30.20	767.1	51	...	0	0
Nemuro, .	11	5
Hokodate, .	"	"
Tekio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naba, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	29.98	761.5	69	59	NE	1	o	6	29.96	761.0	62	94	...	r
Flankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.01	762.3	73	52	N	1	b	"	29.88	759.0	63	96	E	1
Gutzlaff, .	14	29.95	760.7	74	63	N	1	o	"	29.87	758.7	71	71	ENE	2
Sharp Peak, .	"	29.86	758.4	80	91	E	2	b	7	29.81	757.2	73	81	N	1
Amoy, .	15	29.71	754.6	65	40	NNE	2	b	9	29.73	755.1	74	72	NE	1
Swatow, .	"	"
Taihoku, .	11	29.87	758.7	79	69	ENE	4	o	5	29.72	754.8	73	94	E	4
Taichu, .	"	29.75	755.7	84	...	NNW	4	b	"	29.72	754.8	68	...	0	rob
Taijan, .	"	29.73	755.1	86	...	NNE	2	b	"	29.67	753.6	68	...	0	rob
Koshun, .	"	29.73	755.1	84	...	NE	6	b	"	29.66	753.3	73	...	N	2
Pescadores, .	"	29.79	756.6	81	...	NNE	7	b	"	29.68	753.9	77	...	N	6
Canton, .	14	29.73	755.1	86	65	SW	1	o	6	29.74	755.4	76	95	...	0
Hongkong, .	"	29.75	755.6	82	68	ESE	3	o	"	29.73	755.1	77	86	ENE	1
Gap Rock, .	"	29.75	755.6	E	5	o	"	29.72	754.9	E	3
Macao, .	"	29.74	755.4	84	68	ESE	4	o	"	
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.72	754.8	90	63	SSW	2	b	7	29.73	755.1	79	93	SSE	2
Tourane, .	"	29.72	754.8	79	...	NNW	4	o	"	29.73	755.1	75	...	NW	2
Cape St. James, .	"	29.73	755.1	77	...	NNW	4	o	"	29.74	755.4	82	...	W	2
Aparri, .	14	29.58	751.2	84	74	NE	4	o	6	29.55	750.6	79	89	N	4
Cagupan, .	"	"	
Manila, .	"	29.56	750.9	79	92	SSW	2	o	"	29.55	750.6	75	96	E	1
Legaspi, .	"	"	29.54	750.3	77	91	SW	2
Tacloban, .	"	29.58	751.2	81	80	S	4	o	"	
Ililo, .	"	29.56	750.9	84	77	SW	7	o	"	
Surigao, .	"	"	
Guam, .	12.20	29.71	754.5	SSW	2	r	4.20	
Iap, .	12.47	29.72	754.8	WSW	6	o	4.47	29.74	755.4	SW	4
Lauhan, .	14	29.76	755.9	82	83	S	2	o	6	29.75	755.6	78	86	SE	6

September 22d. 18h. 15m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 15° N. Long. 124° E., stationary or very slow, position uncertain.

September 23d. 11h. 40m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 124° E., stationary or very slow.

September 23d. 11h. 45m.—Pressure has increased slightly at Wladivostock and decreased moderately to slightly at other reporting stations.

The anticyclone is central over E. Manchuria and the typhoon appears to be nearly stationary in about Lat. 15° N. and Long. 124° E.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.63 inches, against an average of 73.67 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

DISTRICT. FORECAST.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamocks,
- 3.—Hongkong to Gap Rock, E. winds, moderate; fair.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	23RD SEPTEMBER, 1923.							24TH SEPTEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		
		Inches.	Millrs.			Direct. ion.	Force.			Inches.	Millrs.			Direct. ion.	Force.	
Wladivostock, .	12	30.18	766.6	61	...	SE	4	o	6	30.11	764.8	52	...	E	2	c
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Koebi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	29.94	760.5	72	67	ENE	1	o	6	29.94	760.5	58	94	...	0	o
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.91	759.6	79	61	NE	2	b	"	29.83	757.7	71	100	NNE	4	r
Gutzlaff, .	14	29.87	758.7	78	91	NNE	2	o	"	29.79	756.6	75	81	N	2	o
Sharp Peak, .	"	29.79	756.6	83	75	E	2	b	7	29.68	753.9	75	81	...	0	b
Amoy, .	15	29.65	753.1	88	52	E	1	b	9	29.67	753.6	77
Swatow, .	"	"
Taihoku, .	11	29.75	755.7	82	77	E	4	o	5	29.69	754.2	75	98	E	2	o
Taichu, .	"	29.68	753.9	86	...	NNW	2	h	"	29.67	753.6	73	0	b
Tainan, .	"	29.68	753.9	84	...	NE	2	o	"	29.66	753.3	73	...	SE	2	b
Koshun, .	"	29.67	753.6	84	...	NNE	4	b	"	29.65	753.0	72	0	b
Pescadores, .	"	29.72	754.8	82	...	NNNE	7	o	"	29.67	753.6	77	...	N	6	b
Canton, .	14	29.66	753.3	89	63	SW	1	b	6	29.73	755.1	78	95	...	0	o
Hongkong, .	"	29.69	754.1	81	78	E	3	op	"	29.72	754.9	79	80	ESE	2	o
Gap Rock, .	"	29.69	754.1	E	2	o	"	29.72	754.9	SE	4	o
Macao, .	"	29.68	753.9	90	69	ESE	2	o	"	29.76	756.0	79	87
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.67	753.6	86	65	SSE	4	b	7	29.72	754.8	77	96	ENE	2	b
Tourane, .	"	29.68	753.9	81	...	NE	2	o	"	29.69	754.2	77	...	SSW	2	o
Cape St. James, .	"	29.69	754.2	75	...	SW	6	of	"	29.74	755.4	75	...	NNW	2	of
Aparri, .	14	29.54	750.3	81	80	N	4	o	6	29.56	750.9	77	96	N	2	r
Dagupan, .	"	"
Manila, .	"	29.55	750.6	82	81	W	4	o	"	29.60	751.8	77	96	NE	1	o
Legaspi, .	"	29.54	750.3	81	89	SW	4	o	"	29.61	752.1	77	94	S	4	o
Tacloban, .	"	"
Iloilo, .	"	29.61	752.1	79	87	SW	6	o	"	29.65	753.0	82	74	S	7	r
Surigao, .	"	29.62	752.4	82	67	SW	4	o	"
Guam, .	12.20	29.75	755.7	SW	2	o	4.20	29.81	757.2	NW	4	o
Yap, .	12.47	29.75	755.7	SSW	4	o	4.47	29.79	756.6	76	94	S	2	o
Labuan, .	14	29.77	756.1	80	82	SE	2	o	6	29.79	756.6	76	94	S	2	o

September 23d. 18h. 55m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 125° E., moving N.N.E.

September 24d. 11h. 50m.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 125° E., moving N.N.E.

September 24d. 11h. 55m.—Pressure has decreased slightly at Wladivostock and Tourane. It has increased slightly at Legaspi and is nearly stationary at the majority of other reporting stations.

The anticyclone is moving eastward.

The typhoon appears to be moving slowly N.N.E. Its approximate position this morning was Lat. 17° N. and Long. 125° E.

There may be a depression N.E. of the Maclesfields, but there is not sufficient data to confirm this.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 8.63 inches, against an average of 7.96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.
DISTRICT.

- 1.—Formosa Channel, N.E. or N. winds, fresh.
- 2.—South coast of China between Hongkong and Lamock, } E. winds, moderate; fair.
- 3.—Hongkong to Gap Rock, }
- 4.—South coast of China between Hongkong and Hainan, ..}

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	24TH SEPTEMBER, 1923.							25TH SEPTEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	
Wladivostock, .	12	30.01	762.2	ESE	6	b	6	29.86	758.3	57	f
Nemuro, .	11	5
Hokodate,	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	71	80	N	2	o	6	29.96	761.0	63	91	...	o
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.88	759.0	75	76	ENE	2	o	"	29.89	759.3	68	88	NE	1
Gutzlaff, .	14	29.86	758.4	74	86	NE	2	o	"	29.90	759.4	71	80	NE	2
Sharp Peak, .	"	29.79	756.6	84	72	E	2	b	7	29.79	756.6	76	82	N	1
Amoy, .	15	29.67	753.6	86	61	SSE	4	b	9	29.70	754.4	78	74	N	1
Swatow, .	"	8
Taihoku, .	11	29.74	755.4	86	68	E	6	b	5	29.73	755.1	72	92	E	2
Taichu, .	"	29.69	754.2	86	...	NW	2	b	"	29.71	754.5	72	o
Taiwan, .	"	29.68	753.9	86	...	WSW	2	b	"	29.68	753.9	75	o
Koshun, .	"	29.72	754.8	81	...	NNE	7	o	"	29.68	753.9	75	...	NNW	2
Pescadores, .	"	"	29.69	754.2	79	...	NNE	6
Canton, .	14	29.69	754.1	87	69	SE	1	or	6	29.76	755.9	75	95	ESE	2
Hongkong, .	"	29.70	754.4	82	75	E	4	o	"	29.75	755.6	78	87	...	o
Gap Rock, .	"	29.70	754.4	E	3	o	"	29.75	755.6	77	88	ESE	3
Macao, .	"	29.68	753.9	90	72	ESE	2	b	"	29.73	755.1	77	88	SE	4
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phalien, .	"	29.68	753.9	90	63	SSE	4	b	7	29.75	755.7	79	92	NE	1
Tourane, .	"	29.67	753.6	84	...	E	2	b	"	29.72	754.8	75	...	SSW	2
Cape St. James, .	"	29.67	753.6	82	...	NW	4	b	"	29.71	754.5	73	...	NW	2
Aparri, .	14	29.60	751.8	86	81	NNW	4	o	6	29.65	753.0	73	96	SW	2
Bagupan, .	"	"
Manila, .	"	29.59	751.5	79	90	SSW	4	r	"	29.66	753.3	75	96	SW	4
Legaspi, .	"	"	29.67	753.6	77	89	SSW	4
Taoloban, .	"	29.65	753.0	84	64	SSW	4	o	"	29.69	754.2	81	76	S	1
Illoilo, .	"	29.65	753.0	82	77	S	4	o	"	o
Surigao, .	"	29.65	753.0	86	65	W	2	o	"	29.69	754.2	77	84	...	o
Guam, .	12.20	29.75	755.7	WNW	1	o	4.20	29.76	756.0	77	...	NE	4
Yap, .	12.47	29.78	756.3	SSE	2	o	4.47	29.76	756.0	77	...	SSW	1
Labuan, .	14	29.75	755.6	86	72	SW	4	b	6	29.75	755.6	78	86	S	4

September 24d. 18h. 40m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 117° E., direction unknown.

September 25d. 12h. 00m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 16° N. Long. 116° E., direction unknown, position uncertain.

September 25d. 12h. 03m.—Pressure has decreased moderately at Wladivostock and slightly from Guam to Yap. It has increased slightly at the majority of other reporting stations.

The typhoon to the east of the Balintang Channel continues to move N.N.E. or N.E..

The position of the depression in the China Sea is uncertain. It may be filling up.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.63 inches, against an average of 74.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamocks, E. winds, moderate; fair.
- 3.—Hongkong to Gap Rock, E. winds, moderate; fair.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	25TH SEPTEMBER, 1923.							26TH SEPTEMBER, 1923.								
	HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER. ATM.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER. ATM.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.	
Vladivostock, .	12	6		
Nemuro, .	11	5		
Hokodate, .	"	"		
Tokio, .	"	"		
Kochi, .	"	"		
Nagasaki, .	"	"		
Kagoshima, .	"	"		
Oshima, .	"	"		
Naha, .	"	"		
Ishigakijima, .	"	"		
Bonin Island, .	"	"		
Chefoo, .	15	29.92	759.9	71	71	E	1	0	6	29.93	760.2	63	83	WSW	1	0
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.95	760.8	77	61	E	1	0	"	29.94	760.5	64	94	ENE	1	b
Gutzlaff, .	14	29.91	759.7	78	95	NNE	2	0	"	29.93	760.2	69	100	NNE	2	0
Sharp Peak, .	"	29.82	757.4	82	83	N	2	0	7	29.89	759.2	75	81	N	1	0
Amoy, .	15	90	53	E	1	b	9	29.72	754.9	78	82	NE	1	b
Swatow, .	"	8
Taihoku, .	11	29.76	756.0	90	69	E	4	b	5	29.78	756.3	70	94	E	2	b
Taichu, .	"	29.73	755.1	86	...	WNW	2	b	"	29.74	755.4	73	...	SE	0	0
Tainan, .	"	29.72	754.8	90	...	SW	4	b	"	29.67	753.6	73	...	NE	4	0
Koshun, .	"	29.72	754.8	84	...	NNW	4	b	"	29.69	754.2	77	...	NNE	4	0
Pescadores, .	"	29.72	754.8	82	...	NE	6	b	"	29.71	754.5	79	...	NNW	6	0
Canton, .	14	29.73	755.1	86	68	WSW	1	0	6	29.79	756.6	78	91	...	0	0
Hongkong, .	"	29.74	755.4	83	73	E	4	0	"	29.78	756.4	79	78	...	0	0
Gap Rock, .	"	29.75	755.6	E	3	0	"	29.78	756.4	ESE	2	b
Macao, .	"	90	69	SE	2	0	"	29.75	755.7	77	86	NNW	2	0
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.72	754.8	86	68	SE	1	0	7	29.78	756.3	75	94	W	1	0
Touraue, .	"	29.69	754.2	82	...	NE	2	b	"	29.74	755.4	75	2	0
Cape St. James, .	"	29.69	754.2	77	...	SW	4	0	"	29.74	755.4	75	...	W	2	0
Aparri, .	14	29.62	752.4	86	78	N	4	0	6	29.67	753.6	75	92	SW	2	r
Dagupan, .	"	"
Manila, .	"	29.65	753.0	79	89	SW	4	0	"	29.68	753.9	75	94	SW	4	0
Legaspi, .	"	29.65	753.0	79	89	SW	4	0	"
Tacloban, .	"	"	29.73	755.1	77	84	...	0	0
Illoilo, .	"	29.68	753.9	82	84	SW	6	0	"	29.76	756.0	77	84	S	6	r
Surigao, .	"	29.68	753.9	90	66	WNW	4	b	"	29.74	755.4	82	84	SSW	1	0
Guam, .	12.20	29.73	755.1	NE	2	0	4.20	29.74	755.4	NE	1	0
Yap, .	12.47	29.78	756.3	SE	2	0	4.47	29.81	757.2	NNE	1	b
Labuan, .	14	29.76	755.9	84	79	N	2	b	6	29.78	756.4	78	91	SW	1	b

September 25d. 18h. 28m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 16° N. Long. 115° E., direction unknown, position uncertain.

September 26d. 11h. 45m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 16° N. Long. 115° E., direction unknown, position uncertain.

September 26d. 11h. 46m.—Pressure has increased slightly over N. Formosa, Kwaungtung, N. Indo-China, and over the Visayas. It is nearly stationary elsewhere.

A feeble anticyclone is shown over N. China.

There are still indications of a depression in the China Sea, but its position and direction of motion are uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 87.63 inches, against an average of 74.50 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.
DISTRICT.**

Forecast.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamock, .
- 3.—Hongkong to Gap Rock, E. winds, moderate; cloudy, some rain.
- 4.—South coast of China between Hongkong and Hainan, .

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	26TH SEPTEMBER, 1923.							27TH SEPTEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDIT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDIT.	WIND.		
	Hongkong Inches.	Millrs.				Direction.	Force.		Hongkong Inches.	Millrs.				Direction.	Force.	
Wladivostock, .	12	29.78	756.3	66	...	SW	4	b	6	29.91	759.7	51	...	ESE	1	o
Nenuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	29.98	761.5	70	53	N	2	o	6	29.94	760.5	60	76	SW	4	b
Bankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.99	761.7	79	55	NE	1	b	"	30.00	762.0	66	99	NNE	1	o
Gutzlaff, .	14	29.96	761.0	78	100	NNE	4	b	"	29.99	761.7	70	100	NNE	4	o
Sharp Peak, .	"	29.85	758.2	78	80	ENE	2	o	7	29.86	758.4	74	81	NNW	1	b
Amoy, .	15	9	29.73	755.1	77	65	NE	2	b
Swatow, .	"	8
Taihoku, .	11	29.82	757.5	79	80	NE	4	o	5	29.78	756.3	68	98	E	1	r
Taichu, .	"	29.74	755.4	86	...	NE	2	b	"	29.66	753.3	70	...	N	2	b
Tainan, .	"	29.72	754.8	86	...	N	2	o	"	29.66	753.3	72	...	N	4	b
Koshun, .	"	29.73	755.1	86	...	NNE	4	b	"	29.66	753.3	75	0	b
Pescadores, .	"	29.76	756.0	84	...	NE	7	b	"	29.71	754.5	77	...	NNE	7	b
Canton, .	14	29.74	755.4	88	69	...	o	c	6	29.80	756.9	76	95	...	o	o
Hongkong, .	"	29.77	756.1	82	75	E	1	o	"	29.78	756.4	77	92	E	3	or
Gap Rock, .	"	29.78	756.4	ENE	4	o	"	29.77	756.1	E	3	o
Macao, .	"	29.75	755.7	84	74	ESE	2	o	"	29.75	755.7	75	98	NW	2	o
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.74	755.4	86	71	ESE	2	o	7	
Tourane, .	"	29.72	754.8	82	...	ENE	2	o	"	
Cape St. James, .	"	29.72	754.8	79	...	SW	2	o	"	
Aparsi, .	14	29.63	752.7	84	81	NW	4	o	6	29.66	753.3	72	96	SW	2	r
Dagupan, .	"	"	
Manila, .	"	29.69	754.2	79	76	SW	4	o	"	29.69	754.2	75	98	...	0	r
Legaspi, .	"	29.65	753.0	84	71	WSW	6	o	"	29.69	754.2	79	90	SSW	4	o
Tacloban, .	"	"	
Uollo, .	"	29.71	754.5	84	77	S	6	o	"	
Surigao, .	"	29.71	754.5	86	65	NW	4	b	"	
Guam, .	12.20	29.71	754.5	NE	2	o	4.20	
Tap, .	12.47	29.75	755.7	NE	4	o	4.47	29.81	757.2	80	...	NE	4	o
Labuan, .	14	29.75	755.6	86	76	NW	1	b	6	29.78	756.4	80	91	N	4	b

September 26d. 18h. 50m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 16° N. Long. 115° E., direction unknown, position uncertain.

September 27d. 11h. 45m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 16° N. Long. 115° E., filling up, position uncertain.

September 27d. 11h. 49m.—Pressure has increased slightly at Shanghai, Haiphong, and Cape St. James, and has decreased slightly over Formosa and at Manila.

The anticyclone over N. China is strengthening slightly.

The depression in the China Sea appears to be filling up.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.87 inch. Total since January 1st, 88.50 inches, against an average of 74.77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamocks,
- 3.—Hongkong to Gap Rock, E. winds, moderate; fair to showery.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	27TH SEPTEMBER, 1923.							28TH SEPTEMBER, 1923.							
	HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.
Vladivostock,	12	6
Nemuro,	11	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	15	30.08	764.0	68	65	NW	4	b	6	30.11	764.8	56	75	...	o b
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.06	763.5	77	54	N	10	b	"
Gutzlaff,	14	29.99	761.7	76	95	NNE	4	b	"
Sharp Peak,	"	29.85	758.2	82	71	ENE	4	b	7	72	76	N	4 b
Amoy,	15	29.71	754.6	86	51	NE	4	b	9	29.75	755.6	76	53	NNE	4 o
Swatow,	"	8
Taihoku,	11	29.81	757.2	72	96	SE	2	r	5	29.79	756.6	68	96	SSE	2 r
Taichu,	"	29.68	753.9	84	...	N	4	b	"	29.68	753.9	68
Tainan,	"	29.68	753.9	82	...	NNE	4	b	"	29.63	752.7	68	...	NNE	4 b
Koshun,	"	29.67	753.6	82	0	o	"	29.63	752.7	72
Pescadores,	"	29.74	755.4	63	...	SE	8	o	"
Canton,	14	29.74	755.4	91	60	NNE	2	c	6	29.82	757.4	72	81	N	2 h
Hongkong,	"	29.75	755.6	81	77	E	2	o	"	29.79	756.6	74	88	...	0 c
Gap Rock,	"	29.76	755.9	ENE	4	c	"	29.78	756.4	E	4 c
Macao,	"	29.73	755.1	86	78	SE	2	o	"	29.79	756.6	73	94	NNW	2 o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.74	755.4	90	66	SSE	2	o	7	29.81	757.2	77	92	NNE	4 o
Tourane,	"	29.72	754.8	82	...	N	2	o	"	29.75	755.7	75	...	W	2 z
Cape St. James,	"	29.73	755.1	79	...	SW	6	o	"	29.80	756.9	73	...	SW	6 o
Aparri,	14	29.60	751.8	81	84	WNW	1	o	6	29.62	752.4	73	96	W	2 r
Dagupan,	"	"
Maula,	"	29.66	753.3	79	89	WSW	4	o	"	29.68	753.9	75	96	N	1 o
Legaspi,	"	29.65	753.0	86	71	SSW	4	o	"	29.68	753.9	79	87	S	4 o
Tacloban,	"	"
Iloilo,	"	29.71	754.5	82	77	SW	6	o	"	29.73	755.1	79	80	SW	6 r
Surigao,	"	29.69	754.2	86	56	SSW	2	o	"	29.75	755.7	77	91	...	0 o
Guam,	12.20	29.69	754.2	ENE	4	o	4.20	29.73	755.1	NE	1 o
Yap,	12.47	29.78	756.3	0	o	4.47	29.75	755.7	N	2 o
Lubuan,	14	29.76	755.9	74	68	N	1	b	6	29.78	756.4	78	94	N	1 b

September 27d. 18h. com.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 20° N. Long. 124° E., direction unknown, position uncertain.

September 28d. 9h. 10m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 124° E., stationary or very slow.

September 28d. 10h. 58m.—Pressure has increased slightly to moderately over China, and decreased slightly over S. Formosa. It is nearly stationary over the Philippines.

The anticyclone over China has strengthened.

The depression or typhoon appears to be nearly stationary about 200 miles N.E. of Aparri.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.20 inch. Total since January 1st, 88.70 inches, against an average of 75.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.
DISTRICT.

- | | |
|---|---------------------------------------|
| 1.—Formosa Channel, | N.E. winds, fresh. |
| 2.—South coast of China between Hongkong and Lamoeka, | { E. winds, moderate; fine to cloudy. |
| 3.—Hongkong to Gap Rock, | } |
| 4.—South coast of China between Hongkong and Hainan, | } |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG. DAILY WEATHER REPORT.

STATION.	28TH SEPTEMBER, 1923.							29TH SEPTEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE ATM.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE ATM.	HUMIDIT.	WIND.			
		Inches.	Mills.			Direct- ion.	Force.		Inches.	Mills.			Direct- ion.	Force.		
Vladivostock, .	12	6		
Nemuro, .	11	5		
Hokodate, .	"	"		
Tokio, .	"	"		
Kochi, .	"	"		
Nagasaki, .	"	"		
Kagoshima, .	"	"		
Oshima, .	"	"		
Naha, .	"	"		
Ishigakijima, .	"	"		
Bonin Island, .	"	"		
Chefoo, .	15	29.99	761.7	71	49	SSW	1	0	6	29.92	759.9	63	67	SW	2	b
Hankow, .	"	"
Changsha, .	"	"
Shanghai, .	13	"
Gutzlaff, .	14	"
Sharp Peak, .	"	29.84	757.9	80	74	ENE	2	b	7	29.78	756.4	71	85	N	1	b
Amoy, .	15	29.70	754.4	84	50	NE	2	b	9
Swatow, .	"	"
Taihoku, .	11	29.84	757.8	72	91	SE	2	r	5	29.68	753.9	70	96	...	0	r
Taichu, .	"	29.68	753.9	82	...	N	4	b	"
Tainan, .	"	29.66	753.3	84	...	NNE	4	b	"	29.61	752.1	70	...	N	4	b
Koshun, .	"	29.65	753.0	86	...	NW	2	b	"	29.55	750.6	75	0	o
Pescadores, .	"	29.72	754.8	81	...	NNE	10	b	"	29.65	753.6	75	...	N	8	o
Canton, .	14	29.75	755.6	89	56	N	2	b	6
Hongkong, .	"	29.75	755.6	85	50	W	2	b	"	29.76	755.9	74	47	N	4	b
Gap Rock, .	"	29.76	755.9	NNE	3	b	"	29.75	755.6	N	4	b
Macao, .	"	29.74	755.4	84	58	NNE	4	b	"	29.76	756.0	72	75	NW	4	b
Wuchow, .	15	9
Pakhoi, .	"	"
Hoibow, .	"	"
Philien, .	"	29.76	755.0	86	68	SSE	4	b	7	29.84	757.8	77	94	N	2	if
Tourane, .	"	29.74	755.4	79	...	NNW	2	o	"	29.80	756.9	75	...	NNW	2	b
Cape St. James, .	"	29.74	755.4	84	...	SW	4	b	"	29.81	757.2	75	...	SW	2	b
Aparri, .	14	29.59	751.5	86	71	N	4	o	6	29.59	751.5	75	94	S	2	o
Dagupan, .	"	"
Manila, .	"	29.65	753.0	82	77	SW	4	o	"	29.68	753.9	77	92	W	1	o
Legaspi, .	"	29.65	753.0	84	77	SW	4	o	"	29.69	754.2	77	92	SW	2	o
Taeloban, .	"	"
Heilo, .	"	29.69	754.2	84	68	S	6	o	"
Surigao, .	"	29.71	754.5	90	48	WSW	2	b	"
Guam, .	12.20	29.69	754.2	NE	1	o	4.20
Fap, .	12.47	29.73	755.1	NW	1	o	4.47	29.80	756.9	NNE	2	o
Labuan, .	14	29.76	755.9	88	75	N	1	b	6	29.80	756.9	78	91	S	2	o

September 28d. 16h. 15m.—Warning to Hongkong:—Depression or typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 124° E., stationary or very slow.

September 29d. 9h. 40m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 21° N. Long. 123° E., moving N.W.

September 29d. 9h. 45m.—Pressure has increased slightly over Indo-China, decreased moderately over S. Formosa and decreased slightly over N. Luzon and at Chefoo.

The anticyclone has weakened.

The typhoon now appears to be moving N.W. Its approximate position this morning was Lat. 21° N. and Long. 123° E.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 88.70 inches, against an average of 75.31 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30th. DISTRICT.

- Formosa Channel, N. winds, strong.
- South coast of China between Hongkong and Lamoock, N. or variable winds, moderate; fine.
- Hongkong to Gap Rock, N. or variable winds, moderate; fine.
- South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	29TH SEPTEMBER, 1923.							30TH SEPTEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.		
Vladivostock, .	12	29.75	755.6	64	...	SW	5	c	6	30.03	762.7	54	...	WNW	i	c
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naba, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.01	762.2	69	65	N	4	b	6	30.14	765.5	63	72	NE	i	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	12	29.99	761.7	73	52	NNE	2	b	"	29.98	761.4	64	84	NNE	2	...
Gutzlaff, .	14	29.92	759.9	73	100	N	4	b	"	29.93	760.2	69	100	NNE	6	b
Sharp Peak, .	"	29.77	756.1	83	79	E	1	of	7	29.75	755.6	74	72	W	2	b
Amoy, .	15	29.62	752.3	86	51	SW	2	b	9
Swatow, .	"	8
Taihoku, .	11	29.71	754.5	70	91	NW	6	r	5	29.75	755.7	66	92	W	4	r
Taihu, .	"	29.65	753.0	77	...	N	6	b	"	29.68	753.9	68	...	N	6	b
Tainan, .	"	29.62	752.4	79	...	NNE	7	o	"	29.66	753.3	70	...	N	6	o
Koshun, .	"	29.58	751.2	81	...	NNW	4	o	"	29.60	751.8	73	...	NNW	2	o
Pescadores, .	"	29.69	754.2	77	...	N	7	o	"	29.71	754.5	73	...	NNE	6	b
Canton, .	14	29.72	754.9	88	46	N	2	b	6	29.83	757.7	66	84	N	2	b
Hongkong, .	"	29.71	754.6	85	28	NW	3	b	"	29.78	756.4	74	38	NNW	2	...
Gap Rock, .	"	29.71	754.6	N	5	b	"	29.76	755.9	N	4	o
Macao, .	"	29.72	754.8	82	33	NNW	4	b	"	29.73	755.1	72	51	NNW	4	...
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.76	756.0	90	63	SSW	2	o	7
Tourane, .	"	29.73	755.1	82	...	NNW	6	b	"
Cape St. James, .	"	29.74	755.4	82	...	WSW	10	r	"
Aparri, .	14	29.56	750.9	86	71	N	4	o	6	29.67	753.6	73	91	...	0	o
Dagupan, .	"	"
Manila, .	"	29.62	752.4	82	81	WSW	4	o	"	29.74	755.4	75	56	N	1	o
Legaspi, .	"	"
Tacloban, .	"	29.71	754.5	90	63	SSW	4	o	"
Iloilo, .	"	29.71	754.5	79	87	S	6	o	"	29.76	756.0	79	92	S	6	r
Surigao, .	"	29.73	755.1	81	46	WSW	2	o	"
Quam, .	12.20	29.69	754.2	NE	1	r	4.20
Yap, .	12.47	29.73	755.3	NW	2	o	4.47	29.76	756.0	N	4	o
Labuan, .	14	29.76	755.9	88	75	S	2	o	6	29.81	757.2	78	94	NW	2	b

September 29d. 184. 25m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 21° N. Long. 123° E., stationary or very slow

September 30d. 10h. 30m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 60 miles of Lat. 22° N. Long. 124° E., moving N.E.

September 30d. 11h. 08m.—Pressure has increased considerably in the extreme North, moderately over Luzon and slightly from Formosa to Hongkong. It is nearly stationary in the extreme South.

The anticyclone has strengthened considerable.

The typhoon appears to be moving away slowly north-eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 88.70 inches, against an average of 75.59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1ST. DISTRICT.

Forecast.

- 1.—Formosa Channel, N. winds, fresh.
- 2.—South coast of China between Hongkong and Lamoicks, } N. or variable winds, moderate; fine.
- 3.—Hongkong to Gap Rock, }
- 4.—South coast of China between Hongkong and Hainan, . }

T. F. CLAXTON, Director.

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.


OCTOBER,

1923.

**CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE
ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER
REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.**

PREPARED UNDER THE DIRECTION OF

**T. F. CLAXTON, F.R.A.S.,
DIRECTOR.**



**HONGKONG :
PRINTED BY NORONHA & CO.
GOVERNMENT PRINTERS.**

1923.

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

OCTOBER,

1923.

HOURLY VALUES OF BAROMETRIC PRESSURE AND AIR TEMPERATURE,

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of OCTOBER, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	29.727	29.719	29.711	29.709	29.717	29.726	29.739	29.749	29.748	29.744	29.737	29.722	1
2	29.679	29.675	29.674	29.683	29.687	29.711	29.719	29.739	29.747	29.754	29.744	29.727	2
3	29.762	29.755	29.751	29.763	29.787	29.817	29.840	29.867	29.891	29.896	29.888	29.870	3
4	29.870	29.870	29.874	29.880	29.894	29.910	29.920	29.937	29.947	29.954	29.949	29.927	4
5	29.911	29.900	29.894	29.883	29.899	29.907	29.925	29.940	29.942	29.946	29.936	29.917	5
6	29.884	29.868	29.857	29.851	29.853	29.859	29.861	29.873	29.890	29.882	29.867	29.835	6
7	29.781	29.772	29.764	29.760	29.765	29.776	29.790	29.815	29.822	29.811	29.807	29.784	7
8	29.762	29.754	29.751	29.747	29.762	29.778	29.788	29.804	29.809	29.814	29.799	29.768	8
9	29.783	29.763	29.766	29.769	29.781	29.810	29.830	29.842	29.854	29.857	29.860	29.843	9
10	29.902	29.900	29.905	29.908	29.917	29.930	29.952	29.976	29.996	29.986	29.973	29.955	10
11	29.988	29.974	29.966	29.975	29.988	30.004	30.011	30.030	30.052	30.061	30.043	30.027	11
12	29.989	29.973	29.961	29.965	29.959	29.978	29.996	30.015	30.026	30.041	30.039	30.018	12
13	29.976	29.967	29.952	29.951	29.965	29.961	29.977	29.980	29.975	29.981	29.979	29.967	13
14	29.908	29.892	29.896	29.904	29.898	29.911	29.915	29.922	29.942	29.918	29.908	29.94	14
15	29.948	29.940	29.934	29.930	29.947	29.960	29.979	30.012	30.023	30.031	30.034	30.020	15
16	30.039	30.027	30.022	30.022	30.018	30.029	30.049	30.070	30.091	30.107	30.104	30.082	16
17	30.069	30.053	30.041	30.036	30.045	30.051	30.071	30.087	30.095	30.104	30.094	30.080	17
18	30.024	30.002	29.991	29.987	29.991	30.004	30.016	30.023	30.023	30.033	30.020	30.003	18
19	29.958	29.947	29.941	29.929	29.933	29.948	29.957	29.985	29.992	30.012	30.002	29.977	19
20	29.928	29.922	29.915	29.905	29.909	29.923	29.945	29.963	29.980	29.982	29.961	29.938	20
21	29.919	29.914	29.904	29.912	29.918	29.924	29.944	29.965	29.975	29.981	29.968	29.940	21
22	29.899	29.889	29.876	29.870	29.874	29.893	29.910	29.923	29.942	29.951	29.940	29.921	22
23	29.945	29.937	29.929	29.933	29.948	29.962	29.975	29.999	30.008	30.002	29.981	29.980	23
24	29.980	29.962	29.944	29.939	29.949	29.967	29.977	29.993	30.002	30.012	29.998	29.980	24
25	29.939	29.912	29.901	29.898	29.911	29.930	29.938	29.952	29.962	29.972	29.950	29.916	25
26	29.858	29.836	29.818	29.821	29.817	29.833	29.838	29.849	29.863	29.872	29.866	29.838	26
27	29.796	29.774	29.788	29.784	29.784	29.790	29.805	29.817	29.814	29.825	29.817	29.793	27
28	29.777	29.767	29.767	29.763	29.758	29.762	29.778	29.796	29.818	29.828	29.818	29.789	28
29	29.751	29.741	29.738	29.729	29.722	29.730	29.732	29.744	29.747	29.757	29.741	29.711	29
30	29.694	29.681	29.672	29.656	29.652	29.665	29.672	29.699	29.725	29.772	29.750	29.723	30
31	29.722	29.724	29.730	29.728	29.742	29.757	29.773	29.782	29.808	29.800	29.776	29.762	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	29.694	29.667	29.653	29.645	29.651	29.657	29.671	29.687	29.697	29.701	29.707	29.695	1
2	29.709	29.700	29.697	29.694	29.707	29.729	29.740	29.754	29.772	29.777	29.775	29.766	2
3	29.848	29.820	29.810	29.817	29.822	29.835	29.847	29.853	29.882	29.885	29.883	29.872	3
4	29.908	29.895	29.885	29.885	29.890	29.890	29.897	29.906	29.920	29.926	29.922	29.912	4
5	29.891	29.875	29.864	29.854	29.849	29.854	29.865	29.881	29.900	29.908	29.904	29.902	5
6	29.796	29.768	29.739	29.736	29.739	29.745	29.754	29.770	29.781	29.784	29.796	29.796	6
7	29.754	29.728	29.704	29.704	29.707	29.718	29.734	29.742	29.756	29.761	29.772	29.772	7
8	29.735	29.708	29.696	29.694	29.702	29.711	29.727	29.755	29.776	29.788	29.789	29.786	8
9	29.834	29.807	29.794	29.797	29.801	29.824	29.852	29.862	29.882	29.898	29.909	29.918	9
10	29.939	29.925	29.906	29.908	29.910	29.922	29.948	29.971	29.991	29.996	29.997	29.997	10
11	30.008	29.982	29.972	29.973	29.978	29.986	29.987	29.997	30.015	30.017	30.013	30.001	11
12	30.005	29.984	29.970	29.972	29.973	29.981	29.996	30.005	30.023	30.018	30.018	29.996	12
13	29.942	29.923	29.915	29.904	29.906	29.914	29.918	29.938	29.948	29.950	29.946	29.920	13
14	29.868	29.870	29.854	29.852	29.870	29.875	29.899	29.923	29.941	29.930	29.938	29.940	14
15	30.008	29.984	29.980	29.986	29.995	29.997	30.018	30.031	30.043	30.048	30.047	30.047	15
16	30.075	30.062	30.042	30.044	30.053	30.065	30.071	30.081	30.099	30.099	30.103	30.089	16
17	30.058	30.038	30.026	30.027	30.033	30.029	30.047	30.057	30.061	30.059	30.050	30.028	17
18	29.978	29.953	29.933	29.920	29.934	29.949	29.963	29.983	29.984	29.982	29.976	29.972	18
19	29.951	29.922	29.910	29.915	29.905	29.904	29.913	29.931	29.944	29.948	29.954	29.948	19
20	29.913	29.884	29.875	29.888	29.906	29.912	29.928	29.947	29.951	29.947	29.948	29.948	20
21	29.922	29.900	29.880	29.866	29.872	29.877	29.887	29.906	29.917	29.918	29.910	29.902	21
22	29.902	29.876	29.868	29.871	29.874	29.881	29.889	29.903	29.922	29.938	29.947	29.947	22
23	29.964	29.957	29.943	29.940	29.931	29.936	29.950	29.965	29.987	29.995	29.999	29.986	23
24	29.962	29.931	29.917	29.910	29.916	29.923	29.942	29.952	29.967	29.966	29.968	29.960	24
25	29.890	29.867	29.865	29.858	29.860	29.861	29.870	29.876	29.889	29.888	29.884	29.875	25
26	29.813	29.794	29.780	29.778	29.791	29.799	29.805	29.827	29.831	29.833	29.829	29.812	26
27	29.772	29.755	29.729	29.734	29.736	29.749	29.755	29.778	29.791	29.801	29.803	29.795	27
28	29.769	29.744	29.724	29.724	29.727	29.732	29.755	29.762	29.765	29.766	29.769	29.769	28
29	29.687	29.657	29.638	29.620	29.624	29.640	29.652	29.678	29.688	29.693	29.697	29.692	29
30	29.691	29.657	29.647	29.656	29.653	29.661	29.670	29.686	29.699	29.710	29.724	29.722	30
31	29.735	29.722	29.722	29.745	29.736	29.747	29.773	29.794	29.815	29.833	29.821	29.821	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of OCTOBER, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	77.9	77.4	76.9	74.9	74.0	73.3	73.9	76.9	79.5	79.8	82.0	83.0	1
2	77.9	77.5	78.7	78.2	78.4	78.5	77.6	78.7	81.0	82.1	85.5	85.9	2
3	76.1	75.8	75.1	75.0	74.6	74.1	74.7	74.9	76.1	77.0	77.9	77.4	3
4	73.5	73.2	73.2	72.8	72.1	72.3	73.0	75.5	79.2	79.6	79.7	81.0	4
5	76.0	76.3	76.3	76.1	75.2	75.8	75.9	78.3	80.4	80.8	83.0	83.8	5
6	75.4	74.9	75.0	75.1	75.0	74.7	75.2	78.0	78.9	80.9	82.6	84.2	6
7	77.7	76.3	75.7	75.6	75.1	74.6	75.4	76.8	78.2	79.2	81.7	83.0	7
8	74.5	75.4	74.9	73.6	73.3	73.5	74.3	75.9	76.9	78.4	80.1	81.0	8
9	75.7	74.9	74.1	73.5	72.6	72.3	72.7	74.8	76.4	77.9	80.0	81.6	9
10	73.3	72.4	71.3	70.2	69.7	69.5	69.3	70.1	71.4	73.1	76.1	77.7	10
11	70.6	69.0	68.6	68.0	67.6	67.9	67.8	68.1	72.5	73.9	75.2	76.0	11
12	73.7	73.2	73.0	72.8	72.2	71.2	71.8	72.7	73.2	72.8	73.4	73.4	12
13	73.6	73.6	73.5	73.6	73.6	73.3	73.5	74.3	74.6	75.4	76.8	75.9	13
14	75.5	75.5	75.5	75.7	75.6	75.8	76.4	77.0	78.0	79.7	75.5	75.5	14
15	70.1	69.4	69.5	68.8	68.3	68.6	69.0	69.3	70.0	70.9	70.7	70.7	15
16	71.0	71.5	71.8	71.7	71.7	72.4	72.6	72.9	74.0	74.3	74.9	75.6	16
17	74.0	73.1	72.6	73.0	72.6	72.3	72.8	73.7	74.5	75.5	75.7	75.9	17
18	73.4	73.1	72.8	72.4	72.0	72.1	71.9	72.8	73.6	73.8	74.1	74.7	18
19	73.8	73.8	73.6	73.5	73.6	73.6	73.5	74.0	75.6	76.0	76.9	76.4	19
20	73.1	73.0	72.0	71.7	71.7	72.2	72.6	74.4	76.9	78.6	81.0	83.6	20
21	74.7	74.7	74.7	74.8	74.6	74.8	75.0	75.4	77.0	78.0	78.5	78.4	21
22	74.4	74.3	73.8	73.6	73.8	73.9	74.1	75.3	76.5	76.5	78.8	77.8	22
23	75.6	75.5	75.3	75.0	75.0	75.1	75.2	76.0	77.2	78.6	80.2	80.2	23
24	74.5	73.9	73.7	73.4	73.6	73.9	74.5	76.6	80.9	81.2	81.3	82.2	24
25	74.0	73.8	73.7	73.6	73.6	73.6	73.7	73.8	74.4	74.9	75.5	75.2	25
26	73.4	73.2	73.1	72.5	73.3	73.3	73.5	76.3	77.3	78.4	78.6	79.0	26
27	74.6	75.0	75.4	75.8	75.0	75.3	75.6	76.5	78.4	79.6	78.8	78.9	27
28	75.3	75.1	75.0	74.7	74.8	74.7	74.8	75.6	75.3	75.1	75.5	75.9	28
29	75.9	76.0	76.0	75.8	76.0	75.7	76.7	78.0	79.9	80.5	80.6	80.9	29
30	78.7	78.6	78.5	78.5	78.4	78.4	78.7	79.1	78.5	74.0	71.0	71.3	30
31	72.6	71.7	71.7	71.9	72.2	72.5	72.6	73.1	74.0	76.4	78.8	80.0	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	°	°	°	°	°	°	°	°	°	°	°	°	1
2	85.0	86.5	86.1	85.1	83.8	82.1	81.0	80.8	80.0	79.5	79.1	80.0	2
3	87.1	86.8	85.3	85.9	84.6	83.2	82.4	81.2	80.0	79.0	78.1	77.4	3
4	78.4	79.8	80.2	79.1	77.9	76.7	76.2	74.8	73.9	73.7	73.4	73.1	4
5	80.9	78.7	78.0	78.0	77.5	76.8	76.6	76.4	76.5	76.7	77.1	76.0	5
6	84.5	85.0	84.6	84.0	82.1	80.8	80.0	78.4	77.0	76.9	78.3	79.5	6
7	83.9	83.9	83.5	82.4	80.4	78.2	77.6	77.0	77.2	77.6	76.5	76.5	7
8	81.7	82.8	82.6	82.2	81.2	79.8	79.5	79.2	78.3	77.8	77.0	77.0	8
9	83.0	82.8	82.6	81.7	80.6	78.2	76.6	75.8	76.4	76.6	75.9	74.9	9
10	78.6	78.8	79.6	78.3	78.1	76.1	73.8	74.0	73.5	72.8	72.1	72.1	10
11	74.9	75.1	74.6	73.8	73.5	72.8	72.4	72.5	72.7	73.0	73.3	73.4	11
12	73.5	73.6	74.1	73.8	73.4	72.7	70.7	70.8	69.2	70.1	70.7	72.4	12
13	75.4	76.4	76.2	75.9	75.5	75.3	75.1	75.2	75.4	75.5	75.5	75.4	13
14	75.2	74.8	74.6	74.5	73.1	73.0	72.6	72.7	72.3	72.0	71.8	71.0	14
15	70.7	71.1	71.6	71.9	71.5	70.9	70.8	71.1	71.5	71.4	71.1	70.6	15
16	74.7	75.6	75.2	75.0	72.5	73.3	73.8	73.9	73.7	73.5	73.8	74.6	16
17	76.2	76.3	76.4	75.4	75.0	73.7	73.5	73.3	73.5	73.5	73.1	73.1	17
18	74.6	74.9	74.7	74.3	73.6	72.9	73.0	73.5	73.5	73.5	73.7	73.7	18
19	76.6	77.0	76.7	76.0	75.3	74.2	73.7	73.5	73.2	73.1	73.0	72.8	19
20	84.4	84.3	82.0	80.5	78.1	76.9	75.9	75.2	74.7	74.2	74.3	74.4	20
21	78.2	78.0	77.2	76.6	76.4	75.6	75.2	74.6	74.7	74.9	74.7	74.5	21
22	78.9	78.7	78.5	77.3	76.6	76.4	75.8	75.8	75.5	75.5	75.7	75.7	22
23	80.5	79.8	79.1	78.6	77.3	76.2	75.1	74.8	74.7	74.5	74.4	74.2	23
24	80.6	81.3	78.8	78.5	78.1	77.4	77.0	76.4	75.5	74.9	74.6	74.5	24
25	76.0	76.9	75.8	74.7	74.8	73.9	73.6	73.6	73.7	73.5	73.3	73.3	25
26	78.0	77.0	77.5	76.8	76.3	75.7	75.4	75.1	75.1	74.9	74.6	74.6	26
27	79.1	78.0	77.6	77.7	77.0	76.4	75.8	75.8	75.4	75.4	75.3	75.3	27
28	76.3	77.3	78.0	78.0	76.4	76.0	76.0	76.2	76.3	75.9	75.9	75.9	28
29	81.9	80.6	80.3	80.0	79.6	79.1	78.7	78.6	78.5	78.6	78.5	78.2	29
30	73.1	75.2	75.9	76.1	76.4	78.0	79.2	79.0	78.2	78.2	74.6	73.1	30
31	80.7	81.4	80.6	80.0	77.9	77.0	76.8	76.4	76.0	75.3	75.6	73.6	31

6 HOURLY VALUES OF THE TEMPERATURE OF EVAPORATION, AMOUNT OF CLOUD, AND SUNSHINE

TABLE III.—TEMPERATURE OF EVAPORATION at every HOUR of the DAY, in the MONTH of OCTOBER, 1923.

Days of the Month.	Hours, Hongkong Standard Time.											Days of the Month.	
	1	2	3	4	5	6	7	8	9	10	11		
1	64·9	64·0	63·7	62·6	62·2	61·3	62·0	61·5	63·4	66·1	66·1	67·4	
2	67·3	66·0	63·9	64·0	63·7	63·9	64·0	64·7	65·9	67·2	68·0	68·4	
3	65·3	65·8	65·7	65·9	65·8	66·0	66·9	67·4	68·2	69·0	69·4	69·5	
4	68·0	68·0	68·1	68·2	68·4	68·2	68·3	69·5	70·9	71·0	71·3	72·3	
5	72·5	72·7	72·5	72·0	71·0	71·1	71·0	71·0	71·1	71·0	72·1	74·0	
6	72·6	72·3	72·4	72·5	71·5	68·5	66·7	66·6	66·7	67·9	68·7	69·5	
7	65·6	65·5	65·2	64·3	64·2	64·0	64·6	65·2	65·8	66·3	67·8	68·8	
8	70·6	70·2	70·1	69·5	67·1	64·1	64·1	65·2	64·5	65·2	65·9	66·0	
9	60·5	60·1	59·4	59·0	58·6	58·3	58·7	59·6	60·5	61·7	63·0	64·5	
10	60·8	59·4	58·4	56·6	56·1	56·1	56·9	57·7	58·5	59·2	61·1	61·5	
11	57·6	56·9	56·9	55·9	56·0	55·3	57·0	57·0	57·6	57·9	59·3	60·6	
12	65·7	65·6	65·3	65·1	66·0	65·5	65·6	66·7	67·1	67·0	67·5	67·5	
13	68·3	67·8	67·6	67·6	68·0	68·5	68·5	68·9	69·0	69·8	71·0	70·5	
14	72·4	72·5	72·4	72·4	72·5	72·6	72·9	72·8	73·2	71·2	72·5	73·4	
15	68·0	67·5	67·3	67·0	66·7	66·2	66·2	66·3	66·7	67·5	68·3	68·2	
16	69·6	69·5	68·3	68·0	67·9	68·6	68·6	68·3	67·9	67·7	67·5	69·0	
17	66·7	66·6	67·1	65·5	65·0	64·4	64·7	65·3	63·0	63·3	62·6	63·2	
18	69·1	69·9	68·6	68·8	68·0	68·1	68·2	68·1	68·5	68·6	68·9	68·7	
19	70·1	70·1	69·9	69·6	69·7	69·6	69·5	69·7	70·4	70·3	71·0	70·6	
20	71·5	71·1	69·9	69·7	70·0	70·5	70·5	71·0	71·7	72·3	73·4	73·8	
21	71·5	71·8	72·0	72·4	72·3	72·6	72·4	72·0	72·3	72·6	72·0	72·6	
22	71·3	71·2	71·1	70·7	71·0	70·7	71·0	71·6	72·3	72·8	73·2	72·9	
23	72·7	72·7	72·6	72·6	72·7	72·8	73·0	73·0	73·6	74·4	74·5	74·5	
24	72·4	72·4	72·5	72·3	72·2	71·9	72·2	73·5	74·5	74·1	74·7	75·0	
25	71·0	70·6	70·2	70·5	70·5	70·2	70·0	70·0	70·1	70·2	70·2	70·1	
26	70·5	70·5	70·3	69·8	70·5	70·5	70·6	72·0	72·7	73·0	72·9	73·0	
27	72·7	72·5	72·5	72·8	72·8	72·5	72·8	73·5	74·3	75·0	74·7	74·6	
28	73·5	73·2	73·5	73·5	73·5	73·4	72·5	73·2	73·5	73·5	74·4	74·9	
29	73·0	72·8	73·0	73·1	73·2	72·9	73·7	74·5	75·8	75·8	75·8	75·1	
30	74·5	74·5	74·6	74·1	73·9	74·2	74·0	74·7	75·3	71·7	70·6	71·0	
31	72·1	71·4	71·8	72·0	72·0	72·3	72·3	72·6	73·0	73·6	75·0	75·3	
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midu.	Days of the Month.
1	69·3	70·7	69·6	68·8	68·2	68·0	68·8	67·8	68·6	68·5	68·c	67·3	1
2	69·8	69·9	69·8	69·9	69·2	68·0	67·1	66·9	66·1	65·6	64·9	64·8	2
3	70·6	71·0	71·6	70·7	69·5	59·0	68·9	68·8	68·6	68·4	68·0	68·0	3
4	72·3	70·9	70·9	71·3	71·3	71·7	71·5	71·7	72·1	72·4	72·7	73·0	4
5	73·1	73·8	73·5	74·5	73·5	72·5	72·6	72·5	73·0	73·2	73·0	73·1	5
6	69·5	70·8	70·0	72·1	71·0	70·4	70·4	70·5	70·5	68·0	66·5	65·6	6
7	69·3	68·9	70·4	70·0	69·4	68·9	69·1	69·4	70·5	70·4	70·2	70·4	7
8	66·3	67·5	68·1	68·0	67·2	66·5	65·8	64·9	63·5	62·2	61·7	60·9	8
9	65·3	64·7	63·5	62·5	62·5	61·2	60·7	60·6	61·0	61·3	61·5	61·3	9
10	62·0	62·0	62·7	62·5	62·3	63·3	62·9	62·3	58·6	58·6	58·5	58·4	10
11	60·7	61·6	61·7	62·7	63·2	63·1	64·2	64·1	65·0	65·4	65·5	65·4	11
12	67·4	67·1	66·8	66·0	65·2	65·4	65·2	65·8	65·1	65·5	65·8	66·2	12
13	70·2	70·4	70·4	70·4	70·0	70·4	70·8	71·3	71·5	71·8	71·8	71·8	13
14	73·4	73·5	73·5	73·1	72·0	72·0	71·5	71·3	71·0	70·7	70·3	69·7	14
15	68·5	69·5	69·6	69·2	69·2	69·3	69·4	69·6	69·4	69·4	69·4	69·5	15
16	68·9	69·4	69·0	69·7	67·2	67·7	68·4	68·5	68·5	67·9	67·0	67·7	16
17	63·9	64·6	65·4	66·2	66·8	67·2	67·6	68·5	69·3	69·5	69·5	69·5	17
18	68·5	68·4	68·5	68·5	68·5	68·7	69·3	69·8	69·8	70·0	70·2	70·4	18
19	70·5	70·9	70·9	70·3	70·4	70·2	70·2	70·1	70·5	70·5	70·9	70·7	19
20	72·6	72·5	72·6	71·6	71·8	69·9	70·5	74·0	71·6	71·2	71·8	71·6	20
21	73·0	72·0	72·2	72·0	71·6	71·6	71·8	73·9	72·0	71·9	71·5	71·8	21
22	74·0	74·0	74·0	73·5	72·8	72·7	73·0	73·3	72·7	72·6	73·0	73·0	22
23	74·5	74·4	74·2	73·5	73·2	73·4	73·3	73·0	73·2	72·8	72·5	72·5	23
24	73·9	74·6	73·1	74·0	73·2	72·5	73·3	72·3	72·6	72·3	71·9	71·5	24
25	70·8	71·2	70·9	70·5	70·5	69·7	69·4	69·8	70·0	70·2	70·5	70·5	25
26	72·6	72·4	72·6	72·5	72·4	72·3	72·3	72·4	72·6	72·7	72·8	73·0	26
27	74·8	74·5	74·0	73·7	74·0	73·9	73·9	74·2	74·1	73·7	74·0	73·8	27
28	74·5	75·5	75·8	75·2	74·0	73·7	73·9	73·7	73·2	73·1	73·0	72·6	28
29	75·4	74·9	75·3	75·4	75·0	74·6	74·5	74·5	74·5	74·5	74·4	74·3	29
30	72·5	73·7	74·0	74·7	74·8	75·5	75·8	76·1	75·9	75·9	73·6	72·6	30
31	75·1	75·2	74·5	74·5	73·1	73·5	72·6	72·7	73·3	73·3	73·3	73·2	31

AT THE ROYAL OBSERVATORY, HONGKONG, IN THE MONTH OF OCTOBER, 1923.

7

TABLE IV.—AMOUNT of CLOUD, (0-10), at every Hour of the Day, in the Month of OCTOBER, 1923.
(... = Clear Sky.)

Days of the Month	Hours, Hongkong Standard Time.																								Days of the Month	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	
1	1	2	3	2	2	4	7	7	7	7	7	7	7	6	2	2	1	...	1	
2	1	2	3	6	7	7	7	6	7	7	4	5	5	8	6	7	8	9	8	2	2	2		
3	7	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	6	9	10	10	10	10	3	
4	10	10	10	10	10	10	9	7	5	5	4	6	6	8	8	9	7	6	3	3	7	8	10	10	4	
5	6	9	5	3	9	9	7	7	4	4	4	4	7	8	9	7	2	1	5	
6	...	1	4	8	2	3	4	3	1	1	1	...	1	...	1	1	1	6	
7	1	1	1	1	1	7	8	9	8	10	10	7
8	10	7	6	5	3	1	1	2	2	1	9	
9	10	
10	1	1	...	2	1	2	10	
11	8	6	5	4	1	2	1	1	1	1	1	1	...	1	2	6	7	7	9	6	
12	5	3	3	5	7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	11	
13	6	9	8	10	10	10	10	10	9	9	9	10	10	10	10	10	10	9	8	8	7	5	9	10	12	
14	8	8	10	9	10	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	13	
15	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	14	
16	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	15	
17	5	5	3	2	2	4	4	1	1	1	3	3	2	4	6	5	3	2	2	2	3	3	5	5	17	
18	7	7	8	9	7	6	6	8	8	9	7	6	4	3	2	1	2	2	6	9	10	10	10	9	18	
19	8	8	7	6	8	7	5	4	9	8	3	1	1	1	1	1	1	1	1	2	3	2	1	4	19	
20	7	9	2	1	1	9	10	8	1	...	1	1	1	1	1	2	3	2	4	3	2	2	2	7	20	
21	8	9	4	2	5	9	9	8	4	3	3	6	3	8	8	7	3	1	1	1	2	1	2	9	21	
22	3	1	1	3	6	8	5	8	9	10	8	6	5	6	9	9	9	8	5	8	9	9	10	22		
23	10	10	7	5	7	9	8	9	7	6	3	2	2	4	4	3	6	5	3	4	6	2	1	23		
24	3	4	2	...	1	5	9	7	2	3	6	7	10	4	6	7	9	9	8	10	10	10	10	24		
25	10	10	10	10	10	10	10	10	10	10	9	10	9	10	9	3	2	2	1	2	2	6	10	25		
26	5	2	1	10	10	10	6	2	3	6	5	6	4	3	1	1	5	6	...	2	2	4	5	3	26	
27	2	6	10	9	8	4	6	8	9	9	10	9	9	9	7	7	3	2	2	2	1	2	7	27		
28	3	4	6	5	7	10	10	9	10	10	10	10	10	10	10	10	9	6	2	6	2	2	1	28		
29	2	3	9	9	10	10	5	8	7	8	10	9	7	9	8	9	10	9	9	9	10	10	10	9	29	
30	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	30	
31	10	10	10	10	10	10	10	10	10	10	8	5	9	3	4	10	6	10	10	10	10	4	6	10	10	

TABLE V.—AMOUNT of SUNSHINE registered in each Hour of the DAY, in the Month of OCTOBER, 1923
(... = No Sunshine recorded.)

Days of the Month	Hours, Hongkong Apparent Time.																Days of the Month									
	6	7	8	9	10	11	Noon	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
1	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	1
2	...	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.8	0.6	0.4	2	
3	...	0.1	0.6	0.4	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.1	0.5	0.6	0.9	0.9	0.9	0.9	0.9	3
4	...	0.3	...	0.1	4
5	...	0.8	1.0	0.8	0.8	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.4	0.5	0.6	0.9	0.9	0.9	0.9	0.9	0.9	5
6	...	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	6
7	...	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	7
8	...	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	8
9	...	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	9
10	...	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	10
11	...	0.6	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.6	0.8	11
12	12
13	0.5	0.5	0.8	0.9	0.2	13
14	...	0.1	14
15	15
16	0.6	0.5	0.1	0.4	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	16
17	...	0.8	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.7	0.7	17
18	...	0.3	0.6	0.9	0.6	0.6	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	18
19	...	0.1	0.9	1.0	0.7	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	19
20	...	0.1	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	20
21	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.7	0.2	...	1.0	0.1	21	
22	...	0.3	0.7	0.1	0.4	1.0	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.8	0.3	0.2	22
23	0.4	1.0	1.0	1.0	0.6	0.3	0.5	1.0																

HOURLY VALUES OF RAINFALL AND WIND.

TABLE VI.—AMOUNT OF RAINFALL registered in each HOUR of the DAY, in the MONTH of OCTOBER, 1923.
 (d = Unregistered Drizzle. . . . = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.
1	1
2	2
3	3
4	d	4
5	d	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	d	...	d	13
14	d	0.023	0.180	0.050	0.120	14
15	0.030	0.010	...	d	0.010	0.005	...	0.005	0.010	d	...	0.005	15
16	0.020	d	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	d	26
27	0.005	d	...	27
28	d	...	d	0.075	0.005	...	0.110	0.070	0.130	0.005	28
29	0.080	d	29
30	d	d	d	0.005	0.180	0.380	0.460	30
31	2.125	2.820	2.150	2.250	2.060	0.900	0.080	0.263	0.855	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the
MONTH of OCTOBER, 1923.
(The Direction is given in points, and the Velocity in miles per hour.)
(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.												
	1	2	3	4	5	6	7	8	9	10	11	Noon.													
1	1	7	2	10	3	6	32	2	...	1	5	1	4	32	5	31	6	32	6	34	7	32	9	1	
2	29	3	29	4	1	8	1	9	32	14	32	4	32	6	1	6	32	9	1	6	32	14	2		
3	2	14	2	9	1	12	1	14	1	13	1	10	2	10	2	8	2	6	1	10	1	12	3		
4	1	11	1	6	1	3	1	5	1	5	1	7	2	7	3	...	4	10	5	12	7	10	9	4	
5	6	10	6	9	6	5	7	6	6	2	5	3	3	6	1	2	1	4	4	5	8	9	11	5	
6	8	6	7	4	8	2	1	7	2	5	2	2	10	1	22	32	19	1	14	1	12	6	
7	1	10	1	8	2	13	3	14	1	6	16	6	8	5	3	12	2	10	2	11	1	9	1	10	7
8	9	7	7	6	5	2	4	2	3	4	2	5	...	1	1	6	32	8	32	11	32	10	32	14	8
9	32	13	32	26	32	20	32	16	32	18	1	11	30	3	32	4	1	17	1	21	3	15	32	14	9
10	32	22	32	25	32	21	1	22	2	24	2	25	2	21	2	19	1	24	1	23	1	16	1	8	10
11	1	15	32	10	1	14	32	13	1	16	1	12	2	4	3	8	3	5	5	10	7	14	8	16	11
12	8	27	8	29	7	23	7	25	6	25	6	22	6	21	6	22	7	25	7	24	7	22	7	23	12
13	7	24	7	22	7	26	7	25	6	21	7	19	6	20	7	22	7	25	6	24	7	25	7	25	13
14	9	16	9	17	10	12	10	11	10	12	9	15	9	12	10	16	9	15	8	14	7	13	7	14	14
15	2	10	2	9	2	13	1	13	1	13	1	14	1	11	1	13	2	11	2	8	1	11	1	15	15
16	7	17	6	20	6	16	5	15	5	15	6	14	6	15	6	19	7	23	8	25	7	27	7	27	16
17	7	34	7	28	7	24	7	29	7	30	7	24	8	27	7	25	7	27	8	24	8	25	8	21	17
18	7	19	7	22	7	25	7	22	7	27	7	28	7	23	8	23	8	28	8	25	8	26	8	18	18
19	7	20	7	20	7	21	6	22	7	17	6	18	6	17	7	16	7	20	7	21	8	19	9	17	19
20	10	8	9	4	...	1	...	1	9	6	...	1	9	6	...	1	9	6	9	8	10	9	11	10	
21	9	5	9	8	9	7	8	7	8	9	8	17	7	21	8	20	8	20	8	21	8	22	9	21	21
22	7	15	7	17	7	12	7	12	7	15	7	15	7	15	7	14	8	14	8	16	9	14	9	13	22
23	8	14	7	13	8	11	8	10	8	9	7	10	7	11	7	12	8	12	9	13	9	13	9	13	23
24	9	3	9	3	11	2	11	6	11	7	9	4	24
25	7	26	7	24	6	24	6	21	6	17	6	17	6	18	6	18	7	19	7	21	7	19	7	25	25
26	6	9	6	10	6	8	...	1	8	7	9	11	8	9	8	10	8	10	9	10	9	12	9	13	26
27	9	8	10	11	11	5	12	3	13	6	13	5	...	1	...	1	10	6	9	13	9	14	8	14	27
28	9	2	...	1	...	1	9	3	9	4	9	8	8	9	8	8	7	7	4	7	5	7	11	28	
29	12	...	12	8	12	8	11	4	11	8	11	10	12	11	13	9	13	10	12	11	14	13	14	29	
30	15	20	15	22	15	21	15	22	15	20	15	20	15	16	14	16	13	17	12	19	14	20	5	15	30
31	21	2	22	6	24	8	23	5	13	4	29	6	29	3	29	9	29	9	29	4	28	2	27	3	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.												
Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.												
1	30	9	29	8	30	10	30	9	28	8	27	8	27	7	27	10	27	11	28	9	...	1	...	1	
2	32	17	32	15	1	9	1	12	32	11	32	6	32	15	1	19	1	20	2	22	2	19	1	13	2
3	1	10	1	14	1	11	1	12	1	11	2	8	1	11	2	9	1	8	1	11	1	12	1	13	3
4	10	11	10	16	9	16	9	12	9	12	8	11	8	11	7	11	7	12	7	11	7	12	6	13	4
5	11	10	9	6	3	2	26	3	24	4	...	14	3	11	8	9	9	8	7	8	6	8	6	5	5
6	1	10	2	9	23	7	22	11	21	11	21	9	23	4	27	4	30	5	1	11	1	13	6
7	9	8	18	5	22	7	19	8	17	6	15	7	15	4	8	10	13	10	10	10	7	7
8	1	14	1	12	32	8	31	9	32	5	1	4	1	5	2	5	1	11	32	13	1	18	1	13	8
9	1	8	3	3	3	3	5	32	6	1	10	2	5	1	4	32	6	31	14	32	17	32	21	28	
10	32	7	1	6	3	4	7	4	12	3	16	3	17	3	10	4	4	9	2	13	1	13	10
11	9	19	10	19	10	16	9	15	8	17	7	18	7	18	7	17	7	20	7	22	8	24	12	12	11
12	7	24	7	22	7	23	7	22	7	21	7	17	6	20	6	19	7	18	7	19	8	21	12	12	12
13	7	22	8	24	8	21	8	23	8	19	8	18	10	16	10	13	10	16	9	13	9	17	13	13	13
14	7	13	7	11	8	15	7	16	7	13	6	12	4	8	4	3	...	1	3	2	4	2	3	14	14
15	2	9	5	4	6	5	13	7	14	7	15	7	18	7	14	6	15	6	14	6	12	6	11	15	15
16	7	22	7	26	8	24	9	26	8	28	8	24	8	21	8	24	7	27	7	28	7	29	7	29	16
17	8	20	8	20	9	19	9	20	9	15	8	20	8	18	7	14	8	19	7	18	7	21	17	17	17
18	7	25	7	22	7	26	8	22	7	21	7	17	8	16	8	17	8	15	8	18	8	22	8	18	18
19	9	13	10	13	10	15	10	15	10	14	9	15	9	14	9	9	9	10	10	8	6	10	10	19	
20	12	9	11	12	10	13	9	14	9	15	9	11	8	8	7	8	8	5	8	5	8	4	7	20	
21	10	19	9	15	10	15	11	17	10	15	10	13	9	14	9	15	8	15	8	14	7	16	7	15	21
22	10	14	10	14	11	13	8	16	8	14	7	15	8	15	8	17	8	14	8	12	7	14	6	12	22
23	9	15	9	16	8	18	8	15	9	13	8	13	9	12	8	12	8	19	7	17	7	23	7	24	23
24	9	7	10	14	10	19	9	18	9	14	9	11	8	12	8	19	7	23	7	25	7	21	7	23	24
25	8	18	9	16	9	15	8	15	8	14	7	12	7	11	8	15	8	13	7	13	7	11	7	11	25
26	8	12	8	16	8	16	7	16	8	15	9	13	9	12	9	8	9	8	8	8	8	8	8	8	26
27	8	10	8	12	8	13	9	14	8	13	9	14	9	12	9	9	9	9	9	5	9	5	...	27	
28	7	9	8	8	9	8	10	7	11	7	10	9	10	9	10	9	6	11	7	12	4	4	4	28	
29	15	17	15	18	14	19	14	19	14	20	15	18	14	19	14	19	14	17	15	14	18	15	20	29	
30	16	3	12	2	...	1	17	3	15	3	15	9	15	9	15	9	16	15	19	10	25	12	24	9	30
31	45	5	24	9	24																				

TABLE VIII.—CHARACTER AND DIRECTION OF MOTION of the CLOUDS at THREE-HOURLY INTERVALS,
in the MONTH of OCTOBER, 1923.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	ci-st	ESE	ci-st	ENE	ci-st	ESE	ci-st	SE	ci-st	SE
2	ci-st	ENE	ci-st	NE	ci-st	NE	ci-st	ENE	ci-st	NE	ci-st	NE	a-cu	ENE
3	eu	SE	a-st	ESE	eu	ESE	eu	NNE	eu	ENE	ou	ENE	st-eu	ENE	eu-nb	NE
4	eu	NE	eu	NE	eu	NE	a-cu	SSE	eu	NE	ci-st	SW	ci-st	SW	eu	NE
5	ou-nb	ENE	eu	NE	a-cu	E	a-cu	E	a-cu	ENE	ou	NE
6	en	ENE	eu	ENE	eu	NE
7	eu	ENE	eu	NE
8	eu	NE	eu	NE	eu	SW	eu	SW
9
10	ci-st	NW
11	a-cu	NNW	a-on	NW	a-cu	WNW	ci-cu	W	eu	E
12	eu	E	eu	ENE	eu	E	eu-nb	E	eu-nb	E	st-eu	E	nb	E	eu-nb	E
13	ou-nb	E	nb	E	eu-nb	E	ou	E	st-eu	E	st-eu	ESE	eu	ESE	eu	ESE
14	eu	ESE	eu	ESE	ou	E	nb	E	nb	E	nb	E	nb	E	eu-nb	E
15	nb	E	nb	E	eu-nb	NE	ub	NE	nb	NNE	nb	NE	nb	NE	nb	ENE
16	nb	ENE	eu-nb	ENE	ou	E	ou	E	eu	E	eu-nb	E	st-eu	E	ou	E
17	eu	E	eu	E	cu	ENE	ou	E	eu	E	ci-st	SW	ou	E	eu	E
18	eu	E	ou	E	ci-st	WNW	eu	SSE	ci-st	WNW	eu	E	ci-st	WSW
19	ci-st	W	eu	E	eu	E	a-cu	WSW	eu	E	eu	E	eu	E	eu	E
20	eu	E	eu	E	a-cu	WSW	eu	...	eu	E	eu	E	ci-st	W	ci-st	W
21	ci-st	W	eu	E	a-cu	SW	eu	NNE	a-cu	WNW	a-cu	WNW	ci-st	WNW	eu	E
22	ci-st	WNW	eu	ci-st	W	eu	eu	E	eu	E	WNW	ci-st	W	eu	ESE	
23	eu	E	eu	ESE	eu	ESE	eu	SE	ci-st	WNW	ci-st	WNW	ci-st	WNW	ci-st	W
24	eu	E	a-cu	W	en	NE	en	ESE	en	ESE	en	E	eu-nb	R
25	eu-nb	E	eu-nb	E	nb	E	ou-nb	NNE	eu	ESE	ou	ESE	ou	ESE	ci-st	W
26	ci-st	W	eu	ESE	eu	E	eu	E	eu	E	eu	E	ci-st	WNW
27	eu	ESE	nb	E	eu	ESE	eu	SSE	nb	ESE	eu	S	eu	S	eu	S
28	eu	SSE	eu	SSE	eu-nb	SE	nb	SSE	nb	SSE	eu	SSE	eu	SSE	eu	SSE
29	eu	SSE	eu-nb	S	eu	S	eu	SSW	eu	SSE	eu	SSE	eu	SSE	eu	SSE
30	ou	SSE	ou-nb	SSE	eu	S	ab	S	nb	S	nb	SSW	op	S	nb	S
31	nb	S	nb	S	ub	S	ci-st	WSW	en	WSW	a-cu	WSW	en	WSW	en	SW

TABLE IX.—DAILY VALUES OF METEOROLOGICAL ELEMENTS in the Month of October, 1923.
(British Units.)

Days of the Month.	Mean Barometric Pres.sure.	Temperature.				Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine.		Rainfall.		Wind.						
		Of the Air		Range.	Mean				Daily Duration.	Percentage of possible amount.	Amount.	Duration.	Components.		Resultant.				
		Highest.	Lowest.										North.	East.	Direction.	Velocity.			
1	Ins.	o	o	o	o	o	o	o	ins.	o	o	o	m.p.h.	m.p.h.	o	m.p.h. m.p.h.			
1	29°703	86.8	72°9	13°9	79°5	66.2	0.467	47	2	10°7	90	...	+	5.4	2°0	340 5°8 6°5			
2	29°723	87.4	77°0	10°4	81°3	66.6	0.457	43	49	6°9	58	...	+	11°4	1°5	8 11°5 11°6			
3	29°836	80°5	73°1	7°4	76°1	68.3	0.589	65	96	1°7	14	...	+	10°2	2°5	14 10°5 10°5			
4	29°907	81°1	72°0	9°1	76°5	70.6	0.670	73	73	8°7	74	...	+	2°5	8°2	7.3 8°6 10°1			
5	29°898	84.6	75°3	9°3	78°8	72.5	0.715	73	44	9°5	8°1	...	+	0°5	4°2	8.3 4°2 5°8			
6	29°816	85.3	74°4	10°9	79°2	69.6	0.596	60	12	10°1	86	...	+	4°6	0°1	359 4°6 7°8			
7	29°760	84.3	74°5	9°8	78°5	67.7	0.534	55	19	10°9	92	...	+	2°0	2°8	55 3°4 7°9			
8	29°758	83.0	72°8	10°2	78°0	66.0	0.480	50	16	11°0	93	...	+	7°3	1°5	12 7°5 8°0			
9	29°831	83°2	71°8	11°4	77°1	61.2	0.330	35	...	11°1	95	...	+	12°3	0°8	4 12°3 12°4			
10	29°946	79.6	69°0	10°6	73°8	59.8	0.329	40	3	10°7	91	...	+	11°8	3°1	15 12°2 13°3			
11	30°002	76.0	67°2	8°8	72°0	60.4	0.372	47	28	10°5	90	...	+	4°0	11°6	7.1 12°3 15°0			
12	29°996	75.0	69°2	5°8	72°8	66.0	0.550	68	86	1°4	12	0.010	2	4°5	21°8	7.8 22°3 22°3			
13	29°948	77°0	73°2	3°8	74°9	69.8	0.662	76	90	3°1	27	...	+	1°7	20°3	8.5 20°4 20°7			
14	29°903	78.2	71°0	7°2	74°4	72.2	0.762	89	97	0°1	1	1.110	13	0°1	10°5	89 10°5 11°0			
15	29°995	72°1	68°2	3°9	70°3	68.2	0.663	90	100	0.115	9	7°4	7°1	44 10°3 11°6			
16	30°064	75.9	70°8	5°1	73°5	68.4	0.627	76	95	2°7	23	0.020	2	3°5	21°7	8.1 22°0 22°3			
17	30°056	76.6	72°3	4°3	74°1	66.0	0.532	63	30	10°5	91	...	+	2°1	22°1	8.5 22°2 22°3			
18	29°985	75.3	71°9	3°4	73°5	68.9	0.646	78	62	9°5	83	...	+	2°2	22°1	8.4 22°2 22°2			
19	29°947	77.4	72°8	4°6	74°6	70.3	0.684	80	42	9°6	83	14°9	9.0	14°9 15°3			
20	29°927	84.7	71°0	13°7	76°5	71.6	0.710	77	33	9°9	86	...	—	1°9	6°4	10.7 6°7 7°0			
21	29°918	78.8	74°4	4°4	75°9	72.1	0.737	83	48	7°0	61	...	—	1°7	14°7	9.7 14°8 15°0			
22	29°904	79.7	73°3	6°4	76°0	72.4	0.748	84	66	7°3	63	...	+	0°5	14°2	8.8 14°2 14°3			
23	29°962	80.6	74°2	6°4	76°6	73.3	0.777	85	54	8°6	75	...	—	0°3	11°7	9.1 11°7 11°7			
24	29°959	82.5	73°2	9°3	77°0	72.0	0.759	82	63	7°5	66	...	—	0°6	9°6	9.4 9°6 9°8			
25	29°903	77.5	73°1	4°4	74°3	70.3	0.688	82	77	3°6	32	...	+	3°1	16.5	7.9 16.8 16.9			
26	29°825	79.6	72°4	7°2	75°6	72.0	0.738	84	42	9°7	85	...	—	0°4	10°2	9.2 10°2 10°4			
27	29°783	80.3	74°5	5°8	76°6	73.7	0.793	86	60	3°3	29	0.005	1	1°7	7.8	10.2 8°0 8.2			
28	29°766	78.4	74°0	4°4	76°0	73.8	0.806	90	62	3°1	27	0.400	5	1°2	5.7	10.2 5.8 6.2			
29	29°700	82.0	73°2	6.8	78.5	74.4	0.797	82	82	7°8	69	0.080	1	12°3	6.0	5.4 13°7 13°8			
30	29°689	79.4	70°5	8°9	76°7	74°1	0.809	88	100	4.590	13	1°1	0.1	18.0 1.1 12°3			
31	29°761	81.9	71°5	10°4	75°9	73°2	0.783	87	85	6°2	55	11.505	9	0°8	3°5	28.3 3°6 4°5			
Means	29°8-6	80.2	72°5	7°7	76°0	69.4	0.639	72	56	212.7	59	17.835	56	+ 2.2	+ 8.8	7.6 9.1 12.5			
Normal	29°873	80.9	72°8	8.1	76°4	70.0	0.654	71	51	213.2	59	4.850	33	+ 2.9	+ 10.4	7.4 10.8 14.2			
Absolute Max.	30°061	87.4	...	13°9	...	77.0	0.864	...	11.1	95	11.505	13	34.0†			
Day	11	2	...	1	...	29	28	...	9	9	31	14.30	17.1‡			
Absolute Min.	29°620	...	6.2	3.4	...	55.3	0.268	29			
Day	29	...	11	18	...	11	11	9			

Phenomena :—

- Solar halo :—on the 1st.
Lunar halo :—on the 2nd, 18th and 20th.
Lunar corona :—on the 1st, 23rd, 24th and 27th.
Fog :—on the 30th.
Unusual visibility :—on the 3rd, 20th and 27th.
Dew :—on the 20th, 22nd and 24th.
Lightning :—on the 29th.
Thunder :—on the 30th.

Thunderstorms as follows :—

- 30th 9^h 20^m to 11^h 15^m in N.N.W.; distant.
30th 18^h 53^m to 19^h 20^m in N.W.; distant.
31st 0^h 02^m to 1^h 50^m N.N.W. to S.S.E.; nearest at 1^h 44^m (3rd).
31st 4^h 15^m to 6^h 07^m in N.E.; distant.

Rain fell on 8 days. The mean hourly intensity was 0.318^{lb}, and the maximum fall in one hour was 2.820^{lb} at 2^h on the 31st.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 43 miles per hour at 1^h 24^m on the 17th.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the Month of October, 1923.
(C. G. S. Units:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature.					Mean Vapor Tension.	Rainfall.		Wind.				Observed Velocity.		
		Of the Air.			Mean.	Of Evaporation.		Amount.	Duration.	Components.		Resultant.				
		Highest.	Lowest.	Range.						North.	East.	Direction.	Velocity.			
		m.s.	o	o	o	o	m.s.	m.m.	hrs.	m.p.m.	m.p.m.	o	m.p.m.	m.s.		
1	1007.8	303.4	295.7	7.7	299.4	292.0	15.7	+ 1.8	- 0.7	340	1.9	2.1		
2	1008.4	303.8	298.0	5.8	300.4	292.2	15.4	+ 3.7	+ 0.3	8	3.8	3.8		
3	1012.3	299.9	295.3	4.1	297.5	293.2	19.9	+ 3.3	+ 0.8	14	3.4	3.4		
4	1014.7	300.3	295.2	5.1	297.7	294.4	22.6	+ 0.8	+ 2.7	73	2.8	3.3		
5	1014.4	302.2	297.1	5.1	299.0	295.5	24.1	+ 0.2	+ 1.4	83	1.4	1.9		
6	1011.6	302.6	296.6	6.0	299.2	293.9	20.1	+ 1.5	- 0.9	359	1.5	2.6		
7	1009.7	302.1	296.6	5.5	298.8	292.8	18.0	+ 0.7	+ 0.9	55	1.1	2.6		
8	1009.6	301.5	295.7	5.6	298.6	291.9	16.2	+ 2.4	+ 0.5	12	2.5	2.6		
9	1012.1	301.4	295.1	6.3	298.1	289.2	11.1	+ 4.0	+ 0.3	4	4.0	4.1		
10	1016.1	299.4	293.6	5.8	296.2	288.4	11.1	+ 3.9	+ 1.0	15	4.0	4.4		
11	1018.0	297.4	292.6	4.8	295.2	288.8	12.5	+ 1.3	+ 3.8	71	4.0	4.9		
12	1017.8	296.9	293.7	3.2	295.7	291.9	18.6	0.3	2	+ 1.5	+ 7.1	78	1.3	6.3		
13	1016.1	298.0	295.9	2.1	296.8	294.0	22.3	+ 0.6	+ 6.7	85	6.7	6.8		
14	1014.6	298.7	294.7	4.0	296.6	295.3	25.7	28.2	13	...	+ 3.4	89	3.4	3.6		
15	1017.8	295.3	293.1	3.2	294.3	293.1	22.3	2.9	9	+ 2.4	+ 2.3	44	3.4	3.8		
16	1020.1	297.4	294.6	2.8	296.1	293.2	21.2	0.5	2	+ 1.3	+ 7.1	84	2.2	2.3		
17	1019.8	297.8	295.4	2.4	296.4	291.9	17.9	+ 0.7	+ 7.2	85	2.3	2.3		
18	1017.4	297.4	295.2	1.9	296.1	293.5	21.8	+ 0.7	+ 7.2	84	2.3	2.3		
19	1016.1	298.2	295.7	2.5	296.7	294.3	23.1	+ 4.9	90	4.9	5.0	5.0		
20	1015.4	302.3	294.7	7.6	297.7	295.0	23.9	+ 2.1	107	2.2	2.3	2.3		
21	1015.1	299.0	296.6	2.4	297.4	295.3	24.9	- 0.6	+ 4.8	97	4.9	4.9		
22	1014.6	299.5	295.9	3.6	297.4	295.4	25.2	+ 0.2	+ 4.7	88	4.7	4.7		
23	1016.6	300.0	296.4	3.5	297.8	295.9	26.2	- 0.1	+ 3.8	91	3.8	3.8		
24	1016.5	301.1	295.9	5.2	298.0	295.8	25.6	- 0.2	+ 3.1	94	3.1	3.2		
25	1014.6	298.8	295.8	2.5	296.5	294.3	23.2	+ 1.0	+ 5.4	79	5.5	5.5		
26	1011.9	299.4	295.4	4.0	297.2	295.2	24.9	- 0.4	+ 3.3	92	3.3	3.4		
27	1010.5	299.8	296.6	3.2	297.8	296.2	26.7	0.1	1	- 0.6	+ 2.6	102	2.6	2.7		
28	1009.9	298.8	296.3	2.5	297.4	296.2	27.2	10.2	5	- 0.4	+ 1.9	102	1.9	2.9		
29	1007.7	300.8	297.0	3.8	298.8	296.6	26.9	2.0	1	- 4.0	+ 2.0	154	4.5	4.5		
30	1007.3	299.3	294.4	4.9	297.8	296.4	27.3	116.6	13	- 3.6	...	180	3.6	4.0		
31	1009.8	300.7	294.9	5.8	297.4	295.9	26.4	292.2	9	+ 0.3	- 1.1	283	1.2	1.5		
Means.	1013.7	299.8	295.5	4.3	297.4	293.8	21.6	453.0	56	+ 0.7	+ 2.9	76	3.0	4.4		
Kernals.	1013.6	300.2	295.7	4.5	297.7	294.1	22.0	123.2	33	+ 1.0	+ 3.4	74	3.3	4.7		
Absolute Maximum.	1020.0	303.8	...	7.7	...	298.0	291.1	292.2	1.3	11.17		
Day.	11	2	...	3	...	29	28	31	14.80	10.38		
Absolute Minimum.	1005.0	...	292.6	1.9	...	285.9	9.0		
Day.	29	...	11	18	...	11	11		

* °C = N. 90° = E. &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES OF METEOROLOGICAL ELEMENTS in the Month of October, 1923.
(British Units.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature.		Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall, Percentage of Total		Wind.			
		Of the Air.	Of Evaporation					Amount.	Duration	Components.	Resultant	Direction.	Velocity.
	Ins.	c	o	Ins.	%	%	%	m.p.h.	m.p.h.	o	m.p.h.	m.p.h.	Observed Velocity.
1	29.876	74.5	69.1	0.645	75	54	12	5	+ 3.3	+ 9.3	70	9.9	13.0
2	29.865	74.2	68.9	0.642	76	57	16	3	+ 3.5	+ 8.9	68	9.6	13.3
3	29.859	74.0	68.6	0.634	75	54	13	3	+ 3.8	+ 7.7	64	8.6	12.0
4	29.857	73.8	68.3	0.625	75	56	7	3	+ 3.9	+ 7.3	62	8.3	11.4
5	29.864	73.5	68.2	0.625	76	64	6	4	+ 4.0	+ 7.5	62	8.5	11.7
6	29.877	73.5	67.9	0.614	75	71	5	4	+ 3.2	+ 8.3	69	8.9	11.9
7	29.890	73.8	68.1	0.617	74	67	34	2	+ 3.0	+ 7.9	69	8.5	10.6
8	29.907	75.0	68.5	0.616	71	66	56	2	+ 3.8	+ 8.5	66	9.3	11.9
9	29.919	76.4	69.0	0.615	68	59	63	5	+ 4.5	+ 9.4	64	10.4	13.7
10	29.926	77.0	69.3	0.619	67	58	65	5	+ 3.8	+ 9.8	69	10.5	14.1
11	29.915	78.0	69.8	0.624	65	56	70	4	+ 3.1	+ 10.1	73	10.6	13.7
Noon.	29.894	78.6	70.2	0.632	65	56	70	3	+ 2.5	+ 10.3	76	10.6	14.1
13	29.872	78.9	70.4	0.636	64	56	70	6	+ 1.5	+ 9.7	81	9.8	13.2
14	29.850	79.1	70.7	0.645	65	54	71	1	+ 0.4	+ 9.6	88	9.6	13.1
15	29.837	78.7	70.6	0.646	66	57	67	5	- 0.5	+ 9.5	93	9.5	13.1
16	29.833	78.3	70.6	0.651	68	56	63	2	- 0.3	+ 9.5	92	9.5	13.6
17	29.840	77.3	70.1	0.646	69	57	55	4	- 0.3	+ 8.8	92	8.8	12.7
18	29.847	76.4	69.9	0.650	72	54	4	4	- 0.7	+ 8.7	95	8.7	11.5
19	29.859	75.9	69.9	0.657	74	46	...	3	- 0.4	+ 8.4	93	8.4	11.3
20	29.876	75.6	70.0	0.665	76	47	2	5	+ 0.4	+ 8.4	87	8.4	10.9
21	29.890	75.3	69.9	0.665	76	46	1	4	+ 1.0	+ 8.3	83	8.4	11.8
22	29.895	75.2	69.8	0.662	76	52	1	2	+ 2.4	+ 8.6	74	8.9	12.1
23	29.897	75.0	69.6	0.657	76	50	6	4	+ 3.2	+ 8.9	70	9.5	12.7
Mdn.	29.890	74.8	69.5	0.656	76	58	7	5	+ 2.7	+ 8.6	72	9.0	12.3

TABLE XII.—MEAN HOURLY VALUES OF METEOROLOGICAL ELEMENTS in the Month of October, 1923.
(C. G. S. Units:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature.		Mean Vapour Tension	Wind.			
		Of the Air.	Of Evaporation		Components.	Resultant	Direction.	Velocity
	m.b	c	m.b	m.p.s.	m.p.s.	o	m.p.s.	m.p.s.
1	1013.7	296.6	293.6	21.8	+ 1.1	+	3.0	3.2
2	1013.3	296.4	293.5	21.7	+ 1.1	+	2.9	3.1
3	1013.1	296.3	293.3	21.4	+ 1.2	+	2.5	2.8
4	1013.0	296.2	293.2	21.1	+ 1.3	+	2.4	2.7
5	1013.3	296.1	293.1	21.1	+ 1.3	+	2.5	2.8
6	1013.7	296.1	292.9	20.7	+ 1.0	+	2.7	2.9
7	1014.2	296.2	293.1	20.8	+ 1.0	+	2.6	2.8
8	1014.7	296.9	293.3	20.8	+ 1.2	+	2.8	3.0
9	1015.1	297.7	293.6	20.7	+ 1.5	+	3.1	3.4
10	1015.4	298.0	293.7	20.9	+ 1.2	+	3.2	3.6
11	1015.0	298.6	294.0	21.1	+ 1.0	+	3.3	3.5
Noon.	1014.3	298.9	294.2	21.3	+ 0.8	+	3.4	3.6
13	1013.5	299.1	294.3	21.5	+ 0.5	+	3.2	3.2
14	1012.7	299.2	294.5	21.8	+ 0.1	+	3.1	3.1
15	1012.3	298.9	294.4	21.8	- 0.2	+	3.1	3.3
16	1012.2	298.7	294.4	21.9	- 0.1	+	3.1	3.1
17	1012.4	298.2	294.2	21.8	- 0.1	+	2.9	2.9
18	1012.7	297.7	294.1	21.9	- 0.2	+	2.9	2.9
19	1013.1	297.4	294.1	22.1	- 0.1	+	2.8	2.8
20	1013.7	297.2	294.1	22.4	+ 0.1	+	2.8	2.8
21	1014.1	297.1	294.1	22.4	+ 0.3	+	2.7	2.8
22	1014.3	297.0	294.0	22.3	+ 0.8	+	2.8	2.9
23	1014.4	296.9	293.9	22.1	+ 1.0	+	2.9	2.8
Mdn.	1014.1	296.8	293.8	22.1	+ 0.9	+	2.8	3.0

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

OCTOBER,

1923.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	30TH SEPTEMBER, 1923.							1ST OCTOBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.			
		Inches.	Millrs.			Direct. ion.	Force		Inches.	Millrs.			Direct. ion.	Force		
Wladivostock, .	12	30.04	763.0	60	...	NNW	2	0	6	30.11	764.7	52	...	E	2	b
Nenuro,	13	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	15	30.12	765.0	69	70	E	1	b	6	30.05	763.2	58	76	...	0	o
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.04	762.9	75	49	NNE	6	b	"	29.95	760.8	64	94	N	1	b
Gutzlaff,	14	29.93	760.2	70	100	NNE	6	o	"	29.91	759.7	71	100	NNE	4	o
Sharp Peak,	"	29.76	755.9	60	65	NNE	2	b	7	29.68	753.9	80	74	W	1	o
Amoy,	15	29.68	753.9	60	55	SSE	4	b	9	29.66	753.3	76	60	W	2	o
Swatow,	"	8
Taihoku,	11	29.79	756.6	68	91	W	4	r	5	66	94	WSW	6	r
Taichu,	"	29.71	754.5	79	...	N	6	o	"	29.71	754.5	72	..	ENE	2	o
Tainan,	"	29.68	753.9	81	...	NNE	7	b	"	29.63	752.7	73	..	N	4	o
Koshun,	"	29.63	752.7	81	...	NNW	4	o	"	29.55	750.6	79	..	NW	6	o
Pescadores,	"	29.74	755.4	81	...	N	7	b	"	29.67	753.6	75	..	NW	4	o
Canton,	14	29.77	756.1	88	49	N	2	b	6	29.86	758.4	66	73	N	2	b
Hongkong,	"	29.75	755.6	84	46	W	3	b	"	29.79	756.6	72	50	N	4	b
Gap Rock,	"	29.76	755.9	82	...	NNW	4	b	"	29.77	756.1	N	4	4
Macao,	"	29.75	755.7	82	44	NW	4	b	"	29.79	756.6	72	57	NW	4	b
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.80	756.9	86	58	NW	2	o	7	29.85	758.1	77	79	NE	4	bf
Tourane,	"	29.75	755.7	81	...	NW	6	o	"	29.78	756.3	77	..	NW	2	o
Cape St. James, .	"	29.76	756.0	81	...	SW	6	o	"	29.79	756.6	75	..	SW	2	b
Aparri,	14	29.65	753.0	86	68	WNW	4	o	6	29.72	754.8	73	96	SW	1	o
Dagupan,	"	"
Manila,	"	29.69	754.2	86	71	SW	4	o	"	29.74	755.4	79	92	NW	1	b
Legaspi,	"	29.71	754.5	86	78	SW	4	o	"	29.75	755.7	77	96	SW	1	b
Tacloban,	"	"
Ilolo,	"	29.72	754.8	84	74	S	6	o	"	29.76	756.0	50	69	S	4	o
Surigao,	"	29.73	755.1	90	57	W	2	b	"	29.78	756.3	50	74	W	1	b
Guam,	12.20	29.66	753.3	NE	1	o	4.20	29.62	752.4	SW	6	o
Yap,	12.47	29.69	754.2	N	2	o	4.47	29.73	755.1	NW	4	r
Labuan,	14	29.78	756.4	88	76	N	1	b	6	29.78	756.4	80	91	N	2	b

September 30th. 17h. 45m.—Warning to Hongkong, :—Depression or typhoon of unknown intensity within 120 miles of Lat. 22° N. Long. 124° E., moving N.E.

October 1st. 9h. 50m.—Warning to Hongkong, Coast Ports, &c. :—Depression or typhoon of unknown intensity within 60 miles of Lat. 22° N. Long. 122° E., direction unknown.

October 1st. 11h. 05m.—Pressure has increased slightly at Wladivostock, Hongkong and Aparri. It has decreased moderately at Guam and Koshun, and slightly from Chefoo to Shanghai.

The anticyclone is moving eastward.

The reported fall of the barometer at Koshun suggests that the typhoon may be moving westward, but this requires confirmation. Its estimated position this morning was Lat. 22° N. and Long. 122° E.

A depression or typhoon is shown to the north of Guam.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 88.70 inches, against an average of 75.87 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.
DISTRICT.**

FORECAST.

- 1.—Formosa Channel, N. winds, strong.
- 2.—South coast of China between Hongkong and Lammao,
- 3.—Hongkong to Gap Rock, N. winds, moderate; fine.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	1ST OCTOBER, 1923.							2ND OCTOBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.			
		Inches.	Millrs.			Direct. ion.	Force.		Inches.	Millrs.			Direct. ion.	Force.		
Vladivostock, .	12	30.01	762.2	61	...	S	4	0	6	29.78	756.3	58	...	WNW	4	b
Nemuro,	11	5
Hokodate,	“
Tokio,	“	“
Kochi,	“	“
Nagasaki,	“	“
Kagoshima,	“	“
Oshima,	“	“
Naha,	“	“
Ishigakijima,	“	“
Bonin Island,	“	“
Chefoo,	15	29.95	760.7	70	61	S	1	0	6	30.18	766.6	60	65	NNW	4	o
Hankow,	“	“
Ichang,	“	“
Changsha,	“	“
Shanghai,	11	29.98	761.4	73	71	NNE	4	o	“	29.98	761.4	68	81	NNE	1	o
Gutzlaff,	14	29.89	759.2	70	100	NNE	6	r	“	29.95	760.7	69	100	NNE	6	r
Sharp Peak,	“	29.55	750.5	84	75	N	6	o	7	29.78	756.4	71	94	N	1	o
Amoy,	15	29.57	751.1	88	52	WSW	2	b	9	29.64	752.8	73	86	W	6	r
Swatow,	“	8
Taihoku,	11	29.42	747.3	75	71	WSW	1	b	5	29.71	754.5	72	98	o	o	o
Taichu,	“	29.71	754.5	70	...	ESE	2	r	“	29.73	755.1	72	...	SSE	2	r
Tainan,	“	29.68	753.9	81	...	NNW	4	o	“	29.71	754.5	72	..	ESE	4	o
Koshun,	“	29.65	753.0	81	...	NW	6	o	“	29.73	755.1	79	...	o	o	r
Pescadores,	“	29.69	754.2	82	...	WNW	4	o	“	29.72	754.8	73	...	S	6	r
Canton,	14	29.75	755.6	89	96	N	2	b	6	29.81	757.2	71	74	N	2	c
Hongkong,	“	29.72	754.9	87	42	NW	2	c	“	29.77	756.1	79	39	SSE	1	c
Gap Rock,	“	29.75	755.6	NNW	5	b	“	29.76	755.9	NNW	4	b
Macao,	“	29.73	755.1	82	54	NNW	4	b	“	29.76	755.9	72	62	NW	4	o
Wuchow,	15	9
Pakhoi,	“	“
Hoihow,	“	“
Phulien,	“	29.80	756.9	90	41	..	o	bf	7	29.87	758.7	73	75	NNW	4	bf
Tourane,	“	29.79	756.6	77	...	E	2	o	“	29.82	757.5	77	...	NW	2	o
Cape St. James, .	“	29.75	755.7	77	...	S	6	of	“	29.82	757.5	75	...	S	2	b
Aparri,	14	29.68	753.9	90	69	N	2	o	6	29.76	756.0	75	94	SW	2	b
Dagupan,	“	“
Manila,	“	29.74	755.4	86	75	WSW	4	o	“	29.79	756.6	75	96	SE	1	b
Legaspi,	“	29.74	755.4	82	84	SW	4	o	“	29.79	756.6	77	89	SW	2	..
Faeloban,	“	29.58	751.2	82	...	SW	6	cf	“
Iloilo,	“	29.69	754.2	86	71	S	6	b	“	29.79	756.6	79	95	SE	1	o
Surigao,	“	29.74	755.4	86	58	W	2	o	“	29.76	756.0	81	87	W	1	o
Guam,	12.20	4.20	29.75	755.7	o	0	b
Yap,	12.47	29.68	753.9	NW	4	o	4.47	29.71	754.5	NW	2	o
Labuan,	14	29.6	755.9	86	80	N	2	b	6	29.82	757.4	78	94	N	2	b

October 1d. 16h. 50m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 26° N. Long. 122° E., direction unknown.

October 2d. 9h. 55m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 24° N. Long. 118° E., moving W.S.W.

October 2d. 10h. 46m.—Pressure has increased considerably at Chefoo, Taihoku and Foochow. It has increased moderately at Guam and over S. Formosa, and slightly from Hongkong to Haiphong.

A moderate anticyclone is central over N. China.

The typhoon to the East of Koshun has filled up.

The new typhoon passed about 100 miles to the north of the Pescadores early this morning on a W.S.W. track. No information concerning the Guam typhoon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, o.co inch. Total since January 1st, 88.18 inches, against an average of 76.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD. DISTRICT.

FORECAST.

- 1.—Formosa Channel, S.E. winds, strong, moderating.
- 2.—South coast of China between Hongkong and Lamock, S.W. winds, strong.
- 3.—Hongkong to Gap Rock, N.W. to W. winds, fresh; fine at first, rain later.
- 4.—South coast of China between Hongkong and Hainan,

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	2ND OCTOBER, 1923.							3RD OCTOBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Millrs.	Direction.			Force.	WEATHER.		
Vladivostock, .	12	29.73	755.2	60	...	WNW	3	b	6	29.85	758.2	50	...	WSW	4	b
Nemuro,	11	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Ragoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	15	30.14	765.5	64	68	NW	2	b	6	30.15	765.8	54	74	...	0	o
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.06	763.5	72	65	NE	2	o	"	30.13	765.3	61	69	NNE	1	o
Gutzlaff,	14	30.00	762.0	70	100	NNE	6	o	"	30.07	763.8	65	100	NNE	4	o
Sharp Peak,	"	29.83	757.7	72	90	N	1	r	7	29.95	760.7	69	90	N	4	o
Amoy,	15	29.70	754.4	73	92	NNE	4	r	9	29.88	758.9	70	85	NE	2	o
Swatow,	"	8
Taihoku,	11	29.82	757.5	75	88	NNW	4	o	5	29.86	758.4	70	98	S	2	r
Taichu,	"	29.79	756.6	79	...	SE	2	o	"	29.82	757.5	68	0	oo
Tainan,	"	29.78	756.3	84	...	S	4	o	"	29.81	757.2	70	...	NNE	2	o
Koshun,	"	29.79	756.6	77	...	o	r	...	"	29.79	756.6	61	0	b
Pescadores,	"	29.79	756.6	81	...	SSW	4	o	"	29.84	757.8	75	...	NE	7	o
Canton,	14	29.78	756.4	88	49	N	2	o	6	29.91	759.7	72	67	N	2	o
Hongkong,	"	29.76	755.9	87	39	N	4	o	"	29.88	758.9	74	63	N	2	o
Gap Rock,	"	29.77	756.1	NNW	4	o	"	29.79	756.6	ENE	5	o
Macao,	"	29.75	755.7	93	46	NNW	4	o	"	29.87	758.7	73	62	N	4	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.81	757.2	86	41	WSW	1	bf	7	29.89	759.3	73	86	NNW	4	bf
Tourane,	"	29.80	756.9	81	...	N	2	o	"	29.84	757.8	75	...	NE	2	b
Cape St. James, .	"	29.75	755.7	82	...	S	4	o	"	29.82	757.5	73	...	SSW	2	r
Aparri,	14	29.75	755.7	86	68	N	4	o	6
Basco,	"	29.74	755.4	86	...	SW	4	o	"	29.79	756.6	77	96	SW	1	o
Manila,	"	29.74	755.4	86	71	SW	4	o	"	29.80	756.9	75	0	b
Legaspi,	"	29.73	755.1	90	69	SW	4	o	"	29.78	756.3	75	96	SW	1	..
Tacloban,	"	"
Boilo,	"	29.73	755.1	90	63	S	6	o	"	29.80	756.9	75	96	N	2	o
Surigao,	"	"	29.79	756.6	77	91	..	0	b
Guam,	12.20	29.59	751.5	ENE	4	o	4.20	29.54	750.3	SW	1	r
Yap,	12.47	29.65	753.0	NW	4	o	4.47	29.67	753.6	NW	2	b
Labuan,	14	29.74	755.4	86	80	NW	4	b	6	29.80	756.9	80	82	NW	2	b

October 2d. 18h. 07m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 26° N. Long. 116° E., filling up; position uncertain.

October 3d. 11h. 05m.—Pressure has increased moderately to slightly at all reporting stations, except at Guam where it has decreased moderately.

The anticyclone has spread southward and is probably moving eastward.

The Formosa typhoon has filled up. At 6 a.m. this morning the Guam typhoon was in about Lat. 16° N. and Long. 144° E. moving North.

Moderate monsoon may be expected along the S.E. coast of the China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 88.18 inches, against an average of 76.46 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lameoks,
- 3.—Hongkong to Gap Rock, N.E. winds, moderate; fair.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	3RD OCTOBER, 1923.								4TH OCTOBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direct. ion.	Force.			Inches.	Millrs.			Direct. ion.	Force.	
Wladivostock, .	12	29.77	756.2	51	...	W	6	b	6	30.09	764.3	51	...	WNW	3	b
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.11	764.8	70	70	NW	1	b	6	30.13	765.3	58	64	SW	1	o
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.17	766.2	72	44	NE	4	b	"	30.14	765.6	55	90	N	1	h
Gutzlaff, .	14	30.11	764.8	70	100	NNE	4	o	"	30.13	765.3	65	100	NNE	2	b
Sharp Peak, .	"	29.99	761.7	68	90	N	2	r	7	30.02	762.5	69	85	NW	1	o
Amoy, .	15	29.91	759.7	73	81	NNE	1	o	9	29.96	761.0	71	80	ENE	2	o
Swatow, .	"	8
Taihoku, .	11	29.95	760.8	73	91	SW	2	rf	5	29.93	760.2	70	96	E	1	r
Taichu, .	"	29.91	759.6	82	...	NNW	2	o	"	29.91	759.6	68	0	b
Tainan, .	"	29.89	759.3	84	...	WSW	2	b	"	29.87	758.7	70	...	SE	2	b
Koshun, .	"	29.87	758.7	82	...	W	2	b	"	29.87	758.7	75	...	N	4	b
Pescadores, .	"	29.93	760.2	77	...	NNE	6	o	"	29.92	759.9	73	...	NE	7	o
Canton, .	14	29.89	759.2	83	60	E	1	o	6	30.00	762.0	72	81	N	1	o
Hongkong, .	"	29.88	758.9	80	62	NE	4	o	"	29.97	761.2	72	81	N	1	o
Gap Rock, .	"	29.87	758.7	NNE	4	c	"	29.95	760.7	NNE	4	o
Macao, .	"	29.88	759.0	79	66	NNE	4	o	"	29.91	759.6	72	82	NNW	4	o
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.85	758.1	90	44	S	2	bf	7	29.94	760.5	77	79	ENE	4	of
Tourane, .	"	29.81	757.2	81	...	NNW	2	b	"	29.88	759.0	75	...	WNW	2	o
Cape St. James, .	"	29.80	756.9	79	...	SSW	2	o	"	29.88	759.0	75	...	SSW	2	o
Basco, .	14	29.76	756.0	86	...	N	2	o	6	29.84	757.8	77	...	NE	1	b
Aparri, .	"	"	29.71	754.5	77	94	SW	2	b
Manila, .	"	29.73	755.1	84	77	SW	4	o	"	29.82	757.5	77	92	NE	1	o
Legaspi, .	"	29.73	755.1	82	87	NE	2	of	"	29.79	756.6	73	98	...	0	b
Tacloban, .	"	29.75	755.7	86	71	NE	4	o	"	
Iloilo, .	"	29.73	755.1	86	75	S	4	o	"	29.80	756.9	75	94	SE	1	o
Surigao, .	"	75	...	4	o	"	29.79	756.6	75	94	...	0	o
Guam, .	12.20	29.47	748.5	W	10	o	4.20	29.55	750.6	SSW	2	o
Yap, .	12.47	29.63	752.7	WSW	4	o	4.47	29.67	753.6	W	4	o
Lubnan, .	14	29.78	756.4	88	73	NW	4	b	6	29.86	758.4	80	87	N	1	b

October 4d. 11h. 45m.—Pressure has increased considerably at Wladivostock and moderately to slightly at the majority of other reporting stations.

The anticyclone is moving eastward.

The Guam typhoon continues to move slowly northward.

Moderate monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 88.18 inches, against an average of 76.77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, f.resh.
- 2.—South coast of China between Hongkong and Lamocks, }
- 3.—Hongkong to Gap Rock, } N.E. winds, moderate; fair.
- 4.—South coast of China between Hongkong and Hainan, }

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	4TH OCTOBER, 1923.								5TH OCTOBER, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		Temper- ature.	Humidit.	WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		Temper- ature.	Humidit.	WIND.		
	Inches.	Mills.	Direct- ion.	Force.			Inches.	Mills.			Direct- ion.	Force.			Direct- ion.	Force.	
Wladivostock, .	12	30.11	764.7	66	N	2	b	6	30.26	768.6	38	...	SE	4	o
Nenuro, .	11	5
Hokodate,
Tokio, .	"
Koebi, .	"
Nagasaki, .	"
Kagoshima, .	"
Oshima, .	"
Naha, .	"
Ishigakijima, .	"
Benin Island, .	"
Chefoo. .	15	30.12	765.0	71	62	0	o	6	30.19	766.8	60	76	...	o	o
Hankow, .	"
Iehang, .	"
Changsha, .	"
Shanghai, .	11	30.18	766.5	73	52	N	1	b	"	30.15	765.9	57	93	NNE	1	b	
Gutzlaff, .	14	30.14	765.5	75	95	NNE	1	b	"	30.14	765.5	65	100	NNE	2	b	
Sharp Peak, .	"	30.04	763.0	77	73	E	4	o	7	30.04	763.0	71	85	N	2	b	
Amoy, .	15	29.94	760.5	80	92	ENE	2	o	9	29.96	761.0	73	86	...	o	o	
Swatow, .	"	8
Tathoku, .	11	29.99	761.7	77	91	E	4	r	5	29.98	761.4	73	91	E	4	b	
Taichu, .	"	29.93	760.2	84	...	N	2	b	"	29.91	759.6	72	o	o	
Tainan, .	"	29.93	760.2	86	...	NNW	2	b	"	29.89	759.3	73	...	NNE	2	o	
Koshun, .	"	29.92	759.9	82	...	NNW	4	o	"	29.87	758.7	77	...	NNE	4	o	
Pescadores, .	"	29.98	761.4	79	...	N	6	o	"	29.91	759.6	75	...	W	6	o	
Canton, .	14	29.95	760.7	88	59	N	2	b	6	30.00	762.0	72	85	N	1	b	
Hongkong, .	"	29.95	760.7	79	67	ESE	4	o	"	29.97	761.2	76	81	NE	1	o	
Gap Rock, .	"	29.96	761.7	88	...	ENE	4	b	"	29.95	760.7	70	...	ENE	4	c	
Macao, .	"	29.95	760.8	81	62	E	4	b	"	29.95	760.8	73	86	N	2	b	
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.92	759.9	86	65	ESE	6	bf	7	29.98	761.4	75	79	NNE	4	bf	
Tourane, .	"	29.87	758.7	77	...	NE	6	o	"	29.91	759.6	75	...	NNW	4	o	
Cape St. James, .	"	29.85	758.1	84	...	S	2	b	"	29.91	759.6	75	...	WNW	2	b	
Basco, .	14	29.82	757.5	86	...	N	4	o	6	29.82	757.5	79	...	ENE	2	b	
Aparri, .	"	29.81	757.2	90	71	NE	4	b	"	29.84	757.8	77	92	SSW	2	o	
Manila, .	"	29.78	756.3	86	68	SW	4	o	"	29.81	757.2	75	94	E	1	o	
Legaspi, .	"	29.75	755.7	86	75	NE	1	o	"	29.76	756.0	72	98	...	0	o	
Tacloban, .	"	"	
Illoilo, .	"	"	29.80	756.9	75	96	...	o	o	
Buriago, .	"	29.74	755.4	86	68	W	2	b	"	29.76	756.0	79	80	W	2	o	
Guam, .	12.20	4.20	29.65	753.0	72	...	SW	2	r	
Yap, .	12.47	29.62	752.4	WSW	4	o	4.47	29.67	753.6	W	6	o	
Lubuan, .	14	29.84	757.9	88	75	NW	2	b	6	29.87	758.7	80	87	N	1	b	

October 5d. 11h. 00m.—Pressure has increased considerably at Wladivostock and slightly at Chefoo, Amoy, Hongkong, Haiphong, and Guam. It has decreased slightly over the Philippines.

The anticyclone is moving eastward. It is now central to the north of Korea.

The Guam typhoon still appears to be moving slowly N. or N.E.

Moderate monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 88.18 inches, against an average of 77.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH. DISTRICT.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamocks, N.E. winds, moderate; fair.
- 3.—Hongkong to Gap Rock, N.E. winds, moderate; fair.
- 4.—South coast of China between Hongkong and Hainan,

FORECAST.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	5TH OCTOBER, 1923.							6TH OCTOBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.	
Wladivostock, .	12	6		
Nemuro, .	11	5		
Hokodate,	"		
Tokio, .	"	"		
Kochi, .	"	"		
Nagasaki, .	"	"		
Kagoshima, .	"	"		
Oshima, .	"	"		
Naha, .	"	"		
Ishigakijima, .	"	"		
Bonin Island, .	"	"		
Chefoo, .	15	30.19	766.8	65	91	NE	1	0	6	30.14	765.5	58	...	W	1	0
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.18	766.5	73	48	N	2	b	"	30.11	764.7	57	98	NNW	1	b
Gutzlaff, .	14	30.12	765.0	75	95	NNE	2	b	"	30.08	764.0	67	95	NNE	2	b
Sharp Peak, .	"	30.03	762.7	76	82	ENE	4	b	7	30.04	763.0	71	90	NE	2	b
Amoy, .	15	29.89	759.2	84	57	NW	1	b	9
Swatow, .	"	8
Taihoku, .	11	77	79	E	4	o	5	68	98	S	6	b
Taichu, .	"	29.93	760.2	82	...	N	2	b	"	29.86	758.4	68	...	N	2	b
Tainan, .	"	29.91	759.6	84	...	WSW	2	b	"	29.82	757.5	72	...	NNE	4	o
Koshun, .	"	29.91	759.6	82	...	NNE	4	o	"	29.80	756.9	75	...	NE	6	b
Pescadores, .	"	29.95	760.8	81	...	N	7	o	"	29.86	758.4	73	...	NNE	7	b
Canton, .	14	29.93	760.2	89	53	N	2	b	6	29.97	761.2	69	75	N	2	b
Hongkong, .	"	29.93	760.2	83	64	E	3	o	"	29.92	759.9	74	74	NNW	1	b
Gap Rock, .	"	29.94	760.5	NE	3	b	"	29.90	759.4	N	3	o
Macao, .	"	29.92	759.9	84	55	NNE	4	b	"	29.91	759.6	75	60	N	2	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.93	760.2	86	49	E	4	bf	7
Tourane, .	"	29.88	759.0	73	...	N	2	r	"
Cape St. James, .	"	"
Basco, .	14	29.75	755.7	82	...	N	2	o	6	29.72	754.8	79	...	NNE	4	o
Aparri, .	"	29.76	756.0	86	65	N	2	o	"	29.72	754.8	81	84	N	4	o
Manila, .	"	29.72	754.8	86	65	WSW	2	o	"	29.72	754.8	73	96	...	0	o
Legaspi, .	"	"	29.68	753.9	77	86	WSW	4	o
Tacloban, .	"	29.67	753.6	86	68	WNW	4	o
Ililo, .	"	29.72	754.8	86	75	S	6	o	"
Surigao, .	"	29.68	753.9	86	71	WSW	4	o	"
Guam, .	12.20	29.62	752.4	W	2	o	4.20
Yap, .	12.47	29.63	752.7	WSW	6	o	4.47
Labuan, .	14	29.82	757.4	86	76	N	2	o	6	29.86	758.4	78	91	W	2	o

October 6d. 9h. 45m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 128° E., moving West.

October 6d. 10h. 15m.—Pressure has decreased moderately to slightly at all reporting stations.

The anticyclone has moved eastward, leaving a weaker anticyclone over N. China.

A typhoon has formed to the East of Luzon. It appears to be moving westward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 88.18 inches, against an average of 77.34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH. DISTRICT.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, N.E. winds, moderate; fine.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG

DAILY WEATHER REPORT.

STATION.	6TH OCTOBER, 1923.							7TH OCTOBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	Humid.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	Humid.	WIND.			
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	WEATHER.	
Vladivostock, .	12	29.89	759.3	64	...	SW	2	6	30.15	765.7	42	...	WNW	2	b	
Nemuro, .	11	5	
Hokodate, .	"	"	
Tokio, .	"	"	
Kochi, .	"	"	
Nagasaki, .	"	"	
Kagoshima, .	"	"	
Oshima, .	"	"	
Naha, .	"	"	
Ishigakijima, .	"	"	
Bonin Island, .	"	"	
Chesfoo, .	15	30.12	765.0	65	78	NW	4	b	6	30.13	765.3	56	81	...	o	
Hankow, .	"	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	"	30.05	763.2	61	89	NNE	1	b	
Gutzlaff, .	14	"	30.14	765.5	67	95	NNE	4	b	
Sharp Peak, .	"	29.92	759.9	76	73	E	4	b	7	29.91	759.7	69	75	N	2	b
Amoy, .	15	29.79	756.6	81	59	ENE	1	b	9	29.82	757.4	70	70	NNE	2	b
Swatow, .	"	"	
Taihoku, .	11	29.92	759.9	77	76	E	2	o	5	29.84	757.8	68	96	SE	2	o
Taichu, .	"	29.84	757.8	82	...	NNW	4	b	"	29.73	755.1	68	..	N	2	b
Taiwan, .	"	29.81	757.2	84	...	NE	4	b	"	29.71	754.5	70	..	N	4	b
Koshun, .	"	29.79	756.6	86	...	NNE	4	b	"	29.67	753.6	70	0	b
Pescadores, .	"	29.87	758.7	81	...	NNE	8	b	"	29.75	755.7	73	..	NNE	8	o
Canton, .	14	29.84	757.9	89	50	NNE	2	b	6	29.89	759.2	68	79	N	2	b
Hongkong, .	"	29.82	757.4	85	44	NNE	2	b	"	29.83	757.7	75	55	SSE	1	b
Gap Rock, .	"	29.85	758.2	NE	4	b	"	29.82	757.4	NNE	3	b
Macao, .	"	29.84	757.8	82	48	NNE	4	b	"	29.84	757.8	72	65	NNE	4	b
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoibow, .	"	"	
Phuilen, .	"	29.88	759.0	90	44	SSE	2	bf	7	29.91	759.6	75	67	NNE	4	bf
Tourane, .	"	29.84	757.8	77	...	NW	2	o	"	29.85	758.1	77	..	NW	2	b
Cape St. James, .	"	29.75	755.7	81	...	SW	4	o	"	29.81	757.2	75	..	NW	2	o
Basco, .	14	29.62	752.4	81	...	NNE	4	o	6	29.60	751.8	79	..	NNW	6	o
Aparri, .	"	29.62	752.4	83	77	N	4	o	"	29.59	751.5	79	80	NW	4	r
Maula, .	"	29.61	752.1	86	74	SW	4	o	"	29.62	752.4	77	91	NNE	2	o
Legaspi, .	"	29.58	751.2	75	63	WSW	4	o	"	29.56	750.9	79	92	..	o	o
Tacloban, .	"	"	
Boilo, .	"	29.62	752.4	84	77	S	6	o	"	
Surigao, .	"	29.62	752.4	86	65	SW	4	o	"	
Guam, .	12.20	29.61	752.1	W	2	o	4.20	
Yap, .	12.47	29.65	753.0	SW	6	o	4.47	
Labuan, .	14	29.82	757.4	81	83	N	2	o	6	29.78	756.4	80	91	N	4	o

October 6d. 18h. 08m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 127° E., moving West.

October 7d. 9h. 45m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 125° E., moving N.W.

October 7d. 11h. 17m.—Pressure has increased considerably at Vladivostock, and decreased moderately over Formosa and Luzon. It is nearly stationary over Kwangtung and Indo-China.

An anticyclone is passing rapidly eastward over Manchuria.

At 6 a.m. this morning the typhoon appeared to be in about Lat. 18° N. and Long. 125° E. moving W.N.W. or N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 88.18 inches, against an average of 77.60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON, ON THE 8th.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, } N. winds, moderate; fine.
- 4.—South coast of China between Hongkong and Hainan,

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	7TH OCTOBER, 1923.							8TH OCTOBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temper- ature.	Humid- ity.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temper- ature.	Humid- ity.	WIND.			
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	WEATHER.	
Wladivostock, .	12	30.13	765.4	54	...	NW	2	b	6	30.12	764.9	53	...	SSE	4	o
Nemuro,	11	5
Hokodate,	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	15	30.01	762.2	76	56	SSE	2	b	6	30.06	762.5	64	95	N	1	r
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.05	763.5	77	44	NNE	4	b	"	30.01	762.3	55	90	N	1	b
Gutzlaff,	14	30.01	762.2	74	100	NNE	4	b	"	29.97	761.2	67	95	NNE	4	b
Sharp Peak,	"	29.88	758.9	78	74	NE	2	b	7	29.86	758.4	77	82	NE	1	b
Amoy,	15	29.77	756.1	82	49	NE	4	b	9	29.78	756.4	68	79	ENE	1	b
Swatow,	"	8
Taihoku,	11	29.86	758.4	70	...	ESE	2	o	5	29.76	756.0	68	98	SW	2	r
Taichu,	"	29.74	755.4	82	...	N	4	b	"	29.71	754.5	68	...	NN	4	b
Tainan,	"	29.73	755.1	82	...	N	4	b	"	29.66	753.3	70	...	NN	4	b
Koshun,	"	29.72	754.8	81	...	N	4	o	"	29.62	752.4	70	...	NO	0	o
Pescadores,	"	29.78	756.3	79	...	N	8	o	"	29.72	754.8	73	...	NN	7	o
Canton,	14	29.79	756.6	89	50	N	2	b	6	29.88	758.9	69	80	N	2	b
Hongkong,	"	29.78	756.4	84	44	S	1	b	"	29.84	757.9	74	57	NNE	2	b
Gap Rock,	"	29.81	757.2	SE	3	b	"	29.82	757.4	NNE	2	b
Maeno,	"	29.79	756.6	81	46	NNE	4	b	"	29.81	757.2	72	65	NNW	4	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.84	757.8	86	46	SSE	4	bf	7	29.91	759.6	73	85	NNW	2	lf
Tourane,	"	29.80	756.9	81	...	NNW	2	b	"	29.85	758.1	75	...	NW	2	o
Cape St. James, .	"	29.75	755.7	81	...	SSW	2	o	"	29.84	757.8	73	...	WSW	2	o
Basco,	14	29.54	750.3	81	...	NNE	6	o	6	29.54	750.3	79	...	NNE	4	o
Aparri,	"	29.56	750.9	84	74	NW	4	o	"	29.60	751.8	77	91	W	2	r
Manila,	"	29.56	750.9	93	66	WSW	4	o	"	29.65	753.0	81	84	WNW	4	o
Legaspi,	"	29.55	750.6	86	71	SW	4	o	"	29.63	752.7	79	89	SW	4	o
Tacloban,	"	"
Hoilo,	"	29.63	752.7	82	84	S	4	o	"	29.68	753.9	81	87	S	6	o
Sarigao,	"	29.61	52.1	84	68	SW	4	r	"	29.66	753.3	82	63	WSW	4	o
Guam,	12.20	29.63	752.7	W	4	r	4.20	29.74	755.4	W	1	o
Yap,	12.47	29.72	754.8	SW	4	o	4.47	29.80	756.9	SW	2	b
Labuan,	14	29.78	756.4	88	73	S	2	b	6	29.77	756.1	78	91	SW	2	o

October 7d. 18h. 15m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 125° E., moving N.W.

October 8d. 9h. 20m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 124° E., moving N.W.

October 8d. 11h. 22m.—Pressure has decreased slightly from Shanghai to Formosa and Basco. It has increased slightly at the majority of other reporting stations.

At 6 a.m. this morning the typhoon was in about Lat. 19° N. and Long. 124° E. moving N.W. or N.N.W. It will now probably curve to N.E.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 88.18 inches, against an average of 77.85 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N. winds, strong.
- 2.—South coast of China between Hongkong and Lamoicks, }
- 3.—Hongkong to Gap Rock, } N. or variable winds, moderate; fine to cloudy.
- 4.—South coast of China between Hongkong and Hainan, }

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	8TH OCTOBER, 1923.							9TH OCTOBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDT.	WIND.		
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	WEATHER.
Wladivostock, -	12	6
Nemuro, -	11	5
Hokodate, -	"	"
Tekio, -	"	"
Kochi, -	"	"
Nagasaki, -	"	"
Kagoshima, -	"	"
Oshima, -	"	"
Naha, -	"	"
Ishigakijima, -	"	"
Bonin Island, -	"	"
Chefoo, -	15	6	30.18	766.6	60	71	NW	6	b
Hankow, -	"	"
Ichang, -	"	"
Changsha, -	"	"
Shanghai, -	11	30.05	763.2	77	47	NNE	4	b	"	30.10	764.4	63	70	N	2
Gutzlaff, -	14	30.00	762.0	73	100	NNE	4	b	"	30.04	763.0	65	100	NNE	6
Sharp Peak, -	"	29.83	757.7	83	67	E	2	b	7	29.98	761.5	70	70	N	2
Amoy, -	15	29.71	754.6	82	52	SSE	1	b	9	29.82	757.4	70	61	N	2
Swatow, -	"	8
Taiboku, -	11	29.79	756.6	70	96	SW	2	r	5	29.81	757.2	66	96	S	2
Taichu, -	"	29.71	754.5	77	...	N	4	o	"	29.66	753.3	68	...	N	4
Tainan, -	"	29.68	753.9	79	...	NNE	6	o	"	29.69	754.2	68	...	NNE	7
Koshun, -	"	29.66	753.3	81	...	NW	4	b	"	...	73	b	6
Pescadores, -	"	29.76	756.0	75	...	N	7	o	"	29.69	754.2	70	...	NNE	8
Canton, -	14	29.79	756.6	87	47	N	2	b	6
Hongkong, -	"	29.76	755.9	83	45	N	3	b	"	29.87	758.7	72	40	NNE	4
Gap Rock, -	"	29.78	756.4	NW	5	b	"	29.85	758.2	N	5
Macao, -	"	29.78	756.3	81	43	N	4	b	"	29.82	757.5	72	82	N	4
Wuchow, -	15	9
Pakhoi, -	"	"
Hoihow, -	"	"
Phulien, -	"	29.85	758.1	84	64	S	1	of	7	29.95	760.8	75	67	NNE	4
Tourane, -	"	29.81	757.2	81	...	N	4	b	"	29.88	759.0	75	...	NNW	4
Cape St. James, -	"	29.79	756.6	82	...	ENE	2	o	"	29.89	759.3	72	...	S	2
Basco, -	14	29.52	749.7	81	...	NNW	6	o	6	29.63	752.7	75	...	N	4
Aparri, -	"	29.56	750.9	82	77	WNW	4	o	"	29.67	753.6	73	89	SW	2
Manila, -	"	29.63	752.7	86	68	WSW	4	o	"	29.73	755.1	75	92	N	1
Legaspi, -	"	"	29.75	755.7	77	94	SSW	2
Tacloban, -	"	29.65	753.0	86	65	S	4	o	"	
Illoilo, -	"	29.66	753.3	82	84	S	6	o	"	29.76	756.0	75	89	S	4
Surigao, -	"	"	29.78	756.3	75	79	...	o
Guam, -	12.20	29.75	755.7	SW	1	r	4.20	29.85	758.1	NE	1
Yap, -	12.47	29.79	756.6	SW	4	o	4.47	29.87	758.7	SW	4
Labuan, -	14	29.76	755.9	88	75	NW	4	b	6	29.85	758.2	75	94	SW	2

October 8d. 17h. 45m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 124° E., moving North.

October 9d. 11h. 00m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon in Lat. 23° N. Long. 127° E., moving N.E., position uncertain.

October 9d. 11h. 10m.—Pressure has increased moderately to slightly all reporting stations.

An anticyclone has formed over China.

Belated observations from Ishigakijima indicate that the typhoon was N.E. of the positions given yesterday.

This morning it was probably about 200 E.S.E. of Ishigakijima, moving N.E.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 88.18 inches, against an average of 78.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks, N. winds, fresh; fine to cloudy.
- 3.—Hongkong to Gap Rock, N. winds, fresh; fine to cloudy.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	9TH OCTOBER, 1923.							10TH OCTOBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direct- ion.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock, .	12	6	
Nemuro.....	11	5	
Hokodate,	"	"	
Tokio,	"	"	
Kochi,	"	"	
Nagasaki,	"	"	
Kagoshima,	"	"	
Oshima,	"	"	
Naha,	"	"	
Ishigakijima, .	"	"	
Bouin Island, ..	"	"	
Chefoo:	15	30.24	768.1	84	83	N	6	b	6	
Hankow,	"	"	
Ichang,	"	"	
Changsha,	"	"	
Shanghai,	11	30.15	765.9	68	18	NNE	4	b	"	30.12	765.0	50	50	NE	1	
Gutzlaff,	14	30.06	763.5	67	100	N	6	o	"	
Sharp Peak, ..	"	29.90	759.4	81	59	E	1	h	7	30.10	764.5	66	91	N	2	
Amoy,	15	29.82	757.4	81	48	NNE	2	b	9	
Swatow,	"	8	
Taihoku,	11	29.91	759.6	68	92	SW	2	o	5	30.04	762.9	63	70	NW	2	
Taichu,	"	29.75	755.7	75	...	NNW	6	h	"	29.92	759.9	63	...	N	2	
Tainan,	"	29.74	755.4	81	...	NNE	6	b	"	29.89	759.3	66	...	N	4	
Koshun,	"	29.73	755.1	82	...	ESE	2	o	"	29.86	758.4	72	...	NE	4	
Pescadores, ..	"	29.82	757.5	77	...	N	10	h	"	29.91	759.6	70	...	NW	8	
Canton,	14	29.81	759.2	86	42	N	2	b	6	
Hongkong,	"	29.86	758.4	83	32	N	2	b	"	29.99	761.7	70	39	NNE	5	
Gap Rock,	"	29.87	758.7	N	4	b	"	29.98	761.5	NNE	4	
Macao,	"	29.87	758.7	79	30	N	4	b	"	29.94	760.5	70	35	N	4	
Wuchow,	15	9	
Pakhoi,	"	"	
Hoihow,	"	"	
Phulien,	"	29.92	759.9	86	46	WSW	1	b	7	30.01	762.3	75	71	ENE	2	
Tourane,	"	29.86	758.4	81	...	NNE	2	o	"	29.95	760.8	75	...	NW	2	
Cape St. James, .	"	29.84	757.8	77	...	E	2	o	"	29.89	759.3	75	...	E	2	
Basco,	14	29.67	753.6	77	...	NNE	2	r	6	
Aparri,	"	29.67	753.6	86	71	NW	4	o	"	29.82	757.5	73	91	NE	4	
Manila,	"	29.72	754.8	86	91	SW	4	o	"	29.82	757.5	72	94	NE	1	
Legaspi,	"	29.73	755.1	81	92	SW	4	o	"	29.81	757.2	77	92	SW	0	
Tacloban,	"	"	
Iloilo,	"	29.75	755.7	82	77	S	6	o	"	
Surigao,	"	29.74	755.4	86	61	SSW	4	o	"	
Guam,	12.20	29.82	757.5	E	1	o	4.20	
Yap,	12.47	29.82	757.5	SSW	4	b	4.47	29.89	759.3	I	b	
Labuan,	14	29.86	758.4	78	86	N	2	o	6	29.91	759.7	75	98	S	4	

October 10th. 11h. 26m.—Pressure has increased considerably over Formosa, moderately over Kwangtung and slightly over Indo-China and the Philippines.

The anticyclonic conditions are the same as yesterday.

The typhoon passed a little to the east of Naha yesterday afternoon on a N.N.E. track.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 88.18 inches, against an average of 78.29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks, } N. winds, fresh; fine to cloudy.
- 3.—Hongkong to Gap Rock, N.E. winds, moderate.
- 4.—South coast of China between Hongkong and Hainan, . N.E. winds, moderate.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	10TH OCTOBER, 1923.							11TH OCTOBER, 1923.						
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temp- ature.	Humid.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temp- ature.	Humid.	WIND.	
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.
Vladivostock, .	12	6
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	6
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.14	763.6	50	82	WNW	b	"	30.17	766.2	64	32	NW	4
Gutzlaff, .	14	30.09	764.3	58	100	NNW	o	"	30.07	763.8	65	100	NNW	6
Sharp Peak, .	"	30.05	763.2	78	54	E	b	7	30.10	764.5	62	83	W	1
Amoy, .	15	29.94	760.5	80	98	E	i	9	30.08	764.0	66	68	ENE	1
Swatow, .	"	8
Taihoku, .	11	30.11	764.7	68	56	N	b	5	30.14	765.6	57	96	...	0
Taichu, .	"	29.98	761.4	73	...	NNE	b	"	30.05	763.2	55	...	NNE	4
Tainan, .	"	29.95	760.8	77	...	NE	b	"	30.01	762.3	59	...	NNE	4
Koshun, .	"	29.94	760.5	79	...	NNE	b	"	30.01	762.3	70	...	NNE	6
Pescadores, .	"	30.01	762.3	73	...	NNE	b	"	30.06	763.5	68	...	NNE	6
Canton, .	14	30.00	762.0	83	43	N	b	6	30.11	764.8	61	66	N	2
Hongkong, .	"	29.98	761.5	79	35	NNW	b	"	30.06	763.5	68	41	N	3
Gap Rock, .	"	30.00	762.0	NE	b	"	30.04	763.0	68	51	NE	4
Macao, .	"	29.99	761.7	75	33	NNW	b	"	30.04	762.9	68	51	N	4
Wuchow, .	"	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.00	762.0	81	43	ESE	of	7	30.05	763.2	72	70	NE	1
Tourane, .	"	29.94	760.5	79	...	ENE	o	"	29.99	761.7	73	0
Cape St. James, .	"	29.85	758.1	79	...	ENE	b	"	29.88	759.0	75	...	E	4
Basco, .	14	6	30.00	762.0	73	...	N	2
Aparri, .	"	29.84	757.8	75	86	NE	r	"	29.95	760.8	75	76	NE	4
Manila, .	"	29.79	756.6	86	58	WSW	b	"	29.86	758.4	75	92	NE	1
Legaspi, .	"	29.78	756.3	86	75	SSW	o	"	29.85	758.1	73	98	...	0
Tacloban, .	"	29.79	756.6	86	68	SSE	o	"
Ilolo, .	"	29.79	756.6	84	71	S	o	"	29.86	758.4	77	91	S	4
Surigao, .	"	29.81	757.2	82	74	WSW	o	"	29.86	758.4	79	85	W	0
Guam, .	12.20	29.84	757.8	NE	r	4.20	29.91	759.6	NE	1
Yap, .	12.47	29.85	758.1	W	o	4.47	29.91	759.6	NW	1
Labuan, .	14	29.88	758.9	78	94	S	o	6	29.86	758.4	76	94	S	1

October 11d. 11h. 29m.—Pressure has increased slightly to moderately at the majority of reporting stations, the anticyclone having increased in intensity.

Moderate to fresh monsoon will continue along the China coast and over the north part of the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 88.18 inches, against an average of 78.48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N. winds, fresh.
- 2.—South coast of China between Hongkong and Lamocks, N.E. winds, fresh; fine.
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; fine.
- 4.—South coast of China between Hongkong and Hainan,

C. W. JEFFRIES,—Chief Assistant.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	11TH OCTOBER, 1923.							12TH OCTOBER, 1923.						
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.	
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.
Wladivostock, .	12	6
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.23	767.8	58	76	N	4	o	6
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.25	768.3	66	30	WNW	10	b	"
Gutzlaff, .	14	30.17	766.3	66	100	NNW	4	b	"
Sharp Peak, .	"	30.13	765.3	72	62	E	4	b	7	30.12	765.0	62	75	WNW
Amoy, .	15	29.94	760.5	77	49	NNE	2	b	9	30.11	764.8	66	49	N
Swatow, .	"	8
Taihoku, .	11	30.18	766.5	72	54	NE	4	b	5	30.13	765.3	52	97	o
Taichu, .	"	30.07	763.8	77	...	NNW	4	b	"	30.05	763.2	54	...	b
Tainan, .	"	30.06	763.5	81	...	SSW	2	b	"	30.05	763.2	55	...	b
Koshun, .	"	30.06	763.5	77	...	NE	4	b	"	30.05	763.2	68	...	b
Pescadores, .	"	30.10	764.4	73	...	NNE	8	b	"	30.07	763.8	68	...	N
Canton, .	14	30.04	763.0	80	48	SSW	1	b	6
Hongkong, .	"	30.04	763.0	75	43	ESE	4	b	"	30.04	763.0	71	73	ENE
Gap Rock, .	"	30.04	763.0	ENE	5	b	"	30.02	762.5	E
Macao, .	"	30.07	763.8	75	39	NNE	4	b	"	30.00	762.0	72	65	E
Wuchow, .	15	9
Pakhoi, .	"	"
Hoikow, .	"	"
Phulien, .	"	29.99	761.7	81	62	ESE	4	of	7
Tourane, .	"	29.93	763.0	77	...	ENE	2	o	"
Cape St. James, .	"	29.84	757.8	79	...	ENE	4	b	"
Basco, .	14	29.98	761.4	79	...	NNE	2	o	6
Aparri, .	"	29.95	760.8	77	72	ENE	4	o	"	29.99	761.7	73	85	ENE
Manila, .	"	29.85	758.1	82	67	NE	4	o	"	29.91	759.6	73	91	NE
Legaspi, .	"	29.85	758.1	77	89	...	o	o	"
Tacloban, .	"	"
Ilollo, .	"	29.81	757.2	86	71	S	4	o	"	29.87	758.7	77	91	N
Surigao, .	"	29.82	757.5	84	71	WNW	4	b	"
Guam, .	12.20	29.82	758.1	SSW	2	o	"	4.20
Yap, .	12.47	29.89	759.3	SE	2	o	4.47	29.92	759.9	o
Labuan, .	14	29.83	757.7	86	76	SW	2	b	6	29.86	758.4	78	91	b

October 12d. 11A. 50m.—Pressure has decreased slightly from Macao to Haiphong. It is nearly stationary at other reporting stations.

The anticyclone is probably moving eastward. The monsoon will be interrupted to the north of Foochow and remain moderate to fresh over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 88.18 inches, against an average of 78.65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH. DISTRICT.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamocks, .
- 3.—Hongkong to Gap Rock, N. winds, fresh; generally cloudy, some rain later.
- 4.—South coast of China between Hongkong and Hainan, .

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	12TH OCTOBER, 1923.							13TH OCTOBER, 1923.									
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.			TEMPER- ATURE, ATM.	HUMID.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.			TEMPER- ATURE, ATM.	HUMID.	WIND.		WEATHER.
		Inches.	Millrs.	Direct- ion.			Force.	Inches.		Millrs.	Direct- ion.	Force.					
Wladivostock, .	12	6	
Nemuro, .	11	5	
Hokodate, .	"	"	
Tokio, .	"	"	
Kochi, .	"	"	
Nagasaki, .	"	"	
Kagoshima, .	"	"	
Oshima, .	"	"	
Naha, .	"	"	
Ishigakijima, .	"	"	
Bonin Island, .	"	"	
Chefoo, .	15	6	
Hankow, .	"	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	30.20	767.1	70	29	S	2	b	"	
Gutzlaff, .	14	30.15	765.8	65	100	S	1	o	"	
Sharp Peak, .	"	30.12	765.0	73	72	E	2	o	7	30.10	764.5	65	84	W	2	o	
Amoy, .	15	30.05	763.2	75	48	NNE	1	o	9	
Swatow, .	"	8	
Taihoku, .	11	30.11	764.7	77	47	E	4	b	5	30.06	763.5	63	90	o	0	b	
Taichu, .	"	30.07	763.8	79	...	o	0	b	"	30.06	763.5	64	...	0	0	b	
Tainan, .	"	30.08	764.1	79	...	SW	4	b	"	30.05	763.2	63	...	SE	2	b	
Koshun, .	"	30.08	764.1	77	...	NE	4	b	"	30.05	763.2	70	...	NNE	4	b	
Pescadores, .	"	30.10	764.4	77	...	NNW	4	b	"	30.06	763.5	70	...	N	2	b	
Canton, .	14	30.04	763.0	75	64	NE	1	o	6	30.05	763.2	66	89	N	1	or	
Hongkong, .	"	30.04	763.0	74	71	E	4	o	"	30.02	762.5	73	78	ENE	4	o	
Gap Rock, .	"	30.02	762.5	ENE	5	o	"	30.02	762.5	ENE	5	o	
Macao, .	"	30.01	762.3	75	71	E	4	o	"	30.00	762.0	72	78	NNE	4	o	
Wuchow, .	15	"	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.93	760.2	81	66	E	4	of	7	29.97	761.1	73	96	N	2	if	
Tourane, .	"	29.92	759.9	75	...	NNW	2	o	"	29.91	759.6	73	...	NW	2	oo	
Cape St. James, .	"	29.86	758.4	79	...	ENE	4	b	"	29.89	759.3	75	...	E	2	o	
Bascoo, .	14	6	29.99	761.7	73	...	E	1	b	
Aparri, .	"	29.97	761.1	79	73	NE	4	o	"	30.00	762.0	72	94	o	0	b	
Manila, .	"	29.86	758.4	84	71	W	4	o	"	29.93	760.2	73	94	o	0	b	
Legaspi, .	"	29.87	758.7	82	81	NNE	2	o	"	29.94	760.5	77	91	NE	2	o	
Tacloban, .	"	29.84	757.8	84	81	SSE	4	o	"	
Ililo, .	"	29.84	757.8	86	71	NE	4	o	"	29.89	759.3	75	92	N	4	o	
Surigao, .	"	29.84	757.8	82	81	N	2	o	"	29.89	759.3	73	96	SW	1	b	
Guam, .	12.20	29.84	757.8	W	1	o	4.20	29.89	759.3	73	...	SSE	1	o	
Yap, .	12.47	29.87	758.7	ESE	2	b	4.47	29.91	759.6	o	2	b	
Lubuan, .	14	29.84	757.9	86	78	N	1	b	6	29.87	758.7	78	91	N	2	b	

October 13d. 11h. 50m.—Pressure changes are small at all reporting stations.

The position of the anticyclone is uncertain, owing to the absence of observations from the North.

Moderate to fresh monsoon may be expected over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 88.19 inches, against an average of 78.80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamock, N.E. winds, moderate; fair.
- 3.—Hongkong to Gap Rock, N.E. winds, moderate; fair.
- 4.—South coast of China between Hongkong and Hainan, N.E. winds, moderate; fair.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	13TH OCTOBER, 1923.								14TH OCTOBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		WEATHER.
		Inches.	Millrs.			Dir.	Int.			Inches.	Millrs.			Dir.	Int.	
Wladivostock, .	12	30.07	763.9	58	...	SE	6	o	6	30.01	762.1	55	o
Nemuro,	11	5	f
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	15	6
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.11	764.7	73	32	SSW	2	b	"
Gutzlaff,	14	30.08	764.0	70	95	S	1	o	"
Sharp Peak,	"	30.18	766.6	77	77	E	2	b	"	30.07	763.8	67	95	E	z	r
Amoy,	15	29.97	761.2	80	58	SW	2	b	7
Swatow,	"	8
Taihoku,	11	30.05	763.2	79	58	E	2	b	5	30.02	762.6	64	94	...	0	o
Taichu,	"	30.05	763.2	81	...	SW	2	b	"	30.02	762.6	66	0	o
Tainan,	"	30.06	763.5	82	...	W	4	b	"	30.01	762.3	66	...	E	2	b
Koshun,	"	30.05	763.2	82	...	NE	4	b	"	30.00	762.0	68	0	b
Pescadores,	"	30.07	763.8	81	...	N	1	b	"	30.01	762.3	70	0	b
Canton,	14	29.98	761.5	78	74	S	1	o	6	29.98	761.5	72	90	SE	1	o
Hongkong,	"	29.98	761.5	77	73	E	4	o	"	29.96	761.0	76	86	ESE	3	o
Gap Rock,	"	29.98	761.5	ENE	5	o	"	29.97	761.2	E	4	o
Maeno,	"	29.95	760.8	75	79	ESE	4	o	"	29.94	760.5	73	92	ESE	4	o
Wuchow,	15	29.94	760.5	75	77	NE	4	o	9	
Pakhoi,	"	"	
Hoihow,	"	"	
Phulien,	"	29.87	758.7	86	65	SE	2	b	7	
Tourane,	"	29.88	759.0	77	...	NNW	2	o	"	
Cape St. James,	"	29.86	758.4	81	...	ENE	4	b	"	
Basco,	14	29.95	760.8	81	...	ENE	2	b	6	29.95	760.8	73	...	ENE	1	b
Aparri,	"	29.92	759.9	81	69	NE	4	o	"	
Manila,	"	29.87	758.7	84	71	WSW	2	o	"	29.93	760.2	72	96	E	1	b
Legaspi,	"	29.88	759.0	82	81	NNE	2	o	"	29.93	760.2	77	89	NNE	2	o
Tacloban,	"	"	
Illoilo,	"	29.85	758.1	75	89	N	4	o	"	
Surigao,	"	"	
Guam,	12.20	29.85	758.1	E	1	o	4.20	
Yap,	12.47	29.86	758.4	ESE	1	o	4.47	29.91	759.6	WNW	1	b
Labuan,	14	29.82	757.4	86	80	NW	2	b	6	29.85	758.2	78	93	NW	2	b

October 14th. 11h. 52m.—Pressure has decreased slightly from Foochow to Haiphong and over Formosa. It has increased slightly at Tourane, and is nearly stationary over the Philippines.

The anticyclone has probably moved into the Pacific.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.21 inch. Total since January 1st, 88.40 inches, against an average of 78.93 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- S.E. or variable winds, moderate to light; generally overcast, occasional rain.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	14TH OCTOBER, 1923.							15TH OCTOBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.	
Wladivostock, .	12	29.93	760.3	67	...	SSE	1	b	6	29.87	758.7	46	...	N	4	o
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naba, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	6	30.02	762.5	52	88	SW	4	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.05	763.2	64	80	WNW	1	o	"	30.17	766.2	48	89	WNW	1	o
Gutzlaff, .	14	30.03	762.7	66	95	NW	2	o	"
Sharp Peak, .	"	30.00	762.0	75	86	...	0	o	"	30.08	764.0	68	86	W	1	b
Amoy, .	15	29.90	759.4	76	77	NW	1	o	"	30.03	762.7	69	91	ENE	1	r
Swatow, .	"	8
Taihoku, .	11	30.04	762.9	75	71	...	0	o	5	30.07	763.8	68	96	SW	2	r
Taichu, .	"	30.01	762.3	81	...	NW	2	o	"	30.02	762.6	68	0	o
Tainan, .	"	30.01	762.3	86	...	W	2	b	"	30.00	762.0	84	...	NE	2	o
Koshun, .	"	30.00	762.0	82	...	SE	2	b	"	30.00	762.0	70	0	o
Pescadores, .	"	30.02	762.6	81	...	NW	4	o	"	...	77	...	N	6	o	
Canton, .	14	29.96	761.0	71	90	N	2	or	6	30.07	763.8	67	89	N	2	o
Hongkong, .	"	29.93	760.2	75	94	E	2	o	"	30.02	762.5	69	90	NNE	3	cd
Gap Rock, .	"	29.92	759.9	SE	3	o	"	30.00	762.0	N	4	o
Macao, .	"	29.89	759.3	72	100	ENE	4	r	"
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.92	759.9	72	96	NE	7	rf	7	30.08	764.1	64	98	NNW	4	rf
Tourane, .	"	29.86	758.4	82	...	ESE	2	b	"	29.97	761.1	75	...	SE	2	b
Cape St. James, .	"	29.84	757.8	81	...	NE	2	b	"	29.93	760.2	75	...	N	2	o
Basco, .	14	6	75	...	NNE	4	o
Aparri, .	"	29.87	758.7	86	68	NE	4	b	"	29.94	760.5	73	96	...	0	b
Manila, .	"	29.85	758.1	90	60	SE	4	o	"	29.93	760.2	73	92	E	1	b
Legaspi, .	"	"	29.92	759.9	79	87	NE	4	o
Tacloban, .	"	29.85	758.1	86	75	SE	1	o	"
Doilo, .	"	29.82	757.5	86	58	NE	6	o	"	29.88	759.0	75	94	N	2	o
Surigao, .	"	29.85	758.1	82	77	E	1	r	"	29.88	759.0	75	96	...	0	b
Guam, .	12.20	29.84	757.8	NW	2	r	4.20	29.86	758.4	75	96	...	1	o
Yap, .	12.47	29.86	758.4	NE	2	o	4.47	29.92	759.9	NE	1	o
Labuan, .	14	29.84	757.9	86	72	NW	1	b	6	29.86	758.4	78	93	N	z	b

October 15d. 12h. 23m.—Pressure has increased moderately to slightly at all reporting stations, except at Guam and Suragao where it has decreased slightly.

A new anticyclone has formed over China.

This morning there are no signs of a typhoon forming to the east of the Philippines.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.97 inch. Total since January 1st, 89.37 inches, against an average of 79.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N. winds, fresh.
- 2.—South coast of China between Hongkong and Lamocks, N.E. winds, moderate; overcast with drizzle at first, improving later.
- 3.—Hongkong to Gap Rock, N.E. winds, moderate; overcast with drizzle at first, improving later.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	15TH OCTOBER, 1923.							16TH OCTOBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.		
Wladivostock, .	12	6	
Nemuro,	11	5	
Hokodate,	"	"	
Tokio,	"	"	
Kochi,	"	"	
Nagasaki,	"	"	
Kagoshima,	"	"	
Oshima,	"	"	
Naha,	"	"	
Ishigakijima,	"	"	
Bonin Island,	"	"	
Chefoo,	15	30.05	763.2	66	68	WNW	4	b	6	30.16	766.0	54	68	S	1	b
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.22	767.7	68	25	NW	4	b	"	30.28	769.2	43	100	NE	1	b
Gutzlaff,	14	30.19	766.8	67	91	NNW	4	b	"	30.30	769.6	58	94	N	1	b
Sharp Peak,	"	30.05	763.2	78	74	NNE	1	b	7	30.17	766.3	68	85	NE	2	b
Amoy,	15	30.03	762.7	74	72	ENE	2	o	9
Swatow,	"	8
Taihoku,	11	30.14	765.6	70	82	E	4	r	5	30.13	765.3	63	94	E	6	b
Taichu,	"	30.06	763.5	77	...	NNW	2	o	"	30.07	763.8	66	0	0
Tainan,	"	30.04	762.9	84	...	NNW	2	o	"	30.05	763.2	70	...	NNW	6	b
Koshun,	"	30.04	762.9	82	...	NE	4	o	"	30.02	762.6	73	...	NE	7	0
Pescadores,	"	30.10	764.4	77	...	N	6	o	"	30.08	764.1	73	...	NNE	7	b
Canton,	14	30.04	763.0	81	62	SW	1	b	6	30.12	765.0	69	90	...	0	0
Hongkong,	"	30.04	763.0	71	94	ENE	1	od	"	30.09	764.3	73	81	E	4	0
Gap Rock,	"	30.05	763.2	NNE	4	od	"	30.09	764.3	ENE	5	0
Macao,	"
Wuchow,	15	30.11	764.8	79	51	NW	1	tc	9
Pakhoi,	"	"
Hoihow,	"	"
Phnlien,	"	30.02	762.6	82	57	NNW	1	b	7
Tourane,	"	29.94	760.5	79	...	NNE	2	o	"
Cape St. James, .	"	29.87	758.7	81	...	NE	4	b	"
Basco,	14	29.97	761.1	81	...	N	2	b	6	30.04	762.9	77	...	NE	4	0
Aparri,	"	29.93	760.2	82	77	NE	4	o	"	30.00	762.0	77	79	E	4	0
Manila,	"	29.88	759.0	84	74	NW	4	o	"	29.93	760.2	73	92	E	1	0
Legaspi,	"	"	29.93	760.2	77	84	NNE	2	0
Tactloban,	"	29.87	758.7	77	94	...	0	r	"
Iloilo,	"	29.87	758.7	82	77	N	4	o	"	29.93	760.2	75	94	N	4	0
Surigao,	"	29.84	757.8	82	77	NNW	2	o	"	29.94	760.5	73	98	...	0	r
Guam,	12.20	29.81	757.2	NE	4	o	4.20	29.86	758.4	NE	2	0
Yap,	12.47	29.86	758.4	NW	2	o	4.47	29.91	759.6	0	0	b
Labuan,	14	29.81	757.2	88	75	N	2	b	6	29.86	758.4	77	98	N	1	b

October 16d. 11h. 32m.—Pressure has increased slightly to moderately at the majority of reporting stations.

The anticyclone has strengthened slightly.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inch. Total since January 1st, 89.44 inches, against an average of 79.17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.
DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks, N.E. winds, fresh; fair.
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; fair.
- 4.—South coast of China between Hongkong and Hainan, N.E. winds, fresh; fair.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	16TH OCTOBER, 1923.							17TH OCTOBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE, ATMOS.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE, ATMOS.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Dir- ec- tion.	Forc.		Inches.	Millrs.			Dir- ec- tion.	Forc.	WEATHER.	
Vladivostock, .	12	30.09	764.3	65	...	SE	4	b	6	30.18	766.6	55	...	SE	3	o
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naba, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.17	766.3	72	62	...	0	b	6	30.22	767.6	62	83	S	2	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.36	771.0	72	29	E	1	b	"	30.32	770.1	52	92	SE	1	b
Gutzlaff, .	14	30.33	770.4	68	91	NE	1	b	"	30.33	770.4	62	100	SSE	2	b
Sharp Peak, .	"	30.22	767.6	74	74	E	2	b	7	30.22	767.6	64	84	NW	1	b
Amoy, .	15	30.14	765.5	78	54	NE	4	b	9
Swatow, .	"	8
Taihoku, .	11	30.24	768.0	77	61	ENE	6	b	5	30.19	766.8	68	83	E	4	o
Taichu, .	"	30.12	765.0	81	...	NNW	4	b	"	30.13	765.3	63	...	SE	1	b
Tainan, .	"	30.12	765.0	84	...	W	2	b	"	30.10	764.4	64	...	NNE	2	b
Koshun, .	"	30.10	764.4	79	...	NE	6	b	"	30.11	764.7	73	72	NNW	4	b
Pescadores, .	"	30.15	765.9	77	...	NNE	7	b	"	30.13	765.3	72	...	N	6	b
Canton, .	14	30.10	764.5	80	70	...	0	o	6	30.12	765.0	71	85	ESE	1	o
Hongkong, .	"	30.12	765.0	76	72	E	4	o	"	30.11	764.8	72	63	E	5	o
Gap Rock, .	"	30.09	764.3	ENE	5	o	"	30.08	764.0	ENE	5	o
Macao, .	"	30.08	764.0	77	72	ESE	4	o	"	30.10	764.4	72	65	E	6	o
Wuchow, .	15	30.06	763.5	80	62	E	2	o	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.02	762.6	84	64	SSE	2	b	7	30.05	763.2	73	96	NE	4	b
Tourane, .	"	29.98	761.4	73	...	WNW	4	r	"	29.99	761.7	72	...	NW	2	o
Cape St. James, .	"	29.89	759.3	81	...	ENE	4	b	"	29.92	759.9	73	...	NE	4	o
Basco, .	14	6	30.04	762.9	75	...	N	2	r
Aparri, .	"	29.93	761.7	86	65	NE	4	b	"	30.02	762.6	73	88	...	0	b
Manila, .	"	29.92	759.9	86	75	...	0	o	"	29.95	760.8	72	92	...	0	b
Legaspi, .	"	29.92	759.9	86	61	NE	2	o	"	29.93	760.2	79	80	NNE	4	o
Tacloban, .	"	29.91	759.6	81	89	...	0	o	"
Ililo, .	"	29.86	758.4	84	74	N	4	o	"	29.91	759.6	75	92	N	4	o
Surigao, .	"	29.87	758.7	77	61	...	0	o	"	73	96	SW	1	o
Guam, .	12.20	29.84	757.8	SE	4	r	4.20	29.86	758.4	NE	1	o
Yap, .	12.47	29.85	758.1	NW	2	o	4.47	29.87	758.7	NNE	2	o
Labuan, .	14	29.84	757.9	88	73	NW	1	b	6	29.86	758.4	77	94	N	1	b

October 17d. 12h. 02m.—Pressure has increased moderately from Chefoo to Vladivostock and decreased slightly elsewhere. The anticyclonic has moved eastward and is now central over S. Japan.

The monsoon will be interrupted to the north of Foochow, but will continue to blow freshly over the Formosa Channel and the north part of the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 89.44 inches, against an average of 79.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18th.
 DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- } N.E. winds, fresh; fine.

C. W. JEFFRIES,—Chief Assistant.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	17TH OCTOBER, 1923.							18TH OCTOBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMIDIT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMIDIT.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.14	765.5	61	...	SE	5	c	6	30.19	766.9	54	o	f
Nemuro,	11	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naba,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	15	30.20	767.1	72	90	S	4	b	6	30.19	766.8	62	94	...	o	o
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.34	770.7	73	44	SSE	2	b	"	30.24	768.0	55	93	ESE	i	b
Gutzlaff,	14	30.29	769.3	72	100	SE	2	b	"	30.31	769.9	64	95	SE	4	b
Sharp Peak,	"	30.25	768.3	74	76	E	4	b	7	30.20	767.1	66	84	N	1	b
Amoy,	15	30.12	765.0	80	55	NNE	2	b	9
Swatow,	"	8
Taihoku,	11	30.20	767.1	77	64	E	6	b	5	30.10	764.4	68	91	E	6	b
Taichu,	"	30.11	764.7	84	...	NNW	2	b	"	30.06	763.5	66	o	b
Tainan,	"	30.12	765.0	84	...	WNW	2	b	"	30.04	762.9	68	...	NE	2	b
Koshun,	"	30.13	765.3	79	...	NNE	4	o	"	30.04	762.9	73	...	NE	4	b
Pescadores,	"	30.14	765.6	81	...	N	6	b	"	30.06	763.5	73	...	N	6	b
Canton,	14	30.08	764.0	83	60	SSW	1	c	6	30.08	764.0	67	95	ENE	1	b
Hongkong,	"	30.10	764.5	76	50	E	5	b	"	30.06	763.5	72	82	E	5	c
Gap Rock,	"	30.10	764.5	ENE	5	o	"	30.05	763.2	E	5	o
Macao,	"	30.08	764.1	82	57	ESE	4	b	"	30.04	762.9	72	78	E	4	o
Wuchow,	15	30.05	763.2	81	67	E	3	c	9	
Pakhoi,	"	"	
Hoihow,	"	"	
Phulien,	"	29.91	761.7	81	76	E	4	b	7	29.98	761.4	72	94	NE	6	o
Tourane,	"	29.95	760.8	79	...	NNW	2	b	"	29.93	760.2	75	...	SW	2	b
Cape St. James, .	"	29.87	758.7	81	...	ENE	6	o	"	29.88	759.0	73	...	N	4	b
Basco,	14	30.01	761.3	77	...	N	1	o	6	
Aparri,	"	29.97	761.1	86	71	NE	4	o	"	29.94	760.5	77	88	NE	4	r
Manila,	"	29.88	759.0	84	68	SW	1	o	"	29.88	759.0	72	94	...	0	b
Legaspi,	"	"	29.87	758.7	73	94	...	0	...
Tacloban,	"	29.84	757.8	84	77	NNW	2	o	"	
Iloilo,	"	29.85	758.1	84	71	N	4	o	"	
Surigao,	"	29.84	757.8	82	77	NNE	2	r	"	
Guam,	12.20	29.79	756.6	NE	4	o	4.20	
Yap,	12.47	29.79	756.6	SE	2	o	4.47	29.81	757.2	SW	1	b
Labuan,	14	29.81	757.2	88	76	N	2	b	6	29.81	757.2	78	94	NW	1	b

October 18d. 12h. 02m.—Pressure has increased slightly at Wladivostock and decreased moderately to slightly at all other reporting stations.

Yesterday afternoon the anticyclone was central over Japan. It probably continues to move eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 89.44 inches, against an average of 79.39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19th.
 DISTRICT. FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, E. winds; strong, moderating; fair.
- 3.—Hongkong to Gap Rock, E. winds; strong, moderating; fair.
- 4.—South coast of China between Hongkong and Hainan, .

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	18TH OCTOBER, 1923.							19TH OCTOBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE, ATMOS.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE, ATMOS.	HUMIDIT.	WIND.			
Time.	Inches.	Millrs.	Direction.			Wind.	Weather.		Inches.	Millrs.			Direction.	Force.	Weather.	
Wladivostock, .	12	30.17	766.2	67	...	WSW	2	f	6	30.16	766.1	57	...	SE	4	o
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.11	764.8	72	76	SSE	1	o	6	30.03	762.7	64	91	SE	1	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.24	768.0	75	39	SE	2	b	"	30.08	764.1	59	100	ESE	1	b
Gutzlaff, .	14	30.19	766.8	73	72	SE	2	b	"	30.10	764.5	66	100	SSE	2	o
Sharp Peak, .	"	30.11	764.8	74	81	NE	4	o	7	30.07	763.8	67	84	W	1	b
Amoy, .	15	30.05	763.2	74	68	NW	1	b	9	30.00	762.0	70	80	ENE	1	o
Swatow, .	"	8
Taihoku, .	11	30.08	764.1	81	62	E	6	b	5	30.01	762.3	64	94	SE	2	b
Taichu, .	"	30.04	762.9	84	...	NNW	2	b	"	30.00	762.0	66	...	NE	2	b
Tainan, .	"	30.05	763.2	84	...	W	4	b	"	29.98	761.4	70	...	N	4	b
Koshun, .	"	30.04	762.9	82	...	NE	6	b	"	29.98	761.4	73	...	N	4	b
Pescadores, .	"	30.01	762.3	79	...	N	6	b	"	30.02	762.6	73	...	N	4	b
Canton, .	14	30.00	762.0	84	60	SSE	2	b	6	30.03	762.7	68	95	E	1	o
Hongkong, .	"	30.01	762.2	75	70	E	5	c	"	30.01	762.2	74	81	ENE	5	o
Gap Rock, .	"	29.99	761.7	ENE	5	c	"	29.99	761.7	E	4	o
Maeno, .	"	29.98	761.4	79	69	ESE	4	b	"	29.93	760.2	73	79
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.93	760.2	79	84	ESE	6	o	7	29.95	760.8	72	96	NNE	4	bf
Tourane, .	"	29.85	758.4	81	...	E	2	o	"	29.91	759.6	73	...	NE	2	o
Cape St. James, .	"	29.81	757.2	81	...	ENE	6	o	"	29.86	758.4	75	...	N	2	b
Basco, .	14	6	29.94	760.5	77	...	N	2	r
Aparri, .	"	29.88	759.0	77	91	NE	4	r	"	29.92	759.9	75	92	...	o	b
Manila, .	"	29.82	757.5	75	96	...	0	r	"	29.87	758.7	73	96	NE	1	o
Legaspi, .	"	29.81	757.2	81	84	NE	2	b	"	29.84	757.8	79	84	N	2	o
Tacloban, .	"	29.79	756.6	77	91	...	0	r	"
Illoilo, .	"	29.74	755.4	86	61	NE	4	b	"	29.81	757.2	77	89	N	4	o
Surigao, .	"	29.76	756.0	82	77	NNE	4	b	"
Guam, .	12.20	29.73	755.1	ENE	2	r	4.20	29.79	756.6	SE	1	r
Yap, .	12.47	29.75	755.7	E	4	o	4.47	29.81	757.2	N	1	b
Latuan, .	14	29.79	756.6	88	76	NE	2	b	6	29.78	756.4	76	94	S	2	o

October 19d. 11A. 51m.—Pressure has decreased moderately from Chefoo to Shanghai and slightly over Fokien and Formosa. It is nearly stationary in other districts.

Gradients are shallower over the N. China Sea and the monsoon has probably moderated.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 89.44 inches, against an average of 79.49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.
DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, moderate.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, E. winds, moderate; fair.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	19TH OCTOBER, 1923.								20TH OCTOBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	
		Hours.	Inches.	Millrs.			Direction.	Force.		Hours.	Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.09	764.2	61	...	SE	6	o	6	29.82	757.3	58	...	SE	6	f	
Nemuro,	11	5	
Hokodate,	"	"	
Tokio,	"	"	
Kochi,	"	"	
Nagasaki,	"	"	
Kagoshima,	"	"	
Oshima,	"	"	
Naba,	"	"	
Ishigakijima,	"	"	
Bonin Island,	"	"	
Chefoo,	15	29.89	759.2	70	85	SE	4	o	6	29.85	758.2	52	100	WNW	6	o	
Hankow,	"	"	
Ichang,	"	"	
Changsha,	"	"	
Shanghai,	11	30.04	762.9	75	56	S	6	b	"	30.06	763.5	61	91	WNW	2	o	
Gutzlaff,	14	29.93	761.7	73	86	SSE	4	b	"	30.04	763.0	65	95	NNW	4	o	
Sharp Peak,	"	30.03	762.7	82	75	E	1	b	7	30.01	762.2	50	86	...	0	o	
Amoy,	15	29.95	760.7	80	62	ENE	1	b	9	29.96	761.0	70	91	SE	1	o	
Swatow,	"	8	
Taihoku,	11	29.99	761.7	84	58	E	2	b	5	30.01	762.3	66	96	...	0	b	
Taichu,	"	30.00	762.0	73	...	WNW	2	b	"	29.99	761.7	66	...	NNE	0	b	
Tainan,	"	30.01	762.3	86	...	W	4	b	"	29.98	761.4	70	...	W	2	b	
Koshun,	"	30.00	762.0	84	...	NNE	4	b	"	29.92	759.9	72	...	N	1	b	
Pescadores,	"	30.04	762.9	79	...	NNW	4	o	"	29.99	761.7	72	4	...	
Canton,	14	29.97	761.2	84	64	S	2	c	6	30.00	762.0	71	95	...	0	o	
Hongkong,	"	29.98	761.5	77	73	E	3	b	"	29.98	761.5	73	90	E	2	o	
Gap Rock,	"	29.98	761.5	ENE	5	b	"	29.99	761.7	ENE	3	o	
Macao,	"	30.00	762.0	79	69	E	4	o	"	29.97	761.1	73	91	...	2	o	
Wuchow,	15	9	
Pakhoi,	"	"	
Hoithow,	"	"	
Phulien,	"	29.92	759.9	81	76	ESE	2	o	7	29.98	761.4	73	94	ENE	4	o	
Tourane,	"	29.88	759.0	77	...	ESE	2	r	"	29.88	759.0	73	...	WNW	4	o	
Cape St. James, .	"	29.80	756.9	81	...	ENE	6	b	"	29.86	758.4	73	...	N	4	o	
Basco,	14	29.89	759.3	84	...	N	2	r	6	29.93	760.2	77	0	b	
Aparri,	"	29.87	758.7	82	81	NE	2	o	"	29.92	759.9	73	96	...	0	o	
Manila,	"	29.79	756.6	86	65	NE	2	o	"	29.86	758.4	72	96	NE	1	o	
Legaspi,	"	29.79	756.6	82	81	N	4	o	"	29.82	757.5	77	91	NNE	2	o	
Tacloban,	"	"	
Ililo,	"	29.66	753.3	82	77	N	4	o	"	29.82	757.5	77	96	N	2	o	
Surigao,	"	"	29.80	756.9	75	96	SW	1	r	
Guam,	12.20	29.73	755.1	NE	2	o	4.20	29.79	756.6	E	1	o	
Yap,	12.47	29.75	755.7	E	1	o	4.47	29.82	757.5	78	91	NNE	2	b	
Labuan,	14	29.76	755.9	88	73	N	1	o	6	29.76	755.9	78	91	N	1	b	

October 20th, 11h. 55m.—Pressure has decreased considerably at Wladivostock, and slightly at Chefoo, Tourane and over S. Formosa. It is nearly stationary elsewhere.

Another anticyclone is probably forming over China. A depression lies over Korea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 89.44 inches, against an average of 79.59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21ST.

DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, moderate; fine.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	20TH OCTOBER, 1923.							21ST OCTOBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE, ATMOS.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE, ATMOS.	HUMIDITY.	WIND.			
		Inches.	Mills.			Dir- ec- tion.	Force.		Inches.	Mills.			Dir- ec- tion.	Force.		
Vladivostock, .	12	29.55	750.5	59	...	SE	5	or	6	29.63	752.6	45	...	NW	4	c
Nemuro, .	13	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Boniu Island, .	"	"
Chefoo, .	15	29.95	760.7	56	89	WNW	6	b	6	29.97	761.2	48	78	SW	1	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.15	765.9	64	32	WNW	...	b	"	30.14	765.6	45	82	NNW	1	b
Gutzlaff, .	14	30.13	765.3	69	80	NNW	4	b	"	30.14	765.5	56	89	N	1	b
Sharp Peak, .	"	30.01	762.2	82	79	E	2	b	"	30.07	763.8	70	90	N	2	o
Amoy, .	15	29.91	759.7	81	74	SE	2	b	9	29.99	761.7	70	85	ENE	2	b
Swatow, .	"	8
Taihoku, .	11	30.01	762.3	81	76	...	0	b	5	30.00	762.0	72	94	E	4	o
Taichu, .	"	29.99	761.7	84	...	SE	2	b	"	29.98	761.4	68	0	b
Taiwan, .	"	29.97	761.7	86	...	NW	2	b	"	29.95	760.8	68	...	NNE	2	b
Koshun, .	"	29.99	761.7	86	...	E	2	b	"	29.93	760.2	75	...	SE	4	o
Pescadores, .	"	30.01	762.3	81	...	NNE	4	b	"	29.98	761.4	75
Canton, .	14	29.94	760.5	87	62	...	0	c	6	30.00	762.0	73	90	...	0	o
Hongkong, .	"	29.94	760.5	85	55	ESE	2	b	"	29.98	761.5	75	89	E	3	o
Gap Rock, .	"	29.96	761.0	ENE	3	b	"	29.99	761.7	ENE	4	b
Macao, .	"	"	29.97	761.1	73	89	ESE	2	o
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.93	760.2	81	76	ESE	4	o	7	29.99	761.7	73	88	NE	2	of
Tourane, .	"	29.87	758.7	79	...	N	2	o	"	29.92	759.9	77	...	ESE	2	o
Cape St. James, .	"	29.82	757.5	81	...	ENE	4	b	"	29.84	757.8	75	...	ENE	4	b
Basco, .	14	6	29.93	760.2	75	...	NE	1	b
Aparri, .	"	29.85	758.1	84	74	NE	4	o	"
Manila, .	"	29.81	757.2	86	61	NW	2	o	"	29.86	758.4	72	94	E	1	o
Legaspi, .	"	29.79	756.6	93	77	NE	4	o	"	29.84	757.8	79	89	NNE	2	o
Tacloban, .	"	29.78	756.3	86	75	SE	2	o	"
Illoilo, .	"	29.76	756.0	86	65	NE	4	o	"
Surigao, .	"	29.76	756.0	82	81	NE	1	o	"
Guam, .	12.20	29.73	755.1	NE	2	o	4.20
Yap, .	12.47	29.76	756.0	NNW	2	o	4.47	29.82	757.5	N	1	b
Labuan, .	14	29.76	755.9	86	76	N	1	b	6	29.80	756.9	75	94	S	2	r

October 21st, 12h. 03m.—Pressure has increased slightly at Vladivostock and from S. Formosa to N. Indo-China. It has decreased slightly at Cape St. James and is nearly stationary at other reporting stations.

A moderate anticyclone is central over the lower Yangtze Valley and a depression over N.E. Japan.

Moderate to fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 89.44 inches, against an average of 79.69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND. DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, fresh; fine.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	HONGKONG STANDARD TIME.	21ST OCTOBER, 1923.					HONGKONG STANDARD TIME.	22ND OCTOBER, 1923.					HONGKONG STANDARD TIME.			
		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.				
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.		
Wladivostock, .	12	29.62	752.2	54	...	SW	3	b	6	29.83	757.6	48	...	w	4	b
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	29.91	759.7	65	68	NW	4	b	6	29.88	758.9	52	73	...	0	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.13	765.3	66	30	W	2	b	"	30.04	762.9	54	92	E	1	o
Gutzlaff, .	14	30.09	764.3	66	79	NW	1	b	"	30.04	762.9	62	100	S	1	o
Sharp Peak, .	"	30.04	763.0	75	79	E	2	o	7	30.05	763.2	69	90	N	1	b
Amoy, .	15	9	29.96	761.0	72	81	WSW	1	o
Swatow, .	"	8
Taihoku, .	11	30.00	762.0	81	73	ENE	6	b	5	29.94	760.5	68	94	SSE	4	b
Taichu, .	"	29.99	761.7	86	...	WNW	2	b	"	29.95	760.8	72	2	b
Tainan, .	"	29.98	761.4	86	...	SW	2	b	"	29.93	760.2	70	...	E	0	b
Koshun, .	"	29.99	761.7	86	...	NNE	4	b	"	29.93	760.2	70	0	b
Pescadores, .	"	30.01	762.3	81	...	NNW	6	b	"	29.95	760.8	73	...	NNE	4	b
Canton, .	14	29.93	760.2	85	64	SW	1	c	6	29.96	761.0	71	95	...	0	o
Hongkong, .	"	29.96	761.0	78	74	E	3	c	"	29.95	760.7	74	85	E	3	o
Gap Rock, .	"	29.96	761.0	E	4	c	"	29.95	760.7	ENE	4	o
Macao, .	"	29.94	760.5	82	70	ESE	4	o	"	29.94	760.5	73	88	E	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoikow, .	"	"
Phulien, .	"	29.91	759.6	86	65	SSE	2	b	7	29.92	759.9	73	85	ENE	4	b
Tourane, .	"	29.87	758.7	82	...	ESE	2	o	"	29.88	759.0	77	...	ESE	2	o
Cape St. James, .	"	29.78	756.3	81	...	ENE	6	b	"	29.82	757.5	73	...	ENE	2	bf
Basco, .	14	6	29.91	759.6	77	...	ENE	1	o
Aparri, .	"	29.85	758.1	86	71	NE	.4	b	"	29.89	759.3	73	96	...	0	b
Manila, .	"	29.80	756.9	84	71	ESE	4	o	"	29.84	757.8	72	96	E	1	o
Legaspi, .	"	29.78	756.3	86	75	NE	4	o	"	29.82	757.5	79	89	NNE	4	o
Tacloban, .	"	29.76	756.0	79	85	WNW	6	o	"
Iloilo, .	"	29.74	755.4	84	77	N	4	o	"	29.79	756.6	77	91	N	4	o
Surigao, .	"	29.74	755.4	82	81	...	0	o	"
Guam, .	12.20	29.72	754.8	NNW	4	o	4.20	29.78	756.3	E	1	b
Yap, .	12.47	29.74	755.4	S	1	o	4.47	29.81	757.2	NNE	2	o
Labuan, .	14	29.75	755.6	84	75	N	2	o	6	29.78	756.4	77	94	N	1	b

October 22d, 11h. 50m.—Pressure has increased considerably at Wladivostock and decreased slightly at the majority of other reporting stations.

The anticyclone has weakened and moved eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 89.44 inches, against an average of 79.78 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, moderate.
- 2.—South coast of China between Hongkong and Lamocks, E. winds, moderate; fair.
- 3.—Hongkong to Gap Rock, E. winds, moderate; fair.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	22ND OCTOBER, 1923.								23RD OCTOBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDT.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock, .	12	29.76	755.9	60	...	SSE	5	b	6	29.88	758.9	37	...	NNE	4	o
Nenuko, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	29.81	757.2	75	64	SSW	4	b	6	30.19	766.8	40	100	NNW	6	o
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.06	763.5	75	56	SE	1	b	"	30.02	762.6	61	100	SE	1	bf
Gutzlaff, .	14	30.03	762.7	72	85	SSE	1	o	"	30.03	762.7	67	95	SSW	1	o
Sharp Peak, .	"	30.05	763.2	78	82	E	1	o	7	30.00	762.0	71	85	...	0	o
Amoy, .	15	29.91	759.7	83	63	SW	4	b	9
Swatow, .	"	8
Taihoku, .	11	29.98	761.4	84	68	W	2	b	5	30.04	762.9	70	96	...	0	o
Taichu, .	"	29.98	761.4	84	...	W	2	o	"	30.02	762.6	68	0	bb
Tainan, .	"	29.98	761.4	86	...	W	4	b	"	30.00	762.0	70	0	bb
Koshun, .	"	29.98	761.4	84	...	NNE	4	b	"	30.00	762.0	72	z	bb
Pescadores, .	"	30.00	762.0	81	...	NW	6	b	"	30.02	762.6	73	...	N	2	bb
Canton, .	14	29.92	759.9	85	68	S	1	b	6	30.02	762.5	73	90	SE	1	o
Hongkong, .	"	29.93	760.2	78	84	E	3	cc	"	30.01	762.2	75	89	E	2	o
Gap Rock, .	"	29.93	760.2	ENE	4	o	"	29.99	761.7	ENE	4	b
Macao, .	"	29.92	759.9	82	77	SE	4	o	"	29.98	761.4	75	91	ESE	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.87	758.7	81	84	SSE	4	o	7	29.97	761.1	75	96	ENE	2	bf
Tourane, .	"	29.84	757.8	82	...	WNW	2	o	"	29.98	761.4	75	...	SE	2	o
Cape St. James, .	"	29.76	756.0	81	...	E	6	o	"	29.87	758.7	73	...	ENE	4	o
Basco, .	14	29.88	759.0	82	...	ENE	4	o	6	29.98	761.4	77	...	ENE	2	o
Aparri, .	"	29.86	758.4	86	68	NE	4	b	"	29.95	760.8	73	96	...	0	bb
Manila, .	"	29.81	757.2	86	65	WSW	4	o	"	29.91	759.6	73	92	...	0	o
Legaspi, .	"	29.82	757.5	79	61	ENE	4	o	"	29.89	759.3	79	93	NNE	1	o
Tacloban, .	"	"
Illoilo, .	"	29.76	756.0	81	90	N	1	o	"	29.87	758.7	75	92	N	4	o
Surigao, .	"	29.76	756.0	84	77	N	1	o	"	29.86	758.4	75	98	...	0	o
Quam, .	12.20	29.76	756.0	W	2	r	4.20	29.87	758.7	SE	1	o
Yap, .	12.47	29.78	756.3	SE	4	b	4.47	29.87	758.7	NNE	2	bb
Labuan, .	14	29.77	756.1	86	80	SW	4	b	6	29.81	757.2	76	94	N	1	bb

October 23d. 11h. 45m.—Pressure has increased considerably at Chefoo and slightly at the majority of other reporting stations.

An anticyclone has formed over Mongolia.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 89.44 inches, against an average of 79.87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

DISTRICT.

FORECAST.

- | | | |
|---|-----|---------------------------|
| 1.—Formosa Channel, . | ... | N. winds, moderate. |
| 2.—South coast of China between Hongkong and Lamocks, . | ... | E. winds, moderate; fine. |
| 3.—Hongkong to Gap Rock, . | ... | |
| 4.—South coast of China between Hongkong and Hainan, . | ... | |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	23RD OCTOBER, 1923.							24TH OCTOBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDT.	WIND.		
	Hongkong Inches.	Millrs.				Direction.	Force.		Hongkong Inches.	Millrs.				Direction.	Force.	
Wladivostock, .	12	30.00	761.9	34	...	NNW	3	o	6	30.07	763.7	33	...	WNW	3	b
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.30	769.6	44	86	N	6	o	6	30.35	770.9	75	92	SW	1	o
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	12	30.08	764.1	70	85	W	1	o	30.33	770.4	50	69	N	1	b	
Gutzlaff, .	14	30.05	763.2	69	95	NNW	1	o	30.30	769.6	56	94	N	6	o	
Sharp Peak, .	"	30.06	763.5	80	82	E	1	o	7	30.15	765.8	70	80	N	2	o
Amoy, .	15	29.96	761.0	82	71	SW	2	b	9	29.99	761.7	74	81	ENE	4	o
Swatow, .	"	8
Taihoku, .	11	30.04	762.9	82	67	...	o	b	5	30.07	763.8	68	96	...	0	o
Taichu, .	"	30.04	762.9	86	...	NE	2	b	"	30.04	762.9	64	0	b
Tainan, .	"	30.02	762.6	86	...	WSW	2	b	"	30.00	762.0	70	...	NNE	2	b
Koshun, .	"	30.05	763.2	84	...	ENE	4	b	"	30.00	762.0	68	0	b
Pescadores, .	"	30.06	763.5	82	...	NNW	2	o	"	30.04	762.9	75	...	N	2	o
Canton, .	14	29.99	761.7	85	61	SSW	1	b	6	30.05	763.2	75	86	N	2	or
Hongkong, .	"	30.01	762.2	80	77	E	3	c	"	30.03	762.7	74	91	...	0	c
Gap Rock, .	"	30.03	762.7	ENE	4	c	"	30.01	762.2	NE	3	b
Macao, .	"	30.00	762.0	86	68	SE	2	o	"	30.01	762.3	73	94	NW	2	o
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.91	759.6	86	71	SSE	4	tf	7	30.02	762.6	75	94	ENE	2	of
Tourane, .	"	29.92	759.9	82	...	ESE	2	b	"	29.98	761.4	75	...	E	2	b
Cape St. James, .	"	29.84	757.8	79	...	NE	4	o	"	29.88	759.0	75	...	ENE	4	o
Basco, .	14	6	29.98	761.4	75	...	ENE	1	b
Aparri, .	"	29.92	759.9	86	68	NE	4	b	"	29.94	760.5	77	94	...	0	o
Manila, .	"	29.88	759.0	82	70	WNW	2	o	"	29.91	759.6	75	94	NE	1	o
Legaspi, .	"	"	29.88	759.0	77	92	NNE	2	o
Tacloban, .	"	29.84	757.8	90	69	SSE	2	o	"	
Iloilo, .	"	29.81	757.2	86	65	N	4	o	"	29.84	757.8	75	98	...	0	o
Surigao, .	"	29.82	757.5	86	71	ENE	1	b	"	
Guam, .	12.20	29.80	756.9	NE	4	o	4.20	29.82	757.5	NE	1	b
Yap, .	12.47	29.80	756.9	NE	4	o	4.47	29.84	757.8	NE	4	b
Labuan, .	14	29.79	756.6	88	76	S	2	b	6	29.81	757.2	80	91	N	1	b

October 24d. 11h. 33m.—Pressure has increased considerably at Shanghai and slightly from Formosa to Indo-China. It has decreased slightly over the Philippines and at Guam.

The anticyclone has spread southward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 89.44 inches, against an average of 79.96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

DISTRICT.

FORECAST.

- | | |
|---|---|
| 1.—Formosa Channel, . | N. winds, strong. |
| 2.—South coast of China between Hongkong and Lamocks, . | N.E. winds, moderate to fresh & fair at first, some rain later. |
| 3.—Hongkong to Gap Rock, . | cooler. |
| 4.—South coast of China between Hongkong and Hainan, . | |

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	24TH OCTOBER, 1923.								25TH OCTOBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	6
Nemuro, .	11	5
Hokodate, .	"	"
Tekio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.11	764.8	54	68	NW	4	b/f	6	29.91	759.7	47	70	SW	2	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.38	771.6	59	...	N	2	b	"	30.15	765.9	45	94	NE	1	b
Gutzlaff, .	14	30.28	769.1	62	90	NNW	4	b	"	30.16	766.0	54	94	SE	1	o
Sharp Peak, .	"	30.13	765.3	69	85	NE	4	o	7	30.09	764.3	65	84	N	1	o
Amoy, .	15	30.05	763.2	69	85	NNW	4	o	9	30.03	762.7	66	84	ENE	2	o
Swatow, .	"	85	8
Taihoku, .	11	30.12	765.0	72	92	E	4	r	5	30.04	762.9	64	92	E	4	o
Taichu, .	"	30.04	762.9	82	...	NNW	4	b	"	29.99	761.7	66	0	b
Tainan, .	"	30.11	764.7	86	...	NNE	4	b	"	29.95	760.8	68	0	b
Koshun, .	"	30.04	762.9	84	...	ENE	4	b	"	29.95	760.8	73	...	NNE	4	b
Pescadores, .	"	30.07	763.8	81	...	NNE	6	b	"	29.99	761.7	72	6	...
Canton, .	14	30.00	762.0	81	67	N	2	e	6	30.01	762.2	74	86	ENE	1	or
Hongkong, .	"	29.99	761.7	82	71	E	3	c	"	29.99	761.7	74	84	ENE	3	o
Gap Rock, .	"	30.00	762.0	ENE	3	c	"	29.98	761.5	ENE	5	o
Macao, .	"	29.98	761.4	81	69	NW	2	o	"	29.95	760.8	73	82	E	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.97	761.1	81	76	SE	4	o	7	29.93	760.2	73	91	NE	4	of
Tourane, .	"	29.93	760.2	82	...	ESE	2	b	"	29.92	759.9	75	...	ESE	2	b
Cape St. James, .	"	29.82	757.5	81	...	ENE	6	o	"	29.82	757.5	75	...	ENE	2	o
Basco, .	14	29.93	760.2	81	...	NNE	2	o	6	b
Aparri, .	"	29.89	759.3	86	68	NE	4	o	"	29.89	759.3	75	92	E	2	b
Manila, .	"	29.82	757.5	84	71	S	1	o	"	29.85	758.1	75	94	SSE	1	o
Legaspi, .	"	29.80	756.9	86	71	NE	4	b	"	29.80	756.9	77	92	NNE	2	b
Tacloban, .	"	29.78	756.3	90	69	ESE	2	o	"
Ilollo, .	"	29.76	756.0	86	61	NE	6	o	"
Surigao, .	"	29.79	756.6	61	91	ESE	2	r	"
Guam, .	12.20	29.74	755.4	NE	2	r	4.20
Yap, .	12.47	4.47	29.79	756.6	NE	2	b
Labuan, .	14	29.79	756.6	88	75	NW	1	b	6	29.75	755.6	80	87	S	2	b

October 25th, 11h. 32m.—Pressure has decreased considerably at Chefoo and Shanghai and slightly at other reporting stations.

The anticyclone has weakened and moved eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 89.44 inches, against an average of 80.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

DISTRICT.

FORECAST.

- | | | |
|---|-----|---------------------------|
| 1.—Formosa Channel, . | ... | N.E. winds, fresh. |
| 2.—South coast of China between Hongkong and Lamocks, . | ... | E. winds, moderate; fair. |
| 3.—Hongkong to Gap Rock, . | ... | |
| 4.—South coast of China between Hongkong and Hainan, . | ... | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	25TH OCTOBER, 1923.							26TH OCTOBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	WEATHER.	
Vladivostock, .	12	6	
Nemuro,	11	5	
Hokodate,	"	"	
Tokio,	"	"	
Kochi,	"	"	
Nagasaki,	"	"	
Kagoshima,	"	"	
Oshima,	"	"	
Naha,	"	"	
Ishigakijima,	"	"	
Bonin Island,	"	"	
Chefoo,	15	29.92	759.9	60	60	WSW	2	0	6	29.92	759.9	42	75	W	1	b
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.10	764.4	68	43	SE	2	b	"	29.95	760.8	57	93	ESE	1	0
Gutzlaff,	14	30.04	763.0	65	95	SSE	2	b	"	29.97	761.2	63	94	S	2	0
Sharp Peak,	"	30.02	762.5	75	79	E	2	o	7	29.97	761.2	65	94	N	1	0
Amoy,	15	29.92	759.9	75	68	NNE	1	o	9
Swatow,	"	8
Taihoku,	11	30.01	762.3	75	71	E	6	b	5	29.89	759.3	64	98	...	0	b
Taichu,	"	29.98	761.4	81	...	N	2	b	"	29.91	759.6	66	2	b
Tainan,	"	29.95	760.8	86	...	W	2	b	"	29.87	758.7	68	...	NE	0	b
Koshun,	"	29.93	760.2	79	...	NNE	4	b	"	29.86	758.4	70	4	b
Pescadores,	"	30.00	762.0	81	...	N	6	b	"	29.89	759.3	73	...	N	4	b
Canton,	14	29.91	759.7	81	71	S	4	o	6	29.90	759.4	71	95	ENE	1	c
Hongkong,	"	29.92	759.9	77	76	E	1	o	"	29.89	759.2	73	88	ESE	3	0
Gap Rock,	"	29.91	759.7	ENE	5	h	"	29.89	759.2	ENE	4	0
Macao,	"	29.91	759.6	81	73	ESE	4	b	"	29.87	758.7	72	91	...	2	0
Wuchow,	15	29.91	759.7	78	78	E	1	o	9	
Pakhoi,	"	"	
Heikow,	"	"	
Phulien,	"	29.86	758.4	84	64	ESE	4	b	7	29.87	758.7	73	96	NE	2	0
Tourane,	"	29.85	758.1	81	...	E	2	b	"	29.84	757.8	75	...	E	2	b
Cape St. James,	"	29.76	756.0	81	...	E	4	o	"	29.78	756.3	75	...	ENE	4	b
Basco,	14	29.85	758.1	86	...	ENE	1	b	6	29.82	757.5	75	...	NNE	2	0
Aparri,	"	29.82	757.5	84	71	NE	4	o	"	29.81	757.2	73	94	SE	2	0
Manila,	"	29.78	756.3	81	80	NW	1	o	"	29.78	756.3	72	96	NE	1	0
Legaspi,	"	29.75	755.7	86	68	NE	4	b	"	29.78	756.3	79	93	NNE	2	0
Tacloban,	"	"	
Iloilo,	"	29.71	754.5	86	65	NE	4	b	"	29.73	755.1	77	94	NE	4	0
Surigao,	"	29.72	754.8	82	77	ENE	2	o	"	29.74	755.4	75	96	...	0	b
Guam,	12.20	29.69	754.2	ENE	4	r	4.20	29.76	756.0	NE	2	0
Yap,	12.47	29.73	755.1	E	4	o	4.47	29.75	755.7	NE	4	0
Labuan,	14	29.72	754.9	88	76	SE	2	b	6	29.68	753.9	80	89	N	4	b

* October 26th, 11h. 45m.—Pressure is stationary at Chefoo and has decreased moderately to slightly at other reporting stations.

Gradients are shallow from the Yangtze to the S. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 89.44 inches, against an average of 80.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

DISTRICT.

FORECAST.

- | | |
|--|---------------------------|
| 1.—Formosa Channel, | N.E. winds, moderate. |
| 2.—South coast of China between Hongkong and Lamock, | E. winds, moderate; fine. |
| 3.—Hongkong to Gap Rock, | |
| 4.—South coast of China between Hongkong and Hainan, | |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPQRT.

STATION.	26TH OCTOBER, 1923.								27TH OCTOBER, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.	TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.		
	Inches.	Millrs.	Direct- ion.	Force.			Inches.	Millrs.					Direct- ion.	Force.			
Wladivostock, .	12	29.97	761.3	42	ENE	3	b	6	30.06	763.4	31	f	
Nemuro, .	11	5	
Hokodate, .	"	"	
Tokio, .	"	"	
Koehi, .	"	"	
Nagasaki, .	"	"	
Kagoshima, .	"	"	
Oshima, .	"	"	
Naha, .	"	"	
Ishigakijima, .	"	"	
Bonin Island, .	"	"	
Chefoo, .	15	29.88	758.9	60	76	NNE	1	b	6	29.85	758.2	60	90	SSEW	2	b	
Hankow, .	"	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	"	29.97	761.1	59	98	ESE	1	o
Gutzlaff, .	14	"	29.98	761.5	65	100	SE	2	o
Sharp Peak, .	"	30.02	762.5	75	86	N	1	o	7	29.90	759.4	70	95	E	1	o	
Amoy, .	15	29.83	757.7	78	70	SSW	2	b	9	29.88	758.9	72	92	SE	1	o	
Swatow, .	"	8	
Taihoku, .	11	29.91	759.6	81	69	W	2	b	5	29.87	758.7	68	98	...	0	cf	
Taichu, .	"	29.89	759.3	84	...	NNW	2	b	"	29.89	759.3	64	b	
Tainan, .	"	29.89	759.3	86	...	W	2	b	"	29.86	758.4	68	b	
Koskun, .	"	29.91	759.6	82	...	ENE	2	o	"	29.86	758.4	70	0	b	
Pescadores, .	"	29.93	760.2	79	...	N	4	o	"	29.87	758.7	73	...	N	2	o	
Canton, .	14	29.83	757.7	84	64	S	1	o	6	29.86	758.4	72	95	SE	1	c	
Hongkong, .	"	29.85	758.2	77	79	E	3	c	"	29.85	758.2	75	88	ESE	1	c	
Gap Rock, .	"	29.86	758.4	ENE	4	h	"	29.85	758.2	SE	3	o	
Macao, .	"	29.85	758.1	86	68	SE	2	b	"	29.82	757.5	73	91	SSE	4	o	
Wuchow, .	15	9		
Pakhoi, .	"	"		
Hoihow, .	"	"		
Phulien, .	"	29.81	757.2	86	61	SSE	4	o	7	29.82	757.5	75	94	SSE	4	b	
Tourane, .	"	29.79	756.6	81	...	ENE	2	b	"	29.84	757.8	73	...	ESE	2	b	
Cape St. James, .	"	29.74	755.4	82	...	ENE	4	o	"	29.76	756.0	77	...	NE	2	b	
Basco, .	14	6	29.82	757.5	77	...	ESE	2	o	
Aparri, .	"	29.76	756.0	86	65	NE	4	b	"	29.82	757.5	75	96	SE	2	b	
Manila, .	"	29.74	755.4	82	77	NW	2	o	"	29.80	756.9	72	96	NE	1	o	
Legaspi, .	"	29.74	755.4	82	84	NE	4	o	"	29.80	756.9	77	91	NE	4	o	
Tacloban, .	"	29.72	754.8	77	92	ENE	1	r	"		
Illoilo, .	"	29.68	753.9	86	65	NE	4	o	"	29.75	755.7	77	94	N	2	b	
Surigao, .	"	29.69	754.2	86	75	ENE	1	b	"	29.75	755.7	75	96	...	0	o	
Guam, .	12.20	29.72	754.8	E	4	o	4.20	29.78	756.3	NE	4	o	
Yap, .	12.47	29.72	754.8	NE	6	o	4.47	29.76	756.0	NE	4	o	
Labuan, .	14	29.69	754.1	88	76	NE	4	b	6	29.81	757.2	78	91	N	2	b	

October 27d. 12h. 48m.—Pressure has increased moderately at Wladivostock; other changes are slight. A weak anticyclone probably covers Japan, and gradients are shallow throughout the area.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 89.44 inches, against an average of 80.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamoeks, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- E. and S.E. winds, light to moderate; fair to showery.

C. W. JEFFRIES,—Chief Assistant.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	27TH OCTOBER, 1923.							28TH OCTOBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Mills.			Direction.	Force.		Inches.	Mills.			Direction.	Force.	
Vladivostock, .	12	6
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	29.82	757.4	72	67	SSW	4	b	6	29.93	757.7	63	100	SSW	4
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.98	761.4	70	82	SE	2	o	"	29.95	760.8	57	100	ESE	1
Gutzlaff, .	14	29.93	760.2	67	100	SE	2	o	"	29.95	760.7	64	100	SE	2
Sharp Peak, .	"	29.83	757.7	72	90	E	1	r	7	29.90	759.4	67	94	N	1
Amoy, .	15	29.79	756.6	80	78	SW	2	o	9
Swatow, .	"	"
Taihoku, .	11	29.87	758.7	82	67	...	0	b	5	29.88	759.0	72	96	W	2
Taihu, .	"	29.88	759.0	86	...	SW	2	b	"	29.88	759.0	72	0
Tainan, .	"	29.88	759.0	86	...	WSW	4	b	"	29.85	758.1	73	...	N	2
Koshun, .	"	"	29.84	757.8	73	0	b
Pescadores, .	"	29.89	759.3	82	...	NW	4	b	"	29.86	758.4	73	...	NE	4
Caanton, .	14	29.77	756.1	83	71	S	2	c	6
Hongkong, .	"	29.81	757.2	78	87	SE	3	o	"	29.82	757.4	75	94	SE	2
Gap Rock, .	"	29.81	757.2	SE	2	o	"	29.81	757.2	SE	2
Macao, .	"	29.78	756.3	84	71	SE	2	b	"
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.75	755.7	84	68	SSE	6	b	7
Tourane, .	"	29.75	755.7	82	...	SE	2	b	"
Cape St. James, .	"	29.74	755.4	81	...	ENE	6	b	"
Basco, .	14	6	29.82	757.5	77	...	ESE	1
Aparri, .	"	29.76	756.0	90	63	NE	4	b	"	29.82	757.5	72	96	SE	2
Manila, .	"	29.74	755.4	90	63	W	2	o	"	29.81	757.2	73	96	NE	1
Legaspi, .	"	29.76	756.0	82	77	NE	4	o	"	29.79	756.6	79	84	NNE	2
Tacloban, .	"	"
Iloilo, .	"	29.71	754.5	86	65	NE	4	o	"
Surigao, .	"	"
Guam, .	12.20	29.73	755.1	NE	4	o	4.20
Yap, .	12.47	29.72	754.8	ENE	4	o	4.47
Labuan, .	14	29.71	754.6	88	73	SW	2	b	6

October 28d, 11h. 41m.—Pressure is probably highest over Japan. It has decreased slightly over N. Ind China and is nearly stationary at other reporting stations.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.26 inch. Total since January 1st, 89 inches, against an average of 80.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. or variable winds, moderate.
- 2.—South coast of China between Hongkong and Lamocks,
- 3.—Hongkong to Gap Rock, S.E. winds, moderate; cloudy, occasional rain.
- 4.—South coast of China between Hongkong and Hainan,

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	28TH OCTOBER, 1923.								29TH OCTOBER, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
	Inches.	Millrs.	Direction.	Force.			Inches.	Millrs.			Direction.	Force.			Direction.	Force.	
Vladivostock, .	12	29.91	759.8	56	ESE	4	o	6	29.85	758.2	48	..	N	4	o
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	29.83	757.7	73	76	S	1	o	6
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.95	760.8	72	44	SE	1	b	..	29.86	758.4	64	98	SSE	1	b	..
Gutzlaff, .	14	29.93	760.2	74	92	SE	2	o	..	29.88	758.9	66	100	SSE	4	o	..
Sharp Peak, .	"	29.89	759.2	78	82	E	2	b	..	29.98	761.5	71	90	N	1	o	..
Amoy, .	15	29.80	756.9	81	62	SSW	1	b	..	29.84	757.9	73	86	ENE	1	o	..
Swatow, .	"	8
Taihoku, .	11	29.85	758.1	82	67	NNW	6	b	..	5	29.84	757.8	68	98	..	0	b
Taichu, .	"	29.85	758.1	90	..	SSW	2	b	..	"	29.86	758.4	70	..	NW	1	b
Tainan, .	"	29.87	758.7	84	..	WSW	2	b	..	"	29.82	757.5	72	..	ENE	2	b
Koshun, .	"	29.86	758.4	84	..	SSE	2	o	..	"	29.82	757.5	72	0	o
Pescadores, .	"	29.84	757.8	86	..	SE	4	o	..	"	29.85	758.1	75	..	NE	2	o
Canton, .	14	29.76	755.9	86	61	SE	2	cd	..	6
Hongkong, .	"	29.80	756.9	77	93	E	2	cd	..	"	29.79	756.6	76	88	E	3	o
Gap Rock, .	"	29.81	757.2	SE	2	b	..	"	29.77	756.1	SE	3	o
Macao, .	"	29.78	756.3	84	68	SSW	4	b	..	"	29.72	754.8	77	89	SE	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.68	753.9	86	78	SSE	6	o	..	7	29.68	753.9	79	96	S	6	bf
Tourane, .	"	29.73	755.1	84	..	ESE	4	b	..	"	29.76	756.0	77	..	S	2	b
Cape St. James, .	"	29.73	755.1	81	..	ENE	4	b	..	"	29.78	756.3	77	..	ENE	2	b
Basco, .	14	6	29.81	757.2	77	..	ENE	2	o
Aparri, .	"	29.76	756.0	90	66	NE	4	b	..	"	29.81	757.2	70	94	SE	2	b
Manila, .	"	29.75	755.7	86	61	WSW	2	o	..	"	29.79	756.6	68	91	NE	1	o
Legaspi, .	"	29.75	755.7	82	81	NNE	4	o	..	"	29.78	756.3	79	80	NNE	4	o
Tacloban, .	"	29.75	755.7	81	87	..	0	r
Ililo, .	"	29.69	754.2	84	74	N	6	o	..	"	29.73	755.1	77	91	N	4	o
Surigao, .	"	29.72	754.8	84	77	ENE	2	o	..	"	29.73	755.1	75	96	S	1	o
Guam, .	12.20	29.72	754.8	E	4	o	4.20	29.75	755.7	ENE	4	r	..
Yap, .	12.47	29.72	754.8	ENE	4	o	4.47	29.75	755.7	NE	1	o	..
Labuan, .	14	29.72	754.9	86	80	N	2	b	6	29.71	754.6	75	94	S	2	o	..

October 29th. 11h. 56m.—Pressure has decreased slightly at the majority of reporting stations.

A depression is shown over S.W. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.22 inch. Total since January 1st, 89.92 inches, against an average of 80.36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

DISTRICT.

FORECAST.

- | | | |
|---|---|--|
| 1.—Formosa Channel, | { | S.E. winds, moderate; cloudy, showery. |
| 2.—South coast of China between Hongkong and Lamocks, | | |
| 3.—Hongkong to Gap Rock, | | |
| 4.—South coast of China between Hongkong and Hainan, | | |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	29TH OCTOBER, 1923.							30TH OCTOBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Hours.	Inches.	Millrs.		Direct- ion.	Force.		Hours.	Inches.	Millrs.			Direct- ion.	Force.	
Wladivostock, .	12	29.80	756.9	44	...	N	4	r	6	29.97	761.3	42	...	N	3	o
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	29.78	756.4	62	94	NE	1	b	6	29.97	761.2	56	94	NE	1	o
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.86	758.4	77	64	SSE	4	b	"	29.82	757.5	64	100	SSW	1	of
Gutzlaff, .	14	29.83	757.7	71	95	SSE	4	o	"	29.84	757.9	66	100	NW	1	o
Sharp Peak, .	"	29.84	757.9	78	86	N	1	o	7	29.88	758.9	72	94	...	0	rf
Amoy, .	15	29.74	755.4	80	78	WSW	2	o	29.78	756.4	75	92	SE	1	o	
Swatow, .	"	8
Taihoku, .	11	29.84	757.8	84	68	...	o	o	5	29.82	757.5	72	96	SE	1	o
Taiohu, .	"	29.85	758.1	86	...	o	b	...	"	29.82	757.5	70	0	o
Tainan, .	"	29.84	757.8	86	...	SW	4	b	"	29.81	757.2	68	...	SE	2	b
Koshun, .	"	29.86	758.4	86	...	SE	4	b	"	29.82	757.5	75	...	ESE	2	b
Pescadores, .	"	29.84	757.8	86	...	SSE	4	b	"	29.79	756.6	79	...	SSE	6	o
Canton, .	14	29.63	752.6	82	79	SSE	2	c	6
Hongkong, .	"	29.71	754.6	80	76	S	4	o	"	29.72	754.9	78	82	S	4	o
Gap Rock, .	"	29.72	754.9	SSE	4	b	"	29.70	754.4	S	4	c
Macao, .	"	29.68	753.9	79	90	SSE	6	r	"	29.71	754.5	73	98	SE	6	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.54	750.3	93	46	SSW	6	b	7	29.62	752.4	77	94	SSW	2	bf
Tourane, .	"	29.65	753.0	84	...	SE	4	b	"	29.72	754.8	79	...	SSW	4	b
Cape St. James, .	"	29.69	754.2	82	...	E	2	b	"	29.78	756.3	75	...	E	2	o
Basco, .	14	6
Aparri, .	"	29.75	755.7	90	57	ENE	2	b	"
Manila, .	"	29.72	754.8	90	55	SE	4	b	"	29.76	756.0	72	92	NE	1	o
Legaspi, .	"	"	29.76	756.0	75	96	...	0	o
Tacloban, .	"	29.69	754.2	86	78	...	o	o	"
Illoilo, .	"	29.67	753.6	86	65	NE	6	o	"	29.74	755.4	77	92	N	4	o
Surigao, .	"	29.68	753.9	82	81	E	1	o	"
Guam, .	12.20	29.69	754.2	ENE	4	r	4.20
Yap, .	12.47	29.69	754.2	NE	4	o	4.47	29.72	754.8	NE	2	b
Labuan, .	14	29.74	755.4	86	72	N	1	o	6	29.74	755.4	76	94	S	1	o

October 30d. 11h. 44m.—Pressure has increased considerably in the extreme North and slightly over Indo China. It is nearly stationary elsewhere.

A depression is still shown over S.W. China.

An anticyclone which formed over Mongolia yesterday is moving eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.19 inch. Total since January 1st, 90.1 inches, against an average of 80.43 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31ST.
DISTRICT.**

- 1.—Formosa Channel, .
 2.—South coast of China between Hongkong and Lamock, .
 3.—Hongkong to Gap Rock, .
 4.—South coast of China between Hongkong and Hainan, .
- S. winds, moderate, squally; overcast with rain at first, improving later.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	30TH OCTOBER, 1923.							31ST OCTOBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Ther- mome- ter ature.	Humid- ity.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Ther- mome- ter ature.	Humid- ity.	WIND.			
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	WEATHER.	
Vladivostock, .	12	29.94	760.6	51	...	NNW	3	b	6	30.23	767.7	35	...	N	2	b
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Koobi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.04	763.0	54	89	NNE	1	b	6	30.09	764.3	52	73	NE	2	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	29.86	758.4	75	71	SSE	1	o	"	29.92	759.9	66	96	NE	1	r of
Gutzlaff, .	14	29.86	758.4	69	95	SSE	1	o	"	29.94	760.5	65	100	NNW	1	o
Sharp Peak, .	"	29.85	758.2	77	95	E	1	r	7	29.87	758.7	70	94	...	0	b
Amoy, .	15	29.75	755.6	81	78	W	1	o	9	29.86	758.4	75	92	NE	1	o
Swatow, .	"	8
Taihoku, .	11	29.85	758.1	84	71	E	4	o	5	29.88	759.0	70	0	o
Taihu, .	"	29.84	757.8	90	...	WSW	2	o	"	29.88	759.0	70	0	o
Tainan, .	"	29.82	757.5	86	...	SSW	4	b	"	29.86	758.4	72	0	b
Keshun, .	"	29.85	758.1	86	...	E	4	b	"	29.86	758.4	75	0	b
Pescadores, .	"	29.85	758.1	84	...	SSE	6	o	"	29.86	758.4	75	0	b
Canton, .	14	29.69	754.1	79	82	S	2	o	6
Hongkong, .	"	29.71	754.6	75	94	N	1	cd	"	29.82	757.4	73	98	ENE	1	orlt cd
Gap Rock, .	"	29.70	754.4	S	4	o	"	S	5	r
Macao, .	"	29.68	753.9	73	98	W	4	r	"	29.79	756.6	70	100	NW	4	...
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.58	751.2	93	46	W	4	b	7	29.71	754.5	79	95	S	1	of b
Tourane, .	"	29.62	752.4	84	...	SE	4	b	"	29.76	756.0	77	...	WSW	2	b
Cape St. James, .	"	29.72	754.8	86	...	SE	2	b	"	29.81	757.2	77	...	ENE	2	b
Basco, .	14	6
Aparri, .	"	29.76	756.0	86	65	NE	4	o	"	29.81	757.2	73	92	S	2	of o
Manila, .	"	29.76	756.0	81	80	NE	2	o	"	29.81	757.2	72	96	N	1	o
Legaspi, .	"	29.75	755.7	79	89	NE	4	o	"	29.79	756.6	77	92	N	1	o
Tacloban, .	"	"	29.78	756.3	75	96	...	0	o
Ililo, .	"	29.67	753.6	86	71	N	4	o	"	29.74	755.4	75	94	N	4	b
Surigao, .	"	29.68	753.9	82	...	N	4	o	"	29.76	756.0	70	96	S	1	b
Guam, .	12.20	29.68	753.9	ENE	4	o	4.20	29.78	756.3	ENE	2	o
Yap, .	12.47	29.68	753.9	NE	4	b	4.47	29.76	756.0	E	2	o
Labuan, .	14	29.69	754.1	86	76	N	1	b	6	29.76	755.9	75	94	SE	2	r

October 31st, 11h. 40m.—Pressure has increased considerably over S. Manchuria and slightly to moderately in other districts, except over the Philippines where it is nearly stationary.

The depression over S.W. China is filling up.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 15.91 inch. Total since January 1st, 106.02 inches, against an average of 80.50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1ST.

DISTRICT.

FORECAST.

- | | | |
|---|---|---------------------------------------|
| 1.—Formosa Channel, | } | S. or variable winds, moderate; fair. |
| 2.—South coast of China between Hongkong and Lamoeks, | | |
| 3.—Hongkong to Gap Rock, | | |
| 4.—South coast of China between Hongkong and Hainan, | | |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.


NOVEMBER,

1923.

**CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE
ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER
REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.**

PREPARED UNDER THE DIRECTION OF

**T. F. CLAXTON, F.R.A.S.,
DIRECTOR.**



**HONGKONG:
PRINTED BY NORONHA & CO.
GOVERNMENT PRINTERS.**

1923.

ROYAL OBSERVATORY, HONGKONG.

R E S U L T S

O F

METEOROLOGICAL OBSERVATIONS.

NOVEMBER,

1923.

HOURLY VALUES OF BAROMETRIC PRESSURE AND AIR TEMPERATURE,

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of NOVEMBER, 1923.

Days of the Month.	Hours, Hongkong Standard Time.											Days of the Month.	
	1	2	3	4	5	6	7	8	9	10	11		
1	29.807	29.787	29.780	29.777	29.797	29.819	29.841	29.840	29.848	29.881	29.862	29.840	1
2	29.865	29.873	29.862	29.872	29.885	29.899	29.939	29.953	29.959	29.974	29.964	29.938	2
3	29.962	29.957	29.938	29.942	29.944	29.970	29.990	30.007	30.021	30.037	30.025	30.016	3
4	30.014	30.008	29.994	29.993	29.992	30.013	30.036	30.050	30.060	30.065	30.048	30.018	4
5	29.991	29.977	29.966	29.958	29.964	29.973	29.994	30.006	30.023	30.021	30.008	29.987	5
6	29.939	29.923	29.913	29.903	29.897	29.905	29.913	29.935	29.946	29.954	29.939	29.916	6
7	29.920	29.917	29.922	29.936	29.952	29.968	29.981	29.990	29.992	29.981	29.965	29.965	7
8	29.980	29.970	29.966	29.977	29.978	29.998	30.014	30.030	30.048	30.059	30.054	30.038	8
9	30.010	30.004	29.998	29.997	30.002	30.022	30.031	30.051	30.061	30.068	30.049	30.018	9
10	30.001	29.991	29.982	29.980	29.989	30.011	30.019	30.026	30.035	30.006	29.983	10	
11	29.973	29.955	29.948	29.948	29.961	29.978	30.001	30.002	30.027	30.031	30.009	30.001	11
12	29.976	29.968	29.952	29.945	29.957	29.986	30.012	30.035	30.056	30.066	30.043	30.012	12
13	29.960	29.963	29.958	29.966	29.974	30.004	30.013	30.028	30.034	30.035	30.018	29.986	13
14	29.984	29.991	29.988	29.988	29.985	29.998	30.016	30.023	30.040	30.041	30.020	29.992	14
15	30.000	29.986	29.982	29.981	29.986	29.985	29.997	30.013	30.017	30.034	30.013	29.990	15
16	29.959	29.948	29.948	29.943	29.951	29.953	29.963	29.974	29.989	30.002	29.997	29.962	16
17	29.938	29.920	29.902	29.904	29.902	29.910	29.918	29.930	29.930	29.911	29.895	29.895	17
18	29.826	29.824	29.813	29.813	29.818	29.829	29.843	29.854	29.856	29.865	29.860	29.824	18
19	29.799	29.787	29.768	29.760	29.762	29.787	29.806	29.813	29.829	29.839	29.824	29.794	19
20	29.872	29.854	29.853	29.853	29.865	29.884	29.900	29.918	29.941	29.945	29.928	29.904	20
21	29.891	29.883	29.875	29.877	29.885	29.909	29.922	29.937	29.949	29.950	29.921	29.895	21
22	29.877	29.857	29.853	29.837	29.836	29.847	29.866	29.882	29.901	29.910	29.880	29.854	22
23	29.854	29.839	29.832	29.827	29.826	29.846	29.877	29.897	29.924	29.930	29.920	29.921	23
24	29.925	29.921	29.917	29.926	29.932	29.956	29.977	30.011	30.027	30.041	30.032	30.017	24
25	30.010	30.011	30.005	29.993	30.001	30.006	30.030	30.038	30.050	30.051	30.048	30.028	25
26	30.007	30.001	29.985	29.979	29.975	29.986	29.993	30.005	30.015	30.022	30.016	29.990	26
27	29.952	29.941	29.928	29.914	29.902	29.906	29.911	29.932	29.944	29.951	29.938	29.918	27
28	29.927	29.924	29.914	29.910	29.918	29.924	29.937	29.943	29.958	29.970	29.970	29.959	28
29	30.005	29.999	29.992	29.996	30.006	30.022	30.037	30.051	30.068	30.079	30.070	30.053	29
30	30.076	30.072	30.066	30.054	30.057	30.068	30.084	30.101	30.106	30.110	30.100	30.083	30
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29.824	29.795	29.787	29.779	29.782	29.802	29.818	29.843	29.860	29.870	29.877	29.875	1
2	29.913	29.903	29.898	29.902	29.914	29.923	29.946	29.970	29.983	29.988	29.990	29.968	2
3	29.986	29.964	29.962	29.973	29.983	29.999	30.022	30.040	30.043	30.044	30.034	30.024	3
4	29.992	29.966	29.952	29.947	29.955	29.976	29.994	30.014	30.022	30.022	30.016	30.066	4
5	29.961	29.928	29.913	29.916	29.921	29.924	29.948	29.964	29.965	29.965	29.953	29.953	5
6	29.892	29.858	29.856	29.859	29.870	29.874	29.896	29.926	29.925	29.931	29.925	29.918	6
7	29.932	29.910	29.888	29.888	29.900	29.904	29.919	29.938	29.950	29.962	29.971	29.973	7
8	30.010	29.987	29.973	29.968	29.972	29.977	29.983	29.995	30.013	30.028	30.025	30.017	8
9	29.980	29.964	29.943	29.947	29.948	29.957	29.976	29.990	30.004	30.013	30.019	30.006	9
10	29.959	29.934	29.920	29.923	29.931	29.949	29.966	29.974	29.988	29.978	29.971	29.971	10
11	29.973	29.957	29.944	29.940	29.946	29.955	29.970	29.994	30.000	29.995	29.995	29.988	11
12	29.986	29.950	29.934	29.928	29.930	29.944	29.961	29.974	29.976	29.978	29.979	29.972	12
13	29.958	29.944	29.931	29.927	29.931	29.942	29.960	29.974	29.987	29.982	29.984	29.988	13
14	29.966	29.960	29.948	29.950	29.954	29.968	29.980	30.000	30.012	30.018	30.012	30.012	14
15	29.954	29.937	29.922	29.930	29.939	29.937	29.953	29.966	29.975	29.979	29.981	29.967	15
16	29.934	29.918	29.903	29.892	29.905	29.917	29.928	29.940	29.955	29.959	29.957	29.945	16
17	29.858	29.819	29.794	29.785	29.787	29.800	29.812	29.834	29.834	29.838	29.833	29.833	17
18	29.762	29.762	29.743	29.738	29.744	29.755	29.770	29.794	29.803	29.813	29.817	29.807	18
19	29.760	29.737	29.727	29.737	29.755	29.782	29.815	29.845	29.876	29.897	29.905	29.897	19
20	29.871	29.850	29.836	29.834	29.844	29.860	29.878	29.898	29.905	29.903	29.901	29.890	20
21	29.852	29.830	29.812	29.817	29.828	29.837	29.855	29.879	29.883	29.891	29.889	29.888	21
22	29.819	29.788	29.776	29.779	29.785	29.798	29.812	29.838	29.858	29.862	29.861	29.855	22
23	29.887	29.870	29.850	29.853	29.861	29.867	29.887	29.896	29.919	29.929	29.930	29.926	23
24	29.978	29.957	29.941	29.949	29.957	29.960	29.974	29.989	30.002	30.008	30.012	30.018	24
25	29.999	29.979	29.968	29.963	29.962	29.976	29.984	30.011	30.020	30.026	30.022	30.012	25
26	29.954	29.938	29.920	29.924	29.926	29.929	29.940	29.944	29.954	29.961	29.961	29.952	26
27	29.884	29.866	29.852	29.858	29.872	29.887	29.899	29.911	29.920	29.932	29.931	29.928	27
28	29.928	29.899	29.890	29.900	29.913	29.926	29.947	29.972	29.984	29.993	30.002	30.010	28
29	30.030	30.020	30.008	30.017	30.029	30.048	30.058	30.068	30.074	30.084	30.087	30.080	29
30	30.056	30.046	30.036	30.032	30.040	30.061	30.077	30.088	30.090	30.088	30.099	30.100	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of NOVEMBER, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	76.1	75.5	75.0	74.7	74.6	74.9	73.7	73.3	76.4	76.6	78.7	79.9	1
2	70.5	70.0	69.7	69.3	68.6	68.5	68.1	70.0	71.5	73.3	74.6	76.2	2
3	70.5	69.9	69.6	69.7	68.9	68.2	67.9	67.7	69.3	69.5	71.9	71.5	3
4	70.7	70.0	69.1	68.6	68.6	69.0	69.1	71.1	72.4	73.3	74.3	75.0	4
5	72.4	71.8	71.5	71.1	70.6	70.1	70.9	73.1	74.3	75.8	76.3	77.3	5
6	73.7	73.8	73.7	73.0	72.9	73.0	73.5	74.1	74.8	75.4	76.3	75.5	6
7	71.9	71.6	71.2	70.6	70.6	69.5	69.0	69.7	70.0	71.6	73.4	74.6	7
8	71.0	70.6	70.6	70.2	70.1	69.6	68.9	69.5	70.4	72.6	74.8	75.0	8
9	71.6	70.6	70.4	70.0	69.9	69.8	69.7	70.7	71.0	71.6	72.5	73.0	9
10	71.9	71.5	70.9	70.3	70.0	69.9	70.2	71.6	72.5	73.3	73.3	73.6	10
11	72.1	72.0	71.5	71.1	70.6	70.1	69.5	71.3	72.4	72.5	73.3	74.3	11
12	69.0	69.7	69.1	68.8	67.7	67.0	66.6	67.5	69.5	72.3	72.9	72.5	12
13	65.4	64.5	64.6	65.5	65.3	64.8	65.2	68.6	70.4	72.2	73.1	72.9	13
14	70.7	69.7	68.5	68.3	68.6	68.8	68.8	69.5	70.2	70.8	72.0	72.2	14
15	70.8	70.4	70.0	70.1	70.3	70.3	70.5	72.4	73.7	74.6	75.0	74.4	15
16	72.5	72.1	71.4	71.0	71.0	71.0	71.1	71.5	72.2	72.5	73.1	74.3	16
17	71.0	70.9	70.8	71.0	71.2	71.0	70.6	72.9	73.5	77.3	78.1	79.0	17
18	70.3	69.5	69.4	69.8	70.2	70.1	70.9	72.6	74.3	77.1	77.4	77.0	18
19	71.4	71.3	70.9	70.6	69.8	70.3	70.4	73.5	76.1	77.9	80.5	80.5	19
20	69.5	69.4	68.8	68.5	68.2	68.0	67.9	68.3	69.4	70.2	72.0	73.7	20
21	69.5	68.9	68.5	68.2	68.0	67.5	67.3	68.9	70.8	72.5	74.0	73.7	21
22	69.0	67.1	66.7	66.6	66.3	66.4	66.9	68.7	70.3	73.5	76.0	77.0	22
23	72.1	72.1	72.0	71.5	71.2	71.4	71.0	74.1	75.7	75.9	76.0	75.0	23
24	70.8	70.5	70.3	70.2	70.3	70.5	70.0	68.6	69.4	70.0	69.9	69.3	24
25	69.2	69.6	69.4	68.6	68.6	68.7	67.5	68.3	71.1	72.5	72.9	72.6	25
26	70.5	70.0	69.5	69.3	69.2	69.4	69.8	70.1	71.2	71.1	71.5	71.5	26
27	71.0	70.7	70.5	70.1	69.7	69.4	69.3	71.5	73.0	73.8	73.6	74.4	27
28	69.6	69.6	69.7	70.0	70.1	70.3	70.4	72.6	73.0	75.5	74.5	73.0	28
29	68.5	67.8	67.0	66.9	66.4	66.0	65.6	66.9	68.7	70.0	70.2	70.2	29
30	63.4	62.7	61.7	60.3	60.6	60.9	61.9	64.5	67.1	69.4	68.9	69.3	30
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	°	°	°	°	°	°	°	°	°	°	°	°	1
2	81.5	82.5	81.4	80.9	79.4	77.5	76.2	75.6	74.8	73.5	72.5	71.6	2
3	76.6	76.2	76.1	75.5	73.9	72.7	71.8	70.6	69.9	69.7	70.2	70.7	3
4	72.1	72.5	72.9	72.6	72.2	71.0	70.6	70.0	71.0	71.5	71.6	71.5	4
5	75.3	75.5	74.7	73.5	72.8	72.2	71.4	70.8	70.4	70.4	70.5	70.7	5
6	76.9	76.5	75.0	74.6	74.3	74.3	73.8	73.6	73.6	73.5	73.7	73.9	6
7	75.5	75.1	75.0	74.6	73.8	73.6	73.5	72.5	72.3	71.9	71.7	72.0	7
8	75.9	76.2	75.7	75.7	74.5	74.0	73.9	74.6	76.6	75.8	74.9	73.3	8
9	75.4	74.8	74.5	73.8	73.0	73.0	73.1	72.8	72.7	72.5	72.4	72.0	9
10	73.4	73.1	72.9	72.6	71.6	70.7	70.6	71.0	71.8	72.2	72.1	72.1	10
11	74.7	74.4	74.4	73.1	71.9	71.3	70.9	70.6	70.4	70.3	69.5	68.8	11
12	72.8	73.5	73.0	72.8	71.3	69.8	69.7	68.6	67.9	67.6	67.8	67.6	12
13	73.1	73.2	73.0	72.4	72.3	72.4	72.1	71.7	71.8	71.3	70.6	70.6	13
14	72.1	71.6	71.5	71.1	70.9	70.7	71.0	71.6	71.2	71.2	71.0	70.6	14
15	74.4	74.7	74.0	73.7	73.0	72.5	72.6	72.7	73.0	73.4	73.5	73.0	15
16	73.6	75.1	74.3	73.5	72.8	72.3	72.1	72.0	71.9	71.7	71.5	71.4	16
17	77.9	77.7	76.7	75.6	73.9	73.0	72.7	71.8	71.0	70.4	70.4	70.4	17
18	76.3	76.1	75.7	75.3	74.0	73.2	72.4	72.2	71.5	71.4	71.2	71.3	18
19	82.0	83.0	82.6	82.0	80.0	77.0	73.4	71.8	71.4	70.4	69.5	69.0	19
20	73.9	74.2	73.7	72.4	71.2	70.4	69.7	68.8	70.3	70.6	70.5	70.5	20
21	73.6	73.2	72.1	71.4	70.3	69.5	68.0	68.8	68.4	68.3	67.9	67.3	21
22	77.7	77.0	77.0	76.4	75.6	75.3	74.4	73.9	73.6	73.2	73.0	73.3	22
23	74.7	74.1	73.8	73.4	73.0	72.1	71.8	71.6	71.6	71.5	71.5	71.6	23
24	71.7	73.9	73.9	73.7	71.6	70.6	70.5	70.2	70.0	70.6	69.4	69.2	24
25	72.9	72.6	71.9	70.9	70.6	70.2	70.4	70.4	69.9	68.7	69.9	70.6	25
26	71.2	70.7	70.6	70.7	70.5	70.2	70.1	70.2	70.5	70.6	70.5	70.6	26
27	74.5	73.6	73.5	72.6	71.9	71.1	70.5	70.4	70.5	70.5	70.2	69.4	27
28	75.4	76.4	74.7	73.6	72.8	72.8	72.6	71.6	71.8	70.7	70.1	69.5	28
29	68.3	68.2	67.5	67.4	66.9	66.7	65.8	65.7	65.7	65.6	65.0	64.1	29
30	68.3	68.6	68.4	67.6	67.3	67.2	67.3	67.5	67.4	67.0	66.7	66.6	30

6. HOURLY VALUES OF THE TEMPERATURE OF EVAPORATION, AMOUNT OF CLOUD, AND SUNSHINE

TABLE III.—TEMPERATURE OF EVAPORATION at every Hour of the Day, in the Month of NOVEMBER, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	75.3	74.6	73.9	73.5	73.5	73.1	69.6	69.4	69.3	70.0	70.7	71.3	1
2	57.7	57.5	57.0	56.8	56.2	56.0	56.3	56.8	58.5	59.0	59.6	58.6	2
3	63.8	64.0	64.4	65.0	64.5	63.7	63.3	62.5	62.1	61.6	60.3	62.0	3
4	64.5	64.0	63.8	63.4	63.5	63.4	63.8	65.0	65.5	66.0	65.3	66.5	4
5	67.0	67.2	66.9	66.6	66.0	66.0	65.8	66.5	66.7	66.9	68.0	68.0	5
6	70.6	70.8	70.6	70.4	70.2	70.1	70.1	70.1	70.1	70.2	70.6	70.5	6
7	68.5	68.8	68.1	67.6	67.9	68.0	67.4	67.9	68.5	69.4	69.0	68.5	7
8	64.0	63.8	63.3	63.2	63.2	63.2	62.8	62.9	63.5	64.4	65.3	65.6	8
9	67.0	66.5	66.1	64.6	63.6	64.0	64.0	64.8	64.2	63.9	64.7	64.3	9
10	66.6	66.6	66.8	66.6	66.3	65.8	65.1	66.3	66.4	66.6	66.6	66.5	10
11	67.6	67.9	67.5	67.2	66.5	65.5	65.0	66.0	65.7	66.0	66.4	66.6	11
12	66.0	65.2	64.6	63.4	62.3	61.7	61.2	61.4	62.1	63.4	62.0	61.4	12
13	57.4	56.6	56.2	56.5	56.6	56.5	57.5	59.3	59.5	59.8	58.0	59.2	13
14	62.2	63.2	62.5	62.6	62.3	63.5	63.5	64.0	63.7	64.1	63.5	64.1	14
15	66.4	66.2	65.5	64.7	64.3	64.0	63.7	65.3	66.0	66.9	67.5	67.7	15
16	69.1	68.5	68.5	68.1	68.0	68.2	68.2	68.6	68.9	68.8	68.8	69.7	16
17	68.6	68.0	67.8	68.0	67.9	67.9	67.9	69.3	70.5	71.1	71.5	70.8	17
18	68.5	67.6	67.8	68.1	67.7	67.2	67.0	68.1	68.8	68.7	67.7	68.9	18
19	69.4	69.4	69.2	69.2	68.5	68.9	68.8	70.0	71.9	72.3	71.7	70.8	19
20	61.4	61.5	61.4	61.3	60.7	60.6	60.5	61.0	61.4	61.9	62.8	63.6	20
21	63.5	63.1	62.6	62.7	62.5	62.3	62.6	63.8	65.2	66.0	66.7	66.7	21
22	65.3	55.4	65.2	65.4	65.2	65.2	65.2	66.3	65.7	66.3	67.1	68.8	22
23	67.3	66.8	66.4	66.2	66.1	65.9	65.6	66.8	67.1	68.6	69.1	69.4	23
24	67.7	67.5	67.1	65.7	64.9	64.5	65.0	65.2	66.3	67.0	66.2	66.0	24
25	64.5	64.8	65.0	65.0	64.5	65.0	65.1	65.7	66.1	65.8	66.3	66.1	25
26	65.5	65.4	65.3	65.5	65.6	65.7	66.0	66.4	66.4	67.1	67.4	67.6	26
27	68.5	68.5	68.4	68.5	68.0	67.4	67.5	68.2	69.0	69.1	69.3	69.4	27
28	68.5	68.4	68.6	68.1	68.5	68.5	68.5	69.1	69.6	70.3	69.5	68.3	28
29	63.6	63.6	62.9	62.1	61.9	61.1	61.0	60.5	51.6	63.0	63.3	63.8	29
30	58.7	58.4	57.7	56.6	56.5	56.5	56.5	57.5	59.6	61.2	61.6	61.5	30
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	71.0	71.6	70.2	68.6	68.0	66.1	64.5	63.8	63.2	61.7	60.5	59.4	1
2	59.3	59.4	59.9	61.3	62.3	62.5	61.5	61.2	62.5	62.1	62.6	61.6	2
3	62.9	63.5	63.5	63.6	62.6	62.5	62.8	62.9	63.5	64.5	65.0	65.0	3
4	66.4	66.0	65.0	64.7	64.3	64.1	64.0	64.2	64.5	65.0	65.0	65.3	4
5	68.1	67.9	67.4	68.2	68.5	68.9	69.2	69.3	69.6	70.0	70.5	70.9	5
6	70.3	70.0	69.7	69.4	69.5	70.2	70.3	70.3	70.5	69.4	69.5	70.1	6
7	68.3	68.5	69.0	68.5	66.6	65.8	66.4	66.8	67.3	67.5	67.4	66.1	7
8	66.6	67.3	68.6	68.6	67.9	67.5	67.5	68.6	69.0	68.0	68.1	67.3	8
9	64.6	64.5	64.5	65.4	64.8	64.9	65.2	66.1	67.2	67.2	67.4	67.1	9
10	66.1	66.7	67.2	66.6	66.7	66.5	66.4	66.7	66.8	66.8	66.9	66.9	10
11	67.5	67.5	67.4	66.6	66.2	66.4	66.4	66.4	66.5	66.5	65.3	66.0	11
12	61.5	62.3	61.1	61.3	60.3	60.0	60.0	59.0	58.5	58.2	58.5	58.8	12
13	58.6	58.4	58.5	58.4	58.5	57.8	58.1	58.1	58.5	60.1	61.4	61.9	13
14	64.3	64.7	64.5	64.9	64.8	64.9	65.4	66.0	66.2	66.7	67.1	67.0	14
15	68.0	68.5	68.5	68.5	68.4	68.2	68.2	68.5	68.7	68.7	68.5	68.9	15
16	69.5	70.3	69.8	69.4	69.5	69.4	69.3	69.2	69.2	69.3	69.0	68.9	16
17	71.2	71.1	71.0	71.2	70.0	69.8	69.3	69.4	69.5	68.9	68.8	68.5	17
18	68.8	69.3	69.4	68.8	68.5	68.0	68.1	68.1	68.0	68.5	68.7	69.3	18
19	71.8	71.5	70.7	70.5	69.4	67.2	64.5	63.3	63.0	62.1	61.5	61.1	19
20	63.9	64.5	64.1	64.0	63.9	64.2	64.5	64.5	64.6	65.8	65.0	64.6	20
21	65.5	65.6	64.1	64.3	63.9	63.9	64.0	64.2	64.9	65.3	65.1	65.1	21
22	69.5	69.7	69.8	69.3	67.2	66.9	67.5	67.1	67.4	67.0	67.8	68.5	22
23	69.4	68.0	67.4	67.5	67.5	67.4	67.5	67.5	67.4	67.5	67.5	68.0	23
24	66.1	67.0	67.0	66.7	66.2	65.6	64.9	64.5	64.4	65.0	64.7	65.0	24
25	66.3	66.5	66.2	65.9	65.5	65.5	65.9	66.0	66.0	65.7	65.4	65.7	25
26	67.2	67.0	67.2	67.3	67.4	67.2	67.5	67.4	67.5	67.5	67.7	67.9	26
27	69.5	69.4	69.3	68.7	68.6	68.5	68.5	68.4	68.5	68.5	68.3	68.0	27
28	69.4	69.4	69.5	68.7	68.8	68.6	68.6	69.0	65.9	65.3	64.6	64.5	28
29	63.1	63.0	62.3	62.3	61.9	61.5	61.5	61.0	60.6	60.5	60.3	59.8	29
30	62.0	62.3	62.2	61.9	61.9	61.5	61.8	61.8	61.5	61.6	61.5	60.5	30

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of NOVEMBER, 1923.
 (... = Clear Sky.)

TABLE V.—AMOUNT OF SUNSHINE registered in each HOUR of the DAY, in the MONTH of NOVEMBER, 1923
 (... = No Sunshine recorded.)

HOURLY VALUES OF RAINFALL AND WIND.

TABLE VI.—AMOUNT OF RAINFALL registered in each HOUR of the DAY, in the MONTH of NOVEMBER, 1913.
 (d = Unregistered Drizzle. = No Rainfall.)

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of NOVEMBER, 1923.
(The Direction is given in points, and the Velocity in miles per hour.)
(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hongkong Standard Time.													Days of the Month.	
	1	2	3	4	5	6	7	8	9	10	11	Noon,	...		
1	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	1
2	2
3	2	22	1	19	2	22	2	17	1	20	1	24	2	28	3
4	3	12	4	14	5	16	5	18	5	19	5	22	5	21	3
5	6	16	6	13	5	11	5	3	6	7	7	13	6	11	6
6	6	16	6	15	5	17	6	16	5	13	6	19	6	20	9
7	6	16	6	19	6	16	6	14	6	17	6	18	7	17	7
8	7	1	24	2	31	5	32	2	3	8	6	3	7	1	...
9	8	15	1	18	32	20	32	17	1	14	16	17	1	13	1
10	9	31	6	31	6	21	6	27	6	25	6	21	7	23	7
11	10	7	20	6	21	6	15	6	18	6	17	6	19	7	23
12	11	6	19	5	19	6	17	5	19	5	18	5	16	6	15
13	12	4	7	2	10	1	12	2	6	2	8	1	9	1	15
14	13	12	1	4	2	6	3	7	...	1	3	5	2	7	20
15	14	6	20	5	15	5	11	5	15	6	19	6	22	7	24
16	15	7	15	6	12	7	9	8	13	9	15	9	12	8	22
17	16	6	23	6	22	6	20	6	17	7	19	6	20	7	18
18	17	7	9	8	7	9	7	5	7	8	7	3	...	1	17
19	18	9	10	9	10	9	11	9	7	...	1	10	7	10	9
20	19	10	9	10	1	12	1	13	1	14	1	10	1	11	1
21	20	11	10	1	10	1	13	1	14	1	10	1	11	1	20
22	21	12	11	2	13	1	14	2	15	2	12	2	13	1	11
23	22	4	25	6	25	2	1	13	5	8	15
24	23	1	...	1	...	6	4	...	3	5	2	7	2	3	24
25	24	...	6	6	4	2	4	3	5	13	5	16	5	12	25
26	25	7	28	7	26	7	31	7	30	7	32	7	29	6	22
27	26	8	12	6	11	7	13	7	14	7	12	7	14	7	27
28	27	7	2	3	28
29	28	2	2	2	9	2	6	2	3	3	5	3	11	3	29
30	29	2	4	1	11	2	6	2	5	2	4	3	3	3	13
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.		
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	1	11	1	11	1	15	1	12	1	10	1	13	1	16	1
2	2	10	4	10	5	11	7	12	8	9	8	9	7	13	2
3	3	11	6	11	6	9	6	6	7	5	7	6	4	11	3
4	4	11	13	10	13	9	15	9	17	9	14	9	10	6	13
5	5	9	18	9	17	9	19	9	17	8	14	8	12	6	15
6	6	7	14	8	13	8	10	8	10	9	10	6	11	3	6
7	7	15	2	13	1	7	1	12	1	14	1	10	2	14	7
8	8	6	14	8	16	8	15	7	16	7	13	6	12	6	8
9	9	21	8	20	9	19	9	17	9	19	8	18	7	16	9
10	10	19	8	17	9	19	8	17	7	20	7	17	7	16	7
11	10	16	11	13	10	15	9	17	8	16	8	12	9	7	11
12	11	32	13	32	7	31	10	32	7	1	6	32	5	2	12
13	12	3	21	8	17	8	18	7	22	7	6	22	6	7	13
14	13	8	25	7	24	7	21	7	22	7	20	7	19	7	14
15	14	9	24	10	20	9	19	9	19	9	21	8	22	7	15
16	15	7	16	8	17	8	16	7	20	7	18	7	15	6	16
17	16	11	11	10	13	7	8	29	4	27	3	27	4	2	1
18	17	9	19	10	14	9	14	10	13	10	8	9	5	9	18
19	18	6	6	4	8	2	13	1	14	1	13	1	18	2	19
20	19	9	11	11	9	11	6	12	5	10	9	10	5	10	16
21	20	11	11	10	15	9	15	9	18	9	16	9	14	1	21
22	21	22	11	22	12	22	11	23	10	25	7	26	5	25	5
23	22	8	12	9	14	10	12	10	10	10	6	10	3	...	23
24	23	2	14	4	8	4	4	3	8	3	7	2	8	2	24
25	24	8	28	8	29	8	27	7	29	7	25	7	24	8	25
26	25	6	19	6	15	6	17	6	13	7	14	7	12	6	12
27	26	9	16	8	14	8	14	8	13	8	13	8	10	4	11
28	27	5	2	6	8	3	3	5	3	11	2	7	3	2	28
29	28	6	8	4	6	2	7	2	6	2	5	3	4	3	29
30	29	8	21	8	17	8	20	7	20	7	19	7	17	5	15

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS,
in the MONTH of NOVEMBER, 1923.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	eu	SW	a-eu eu	W WSW	eu	WNW	eu	NE	eu	WNW	ei-eu	W
2	a-eu	W	eu	ENE	eu	ENE	a-eu	W	a-eu	WNW
3	eu	E	eu	E	eu	E	a-eu eu	SSE E	eu	E	eu	ENE	eu	E
4	eu	ENE	eu	NE	ei-st wsW	WNW	ei-st	WNW
5	eu	ENE	eu	ENE	ei-eu	WSW	a-eu	WSW
6	eu	ENE	eu	E	a-eu eu	SSE E	a-eu eu	SE E	st-en	ENE	st-en	NE	nb	ENE	nb	ENE
7	nb	ENE	nb	ENE	nb	E	nb	NE	en-nb	NE	eu	NNE	eu	NE	eu	NE
8	en	NE	eu	NE	eu	NE	eu	NNE	a-en ea	WSW ENE	a-en eu	WSW ENE	eu	ENE	eu	ENE
9	eu	ENE	en	E	a-en en	W E	eu	ENE	en	NE	eu	NE
10	eu-nb	E	eu	ENE	a-en en	WNW E	eu	ENE	eu	E	eu	E	eu	ENE	en	ENE
11	eu	ENE	eu	ENE	eu	ENE	eu	E	eu	E
12	a-eu	WNW	a-eu	WNW	a-en en	WNW NNE	a-eu	NW	a-eu	NW	en	NE	...
13	ei-st	WSW	a-en	WNW
14	ei-st en	SW E	eu	E	a-en en	W E	eu	E	eu	SSE	eu	SSE	...
15	eu	SSE	eu	SE	a-en en	WNW ESE	eu	SE	eu	ESE	eu	ESE	n-eu eu	WNW ESE	eu	ESE
16	eu	ESE	eu	E	eu	ESE	eu	SE	eu	ESE	eu	ESE	eu	SE	eu	SSE
17	en	ESE	eu	ESE	eu	ESE	a-en en	WNW SE	eu	ESE	ei-st	W
18	a-eu	SSW	a-eu	SSW	ei-st	WSW	ei-st	WSW
19	en	NE	eu	NE	eu	NNE	eu	NE	...
20	st-eu	NE	st-eu	NE	st-eu	NE	a-en eu	WSW NNE	a-en en	NW ESE	en	ESE	eu	SE
21	eu	ESE	eu	ESE	eu	ENE	eu	SE
22	a-eu	WNW	ei-st	NW
23	a-en	W	a-eu	W	a-en eu	WNW E	st-eu	E	a-en en	WNW E	a-en en	WNW E	...
24	ei-st	W	st-eu	ENE	st-eu	ENE	st-eu	ENE	eu	NNE	a-en en	WSW NE	eu	NE	eu	NE
25	a-en en	WSW E	nb	ENE	nb	ENE	eu	E	a-en en	NW E	eu	E	en-nb	E
26	eu-nb	E	eu-nb	E	eu-nb	E	eu	E	st-eu	E	st-eu	E	st-eu	E	st-eu	E
27	st-eu	SE	eu	E	eu	E	eu	E	eu	E	a-en en	NW E	...	eu	ESW	...
28	a-eu	NW	a-eu	NW	a-eu	NW	eu	S	eu	ENE	eu	ENE	eu	ENE	eu	NE
29	eu-nb	NE	eu	ENE	eu	NNW	st-eu	NE	st-eu	ENE	st-eu	E	st-eu	ENE	st-eu	ENE
30	a-eu	WNW	a-eu	WNW	a-eu	WNW	en	E	eu	E	eu	E	eu	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of NOVEMBER, 1923.
(British Units.)

Days of the Month	Mean Barometric Pressure, Ins.	Temperature.				Mean Vapour Tension, Saturation 100, Mean Amount of Cloud (0-100).	Bright Sunshine.		Rainfall.		Wind.					
		Of the Air.		Mean Evaporation.	Daily Duration.		Percentage of possible amount.	Amount.	Components.		Resultant.		Direction.	Velocity.		
		Highest.	Lowest.						North.	East.	Duration.	Velocity.				
1	29°825	82°5	71°5	11°0	76°6	68°9	0°604	66	56	6°0	53	...	+ 10°4	+ 3°0	16 10°8 11°0	
2	29°929	76°8	67°8	9°0	71°8	59°3	0°340	43	23	10°8	96	...	+ 10°5	+ 6°3	31 12°3 13°4	
3	29°995	73°0	67°7	5°3	70°6	63°3	0°486	65	64	3°6	32	...	+ 6°7	+ 13°0	63 14°6 14°9	
4	30°009	76°0	68°1	7°9	71°6	64°7	0°320	67	8	10°4	93	...	+ 1°0	+ 10°5	85 10°5 11°2	
5	29°966	78°0	70°0	8°0	73°7	67°9	0°607	73	19	8°5	76	...	+ 1°8	+ 15°1	83 15°2 15°6	
6	29°909	76°7	71°5	5°2	73°8	70°2	0°692	83	94	0°7	6	0°085	6	+ 2°3	+ 11°1	78 11°3 11°5
7	29°941	76°9	68°8	8°1	73°1	67°8	0°610	75	99	0°1	1	0°305	10	+ 6°1	+ 2°0	18 6°4 6°9
8	30°002	75°9	68°7	7°2	72°2	65°8	0°550	69	92	3°6	32	...	+ 9°4	+ 10°7	49 14°3 16°8	
9	30°002	73°5	69°6	3°9	71°5	65°3	0°342	70	55	8°6	77	...	+ 3°6	+ 20°9	80 21°2 21°4	
10	29°976	74°0	69°8	4°2	71°8	66°5	0°581	74	45	10°2	92	...	+ 3°7	+ 18°5	79 18°9 18°8	
11	29°979	75°4	68°8	6°6	71°7	66°5	0°582	75	28	10°3	93	...	+ 2°2	+ 13°4	81 13°6 14°2	
12	29°980	73°9	66°3	7°6	69°8	61°4	0°434	59	36	7°8	70	...	+ 8°0	+ 1°9	13 8°2 8°4	
13	29°975	73°7	64°2	9°5	69°9	58°4	0°338	46	4	10°5	95	...	+ 3°9	+ 13°6	74 14°2 14°9	
14	29°994	73°0	68°1	4°9	70°5	64°4	0°525	70	31	8°4	76	...	+ 4°7	+ 19°2	76 19°8 19°8	
15	29°976	75°3	69°7	5°6	72°6	67°0	0°588	74	59	9°3	85	...	- 1°0	+ 18°5	93 18°5 18°7	
16	29°948	75°1	70°8	4°3	72°3	69°0	0°666	84	88	5°3	48	...	+ 4°0	+ 16°5	76 17°0 17°0	
17	29°867	80°2	70°1	10°1	73°7	69°5	0°666	80	27	9°6	87	+ 3°8	90 3°8 5°1	
18	29°807	78°0	69°2	8°8	72°9	68°3	0°632	78	20	8°4	76	...	- 1°9	+ 7°5	104 7°8 7°8	
19	29°804	83°1	69°0	14°1	74°7	68°2	0°604	70	33	10°0	91	...	+ 6°8	+ 4°0	30 7°9 10°1	
20	29°883	74°6	67°7	6°9	70°4	63°0	0°478	64	67	4°9	45	...	+ 4°2	+ 5°7	54 7°1 10°3	
21	29°881	74°8	67°2	7°6	69°9	67°3	0°529	72	25	9°7	89	...	- 0°8	+ 10°5	94 10°5 10°8	
22	29°843	77°8	66°1	11°7	72°3	67°0	0°592	75	15	8°1	74	...	- 0°4	- 4°9	265 4°9 5°2	
23	29°881	76°5	70°7	5°8	72°9	67°4	0°599	74	58	3°6	33	...	- 0°7	+ 5°0	98 5°1 6°2	
24	29°976	74°5	68°5	6°0	70°6	65°8	0°572	77	74	3°2	30	0°005	1	+ 4°4	+ 2°6	31 5°1 5°4
25	30°008	73°4	67°3	6°1	70°4	65°6	0°567	76	83	7°5	69	0°005	3	+ 3°2	+ 20°7	81 21°0 21°5
26	29°970	71°9	69°1	2°8	70°3	66°8	0°612	83	98	0°9	8	...	+	5°7	+ 18°9	73 19°8 19°9
27	29°912	75°0	69°3	5°7	71°5	68°6	0°662	86	30	9°6	88	...	+ 0°3	+ 12°5	89 12°5 12°6	
28	29°942	76°5	69°3	7°2	72°2	68°2	0°638	81	76	2°6	24	0°005	1	+ 0°8	+ 2°5	72 2°6 3°1
29	30°041	70°5	64°1	6°4	67°0	61°9	0°488	73	98	+	4°3	+ 3°0	36 5°1 5°3
30	30°073	70°3	60°3	10°2	65°9	60°3	0°450	70	45	8°3	77	...	+	4°1	+ 12°0	71 12°7 13°4
Means	29°943	75°6	68°3	7°3	71°6	65°7	0°558	72	52	200°6	61	Sum.	Sum.	Sum.	Sum.	12°4
Normals	29°989	74°2	65°1	9°1	69°2	62°5	0°487	66	54	183°1	55	1°674	30	+ 4°5	+ 8°8	63 9°8 12°9
Absolute Max.	30°110	83°1	...	14°1	...	76°0	0°893	10°8	96	0°305	10
Day.	30	19	...	19	...	1	1	2	2	7	7
Absolute Min.	29°727	...	60°3	2°8	...	56°0	0°260	28
Day.	19	...	30	26	...	2	2	2

Phenomena :—

Lunar corona :—on the 24th and 28th.

Slight fog :—on the 22nd.

Unusual visibility :—on the 2nd, 10th and 28th.

Dew :—on the 18th and 22nd.

Lightning :—on the 1st.

Rain fell on 2 days. The mean hourly intensity was 0°019^{in.}, and the maximum fall in one hour was 0°110^{in.} at 7^h on the 7th.The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 49 miles per hour at 8° 34^m on the 1st.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES OF METEOROLOGICAL ELEMENTS in the MONTH of NOVEMBER, 1923.
(C.G.S. Units:—Derived from Table IX.)

Days of the Month	Mean Barometric Pressure, m.s.m.	Temperature.						Mean Vapour Tension, m.m.	Amount, mm.	Duration, hrs.	Rainfall.				Wind.				Observed Velocity, m.p.h.									
		Of the Air.			Mean Range,	Mean, °	Mean of Evaporation, °				Components.		Resultant.															
		Highest, °	Lowest, °	Range, °							North.	East.	Direction.	Velocity.														
1	1011.9	301.1	294.9	6.2	297.8	293.5	20.4	+ 3.4	+ 1.0	16	3.5	3.6													
2	1015.5	297.9	292.9	5.0	295.1	288.2	11.4	+ 3.4	+ 2.1	31	4.0	4.4													
3	1017.8	295.8	292.8	3.0	294.4	290.4	16.4	+ 2.2	+ 4.3	63	4.8	4.9													
4	1018.2	297.4	293.1	4.3	295.0	291.2	17.5	+ 0.3	+ 3.4	85	3.4	3.7													
5	1016.7	298.6	294.1	4.5	296.2	292.9	20.5	+ 0.6	+ 5.0	83	5.0	5.1													
6	1014.8	297.8	294.9	2.9	295.2	294.2	23.3	2.2	6	+	0.8	+ 3.6	78	3.7	3.8													
7	1015.9	297.9	293.4	4.5	295.8	292.9	20.6	7.7	10	+	2.0	+ 0.7	18	2.1	2.3													
8	1018.0	297.4	293.4	4.0	295.3	291.8	18.6	+ 3.1	+ 3.5	49	4.7	5.5													
9	1018.0	296.1	293.9	2.2	294.9	291.5	18.3	+ 1.2	+ 6.9	80	6.9	7.0													
10	1017.2	296.3	294.0	2.3	295.1	292.2	19.6	+ 1.2	+ 6.1	79	6.2	6.2													
11	1017.2	297.1	293.4	3.7	295.1	292.2	19.6	+ 0.7	+ 4.4	81	4.5	4.7													
12	1017.2	296.3	292.1	4.2	294.0	289.3	14.6	+ 2.6	+ 0.6	13	2.1	2.8													
13	1017.1	296.2	290.9	5.3	294.1	287.7	11.4	+ 1.3	+ 4.5	74	4.7	4.9													
14	1017.1	295.8	293.1	2.7	294.4	291.0	17.7	+ 1.5	+ 6.3	76	6.5	6.5													
15	1017.1	297.1	293.9	3.2	295.6	292.4	19.8	- 0.3	+ 6.1	93	6.1	6.1													
16	1016.1	296.9	294.6	2.3	295.4	293.6	22.4	+ 1.3	+ 5.4	76	5.6	5.6													
17	1015.4	299.8	294.2	5.6	296.2	293.8	22.4	+ 1.2	90	1.2	1.7													
18	1011.4	298.6	293.7	4.9	295.7	293.2	21.3	- 0.6	+ 2.5	104	2.6	2.6													
19	1011.2	301.4	293.6	7.8	296.7	293.1	20.4	+ 2.2	+ 1.3	30	2.6	3.3													
20	1013.9	296.7	292.8	3.9	294.3	290.2	16.1	+ 1.4	+ 1.9	54	2.3	3.4													
21	1013.9	296.8	292.6	4.2	294.1	290.9	17.6	- 0.3	+ 3.4	94	3.4	3.5													
22	1012.6	298.4	291.9	6.5	295.4	292.4	20.0	- 0.1	- 1.6	265	1.6	1.7													
23	1013.9	297.7	294.5	3.2	295.7	292.7	20.2	- 0.2	+ 1.6	98	1.7	2.0													
24	1017.1	296.6	293.3	3.3	294.4	291.8	19.3	0.1	1	+	1.4	+ 0.9	31	1.7	1.8													
25	1018.2	296.0	292.6	3.4	294.3	291.7	19.1	0.2	3	+	1.0	+ 6.8	81	6.9	7.0													
26	1016.9	295.2	293.6	1.6	294.3	292.3	20.6	+ 1.9	+ 6.2	73	6.5	6.5													
27	1014.9	296.9	293.7	3.2	294.9	293.3	22.3	+ 0.1	+ 4.1	89	4.1	4.1													
28	1015.9	297.7	293.7	4.0	295.3	293.1	21.5	0.1	1	+	0.3	+ 0.8	72	0.9	1.0													
29	1019.3	294.4	290.8	3.6	292.4	289.6	16.4	+ 1.3	+ 1.0	36	1.7	1.7													
30	1020.5	294.4	288.7	5.7	291.8	288.7	15.2	+ 1.3	+ 3.9	71	4.2	4.4													
Mean.	1016.0	297.2	293.2	4.0	295.0	291.7	18.8	Sun.	Sun.		+ 1.2	+ 3.2	70	3.4	4.1													
Normal.	1017.5	296.4	291.4	5.0	293.7	289.9	16.4	42.3	30		+ 1.5	+ 2.9	63	3.2	4.2													
Absolute Maximum.	1021.6	301.4	...	7.8	...	297.4	30.1	7.7	10	10.8†										
Day.	30	19	...	19	...	1	1	7	7										
Absolute Minimum.	1008.6	...	288.7	1.6	...	286.3	8.7										
Day.	19	...	30	26	...	2	2										

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the Month of November, 1923.
(British Units.)

Hours, Hongkong Standard Time.	Barometric Pressure,	Temperature.			Mean Vapour Tension,	Degree of Humidity, Percentage of Saturation.	Rainfall, Percentage of Total		Wind.					
		Of the Air,	Of Evaporation	Mean Amount of Cloud (0-100)			Amount.	Duration	Components.	Resultant.	Direction.	Velocity.	Observed Velocity.	
	Ins.	°	°	Ins.	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.	m.p.h.	
1	29°943	70°6	65°8	0°574	77	52	4	4	+ 4°7	+ 8°8	62	10°0	11°2	
2	29°935	70°1	65°7	0°578	78	56	1	5	+ 5°6	+ 8°3	56	10°0	11°5	
3	29°927	69°7	65°4	0°572	78	60	1	5	+ 5°3	+ 7°6	55	9°3	10°6	
4	29°925	69°5	65°1	0°564	78	59	1	5	+ 5°0	+ 7°6	57	9°1	10°3	
5	29°929	69°3	64°8	0°557	77	59	4	5	+ 4°8	+ 8°3	60	9°6	10°7	
6	29°944	69°1	64°6	0°552	77	60	...	8	+ 5°3	+ 8°4	58	10°0	11°1	
7	29°961	69°1	64°5	0°549	77	58	2	10	+ 4°9	+ 8°8	61	10°1	11°1	
8	29°975	70°4	65°2	0°556	74	56	6	9	+ 5°3	+ 9°7	61	11°1	12°4	
9	29°988	71°9	65°7	0°553	70	46	7	6	+ 5°0	+ 11°6	67	12°6	14°2	
10	29°996	73°1	66°2	0°555	68	44	72	1	5	+ 3°6	+ 12°3	74	12°8	14°4
11	29°982	73°9	66°2	0°544	64	47	70	...	2	+ 3°9	+ 12°6	73	13°2	15°8
Noon.	29°960	74°3	66°4	0°546	64	50	69	...	1	+ 3°4	+ 12°5	75	13°0	15°4
13	29°930	74°5	66°6	0°550	64	52	71	...	1	+ 1°3	+ 12°4	84	12°5	15°0
14	29°908	74°6	66°7	0°552	64	49	73	...	+ 0°7	+ 11°7	87	11°7	14°0	
15	29°894	74°2	66°5	0°551	65	47	65	...	+ 0°9	+ 11°7	86	11°7	13°8	
16	29°895	73°6	66°4	0°555	67	50	62	...	2	+ 2°0	+ 11°5	80	11°7	14°3
17	29°903	72°7	66°0	0°553	68	44	43	...	1	+ 1°9	+ 10°6	80	10°8	13°1
18	29°913	72°0	65°7	0°551	70	46	...	1	+ 2°8	+ 9°9	74	10°3	12°2	
19	29°929	71°5	65°7	0°559	72	45	6	5	+ 3°0	+ 9°3	72	9°8	11°6	
20	29°948	71°2	65°6	0°559	73	47	3	5	+ 2°6	+ 8°9	74	9°3	10°6	
21	29°959	71°1	65°7	0°564	74	55	3	6	+ 2°5	+ 8°7	74	9°1	10°0	
22	29°965	70°9	65°7	0°567	75	53	3	4	+ 2°6	+ 9°1	74	9°5	10°6	
23	29°965	70°7	65°6	0°566	75	53	5	5	+ 2°2	+ 9°2	65	10°1	11°5	
Midn.	29°961	70°5	65°6	0°568	76	53	2	5	+ 4°6	+ 8°9	63	10°1	11°6	

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the Month of November, 1923.
(C. G. S. Units:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure,	Temperature,			Mean Vapour Tension,	Wind.				
		Of the Air,	Of Evaporation,	Mean Tension,		Components.	North.	East.	Direction.*	Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.	m.p.s.
1	1016.0	294°4	291°8	19°4	+ 1°5	+ 2°9	62	3°3	3°7	
2	1015.7	294°2	291°7	19°5	+ 1°8	+ 2°7	56	3°3	3°8	
3	1015.5	293°9	291°6	19°3	+ 1°7	+ 2°5	55	3°0	3°5	
4	1015.4	293°8	291°4	19°0	+ 1°6	+ 2°5	57	3°0	3°4	
5	1015.5	293°7	291°2	18°8	+ 1°6	+ 2°7	60	3°1	3°5	
6	1016.0	293°6	291°1	18°6	+ 1°7	+ 2°8	58	3°3	3°6	
7	1016.6	293°6	291°1	18°5	+ 1°6	+ 2°9	61	3°3	3°6	
8	1017.1	294°3	291°4	18°8	+ 1°7	+ 3°2	61	3°6	4°1	
9	1017.5	295°2	291°7	18°6	+ 1°6	+ 3°8	67	4°1	4°7	
10	1017.8	295°8	292°0	18°7	+ 1°2	+ 4°0	74	4°2	4°7	
11	1017.3	296°3	292°0	18°4	+ 1°3	+ 4°1	73	4°3	5°2	
Noon.	1016.5	296°5	292°1	18°4	+ 1°1	+ 4°1	75	4°3	5°0	
13	1015.5	296°6	292°2	18°6	+ 0°4	+ 4°1	84	4°1	4°9	
14	1014.8	296°7	292°3	18°6	+ 0°2	+ 3°8	87	3°8	4°6	
15	1014.3	296°4	292°2	18°6	+ 0°3	+ 3°8	86	3°8	4°5	
16	1014.3	296°1	292°1	18°7	+ 0°7	+ 3°8	80	3°8	4°7	
17	1014.6	295°6	291°9	18°6	+ 0°6	+ 3°5	80	3°5	4°3	
18	1014.9	295°2	291°7	18°6	+ 0°9	+ 3°2	74	3°4	4°0	
19	1015.5	294°9	291°7	18°9	+ 1°0	+ 3°0	72	3°2	3°8	
20	1016.1	294°8	291°7	18°9	+ 0°9	+ 2°9	74	3°0	3°5	
21	1016.5	294°7	291°7	19°0	+ 0°8	+ 2°9	74	3°0	3°3	
22	1016.7	294°6	291°7	19°1	+ 0°9	+ 3°0	74	3°1	3°5	
23	1016.7	294°5	291°7	19°1	+ 1°4	+ 3°0	65	3°3	3°8	
Midn.	1016.6	294°4	291°7	19°2	+ 1°5	+ 2°9	63	3°3	3°8	

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

NOVEMBER,

1923.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	31ST OCTOBER, 1923.								1ST NOVEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direct- ion.	Force.			Inches.	Millrs.			Direct- ion.	Force.	
Wladivostock, .	12	30.14	765.6	42	...	N	4	o	6	30.20	767.0	30	...	N	5	o
Nemuro,	11	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	15	29.97	761.2	52	88	NNW	4	o	6	30.07	763.8	50	79	NNW	4	b
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	29.98	761.4	70	77	NE	1	o	"	29.98	761.4	55	100	N	2	r
Gutzlaff,	14	29.94	760.5	71	85	E	1	o	"	29.90	759.4	62	100	NE	2	r
Sharp Peak,	"	29.90	759.4	82	87	...	0	b	7	29.88	758.9	72	100	SW	1	o
Amoy,	15	29.81	757.2	81	83	SW	2	o	9	29.85	758.2	75	95	SSE	2	o
Swatow,	"	8
Taihoku,	11	29.91	759.6	86	58	...	0	b	5	29.85	758.1	72	96	...	0	o
Taichu,	"	29.92	759.9	84	0	o	"	29.88	759.0	72	0	o
Tainan,	"	29.91	759.6	86	...	E	2	o	"	29.84	757.8	73	...	ENE	...	b
Koshun,	"	29.92	759.9	81	0	o	"	29.84	757.8	72	0	b
Pescadores,	"	29.92	759.9	84	...	S	4	o	"	29.87	758.7	75	0	o
Canton,	14	29.81	757.2	73	95	ENE	2	o	6	0	o
Hongkong,	"	29.78	756.4	81	74	W	3	c	"	29.88	758.9	75	94	...	0	o
Gap Rock,	"	29.79	756.6	82	...	NNW	4	b	"	29.86	758.4	72	2	o
Macao,	"	29.76	756.0	77	79	NW	2	o	"	29.85	758.1	75	88	NNW	2	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.71	754.5	93	45	SW	1	b	7
Tourane,	"	84	...	E	2	b	"
Cape St. James,	"	29.75	755.7	86	...	S	2	b	"
Basco,	14	29.80	756.9	84	...	NNE	2	o	6	S	2	b
Aparri,	"	29.79	756.6	86	65	NE	4	o	"	29.81	757.2	73	96	...	1	b
Manila,	"	29.75	755.7	86	75	W	4	o	"	29.81	757.2	72	96	NE	0	o
Legaspi,	"	29.75	755.7	82	81	NNE	2	o	"	29.79	756.6	73	96	...	0	o
Tacloban,	"	"	29.79	756.6	68	96	...	0	o
Illoilo,	"	29.72	754.8	82	77	N	4	o	"	29.78	756.3	75	94	N	4	o
Surigao,	"	29.72	754.8	82	77	E	2	o	"	29.78	756.3	75	98	...	0	o
Quam,	12.20	29.73	755.1	ENE	4	o	4.20	29.75	755.7	NE	2	o
Yap,	12.47	29.73	755.1	NE	4	o	4.47	29.78	756.3	NE	2	o
Labuan,	14	29.75	755.6	84	75	S	2	o	6	29.79	756.6	77	94	NW	1	b

November 1d. 11h. 55m.—Pressure has increased considerably over S.W. China, moderately at Hongkong and slightly over Indo-China and from Wladivostock to Chefoo. It has decreased slightly over Formosa.

The depression over S.W. China has filled up. An anticyclone is forming over central China.

The monsoon will set in again along the coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.02 inches, against an average of 80.56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

DISTRICT.

FORECAST.

- | | | |
|--|---|--------------------------|
| 1.—Formosa Channel, | } | N.E. winds, fresh; fair. |
| 2.—South coast of China between Hongkong and Lamock, | | |
| 3.—Hongkong to Gap Rock, | | |
| 4.—South coast of China between Hongkong and Hainan, | | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	1ST NOVEMBER, 1923.							2ND NOVEMBER, 1923.								
	HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force		Inches.	Millrs.			Direction.	Force		
Vladivostock, .	12	30.15	765.9	46	...	N	4	0	6	30.01	762.2	28	...	N	5	0
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.06	763.5	50	79	NNW	4	0	6	30.15	765.8	44	86	NW	6	0
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.02	762.6	55	96	WNW	2	r	"	30.19	766.8	48	84	NW	4	h
Gutzlaff, .	14	29.99	761.7	68	91	NW	6	o	"	30.16	766.0	52	93	NW	6	oo
Sharp Peak, .	"	29.89	759.2	77	77	N	1	o	7	30.03	762.7	65	84	N	2	o
Amoy, .	15	29.77	756.1	83	71	NE	2	o	9	30.02	762.5	67	64	NE	2	h
Swatow, .	"	8
Taihoku, .	11	29.87	758.7	81	84	W	2	o	5	30.10	764.4	57	77	E	2	h
Taichu, .	"	29.89	759.3	82	0	o	"	29.89	759.3	64	...	N	7	h
Tainan, .	"	29.87	758.7	79	...	NW	4	r	"	29.89	759.3	72	...	N	4	h
Koshun, .	"	29.86	758.4	86	...	WNW	2	b	"	29.87	758.7	72	...	NE	7	o
Pescadores, .	"	29.88	759.0	81	...	NNW	4	o	"	29.94	760.5	72	...	NNE	10	b
Canton, .	14	29.89	750.2	83	57	N	2	b	6
Hongkong, .	"	29.85	758.2	83	55	NNE	3	c	"	29.96	761.0	69	40	NNE	5	b
Gap Rock, .	"	29.86	758.4	NNE	4	c	"	29.95	760.7	NNE	5	c
Macao, .	"	29.85	758.1	79	66	N	4	o	"	29.94	760.5	68	48	NNW	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.88	759.0	81	62	NNE	6	o	7
Tourane, .	"	29.75	755.7	86	0	b	"
Cape St. James, .	"	29.75	755.7	86	...	ENE	2	o	"
Basco, .	14	6	29.82	757.5	81	...	N	4	r
Aparri, .	"	29.74	755.4	86	68	NNE	4	h	"	29.79	756.6	75	94	W	2	o
Manila, .	"	29.71	754.5	86	71	SW	2	b	"	29.76	756.0	72	96	NE	1	o
Legaspi, .	"	"	29.76	756.0	75	96	...	0	o
Tacloban, .	"	29.71	754.5	90	60	ESE	2	o	"
Iloilo, .	"	29.69	754.2	86	58	NE	4	o	"	29.75	755.7	75	96	...	0	b
Surigao, .	"	29.68	753.9	86	71	ENE	2	b	"	29.73	755.1	72	98	...	0	b
Guam, .	12.20	29.68	753.9	NE	4	o	4.20	29.72	754.8	ENE	4	r
Yap, .	12.47	29.71	754.5	E	4	o	4.47	29.73	755.1	E	4	o
Labuan, .	14	29.77	756.1	86	80	N	2	b	6	76	94	S	2	o

November 2d. 11h. 30m.—Warning to Hongkong and Coast Ports:—N.N.E. gale in Formosa Channel.

November 2d. 11h. 37m.—Pressure has increased considerably at Shanghai and moderately from Formosa to Hongkong. It is nearly stationary over the Philippines and has decreased slightly from Yap to Guam.

The anticyclone over China has strengthened and moved eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.02 inches, against an average of 80.61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.
DISTRICT.

Forecast.

- 1.—Formosa Channel, N.E. monsoon gale.
- 2.—South coast of China between Hongkong and Lamocka,
- 3.—Hongkong to Gap Rock, ... N.E. winds, fresh; fair.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	2ND NOVEMBER, 1923.							3RD NOVEMBER, 1923.									
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	WEATHER.	
	Inches.	Millrs.	Direct- ion.	Force.					Inches.	Millrs.	Direct- ion.	Force.					
Wladivostock,	12	29.94	760.4	38	NNW	4	b	6	30.14	765.5	32	...	E	1	b
Nemuro,	11	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	15	30.15	765.8	48	87	WNW	4	b	6	30.19	766.8	40	85	SSW	2	b	
Hankow,	"	"
Ihang,	"	"
Changsha,	"	"
Shanghai,	13	30.27	768.9	54	53	WNW	4	b	"	30.30	769.5	39	97	NW	1	b	
Gutzlaff,	14	30.24	768.1	56	89	NNW	4	b	"	30.29	769.3	50	93	N	1	b	
Sharp Peak,	"	30.12	765.0	69	75	NNE	4	o	7	30.14	765.5	62	83	N	4	o	
Amoy,	15	29.97	761.2	78	46	ENE	1	b	9	30.10	764.5	62	67	NNE	4	b	
Swatow,	"	8
Taihoku,	11	30.14	765.6	72	54	ENE	4	b	5	30.12	765.0	64	80	E	4	o	
Taichu,	"	29.94	760.5	75	...	NNW	4	b	"	30.02	762.6	63
Tainan,	"	29.89	759.3	77	...	NE	4	b	"	29.98	761.4	63	...	NE	8	b	
Koshun,	"	29.94	760.5	75	...	NNE	8	b	"	29.97	761.1	72	...	NNE	6	o	
Pescadores,	"	29.99	761.7	73	...	NNE	10	b	"	30.00	762.0	72
Canton,	14	29.99	761.7	80	44	N	2	o	6
Hongkong,	"	29.96	761.0	76	32	NE	3	b	"	30.03	762.7	68	76	ENE	4	o	
Gap Rock,	"	29.96	761.0	ENE	5	b	"	30.02	762.5	ENE	5	o	
Macao,	"	29.94	760.4	73	38	N	4	o	"
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.94	760.5	82	40	ESE	2	b	7	29.99	761.7	68	64	NE	4	of	
Tourane,	"	29.81	757.2	75	...	ENE	6	o	"	29.84	757.8	72	...	ENE	6	of	
Cape St. James,	"	29.75	755.7	81	...	ENE	4	b	"	29.80	756.9	75	...	ENE	4	o	
Basco,	14	29.82	757.5	66	...	NNE	6	o	6	29.97	761.1	75	...	N	4	o	
Aparri,	"	29.78	756.3	75	91	NE	6	r	"	29.88	759.0	75	91	NE	6	r	
Manila,	"	29.68	753.9	86	65	SW	2	o	"	29.81	757.2	75	94	NNE	2	r	
Legaspi,	"	29.71	754.5	90	69	NE	2	o	"	29.79	756.6	77	92	...	0	b	
Tacloban,	"	"
Iloilo,	"	29.68	753.9	90	65	N	1	o	"
Surigao,	"	29.68	753.9	86	75	N	1	b	"	29.76	756.0	75	92	NE	2	o	
Guam,	12.20	29.68	753.9	E	4	o	4.20	29.74	755.4	ENE	2	r	
Yap,	12.47	29.67	753.6	E	2	o	4.47	29.73	755.1	0	o	
Labuan,	14	29.77	756.1	83	79	N	1	o	6	29.77	756.1	76	93	S	2	o	

November 3d. 11A. 50M.—Pressure has increased considerably at Wladivostock and slightly from Chefoo to Hongkong and the Philippines. It is nearly stationary over Indo-China.

The anticyclone is probably moving eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.02 inches, against an average of 80.66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- } N.E. winds, strong; fair at first, some rain later.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	3RD NOVEMBER, 1923.							4TH NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.	
Wladivostock, .	12	6	
Nemuro, .	11	5	
Hokodate, .	"	"	
Tokio, .	"	"	
Kochi, .	"	"	
Nagasaki, .	"	"	
Kagoshima, .	"	"	
Oshima, .	"	"	
Naha, .	"	"	
Ishigakijima, .	"	"	
Bonin Island, .	"	"	
Chefoo, .	15	30.16	766.0	58	76	...	o	b	6	30.30	769.6	50	93	NNE	4	o
Hankow, .	"	"
Iehang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.32	770.1	63	51	SSE	1	b	"	30.26	768.6	52	92	SE	2	o
Gutzlaff, .	14	30.28	769.1	60	94	NW	1	b	"	30.27	768.8	60	94	SE	2	o
Sharp Peak, .	"	30.14	765.5	73	72	N	1	o	7	30.16	766.0	65	81	NNW	1	o
Amoy, .	15	30.04	763.0	75	56	NNE	2	o	9	30.11	764.8	65	78	NW	1	h
Swatow, .	"	8
Taihoku, .	11	30.13	765.3	73	58	E	6	o	5	30.11	764.7	64	90	E	4	b
Taichu, .	"	30.02	762.6	81	...	N	2	b	"	30.06	763.5	63	0	h
Tainan, .	"	30.02	762.6	81	...	WSW	4	b	"	30.05	763.2	66	0	h
Koshun, .	"	30.02	762.6	77	...	NE	6	b	"	30.02	762.6	73	...	NNE	6	o
Pescadores, .	"	30.05	763.2	77	...	NE	6	o	"	30.06	763.5	73	...	N	6	b
Canton, .	14	30.04	763.0	76	55	SSW	1	b	6
Hongkong, .	"	30.02	762.5	73	58	ENE	2	o	"	30.07	763.8	69	72	ENE	4	b
Gap Rock, .	"	30.02	762.5	ENE	6	o	"	30.07	763.8	ENE	5	...
Macao, .	"	29.97	761.1	70	57	N	4	o	"
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.97	761.1	81	53	ENE	4	rf	7	30.05	763.2	70	87	NNE	4	of
Tourane, .	"	29.84	757.8	73	...	SSE	4	r	"	29.89	759.3	77	...	ESE	6	o
Cape St. James, .	"	29.75	755.7	79	...	ENE	4	o	"	29.82	757.5	77	...	ENE	4	o
Basco, .	14	6
Aparri, .	"	29.85	758.1	75	94	NE	6	r	"	29.92	759.9	73	96	W	2	r
Manila, .	"	29.78	756.3	81	80	N	1	o	"	29.86	758.4	73	92	N	2	o
Legaspi, .	"	29.76	756.0	84	77	NE	2	b	"	29.81	757.2	79	90	NE	2	o
Tudloban, .	"	29.72	754.8	90	72	SSE	2	o	"
Iloilo, .	"	29.72	754.8	86	61	N	4	o	"
Surigao, .	"	29.71	754.5	84	77	NNW	1	b	"
Gum, .	12.20	29.73	755.1	ESE	4	o	4.20
Yap, .	12.47	29.69	754.2	NE	4	o	4.47	29.73	755.1	ENE	4	o
Labuan, .	14	6

November 4th, 12h. 12m.—Pressure has increased moderately at Chefoo and slightly from Formosa to Tongking and over Luzon. It has decreased slightly over Annam.

The anticyclone is probably central over S.W. Japan. Another has formed over S.E. Mongolia.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.02 inches, against an average of 80.71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.
DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, } N.E. winds, fresh; fine.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	4TH NOVEMBER, 1923.							5TH NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.	
Wladivostock, .	12	30.26	768.6	55	...	N	3	0	6	30.33	770.3	27	...	NW	2	b
Nemuro, .	11	5
Hokodate,	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.30	769.6	52	63	NNE	1	0	6	30.29	769.3	52	24	ESE	1	o
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.28	769.2	66	63	ESE	2	o	"	30.21	767.4	64	98	E	1	o
Gutzlaff, .	14	30.23	767.8	64	95	ENE	2	o	"	30.23	767.8	64	100	ESE	4	o
Sharp Peak, .	"	30.13	765.3	74	72	E	1	o	7	30.12	765.0	52	79	NW	1	b
Amoy, .	15	30.03	762.7	78	61	ENE	2	b	9
Swatow, .	"	8
Taihoku, .	11	30.11	764.7	79	61	E	6	b	5	30.05	763.2	68	85	E	4	b
Taichu, .	"	30.07	763.8	82	...	NW	2	b	"	30.02	762.6	64	0	b
Tainan, .	"	30.05	763.2	84	...	N	4	b	"	29.99	761.7	66	...	NE	0	b
Koshun, .	"	30.04	762.9	82	...	NE	4	b	"	29.98	761.4	73	...	N	4	b
Pescadores, .	"	30.10	764.4	82	...	NNE	6	b	"	30.02	762.6	73	...	N	4	b
Canton, .	14	6
Hongkong, .	"	30.02	762.5	76	59	ESE	3	b	"	30.03	762.7	70	80	ENE	2	b
Gap Rock, .	"	30.03	762.7	ENE	4	b	"	30.03	762.7	68	...	ENE	5	o
Maeno, .	"	30.02	762.6	75	49	N	4	b	"	30.01	762.3	68	91	NNW	2	b
Wuchow, .	15	"
Pakhol, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.01	762.3	79	61	ESE	2	of	7
Tourane, .	"	29.87	758.7	75	...	E	4	of	"
Cape St. James, .	"	29.82	757.5	79	...	ENE	4	o	"
Basco, .	14	29.92	759.9	79	...	NNE	4	r	6
Aparri, .	"	29.91	759.6	75	94	E	1	r	"	29.91	759.6	79	96	ENE	4	r
Manila, .	"	29.80	756.9	86	71	W	4	o	"	29.85	758.1	73	94	NE	1	o
Legaspi, .	"	29.78	756.3	84	77	NNE	4	o	"	29.81	757.2	79	90	NNE	4	o
Tacloban, .	"	29.76	756.0	77	94	...	0	r	"
Illoilo, .	"	29.72	754.8	86	68	NE	4	o	"
Surigao, .	"	"
Guam, .	12.20	29.69	754.2	NE	4	o	4.20
Yap, .	12.47	29.72	754.8	NE	4	o	4.47	29.73	755.1	o	o	o
Labuan, .	14	29.79	756.6	88	73	N	1	b	6	29.81	757.2	77	94	SW	2	b

November 5d. 11h. 45m.—Pressure has decreased slightly in all districts, except over Annam and S. Manchuria where it has increased slightly.

The Mongolian anticyclone is moving eastward, leaving a separate anticyclone over China.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.02 inches, against an average of 80.76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.
 DISTRICT. FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks, } N.E. winds, fresh; fine.
- 3.—Hongkong to Gap Rock, ... } N.E. winds, fresh; fine.
- 4.—South coast of China between Hongkong and Hainan, .. }

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	5TH NOVEMBER, 1923.							6TH NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Mills.			Direction.	Force.		Inches.	Mills.			Direction.	Force.	WEATHER.	
Wladivostock, .	12	30.31	769.8	39	...	NW	3	b	6	30.32	770.0	32	...	NNE	3	o
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.19	766.8	64	78	SSE	2	o	6	30.13	765.3	58	90	SSE	1	o
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.22	767.7	72	65	ESE	1	o	"	30.10	764.4	63	100	E	1	r
Gutzlaff, .	14	30.17	766.3	67	95	ESE	4	o	"	30.10	764.5	64	100	E	2	o
Sharp Peak, .	"	30.11	764.8	78	70	ENE	2	o	7	30.05	763.2	68	85	b
Amoy, .	15	29.99	761.7	80	58	NNE	1	b	9	29.95	760.7	70	85	SSW	1	o
Swatow, .	"	8
Taihoku, .	11	30.06	763.5	82	54	E	4	o	5	29.98	761.4	72	82	E	4	o
Taichu, .	"	30.04	762.9	84	0	b	"	29.99	761.7	72	0	o
Tainan, .	"	30.01	762.3	84	...	WNW	2	b	"	72	0	o
Koshun, .	"	30.01	762.3	81	...	NNE	6	b	"	29.95	760.8	75	...	NE	4	b
Pescadores, .	"	30.05	763.2	81	...	N	6	b	"	29.97	761.1	72	...	N	4	o
Canton, .	14	29.98	761.5	81	52	SSW	1	b	6
Hongkong, .	"	29.99	761.7	77	64	E	3	o	"	29.96	761.0	73	86	E	3	o
Gap Rock, .	"	29.99	761.7	ENE	5	o	"	29.94	760.5	ENE	4	o
Macno, .	"	29.98	761.4	73	71	NNE	2	o	"	29.94	760.5	72	88	NNE	2	o
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.95	760.8	81	66	ESE	2	o	7	29.97	761.1	68	96	NNW	4	of
Tourane, .	"	29.87	758.7	75	...	NE	6	r	"	29.87	758.7	72	...	NW	4	r
Cape St. James, .	"	29.80	756.9	82	...	ESE	4	o	"	29.82	757.5	77	0	o
Basco, .	14	29.92	759.9	81	...	NNE	4	o	6	29.92	759.9	77	...	N	4	o
Aparri, .	"	29.87	758.7	79	...	NE	4	o	"	29.88	759.0	77	94	NE	4	r
Manila, .	"	29.78	756.3	90	55	S	1	o	"	29.82	757.5	73	92	NE	1	o
Legaspi, .	"	29.78	756.3	86	65	NNE	4	o	"	29.80	756.9	79	84	N	2	o
Tacloban, .	"	"
Iloilo, .	"	29.72	754.8	84	81	NE	6	o	"	29.79	756.6	75	96	N	2	o
Surigao, .	"	29.74	755.4	82	81	ENE	1	o	"	29.78	756.3	73	98	WSW	1	o
Guam, .	12.20	29.72	754.8	ENE	2	r	4.20	29.75	755.7	NE	2	o
Yap, .	12.47	29.68	753.9	SE	2	o	4.47	29.73	755.1	ESE	2	o
Labuan, .	14	29.77	756.1	86	76	NW	2	b	6	29.78	756.4	78	91	SW	2	o

November 6d. 11h. 29m.—Pressure is highest in the extreme North-east. It has decreased slightly to moderately at all reporting stations, except at Wladivostock where it is nearly stationary.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.02 inches, against an average of 80.81 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.
 DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamocks,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, moderate; generally cloudy.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	6TH NOVEMBER, 1923.							7TH NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.		
Vladivostock, .	12	6		
Nemuro, .	11	5		
Hokodate, .	"	"		
Tokio, .	"	"		
Kochi, .	"	"		
Nagasaki, .	"	"		
Kagoshima, .	"	"		
Oshima, .	"	"		
Naha, .	"	"		
Ishigakijima, .	"	"		
Bonin Island, .	"	"		
Chefoo, .	15	29.95	760.7	64	91	SSE	2	r	6	30.06	763.5	48	87	NW	4	o
Hankow, .	"	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	30.08	764.1	66	96	E	1	o	"	30.11	764.7	55	93	WNW	1	b
Gutzlaff, .	14	30.03	762.7	66	100	ESE	2	r	"	30.10	764.5	58	94	NNE	4	or
Sharp Peak, .	"	30.00	762.0	46	62	N	1	o	7	30.02	762.5	69	94	NW	2	r
Amoy, .	15	29.89	759.2	80	70	SSW	1	o	9	29.96	761.0	73	92	NW	1	r
Swatow, .	"	8	
Taihoku, .	11	29.95	760.8	86	56	E	4	b	5	29.99	761.7	70	94	SE	1	b
Taihu, .	"	29.99	761.7	86	...	W	2	b	"	29.99	761.7	70	0	o
Tainan, .	"	29.97	761.1	84	...	WSW	4	b	"	29.95	760.8	68	0	b
Koshun, .	"	29.97	761.1	81	...	NNW	4	b	"	29.94	760.5	68	0	b
Pescadores, .	"	29.97	761.1	81	...	NE	4	b	"	29.98	761.4	73	...	N	4	o
Canton, .	14	6	
Hongkong, .	"	29.92	759.9	75	76	E	3	o	"	30.01	762.2	70	94	ESE	1	or
Gap Rock, .	"	29.93	760.2	ENE	4	o	"	29.99	761.7	NNE	4	o
Macao, .	"	29.92	759.9	75	76	NNE	2	o	"	29.99	761.7	68	96	NNW	4	r
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.87	758.7	82	63	SSE	2	o	7	29.99	761.7	72	98	N	4	bf
Tourane, .	"	29.79	756.6	73	...	NNW	4	o	"	29.84	757.8	72	...	W	4	o
Cape St. James, .	"	29.74	755.4	86	...	SSW	2	o	"	29.82	757.5	75	...	NW	2	o
Basco, .	14	29.84	757.8	84	...	NNE	2	o	6	29.92	759.9	75	...	NE	1	b
Aparri, .	"	29.80	756.9	81	84	ENE	4	o	"	29.88	759.0	75	96	...	0	r
Manila, .	"	29.74	755.4	86	68	SW	2	o	"	29.84	757.8	75	92	ENE	2	o
Legaspi, .	"	29.74	755.4	81	87	NE	2	o	"	29.76	756.0	81	84	NNE	2	o
Tacloban, .	"	29.73	755.1	81	80	NW	1	o	"	
Iloilo, .	"	29.72	754.8	84	74	N	4	o	"	29.76	756.0	77	92	N	4	o
Surigao, .	"	"	...	29.75	755.7	73	96	...	0	b
Guam, .	12.20	29.68	753.9	NE	4	o	"	29.72	754.8	NE	1	r
Yap, .	12.47	4.47	29.73	755.1	NE	2	o	
Labuan, .	14	29.73	755.1	71	66	S	2	o	6	29.78	756.4	77	94	S	4	o

November 7d. 12h. 03m.—Pressure has increased slightly along the coast of China and over Luzon. It has decreased slightly over the Visayas and at Guam.

A depression is shown to the south of Guam.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.39 inch. Total since January 1st, 106.41 inches, against an average of 80.86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

DISTRICT.

FORECAST.

- | | | | |
|--|---|---|--|
| 1.—Formosa Channel, . | 2.—South coast of China between Hongkong and Lamocks, . | } | N.E. winds, moderate; cloudy at first, clearing later. |
| 3.—Hongkong to Gap Rock, . | | | |
| 4.—South coast of China between Hongkong and Hainan, . | | | |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	7TH NOVEMBER, 1923.							8TH NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.		
Wladivostock, .	12	29.69	754.0	36	...	N	6	s	6	30.21	767.3	26	...	NNE	2	b
Nemuro, .	13	5
Hokodate,	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.26	768.6	44	76	NNW	4	o	6	30.42	772.6	42	85	N	1	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.22	767.7	59	87	NW	2	o	"	30.41	772.5	41	91	NW	1	b
Gutzlaff, .	14	30.18	766.6	60	90	NNW	4	o	"	30.28	769.1	52	93	NNW	6	b
Sharp Peak, .	"	30.08	764.0	73	90	N	1	o	7	30.24	768.1	64	81	NE	4	o
Amoy, .	15	29.96	761.0	75	81	NNW	1	o	9	30.08	764.0	68	74	NNE	4	o
Swatow, .	"	8
Taihoku, .	11	30.02	762.6	84	64	ENE	4	o	5	30.15	765.9	66	82	E	2	o
Taichu, .	"	29.98	761.4	84	...	NNW	4	o	"	30.00	762.0	68	...	WNW	4	b
Tainan, .	"	29.99	761.7	86	...	NE	2	b	"	29.95	760.8	66	...	NNW	2	b
Koshun, .	"	29.97	761.1	84	...	NE	4	b	"	29.94	760.5	72	...	NE	6	r
Pescadores, .	"	30.00	762.0	81	...	N	6	o	"	30.01	762.3	72	...	NNE	8	o
Canton, .	14	29.98	761.5	82	60	SSE	2	c	6
Hongkong, .	"	29.97	761.2	76	66	N	2	o	"	30.06	763.5	70	69	N	3	o
Gap Rock, .	"	29.97	761.2	NNE	4	o	"	30.06	763.5	NE	4	o
Macao, .	"	29.95	760.8	73	75	NNW	4	o	"	30.05	763.2	68	68	N	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulian, .	"	29.93	760.2	90	44	ESE	2	bf	7	30.01	762.3	73	86	NE	4	of
Tourane, .	"	29.81	757.2	73	...	NNE	4	o	"	29.85	758.1	73	...	E	7	o
Cape St. James, .	"	29.74	755.4	81	...	NE	2	o	"	29.78	756.3	77	...	N	2	of
Basco, .	14	6
Aparri, .	"	29.81	757.2	82	81	NNE	4	o	"	29.89	759.3	77	88	NE	4	o
Manila, .	"	29.74	755.4	86	71	SW	2	o	"	29.82	757.5	73	96	NNW	1	o
Legaspi, .	"	29.71	754.5	86	71	NE	2	o	"	29.78	756.3	79	...	N	2	o
Tacloban, .	"	"	29.79	756.6	75	96	ENE	1	o
Iloilo, .	"	29.68	753.9	86	71	NE	4	o	"	29.76	756.0	75	94	N	4	o
Surigao, .	"	"	29.74	755.4	79	90	N	2	o
Guam, .	12.20	29.66	753.3	E	4	o	4.20	29.72	754.8	E	4	o
Yap, .	12.47	29.67	753.6	E	4	o	4.47	29.74	755.4	ENE	2	o
Lubuan, .	14	29.77	756.1	86	78	NW	4	b	6	29.76	755.9	78	86	SE	2	b

November 8d. 11h. 50m.—Pressure has increased considerably from Wladivostock to Shanghai and N. Formosa. It has increased slightly over S. China and Luzon.

A fairly strong anticyclone is now shown over N. China.

The depression to the south of Guam has not developed.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.41 inches, against an average of 80.92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.
 DISTRICT.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocka,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, strong; fine.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	8TH NOVEMBER, 1923.							9TH NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMIDT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATMOS.	HUMIDT.	WIND.		
		Hours.	Inches.	Millrs.		Direct- ion.	Force.			Hours.	Inches.	Millrs.		Direct- ion.	Force.	
Vladivostock, .	12	6	
Nemuro, .	11	5	
Hokodate, .	"	"	
Tokio, .	"	"	
Kochi, .	"	"	
Nagasaki, .	"	"	
Kagoshima, .	"	"	
Oshima, .	"	"	
Naha, .	"	"	
Ishigakijima, .	"	"	
Bonin Island, .	"	"	
Chefoo, .	15	30.36	771.1	50	79	WSW	2	b	6	30.37	771.4	38	84	SW	1	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.46	773.7	57	51	NNW	1	b	"	30.37	771.3	45	82	N	1	b
Gutzlaff, .	14	30.39	771.9	58	58	N	4	o	"	30.37	771.3	54	55	E	2	o
Sharp Peak, .	"	30.20	767.1	65	78	ENE	4	b	7	30.21	767.3	60	82	N	2	o
Amoy, .	15	30.08	764.0	74	59	NNE	2	b	9
Swatow, .	"	8
Taihoku, .	11	30.25	768.3	68	73	E	6	o	5	30.14	765.6	63	88	E	4	b
Taichu, .	"	30.05	763.2	75	...	N	4	o	"	30.04	762.9	0	o
Tainan, .	"	30.02	762.6	84	...	NNW	4	o	"	30.08	764.1	64	0	o
Kesbun, .	"	30.01	762.3	79	...	NE	7	b	"	30.01	762.3	72	...	NE	6	b
Pescadores, .	"	30.08	764.1	72	...	NNE	10	o	"	30.04	762.9	70	...	NNE	7	o
Canton, .	14	6
Hongkong, .	"	30.05	763.2	75	67	E	4	o	"	30.08	764.0	70	73	ENE	4	o
Gap Rock, .	"	30.04	763.0	NE	5	o	"	30.04	763.0	E	6	o
Macao, .	"	30.04	763.0	72	65	NNW	4	o	"	30.06	763.5	70	74	ENE	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hohow, .	"	"
Phulien, .	"	29.99	761.7	77	61	ENE	4	of	7
Tourane, .	"	29.85	758.1	75	...	E	6	r	"
Cape St. James, .	"	29.73	755.1	81	...	ENE	6	o	"
Basco, .	14	29.93	760.2	73	...	N	4	r	6
Aparri, .	"	29.87	758.7	79	84	NE	4	r	"	29.92	759.9	75	91	NE	6	r
Manila, .	"	29.76	756.0	86	61	N	1	o	"	29.81	757.2	72	96	...	0	o
Legaspi, .	"	29.75	755.7	84	77	NNE	4	o	"	29.76	756.0	79	84	NNE	4	o
Tacloban, .	"	"
Iloilo, .	"	82	N	4	o	"
Surigao, .	"	29.73	755.1	84	77	N	2	o	"
Guam, .	12.20	29.69	754.2	E	4	o	4.20
Yap, .	12.47	29.71	754.5	W	2	o	4.47	29.74	755.4	WNW	1	o
Labuan, .	14	29.75	755.6	86	76	N	2	b	6

November 8d. 15h. 45m.—Warning to Hongkong and Coast Ports:—N.N.E. gale in Formosa Channel.

November 9d. 11h. 17m.—Pressure has decreased slightly from Shanghai to N. Formosa and over the Visayas. It has increased slightly over S. Formosa and is nearly stationary at other reporting stations.

The anticyclone is probably central between Shanghai and Chefoo.

Strong to fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.41 inches, against an average of 80.97 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.
DISTRICT.**

- | | |
|--|------------------------------------|
| 1.—Formosa Channel, . | N.E. winds, strong. |
| 2.—South coast of China between Hongkong and Lamock, . | N.E. winds, strong to fresh; fine. |
| 3.—Hongkong to Gap Rock, . | |
| 4.—South coast of China between Hongkong and Hainan, . | |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	9TH NOVEMBER, 1923.							10TH NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMID.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMID.	WIND.		
	Hours.	Inches.	Millrs.		Direct- ion.	Force.				Inches.	Millrs.		Direct- ion.	Force.		
Wladivostock, ..	12	6	
Nemuro,	11	5	
Hokodate,	"	"	
Tokio,	"	"	
Koohi,	"	"	
Nagasaki,	"	"	
Kagoshima,	"	"	
Oshima,	"	"	
Naha,	"	"	
Ishigakijima,	"	"	
Bonin Island,	"	"	
Chefoo,	15	30.29	769.3	52	60	SW	1	b	6	30.24	768.1	46	77	...	o	
Hankow,	"	"	
Ichang,	"	"	
Changsha,	"	"	
Shanghai,	11	30.34	770.7	63	47	E	1	b	30.26	768.6	54	85	E	1	o	
Gutzlaff,	14	30.29	769.3	62	61	ENE	2	b	30.29	769.3	58	64	E	2	o	
Sharp Peak,	"	30.15	765.8	69	75	N	2	o	7	30.15	765.8	62	83	W	1	u
Amoy,	15	30.05	763.2	74	59	NNE	2	b	9	30.05	763.2	64	78	NNE	1	b
Swatow,	"	8	
Taihoku,	11	30.14	765.6	73	66	E	6	o	5	30.11	764.7	63	94	E	4	b
Taihu,	"	30.06	763.5	77	0	r	"	30.05	763.2	63	...	N	0	b
Tainan,	"	30.04	762.9	82	...	NNW	2	b	"	30.01	762.3	64	...	NE	4	b
Koshun,	"	30.04	762.9	77	...	NE	7	b	"	30.00	762.0	72	...	NE	6	b
Pescadores,	"	30.08	764.1	75	...	NNE	7	o	"	30.05	763.2	70	...	NNE	6	b
Canton,	14	30.02	762.5	81	59	NNW	1	h	6	
Hongkong,	"	30.02	762.5	73	61	E	4	b	"	30.05	763.2	70	79	ENE	4	o
Gap Rock,	"	30.02	762.5	ENE	5	e	"	30.04	763.0	70	...	ENE	4	c
Macno,	"	30.01	762.3	77	64	E	4	b	"	30.02	762.5	70	82	NE	4	o
Wuchow,	15	9	
Pakhoi,	"	
Hoihow,	"	
Phulien,	"	29.97	761.1	75	76	ENE	4	of	7	
Tourane,	"	29.84	757.8	75	0	if	"	
Cape St. James,	"	29.74	755.4	79	...	ENE	4	o	"	
Basco,	14	29.93	760.2	77	...	N	4	o	6	
Aparri,	"	29.88	759.0	75	92	NE	6	r	"	
Manila,	"	29.76	756.0	64	76	NE	1	r	"	29.82	757.5	73	96	N	1	o
Legaspi,	"	29.73	755.1	90	63	NE	2	o	"	29.76	756.0	77	92	N	1	b
Tacloban,	"	
Illoilo,	"	29.71	754.5	86	71	N	4	o	"	29.76	756.0	77	94	N	2	o
Surigao,	"	"	
Guam,	12.20	29.67	753.6	ENE	4	o	4.20	
Yap,	12.47	29.68	753.9	SE	2	o	4.47	29.69	754.2	NNE	2	o
Labuan,	14	29.72	754.9	88	76	SW	2	b	6	29.78	756.4	75	94	SW	2	r

November 10d. 11h. 53m.—Pressure is lowest to the south of Yap and highest over Japan. It has decreased slightly from Chefoo to Shanghai and is nearly stationary at other reporting stations.

The monsoon is interrupted to the north of Foochow. It will remain fresh over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.41 inches, against an average of 81.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

DISTRICT.

Forecast.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, fresh; fine.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	10TH NOVEMBER, 1923.							11TH NOVEMBER, 1923.									
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		WEATHER.	
	Time.	Inches.	Millrs.			Direct. ion.	Force.			Time.	Inches.	Millrs.			Direct. ion.	Force.	
Wladivostock, .	12	30.13	765.4	41	...	ESE	3	o	6	30.20	767.0	33	...	WNW	1	b	
Nemuro, .	11	5	
Hokodate, .	"	"	
Tokio, .	"	"	
Kochi, .	"	"	
Nagasaki, .	"	"	
Kagoshima, .	"	"	
Oshima, .	"	"	
Naha, .	"	"	
Ishigakijima, .	"	"	
Bonin Island, .	"	"	
Chefoo, .	15	30.22	767.6	54	74	...	6	o	6	30.21	767.3	44	92	...	0	o	
Hankow, .	"	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	30.27	768.9	70	49	E	2	o	"	30.21	767.4	55	84	E	1	o	
Gutzlaff, .	14	30.23	767.8	64	58	NE	2	b	"	30.21	767.3	58	70	ENE	2	o	
Sharp Peak, .	"	30.13	765.2	74	72	E	4	b	7	30.18	766.6	64	84	N	1	o	
Amoy, .	15	30.03	762.7	75	56	NNE	2	b	9	
Swatow, .	"	8	
Taihoku, .	11	30.12	765.0	73	66	ENE	6	o	5	30.07	763.8	64	84	E	4	b	
Taichu, .	"	30.05	763.2	77	...	NNW	4	b	"	30.02	762.6	59	b	
Tainan, .	"	30.04	762.9	81	...	N	4	b	"	29.98	761.4	63	...	NNE	2	b	
Koshun, .	"	30.02	762.6	79	...	NNE	6	b	"	29.99	761.7	72	...	NNE	4	b	
Pescadores, .	"	30.07	763.8	77	...	NNE	4	b	"	30.01	762.3	72	...	NNE	6	b	
Canton, .	14	6	
Hongkong, .	"	29.99	761.7	74	70	E	3	b	"	30.04	763.0	70	78	ENE	3	c	
Gap Rock, .	"	29.98	761.5	ENE	5	b	"	30.02	762.5	ENE	4	b	
Macao, .	"	29.98	761.4	79	66	ESE	2	b	"	
Wnchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.95	760.8	75	85	E	6	of	7	
Tourane, .	"	29.82	757.5	77	...	E	4	o	"	
Cape St. James, .	"	29.73	755.1	77	...	N	2	r	"	
Basco, .	14	29.91	759.6	77	...	NE	2	o	6	29.94	760.5	75	..	N	4	o	
Aparri, .	"	29.86	758.4	81	80	NE	4	o	"	29.89	759.3	77	86	NE	4	o	
Manila, .	"	29.74	755.4	84	74	NNE	4	o	"	29.81	757.2	75	96	...	0	r	
Legaspi, .	"	29.72	754.8	86	75	NE	4	o	"	29.79	756.6	77	91	NE	2	o	
Tacloban, .	"	"	
Ililo, .	"	29.68	753.9	86	68	N	2	o	"	29.76	756.0	77	94	N	4	o	
Surigao, .	"	29.69	754.2	84	74	N	2	o	"	29.74	755.4	75	96	S	1	b	
Guam, .	12.20	29.63	752.7	E	6	o	4.20	29.69	754.2	SE	4	o	
Yap, .	12.47	29.66	753.3	N	1	o	4.47	29.61	752.1	NW	4	o	
Labuan, .	14	29.73	755.1	82	83	N	1	o	6	

November 11d. 12h. 13m.—Pressure has decreased moderately at Yap and slightly from Shanghai to Formosa. It has increased slightly at Wladivostock and is nearly stationary at other reporting stations.

There appears to be a belt of high pressure stretching from central China across Japan.

A typhoon has formed to the S.E. of Yap.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.41 inches, against an average of 81.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks, } N.E. winds, fresh; fine.
- 3.—Hongkong to Gap Rock, }
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	11TH NOVEMBER, 1923.							12TH NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMID.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMID.	WIND.			
		Inches.	Millrs.			Dirct. ion.	Force.		Inches.	Millrs.			Dirct. ion.	Force.	WEATHER.	
Vladivostock, .	12	6	
Nemuro, .	11	5	
Hokodate, .	"	"	
Tokio, .	"	"	
Kochi, .	"	"	
Nagasaki, .	"	"	
Kagoshima, .	"	"	
Oshima, .	"	"	
Naba, .	"	"	
Ishigakijima, .	"	"	
Bonin Island, .	"	"	
Chefoo, .	15	30.16	766.0	54	74	NE	1	b	6	29.84	757.9	48	93	S	1	0
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.21	767.4	63	65	E	2	r	"	30.12	765.0	50	92	WNW	1	0
Gutzlaff, .	14	30.15	765.8	62	61	E	2	o	"	30.09	764.3	50	88	NNE	6	0
Sharp Peak, .	"	30.15	765.8	75	77	E	1	b	7	30.10	764.5	65	89	NW	1	b
Amoy, .	15	30.00	762.0	77	61	ESE	2	b	9	30.02	762.5	66	91	W	2	b
Swatow, .	"	"	8
Taihoku, .	11	30.07	763.8	77	64	E	6	b	5	30.02	762.6	59	98	...	0	b
Taichu, .	"	30.01	762.3	81	0	b	"	30.00	762.0	59	0	b
Tainan, .	"	30.02	762.6	82	...	W	2	b	"	29.98	761.4	63	...	N	2	b
Koshun, .	"	30.00	762.0	79	...	NE	6	b	"	29.97	761.1	70	0	b
Pescadores, .	"	30.04	762.9	77	...	NNE	6	b	"	30.00	762.0	70	...	N	6	b
Canton, .	14	30.01	762.2	80	62	WNW	2	c	6
Hongkong, .	"	30.02	762.5	74	69	ESE	3	h	"	30.04	763.0	67	73	NNE	2	c
Gap Rock, .	"	30.02	762.5	ENE	5	b	"	30.04	763.0	N	4	b
Macao, .	"	30.00	762.0	75	63	N	4	b	"	30.05	763.2	63	80	NNW	4	0
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.97	761.1	73	71	ENE	6	of	7	30.10	764.4	66	71	NNE	4	0
Tourane, .	"	29.86	758.4	77	...	E	6	o	"	29.94	760.5	75	...	E	4	0
Cape St. James, .	"	29.69	754.2	79	...	ENE	7	o	"	29.76	756.0	73	...	ENE	2	0
Basco, .	14	29.89	759.3	81	...	N	2	o	6	29.91	759.6	73	...	NE	1	b
Aparri, .	"	29.86	758.4	79	76	NE	4	o	"	29.89	759.3	77	84	NE	4	0
Manila, .	"	29.76	756.0	82	81	WSW	1	o	"	29.81	757.2	75	96	...	0	b
Legaspi, .	"	29.73	755.1	86	75	NE	2	o	"	29.79	756.6	77	92	NE	1	b
Tacloban, .	"	"
Illoilo, .	"	29.69	754.2	86	68	NE	2	o	"	29.76	756.0	75	94	N	4	0
Surigao, .	"	"	29.76	756.0	75	98	...	0	b
Quam, .	12.20	29.66	753.3	E	4	r	4.20	29.71	754.5	NE	2	0
Yap, .	12.47	29.56	750.9	WNW	4	o	4.47	29.58	751.2	WSW	6	0
Labuan, .	14	29.73	755.1	86	76	NW	2	b	6	29.78	756.4	78	91	S	2	0

November 12d. 11h. 40m.—Pressure has decreased considerably at Chefoo and slightly at Shanghai. It has increased slightly over S.W. China and is nearly stationary at other districts.

A depression has formed over S.E. Mongolia.

A feeble anticyclone lies over S. China.

The Yap typhoon now appears to be moving N.W. At 6 a.m. it was in about Lat. 12° N. and Long. 139° E.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.41 inches, against an average of 81.15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.
DISTRICT.

FORECAST.

- | | |
|---|-----------------------------|
| 1.—Formosa Channel, . | N. winds, strong. |
| 2.—South coast of China between Hongkong and Lamocks, . | } N. winds, moderate; fine. |
| 3.—Hongkong to Gap Rock, . | |
| 4.—South coast of China between Hongkong and Hainan, . | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	12TH NOVEMBER, 1923.								13TH NOVEMBER, 1923.																
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.		HUMIDITY.		WIND.		WEATHER.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.		HUMIDITY.		WIND.		WEATHER.		
	Inches.	Millrs.	Direct.	Ind.	Humid.	Force.	Wind.	Dir.	Ind.	Humid.	Force.	Wind.	Direct.	Ind.	Humid.	Force.	Wind.	Dir.	Ind.	Humid.	Force.	Wind.	Dir.	Ind.	
Vladivostock..	12	6	o
Nemuro.....	11	5
Hokodate.....	"	"
Tokio.....	"	"
Kochi.....	"	"
Nagasaki.....	"	"
Kagoshima.....	"	"
Oshima.....	"	"
Naha.....	"	"
Ishigakijima.....	"	"
Bonin Island.....	"	"
Chefoo.....	15	29.67	753.6	50	72	W	6	o	6	29.91	759.7	44	92	WNW	6	o	
Hankow.....	"	"	
Ichang.....	"	"	
Changsha.....	"	"	
Shanghai.....	11	30.11	764.7	61	50	W	4	b	"	30.15	765.9	46	66	NW	1		
Gutzlaff.....	14	30.05	763.2	60	44	WNW	6	b	"	30.14	765.5	54	38	WNW	6		
Sharp Peak.....	"	30.04	763.0	78	70	E	2	b	7	30.02	762.5	62	72	W	2		
Amoy.....	15	29.96	761.0	75	64	NW	2	b	9	30.06	763.5	62	67	E	1		
Swatow.....	"	8	
Taihoku.....	11	30.07	763.8	72	70	NW	4	o	5	30.12	765.0	52	97	...	0	b		
Taichu.....	"	30.01	762.3	77	...	NNW	4	b	"	30.02	762.6	55	b	
Tainan.....	"	29.99	761.7	81	...	N	4	b	"	30.10	764.4	63	...	NE	4	b	
Keshun.....	"	29.98	761.4	82	...	NE	2	b	"	29.97	761.1	72	...	NNE	6	b		
Pescadores.....	"	30.03	763.2	75	...	N	6	b	"	30.02	762.6	70	...	NNE	7	b		
Canton.....	14	30.05	763.2	72	88	NNW	2	o	6	b	
Hongkong.....	"	30.01	762.2	74	50	NNW	1	o	"	30.07	763.8	65	56	NNE	1	b		
Gap Rock.....	"	30.01	762.2	NNE	4	o	"	30.06	763.5	61	74	ENE	4	b		
Macao.....	"	30.02	762.6	68	60	N	4	o	"	30.05	763.2	61	74	NW	4	b		
Wuchow.....	15	9	
Pakhoi.....	"	"	
Hoihow.....	"	"	
Phulien.....	"	30.02	762.6	79	55	W	2	o	7	
Tourane.....	"	29.88	759.0	77	...	E	6	o	"	
Cape St. James.....	"	29.73	755.1	73	...	E	...	of	"	
Basco.....	14	29.86	758.4	81	...	NE	2	o	6	
Aparri.....	"	29.86	758.4	82	67	NE	4	b	"	29.92	759.9	73	91	NE	1	o	
Manila.....	"	29.76	756.0	86	65	NE	2	o	"	29.81	757.2	77	92	NE	1	o	
Legaspi.....	"	29.74	755.4	86	71	NE	2	o	"	
Tacloban.....	"	"	
Hoilo.....	"	29.71	754.5	86	71	NE	4	o	"	29.78	756.3	77	91	N	4	o		
Surigao.....	"	29.72	754.8	84	74	N	4	b	"	
Guam.....	12.20	29.6	753.0	ENE	4	o	4.20	o	
Yap.....	12.47	29.58	751.2	SW	6	o	4.47	29.65	753.0	78	93	SSW	4	b	
Labuan.....	14	29.79	756.6	88	76	NW	2	b	6	29.80	756.9	78	93	SW	1	b	

November 13d. 11A. 30m.—Pressure has increased considerably at Chefoo and slightly at the majority of other reporting stations.

The anticyclone has strengthened.

At 6 a.m. this morning the Yap typhoon was in about Lat. 13° N. and Long. 137° E., moving N.W.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.41 inches, against an average of 81.21 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.
DISTRICT.**

N.E. winds, strong.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamock,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan,

N.E. winds, fresh; fine.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	13TH NOVEMBER, 1923.							14TH NOVEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	WEATHER.
Wladivostock, .	12	6
Nemuro,	11	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	15	30.00	762.0	44	76	W	4	b	6	30.00	762.0	38	63	...	o b
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.24	768.0	54	28	WSW	2	b	"	30.22	767.7	39	80	N	i b o
Gutzlaff,	14	30.19	766.8	56	40	NNW	6	b	"	30.24	768.1	48	100	W	4 b b
Sharp Peak,	"	30.08	764.0	76	69	E	4	o	7	30.13	765.3	60	82	ENE	2
Amoy,	15	29.97	761.2	77	46	NNE	2	b	9	30.11	764.8	62	77	ENE	4
Swatow,	"	"	8
Taihoku,	11	30.12	765.0	75	45	ESE	4	b	5	30.11	764.7	61	79	N	4 b
Taichu,	"	30.01	762.3	73	...	NNW	2	b	"	30.07	763.8	70
Taiman,	"	29.88	759.0	81	...	N	2	b	"	30.10	764.4	63
Koshun,	"	30.04	762.9	77	...	NE	6	b	"	30.06	763.5	68
Pescadores,	"	29.93	760.2	77	...	NNE	7	b	"	30.06	763.5	70
Canton,	14	"	6
Hongkong,	"	29.99	761.7	73	37	E	4	b	"	30.06	763.5	69	73	E	4 b
Gap Rock,	"	30.00	762.0	NE	4	c	"	30.04	763.0	ENE	4
Macao,	"	29.93	760.2	72	47	NNE	4	b	"	30.07	763.8	66	76	NNE	4
Wuchow,	15	"	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.97	761.1	79	58	S	1	b	7	30.00	762.0	66	82	ENE	4 b
Tourane,	"	29.89	759.3	75	...	ENE	6	o	"	29.92	759.9	75	...	E	4 o
Cape St. James,	"	29.76	756.0	79	...	WNW	2	o	"	29.84	757.8	73	...	NW	4 o
Basco,	14	29.91	759.6	77	...	NNE	4	o	6	30.02	762.6	73	..	NNE	4 b
Aparri,	"	29.89	759.3	79	76	NE	4	o	"	29.95	760.8	75	71	NE	6 b
Manila,	"	29.76	756.0	84	64	NE	4	o	"	29.86	758.4	72	92	...	o
Legaspi,	"	29.74	755.4	86	68	NNW	4	o	"	29.82	757.5	77	85	N	4 o
Taoloban,	"	"
Hollo,	"	29.71	754.5	84	74	NE	4	o	"	29.84	757.8	75	94	WSW	2 o
Surigao,	"	29.71	754.5	84	74	NNW	2	b	"	29.79	756.6	75	94	...	o
Guam,	12.20	29.66	753.3	ENE	2	o	4.20	29.74	755.4	E	1 o
Yap,	12.47	29.60	751.8	SSW	4	o	4.47	29.69	754.2	SW	4 o
Labuan,	14	29.81	757.2	84	77	SW	6	b	6	29.82	757.4	78	91	N	1 b

November 14th. 11 h. 50 m.—Pressure has decreased slightly over Tongking, and increased slightly to moderately elsewhere. The anticyclone has again increased in intensity; the position of the typhoon is now uncertain, but it appears to have moved upon a northerly track.

Fresh monsoon will continue along the coast and over the north part of the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.41 inches, against an average of 81.27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks,
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; fine generally.
- 4.—South coast of China between Hongkong and Hainan,

C. W. JEFFRIES,—Chief Assistant.

DAILY WEATHER REPORT.

STATION.	14TH NOVEMBER, 1923.							15TH NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
	H.	M.				Dir.	Force.		H.	M.				Dir.	Force.	
Vladivostock, .	12	6
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naba, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.09	764.3	50	72	N	2	b	6	30.24	768.1	44	92	W	1	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.21	767.4	64	32	SSE	1	b	"	30.18	766.5	52	97	SSE	1	b
Gutzlaff, .	14	30.18	766.6	60	44	SSE	2	b	"	30.18	766.6	60	82	ENE	2	o
Sharp Peak, .	"	30.15	765.8	71	85	E	2	b	7	30.12	765.0	65	84	NW	2	b
Amoy, .	15	30.02	762.5	75	56	ENE	2	b	9	30.10	764.5	64	95	ENE	2	b
Swatow, .	"	8
Taihoku, .	11	30.11	764.7	77	54	E	6	b	5	57	96	E	1	b
Taichu, .	"	30.06	763.5	79	...	WSW	2	b	"	30.11	764.7	57	0	b
Fainan, .	"	30.07	763.8	79	...	WSW	4	b	"	30.07	763.8	63	...	E	4	b
Koshun, .	"	30.06	763.5	77	...	NE	4	b	"	30.07	763.8	70	...	ENE	4	b
Pescadores, .	"	30.07	763.8	77	...	W	4	b	"	30.10	764.4	72	..	N	4	b
Canton, .	14	30.01	762.2	78	58	SSW	1	c	6
Hongkong, .	"	30.02	762.5	72	67	E	5	c	"	30.04	763.0	70	70	E	3	o
Gap Rock, .	"	30.00	762.0	ENE	6	c	"	30.03	762.7	ENE	5	b
Macao, .	"	29.99	761.7	73	66	E	4	b	"	30.02	762.6	70	77	E	4	o
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.93	760.2	79	69	E	2	cf	7	29.97	761.1	70	92	ENE	4	of
Tourane, .	"	29.88	759.0	75	...	ENE	4	o	"	29.91	759.6	75	...	ENE	6	o
Cape St. James, .	"	29.80	756.9	82	...	S	2	o	"	29.82	757.5	75	...	NNW	2	o
Basco, .	14	6	
Aparri, .	"	29.95	760.8	81	59	NE	4	b	"	
Manila, .	"	29.81	757.2	86	58	NE	2	o	"	29.89	759.3	68	88	N	1	b
Legaspi, .	"	29.79	756.6	82	74	NNE	4	o	"	
Tacloban, .	"	29.74	755.4	86	65	NW	4	o	"	
Illoilo, .	"	29.6	756.0	84	74	NE	4	o	"	29.81	757.2	75	88	NE	4	o
Surigao, .	"	29.74	755.4	82	77	W	2	o	"	29.74	755.4	79	81	W	2	o
Guam, .	12.20	29.71	754.5	N	2	o	4.20	
Yap, .	12.47	29.69	754.2	SSW	4	o	4.47	29.79	756.6	SSE	2	o
Labuan, .	14	29.79	756.6	86	80	N	2	b	6	29.81	757.2	78	91	NW	1	b

November 15d. 11h. 45m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 12° N. Long. 130° E., direction unknown, position uncertain.

November 15d. 11h. 50m.—Pressure has increased considerably at Chefoo and slightly from Formosa to N. Luzon. It has decreased slightly over the Visayas and Borneo.

The anticyclone has weakened and moved eastward. Another has formed over S.E. Mongolia.

There appears to be a typhoon to the East of the Visayas. Its direction of motion is unknown. It may be the Yap typhoon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.41 inches, against an average of 81.33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- { N.E. winds, fresh; fine.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	15TH NOVEMBER, 1923.							16TH NOVEMBER, 1923.						
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.	
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.
Vladivostock, .	12	6
Nemuro, .	11	5
Hokodate, .	"	4
Tokio, .	"	3
Kochi, .	"	2
Nagasaki, .	"	1
Kagoshima, .	"	0
Oshima, .	"	0
Naba, .	"	0
Ishigakijima, .	"	0
Bonin Island, .	"	0
Chefoo, .	15	30.25	768.3	44	86	NE	1	b	6	30.23	767.8	44	76	SE
Hankow, .	"	0
Ichang, .	"	0
Changsha, .	"	0
Shanghai, .	11	30.25	768.3	66	46	NW	1	b	0	30.27	768.9	57	81	NE
Gutzlaff, .	14	30.22	767.6	66	64	NNW	1	b	0	30.26	768.6	60	79	E
Sharp Peak, .	"	30.11	764.8	76	69	ENE	1	b	7	30.16	766.0	69	90	NE
Amoy, .	15	30.00	762.0	77	57	NW	4	b	9	30.06	763.5	67	84	ENE
Swatow, .	"	0	8
Taihoku, .	11	30.12	765.0	81	53	ESE	4	b	5	30.06	763.5	68	68	E
Taichu, .	"	30.08	764.1	79	...	NW	2	b	0	30.06	763.5	59
Tainan, .	"	30.08	764.1	81	...	SW	2	b	0	30.05	763.2	61	...	E
Koshun, .	"	30.10	764.4	77	...	NE	4	b	0	30.02	762.6	72	...	NNE
Pescadores, .	"	30.10	764.4	77	...	NNW	4	b	0	30.04	762.9	68	...	b
Canton, .	14	0	6
Hongkong, .	"	30.00	762.0	74	72	E	3	b	0	30.01	762.2	71	86	E
Gap Rock, .	"	29.99	761.7	77	...	ENE	5	cd	0	30.01	762.2	70	91	E
Macao, .	"	29.98	761.4	73	79	ESE	4	b	0	29.98	761.4	70	91	ESE
Wuchow, .	15	0	9
Pakhoi, .	"	0	0
Hoihow, .	"	0	0
Phubien, .	"	29.89	759.3	73	94	ESE	4	r	7	29.95	760.8	72	96	ENE
Tourane, .	"	29.85	758.1	77	...	E	4	o	0	29.91	759.6	75	...	E
Cape St. James, .	"	29.75	755.7	81	...	WSW	2	o	0	29.82	757.5	75	...	NNW
Basco, .	14	29.97	761.1	79	...	NNE	7	o	6	30.00	762.0	75	...	NNE
Aparri, .	"	29.93	760.2	81	62	NE	4	b	0	29.97	761.1	75	86	ENE
Manila, .	"	29.84	757.8	82	60	NNE	4	o	0	29.84	757.8	72	84	N
Legaspi, .	"	0	0
Tacloban, .	"	29.67	753.6	79	84	NW	6	o	0
Hoilo, .	"	0	0
Surigao, .	"	29.65	753.0	81	80	W	4	o	0	29.72	754.8	75	88	N
Guam, .	12.20	29.75	755.7	NW	2	o	0	29.72	754.8	75	88	N
Yap, .	12.47	29.74	755.4	SW	4	o	4.20	29.82	757.5	NE
Labuan, .	14	29.76	755.9	88	73	N	1	b	6	29.79	756.6	78	94	S

November 15d. 18h. 55m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 11° N. Long. 129° E. moving West.

November 16d. 12h. 03m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 11° N. Long. 126° E., moving West.

November 16d. 12h. 06m.—Pressure has decreased considerably over the Eastern Visayas, and slightly at Manila. It has increased slightly at Yap and is nearly stationary at other reporting stations.

At 6 a.m. this morning the typhoon was near Lat. 11° N. and Long. 126° E., moving West.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.41 inches, against an average of 81.38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.
DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamock, E. winds, fresh; fair to showery.
- 3.—Hongkong to Gap Rock, E. winds, fresh; fair to showery.
- 4.—South coast of China between Hongkong and Hainan,

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	16TH NOVEMBER, 1923.							17TH NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.
	Hours.	Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	6	
Nemuro, .	11	5	
Hokodate, .	"	"	
Tokio, .	"	"	
Kochi, .	"	"	
Nagasaki, .	"	"	
Kagoshima, .	"	"	
Oshima, .	"	"	
Naha, .	"	"	
Ishigakijima, .	"	"	
Bonin Island, .	"	"	
Chefoo, .	15	30.13	765.3	58	76	S	4	0	6	30.08	764.0	52	93	SSE	2	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.20	767.1	59	96	E	4	r	"	30.06	763.5	54	92	W	4	o
Gutzlaff, .	14	30.15	765.8	58	100	SE	4	r	"	30.04	763.0	54	94	NW	4	o
Sharp Peak, .	"	30.03	762.7	78	65	N	2	b	7	30.02	762.5	68	85	W	1	b
Amoy, .	15	29.95	760.7	80	55	WSW	1	b	9	30.00	762.0	67	91	ESE	1	b
Swatow, .	"	8
Taihoku, .	11	30.05	763.2	82	48	SE	4	b	5	30.01	762.3	59	96	...	0	b
Taichu, .	"	30.05	763.2	61	0	b	"	30.00	762.0	57
Fainan, .	"	30.05	763.2	81	...	W	4	b	"	29.97	761.1	59	...	NE	2	b
Koshun, .	"	30.01	762.3	79	...	NE	6	b	"	29.94	760.5	70	...	N	4	b
Pescadores, .	"	30.06	763.5	79	...	WNW	2	b	"	29.99	761.7	70	...	NNW	4	b
Canton, .	14	29.96	761.0	80	62	S	2	c	6
Hongkong, .	"	29.98	761.5	75	79	E	4	c	"	29.97	761.2	71	86	E	1	b
Gap Rock, .	"	29.96	761.0	EE	4	c	"	29.95	760.7	ENE	4	b
Macao, .	"	29.95	760.8	77	76	E	4	c	"	29.95	760.8	68	96	N	4	if
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.88	759.0	79	80	SSE	4	cf	7	29.93	760.2	70	98	ENE	6	of
Tourane, .	"	29.85	758.1	77	...	ENE	2	o	"	29.87	758.7	75	...	ENE	4	o
Cape St. James, .	"	29.74	755.4	79	...	NW	4	r	"	29.74	755.4	73	...	NW	6	of
Basco, .	14	6	
Aparri, .	"	29.87	758.7	73	91	ENE	4	r	"	29.82	757.5	75	96	E	2	r
Manila, .	"	29.75	755.7	86	58	NE	4	c	"	29.69	754.2	73	91	NNW	2	r
Legaspi, .	"	"	
Tacloban, .	"	"	
Ililo, .	"	29.60	751.8	81	80	S	4	c	"	29.54	750.3	79	92	S	6	o
Surigao, .	"	"	
Guam, .	12.20	29.75	755.7	NE	4	o	4.20	29.78	756.3	NE	2	o
Yap, .	12.47	29.79	756.6	NE	4	o	4.47	29.81	757.2	NW	2	b
Labuan, .	14	29.76	755.9	86	80	N	1	o	6	29.76	755.9	78	93	S	2	o

November 16d. 18h. 05m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 12° N. Long. 124° E., moving West.

November 17d. 10h. 32m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 12° N. Long. 121° E., moving West.

November 17d. 11h. 35m.—Pressure has decreased moderately over the Philippines and at Shanghai. It has decreased slightly at other reporting stations.

The anticyclone is probably central over mid-Japan.

At 6 a.m. this morning the typhoon was in about Lat. 12° N. and Long. 121° E., moving West. It will probably move towards Saigon.

The monsoon is interrupted to the North of Amoy.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.41 inches, against an average of 81.43 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18th.
DISTRICT.**

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamocka, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- N.E. winds, moderate; fine.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	17TH NOVEMBER, 1923.							18TH NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.	
Vladivostock, -	12	30.01	762.2	47	...	S	1	c	6	30.04	763.1	33	...	E	1	c
Nemuro, -	11	5
Hokodate, -	"	"
Tokio, -	"	"
Koobi, -	"	"
Nagasaki, -	"	"
Kagoshima, -	"	"
Oshima, -	"	"
Naha, -	"	"
Ishigakijima, -	"	"
Bonin Island, -	"	"
Chefoo, -	15	29.99	761.7	62	56	SSW	1	b	6	29.96	761.0	48	100	...	0	b
Hankow, -	"	"
Ichang, -	"	"
Changsha, -	"	"
Shanghai, -	11	30.07	763.8	57	98	W	4	r	"	30.06	763.5	54	100	NW	1	o
Gutzlaff, -	14	30.02	762.5	56	100	WNW	6	o	"	30.08	764.0	56	100	N	1	o
Sharp Peak, -	"	29.97	761.2	52	73	E	2	o	"	29.97	761.2	67	92	ENE	2	o
Amoy, -	15	29.90	759.4	80	66	WNW	1	b	"	29.92	759.9	67	91	ENE	1	b
Swatow, -	"	8
Taihoku, -	11	29.97	761.1	79	61	N	2	b	5
Taichu, -	"	29.98	761.4	82	...	NW	2	b	"
Tainan, -	"	29.93	760.2	82	...	NNE	7	b	"
Koshun, -	"	29.92	759.9	82	...	N	4	b	"
Pescadores, -	"	29.97	761.1	81	...	N	4	b	"
Canton, -	14	29.87	758.7	83	56	NNW	1	b	6
Hongkong, -	"	29.88	758.9	78	70	E	3	b	"	29.89	759.2	70	86	...	0	b
Gap Rock, -	"	29.91	759.7	NE	4	b	"	29.91	759.7	NE	3	...
Macau, -	"	29.87	758.7	79	69	E	2	b	"
Wuchow, -	15	9
Pakhoi, -	"	"
Hoihow, -	"	"
Phulien, -	"	29.86	758.4	73	82	ENE	4	o	7
Tourane, -	"	29.82	757.5	77	...	ENE	4	b	"
Cape St. James, -	"	29.68	753.9	73	...	WSW	10	r	"
Basco, -	14	6	29.78	756.3	79	...	NNE	4	o
Aparri, -	"	29.72	754.8	82	87	NE	4	o	"	29.69	754.2	75	96	E	2	o
Manila, -	"	29.59	751.5	79	76	N	2	r	"	29.48	748.8	75	92	NNW	4	r
Legaspi, -	"	"
Tacloban, -	"	"
Ililo, -	"	"
Surigao, -	"	"
Guam, -	12.20	29.73	755.1	E	4	o	4.20
Yap, -	12.47	29.74	755.4	NNE	4	o	4.47	29.76	756.0	NE	4	o
Labuan, -	14	29.76	755.9	88	76	NW	2	b	6

November 17d. 19h. 03m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 12° N. Long. 121° E., moving West.

November 18d. 10h. 20m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 14° N. Long. 122° E., moving North.

November 18d. 11h. 52m.—Pressure has decreased considerably at Manila and slightly at the majority of other reporting stations.

The cyclone has curved. At 6 a.m. this morning it was about 50 miles E.S.E. of Manila, travelling N. or N.N.E.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.41 inches, against an average of 81.48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.
DISTRICT.

FORECAST.

- 1.—Formosa Channel, N. winds, fresh.
- 2.—South coast of China between Hongkong and Lamocks, }
- 3.—Hongkong to Gap Rock, } N.E. winds, moderate; fine.
- 4.—South coast of China between Hongkong and Hainan, .. }

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	18TH NOVEMBER, 1923.								19TH NOVEMBER, 1923.							
	HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direct- ion.	Force.			Inches.	Millrs.			Direct- ion.	Force.	
Vladivostock, .	12	29.98	761.5	46	...	SE	1	o	6	29.80	756.8	42	...	N	3	o
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	29.90	759.4	56	69	NW	4	b	6	29.86	758.4	46	62	E	1	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.05	763.2	64	71	ESE	2	b	"	30.13	765.3	55	100	SW	1	o
Gutzlaff, .	14	30.00	762.0	63	78	E	2	o	"	30.05	763.2	56	100	ENE	1	r
Sharp Peak, .	"	29.73	755.1	70	85	NE	2	b	7	67	89	NW	2	o
Amoy, .	15	29.82	757.4	80	62	E	1	b	9
Swatow, .	"	8
Taihoku, .	11	29.97	761.1	73	75	E	6	b	5	29.82	757.5	72	94	ESE	4	o
Taihu, .	"	29.88	759.0	81	...	NW	2	b	"	29.84	757.8	68	0	o
Tainan, .	"	29.87	758.7	77	...	NNW	2	b	"	29.79	756.6	70	...	NE	4	o
Koshun, .	"	29.86	758.4	77	...	NNE	4	b	"	29.78	756.3	77	...	NNE	6	b
Pescadores, .	"	29.92	759.9	77	...	NNE	7	b	"	29.82	757.5	73	...	NNE	6	b
Canton, .	14	29.82	757.4	82	63	S	2	c	6
Hongkong, .	"	29.82	757.4	77	68	E	3	b	"	29.85	758.2	71	91	...	0	lm
Gap Rock, .	"	29.82	757.4	ENE	4	b	"	29.86	758.4	NNE	3	o
Macao, .	"	"	29.84	757.8	68	92	NW	2	b
Wuchow, .	15	9
Pakhoi, .	"	"
Hoikow, .	"	"
Phulien, .	"	29.79	756.6	77	88	SSE	2	rf	7	29.87	758.7	73	96	ENE	4	cf
Lourane, .	"	29.78	756.3	79	...	NE	2	b	"	29.82	757.5	72	...	ENE	2	b
Cape St. James, .	"	29.78	756.3	73	...	SW	6	o	"	29.84	757.8	73	...	NW	2	o
Basco, .	14	6
Aparri, .	"	29.61	752.1	77	91	ENE	...	o	"
Manila, .	"	29.42	747.3	77	94	W	4	r	"	29.60	751.8	73	96	SSE	4	r
Legaspi, .	"	"
Tacloban, .	"	"
Uloilo, .	"	"
Surigao, .	"	"
Guam, .	12.20	"
Iap, .	12.47	29.73	755.1	ENE	4	o	4.20	29.79	756.6	E	2	o
Lahman, .	14	29.78	756.4	84	83	N	1	o	4.47	29.79	756.6	E	4	o
									6	29.80	756.9	77	94	NW	1	b

November 18d. 18h. 55m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 16° N. Long. 122° E., moving North.

November 19d. 12h. 10m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 16° N. Long. 119° E., moving West.

November 19d. 12h. 29m.—Pressure has increased considerably at Manila and moderately at Shanghai. It has decreased slightly over Formosa, and is nearly stationary from Hongkong to Indo-China.

The typhoon has curved again. At 6 a.m. this morning it was in about Lat. 16° N. and Long. 119° E., moving West.

An anticyclone has formed over China.

Fresh monsoon may be expected along the S.E. coast of China and over the northern portion of the China Sea.

Cyclonic gales may be excepted over the centre of the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.41 inches, against an average of 81.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, N.E. winds, fresh; fine.
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; fine.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	19TH NOVEMBER, 1923.							20TH NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temper- ature,	Humid.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Temper- ature,	Humid.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.	
Vladivostock, .	12	6	
Nemuro, .	11	5	
Hokodate, .	"	"	
Tokio, .	"	"	
Kochi, .	"	"	
Nagasaki, .	"	"	
Kagoshima, .	"	"	
Oshima, .	"	"	
Naha, .	"	"	
Ishigakijima, .	"	"	
Bonin Island, .	"	"	
Chefoo, .	15	29.99	761.7	40	91	NNW	6	0	6	30.11	764.8	36	70	NW	1	b
Hankow, .	"	"
Lohang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.11	764.7	64	67	W	2	b	"	30.28	769.2	34	85	NW	1	b
Gutzlaff, .	14	30.06	763.5	64	73	NNW	4	b	"	30.26	768.6	44	60	NW	4	b
Sharp Peak, .	"	29.94	760.5	76	82	ENE	4	b	7	30.12	765.0	46	77	E	4	b
Amoy, .	15	29.81	757.2	78	65	WNW	1	b	9	29.96	761.0	66	73	NE	2	o
Swatow, .	"	8
Taihoku, .	11	29.93	760.2	73	82	E	4	o	5	30.10	764.4	61	83	E	6	r
Taichu, .	"	29.88	759.0	79	...	ENE	4	o	"	29.86	758.4	63	...	N	2	o
Tainan, .	"	29.82	757.5	77	...	N	6	o	"	29.81	757.2	64	...	NNE	4	o
Koshun, .	"	29.80	756.9	84	...	ENE	4	o	"	29.76	756.0	72	...	NNE	10	o
Pescadores, .	"	29.87	758.7	77	...	N	6	o	"	29.76	756.0	68	...	NNE	10	o
Canton, .	14	29.86	758.4	80	70	N	2	b	6
Hongkong, .	"	29.79	756.6	83	55	NE	2	b	"	29.94	760.5	68	65	N	3	o
Gap Rock, .	"	29.82	757.4	NNW	3	b	"	29.94	760.5	N	4	o
Macao, .	"	29.80	756.9	79	58	N	2	b	"	29.94	760.5	64	71	NNW	4	o
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.85	758.1	73	98	WNW	4	rf	7	30.00	762.0	66	76	NE	2	o
Tourane, .	"	29.79	756.6	79	...	ESE	2	b	"	29.87	758.7	73	0	o
Cape St. James, .	"	29.76	756.0	82	...	SSW	2	b	"	29.85	758.1	75	...	ENE	4	o
Basco, .	14	6
Aparri, .	"	"
Manila, .	"	29.59	751.5	73	96	SSE	4	r	"	29.66	753.3	75	96	SE	2	r
Legaspi, .	"	"
Tacloban, .	"	"
Ililo, .	"	"
Surigao, .	"	"
Guam, .	12.20	29.74	755.4	E	4	r	4.20
Yap, .	12.47	29.74	755.4	E	4	o	4.47	29.81	757.2	ENE	4	b
Labuan, .	14	29.77	756.1	88	78	NW	2	b	6	29.81	757.2	78	94	S	2	b

November 19d. 17h. 37m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 119° E., stationary or very slow.

November 20d. 11h. 46m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 119° E., direction unknown.

November 20d. 11h. 45m.—Pressure has increased considerably at Shanghai and Taihoku, moderately at Chefoo, Hongkong, and Haiphong, and slightly over Annam and Luzon.

The anticyclone over China is developing.

At 6 a.m. the typhoon was in about Lat. 17° N. and Long. 119° E. Its most probable direction of motion is north; but this is at present uncertain.

Cyclonic gales may be expected over the N.E. portion of the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.41 inches, against an average of 81.57 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21ST.
DISTRICT.**

FORECAST.

- 1.—Formosa Channel, N.E. gale.
- 2.—South coast of China between Hongkong and Lamock, | N. winds, fresh to strong; fair.
- 3.—Hongkong to Gap Rock, | N.E. winds, moderate.
- 4.—South coast of China between Hongkong and Hainan, .

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	20TH NOVEMBER, 1923.							21ST NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Direction.	Force.			Direction.	Force.		
Wladivostock, .	12	29.72	754.9	31	...	NNW	4	b	6	30.04	762.9	21	...	NW	3	b
Nemuro,	11	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Osbizma,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	15	30.10	764.5	52	47	WNW	4	b	6	30.03	762.7	44	68	WSW	1	o
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.28	769.2	54	32	NW	1	b	"	30.17	766.2	39	97	WNW	1	b
Gutzlaff,	14	30.23	767.8	54	49	NNW	2	b	"	30.19	766.8	50	79	S	1	b
Sharp Peak,	"	30.09	764.3	64	78	NE	6	b	7	30.04	763.0	60	82	N	4	o
Amoy,	15	29.92	759.9	71	66	NE	1	b	9	29.96	761.0	63	67	NE	2	o
Swatow,	"	8
Taiboku,	11	30.17	766.2	64	67	E	6	of	5	29.98	761.4	63	90	E	6	b
Taichu,	"	29.87	758.7	72	...	N	4	o	"	29.88	759.0	65	0	b
Tainan,	"	29.88	759.0	72	...	NNW	4	o	"	29.87	758.7	64	0	b
Koshun,	"	"	29.84	757.8	72	...	NE	7	o
Pescadores,	"	29.94	760.5	75	...	NNE	7	o	"	29.88	759.0	66	...	NNE	7	o
Canton,	14	6
Hongkong,	"	29.91	759.7	74	57	ESE	3	b	"	29.97	761.2	67	75	ENE	2	o
Gap Rock,	"	29.92	759.9	NE	4	o	"	29.95	760.7	ENE	4	c
Macao,	"	29.91	759.6	70	57	N	4	o	"	29.89	759.3	66	76	ESE	4	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.93	760.2	75	67	SW	1	o	7	29.92	759.9	70	88	ENE	4	lf
Tourane,	"	29.84	757.8	81	...	ESE	2	o	"	29.88	759.0	72	0	of
Cape St. James,	"	29.80	756.9	79	...	ENE	2	b	"	29.84	757.8	75	...	ENE	4	b
Basco,	14	29.76	756.0	72	...	N	4	r	6	29.76	756.0	73	...	N	4	r
Aparri,	"	"
Manila,	"	29.60	751.8	86	68	SW	4	o	"	29.68	753.9	77	94	SSE	2	o
Legaspi,	"	"
Taoloban,	"	"
Iloilo,	"	"	29.76	756.0	79	90	S	4	o
Surigao,	"	"
Guam,	12.20	29.76	756.0	ENE	4	o	4.20	29.82	757.5	NE	1	o
Yap,	12.47	29.76	756.0	E	4	o	4.47	29.82	757.5	ENE	4	b
Labuan,	14	29.80	756.9	84	83	SW	2	o	6	29.80	756.9	77	93	SW	2	b

November 20d. 18h. 10m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 17° N. Long. 118° E., moving N.W.

November 21d. 11h. 25m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 118° E., stationary or very slow.

November 21d. 11h. 28m.—Pressure has increased slightly at Hongkong and Manila. It has decreased slightly at the majority of other reporting stations.

The anticyclone has weakened and is moving eastward.

The typhoon appears to be nearly stationary in about Lat. 17° N. and Long. 118° E.

The S.S. City of Pairs, in Lat. 17° N. and Long. 113½° E., reports fresh N. by E. wind with a heavy N.E. swell.

Cyclonic gales may be expected over the N.E. portion of the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.41 inches, against an average of 81.61 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.
DISTRICT.**

FORECAST.

- 1.—Formosa Channel, N.E. gale.
- 2.—South coast of China between Hongkong and Lamocka, { N.E. winds, moderate to fresh; fine to cloudy.
- 3.—Hongkong to Gap Rock, N.E. winds, moderate.
- 4.—South coast of China between Hongkong and Hainan, . N.E. winds, moderate.

T. F. CLAXTON · Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	21ST NOVEMBER, 1923.							22ND NOVEMBER, 1923.								
	HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Mills.			Dir- ec- tion.	For- ce.		Inches.	Mills.			Dir- ec- tion.	For- ce.	WEATHER.	
Wladivostock, .	12	29.97	761.2	35	...	NW	3	o	6	29.95	760.8	30	...	NE	1	o
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	29.97	761.2	58	58	SW	2	b	6	30.09	764.3	44	86	...	0	o
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.18	766.5	61	55	S	2	b	"	30.02	762.5	52	100	SSE	1	o
Gutzlaff, .	14	30.08	764.0	62	64	SSE	2	b	"	30.02	762.5	58	100	rf	0	b
Sharp Peak, .	"	29.99	761.7	64	84	NNW	2	o	7	29.94	760.5	65	89	N	1	b
Amoy, .	15	29.87	758.7	76	60	NNE	1	b	9	29.86	758.4	65	84	W	1	b
Swatow, .	"	8
Taihoku, .	11	29.95	760.8	77	64	E	6	b	5	29.87	758.7	64	96	S	2	b
Taihu, .	"	29.89	759.3	81	0	o	"	29.89	759.3	66	0	b
Tainan, .	"	29.91	759.6	77	...	NNW	2	o	"	29.82	757.5	72	...	N	4	o
Koshun, .	"	"	29.76	756.0	73	...	N	4	o
Pescadores, .	"	29.93	760.2	75	...	NNE	6	o	"	29.87	758.7	70	...	N	6	b
Canton, .	14	29.89	759.2	77	61	S	1	b	6
Hongkong, .	"	29.89	759.2	73	66	E	3	b	"	29.91	759.7	67	92	...	0	o
Gap Rock, .	"	29.89	759.2	73	...	E	4	b	"	29.92	759.9	66	...	NE	3	b
Macao, .	"	29.87	758.7	75	67	ESE	2	b	"	29.89	759.3	66	92	N	2	of
Wuehow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.82	757.5	75	88	SE	4	of	7	29.87	758.7	72	100	ESE	2	of
Tourane, .	"	29.82	757.5	77	...	ENE	2	o	"	29.86	758.4	73	...	SSW	4	b
Cape St. James, .	"	79	...	NE	4	b	"	29.86	758.4	75	...	ENE	4	o
Basco, .	14	6
Aparri, .	"	"
Manila, .	"	29.67	753.6	82	77	SW	4	o	"
Legaspi, .	"	"
Tacloban, .	"	"
Iloilo, .	"	"
Surigao, .	"	"
Guam, .	12.20	29.79	756.6	NE	4	r	4.20	29.80	756.9	NE	2	o
Yap, .	12.47	29.80	756.9	ENE	2	o	4.47
Labuan, .	14	29.79	756.6	88	76	NE	2	b	6	29.83	757.7	78	91	S	1	o

November 21d. 15h. 30m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 17° N. Long. 119° E., stationary or very slow.

November 22d. 11h. 55m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 19° N. Long. 121° E., moving N.E.

November 22d. 12h. 05m.—Pressure has increased moderately over Luzon and at Chefoo. It has decreased moderately at Shanghai and slightly over Formosa.

At 6 a.m. this morning the typhoon was in about Lat. 19° N. and Long. 121° E., moving N.E.

A new anticyclone has formed over S.E. Mongolia.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.41 inches, against an average of 81.65 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.
DISTRICT.**

FORECAST.

- 1.—Formosa Channel, N. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks, N. winds, moderate; fine.
- 3.—Hongkong to Gap Rock, Light, variable winds.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON, Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	22ND NOVEMBER, 1923.							23RD NOVEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Mills.			Direction.	Force.		Direction.	Force.			Direction.	Force.	WEATHER.
Vladivostock, .	12	29.98	761.5	40	...	NNE	4	b	6	30.11	764.8	26	f
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	29.99	761.7	54	74	E	1	b	6	30.01	762.2	50	79	...	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.06	763.5	61	74	W	1	o	"	30.07	763.8	50	95	WNW	o
Gutzlaff, .	14	30.03	762.7	60	76	NNW	1	o	"	30.07	763.8	54	100	N	o
Sharp Peak, .	"	29.89	759.2	80	74	E	1	b	7	29.96	761.0	66	86	NE	2
Amoy, .	15	29.80	756.9	76	73	W	2	b	9	29.89	759.2	67	74	NE	1
Swatow, .	"	8
Taihoku, .	11	29.89	759.3	77	94	NNW	2	o	5	29.93	760.2	68	92	...	o
Taichu, .	"	29.88	759.0	77	...	NNW	4	b	"	29.86	758.4	70	...	N	4
Tainan, .	"	29.84	757.8	79	...	N	4	o	"	29.84	757.8	70	...	N	4
Koshun, .	"	29.81	757.2	75	...	NNW	4	o	"	29.81	757.2	68	...	o	o
Pescadores, .	"	29.88	759.0	77	...	N	7	o	"	29.88	759.0	72	...	N	b
Canton, .	14	29.87	758.7	83	53	NNW	1	b	6
Hongkong, .	"	29.85	758.2	77	68	W	4	b	"	29.91	759.7	72	72	...	b
Gap Rock, .	"	29.87	758.7	NW	3	b	"	29.91	759.7	NE	3
Macao, .	"	29.85	758.1	75	67	NNE	2	h	"	29.91	759.6	66	80	NW	4
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.82	757.5	81	80	WNW	4	of	7	29.92	759.9	68	98	ENE	4
Tourane, .	"	29.82	757.5	79	...	SE	2	b	"	29.87	758.7	73	...	S	4
Cape St. James, .	"	29.84	757.8	79	...	ENE	4	b	"	29.86	758.4	77	...	ENE	4
Basco, .	14	6	29.79	756.6	86	...	N	2
Aparri, .	"	"
Manila, .	"	29.76	756.0	86	75	SW	4	o	"	29.84	757.8	75	92	NNE	1
Legaspi, .	"	"	29.84	757.8	73	98	...	b
Tacloban, .	"	"
Iloilo, .	"	"	29.81	757.2	75	98	...	o
Surigao, .	"	"
Guam, .	12.20	29.75	755.7	NE	4	r	4.20	29.75	755.7	NE	r
Vap, .	12.47	29.78	756.3	ENE	6	o	4.47	29.82	757.5	NNE	1
Labuan, .	14	29.80	756.9	86	80	N	2	b	6	29.80	756.9	78	94	NW	2

November 22d. 18h. 25m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 122° E., moving N.E.

November 23d. 12h. 10m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 20° N. Long. 125° E., filling up; position uncertain.

November 23d. 12h. 12m.—Pressure has increased moderately at Vladivostock and slightly at the majority of other reporting stations.

The typhoon appears to be filling up in about Lat. 20° N. and Long. 125° E.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.41 inches, against an average of 81.69 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.
DISTRICT.**

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, }
- 3.—Hongkong to Gap Rock, } N.E. winds, moderate; cloudy.
- 4.—South coast of China between Hongkong and Hainan, .}

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	23RD NOVEMBER, 1923.							24TH NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.	
Vladivostock, .	12	30.06	763.4	37	...	SW	5	o	6	30.04	763.0	36	...	E	1	o
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo.	15	30.03	762.7	54	94	NW	1	b	6	30.06	763.5	44	86	SW	2	o
Hankow, .	"	"
Iohang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.11	764.7	64	67	N	1	b	"	30.12	765.0	50	100	N	1	of
Gutzlaff, .	14	30.07	763.8	60	90	NNW	2	o	"	30.10	764.5	54	100	NNE	4	of
Sharp Peak, .	"	29.97	761.2	70	78	E	2	o	7	30.09	764.3	64	84	...	0	b
Amoy, .	15	29.88	758.9	76	64	W	1	o	9	29.99	761.7	66	73	NE	2	o
Swatow, .	"	8
Taihoku, .	11	29.98	761.4	73	79	E	2	o	5	30.04	762.9	61	98	...	0	o
Taichu, .	"	29.91	759.6	79	...	N	4	b	"	29.98	761.4	63	0	o
Tainan, .	"	29.89	759.3	79	...	NNE	4	b	"	29.94	760.5	63	...	NNE	2	b
Koshun, .	"	29.89	759.3	77	...	NW	2	o	"	29.94	760.5	72	...	N	2	o
Pescadores, .	"	29.89	759.3	77	...	NE	7	b	"	29.97	761.1	70	...	NNE	6	o
Canton, .	14	29.94	760.5	75	64	NNW	1	o	6
Hongkong, .	"	29.93	760.2	74	70	E	2	o	"	30.02	762.5	71	71	NE	1	o
Gap Rock, .	"	29.94	760.5	ENE	3	o	"	30.02	762.5	NE	3	o
Macao, .	"	29.92	759.9	77	68	ESE	2	o	"	30.00	762.0	64	88	NNW	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.89	759.3	73	89	ENE	2	o	7	30.00	762.0	70	96	ENE	4	of
Tourane, .	"	29.84	757.8	81	...	SSE	4	b	"	29.92	759.9	73	...	ENE	2	b
Cape St. James, .	"	29.84	757.8	79	...	ENE	6	b	"	29.87	758.7	75	...	ENE	4	o
Basco, .	14	29.80	756.9	77	...	N	2	r	6	29.91	759.6	75	...	N	2	o
Aparri, .	"	"
Manila, .	"	29.78	756.3	86	61	WSW	4	b	"	29.86	758.4	75	94	NE	1	o
Legaspi, .	"	29.79	756.6	86	68	NE	2	b	"	29.85	758.1	79	96	...	0	b
Tacloban, .	"	"
Ililo, .	"	"	29.84	757.8	77	89	N	2	b
Surigao, .	"	29.76	756.0	86	56	N	2	b	"
Guam, .	12.20	29.71	754.5	NE	4	o	4.20	29.61	752.1	E	6	r
Yap, .	12.47	29.73	755.1	NE	4	o	4.47	29.74	755.4	NNE	2	o
Labuan, .	14	29.78	756.4	86	80	N	2	b	6	29.83	757.7	78	94	N	1	b

November 24d. 11h. 32m.—Pressure has increased moderately over S.E. China and Formosa and slightly from Luzon to Hongkong and Haiphong. It has decreased slightly at Yap and Guam.

The anticyclone is central over the lower Yangtze Valley.

A typhoon which formed to the South of Guam yesterday appears to be moving westward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.41 inches, against an average of 81.73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.
 DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, strong.
- N.E. winds, moderate; cloudy at first, fine later.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	24TH NOVEMBER, 1923.							25TH NOVEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETRE AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETRE AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Millrs.			Dir- ec- tion.	For- ce.		Inches.	Millrs.			Dir- ec- tion.	For- ce.	WEATHER.
Vladivostock, .	12	6
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.17	766.3	71	95	WNW	6	0	6	30.28	769.1	30	80	S	i b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.18	766.5	64	45	WNW	4	b	"	30.37	771.3	32	84	N	i b
Gutzlaff, .	14	30.13	765.3	64	48	NW	6	b	"	30.33	770.4	44	60	N	4 b
Sharp Peak, .	"	30.05	763.2	81	67	E	2	b	7	30.13	765.3	62	83	NE	4 o
Amoy, .	15	29.99	761.7	73	72	W	2	o	9	30.09	764.3	65	68	NNE	4 b
Swatow, .	"	8
Taihoku, .	11	30.08	764.1	73	71	E	1	o	5	30.19	766.8	63	75	E	4 o
Taichu, .	"	30.01	762.3	75	...	NNW	4	o	"	30.06	763.5	61	...	WSW	2 b
Tainan, .	"	30.01	762.3	79	...	N	4	b	"	30.02	762.6	61	...	NNE	7 b
Koshun, .	"	30.01	762.3	79	...	NE	4	b	"	30.02	762.6	70	...	N	b
Pescadores, .	"	30.05	763.2	75	...	NNE	6	o	"	30.05	763.2	68
Canton, .	14	6
Hongkong, .	"	30.02	762.5	74	68	N	2	o	"	30.07	763.8	69	79	NE	3 od
Gap Rock, .	"	30.02	762.5	NNE	3	o	"	30.04	763.0	68	68	ENE	3 o
Macao, .	"	30.01	762.3	66	90	N	4	rf	"	30.05	763.2	68	68	NNE	4 o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.01	762.3	68	91	NNE	2	rf	7	30.04	762.9	66	88	ENE	i of
Tourane, .	"	29.89	759.3	79	...	SE	2	b	"	29.94	760.5	72	...	WSW	2 r
Cape St. James, .	"	29.84	757.8	79	...	ENE	4	b	"	29.87	758.7	73	...	ENE	4 b
Basco, .	14	6	30.01	762.3	73	...	N	4 o
Aparri, .	"	"
Manila, .	"	29.80	756.9	86	71	W	4	o	"	29.86	758.4	75	96	...	o b
Legaspi, .	"	29.81	757.2	86	71	NE	4	b	"	29.86	758.4	79	87	N	2 b
Tacloban, .	"	"
Iloilo, .	"	29.76	756.0	86	65	NE	4	b	"
Surigao, .	"	"	29.82	757.5	73	98	SSW	1 b
Guam, .	12.20	29.63	752.7	E	6	o	4.20	29.74	755.4	SE	2 o
Yap, .	12.47	29.68	753.9	WNW	1	o	4.47	29.63	752.7	W	4 o
Labuan, .	14	29.80	756.9	86	80	N	2	b	6	29.81	757.2	78	94	S	2 b

November 25d. 12h. 04m.—Pressure has increased considerably at Shanghai, moderately at Chefoo and Foochow and slightly from Hongkong to Formosa. It has decreased moderately at Yap and is nearly stationary over the Philippines.

The anticyclone has strengthened.

At 6 a.m. this morning the Guam typhoon was in about Lat. 11° N. and Long. 140° E., moving W. or W.N.W.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inch. Total since January 1st, 106.42 inches, against an average of 81.77 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.
DISTRICT.**

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamoks,
- 3.—Hongkong to Gap Rock, N.E. winds, fresh to strong; fair.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	25TH NOVEMBER, 1923.							26TH NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMIDIT.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPE- RATURE.	HUMIDIT.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	29.97	761.2	26	...	W	4	c	6	30.38	771.6	15	...	N	2	b
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.26	768.6	42	92	SSE	1	o	6	30.23	767.8	44	100	SE	2	o
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.38	771.6	54	53	N	2	b	"	30.19	766.8	52	80	SE	1	r
Gutzlaff, .	14	30.31	769.9	54	62	ENE	1	b	"	30.20	767.1	58	64	SE	4	o
Sharp Peak, .	"	30.18	766.6	66	79	ENE	4	b	7	30.13	765.3	60	88	W	2	o
Amoy, .	15	30.04	763.0	72	62	ENE	4	b	9	30.10	764.5	64	78	NNW	1	b
Swatow, .	"	8
Taihoku, .	11	30.20	767.1	68	60	E	6	b	5	30.11	764.7	63	88	E	4	b
Taichu, .	"	30.08	764.1	79	...	NW	2	b	"	30.07	763.8	63	0	o
Tainan, .	"	81	...	WSW	4	b	"	30.05	763.2	66	...	N	2	b
Koshun, .	"	30.08	764.1	75	...	NNE	7	b	"	30.05	763.2	68	...	NNE	4	b
Pescadores, .	"	30.11	764.7	75	...	NNE	7	b	"	30.07	763.8	68	...	NNE	6	b
Canton, .	14	30.04	763.0	74	68	S	1	c	6
Hongkong, .	"	30.04	763.0	73	71	E	5	c	"	30.05	763.2	69	83	E	6	o
Gap Rock, .	"	30.04	763.0	ENE	5	c	"	30.05	763.2	ENE	5	o
Macao, .	"	30.01	762.3	72	75	ESE	6	o	"	30.01	762.3	70	88	ESE	6	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.00	762.0	70	82	NNW	2	of	7	30.00	762.0	68	100	N	2	if
Tourave, .	"	29.92	759.9	79	...	WSW	2	b	"	29.95	760.8	72	...	SSE	2	b
Cape St. James, .	"	29.86	758.4	79	...	ENE	6	b	"	29.88	759.0	73	...	ENE	4	b
Basco, .	14	29.98	761.4	75	...	N	4	o	6	30.00	762.0	73	...	N	4	o
Aparri, .	"	"
Manila, .	"	29.82	757.5	82	70	NE	2	o	"	29.85	758.1	72	92	...	0	o
Legaspi, .	"	29.80	756.9	86	65	NNE	4	o	"	29.81	757.2	79	90	NE	4	o
Tacloban, .	"	"
Iloilo, .	"	"	29.79	756.6	75	94	N	2	o
Surigao, .	"	"	29.78	756.3	75	94	WSW	1	o
Guam, .	12.20	29.75	755.7	E	4	r	4.20	29.79	756.6	SE	1	o
Yap, .	12.47	29.66	753.3	SSW	1	r	4.47	29.73	755.1	SSW	2	b
Labuan, .	14	29.76	755.9	86	76	N	1	o	6	29.80	756.9	77	94	S	1	b

November 26d. 11h. 03m.—Pressure has increased considerably at Wladivostock and decreased moderately at Shanghai. It has decreased slightly at the majority of other reporting stations.

The anticyclone has moved rapidly eastward.

At 6 a.m. this morning the typhoon was about 150 miles N. by W. of Yap, moving W.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.42 inches, against an average of 81.80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.
DISTRICT.

FORECAST.

- | | |
|--|---|
| 1.—Formosa Channel, . | N.E. winds, strong. |
| 2.—South coast of China between Hongkong and Lamock, . | E. winds, fresh to moderate; overcast, some drizzle or mist |
| 3.—Hongkong to Gap Rock, . | |
| 4.—South coast of China between Hongkong and Hainan, . | |

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	26TH NOVEMBER, 1923.							27TH NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE, ATM.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE, ATM.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Dir- ec- tion.	Force.		Inches.	Millrs.			Dir- ec- tion.	Force.		
Vladivostock,	12	30.40	772.1	26	...	NNW	2	b	6	30.33	770.4	31	...	ESE	4	o
Nemuro,.....	11	5
Hokodate,.....	"	"
Tokio,.....	"	"
Kochi,.....	"	"
Nagasaki,.....	"	"
Kagoshima,.....	"	"
Oshima,.....	"	"
Naha,.....	"	"
Ishigakijima,.....	"	"
Bonin Island,.....	"	"
Chefoo,.....	15	30.14	765.5	56	94	SSE	1	o	6	30.12	765.0	52	100	SE	1	o
Hankow,.....	"	"
Ichang,.....	"	"
Changsha,.....	"	"
Shanghai,.....	11	30.18	766.5	63	65	SE	4	o	"	30.08	764.1	57	98	SE	1	o
Gutzlaff,.....	14	30.15	765.8	60	65	SE	4	o	"	30.10	764.5	58	100	SSE	2	o
Sharp Peak,.....	"	30.05	763.2	72	76	E	2	b	7	30.02	762.5	65	92	N	2	o
Amoy,.....	15	29.98	761.5	71	71	WNW	2	b	9	29.96	761.0	66	95	WNW	2	o
Swatow,.....	"	8
Taihoku,.....	11	30.06	763.5	79	55	E	4	b	5	29.99	761.7	61	93	E	2	b
Taichu,.....	"	30.05	763.2	81	0	b	"	29.99	761.7	63	0	b
Tainan,.....	"	30.06	763.5	81	...	WSW	4	b	"	29.95	760.8	63	0	b
Koshun,.....	"	30.05	763.2	77	...	NNE	4	b	"	29.95	760.8	72	...	N	2	b
Pescadores,.....	"	30.07	763.8	75	...	NNE	6	b	"	29.98	761.4	70	...	N	4	b
Canton,.....	14	29.98	761.5	76	69	SSE	2	o	6
Hongkong,.....	"	30.00	762.0	71	84	E	4	o	"	29.97	761.2	70	89	E	3	b
Gap Rock,.....	"	29.99	761.7	E	4	o	"	29.96	761.0	E	4	b
Macao,.....	"	29.97	761.1	75	76	ESE	4	o	"	29.94	760.5	70	91	ESE	4	o
Wuchow,.....	15	9
Pakhoi,.....	"	"
Hoihow,.....	"	"
Phulien,.....	"	29.92	759.9	81	73	SSW	1	of	7	29.92	759.9	73	94	SSE	4	b
Tourane,.....	"	29.88	759.0	79	...	ESE	2	b	"	29.89	759.3	72	0	b
Cape St. James,.....	"	29.82	757.5	81	...	ENE	2	b	"	29.85	758.1	75	...	ENE	2	b
Basco,.....	14	29.91	759.6	77	...	N	4	o	6	29.91	759.6	73	...	N	2	o
Aparri,.....	"	"
Manila,.....	"	29.80	756.9	86	58	S	2	o	"	29.81	757.2	68	91	N	4	o
Legaspi,.....	"	29.76	756.0	86	68	N	4	o	"	29.74	755.4	77	72	NW	4	o
Taoloban,.....	"	"
Ililo,.....	"	29.76	756.0	81	87	N	6	o	"
Surigao,.....	"	29.74	755.4	82	74	NE	1	o	"
Guam,.....	12.20	29.73	755.1	E	4	o	4.20
Iap,.....	12.47	29.73	755.1	SSE	4	o	4.47	29.80	756.9	NE	1	o
Labuan,.....	14	29.78	756.4	86	76	NW	1	b	6	29.78	756.4	78	91	SW	1	b

November 27d. 11A. 31st.—Pressure has decreased slightly at all reporting stations.

The anticyclone is probably central over the Sea of Japan.

The position of the typhoon is uncertain. It appears to be in about Lat. 12° N. and Long. 131° E., moving West.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.42 inches, against an average of 81.83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

- 1.—Formosa Channel, N.E. winds, moderate.
 2.—South coast of China between Hongkong and Lamocks, } E. winds, moderate; fine.
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan, .

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	27TH NOVEMBER, 1923.							28TH NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.	
Wladivostock, .	12	30.18	766.6	34	...	ESE	7	0	6	30.07	763.7	20	...	ENE	5	r
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.17	766.3	44	100	NW	4	o	6	30.43	772.9	34	100	NW	4	o
Hankow, .	"	A	"
Iehang, .	"	"
Changaha, .	"	"
Shanghai, .	11	30.11	764.7	63	92	SE	1	b	"	30.22	767.7	52	95	N	4	r
Gutzlaff, .	14	30.07	763.8	60	100	SE	2	of	"	30.15	765.8	54	100	NW	6	r
Sharp Peak, .	"	30.04	763.0	77	82	E	1	b	7	30.05	763.2	68	90	N	1	b
Amoy, .	15	29.89	759.2	76	73	WNW	1	b	9	29.95	760.7	68	95	SSE	1	o
Swatow, .	"	8
Taihoku, .	11	29.97	761.1	82	54	E	4	b	5	29.99	761.7	59	98	...	0	b
Taichu, .	"	29.98	761.4	79	...	W	2	b	"	29.98	761.4	63	0	b
Tainan, .	"	29.98	761.4	79	...	W	2	b	"	29.98	761.4	63	0	b
Koshun, .	"	29.95	760.8	81	...	N	4	o	"	29.92	759.9	63	0	b
Pescadores, .	"	29.99	761.7	75	...	NW	4	o	"	29.97	761.1	70	...	N	4	b
Canton, .	14	29.92	759.9	79	66	S	1	o	6
Hongkong, .	"	29.92	759.9	74	80	E	4	b	"	29.98	761.5	70	92	N	3	cm
Gap Rock, .	"	29.94	760.5	E	4	b	"	29.99	761.7	NNW	3	of
Macao, .	"	29.92	759.9	79	73	SE	2	b	"	29.97	761.1	68	98	NNW	2	...
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phalien, .	"	29.88	759.0	81	73	SSW	1	o	7	29.98	761.4	72	94	ESE	2	bf
Tourane, .	"	29.86	758.4	79	...	E	2	b	"	29.93	760.2	73	...	ESE	2	0
Cape St. James, .	"	29.81	757.2	81	...	ENE	4	b	"	29.87	758.7	73	...	ENE	4	0
Basco, .	14	6	29.82	757.5	75	...	N	2	0
Aparri, .	"	"
Manila, .	"	29.76	756.0	82	57	WSW	4	b	"	29.80	756.9	70	96	SE	1	0
Legaspi, .	"	29.72	754.8	81	76	WSW	2	o	"	29.75	755.7	73	82	SW	4	0
Tacloban, .	"	"
Iloilo, .	"	29.73	755.1	82	70	NE	4	o	"	29.79	756.6	75	94	...	0	0
Surigao, .	"	29.72	754.8	84	71	W	4	b	"
Guam, .	12.20	29.78	756.3	E	4	o	4.20	29.85	758.1	NE	2	0
Yap, .	12.47	29.75	755.7	SE	2	o	4.47	29.85	758.1	NE	2	0
Labuan, .	14	29.76	755.9	86	80	S	2	o	6	29.80	756.9	78	93	N	1	b

November 28d, 11h. 30m.—Warning to Hongkong, Coast Ports, &c.—Depression or typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 127° E., moving N.N.W.

November 28d, 11h. 35m.—Pressure has increased considerably at Chefoo, moderately at Shanghai and slightly from Formosa to Tongking. It is nearly stationary over the Philippines.

An anticyclone has formed over S.E. Mongolia.

At 6 a.m. the typhoon was in about Lat. 16° N. and Long. 127° E. It appears to be curving to northward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.42 inches, against an average of 81.86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.
DISTRICT.

- | | |
|--|---|
| 1.—Formosa Channel,
2.—South coast of China between Hongkong and Lamock,
3.—Hongkong to Gap Rock,
4.—South coast of China between Hongkong and Hainan, ... | N. winds, fresh.
Light, variable winds, freshening from N.E. later; overcast some drizzle or mist. |
|--|---|

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG,
DAILY WEATHER REPORT.

STATION.	28TH NOVEMBER, 1923.							29TH NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Mills.			Direction.	Force.		Inches.	Mills.			Direction.	Force.	WEATHER.	
Vladivostock, .	12	30.06	763.4	18	..	NNW	4	c	6	30.18	766.6	13	c	
Nemuro, .	11	5	
Jokodate, .	"	"	
Tokio, .	"	"	
Kochi, .	"	"	
Nagasaki, .	"	"	
Kagoshima, .	"	"	
Yshima, .	"	"	
Naha, .	"	"	
Ishigakijima, .	"	"	
Bonin Island, .	"	"	
Chefoo, .	15	30.39	771.9	38	91	NW	4	b	6	30.38	771.6	30	80	SW	2	b
Hankow, .	"	"
Chang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.39	771.9	50	62	N	4	a	"	30.40	772.2	39	84	NNW	1	o
Gutzlaff, .	14	30.31	769.9	50	79	N	6	o	"	30.37	771.4	46	77	NNW	4	o
Sharp Peak, .	"	30.02	762.5	64	93	ENE	6	o	7	30.14	765.5	64	89	NE	4	o
Amoy, .	15	29.93	760.2	71	80	WNW	1	o	9	30.10	764.5	63	72	NE	2	o
Swatow, .	"	8
Taihoku, .	11	30.04	762.9	77	72	E	4	o	5	30.14	765.6	61	87	E	4	b
Taichu, .	"	29.97	761.1	79	..	NNW	4	b	"	30.00	762.0	63	..	N	2	o
Fainan, .	"	29.97	761.1	79	..	N	4	b	"	29.98	761.4	63	..	N	4	b
Koshun, .	"	29.94	760.5	81	..	NE	4	b	"	29.94	760.5	70	..	N	6	b
Pescadores, .	"	30.01	762.3	75	..	NNW	6	b	"	30.02	762.6	68	..	NNE	6	o
Wanton, .	14	29.99	761.7	75	72	N	2	o	6
Hongkong, .	"	29.96	761.0	77	69	E	2	o	"	30.08	764.0	66	76	NE	2	o
Gap Rock, .	"	29.97	761.2	NE	4	o	"	30.07	763.8	NE	4	o
Macao, .	"	29.95	760.8	73	75	N	4	o	"	30.07	763.8	63	65	NNW	4	of
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.94	760.5	81	76	S	2	o	7	30.08	764.1	66	88	ENE	6	bf
Tourane, .	"	29.92	759.9	79	..	E	2	b	"	29.98	761.4	70	..	ENE	0	b
Cape St. James, .	"	29.84	757.8	79	..	ENE	7	cf	"	29.92	759.9	75	..	ENE	4	b
Basco, .	14	29.80	756.9	77	..	N	4	o	6	29.87	758.7	73	..	N	4	o
Aparri, .	"	"
Manila, .	"	29.75	755.7	82	63	W	4	o	"	29.85	758.1	70	96	ENE	1	o
Degaspi, .	"	29.74	755.4	86	68	SW	4	o	"	29.82	757.5	75	91	SW	2	o
Pacloban, .	"	"
Ioilo, .	"	29.75	755.7	84	74	S	4	o	"	29.85	758.1	70	94	..	0	o
Burigao, .	"	"
Juan, .	12.20	29.79	756.6	E	4	r	4.20	29.85	758.1	ENE	2	o
Fap, .	12.47	29.78	756.3	ENE	4	o	4.47	29.81	757.2	ENE	4	o
Labuan, .	14	29.81	757.2	84	79	NW	4	b	6	29.82	757.4	76	94	NW	4	b

November 28d. 17h. 07m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 127° E., moving N.N.W.

November 29d. 11h. 35m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 128° E., moving N.E.

November 29d. 11h. 30m.—Pressure has increased slightly at the majority of reporting stations.

The northern portion of the anticyclone appears to be moving eastward, leaving a separate anticyclone over China.

At 6 a.m. this morning the typhoon was about 400 miles East of Aparri, moving N.E.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.42 inches, against an average of 81.89 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.
DISTRICT.**

- | | |
|---|---|
| 1.—Formosa Channel, | N. winds, strong. |
| 2.—South coast of China between Hongkong and Lamocks, | N.E. winds, moderate to fresh; cloudy at first, clearing later. |
| 3.—Hongkong to Gap Rock, | |
| 4.—South coast of China between Hongkong and Hainan, | |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	29TH NOVEMBER, 1923.							30TH NOVEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.		
Vladivostock, .	12	30.08	764.1	14	...	NW	3	...	6	30.21	767.2	4	...	N	3	b
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.41	772.4	30	80	NNW	2	r	6	30.41	772.4	28	79	W	2	o
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.41	772.5	48	48	N	1	o	"	30.43	772.8	37	83	N	1	b
Gutzlaff, .	14	30.36	771.1	50	65	N	4	o	"	30.40	772.1	44	60	N	4	b
Sharp Peak, .	"	30.16	766.0	60	74	NNE	4	o	7	30.20	767.1	56	87	N	4	b
Amoy, .	15	30.08	764.0	69	61	NNE	4	o	9	30.15	765.8	60	71	NE	1	...
Swatow, .	"	8
Taihoku, .	11	30.15	765.9	70	69	E	6	o	5	30.20	767.1	59	91	...	0	o
Taichu, .	"	30.02	762.6	73	...	NNW	4	o	"	30.07	763.8	61	...	N	2	o
Tainan, .	"	30.01	762.3	77	...	N	7	b	"	30.05	763.2	61	...	NNE	4	o
Koshun, .	"	29.99	761.7	77	...	NNE	7	b	"	30.02	762.6	68	...	NNE	6	o
Pescadores, .	"	30.07	763.8	70	...	N	8	o	"	30.10	764.4	66	...	NNE	8	o
Canton, .	14	6
Hongkong, .	"	30.08	764.0	69	73	N	1	o	"	30.13	765.3	61	76	NE	2	b
Gap Rock, .	"	30.07	763.8	NNE	4	o	"	30.13	765.3	ENE	4	o
Macao, .	"	30.02	762.6	75	71	N	4	o	"	30.12	765.0	59	83	N	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.04	762.9	73	79	ESE	4	o	7	30.06	763.5	68	87	ENE	4	bf
Tourane, .	"	29.95	760.8	77	...	ENE	0	b	"	29.98	761.4	73	...	SE	2	o
Cape St. James, .	"	29.87	758.7	79	...	ENE	6	b	"	29.93	760.2	73	...	ENE	4	b
Basco, .	14	29.89	759.3	73	...	N	4	o	6	30.00	762.0	72	...	N	4	o
Aparri, .	"	"
Manila, .	"	29.80	756.9	84	74	WSW	4	b	"	29.89	759.3	75	92	N	1	o
Legaspi, .	"	29.79	756.6	86	65	WNW	1	o	"	29.88	759.0	77	85	NNE	2	o
Tucloban, .	"	"	29.86	758.4	77	92	...	0	o
Illoilo, .	"	29.79	756.6	86	61	S	4	o	"	29.85	758.1	75	91	N	4	b
Surigao, .	"	29.79	756.6	84	77	N	1	b	"	29.84	757.8	72	96	SW	1	o
Guam, .	12.20	29.82	757.5	ENE	4	o	4.20	29.79	756.6	E	2	b
Yap, .	12.47	4.47	29.76	756.0	NW	2	o
Labuan, .	14	29.83	757.7	81	87	SW	2	o	6	29.82	757.4	76	98	E	2	o

November 29d. 18h. 20m.—Warning to Hongkong, :—Depression or typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 129° E., moving N.E.

November 30d. 11h. 17m.—Pressure has decreased moderately at Guam and slightly at Yap, Labuan and Haiphong. It has increased slightly from Shanghai to Luzon.

The anticyclone is probably moving eastward.

The typhoon appears to have filled up. Another may be forming between Yap and Guam.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st. 106.42 inches, against an average of 81.92 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.
DISTRICT.**

- | | |
|---|--------------------------------------|
| 1.—Formosa Channel, | N.E. winds, strong. |
| 2.—South coast of China between Hongkong and Lamoeks, | } N.E. winds, fresh; fine to cloudy. |
| 3.—Hongkong to Gap Rock, | |
| 4.—South coast of China between Hongkong and Hainan, | |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

DECEMBER,

1923.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE
ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER
REPORTS FROM VARIOUS STATIONS IN THE FAR EAST, TOGETHER
WITH MEAN MONTHLY AND ANNUAL VALUES OF THE PRINCIPAL
METEOROLOGICAL ELEMENTS AT HONGKONG, TYPHOON TRACKS,
AND RESULTS OF MAGNETIC OBSERVATIONS MADE IN 1923.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,
DIRECTOR.



HONGKONG:
PRINTED BY NORONHA & CO.
GOVERNMENT PRINTERS.

1923.

[Price 60c.]

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

DECEMBER, 1923.

INTRODUCTION.

In this Bulletin an annual summary of the Hongkong Observations for the year 1923 is given in Tables XIII to XX, following the usual monthly Tables. They contain mean and extreme values of the principal Meteorological Elements, in British and C.G.S. Units, and of the prevalence of different phenomena for each month, and for the year, together with the normal values (for the period 1884-1923 unless otherwise stated). Also five-day means of the principal meteorological elements for the year 1923 and the period 1884-1923.

The readings of the barometer in British Units are *not* reduced to sea-level, or to the gravity at latitude 45°.

In the column headed "Days of rain" only those days have been counted on which the fall amounted to or exceeded 0·01 inch.

The remaining columns in the Tables require no special remark, the necessary explanations having been given in the Introduction to the Bulletin for the month of January.

The tracks of the typhoons and principal depressions which occurred in the Far East during the year 1923 are shown on two plates following the five-day means.

The results of Magnetic Observations made in the year 1923 are given at the end of the Bulletin.

T. F. CLAXTON.

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

DECEMBER,

1923.

HOURLY VALUES OF BAROMETRIC PRESSURE AND AIR TEMPERATURE.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of DECEMBER, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	1
2	30°104	30°088	30°090	30°092	30°092	30°096	30°086	30°104	30°120	30°117	30°127	30°187	2
3	30°081	30°075	30°076	30°068	30°078	30°090	30°101	30°108	30°117	30°128	30°130	30°106	3
4	30°170	30°162	30°157	30°162	30°167	30°177	30°202	30°227	30°248	30°253	30°254	30°232	4
5	30°211	30°194	30°170	30°166	30°178	30°186	30°195	30°215	30°223	30°230	30°220	30°187	5
6	30°147	30°131	30°112	30°112	30°129	30°138	30°146	30°152	30°152	30°138	30°109	30°109	6
7	30°057	30°050	30°023	29°999	29°999	30°001	30°018	30°025	30°033	30°047	30°032	30°004	7
8	29°978	29°970	29°953	29°945	29°935	29°953	29°972	29°990	30°011	30°023	30°027	30°011	8
9	30°013	30°005	29°997	29°992	29°988	30°001	30°026	30°037	30°057	30°072	30°041	30°041	9
10	30°051	30°057	30°026	30°013	30°002	30°010	30°024	30°038	30°045	30°053	30°043	30°026	10
11	30°037	30°026	30°020	30°012	30°016	30°025	30°039	30°050	30°071	30°092	30°095	30°075	11
12	30°059	30°059	30°051	30°049	30°057	30°066	30°088	30°102	30°122	30°130	30°117	30°092	12
13	30°024	30°021	30°015	30°013	30°006	30°018	30°039	30°060	30°071	30°100	30°092	30°066	13
14	30°060	30°058	30°050	30°044	30°050	30°059	30°080	30°086	30°108	30°119	30°107	30°076	14
15	30°074	30°074	30°070	30°066	30°062	30°076	30°093	30°114	30°131	30°132	30°122	30°102	15
16	30°070	30°063	30°057	30°043	30°053	30°071	30°080	30°094	30°116	30°115	30°094	30°075	16
17	30°106	30°111	30°109	30°104	30°115	30°130	30°142	30°163	30°167	30°163	30°140	30°140	17
18	30°173	30°180	30°180	30°168	30°166	30°173	30°187	30°193	30°201	30°205	30°197	30°170	18
19	30°141	30°120	30°106	30°099	30°100	30°112	30°129	30°150	30°169	30°177	30°162	30°137	19
20	30°104	30°098	30°090	30°088	30°084	30°098	30°108	30°132	30°143	30°148	30°129	30°098	20
21	30°017	30°014	30°006	29°984	29°992	30°001	30°017	30°025	30°028	30°034	30°014	29°982	21
22	29°934	29°936	29°926	29°914	29°915	29°920	29°932	29°950	29°960	29°964	29°953	29°924	22
23	29°923	29°915	29°913	29°919	29°920	29°930	29°948	29°970	29°977	29°990	29°992	29°956	23
24	30°037	30°041	30°039	30°049	30°063	30°069	30°092	30°115	30°152	30°161	30°140	30°123	24
25	30°131	30°113	30°103	30°098	30°096	30°103	30°115	30°126	30°141	30°150	30°145	30°118	25
26	30°091	30°080	30°060	30°064	30°059	30°074	30°087	30°109	30°126	30°127	30°127	30°105	26
27	30°049	30°039	30°033	30°019	30°015	30°021	30°029	30°046	30°069	30°091	30°070	30°042	27
28	30°006	30°010	30°012	30°006	30°002	30°010	30°030	30°044	30°078	30°085	30°068	30°049	28
29	30°024	30°014	30°011	30°007	30°016	30°024	30°038	30°053	30°061	30°069	30°061	30°047	29
30	30°141	30°143	30°140	30°145	30°157	30°181	30°200	30°236	30°267	30°266	30°249	30°249	30
31	30°259	30°245	30°239	30°234	30°241	30°233	30°242	30°267	30°278	30°293	30°272	30°243	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	1
2	30°060	30°030	30°013	30°025	30°050	30°048	30°049	30°081	30°069	30°087	30°083	30°083	2
3	30°072	30°069	30°065	30°074	30°083	30°104	30°119	30°127	30°146	30°162	30°166	30°172	3
4	30°199	30°172	30°161	30°168	30°180	30°192	30°214	30°231	30°239	30°237	30°237	30°222	4
5	30°078	30°033	30°022	30°025	30°026	30°028	30°052	30°067	30°074	30°081	30°077	30°067	5
6	29°980	29°958	29°947	29°947	29°960	29°974	29°986	30°004	30°014	30°013	30°003	29°999	6
7	29°985	29°957	29°950	29°942	29°948	29°955	29°974	29°984	29°994	30°013	30°012	30°017	7
8	30°023	30°009	29°999	29°991	30°006	30°006	30°016	30°034	30°047	30°059	30°063	30°053	8
9	29°986	29°964	29°952	29°946	29°953	29°974	30°000	30°016	30°039	30°041	30°042	30°044	9
10	30°040	30°008	29°996	30°010	30°010	30°032	30°047	30°066	30°071	30°073	30°066	30°053	10
11	30°054	30°021	30°007	29°997	29°997	30°001	30°021	30°029	30°039	30°030	30°022	30°025	11
12	30°034	30°008	29°989	29°986	30°005	30°026	30°038	30°052	30°068	30°071	30°067	30°068	12
13	30°039	30°017	30°004	30°012	30°022	30°039	30°056	30°064	30°074	30°076	30°074	30°068	13
14	30°058	30°024	30°008	30°012	30°020	30°043	30°052	30°076	30°082	30°092	30°086	30°080	14
15	30°035	30°009	29°988	29°988	30°000	30°026	30°054	30°074	30°093	30°099	30°105	30°112	15
16	30°107	30°085	30°062	30°064	30°077	30°095	30°124	30°149	30°152	30°156	30°164	30°171	16
17	30°138	30°122	30°102	30°106	30°116	30°127	30°141	30°151	30°163	30°165	30°159	30°154	17
18	30°100	30°068	30°053	30°053	30°068	30°077	30°090	30°105	30°117	30°128	30°126	30°118	18
19	30°066	30°029	30°020	29°994	29°994	30°013	30°016	30°034	30°042	30°042	30°044	30°034	19
20	29°947	29°918	29°903	29°907	29°915	29°924	29°940	29°946	29°961	29°978	29°956	29°947	20
21	29°894	29°866	29°854	29°848	29°866	29°886	29°904	29°923	29°925	29°929	29°933	29°933	21
22	29°922	29°905	29°904	29°919	29°934	29°960	29°970	29°988	29°998	30°019	30°014	30°030	22
23	30°090	30°075	30°062	30°065	30°073	30°085	30°100	30°119	30°127	30°130	30°133	30°130	23
24	30°083	30°057	30°046	30°046	30°065	30°076	30°081	30°088	30°092	30°098	30°094	30°089	24
25	30°070	30°048	30°035	30°034	30°029	30°036	30°040	30°045	30°050	30°054	30°052	30°052	25
26	30°005	29°988	29°984	29°986	29°987	29°986	29°994	30°010	30°018	30°025	30°026	30°024	26
27	30°018	29°995	29°985	29°984	29°986	29°991	30°009	30°027	30°037	30°040	30°038	30°030	27
28	30°014	29°996	29°991	30°008	30°020	30°036	30°071	30°093	30°116	30°127	30°127	30°136	28
29	30°213	30°176	30°177	30°183	30°203	30°218	30°236	30°258	30°271	30°283	30°283	30°267	29
30	30°257	30°232	30°223	30°233	30°219	30°236	30°255	30°263	30°279	30°283	30°277	30°262	30
31	30°215	30°187	30°186	30°200	30°225	30°224	30°225	30°247	30°265	30°267	30°265	30°265	31

TABLE II.—TEMPERATURE of the AIR at every Hour of the Day, in the Month of DECEMBER, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	65·8	65·9	65·5	65·1	63·9	63·7	64·4	66·0	66·0	67·3	67·2	67·3	1
2	67·2	66·5	66·0	65·2	64·9	64·9	65·0	65·8	66·7	67·8	68·6	69·5	2
3	65·3	65·2	64·3	63·5	62·8	62·3	61·7	61·5	63·8	65·2	65·0	66·4	3
4	63·0	60·0	59·0	58·2	59·0	58·0	59·0	60·8	64·8	65·7	66·2	66·9	4
5	65·5	65·4	65·2	64·9	64·5	63·0	62·0	64·8	66·6	68·5	70·2	71·4	5
6	67·5	67·9	67·7	67·7	67·6	67·5	67·8	68·2	69·3	69·8	70·8	71·5	6
7	67·5	68·3	68·6	68·9	69·0	68·7	69·0	69·6	70·4	70·1	70·2	71·4	7
8	68·7	69·0	69·1	69·3	69·6	69·1	69·2	69·1	69·2	69·9	70·2	70·6	8
9	67·4	67·6	67·9	67·4	67·2	67·4	67·3	67·0	67·0	66·9	67·0	67·0	9
10	63·8	63·5	63·0	62·3	62·0	61·5	61·3	61·8	63·5	63·4	63·1	63·8	10
11	61·5	61·0	61·4	61·4	61·2	61·6	61·5	61·6	62·7	64·4	64·3	65·1	11
12	64·3	63·5	62·7	61·7	61·9	62·3	63·2	64·3	66·7	67·3	68·1	69·1	12
13	67·0	66·8	66·4	66·3	65·3	65·1	65·3	67·0	68·5	70·5	74·9	74·6	13
14	66·6	66·0	65·1	64·4	63·7	62·7	62·9	62·9	63·2	65·2	66·2	65·7	14
15	64·9	64·4	64·2	63·2	63·3	63·5	63·8	64·6	66·5	69·1	71·5	72·0	15
16	60·5	59·8	58·6	58·2	57·8	58·0	58·0	58·4	60·0	62·3	64·3	66·0	16
17	57·0	55·6	54·2	53·6	53·7	53·1	53·6	53·6	59·8	63·0	63·7	64·5	17
18	59·5	59·1	59·6	59·7	59·0	58·3	58·2	60·9	63·5	65·3	67·6	68·5	18
19	62·0	61·7	62·0	61·6	61·5	61·2	61·0	62·8	64·2	64·7	66·3	67·3	19
20	65·3	65·1	65·0	64·8	64·5	64·1	63·9	64·7	66·5	70·0	71·6	70·8	20
21	64·6	64·7	64·4	64·8	65·1	66·4	67·1	68·3	71·0	71·8	72·6	72·0	21
22	64·6	66·0	65·5	65·2	64·6	65·2	66·1	67·5	70·2	71·1	72·0	72·8	22
23	62·4	60·4	59·5	57·8	57·0	55·7	56·5	57·0	57·3	57·9	59·5	60·6	23
24	58·8	58·6	57·6	56·8	56·3	56·7	56·1	57·2	59·6	62·3	62·8	64·1	24
25	58·7	59·3	59·1	59·0	58·4	57·9	58·0	60·5	62·6	63·8	63·0	63·0	25
26	63·8	63·6	63·6	63·6	63·7	63·9	64·3	64·8	64·6	64·8	67·0	67·7	26
27	65·7	65·7	65·2	64·1	64·8	65·2	65·9	66·8	67·6	68·6	69·6	70·4	27
28	65·4	64·1	63·4	63·2	63·0	62·7	63·7	66·9	68·7	75·3	77·5	77·7	28
29	65·3	64·0	62·0	61·4	61·2	60·8	59·8	58·7	58·6	59·4	59·6	60·6	29
30	53·5	52·9	52·5	51·6	50·3	49·8	50·0	50·3	50·7	52·4	53·8	56·0	30
31	50·8	49·9	49·6	49·7	49·5	49·0	49·0	49·5	50·5	51·0	51·5	52·6	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	67·3	67·2	67·7	67·0	66·7	66·5	66·7	67·2	67·5	67·5	67·4	67·0	1
2	69·6	69·6	68·7	68·1	67·8	67·6	68·0	68·1	67·8	67·8	67·7	65·7	2
3	67·4	68·5	67·3	66·5	65·8	64·9	64·0	63·5	63·0	62·6	61·8	61·0	3
4	66·6	66·2	65·6	65·0	65·0	64·6	64·6	64·2	64·5	65·0	66·5	66·1	4
5	71·5	72·5	70·8	69·3	68·4	67·2	66·6	66·3	66·4	65·7	66·6	66·5	5
6	71·3	71·2	70·6	70·0	69·0	67·6	67·3	67·4	67·5	67·3	67·5	67·5	6
7	71·6	70·8	71·3	71·8	71·4	70·1	68·6	68·5	68·6	68·7	68·6	68·4	7
8	70·6	70·6	70·3	70·1	69·9	69·5	69·5	69·5	69·6	69·4	68·7	67·7	8
9	67·4	67·9	67·8	68·4	67·4	66·6	66·2	66·2	66·1	65·0	64·9	64·5	9
10	66·3	67·5	66·4	65·6	64·6	63·1	62·5	61·6	61·5	61·4	61·6	61·3	10
11	64·7	64·5	63·8	63·8	64·0	64·1	64·0	64·2	64·6	65·4	65·2	63·5	11
12	69·8	70·6	70·8	69·1	67·5	66·8	66·5	66·6	67·2	67·3	67·3	67·3	12
13	75·3	73·8	74·5	73·8	72·7	70·4	70·2	70·4	69·0	68·4	67·7	67·6	13
14	65·7	66·5	66·3	65·6	64·7	64·6	64·9	65·0	65·2	65·6	65·5	65·0	14
15	72·0	72·5	71·7	70·5	69·3	66·7	65·2	63·7	61·9	61·5	61·2	60·7	15
16	67·6	67·1	67·4	67·5	65·8	62·6	60·6	59·5	59·7	59·0	59·3	58·0	16
17	65·2	66·1	65·3	64·6	63·9	62·4	61·6	60·5	59·3	59·3	58·8	58·6	17
18	68·1	68·5	67·6	67·1	65·4	64·7	63·9	63·2	62·8	62·5	61·7	61·8	18
19	67·2	66·7	66·7	65·7	64·8	64·8	64·6	64·8	64·9	65·0	65·3	65·6	19
20	70·5	70·5	70·2	67·7	66·5	65·8	65·4	65·1	65·0	64·7	64·6	64·7	20
21	71·8	71·5	70·1	68·9	67·8	66·7	65·9	65·3	65·5	65·9	64·1	64·1	21
22	73·1	72·3	71·6	70·2	68·7	67·7	66·8	66·7	66·4	65·1	64·7	64·1	22
23	62·1	62·5	62·8	62·2	61·8	61·5	61·2	60·9	59·9	57·9	57·3	57·9	23
24	64·0	63·7	62·9	62·2	61·6	60·7	60·2	60·0	60·0	59·8	59·5	59·5	24
25	64·1	64·5	64·0	63·8	62·8	62·6	62·5	62·7	63·2	64·3	64·4	63·9	25
26	68·6	67·9	66·4	65·8	65·6	65·5	65·5	65·2	65·2	65·5	65·6	65·6	26
27	70·6	70·6	70·7	69·7	68·9	68·0	67·0	66·6	66·2	65·9	65·6	65·4	27
28	77·7	76·6	72·6	70·6	68·6	67·1	66·0	65·8	65·8	65·0	64·9	65·3	28
29	60·1	62·4	62·3	61·8	61·0	59·5	56·4	54·0	53·6	53·4	53·3	53·2	29
30	56·1	57·0	56·3	55·9	54·2	52·6	51·5	50·3	50·4	51·2	50·8	50·8	30
31	52·8	52·3	51·1	49·2	48·3	48·3	48·3	49·8	50·3	49·8	48·1	48·3	31

8 HOURLY VALUES OF THE TEMPERATURE OF EVAPORATION, AMOUNT OF CLOUD, AND SUNSHINE,

TABLE III.—TEMPERATURE OF EVAPORATION at every Hour of the Day, in the Month of DECEMBER, 1923.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
1	59·5	59·5	59·4	58·6	58·2	58·0	58·1	59·4	59·7	60·6	61·0	61·4	1
2	63·1	62·3	61·5	61·5	61·4	61·0	61·5	61·5	62·5	62·2	62·4	61·8	2
3	59·5	59·3	58·3	57·5	56·9	55·9	55·8	55·2	56·5	57·2	57·4	58·6	3
4	56·4	54·9	54·0	53·6	54·0	53·6	53·7	54·7	56·4	56·7	57·3	58·1	4
5	60·6	61·0	60·9	61·0	60·2	59·0	57·1	58·3	59·2	61·5	62·6	62·7	5
6	63·5	64·0	63·0	63·7	63·6	63·3	62·8	62·9	63·6	63·7	63·9	64·0	6
7	64·9	65·0	65·2	65·2	65·4	65·5	65·8	66·3	66·6	67·4	67·5	68·5	7
8	67·7	67·7	67·7	68·0	68·0	67·8	67·8	67·5	67·4	67·5	67·0	67·3	8
9	66·7	66·4	66·3	66·3	66·2	66·2	66·2	66·0	66·4	66·2	66·1	66·0	9
10	62·6	61·9	61·5	60·9	60·1	59·7	59·4	59·5	59·9	59·5	58·7	58·6	10
11	56·9	56·3	57·0	57·0	57·2	57·4	57·3	56·8	57·6	59·0	59·1	59·8	11
12	61·4	60·9	60·9	60·0	59·9	59·6	60·0	60·9	61·6	62·0	62·9	63·5	12
13	64·5	64·4	64·5	64·4	63·7	63·5	63·1	64·8	65·9	66·2	68·0	67·8	13
14	64·6	64·4	63·4	61·9	60·7	59·5	59·7	59·9	60·1	61·0	61·1	61·0	14
15	61·2	61·4	61·4	60·5	60·3	60·0	59·7	60·3	60·8	61·9	63·5	64·1	15
16	54·5	54·0	52·8	52·5	52·4	52·5	53·0	52·8	54·0	55·4	56·4	57·7	16
17	51·3	50·3	49·5	48·5	47·9	47·4	47·6	49·0	51·3	54·4	55·5	55·9	17
18	52·1	52·6	53·4	53·1	52·0	52·0	51·6	52·4	53·2	54·6	56·0	56·3	18
19	58·2	58·1	58·0	57·7	57·4	57·2	56·8	57·5	57·8	57·6	57·5	58·0	19
20	62·0	61·5	61·2	61·4	60·9	60·7	61·1	61·6	62·2	63·9	64·0	64·1	20
21	61·4	61·1	60·4	60·3	59·9	59·5	59·1	59·4	60·5	59·9	60·5	60·2	21
22	60·5	61·1	60·7	61·0	60·4	60·4	59·9	59·8	60·5	59·5	60·6	61·8	22
23	55·8	55·4	55·2	53·6	54·1	53·0	53·0	51·4	50·3	50·6	51·8	52·8	23
24	54·4	54·4	53·6	52·7	51·5	51·0	50·1	50·8	52·8	54·0	54·2	55·0	24
25	54·4	54·7	54·8	55·0	55·0	54·8	54·6	55·5	56·5	56·6	56·9	56·8	25
26	61·0	60·7	60·4	60·3	60·2	60·5	60·9	61·2	61·5	62·3	62·5	62·5	26
27	63·4	63·1	62·9	62·4	62·8	62·9	63·0	63·3	63·2	63·6	64·2	64·8	27
28	63·0	62·4	62·1	62·0	61·6	61·5	61·8	62·7	63·3	63·5	64·1	64·9	28
29	62·5	59·8	57·5	55·9	54·5	53·3	52·5	51·7	52·0	52·4	52·3	53·1	29
30	47·5	46·7	46·1	46·0	44·4	43·1	42·7	42·6	43·0	44·2	45·1	46·6	30
31	41·8	41·5	41·5	41·9	42·0	42·1	42·5	43·6	44·3	44·7	45·0	46·4	31
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	o	o	o	o	o	o	o	o	o	o	o	o	1
2	61·6	61·8	62·1	61·8	61·7	61·5	62·5	63·0	63·2	62·7	62·6	62·5	2
3	61·0	60·8	61·5	61·8	61·9	62·3	62·9	63·0	63·0	62·9	62·8	60·8	3
4	59·1	60·2	59·8	58·2	57·7	56·7	56·1	55·7	55·6	55·5	55·1	54·8	4
5	62·5	63·0	62·1	61·7	61·5	61·2	61·5	61·7	62·2	62·7	62·7	62·9	5
6	63·8	63·9	63·4	63·5	63·5	63·6	63·8	64·3	64·5	64·9	64·5	64·6	6
7	68·5	68·4	68·7	68·8	68·3	68·2	68·0	68·1	68·1	68·2	68·0	68·0	7
8	67·5	67·0	67·1	66·7	66·8	66·7	66·3	66·4	66·7	66·8	66·3	66·5	8
9	65·9	65·9	65·5	66·0	65·0	64·4	64·0	64·4	64·0	63·6	63·7	63·0	9
10	60·5	61·1	60·5	59·5	58·9	58·5	58·5	57·9	57·3	57·3	57·0	56·9	10
11	59·9	59·7	59·7	59·7	59·6	59·2	59·3	60·0	60·5	61·5	61·3	61·3	11
12	63·2	63·5	63·6	63·5	63·5	63·5	63·9	64·2	64·4	64·5	64·4	64·6	12
13	67·6	67·8	68·0	65·6	66·3	64·5	64·2	64·3	64·3	63·5	65·1	64·7	13
14	61·1	61·5	61·3	61·4	61·0	60·7	61·0	61·0	60·7	60·8	60·8	60·8	14
15	64·6	64·5	64·9	64·7	63·0	61·0	59·6	58·2	56·9	56·3	55·5	54·5	15
16	58·0	58·0	57·9	57·5	56·4	54·7	53·8	53·4	52·5	51·9	51·4	51·0	16
17	55·5	55·5	55·3	55·4	55·5	54·8	55·1	55·5	55·0	55·0	54·5	54·1	17
18	57·4	57·7	58·0	57·7	57·3	56·8	56·7	56·3	56·9	57·0	57·5	57·7	18
19	58·5	59·0	58·9	58·7	58·9	58·5	59·4	60·2	60·9	61·5	61·8	62·0	19
20	64·4	64·5	64·1	63·2	62·7	62·5	62·6	62·5	62·5	62·6	62·5	62·1	20
21	60·0	59·7	59·9	60·5	61·0	61·0	60·8	60·3	59·6	60·5	61·1	60·8	21
22	62·9	63·6	63·3	63·6	63·5	63·5	62·4	61·5	59·8	58·4	58·2	58·2	22
23	54·2	55·2	55·4	54·6	54·9	54·5	55·0	55·0	54·5	53·4	52·0	52·9	23
24	55·8	56·0	55·5	54·6	54·9	54·6	54·4	54·6	55·1	55·3	55·3	55·0	24
25	57·8	58·0	58·3	58·6	58·4	58·7	59·3	59·3	59·4	60·3	61·3	61·2	25
26	63·0	62·6	61·8	62·0	62·3	62·5	63·5	63·6	63·3	63·3	63·1	63·0	26
27	64·9	64·5	64·5	63·9	63·6	63·1	63·0	62·7	62·5	62·9	62·7	62·7	27
28	66·0	64·3	64·2	63·5	63·5	63·8	63·3	63·3	63·2	62·9	62·4	62·5	28
29	52·6	54·0	53·6	53·3	52·9	51·5	49·6	48·3	47·5	47·5	46·8	47·0	29
30	46·4	47·0	46·5	46·0	45·6	45·6	42·7	42·2	42·9	42·3	42·3	42·0	30
31	47·0	47·1	46·8	46·3	46·6	46·5	47·3	47·3	48·4	48·6	47·1	47·3	31

TABLE IV.—AMOUNT OF CLOUD, (0-10), AT EVERY HOUR OF THE DAY, IN THE MONTH OF DECEMBER, 1923.
 (... = Clear Sky.)

TABLE V.—AMOUNT OF SUNSHINE registered in each Hour of the Day, in the MONTH of DECEMBER, 1923
 (... = No Sunshine recorded.)

HOURLY VALUES OF RAINFALL AND WIND,

TABLE VI.—AMOUNT OF RAINFALL registered in each HOUR of the DAY, in the MONTH of DECEMBER, 1923.
 (d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	1							
1	2
2	3
3	4
4	5
5	6
6	d	d	d	7
7	d	d	...	0.010	0.005	0.005	0.005	...	8
8	d	...	d	d	d	0.010	...	9
9	0.010	0.015	0.010	0.005	...	10
10	11
11	d	12
12	d	...	13
13	14
14	15
15	16
16	17
17	18
18	19
19	20
20	21
21	22
22	23
23	24
24	25
25	26
26	d	...	d	27
27	d	28
28	29
29	30
30	31
31	d	d	0.010	0.005	0.005	0.005	...

TABLE VII.—DIRECTION and VELOCITY of the WIND at every Hour of the Day, in the Month of DECEMBER, 1923.
(The Direction is given in points, and the Velocity in miles per hour.)
(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.			
	1	2	3	4	5	6	7	8	9	10	11	Noon.				
1	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.			
2	3	12	3	12	3	12	3	15	4	10	5	15	6	25		
3	7	25	6	21	5	18	7	22	6	22	6	21	7	24		
4	2	9	2	10	2	10	2	12	1	13	3	12	1	14		
5	4	10	3	10	3	12	4	7	5	7	5	3	9	...		
6	4	8	4	8	5	6	6	7	5	10	3	7	5	9		
7	7	10	7	16	7	20	7	19	6	13	6	7	6	9		
8	10	8	7	9	7	5	7	6	7	2	7	4		
9	9	12	9	10	10	8	9	10	9	11	8	15	8	18		
10	7	21	7	15	7	15	7	8	7	7	9	7	14	7		
11	1	5	1	8	1	9	2	6	2	2	2	3	32	4		
12	6	14	7	18	7	20	6	17	5	18	6	14	7	23		
13	1	...	1	10	5	1	12		
14	7	18	6	16	4	10	3	6	2	9	3	8	4	12		
15	5	11	4	4	2	9	2	7	2	3	1	...	2	31		
16	1	11	1	8	1	8	32	6	1	7	1	8	1	10		
17	1	6	1	2	1	4	1	9	1	8	2	...	1	...		
18	9	3	6	3	4	2	6	10		
19	6	9	6	11	5	13	5	11	2	9	5	9	7	13		
20	6	16	6	11	6	11	6	15	6	14	7	12	7	10		
21	8	12	9	9	9	12	9	8	9	11	8	14	8	15		
22	10	7	10	10	9	...	1	...	1	10	2	9	1	14		
23	2	6	1	9	32	10	32	11	1	8	...	1	1	1		
24	6	6	4	6	2	8	2	6	1	5	3	11		
25	6	5	6	6	5	10	5	8	5	7	7	14	6	18		
26	6	13	7	13	7	15	7	16	7	17	7	14	8	13		
27	7	21	8	18	8	16	8	13	9	11	8	10	8	15		
28	1	9	4		
29	6	14	4	14	2	19	2	20	2	17	2	13	2	11		
30	2	3	1	4	1	7	32	8	1	9	2	19	1	21		
31	1	7	32	10	32	7	32	6	1	8	32	9	32	8		
Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.			
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.				
1	6	26	6	25	6	28	6	21	6	17	6	20	6	21		
2	7	22	8	18	9	22	8	19	7	20	7	17	6	13		
3	1	11	1	9	2	9	1	9	1	6	2	10	3	9		
4	10	18	10	19	11	17	11	14	10	14	8	12	8	13		
5	10	31	10	10	9	13	9	14	9	11	8	9	7	8		
6	9	10	6	5	2	6	31	8	32	7	2	4	6	10		
7	8	6	8	9	8	4	8	6	9	10	9	12	8	17		
8	7	25	7	28	7	24	7	24	7	23	7	19	7	22		
9	3	5	2	5	1	6	1	5	2	10	2	8	2	6		
10	1	9	32	9	1	8	1	9	2	4	2	5	1	10		
11	6	18	6	21	6	18	5	22	6	21	5	14	6	13		
12	10	14	10	14	10	18	10	19	9	16	8	11	4	12		
13	9	4	1	6	25	3	21	6	...	5	3	7	16	13		
14	8	11	10	14	11	14	10	13	10	15	9	13	7	11		
15	23	7	23	4	24	7	25	1	8	2	7	1	10	1	14	
16	22	8	23	11	24	9	2	7	1	8	32	11	32	6	10	
17	9	15	10	14	11	10	11	6	6	31	4	5	2	7		
18	10	8	10	7	9	11	9	8	9	10	8	9	7	18		
19	9	18	10	17	10	15	10	18	9	19	8	13	7	19		
20	9	10	9	9	8	3	8	12	8	14	8	15	7	16		
21	8	20	9	19	8	20	9	20	8	16	9	14	1	21		
22	23	4	24	6	25	4	27	3	3	2	6	12	3	10		
23	3	5	6	5	9	6	10	8	9	7	4	5	6	23		
24	9	13	9	16	10	15	9	18	9	15	8	13	6	24		
25	7	18	8	19	9	16	8	17	7	15	6	18	6	14		
26	8	16	7	19	7	20	7	14	7	16	8	19	7	16		
27	8	18	8	20	7	17	8	16	9	13	10	9	5	27		
28	11	10	15	9	20	9	19	8	19	7	20	7	23	7	28	
29	1	19	32	14	1	17	32	16	1	13	1	13	2	32	4	29
30	1	13	1	9	1	13	2	14	1	13	2	15	2	7	1	30
31	32	10	32	9	3	7	1	7	4	4	3	30	5	32	5	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS,
in the MONTH of DECEMBER, 1923.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.																
	1		4		7		10		13		16		19		22		
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	
1	eu	E	eu	E	eu	E	a-eu	WSW	a-eu	W	st-eu	E	eu-nb	E	ou	E	
2	st-eu	E	st-en	E	a-cu	WNW	a-en	NNW	eu	ENE	a-eu	NNW	eu	ENE	eu	NE	
3	st-eu	NE	st-eu	NNE	eu	N	eu	N	ou	E	st-eu	ENE	st-eu	ENE	en	NE	
4	eu	E	E	
5	en	E	eu	E	eu	ENE	
6	eu	E	eu	E	a-cu	SW	eu	ESE	st-eu	ENE	st-eu	NE	st-en	NE	st-eu	NE	
7	st-eu	ENE	st-eu	ENE	st-eu	ENE	st-eu	ENE	st-eu	E	nb	ENE	nb	E	nb	E	
8	nb	E	eu-nb	E	nb	E	nb	E	st-eu	E	st-eu	E	nb	E	st-eu	E	
9	nb	E	nb	E	nb	E	nb	E	eu-nb	E	eu-nb	E	eu-nb	E	nb	E	
10	nb	ENE	nb	ENE	st-en	ENE	st-eu	ENE	st-eu	ENE	en	ENE	a-eu	WSW	eu	ENE	
11	st-eu	ENE	st-eu	ENE	eu	ENE	st-en	ENE	st-eu	E	eu	E	st-eu	E	nb	E	
12	nb	E	nb	E	a-cu	WSW	eu	ESE	st-eu	ESE	en	E	eu	E	en	E	
13	st-eu	ESE	eu	E	en	E	eu	E	a-cu	ESE	eu	NE	eu	NE	eu	ENE	
14	nb	ENE	nb	ENE	st-eu	NE	nb	ENE	st-eu	ENE	st-eu	ENE	eu	NE	st-eu	ENE	
15	st-eu	ENE	st-eu	ENE	st-en	NE	st-eu	ENE	en	SE	a-cu	SW	eu	SE	st-eu	ESE	
16	st-eu	ENE	st-eu	NE	st-eu	ENE	a-en	WNW	ci-eu	W	ci-st	W	
17	ci-st	WNW	
18	eu	ESE	a-cu	WSW	a-cu	WSW	
19	eu	ENE	a-cu	WSW	a-en	WSW	ci-eu	SW	a-eu	WSW	a-en	SW	a-en	SW	
20	a-cu	WSW	a-cu	WSW	a-cu	WSW	en	E	eu	NE
21	a-cu	W	a-cu	W	a-en	NW	
22	a-cu	NW	a-cu	NW	a-cu	NW	a-cu	NW	en	WNW	eu	NW	st-eu	ENE	st-eu	ENE	
23	st-en	NE	nb	NE	st-eu	NNE	st-eu	NE	st-eu	NNE	a-en	WNW	a-cu	W	eu	NE	
24	eu	ENE	eu	NNE	eu	E	eu	E	eu	ENE	
25	eu	E	eu	E	eu	E	a-cu	SW	eu	E	eu	ENE	
26	st-eu	E	st-eu	E	st-eu	ENE	nb	ESE	st-eu	E	st-eu	E	nb	E	st-eu	E	
27	st-eu	E	en-nb	E	st-eu	ESE	st-eu	ESE	eu	SE	a-cu	SSW	eu	ESE	
28	ci-st	WSW	ci-st	W	ci-st	W	ci-st	W	en	E	en-nb	ENE	
29	nb	ENE	eu-nb	ENE	st-eu	ENE	st-eu	E	eu	E	a-cu	WNW	st-eu	NNE	st-eu	NE	
30	st-eu	NE	st-eu	NE	st-en	NE	st-eu	ENE	st-eu	ENE	...	a-cu	ENE	eu	NNE	eu	NE
31	st-eu	NE	st-eu	NE	st-eu	ENE	st-eu	ENE	st-eu	ENE	nb	ENE	nb	NE	nb	NE	

TABLE IX.—DAILY VALUES OF METEOROLOGICAL ELEMENTS IN THE MONTH OF DECEMBER, 1923.
(British Units.)

Days of the Month	Mean Barometric Pressure, Ins.	Temperature.					Mean Vapour Tension, Mean Degree of Humidity (Saturation 100),	Mean Amount of Cloud (0-100).	Bright Sunshine.		Rainfall.		Wind.				
		Of the Air.			Of Evaporation.	Daily Duration.			Percentage of possible amount.	Amount.	Duration.	Components.		Resultant.	Velocity.		
		Highest.	Lowest.	Range.								North.	East.				
1	30°078	68·5	63·5	5·0	66·4	60·8	0·460	70	90	3·3	31	+ 8·4	+ 18·0	65 19·9 20·3	
2	30°105	70·1	64·9	5·2	67·3	61·9	0·484	72	83	6·7	62	+ 4·1	+ 17·9	77 18·4 18·9	
3	30°203	68·8	61·0	7·8	64·3	57·2	0·376	62	89	2·2	20	+ 8·9	+ 2·7	17 9·3 9·5	
4	30°174	67·7	57·8	9·9	63·6	57·3	0·388	66	23	10·3	95	+ 0·9	+ 8·4	84 8·5 10·0	
5	30°092	72·6	62·0	10·6	67·1	61·2	0·463	70	27	10·2	94	+ 0·7	+ 8·5	85 8·5 9·3	
6	30°003	72·2	67·1	5·1	68·6	63·8	0·529	75	96	1	+ 2·7	+ 7·5	70 8·0 9·1	
7	29°979	71·9	67·2	4·7	69·6	67·2	0·636	88	100	...	0·020	6	...	+ 7·4	90	7·4	
8	30°025	73·8	67·7	4·1	69·5	67·2	0·637	88	99	0·2	2	0·010	3	+ 2·4	+ 19·3	83 19·5 19·5	
9	30°014	68·5	64·5	4·0	66·9	65·4	0·608	92	100	0·060	9	+ 3·2	+ 6·7	64 7·4 8·2	
10	30°043	67·7	61·2	6·5	63·2	59·4	0·438	79	96	c·8	7	+ 5·6	+ 1·5	15 5·8 5·7	
11	30°051	65·7	60·7	5·0	63·3	58·9	0·441	76	102	+ 6·2	+ 10·0	58 11·8 12·3	
12	30°039	71·3	61·5	9·8	66·3	62·5	0·516	80	70	6·5	63	...	2	+ 0·5	+ 13·5	88 13·5 14·2	
13	30°060	75·3	65·1	10·2	69·6	65·4	0·571	79	67	5·9	55	...	2	+ 0·5	+ 3·9	83 3·9 5·1	
14	30°073	66·6	62·5	4·1	65·0	61·2	0·491	79	100	4	+ 2·1	+ 9·4	77 9·6 10·0	
15	30°063	73·3	60·7	12·6	66·2	60·8	0·462	71	85	4·5	42	+ 4·7	+ 0·4	5 4·7 6·5	
16	30°123	67·6	57·6	10·0	61·5	54·4	0·331	60	43	7·9	74	+ 5·0	- 0·5	354 5·0 7·2	
17	30°160	66·5	52·8	13·7	59·7	52·9	0·313	61	1	10·2	95	+ 1·4	+ 3·4	68 3·7 5·1	
18	30°113	68·9	57·9	11·0	63·1	55·3	0·336	58	9	9·7	91	- 0·4	+ 5·1	95 5·1 5·5	
19	30°069	67·8	61·0	6·8	64·3	58·8	0·425	70	54	7·5	70	+ 1·6	+ 12·7	83 12·8 13·5	
20	29°973	73·1	63·9	9·2	66·5	62·5	0·514	79	34	8·4	79	+ 1·0	+ 18·0	85 11·1 11·4	
21	29°916	72·9	64·1	8·8	67·6	60·3	0·427	63	26	10·0	93	- 1·6	+ 12·4	97 12·5 12·7	
22	29°955	73·9	64·1	9·8	67·8	61·0	0·441	66	67	6·5	61	+ 1·0	+ 2·7	70 2·9 5·6	
23	30°093	63·4	55·5	7·9	59·6	53·7	0·336	66	85	0·9	8	0·300	3	+ 4·4	+ 3·4	38 5·6 7·0	
24	30°098	64·8	56·0	8·8	60·1	54·0	0·338	65	11	9·9	93	+ 0·9	+ 7·0	83 7·1 8·1	
25	30°068	64·8	57·7	7·1	62·0	57·3	0·409	73	30	9·8	92	+ 3·4	+ 13·1	75 13·5 13·6	
26	30°023	69·4	63·4	6·0	65·3	61·9	0·509	82	98	0·2	2	...	2	+ 2·4	+ 15·3	81 15·5 15·4	
27	30°022	71·2	64·0	7·2	67·3	63·4	0·534	80	68	2·1	29	- 0·2	+ 13·0	91 13·0 13·1	
28	30°048	79·8	62·2	12·6	68·2	63·1	0·511	74	26	10·2	95	...	1	- 0·2	+ 9·8	91 9·8 10·0	
29	30°215	65·3	53·2	12·7	59·3	52·6	0·310	61	96	2·0	19	...	1	+ 11·6	+ 4·7	22 12·5 13·0	
30	30°259	57·0	49·7	7·3	52·6	44·3	0·183	45	89	1·1	10	+ 10·9	+ 2·9	15 11·3 11·2	
31	30°242	53·3	48·0	5·3	50·0	45·2	0·240	66	100	0·025	5	+ 6·7	+ 0·1	1 6·7	
Means	30°077	68·8	60·6	8·2	64·3	59·1	0·441	71	66	14·8·2	45	0·315	39	+ 3·2	+ 8·1	69 8·7 10·5	
Normals	30°050	67·6	58·6	9·0	62·7	56·8	0·393	67	54	17·3·2	52	1·085	36	+ 3·5	+ 8·2	67 8·9 11·8	
Absolute Max.	30°311	79·8	...	17·6	...	69·0	0·677	...	10·3	95	0·200	9	29·ct	
Day	30	28	...	28	...	7, 13	7	...	4	417·28	23	9	12.106
Absolute Min.	29°548	...	48·0	4·0	...	41·5	0·140	35	
Day	21	...	31	9	...	31	30	30	

Phenomena :—

Lunar corona :—on the 15th, 19th and 22nd.

Slight fog :—on the 13th.

Unusual visibility :—on the 10th.

Dew :—on the 24th and 28th.

Rainbow :—on the 2nd.

Rain fell on 5 days. The mean hourly intensity was 0·008^{in.}, and the maximum fall in one hour was 0·065^{in.} at 5^h on the 23rd.The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 42 miles per hour at 10^h 10^m on the 1st.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of DECEMBER, 1923.
(C. G. S. Units:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure m.s.m.	Temperature.						Mean Vapour Tension. m.m.	Rainfall.		Wind.				Observed Velocity, m.p.s.		
		Of the Air.			Mean Range.	Mean of Evaporation.	Amount. mm.		Duration. hrs.	Components.		Resultant.					
		Highest. °	Lowest. °	Range. °						North.	East.	Direction.	Velocity.				
1	1020.6	293.3	290.5	2.8	292.1	289.0	15.5	+ 2.8	+ 5.9	65	6.5	6.7			
2	1021.5	294.2	291.3	2.9	292.6	289.6	16.3	+ 1.3	+ 5.9	77	6.0	6.2			
3	1024.9	293.4	289.1	4.3	290.9	287.0	12.7	+ 2.9	+ 0.9	17	3.0	3.1			
4	1023.9	292.8	287.3	5.5	290.6	287.1	13.1	+ 0.3	+ 2.8	84	2.8	3.3			
5	1021.1	295.6	289.7	5.9	292.5	289.2	15.6	+ 0.2	+ 2.8	85	2.8	3.0			
6	1018.0	295.3	292.5	2.8	293.3	290.7	17.8	...	1	+ 0.9	+ 2.5	70	2.6	3.0			
7	1017.2	295.2	292.6	2.6	293.9	292.6	21.5	0.5	6	...	+ 2.4	90	2.4	2.4			
8	1018.8	295.1	292.8	2.3	293.8	292.6	21.5	0.3	3	+ 0.8	+ 6.3	83	6.4	6.4			
9	1018.4	293.3	291.1	2.2	292.4	291.6	20.5	1.5	9	+ 1.0	+ 2.2	64	2.4	2.7			
10	1019.4	292.8	289.2	3.6	290.3	288.2	15.4	+ 1.8	+ 0.5	15	1.9	1.9			
11	1019.7	291.7	288.9	2.8	290.4	287.9	14.9	+ 2.0	+ 3.3	58	3.9	4.0			
12	1019.3	294.8	289.4	5.4	292.1	289.9	17.4	...	2	+ 0.2	+ 4.4	88	4.4	4.7			
13	1020.0	297.1	291.4	5.7	293.9	291.6	19.3	...	2	+ 0.2	+ 1.3	83	1.3	1.7			
14	1020.4	292.2	289.9	2.3	291.3	289.2	16.5	...	4	+ 0.7	+ 3.1	77	3.1	3.6			
15	1020.1	295.9	288.9	7.0	292.0	289.0	15.6	+ 1.5	+ 0.1	5	1.5	2.1			
16	1022.2	292.8	287.2	5.6	289.4	285.4	11.1	+ 1.6	+ 0.2	354	1.6	2.4			
17	1023.4	292.2	284.6	7.6	283.4	284.6	10.5	+ 0.5	+ 1.1	68	1.2	1.7			
18	1021.8	293.5	287.4	6.1	290.3	285.9	11.3	- 0.1	+ 1.7	95	1.7	1.8			
19	1020.3	292.9	289.1	3.8	290.9	287.9	14.3	+ 0.5	+ 4.2	83	4.2	4.4			
20	1017.0	295.8	290.7	5.1	292.2	289.9	17.3	+ 0.3	+ 3.6	85	3.6	3.7			
21	1015.1	295.7	290.8	4.9	292.8	288.7	14.4	- 0.5	+ 4.1	97	4.1	4.2			
22	1016.4	296.3	290.8	5.5	292.9	289.1	15.1	+ 0.3	+ 0.9	70	1.0	1.8			
23	1021.2	290.4	286.1	4.3	288.3	285.1	11.3	5.1	3	+ 1.4	+ 1.1	38	1.8	2.3			
24	1021.3	291.2	286.3	4.9	288.6	285.2	11.4	+ 0.3	+ 2.3	83	2.3	2.7			
25	1020.3	291.2	287.3	3.9	289.7	287.1	13.8	+ 1.1	+ 4.3	75	4.4	4.5			
26	1018.7	293.8	290.4	3.4	291.5	289.6	17.2	...	2	+ 0.8	+ 5.0	81	5.1	5.0			
27	1018.7	294.8	290.8	4.0	292.6	290.4	16.0	- 0.1	+ 4.3	91	4.3	4.3			
28	1019.5	299.6	289.8	9.8	293.1	290.3	17.2	...	1	- 0.1	+ 3.2	91	3.2	3.3			
29	1025.3	291.5	284.8	6.7	288.2	284.4	10.4	...	1	+ 3.8	+ 4.5	22	4.1	4.3			
30	1026.9	286.9	282.8	4.1	284.4	279.8	6.1	+ 3.6	+ 1.0	15	3.7	3.7			
31	1026.3	284.8	281.9	2.9	283.0	280.3	8.1	0.6	5	+ 2.2	...	1	2.2	2.2			
Means.	1020.6	293.4	288.9	4.5	290.9	288.1	14.9	...	Sum.	Sum.	Sum.	69	2.9	3.4			
Normal's.	1019.7	292.8	287.8	5.0	290.1	286.8	13.2	2.7	39	+ 1.0	+ 2.7	67	2.9	3.9			
Absolute Maximum.	1028.6	299.6	...	9.8	...	293.6	22.8	5.1	9	9.5†			
Day.	30	28	...	28	...	7.13	7	2.3	9	1d 10d			
Absolute Minimum.	1012.8	...	281.9	2.2	...	278.3	5.0			
Day.	21	...	31	9	...	31	30			

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES OF METEOROLOGICAL ELEMENTS in the Month of December, 1923.
(British Units.)

Hours, Hongkong Standard Time.	Barometric Pressure,	Temperature.		Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall, Percentage of Total		Wind.		Resultant. Velocity.	Observed Velocity.
		Of the Air.	Of Evaporation.					Amount	Duration	Components.	North.	East	
		Ins.	Ins.					%	%	m.p.h.	m.p.h.	°	m.p.h.
1	30°082	63°4	59°3	0°460	76	79	2	9	+ 3°6	+ 7°6	65	8°4	9°5
2	30°075	63°0	58°9	0°453	76	76	16	—	+ 4°0	+ 7°1	61	8°2	9°3
3	30°067	62°5	58°6	0°450	77	74	11	8	+ 4°8	+ 6°9	55	8°4	9°8
4	30°062	62°1	58°2	0°443	77	76	1	—	+ 4°8	+ 6°5	54	8°1	9°5
5	30°063	61°8	57°8	0°435	76	72	21	2	+ 4°6	+ 5°9	52	7°5	8°6
6	30°073	61°6	57°5	0°429	75	73	23	2	+ 4°3	+ 5°6	54	7°0	8°1
7	30°087	61°8	57°3	0°420	73	70	40	—	+ 4°1	+ 6°3	57	7°5	8°7
8	30°104	62°7	57°7	0°420	71	68	45	—	+ 3°8	+ 6°6	60	7°6	8°9
9	30°120	64°2	58°4	0°422	68	67	47	5	+ 3°7	+ 7°8	65	8°7	9°9
10	30°129	65°6	59°0	0°422	65	65	46	—	+ 3°5	+ 8°8	68	9°5	11°1
11	30°121	66°6	59°5	0°424	63	62	47	—	+ 2°5	+ 8°5	74	8°9	11°4
Noon.	30°096	67°3	60°0	0°430	62	62	53	—	+ 1°6	+ 9°1	80	9°2	12°0
13	30°063	67°6	60°2	0°432	62	55	56	—	+ 1°8	+ 9°7	79	9°9	13°0
14	30°037	67°7	60°4	0°437	62	56	53	—	+ 1°3	+ 9°5	82	9°6	13°1
15	30°026	67°2	60°3	0°441	64	57	45	—	+ 1°3	+ 9°5	82	9°6	13°0
16	30°028	66°4	60°0	0°442	65	59	29	—	+ 1°7	+ 9°5	80	9°7	12°9
17	30°038	65°5	59°8	0°448	69	59	—	3	+ 2°1	+ 10°3	78	10°5	12°4
18	30°050	64°5	59°4	0°449	71	60	—	3	+ 3°0	+ 9°4	72	9°9	11°6
19	30°055	64°0	59°3	0°452	73	65	—	—	+ 3°1	+ 8°9	71	9°4	10°8
20	30°081	63°7	59°3	0°456	75	61	—	3	+ 2°8	+ 8°0	71	8°5	9°5
21	30°091	63°5	59°2	0°455	75	67	—	8	+ 1°2	+ 7°8	68	8°4	9°1
22	30°098	63°4	59°3	0°460	76	70	—	8	+ 3°5	+ 9°0	69	9°7	10°6
23	30°096	63°2	59°1	0°456	76	70	—	5	+ 3°9	+ 8°6	66	9°5	10°4
Midn.	30°092	62°8	58°9	0°456	77	74	—	11	+ 3°8	+ 7°4	63	8°3	9°4

TABLE XII.—MEAN HOURLY VALUES OF METEOROLOGICAL ELEMENTS in the Month of December, 1923.
(C. G. S. Units:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure,	Temperature,		Mean Vapour Tension	Wind.			Resultant. Velocity.	Observed Velocity.
		Of the Air.	Of Evaporation.		Components.	North.	East.		
		m.b.	°		m.p.s.	m.p.s.	m.p.s.	°	m.p.s.
1	1020°8	290°4	288°2	15°5	+ 1°2	+ 2°5	65	2°8	3°1
2	1020°5	290°2	287°9	15°3	+ 1°3	+ 2°3	61	2°7	3°0
3	1020°3	289°9	287°8	15°2	+ 1°6	+ 2°3	55	2°8	3°2
4	1020°1	289°7	287°6	14°9	+ 1°6	+ 2°1	54	2°7	3°1
5	1020°1	289°6	287°3	14°7	+ 1°5	+ 1°9	52	2°5	2°9
6	1020°5	289°4	287°2	14°5	+ 1°3	+ 1°8	54	2°3	2°7
7	1020°9	289°6	287°1	14°1	+ 1°3	+ 2°1	57	2°5	2°9
8	1021°5	290°1	287°3	14°1	+ 1°2	+ 2°2	60	2°5	2°9
9	1022°0	290°9	287°7	14°2	+ 1°2	+ 2°6	65	2°9	3°2
10	1022°3	291°7	288°0	14°2	+ 1°1	+ 2°9	68	3°1	3°6
11	1022°1	292°2	288°3	14°3	+ 0°8	+ 2°8	74	2°9	3°7
Noon.	1021°2	292°6	288°6	14°5	+ 0°5	+ 3°0	80	3°0	3°9
13	1020°1	292°8	288°7	14°6	+ 0°6	+ 3°2	79	3°2	4°3
14	1019°2	292°8	288°8	14°7	+ 0°4	+ 3°1	82	3°1	4°3
15	1018°8	292°6	288°7	14°9	+ 0°4	+ 3°1	82	3°1	4°3
16	1018°9	292°1	288°6	14°9	+ 0°6	+ 3°1	80	3°2	4°2
17	1019°2	291°6	288°4	15°1	+ 0°7	+ 3°4	78	3°4	4°1
18	1019°6	291°1	288°2	15°2	+ 1°0	+ 3°1	72	3°2	3°8
19	1020°2	290°8	288°2	15°2	+ 1°0	+ 2°9	71	3°1	3°5
20	1020°7	290°6	288°2	15°4	+ 0°9	+ 2°6	71	2°8	3°1
21	1021°1	290°5	288°1	15°3	+ 1°0	+ 2°6	68	2°8	3°0
22	1021°3	290°4	288°2	15°5	+ 1°1	+ 3°0	69	3°2	3°5
23	1021°2	290°3	288°1	15°4	+ 1°3	+ 2°8	66	3°1	3°4
Midn.	1021°1	290°1	287°9	15°4	+ 1°2	+ 2°4	63	2°7	3°1

* 0° = N., 90° = E., &c.

MONTHLY VALUES OF METEOROLOGICAL ELEMENTS.

TABLE XIII.—MONTHLY VALUES OF THE METEOROLOGICAL ELEMENTS IN THE YEAR 1923.
(British Units).

Month, 1923.	Barometric Pressure.				Air Temperature.						Vapour Tension.				
	Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range)	Highest.	Lowest.	Ridge in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.	Temperature of Evaporation.	Highest.	Lowest.	Mean.
	ins.	ins.	ins.	ins.	°	°	°	°	°	°	°	ins.	ins.	ins.	ins.
January.....	30.282	29.845	30.080	0.124	74.0	45.7	28.3	53.4	56.1	9.3	60.0	53.9	0.590	0.119	0.344
February.....	27.7	16.68	29.959	0.105	79.4	46.3	33.1	53.8	55.0	8.8	58.8	54.3	0.725	0.062	0.380
March.....	22.7	17.39	19.84	0.107	82.2	55.0	27.2	70.3	61.5	8.8	65.2	61.2	0.699	0.226	0.494
April.....	10.42	15.98	18.27	0.092	82.8	64.6	18.2	76.1	68.6	7.5	71.5	68.5	0.824	0.352	0.660
May.....	29.917	15.73	17.36	0.083	89.7	68.0	21.7	82.6	74.2	8.4	77.8	74.9	0.968	0.449	0.752
June.....	18.6	14.53	16.15	0.074	90.8	71.2	19.6	84.6	77.6	7.0	80.6	76.6	1.057	0.563	0.865
July.....	18.07	28.973	18.89	0.071	90.5	74.2	16.3	86.1	78.8	7.3	82.0	77.5	1.027	0.719	0.885
August.....	17.40	15.90	15.35	0.074	92.9	73.7	19.2	85.4	77.5	7.9	81.2	77.4	1.080	0.673	0.890
September.....	18.80	29.609	17.17	0.087	90.2	73.0	17.2	85.9	77.3	8.6	81.1	74.8	0.972	0.311	0.783
October.....	30.061	16.20	18.76	0.093	87.4	67.2	20.2	80.2	72.5	7.7	76.0	69.4	0.864	0.268	0.639
November.....	11.10	17.27	19.43	0.102	83.1	60.3	22.8	75.6	58.3	7.3	71.6	65.7	0.893	0.260	0.558
December.....	13.11	18.48	20.077	0.103	79.8	48.0	31.8	58.8	60.6	8.2	64.3	59.1	0.677	0.146	0.441
Year.	30.311	28.590	29.828	0.093	92.9	45.7	47.2	77.1	59.0	8.1	72.5	57.6	1.080	0.062	0.641
Date.	Dec. 30.	Aug. 18.	Aug. 4.	Jan. 4.	Aug. 4.	Feb. 1.	...

Month, 1923.	Degree of Humidity.		Clouds.		Bright Sunshine.		Rainfall.					Wind.						
	Mean.	Lowest.	Mean amount (0-100)	Direction of motion *	Daily Duration	Percentage of Possible Sunshine	Total.	Duration.	Days of rain	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Resultant. †	Observed Velocity.				
														Direction of wind.	Velo- city.	Mean. ‡	Max- imum Hourly. ‡	Max- imum Squall. ‡
Jan.....	64	24	54	252	98	206.4	61	0.130	10	1	0.013	0.130	0.080	81	9.4	11.8	37	47
Feb.....	72	12	76	261	102	103.3	32	0.390	70	8	0.006	0.190	0.110	79	9.0	11.8	37	45
Mar.....	78	32	61	258	118	178.6	48	0.660	45	7	0.015	0.405	0.335	88	13.5	14.5	39	55
April...	85	35	77	259	133	130.1	34	8.370	115	13	0.073	4.945	2.170	88	12.3	13.8	40	51
May....	79	40	58	268	160	235.8	58	3.795	54	13	0.070	1.790	0.720	101	7.9	10.9	34	41
June....	82	55	82	340	190	152.3	38	15.720	130	24	0.121	4.365	1.190	110	6.6	11.1	36	49
July....	81	63	79	52	176	202.0	49	18.525	115	18	0.161	5.420	0.810	145	9.7	17.5	64	88
Aug....	84	60	75	50	184	159.3	40	34.310	159	22	0.215	7.485	1.585	134	3.0	13.0	106	130
Sept....	73	27	55	38	93	244.8	67	6.285	28	15	0.224	2.875	1.260	118	2.1	7.0	24	32
Oct....	72	29	56	275	83	212.7	59	17.835	56	8	0.348	11.505	2.820	76	9.1	12.5	34	43
Nov....	72	28	52	248	85	200.6	61	0.405	21	2	0.019	0.305	0.110	70	10.5	12.4	33	49
Dec....	71	35	66	248	89	148.2	45	0.315	39	5	0.008	0.200	0.065	69	8.7	10.5	49	48
Year.	76	12	66	270	126	2174.1	49	106.749	842	136	0.137	11.505	2.820	91	7.9	12.2	106	130
Date.	...	Feb. 1.	Oct. 31.	Oct. 31 st	Aug. 18 th	Aug. 18 th	Aug. 18 th	

* 0°=North, 90°=East &c.

† Beckley Anemograph.

‡ Dines-Baxendell Anemograph.

TABLE XIV.—MONTHLY NORMALS of the METEOROLOGICAL ELEMENTS for the PERIOD 1884-1923, and EXTREME VALUES for the PERIOD 1884-1923. (British Units).

Month.	Barometric Pressure.				Air Temperature.							Vapour Tension.			
	Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range).	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Daily Mean Range.	Mean.	Temperature of Evaporation.	Highest.	Lowest.	Mean.
January	30° 509	29° 605	30° 050	0° 108	79° 3	32° 0	47° 3	64° 4	56° 1	8° 3	59° 8	55° 2	0° 748	0° 020	0° 384
February	30° 400	29° 421	30° 015	0° 105	79° 4	38° 4	41° 0	63° 0	55° 3	7° 7	58° 8	54° 9	0° 820	0° 026	0° 391
March	30° 355	29° 527	29° 942	0° 103	82° 8	45° 4	37° 4	67° 3	59° 8	7° 5	63° 1	60° 0	0° 873	0° 097	0° 488
April	30° 273	29° 488	29° 843	0° 094	88° 6	51° 8	36° 8	74° 8	67° 1	7° 7	70° 4	67° 4	0° 967	0° 162	0° 638
May	30° 045	29° 330	29° 746	0° 084	91° 5	59° 7	31° 8	81° 4	73° 5	7° 9	76° 8	73° 2	1° 057	0° 221	0° 775
June	29° 881	29° 137	29° 648	0° 070	93° 6	68° 9	24° 7	85° 3	77° 7	7° 6	81° 0	77° 0	1° 073	0° 314	0° 875
July	29° 889	28° 762	29° 615	0° 068	94° 0	72° 1	21° 9	86° 7	78° 4	8° 3	82° 0	77° 7	1° 128	0° 548	0° 895
August	29° 873	28° 590	29° 617	0° 073	97° 0	71° 6	25° 4	86° 6	77° 8	8° 8	81° 6	77° 5	1° 123	0° 535	0° 891
September	30° 009	28° 876	29° 719	0° 079	94° 0	65° 6	28° 4	85° 3	76° 7	8° 6	80° 5	75° 2	1° 069	0° 183	0° 805
October	30° 192	29° 089	29° 876	0° 091	93° 8	57° 4	36° 4	80° 8	72° 7	8° 1	76° 3	69° 9	0° 962	0° 177	0° 652
November	30° 445	28° 735	29° 987	0° 101	86° 1	43° 7	42° 4	74° 2	65° 2	9° 0	69° 3	62° 5	0° 893	0° 055	0° 488
December	30° 454	29° 725	30° 050	0° 107	81° 9	40° 7	41° 2	67° 6	58° 6	9° 0	62° 7	56° 8	0° 752	0° 035	0° 393
Year.	30° 509	28° 590	29° 842	0° 090	97° 0	32° 0	...	76° 4	68° 2	8° 2	71° 9	67° 3	1° 128	0° 020	0° 639
Date.	1903, Jan. 6.	1923, Aug. 18.	1900 19	1893 18	1919, July 3.	1888, Jan. 2.	...

Month.	Degree of Humidity.		Clouds.		Bright Sunshine.		Rainfall.					Wind. †					
	Mean.	Lowest.	Mean Amount (0-100).	Direction of Motion. *		Daily Duration.	Percentage of Possible Sunshine.	Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Resultant.	Observed Velocity.		
				of Upper.	of Lower.										Mean.	Absol. Max. Velocity.	
Jan.	72	4	62	252	98	149° 6	44	1° 293	47	6.3	0° 028	3° 920	0° 725	76	10° 1	13° 0	53
Feb.	76	6	74	261	102	100° 0	31	1° 679	65	8.2	0° 026	2° 185	0° 970	79	11° 4	14° 2	53
Mar.	83	19	83	258	118	90° 4	24	2° 739	76	10.8	0° 036	3° 785	1° 570	84	13° 1	15° 2	49
April	84	17	80	259	133	116° 0	31	5° 287	74	11.8	0° 071	6° 225	2° 420	90	11° 4	14° 1	47
May	83	28	75	268	160	155° 2	38	11° 856	91	16.1	0° 130	20° 495	3° 400	101	7° 9	12° 6	52
June	83	25	77	340	190	164° 2	41	15° 663	86	20.5	0° 182	12° 630	2° 855	151	5° 6	11° 7	48
July	82	49	67	52	176	212° 4	51	13° 876	70	18.4	0° 198	13° 480	3° 480	140	5° 3	11° 1	108
Aug.	83	38	66	50	184	199° 1	50	14° 743	70	17.1	0° 211	11° 135	2° 350	139	3° 1	9° 5	106
Sept.	77	23	58	38	93	200° 9	55	9° 808	53	14.2	0° 185	6° 060	2° 420	82	6° 9	11° 4	89
Oct.	71	22	51	275	83	214° 4	60	5° 022	34	8.1	0° 148	11° 505	2° 820	75	10° 6	13° 9	85
Nov.	66	10	54	248	85	182° 9	55	1° 742	31	5.7	0° 056	5° 875	1° 740	64	9° 7	12° 7	90
Dec.	67	7	54	248	89	173° 2	52	1° 085	36	5.0	0° 030	1° 670	0° 500	67	8° 9	11° 8	63
Year.	77	4	67	270	126	1958° 3	44	84° 793	733	142° 2	0° 116	20° 495	3° 480	87	8° 0	12° 6	108
Date.	...	1888, Jan. 2.	1889, May 30.	1886, July 15 ^a	1896, July 29 ^b

* 0° = North, 90° = East &c.

† Beckley Anemograph.

TABLE XV.—MONTHLY VALUES of the METEOROLOGICAL ELEMENTS in the YEAR 1923. (C.G.S. Units).

Month, 1923.	Barometric Pressure.				Air Temperature.								Temperature of Evaporation.
	Highest.	Lowest.	Mean.	Mean Diurnal Range (Range).	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.		
	m.b.	m.b.	m.b.	m.b.	°	°	°	°	°	°	°		°
January	1027.6	1012.7	1020.7	4.2	296.3	280.6	15.7	291.6	286.4	5.2	288.6		285.2
February	1027.5	1006.6	1016.6	3.6	299.3	280.9	18.4	290.7	285.8	4.9	287.9		285.4
March	1025.7	1009.0	1017.4	3.6	300.9	285.8	15.1	294.3	289.4	4.9	291.4		289.2
April	1019.3	1004.2	1012.0	3.2	301.2	291.1	10.1	297.5	293.3	4.2	294.9		293.3
May	1015.1	1003.3	1008.9	2.8	305.1	293.0	12.1	301.1	296.4	4.7	298.4		295.7
June	1012.3	999.2	1004.8	2.5	305.7	294.8	10.9	302.2	298.3	3.9	300.0		297.8
July	1011.3	983.0	1003.9	2.5	305.5	296.4	9.1	303.1	299.0	4.1	300.8		298.3
August	1009.0	970.0	1002.0	2.6	306.8	296.2	10.6	302.7	298.3	4.4	300.3		298.2
September	1013.8	1004.6	1008.2	3.0	305.3	295.8	9.5	302.9	298.2	4.7	300.3		296.8
October	1020.0	1005.0	1013.7	3.2	303.8	292.6	11.2	299.8	295.5	4.3	297.4		293.8
November	1021.6	1008.6	1016.0	3.5	301.4	288.7	12.7	297.2	293.2	4.0	295.0		291.7
December	1028.6	1012.8	1020.6	3.5	299.6	281.9	17.7	293.4	283.9	4.5	290.9		288.1
Year.	1028.6	970.0	1012.1	3.2	306.8	280.6	26.2	298.1	293.6	4.5	295.5		292.8
Date.	Dec. 30.	Aug. 18.	Aug. +	Jan. 4.

Month, 1923.	Vapour Tension.			Rainfall.						Wind.					
	Highest.	Lowest.	Mean.	Total.	Infiltration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Resultant. †		Observed Velocity.			
										Direct- tion. *	Vel- city.	Mean. ‡	Max. Infin. Linity. ‡	Max. Infin. Linity. ‡	
	m.b.	m.b.	m.b.	m.m.	hrs.	m.m.	m.m.	m.m.	m.m.	°	m.p.s.	m.p.s.	m.p.s.	m.p.s.	m.p.s.
January	19.9	4.1	13.0	3.3	10	1	0.3	3.3	2.0	81	3.1	3.9	12.1	15	
February	24.5	2.0	12.8	9.9	70	8	0.1	4.8	2.8	79	3.0	3.9	12.1	15	
March	23.6	7.6	16.7	16.8	45	7	0.4	10.3	8.5	88	4.4	4.8	12.8	18	
April	27.8	11.9	22.2	212.6	115	13	1.8	125.6	55.1	88	4.0	4.5	13.1	17	
May	32.7	15.1	25.4	96.4	54	13	1.8	45.5	18.3	101	2.6	3.6	11.1	13	
June	35.7	19.0	29.2	399.3	130	24	3.1	110.9	30.2	110	2.2	3.6	11.8	16	
July	34.6	24.2	29.9	470.5	115	18	4.1	137.7	20.6	145	3.2	5.7	21.0	29	
August	36.4	22.7	30.0	871.4	159	22	5.5	190.1	40.3	134	1.0	4.3	34.7	43	
September....	32.8	10.5	26.4	159.6	28	15	5.7	73.0	32.0	118	0.7	2.3	7.9	10	
October	29.1	9.0	21.6	453.0	56	8	8.1	292.2	71.6	76	3.0	4.1	11.1	14	
November....	30.1	8.7	18.8	10.3	21	2	0.5	7.7	2.8	70	3.4	4.1	10.8	16	
December....	22.8	5.0	14.9	8.0	39	5	0.2	5.1	1.7	69	2.9	3.4	9.5	14	
Year.	36.4	2.0	21.6	2711.1	842	136	3.2	292.2	71.6	91	2.6	4.0	34.7	43	
Date.	Aug. 4.	Feb. 1.	Oct. 31.	Oct. 31 ^d 2 ^h	Aug. 18 ^d 10 ^h	Aug. 18 ^d 13 ^h		

* 0° = North, 90° = East &c.

† Beckley Anemograph.

‡ Dines-Baxendell Anemograph.

TABLE XVI.—MONTHLY NORMALS of the METEOROLOGICAL ELEMENTS for the PERIOD 1884-1923, and EXTREME VALUES for the PERIOD 1884-1923. (C.G.S. Units).

Month.	Barometric Pressure.				Air Temperature.								Temperature of Preparation.
	Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range).	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.		
	m.b.	m.b.	m.b.	m.b.	°	°	°	°	°	°	°		°
January	1035.4	1004.6	1019.7	3.6	299.3	273.0	26.3	291.0	286.4	4.6	288.4		285.9
February	1031.7	998.3	1018.5	3.5	299.3	276.6	22.7	290.2	285.9	4.3	287.9		285.7
March	1030.2	1001.9	1016.0	3.5	301.2	280.4	20.8	292.6	288.4	4.2	290.3		288.6
April	1027.3	1000.5	1012.6	3.2	304.4	284.0	20.4	296.8	292.5	4.3	294.3		292.7
May	1019.5	995.1	1009.3	2.8	306.1	288.4	17.7	300.4	296.1	4.3	297.9		295.9
June	1013.8	988.5	1005.9	2.4	307.2	293.5	13.7	302.6	298.4	4.2	300.2		298.0
July	1014.1	975.8	1004.8	2.3	307.4	295.3	12.1	303.4	298.8	4.6	300.8		298.4
August.....	1013.6	970.0	1004.9	2.5	309.1	295.0	14.1	303.3	298.4	4.9	300.6		298.3
September	1018.2	979.7	1008.3	2.7	307.4	291.7	15.7	302.6	297.8	4.8	299.9		297.0
October	1024.5	986.9	1013.7	3.1	307.3	287.1	20.2	300.1	295.6	4.5	297.6		294.1
November	1033.2	974.9	1017.5	3.4	303.1	279.5	23.6	296.4	291.4	5.0	293.7		289.9
December	1033.5	970.4	1019.7	3.6	300.7	277.8	22.9	292.8	287.8	5.0	290.1		286.8
Year.	1035.4	970.0	1012.6	3.1	309.1	273.0	...	297.7	293.1	4.6	295.2		292.6
Date.	1903. Jan. 6.	1923. Aug. 18.	1900. Aug. 19.	1893. Jan. 18.

Month.	Vapour Tension.			Rainfall.						Wind. †			
	Highest.	Lowest.	Mean.	Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Resultant.	Observed Velocity.		
	m.b.	m.b.	m.b.	m.m.	hrs.	m.m.	m.m.	m.m.	m.m.	°	Dir. ction. *	Mean.	Absolute Maximum
January	25.2	0.7	12.9	32.8	47	6.3	0.7	99.6	18.4	76	3.3	4.3	17
February	27.7	0.9	13.2	42.7	65	8.2	0.7	55.5	24.6	79	3.7	4.7	17
March	29.5	3.3	16.4	69.6	76	10.8	0.9	96.1	39.9	84	4.3	5.0	16
April	32.6	5.5	21.5	134.3	74	11.8	1.8	158.1	61.5	90	3.7	4.6	15
May	35.7	7.4	26.1	301.1	91	16.1	3.3	520.6	86.4	101	2.6	4.1	17
June	36.2	10.6	29.5	397.9	86	20.5	4.6	320.8	72.5	151	1.8	3.8	16
July	38.1	18.5	30.2	352.4	70	18.4	5.0	342.4	88.4	140	1.7	3.6	35
August.....	37.9	18.0	30.1	374.5	70	17.1	5.3	282.8	59.7	139	1.0	3.1	35
September ...	36.1	6.1	27.2	249.1	53	14.2	4.7	153.9	61.5	82	2.3	3.7	29
October	32.5	6.0	22.0	127.6	34	8.1	3.8	292.2	54.1	75	3.5	4.6	28
November ...	30.1	1.9	16.4	44.2	31	5.7	1.4	149.2	44.2	64	3.2	4.2	30
December ...	25.4	1.2	13.2	27.6	36	5.0	0.8	42.4	12.7	67	2.9	3.9	21
Year.	38.1	0.7	21.6	2153.8	733	142.2	2.9	520.6	88.4	87	2.6	4.1	35
Date.	1919. July 3.	1888. Jan. 2.	1889. May 30.	1886. July 15 ^a	1896. July 29 ^b

* 0° = North, 90° = East &c.

† Beckley Anemograph.

MONTHLY PREVALENCE OF METEOROLOGICAL PHENOMENA

TABLE XVII.—MONTHLY PREVALENCE OF METEOROLOGICAL PHENOMENA in the YEAR 1923.

Month. 1923.	Percentage of Wind from the Eight Principal Points of the Compass.										Number of Days on which different Phenomena were observed.						
	N	NE	E	SE	S	SW	W	NW	Calm.	Fog.	Electric Pheno- mena	Light- ning	Thunder.	Rainbow.	Unusual Visibility	Dew.	
January....	18	11	51	8	1	2	3	1	5	3	4	4	...	1	1	...	
February..	20	13	46	7	4	2	2	2	4	1	3	2	1	...	2	...	
March.....	2	7	71	9	...	1	1	2	7	6	1	1	
April.....	1	6	77	5	3	...	4	1	3	5	7	5	5	...	3	2	
May.....	1	3	46	12	11	11	3	2	11	3	6	6	2	4	14	1	
June.....	...	6	37	9	24	10	4	3	7	1	12	10	4	4	3	2	
July	2	4	19	15	31	21	4	2	2	...	6	5	2	4	5	1	
August....	4	3	28	8	10	13	20	7	7	1	15	15	7	3	5	4	
September.	8	6	23	12	7	13	10	5	16	...	8	7	3	1	3	3	
October ...	19	8	49	8	5	1	2	3	5	1	3	3	2	...	3	3	
November.	14	21	48	4	2	1	10	1	1	1	3	2	
December..	20	22	43	5	2	1	7	1	1	1	2	
Year.....	9	9	45	9	*8	6	5	2	7	23	66	59	26	18	41	20	

Month. 1923.	Number of Days on which different Phenomena were observed.					Number of Times different Forms of Cloud were observed, (8 observations a day.)											
	Halo.		Corona,			Cirro- Stratus.	Cirro- Cumulus.	Alto- Stratus.	Alto- Cumulus.	Cumulo- Nimbus.	Nimbus.	Strato- Cumulus.	Strato- Nimbus.	Cumulo- Nimbus.	Nimbus.	Stratus.	
	Solar.	Lunar.	Solar	Lunar.	No. of Thunder- Storms.												
January....	6	13	1	...	40	113	16	10	5	4		
February..	1	5	2	1	29	70	14	20	58	10		
March	4	1	2	...	19	106	25	16	36	4		
April.....	...	1	1	3	3	...	10	2	...	22	98	6	42	65	2		
May.....	3	6	14	3	...	18	149	9	23	37	...		
June.....	3	4	...	3	2	...	32	2	1	16	142	1	25	67	...		
July	4	1	...	1	50	2	...	5	144	...	23	72	...		
August....	...	3	1	2	10	...	26	5	...	10	107	...	22	87	...		
September.	1	5	3	...	27	1	...	14	169	...	4	12	...		
October ...	1	3	...	4	4	...	33	1	1	19	130	5	19	27	1		
November.	2	10	2	...	43	122	19	7	8	...		
December..	3	6	2	...	34	69	69	8	28	1		
Year.....	12	12	2	40	22	...	227	25	3	269	1419	164	219	502	120		

NORMAL PREVALENCE OF METEOROLOGICAL PHENOMENA.

21

TABLE XVIII.—NORMAL PREVALENCE OF METEOROLOGICAL PHENOMENA for the PERIOD 1884-1923.

Month,	Percentage of Wind from the Eight Principal Points of the Compass.										Number of Days on which different Phenomena were observed.					
	N	NE	E	SE	S	SW	W	NW	Calm.	Fog.	Electric Phenom.	Lightning	Thunder	Rainbow	Dew.	
January ..	18	11	51	5	1	1	5	3	5	4·4	0·3	0·3	0·2	0·2	2·4	
February...	16	10	55	5	2	1	4	3	4	4·7	0·5	0·4	0·3	0·1	1·4	
March.....	8	8	65	5	3	1	3	3	4	8·8	2·9	2·6	2·4	0·1	1·8	
April.....	4	6	64	6	7	3	3	3	4	7·4	7·2	6·4	5·0	0·2	3·7	
May.....	3	5	50	6	12	11	4	3	6	2·2	12·5	12·0	6·5	1·2	4·7	
June.....	1	4	28	9	24	21	5	3	5	1·0	15·5	14·6	8·4	3·4	3·7	
July	1	4	28	12	18	17	9	4	7	1·2	15·8	14·8	7·8	4·2	7·3	
August....	2	4	25	10	12	15	14	6	12	3·0	19·0	18·0	10·1	3·3	10·5	
September.	8	10	38	10	5	4	9	5	11	2·5	13·1	12·5	5·4	2·2	8·2	
October....	15	15	49	8	2	1	3	2	5	0·7	3·0	2·9	1·0	0·8	3·8	
November..	24	18	42	5	1	1	3	1	5	0·9	0·4	0·4	0·2	0·4	3·7	
December..	24	14	44	5	1	1	3	2	6	2·3	0·3	0·3	0·2	0·1	3·5	
Year.....	10	9	45	7	8	7	5	3	6	39·1	9·05	85·2	47·5	16·2	54·7	

Month,	Number of Days on which different Phenomena were observed.					Number of Times different Forms of Cloud were observed. (8 observations a day).									
	Halo.		Corona.			No. of Thunderstorms.	Gyrus.	Cirro-Stratus.	Cirro-Cumulus.	Altocumulus.	Cumulus.	Str. to Cumulus.	Cumulo-Nimbus.	Nimbus.	Status.
	Solar.	Lunar.	Solar.	Lunar.											
January....	0·2	0·2	...	1·2	0·2	0·3	6·1	5·3	0·2	41·8	93·2	8·4	17·2	22·0	15·0
February...	0·1	0·1	0·1	1·1	0·2	0·2	4·1	2·7	0·5	30·6	82·9	10·2	20·8	34·9	22·7
March.....	0·5	0·4	0·3	0·7	1·8	...	4·4	3·0	0·5	27·6	106·7	12·6	27·3	43·6	23·9
April.....	1·2	0·3	0·3	1·4	4·0	0·3	10·3	6·8	0·3	31·0	120·4	7·0	24·8	41·8	14·3
May.....	2·3	1·8	0·2	2·4	5·2	0·8	24·2	15·1	0·4	34·8	140·4	5·5	22·2	44·6	6·6
June.....	4·0	3·4	0·3	3·2	5·8	1·1	42·4	22·4	0·2	13·1	159·2	3·6	18·4	41·6	5·3
July.....	5·3	4·1	0·4	3·5	5·6	1·4	60·5	28·7	0·2	17·5	166·1	2·8	14·8	35·1	4·2
August....	5·3	4·4	0·9	3·4	6·5	1·8	57·3	28·6	0·3	24·3	154·2	1·4	14·7	36·3	5·6
September.	3·1	3·0	0·3	3·3	3·5	0·5	37·9	23·9	0·1	31·8	141·5	3·2	11·5	23·1	4·6
October....	1·1	1·3	0·3	2·3	0·8	0·3	15·2	14·4	0·1	36·2	138·3	0·3	9·6	18·0	5·7
November..	1·1	1·1	0·2	2·3	0·1	0·2	20·2	11·1	0·5	43·1	102·0	5·5	8·7	17·6	8·7
December..	0·2	0·3	0·1	2·0	0·1	0·4	11·9	6·4	0·8	44·9	85·0	8·0	10·4	20·3	10·1
Year.....	24·4	20·4	3·4	26·8	33·8	7·3	294·5	168·4	4·1	376·7	1489·9	68·5	200·4	378·9	126·7

* For the Period 1913-1923.

22 TABLE XIX.—FIVE-DAY MEANS OF THE PRINCIPAL METEOROLOGICAL ELEMENTS AT THE ROYAL OBSERVATORY,
HONGKONG IN THE YEAR 1923, AND NORMALS FOR THE PERIOD 1884–1923. (British Units).

Five-day periods beginning.	Barometric Pressure.		Temperature of the Air.		Relative Humidity.		Vapour Tension.		Wind * Direction.		Wind Velocity.		Amount of Cloud. (0–100).		Bright Sunshine.		Rainfall.		
	1923		Normals.		1923.		Normals.		1923.		Normals.		1923.		Normals.		1923.		
	ins.	ins.	°	°	1923.	Normals.	1923.	Normals.	ins.	ins.	°	°	m.p.h.	m.p.h.	hrs.	hrs.	ins.	ins.	
Jan. 1	30°187	30°090	56.7	60.1	48	67	0°229	0°362	53	70	10°8	11°6	63	55	6.4	5.5	...	2°027	
6	1°061	1°076	61.8	60.2	71	69	1°394	1°375	94	75	12°3	12°7	33	52	8.3	5.8	...	2°028	
11	29°952	1°030	63.4	60.6	71	73	1°414	1°399	96	77	13°1	11°7	61	66	5°2	4.5	...	2°029	
16	30°090	1°055	59.9	58.9	62	73	1°324	1°375	80	76	13°6	12°7	62	66	5°7	4.3	...	2°025	
21	1°003	1°039	63.7	60.1	80	75	1°482	1°402	94	79	13°6	14°0	68	63	5°7	4.9	0°026	2°038	
26	1°167	1°020	55.7	59.2	57	77	1°257	1°397	54	78	7.7	13°6	45	71	7.9	3.8	...	2°04	
31	1°091	1°026	55.4	57.4	42	74	1°191	1°361	56	69	12°1	13°8	11	72	1°03	3.8	...	2°074	
Feb. 5	1°031	1°036	56.2	57.7	65	72	1°298	1°365	82	76	11°7	13°7	57	73	5°8	3.7	...	2°047	
10	29°784	1°048	64.6	58.1	84	74	1°522	1°309	104	79	12°9	14°5	96	68	3°4	4.3	...	2°051	
15	1°793	1°006	66.5	59.5	.88	78	1°396	1°409	97	81	13°2	12°9	95	75	1°4	3.4	0°014	2°067	
20	1°982	29°994	57.3	59.6	75	78	1°356	1°408	59	82	10°7	14°1	96	78	0°3	3.0	0°056	2°06	
25	30°162	1°970	52.4	60.3	72	81	1°284	1°441	58	80	11°4	14°6	87	79	2°7	3.0	0°008	2°053	
Mar. 2	1°028	1°966	63.9	61.4	77	81	1°462	1°452	94	82	14°2	15°5	44	82	7.8	2.9	...	2°049	
7	29°986	1°951	66.2	62.7	88	83	1°569	1°486	96	85	15°4	16°2	86	86	2°4	2.5	0°006	2°049	
12	1°949	1°945	63.4	62.1	87	83	1°513	1°475	80	82	18°3	15°0	90	82	2°2	2.7	0°085	2°104	
17	30°047	1°942	62.9	62.9	72	82	1°418	1°479	74	83	13°0	14°7	83	80	3°2	3.2	0°041	2°097	
22	29°998	1°926	66.1	64.5	71	82	1°458	1°516	94	85	14°5	14°6	22	85	1°07	2.8	...	2°123	
27	1°862	1°914	70.4	65.6	77	83	1°577	1°534	90	85	10°5	15°4	42	83	3°2	3.2	2°107	2°107	
Apr. 1	1°905	1°883	71.6	67.2	79	82	1°618	1°558	92	88	10°9	14°6	48	81	8.1	3.5	0°056	2°111	
6	1°852	1°870	71.4	68.3	82	83	1°637	1°585	89	89	14°2	14°3	83	84	4.2	2.9	0°026	2°156	
11	1°777	1°846	69.9	70.1	91	85	1°671	1°638	89	87	20°6	13°8	99	81	1°3	3.7	1°070	2°186	
16	1°779	1°823	71.3	70.8	92	86	1°707	1°658	87	88	13°4	14°0	83	78	2°9	3.7	0°456	2°206	
21	1°784	1°817	72.2	72.8	92	85	1°730	1°686	83	91	12°9	13°4	86	75	3°4	4.7	0°066	2°151	
26	1°863	1°816	72.8	73.3	74	86	1°598	1°696	86	90	11°0	14°5	64	78	6.1	4.6	...	2°251	
May. 1	1°749	1°814	71.6	73.7	85	83	1°557	1°700	83	87	18°6	13°8	98	74	1°5	4.8	0°374	2°232	
6	1°703	1°764	75.1	75.6	71	83	1°620	1°742	82	97	14°6	12°3	51	71	7.0	5.1	0°034	2°297	
11	1°734	1°758	77.0	76.4	77	83	1°718	1°759	83	95	8.9	13°1	27	76	11°4	5.1	...	2°369	
16	1°788	1°730	77.2	77.7	84	84	1°785	1°804	94	112	14°7	12°0	77	75	4.4	5.2	0°065	2°431	
21	1°727	1°716	82.8	78.2	75	83	1°837	1°811	209	107	8.1	12°2	48	79	11°6	4.5	0°012	2°426	
26	1°716	1°703	82.7	78.9	78	82	1°876	1°818	114	110	11°5	12°2	40	74	10°8	5.2	0°215	2°493	
31	1°775	1°696	76.3	79.5	83	82	1°751	1°831	83	123	15°2	11°8	97	74	5.3	5.3	0°717	2°547	
June 5	1°629	1°670	78.6	79.7	81	84	1°796	1°854	93	106	14°6	9.3	11°9	89	80	3.6	4.5	0°229	2°520
10	1°583	1°650	78.7	80.7	88	84	1°861	1°874	106	155	15°2	11°1	94	79	1°9	5.3	1°456	2°580	
15	1°586	1°630	82.3	81.7	84	82	1°933	1°887	140	178	7.4	11°7	78	78	7.0	5.3	0°077	2°500	
20	1°546	1°639	84.0	81.8	80	83	1°940	1°898	186	158	6.7	11°7	71	78	8.4	5.6	0°167	2°512	
25	1°611	1°629	82.7	81.9	81	82	1°907	1°892	177	155	9.7	11°4	72	71	7.6	6.7	0°557	2°466	
30	1°527	1°620	81.9	81.6	81	83	1°876	1°892	120	155	25.7	12°1	89	76	4.5	5.4	0°453	2°571	
July 5	1°688	1°652	82.9	82.0	78	82	1°882	1°897	202	159	11°1	10°9	74	71	10.2	6.7	0°059	2°384	
10	1°636	1°646	84.6	82.5	76	80	1°903	1°895	217	137	9.5	11°0	70	64	10.5	8.0	0°001	2°221	
15	1°607	1°606	83.7	82.1	78	81	1°901	1°892	149	149	8.4	10°4	50	63	10.3	7.3	0°008	2°603	
20	1°517	1°585	80.9	81.9	84	82	1°885	1°895	110	112	30.5	11°1	95	67	2.8	6.6	1°262	2°437	
25	1°509	1°581	79.9	81.7	85	83	1°862	1°896	180	118	19.4	11°6	84	67	3.1	6.5	1°632	2°531	
30	1°646	1°581	80.8	81.9	83	82	1°873	1°896	120	155	11.8	11.6	57	67	7.9	6.5	0°293	2°549	
Aug. 4	1°434	1°598	82.1	82.0	84	83	1°918	1°900	225	178	12.6	10.4	77	67	6.2	6.8	1°380	2°437	
9	1°469	1°598	82.8	81.5	85	84	1°951	1°900	204	144	7.1	9.1	84	72	3.6	5.7	0°627	2°520	
14	1°596	1°618	80.1	81.3	85	83	1°873	1°893	97	132	15.4	9.9	85	70	4.8	6.1	1°410	2°502	
19	1°568	1°641	80.3	81.4	81	83	1°836	1°885	88	107	22.1	8.6	73	58	6.2	7.1	0°249	2°319	
24	1°532	1°639	80.6	81.5	83	82	1°861	1°883	289	124	10.0	8.1	70	62	4.0	6.6	0°784	2°519	
29	1°641	1°649	81.4	81.6	86	81	1°918	1°879	223	101	11.9	9.0	92	63	3.4	6.6	2°413	2°375	
Sept. 3	1°687	1°655	83.4	81.6	77	79	1°884	1°848	226	97	6.3	9.0	58	57	8.4	7.2	...	2°321	
8	1°679	1°673	80.7	80.6	67	78	1°700	1°811	20	78	6.1	10.7	40	60	9.1	6.5	0°160	2°367	
13	1°726	1°728	81.6	80.5	77	78	1°829	1°809	105	83	6.8	10.8	53	58	8.5	6.7	0°54	2°324	
18	1°798	1°749	80.5	80.2	76	77	1°794	1°802	93	81	9.7	13.1	55	58	7.7	6.4	0°825	2°473	
23	1°698	1°785	79.8	79.7	80	75	1°813	1°764	112	78	5.6	13.1	82	58	5.1	6.8	0°206	2°208	
28	1°710	1°780	79.7	78.9	50	72	1°504	1°724	348	71	7.7	13.9	24	60	10.3	6.1	0°009	2°276	
Oct. 3	1°843	1°817	77.8	78.1	65	71	1°621	1°685	41	76	8.4	14.3	49	54	8.2	6.9	...	2°272	
8	1°907	1°863	74.7	77.2	48	72	1°412	1°679	44	74	14.2	13.7	27	51	8.9	6.8	0°002	2°169	
13	1°993	1°877	73.4	76.4	79	71	1°649	1°657	80	75	17.6	12.4	82	49	3.3	7.2	0°249	2°072	
18	1°936	1°895	75.3	75.8	80	71	1°705	1°641	91	73	14.8	13.5	50	50	8.7	6.9	...	2°148	
23	1°886	1°920	76.0	74.9	84	71	1°751	1°619	90	77	11.4	14.0	59	45	6.5	7.5	0°001	2°060	
28	1°748	1°924	6.7	73.6	83	71	1°760	1°597	141	65	9.6	12.7	77	53	4.6	6.3	3°315	2°186	
Nov. 2	1°962	1°94																	


TABLE XX.—FIVE-DAY MEANS OF THE PRINCIPAL METEOROLOGICAL ELEMENTS AT THE ROYAL OBSERVATORY, 23
HONGKONG, IN THE YEAR 1923, AND NORMALS FOR THE PERIOD 1884-1923. (C.G.S. UNITS).

Five-day periods beginning.	Barometric Pressure.		Temperature of the Air.		Vapour Tension.		Wind.								Rainfall.	
							N. Component.		E. Component.		Direction.		Velocity.			
	1923.	Normal.	1923.	Normal.	1923.	Normal.	1923.	Normal.	1923.	Normal.	1923.	Normal.	1923.	Normal.	1923.	Normal.
Jan. 1	1024.4	1021.0	286.7	288.6	7.7	12.2	+1.6	+1.0	+2.1	+2.6	53	70	3.5	3.8	...	0.7
6	1020.1	1020.6	289.6	288.7	13.3	12.6	-0.3	+0.9	+3.9	+3.2	94	75	4.0	4.2	...	0.7
11	1016.3	1019.0	290.4	288.9	13.9	13.4	-0.4	+0.8	+3.7	+3.3	96	77	4.3	3.8	...	0.7
16	1021.0	1019.9	288.5	287.9	10.9	12.6	+0.7	+0.8	+3.9	+3.3	89	76	4.5	4.2	...	0.6
21	1018.1	1019.3	290.6	288.6	16.2	13.5	-0.3	+0.6	+3.8	+3.3	94	79	4.5	4.6	0.7	1.0
25	1023.7	1018.7	286.2	288.1	8.6	13.4	+1.0	+0.8	+1.3	+3.4	54	78	2.5	4.5	...	2.6
31	1021.1	1018.9	286.0	287.1	6.4	12.1	+1.7	+1.1	+2.5	+3.0	56	69	4.0	4.5	...	1.9
Feb. 5	1019.1	1019.2	286.4	287.3	10.0	12.3	+0.4	+0.8	+3.0	+3.4	82	76	3.8	4.5	...	1.2
10	1010.6	1019.6	291.1	287.5	17.6	12.4	-1.0	+0.8	+3.8	+3.8	104	79	4.2	4.8	...	1.3
15	1010.9	1018.2	292.2	288.3	19.4	13.8	-0.4	+0.6	+3.2	+3.6	97	81	4.3	4.2	0.4	1.7
20	1017.4	1017.8	287.1	283.3	12.0	13.7	+1.5	+0.5	+2.5	+3.4	59	82	3.5	4.6	0.2	1.3
25	1023.5	1017.0	284.3	28.9	9.5	14.9	+1.6	+0.7	+2.6	+3.9	58	80	3.7	4.8	...	1.2
Mar. 2	1018.9	1016.8	292.7	287.3	15.6	15.2	-0.3	+0.6	+4.5	+4.1	94	82	4.7	5.1	...	1.2
7	1017.5	1016.3	292.0	290.1	19.2	16.4	-0.5	+0.4	+5.0	+4.7	95	85	5.0	5.3	0.2	1.2
12	1016.2	1016.1	290.4	289.7	17.3	16.0	+1.0	+0.6	+5.6	+4.1	85	82	6.0	4.9	2.2	2.6
17	1019.6	1016.0	292.2	292.1	14.1	16.1	+1.0	+0.5	+2.5	+3.5	74	83	4.3	4.8	...	2.5
22	1017.9	1015.5	291.9	291.1	15.4	17.4	-0.4	+0.4	+4.7	+4.0	94	85	4.8	5.0	...	2.7
27	1013.2	1015.0	294.3	291.7	19.5	18.0	-0.1	+0.4	+3.0	+4.3	95	85	3.4	5.0	...	2.8
Apr. 1	1014.7	1014.0	295.0	292.6	20.8	18.8	-0.1	+0.1	+3.0	+3.9	92	88	3.6	4.8	1.4	4.0
6	1012.9	1013.5	294.9	293.2	21.5	19.7	+0.1	+0.1	+3.8	+3.8	82	89	4.7	4.7	0.7	4.0
11	1010.3	1012.7	294.1	292.6	21.5	21.5	+0.2	+0.2	+3.6	+3.6	89	87	6.8	4.5	2.2	4.7
16	1010.4	1012.0	294.8	291.6	23.8	22.2	+0.2	+0.1	+4.0	+3.7	87	88	4.4	4.6	1.6	5.2
21	1010.6	1011.7	295.3	293.7	21.6	23.1	+0.5	-0.1	+1.1	+3.3	83	91	4.2	4.4	1.7	3.8
26	1013.3	1011.7	295.7	295.9	22.2	23.5	+0.2	...	+2.9	+3.8	85	92	3.6	4.8	...	6.4
May 1	1002.4	1011.6	295.0	293.2	22.1	23.6	+0.8	+0.2	+5.0	+3.8	83	87	6.1	4.5	9.5	5.9
6	1002.8	1002.9	295.9	297.2	20.9	25.0	+0.1	-0.3	+2.9	+2.6	82	97	4.5	4.5	0.9	7.5
11	1003.8	1002.7	294.2	294.2	24.2	25.6	+0.1	-0.3	+2.1	+2.0	83	93	2.9	4.3	...	9.4
16	1010.7	1003.7	293.1	293.4	26.5	27.1	-0.3	-0.8	+1.3	+2.0	94	112	4.8	3.9	1.6	10.9
21	1003.6	1002.2	301.2	293.7	23.7	28.2	-0.7	-1.2	+2.1	+2.0	107	110	3.8	4.0	0.3	10.8
26	1008.2	1007.8	301.2	297.1	29.6	27.6	-1.4	-0.7	+3.3	+3.3	114	110	3.8	4.0	5.5	12.5
31	1010.2	1007.5	297.6	292.4	25.3	28.0	+0.6	-1.0	+4.9	+4.1	83	129	5.3	3.9	18.0	13.9
June 5	1005.3	1005.6	298.9	299.5	25.8	28.8	-0.1	-1.0	+2.7	+1.6	93	123	4.9	3.9	5.8	13.2
10	1003.7	1005.0	298.9	300.1	29.0	29.5	-0.7	-1.4	+2.6	+1.0	106	146	3.0	3.6	37.0	14.7
15	1003.8	1005.3	300.9	300.6	31.5	29.9	-1.3	-2.0	+1.1	+0.1	140	178	2.4	3.8	2.0	12.7
20	1002.4	1005.6	301.9	300.7	31.7	30.3	-0.9	-2.0	-0.1	+0.8	186	158	2.2	3.8	4.2	13.0
25	1004.6	1005.3	301.2	300.7	30.6	30.1	-2.4	-1.7	+0.1	+0.8	177	155	3.2	3.7	14.1	11.8
30	1001.8	1005.0	300.7	300.6	29.6	30.1	-2.8	-1.8	+4.9	+4.9	120	155	3.6	3.6	14.5	14.5
July 5	1007.2	1006.0	301.3	300.8	29.8	30.3	-3.2	-1.6	+0.6	+0.6	202	159	3.6	3.6	1.5	9.8
10	1005.5	1005.8	302.2	301.1	30.5	30.2	-2.3	-1.3	-1.7	+1.3	217	137	3.1	3.6	...	5.6
15	1004.4	1004.7	301.7	300.8	30.4	30.1	-1.5	-1.0	+0.9	+0.6	149	149	2.8	3.4	0.2	15.3
20	1001.4	1003.7	300.2	300.7	29.9	30.2	-2.6	-0.6	+7.3	+1.4	210	112	3.6	3.6	32.0	11.1
25	1001.2	1003.6	299.6	300.6	29.1	30.2	-2.6	-0.9	..	+1.6	180	118	6.4	3.8	41.5	13.5
30	1005.8	1003.6	300.1	300.7	29.5	30.2	-1.0	-1.3	+1.7	+1.7	125	155	3.9	3.8	7.4	13.9
Aug. 4	998.6	1004.2	300.8	300.8	31.0	30.4	-1.7	-1.5	-1.7	+0.1	225	178	4.1	3.4	35.0	11.1
9	999.8	1004.2	301.2	300.5	32.1	30.4	-1.3	-0.9	-0.6	+0.6	204	144	2.3	3.0	15.9	13.2
14	1004.1	1004.9	299.7	300.4	29.5	30.1	-0.4	-0.8	+3.3	+0.9	97	132	5.0	3.2	35.8	12.8
19	1003.2	1005.7	299.8	300.4	28.2	29.9	-0.3	-0.4	+7.0	+1.4	88	107	2.8	2.8	6.3	8.1
24	1002.0	1005.6	300.0	300.5	29.0	29.8	-0.4	-0.4	-1.5	+0.6	289	124	3.3	2.7	19.9	13.2
29	1005.7	1005.9	300.4	300.6	31.0	29.7	-2.6	-0.2	-2.4	+0.9	223	101	3.0	3.0	61.3	9.5
Sept. 3	1007.2	1006.1	301.6	300.6	29.8	28.6	-1.2	-0.1	-1.3	+1.1	226	97	2.1	3.0	...	8.2
8	1006.9	1006.7	300.1	300.0	23.6	27.4	+0.8	+0.4	+0.3	+1.8	20	78	2.0	3.5	4.1	9.3
13	1008.5	1008.6	299.9	299.9	28.0	27.3	-0.4	+0.3	+1.5	+2.3	105	83	2.2	3.5	1.4	8.2
18	1011.0	1009.3	299.9	298.8	27.0	26.0	-0.1	+0.5	+2.6	+2.8	93	81	3.2	4.3	21.0	12.0
23	1007.6	1010.5	299.6	299.5	27.4	25.8	-0.6	+0.6	+1.5	+3.0	112	78	1.8	4.3	5.2	5.3
28	1008.0	1010.4	299.5	299.1	17.0	24.4	+1.8	+1.1	-0.4	+3.1	348	71	2.5	4.6	0.2	7.0
Oct. 3	1012.5	1011.7	298.4	298.6	20.9	23.1	+1.3	+0.8	+1.1	+3.3	41	76	2.8	4.7	4.7	6.9
8	1014.7	1013.2	296.7	298.1	13.9	22.9	+2.6	+0.9	+2.6	+3.3	44	74	4.7	4.5	0.1	4.3
13	1017.7	1013.7	296.0	297.7	21.9	22.1	+1.0	+1.0	+5.3	+3.6	80	75	5.8	4.1	...	3.8
18	1014.3	1014.7	297.1	297.3	23.8	21.6	-0.1	+1.0	+4.8	+3.2	91	73	4.9	4.4	...	1.5
23	1014.0	1015.2	297.4	296.8	25.3	20.9	...	+0.8	+3.7	+3.7	90	77	3.7	4.6	...	1.5
28	1009.3	1015.3	297.8	296.1	20.1	-0.9	+1.3	+0.7	+2.9	+2.9	141	65	3.1	4.2	84.2	4.7
Nov. 2	1016.6	1016.2	295.4	295.6	17.8	19.5	+1.5	+1.2	+3.7	+3.3	68	70	4.4	4.4	0.4	1.2
7	1017.2	1016.3	295.3	294.9	19.3	17.8	+1.6	+1.5	+4.3	+3.1	69	65	5.1	4.4	1.5	1.7
12	1017.0	1017.5	294.7	293.8	17.2	16.0	+1.3	+1.6	+4.6	+2.7	74	60	5.2	4.2	...	1.7
17	1012.7	1017.5	295.4	293.4	19.6	15.8	+0.6	+1.4	+2.5	+2.5	75	61	2.9	3.8	...	1.9
22	1015.7	1018.7	294.8	292.4	19.8	14.8	+0.8	+1.5	+2.8	+2.7	74	61	3.8	4.2	0.1	1.3
27	1018.3	1019.4	293.3	291.6	18.2	14.0	+1.1	+1.4	+3.1	+2.8	70	63	3.6	4.0	...	1.0
Dec. 2	1021.8	1019.4	292.0	291.0	15.1	13.9	+1.1	+1.4	+3.0	+2.6	69	61	3.7	3.9	...	1.2
7	1018.7	1018.7	292.2	290.6	18.8	13.6	+1.1	+1.1	+3.0	+2.5	69	65	3.5	3.6	0.5	0.9

ROYAL OBSERVATORY, HONG KONG

PLATE I.—TRACKS OF TYPHOONS AND DEPRESSIONS IN THE FAR EAST DURING THE YEAR 1922.


The circles indicate the position of the centre at 6 a.m. of the 1922 series on each day.



ROYAL OBSERVATORY,

PLATE II.—TRACKS OF TYPHOONS AND DEPRESSIONS IN THE FAR EAST DURING THE YEAR 1922.


The circles indicate the position of the centre at 6 a.m. of the 1922 series on each day.



ROYAL OBSERVATORY, HONGKONG.

PLATE I.—TRACKS OF TYPHOONS AND DEPRESSIONS IN THE FAR EAST DURING THE YEAR 1922.


The circles indicate the position of the centre at 6 a.m. of the 12th meridian on each day.



ROYAL OBSERVATORY, HONGKONG.

PLATE II.—TRACKS OF TYPHOONS AND DEPRESSIONS IN THE FAR EAST DURING THE YEAR 1923.

The circles indicate the position of the centre at 6 a.m. of the 12th meridian on each day.



ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

DECEMBER,

1923.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	30TH NOVEMBER, 1923.							1ST DECEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.		
Wladivostock, .	12	30.19	766.9	9	...	NNE	3	b	6	30.35	770.8	2	...	N	3	b
Nemuro,	11	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	15	30.48	774.2	26	100	WNW	2	r	6	30.47	773.9	24	87	W	1	b
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.49	774.3	46	39	N	1	b	"	30.50	774.6	34	92	N	1	b
Gutzlaff,	14	30.41	772.4	48	49	N	4	o	"	30.46	773.7	38	38	N	2	o
Sharp Peak,	"	30.19	766.8	65	73	E	4	b	7	30.31	769.9	58	64	NNW	4	o
Amoy,	15	30.12	765.0	69	52	NE	4	o	9	30.22	767.6	60	60	NNE	4	o
Swatow,	"	8
Taihoku,	11	30.20	767.1	68	77	E	6	o	5	30.28	769.2	57	89	E	4	o
Taihu,	"	30.08	764.1	70	...	N	4	o	"	30.12	765.0	59	...	N	2	b
Taiwan,	"	30.07	763.8	73	...	NW	4	o	"	30.10	764.4	55	...	NNE	2	b
Koshun,	"	30.06	763.5	73	...	NNE	6	b	"	30.08	764.1	66	...	NNE	7	o
Pescadores,	"	30.13	765.3	70	...	NNE	8	o	"	30.13	765.3	66	...	NNE	8	o
Canton,	14	30.11	764.8	71	57	NE	1	b	6
Hongkong,	"	30.11	764.8	69	69	E	4	b	"	30.16	766.0	64	65	NE	3	c
Gap Rock,	"	30.09	764.3	ENE	5	o	"	30.10	764.5	55	...	ENE	5	o
Macao,	"	30.10	764.4	66	63	ENE	4	b	"	30.11	764.7	64	71	ENE	4	o
Winchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	30.02	762.6	75	71	ENE	2	o	7	30.04	762.9	68	100	ENE	4	if
Tourane,	"	29.95	760.8	73	...	SE	2	o	"	29.99	761.7	73	...	SSE	2	r
Cape St. James,	"	29.87	758.7	79	...	ENE	4	b	"	29.93	760.2	72	...	ENE	6	b
Basco,	14	6
Aparri,	"	29.92	759.9	79	69	NE	4	b	"	30.00	762.0	73	75	NE	6	o
Manila,	"	29.82	757.5	81	76	NE	4	o	"	29.91	759.6	72	94	NE	1	b
Legaspi,	"	29.82	757.5	79	80	NNE	4	o	"	29.89	759.3	77	88	NNE	4	o
Tacloban,	"	"
Iloilo,	"	29.79	756.6	84	74	NE	4	o	"
Surigao,	"	"
Guam,	12.20	29.78	756.3	E	4	o	4.20
Yap,	12.47	29.73	755.1	E	2	o	4.47	29.79	756.6	SSW	4	o
Labuan,	14	29.80	756.9	84	77	NW	4	b	6	29.81	757.2	76	94	SW	2	r

December 1d. 114.45m.—Pressure has increased over S.E. China and N. Formosa, and slightly from S. Formosa to Luzon.

The anticyclonic conditions are practically unchanged. No information regarding the supposed Guam typhoon.

Strong monsoon may be expected along the S.E. coast of China and over the northern portion of the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.42 inches, against an average of 81.95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

DISTRICT. FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, strong; cloudy, some drizzle or mist.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	1ST DECEMBER, 1923.							2ND DECEMBER, 1923.										
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER. ATMOS.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER. ATMOS.	HUMIDITY.	WIND.		WEATHER.
	Inches.	Millrs.	Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.	Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.31	769.8	9	NNW	3	b	6	30.37	771.3	4	...	N	1	b	
Nemuro, .	11	5	
Hokodate, .	"	"	
Tokio, .	"	"	
Kochi, .	"	"	
Nagasaki, .	"	"	
Kagoshima, .	"	"	
Oshima, .	"	"	
Naha, .	"	"	
Ishigakijima, .	"	"	
Bonin Island, .	"	"	
Chefoo, .	15	30.37	771.4	36	54	W	1	b	6	30.40	772.1	34	69	NW	2	o		
Hankow, .	"	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	30.50	774.6	41	61	N	1	o	6	30.45	773.4	39	80	N	1	o		
Gutzlaff, .	14	30.39	771.9	44	68	N	2	o	"	30.41	772.4	44	86	NNW	4	o		
Sharp Peak, .	"	30.27	768.8	56	78	E	4	b	7	30.22	767.6	56	87	N	1	o		
Amoy, .	15	30.14	765.5	67	60	NNE	4	b	9	30.17	766.3	60	71	NNE	1	o		
Swatow, .	"	8		
Taihoku, .	11	30.25	768.3	66	63	E	6	o	5	30.20	767.1	59	89	E	4	o		
Taichu, .	"	30.13	765.3	77	0	b	"	30.14	765.6	55	0	b		
Tainan, .	"	30.12	765.0	77	...	W	2	b	"	30.12	765.0	63	0	b		
Koshun, .	"	30.11	764.7	73	...	NNE	-	b	"	30.11	764.7	66	...	NNE	6	o		
Pescadores, .	"	30.17	766.2	70	...	NNE	7	b	"	30.14	765.6	66	...	N	6	o		
Canton, .	14	30.11	764.8	70	61	SW	1	b	6		
Hongkong, .	"	30.09	764.3	67	72	E	5	o	"	30.15	765.8	65	79	E	5	o		
Gap Rock, .	"	30.08	764.0	ENE	6	o	"	30.13	765.3	66	...	ENE	6	o		
Macao, .	"	30.08	764.1	70	69	ESE	4	o	"	30.12	765.0	66	76	ENE	4	o		
Wuchow, .	15	9		
Pakhoi, .	"	"		
Hoikow, .	"	"		
Phulien, .	"	29.99	761.7	70	92	E	6	r	7	30.06	763.5	50	27	ENE	4	of		
Tourane, .	"	29.95	760.8	77	...	SSE	2	o	"	30.00	762.0	72	...	SSE	2	o		
Cape St. James, .	"	29.87	758.7	82	...	ENE	2	b	"	29.92	759.9	72	...	ENE	4	b		
Basco, .	14	6		
Aparri, .	"	29.98	761.4	79	61	NE	4	o	"	30.01	762.3	73	66	ENE	4	b		
Manila, .	"	29.86	758.4	86	56	SW	2	o	"	29.93	760.2	68	91	...	0	b		
Legaspi, .	"	29.84	757.8	82	67	NNE	4	b	"	29.88	759.0	75	83	N	4	o		
Tacloban, .	"	29.79	756.6	84	64	NW	4	o	"	29.86	758.4	75	83	NW	4	o		
Iloilo, .	"	29.80	756.9	86	58	N	6	o	"	29.86	758.4	73	91	N	4	o		
Surigao, .	"	29.79	756.6	82	74	N	4	o	"	29.82	757.5	79	90	N	4	o		
Guam, .	12.20	29.82	757.5	SE	4	o	4.20	29.91	759.6	ENE	4	r		
Yap, .	12.47	29.79	756.6	S	4	o	4.47	29.86	758.4	ESE	4	o		
Labuan, .	14	29.79	756.6	86	80	S	2	b	6	29.84	757.8	77	94	NW	4	b		

December 2d. 11h. 30m.—Pressure has decreased slightly at Shanghai and increased at the majority of other reporting stations.

The anticyclone has weakened slightly and probably moved eastward.

Strong to fresh monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.42 inches, against an average of 81.99 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.
DISTRICT.**

- 1.—Formosa Channel, N.E. winds, strong.
 2.—South coast of China between Hongkong and Lamock,
 3.—Hongkong to Gap Rock, } N.E. winds, strong to fresh; fair.
 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	2ND DECEMBER, 1923.							3RD DECEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.	
Wladivostock,	12	30.37	771.4	11	...	NNE	3	b	6	30.51	774.9	2	...	N	3	b
Nemuro,	11	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	15	30.55	775.9	34	82	N	2	b	6	30.66	778.7	30	88	W	1	b
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.61	777.6	45	71	N	2	o	"	30.57	776.4	39	78	N	1	b
Gutzlaff,	14	30.45	773.4	48	71	N	2	o	"	30.55	775.9	47	70	NNE	4	b
Sharp Peak,	"	30.21	767.3	60	82	N	2	r	7	30.29	769.3	56	93	N	4	o
Amoy,	15	30.12	765.0	70	61	E	2	o	9	30.25	768.3	63	78	NE	1	o
Swatow,	"	8
Taiboku,	11	30.22	767.7	70	69	E	6	b	5	30.27	768.9	63	82	E	4	o
Taichu,	"	30.17	766.2	75	...	NW	2	b	"	30.10	766.5	55	0	b
Tainan,	"	30.14	765.6	77	...	W	2	b	"	30.14	765.6	57	...	NNE	4	b
Koshun,	"	30.12	765.0	73	...	NNE	6	b	"	30.11	764.7	68	...	NE	6	b
Pescadores,	"	30.17	766.2	73	...	NNE	6	b	"	30.19	766.8	66	...	NNE	7	b
Canton,	14	30.13	765.3	74	63	NW	1	o	6
Hongkong,	"	30.13	765.3	70	60	E	4	b	"	30.24	768.1	63	62	NNE	3	o
Gap Rock,	"	30.12	765.0	ENE	5	b	"	30.21	767.3	NE	5	o
Macao,	"	30.10	764.4	73	66	E	4	b	"	30.24	768.0	59	68	NNW	4	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	30.07	763.8	72	89	E	6	o	7
Tourane,	"	30.00	762.0	79	...	SE	2	b	"
Cape St. James,	"	29.87	758.7	79	...	ENE	2	b	"
Basco,	14	30.00	762.0	73	...	N	4	o	6	30.08	764.1	72	...	N	4	o
Aparri,	"	29.98	761.4	77	...	NE	4	o	"
Manila,	"	29.86	758.4	86	94	WSW	2	o	"	29.93	760.2	66	96	NE	1	b
Legaspi,	"	29.82	757.5	82	...	NNW	4	o	"	29.87	758.7	72	96	SW	1	o
Tacloban,	"	"	29.86	758.4	75	91	...	0	o
Iloilo,	"	29.80	756.9	86	52	N	6	o	"	29.88	759.0	73	94	N	2	o
Surigao,	"	"	29.85	758.1	72	94	WSW	1	b
Guam,	12.20	29.80	756.9	E	4	o	4.20	29.87	758.7	ENE	4	b
Yap,	12.47	29.81	757.2	ESE	4	o	4.47	29.86	758.4	NNE	1	b
Labuan,	14	29.80	756.9	86	76	NW	4	b	6	29.86	758.4	78	91	SW	2	b

December 3d. 10h. 03m.—Pressure has increased moderately at Chefoo and from Foochow to Hongkong. It is nearly stationary at Shanghai and over the Philippines.

The anticyclone is central farther North this morning.

Strong monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.42 inches, against an average of 82.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH. DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, strong; fair.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	3RD DECEMBER, 1923.							4TH DECEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.	WEATHER.
Vladivostock, .	12	30.50	774.7	12	...	N	3	b	6	30.46	773.6	6	...	o	c
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.60	777.2	42	75	SSW	1	b	6	30.49	774.4	34	82	o	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.62	777.9	52	51	N	1	b	"	30.54	775.8	36	89	NNE	b
Gutzlaff, .	14	30.57	776.5	52	60	N	4	h	"	30.55	775.9	44	76	N	o
Sharp Peak, .	"	30.32	770.1	60	76	NNE	4	o	7	30.34	770.6	54	87	N	o
Amoy, .	15	30.24	768.1	68	65	NNE	1	o	9	30.30	769.6	60	87	N	o
Swatow, .	"	8
Taihoku, .	11	30.36	771.0	64	80	E	6	o	5	30.33	770.4	59	79	E	o
Taichu, .	"	30.18	766.5	73	...	NNW	4	b	"	30.18	766.5	54	...	o	b
Tainan, .	"	30.19	766.8	73	...	N	4	b	"	30.20	767.1	57	...	N	o
Koshun, .	"	30.15	765.9	75	...	NNE	6	b	"	30.13	765.3	66	...	NE	b
Pescadores, .	"	30.25	768.3	70	...	NNE	8	o	"	30.21	767.4	64	...	NNE	8
Canton, .	14	6
Hongkong, .	"	30.23	767.8	69	58	N	2	o	"	30.25	768.3	58	74	N	b
Gap Rock, .	"	30.24	768.1	69	...	N	5	e	"	30.24	768.1	52	...	NE	b
Macao, .	"	30.22	767.7	63	65	NNW	4	o	"	30.24	768.0	52	83	NNW	4
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.25	768.3	61	89	NW	2	o	7	30.24	768.0	59	87	ENE	o
Tourane, .	"	30.06	763.5	75	...	FSE	6	o	"	30.07	763.8	61	...	E	o
Cape St. James, .	"	29.91	759.6	79	...	ENE	6	b	"	29.95	760.8	73	...	ENE	b
Basco, .	14	6	30.08	764.1	73	...	N	o
Aparri, .	"	30.01	762.3	77	64	NE	4	o	"
Manila, .	"	29.87	758.7	84	64	WSW	4	o	"	29.88	759.0	73	89	W	o
Legaspi, .	"	29.80	756.9	84	77	S	2	o	"
Tacloban, .	"	29.81	757.2	82	70	NW	4	o	"
Iloilo, .	"	29.84	757.8	79	85	N	4	o	"	29.86	758.4	75	88	NE	o
Surigao, .	"	29.81	757.2	82	67	WSW	2	o	"
Guam, .	12.20	29.82	757.5	ENE	4	o	4.20
Yap, .	12.47	29.81	757.2	E	4	o	4.47	29.86	758.4	NE	o
Labuan, .	14	29.82	757.4	86	76	S	1	o	6	29.83	757.7	78	94	NE	b

December 4d. 10h. 45m.—Pressure has decreased slightly at the majority of stations reporting.

The northern portion of the anticyclone has moved eastward, leaving a separate anticyclone over China.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.42 inches, against an average of 82.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.
DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, } N.E. winds, fresh; fine.
- 3.—Hongkong to Gap Rock, }
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	4TH DECEMBER, 1923.							5TH DECEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Millrs.			Direct- ion.	Force.			Inches.	Millrs.			Direct- ion.	Force.	
Wladivostock, .	12	30.38	771.6	22	0	0	6	10	...	NNE	1	b
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.52	775.2	58	64	SW	1	o	6	30.39	771.9	40	91	...	0	r
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.54	775.8	57	46	E	1	b	"	30.40	772.2	41	91	ESE	1	b
Gutzlaff, .	14	30.47	773.9	52	66	E	2	b	"	30.42	772.6	50	72	E	2	b
Sharp Peak, .	"	30.27	768.8	66	59	N	4	b	7	30.25	768.3	58	81	W	2	o
Amoy, .	15	30.23	767.8	63	67	NNE	1	b	9	30.20	767.1	62	77	N	1	o
Swatow, .	"	8
Taihoku, .	11	30.32	770.1	72	47	E	6	b	5	30.20	767.1	61	91	E	4	b
Taichu, .	"	30.19	766.8	75	...	o	"	30.17	766.2	61	0	...
Tainan, .	"	30.19	766.8	77	...	W	2	b	"	30.14	765.6	63	0	o
Koshun, .	"	30.18	766.5	73	...	NE	7	b	"	30.17	766.2	64	...	N	4	r
Pescadores, .	"	30.24	768.0	72	...	NNE	7	b	"	30.17	766.2	66	...	N	6	o
Canton, .	14	30.20	767.1	79	61	N	2	b	6
Hongkong, .	"	30.19	766.8	67	60	E	4	b	"	30.19	766.8	63	79	N	3	o
Gap Rock, .	"	30.19	766.8	NE	5	b	"	30.17	766.3	ENE	4	b
Macao, .	"	30.18	766.5	63	61	NNE	4	b	"	30.17	766.2	61	69	NNW	2	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.17	766.2	66	71	ENE	4	o	7	30.14	765.6	63	80	NE	4	of
Tourane, .	"	30.04	762.9	73	...	E	6	o	"	30.02	762.6	72	...	E	1	b
Cape St. James, .	"	29.91	759.6	79	...	ENE	6	b	"	29.93	760.2	72	...	ENE	4	b
Basco, .	14	6
Aparri, .	"	30.00	762.0	75	89	NE	6	r	"
Manila, .	"	29.86	758.4	81	69	WNW	2	o	"	29.86	758.4	73	94	...	0	o
Legaspi, .	"	"
Tacloban, .	"	29.79	756.6	82	77	SE	4	o	"	29.88	759.0	75	91	...	0	o
Illoilo, .	"	29.81	757.2	86	65	NE	4	o	"	29.86	758.4	73	88	N	4	o
Surigao, .	"	"	29.86	758.4	73	96	...	0	o
Guam, .	12.20	29.86	758.4	ENE	4	o	4.20	29.88	759.0	NE	2	o
Yap, .	12.47	29.81	757.2	NE	4	o	4.47	29.85	758.1	NE	4	o
Labuan, .	14	29.80	756.9	88	76	N	2	b	6	29.81	757.2	76	94	NE	2	o

December 4d. 17h. 20m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 15° N. Long. 123° E., moving West.

December 5d. 11h. 53m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 12° N. Long. 119° E., filling up, position uncertain.

December 5d. 11h. 59m.—Pressure has decreased moderately to slightly at the majority of reporting stations.

The anticyclone probably covers Japan this morning.

The depression or typhoon appears to be filling up to the S.W. of Manila.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.42 inches, against an average of 82.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, .
- 3.—Hongkong to Gap Rock, N.E. winds, moderate; fine to cloudy.
- 4.—South coast of China between Hongkong and Hainan, .

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	5TH DECEMBER, 1923.							6TH DECEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.
Vladivostock, .	12	30.42	772.7	26	0	r	6	30.37	771.3	29	o
Nemuro, .	11	5
Hokodate, .	"	2
Tokio, .	"	3
Kochi, .	"	4
Nagasaki, .	"	5
Kagoshima, .	"	6
Oshima, .	"	7
Naha, .	"	8
Ishigakijima, .	"	9
Bonin Island, .	"	10
Chefoo, .	15	30.39	771.9	46	77	...	0	b	6	30.35	770.9	34	100	...	o
Hankow, .	"	7
Ichang, .	"	8
Changsha, .	"	9
Shanghai, .	11	30.41	772.5	39	52	SW	1	b	10	30.31	769.8	46	97	NNE	i
Gutzlaff, .	14	30.38	771.6	56	63	ENE	2	o	11	30.31	769.8	52	100	E	o
Sharp Peak, .	"	30.25	768.3	63	83	E	2	o	12	30.23	767.8	60	93	NW	r
Amoy, .	15	30.10	764.5	66	64	WNW	1	o	13	30.10	764.5	67	79	NNE	o
Swatow, .	"	14
Taihoku, .	11	30.18	766.5	75	60	E	4	b	15	30.11	764.7	66	92	E	o
Taichu, .	"	30.15	765.9	77	...	o	0	o	16	30.06	763.5	63	...	o	o
Taiwan, .	"	30.19	766.8	73	...	NNW	2	o	17	30.04	762.9	64	...	N	b
Koshun, .	"	30.14	765.6	73	...	NNE	6	o	18	30.00	762.0	72	...	NE	b
Pescadores, .	"	30.18	766.5	73	...	NNE	4	o	19	30.07	763.8	70	...	NNE	o
Canton, .	14	30.11	764.8	73	55	N	1	b	20
Hongkong, .	"	30.09	764.3	72	56	E	2	b	21	30.06	763.5	68	78	ENE	o
Gap Rock, .	"	30.12	765.0	ENE	4	b	22	30.04	763.0	ENE	o
Macao, .	"	30.10	764.4	68	60	NNE	4	b	23	30.05	763.2	64	86	N	o
Wuchow, .	15	24
Pakhoi, .	"	25
Hoihow, .	"	26
Phulien, .	"	30.10	764.4	68	73	ENE	2	o	27	30.07	763.8	63	92	WNW	of
Tourane, .	"	30.00	762.0	73	...	ENE	6	o	28	29.94	760.5	73	...	E	o
Cape St. James, .	"	29.86	758.4	79	...	ENE	2	b	29	29.87	758.7	72	...	ENE	b
Basco, .	14	30
Aparri, .	"	29.94	760.5	73	94	...	0	r	31	29.94	760.5	73	96	E	r
Manila, .	"	29.78	756.3	90	60	ESE	2	o	32	29.89	759.3	72	94	o	o
Legaspi, .	"	29.89	759.3	79	89	NNE	2	o	33	29.87	758.7	77	91	N	b
Tacloban, .	"	34
Illoilo, .	"	29.79	756.6	86	58	NE	4	o	35
Surigao, .	"	36
Guam, .	12.20	29.80	756.9	ENE	4	o	37	4.20
Yap, .	12.47	29.81	757.2	ENE	4	o	38	4.47	29.82	757.5	...	ENE	b
Labuan, .	14	29.77	756.1	86	80	N	2	b	39	6	29.82	757.4	77	N	b

December 5d. 18h. 35m.—Warning to Hongkong:—Depression or typhoon in Lat. 12° N. Long. 118° E., moving West, position uncertain.

December 6d. 11h. com.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 11° N. Long. 116° E., moving West, position uncertain.

December 6d. 11h. 05m.—Pressure has increased slightly at Manila and decreased at the majority of other reporting stations.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Observations yesterday afternoon indicated that the typhoon might possibly be still in existence. If so it is probably moving West.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.42 inches, against an average of 82.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

DISTRICT.

FORECAST.

- | | |
|---|---------------------------------|
| 1.—Formosa Channel, . | N.E. winds, fresh. |
| 2.—South coast of China between Hongkong and Lamocks, . | } N.E. winds, moderate; cloudy. |
| 3.—Hongkong to Gap Rock, . | |
| 4.—South coast of China between Hongkong and Hainan, . | |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	6TH DECEMBER. 1923.							7TH DECEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches	Millrs.			Direction.	Force.		Wind.	Force.			Wind.	Force.		
Wladivostock, .	12	30.30	769.6	35	...	ENE	1	0	6	30.21	767.3	39	...	ESE	4	0
Nemuro,	11	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	15	30.23	767.8	50	88	SE	1	0	6	30.09	764.3	47	100	...	0	r
Hankow,	"	"
Iehang,	"	"
Changsha,	"	"
Shanghai,	11	30.26	768.6	52	69	E	1	0	"	30.17	766.2	54	92	NW	2	o
Gutzlaff,	14	30.21	767.3	60	94	SE	4	o	"	30.15	765.8	56	100	SSE	2	o
Sharp Peak,	"	30.08	764.0	60	94	N	1	r	7	30.07	763.8	62	100	...	0	r
Amoy,	15	29.99	761.7	68	79	N	1	o	9	30.04	763.0	66	100	W	1	r
Swatow,	"	8
Taihoku,	11	30.08	764.1	75	79	NE	6	o	5	30.05	763.2	68	96	...	0	o
Taiichu,	"	30.04	762.9	81	...	o	b	...	"	30.04	762.9	68	0	b
Tainan,	"	30.05	763.2	81	...	NNW	1	b	"
Koshun,	"	30.04	762.9	81	...	NNE	6	b	"
Pescadores,	"	30.07	763.8	75	...	NNE	6	o	"
Canton,	14	30.05	763.2	69	70	ESE	2	o	6
Hongkong,	"	30.02	762.5	71	66	E	2	o	"	30.01	762.2	69	84	N	1	o
Gap Rock,	"	30.01	762.2	ENE	4	o	"	30.00	762.0	ENE	4	o
Macao,	"	30.01	762.2	70	69	NW	4	o	"	30.01	762.3	64	98	NNW	4	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.98	761.4	79	61	SE	4	b	7	30.00	762.0	66	82	NE	4	bf
Tourane,	"	29.88	759.0	75	...	E	4	o	"	29.91	759.6	73	...	WNW	4	o
Cape St. James, .	"	29.84	757.8	82	...	SE	4	b	"	29.85	758.1	73	...	ENE	2	b
Basco,	14	6
Aparri,	"	29.88	759.0	82	77	NE	4	b	"	29.93	760.2	73	96	SE	2	o
Manila,	"	29.84	757.8	90	56	SE	2	o	"	29.87	758.7	72	96	...	0	o
Legaspi,	"	29.85	758.1	77	89	NE	2	o	"	29.88	759.0	77	92	NNE	2	o
Tacloban,	"	29.80	756.9	77	89	...	o	r	"	29.86	758.4	75	92	NW	2	o
Iloilo,	"	29.75	755.7	86	68	NE	6	o	"	29.82	757.5	75	92	N	4	o
Surigao,	"	29.76	756.0	84	77	ENE	2	o	"	29.82	757.5	75	96	...	0	o
Gam,	12.20	29.80	756.9	...	77	ENE	4	o	4.20	29.85	758.1	ENE	4	r
Yap,	12.47	29.79	756.6	E	6	o	4.47	29.81	757.2	NE	4	o
Labuan,	14	29.78	756.4	86	78	NW	1	b	6	29.79	756.6	76	94	S	1	b

December 6d. 18h. 30m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 10° N. Long. 116° E., direction unknown, position uncertain.

December 7d. 10h. 52m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 8° N. Long. 114° E., moving W.S.W., direction unknown, position uncertain.

December 7d. 10h. 52m.—Pressure has decreased moderately from Wladivostock to Shanghai and slightly from Cochinchina to Borneo. It is nearly stationary over Kwangtung and the Philippines.

The typhoon, if still in existence, is probably in about Lat. 8° N. and Long. 114° E., moving W.S.W.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.42 inches, against an average of 82.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, moderate; overcast, some drizzle or mist.

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	7TH DECEMBER, 1923.							8TH DECEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE. ATMOS.	HUMIDIT.	WIND.			
		Inches.	Millrs.			Direct- ion.	Force.		Inches.	Millrs.			Direct- ion.	Force.		
Vladivostock, .	12	6		
Nemuro, .	11	5		
Hokodate,	"		
Tokio, .	"	"		
Kochi, .	"	"		
Nagasaki, .	"	"		
Kagoshima, .	"	"		
Oshima, .	"	"		
Naha, .	"	"		
Ishigakijima, .	"	"		
Bonin Island, .	"	"		
Chefoo, .	15	30.19	766.8	44	100	NW	1	r	6	30.36	771.0	38	91	NNW	1	o
Hankow, .	"	"	
Ichang, .	"	"	
Changsha, .	"	"	
Shanghai, .	11	30.30	769.5	52	75	NW	1	o	"	30.36	771.1	45	92	NNW	1	o
Gutzlaff, .	14	30.27	768.8	42	92	NNW	4	o	"	30.36	771.1	47	100	NNW	4	o
Sharp Peak, .	"	30.09	764.3	66	95	...	0	r	7	30.16	766.0	60	93	NNE	4	o
Amoy, .	15	30.05	763.2	67	95	...	0	o	9	
Swatow, .	"	8	
Taihoku, .	11	30.13	765.3	73	85	...	0	o	5	30.12	765.0	68	96	E	4	o
Taichu, .	"	29.94	760.5	79	...	NNW	4	b	"	30.06	763.5	66	...	S	4	o
Tainan, .	"	30.04	762.9	82	...	N	4	b	"	30.00	762.0	66	...	NNE	2	r b
Koshun, .	"	30.02	762.6	81	...	NE	4	o	"	30.00	762.0	75	...	NNE	6	o
Pescadores, .	"	30.08	764.1	72	...	NNE	6	o	"	30.08	764.1	72	
Canton, .	14	30.04	763.0	71	80	SSW	1	o	6	
Hongkong, .	"	30.02	762.5	70	92	E	2	o	"	30.06	763.5	69	95	E	4	od
Gap Rock, .	"	30.03	762.7	NNE	4	o	"	30.04	763.0	ENE	4	o
Macao, .	"	30.01	762.3	68	96	NW	2	r	"	30.04	763.0	68	96	N	2	of
Wuchow, .	15	9	
Pakhoi, .	"	"	
Hoihow, .	"	"	
Phulien, .	"	29.98	761.4	77	68	E	2	o	7	30.05	763.2	68	91	NNE	2	of
Tourane, .	"	29.87	758.7	77	...	NW	6	o	"	29.95	760.8	72	...	WNW	2	o
Cape St. James, .	"	29.81	757.2	79	...	ENE	4	b	"	29.85	758.1	75	...	ENE	2	b
Basco, .	14	6	
Aparri, .	"	29.91	759.6	81	80	NE	2	o	"	29.97	761.1	73	96	...	0	b
Manila, .	"	29.85	758.1	84	68	W	2	o	"	29.89	759.3	72	96	...	0	o
Legaspi, .	"	29.85	758.1	84	77	NE	4	o	"	
Tacloban, .	"	"	
Iloilo, .	"	29.78	756.3	86	65	NE	6	o	"	29.84	757.8	77	89	N	4	o
Surigao, .	"	29.79	756.6	84	77	ENE	4	o	"	
Guam, .	12.20	29.81	757.2	ENE	4	o	"	
Yap, .	12.47	29.80	756.9	ENE	1	b	4.20	NE	4	b
Labuan, .	14	29.77	756.1	86	84	N	1	b	4.47	29.82	757.5	NE	2	b
									6	29.76	755.9	78	94	NE	2	b

December 7d. 17h. 45m.—Warning to Hongkong;—Depression or typhoon in Lat. 8° N. Long. 114° E., filling up, position uncertain.

December 8d. 9h. 52m.—Pressure has increased moderately at Chefoo and slightly from Shanghai to Foochow and from Haiphong to Tourane. It has decreased slightly at Labuan and is nearly stationary at other reporting stations.

The typhoon has filled up.

An anticyclone has formed over N. China.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 106.44 inches, against an average of 82.24 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.
DISTRICT.**

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks,
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; overcast, some drizzle or mist, cooler.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	8TH DECEMBER, 1923.								9TH DECEMBER, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDIT.	WIND.		WEATHER.
	Inches.	Millrs.	Direct- ion.	Force.			Inches.	Millrs.			Direct- ion.	Force.			Direct- ion.	Force.	
Wladivostock, .	12	30.17	766.4	31	...	NNE	3	0	6	30.47	774.0	12	0	b
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.35	770.9	42	50	WNW	2	b	6	30.39	771.9	34	82	N	2	b	...
Hankow, .	"	"
Iehang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.45	773.4	48	67	NNW	1	0	"	30.40	772.2	46	89	N	1	o	...
Gutzlaff, .	14	30.38	771.6	50	93	NNW	4	o	"	30.38	771.6	48	100	NNW	4	o	...
Sharp Peak, .	"	30.18	766.6	60	91	N	2	o	7	30.20	767.1	58	93	E	2	o	...
Amoy, .	15	30.08	764.0	72	76	NW	1	o	9	30.14	765.5	66	84	E	4	o	...
Swatow, .	"	8
Taihoku, .	11	30.18	766.5	75	76	E	6	b	5	30.12	765.0	66	92	E	4	o	...
Taichu, .	"	30.10	764.4	79	...	NNW	2	b	"	30.08	764.1	66	0	o	...
Tainan, .	"	30.10	764.4	77	...	WNW	2	r	"	30.05	763.2	68	...	N	2	b	...
Kochun, .	"	30.11	764.7	75	...	SE	4	o	"	30.04	762.9	73	...	NE	4	b	...
Pescadores, .	"	30.14	765.6	73	...	NNE	7	o	"	30.10	764.4	68	...	NNE	7	o	...
Canton, .	14	30.08	764.0	68	90	N	2	o	6
Hongkong, .	"	30.07	763.8	71	82	E	5	o	"	30.07	763.8	67	95	E	2	o	...
Gap Rock, .	"	30.04	763.0	ENE	5	o	"	30.06	766.5	ENE	4	o	...
Macao, .	"	30.05	763.2	70	83	ESE	2	o	"
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.01	762.3	73	86	ENE	2	if of	7	30.06	763.5	66	100	NNW	2	rf	...
Tourane, .	"	29.93	760.2	77	...	NNW	2	of	"	29.94	760.5	75	...	ESE	4	o	...
Cape St. James, .	"	29.80	756.9	72	...	ENE	6	b	"	29.84	757.8	73	...	NE	2	b	...
Basco, .	14	6	29.99	761.7	75	...	NE	2	o	...
Aparsi, .	"	29.94	760.5	84	71	NE	4	h	"	29.97	761.1	70	96	...	0	b	...
Manila, .	"	29.86	758.4	86	68	...	o	o	"	29.89	759.3	73	94	NE	1	o	...
Legaspi, .	"	29.86	758.4	86	71	NE	4	b	"	29.87	758.7	77	88	NW	4	b	...
Tacloban, .	"	29.82	757.5	84	60	ESE	4	o	"
Illoilo, .	"	29.78	756.3	86	65	NE	6	o	"	29.81	757.2	75	88	NNE	4	o	...
Surigao, .	"	"	29.80	756.9	75	86	ENE	4	b	...
Guam, .	12.20	29.79	756.6	ENE	4	o	4.20	29.81	757.2	73	...	ENE	2	o	...
Yap, .	12.47	29.79	756.6	NE	6	o	4.47	29.80	756.9	NE	4	b	...
Labuan, .	14	29.78	756.4	75	72	NE	2	b	6	29.73	755.1	81	83	N	4	b	...

December 9d. 11h. 45m.—Pressure has increased considerably at Wladivostock and has decreased slightly at the majority of other reporting stations.

The anticyclone has weakened slightly.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inch. Total since January 1st, 106.48 inches, against an average of 82.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

DISTRICT. FORECAST.

- | | |
|---|--|
| 1.—Formosa Channel, . | N.E. winds, strong. |
| 2.—South coast of China between Hongkong and Lamocks, . | N.E. winds, fresh; overcast, some drizzle or mist. |
| 3.—Hongkong to Gap Rock, . | |
| 4.—South coast of China between Hongkong and Hainan, . | |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	9TH DECEMBER, 1923.							10TH DECEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millbs.			Direction.	Force.		Inches.	Millbs.			Direction.	Force.	WEATHER.	
Wladivostock, .	12	30.40	772.2	22	...	N	4	b	6	30.11	764.7	28	...	SE	4	o
Nemuro, .	11	5
Hokodate,	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.38	771.6	44	45	SSE	1	b	6	30.14	765.5	36	83	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.40	772.2	50	74	N	1	o	"	30.33	770.4	45	92	NW	1	o
Gutzlaff, .	14	30.34	770.6	50	100	NNE	2	o	"	30.32	770.1	48	100	NNE	2	o
Sharp Peak, .	"	30.21	767.3	58	88	N	4	o	7	30.19	766.8	58	93	E	1	r
Amoy, .	15	30.05	763.2	69	70	ENE	4	o	9	30.06	763.5	64	95	ENE	1	r
Swatow, .	"	8
Taihoku, .	11	30.17	766.2	70	82	E	2	o	5	30.08	764.1	64	96	...	o	h
Taichu, .	"	30.08	764.1	75	...	NNW	4	b	"	30.04	762.9	61	o	b
Tainan, .	"	30.05	763.2	79	...	N	4	b	"	30.01	762.3	63	...	NNE	4	o
Koshun, .	"	30.05	763.2	75	...	N	2	o	"	30.00	762.0	72	o	o
Pescadores, .	"	30.13	765.3	70	...	NNE	8	o	"	30.05	763.2	66	...	NNE	6	o
Canton, .	14	30.06	763.5	64	84	N	6
Hongkong, .	"	30.02	762.5	68	90	N	2	o	"	30.09	764.3	61	90	...	o	o
Gap Rock, .	"	30.02	762.5	ENE	4	o	"	30.07	763.8	ENE	4	o
Macao, .	"	30.02	762.6	64	96	NNW	4	of	"	30.08	764.1	57	96	NNW	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.99	761.7	68	98	ENE	4	rf	7	30.11	764.7	59	98	NE	4	rf
Tourane, .	"	29.89	759.3	57	...	E	2	b	"	29.94	760.5	75	...	E	4	o
Cape St. James, .	"	29.79	756.6	79	...	ENE	6	b	"	29.82	757.5	75	...	ENE	4	b
Basco, .	14	6	29.95	760.8	75	...	NNE	1	o
Aparri, .	"	29.89	759.3	82	84	ENE	4	b	"
Manila, .	"	29.82	757.5	84	68	ESE	1	o	"	29.87	758.7	72	88	NE	1	o
Legaspi, .	"	29.81	757.2	86	71	NE	4	b	"	29.84	757.8	79	92	N	2	b
Tacloban, .	"	29.79	756.6	82	67	ENE	4	o	"	29.81	757.2	77	94	NW	2	o
Ililo, .	"	29.74	755.4	84	68	NE	6	o	"	29.79	756.6	75	92	N	4	o
Surigao, .	"	29.75	755.7	81	84	ENE	4	o	"	29.78	756.3	79	80	ENE	4	b
Guam, .	12.20	29.76	756.0	ENE	4	o	4.20	29.78	756.3	NE	4	o
Yap, .	12.47	29.76	756.0	NE	4	o	4.47	29.76	756.0	SW	4	o
Labuan, .	14	29.72	754.9	88	76	N	2	b	6	29.73	755.1	78	94	NE	4	h

December 10d. 10h. 40m.—Pressure has decreased considerably at Chefoo and slightly from Shanghai to Amoy and over Formosa. It has increased slightly from Hongkong to Haiphong and is nearly stationary over the Philippines.

The anticyclonic conditions are indefinite.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inch. Total since January 1st, 106.51 inches, against an average of 82.32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.
DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, .
- 3.—Hongkong to Gap Rock, } N.E. winds, fresh; cloudy at first, finer later.
- 4.—South coast of China between Hongkong and Hainan, .

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

STATION.	10TH DECEMBER, 1923.							11TH DECEMBER, 1923.								
	HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.		
Vladivostock, .	12	29.97	761.2	30	...	SE	4	0	6	30.32	770.2	10	...	WNW	4	b
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo. .	15	30.23	767.8	42	50	NW	4	b	6	30.45	773.4	32	82	...	0	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.36	771.0	50	56	NW	1	b	"	30.40	772.2	36	96	W	1	b
Gutzlaff, .	14	30.31	769.9	48	78	NNW	4	o	"	30.39	771.9	46	92	NNW	2	b
Sharp Peak, .	"	30.14	765.5	58	97	ENE	2	r	7	30.21	767.3	54	87	N	2	b
Amoy, .	15	30.07	763.8	66	91	ENE	1	o	9	30.16	766.0	60	90	ENE	1	b
Swatow, .	"	8
Taihoku, .	11	30.13	765.3	73	75	SE	2	b	5	30.20	767.1	61	93	E	4	o
Taichu, .	"	30.04	762.9	73	...	N	4	o	"	30.06	763.5	61	...	N	4	b
Tainan, .	"	30.04	762.9	77	...	NNW	4	b	"	30.04	762.9	61	...	NNE	4	b
Koshun, .	"	30.01	762.3	79	...	NE	4	o	"	29.99	761.7	70	...	NE	6	r
Pescadores, .	"	30.08	764.1	72	...	NNE	7	o	"	30.08	764.1	64	...	NNE	8	o
Canton, .	14	30.15	765.8	61	77	N	2	o	6
Hongkong, .	"	30.07	763.8	68	65	N	3	o	"	30.13	765.3	62	76	N	1	o
Gap Rock, .	"	30.08	764.0	NNW	5	o	"	30.11	764.8	NE	4	b
Macao, .	"	30.08	764.1	55	88	NNW	4	o	"	30.13	765.3	55	84	NNW	4	b
Wuchow, .	15	9
Pakhoi, .	"	"
Hoibow, .	"	"
Phulien, .	"	30.08	764.1	64	76	...	0	o	7	30.13	765.3	63	75	ENE	2	of
Tourane, .	"	29.89	759.3	77	...	E	4	b	"	29.94	760.5	73	...	ENE	6	o
Cape St. James, .	"	29.79	756.6	79	...	ENE	6	b	"	29.82	757.5	73	...	ENE	4	b
Basco, .	14	29.91	759.6	81	...	NE	2	o	6	30.01	762.3	70	...	N	4	r
Aparri, .	"	"	29.94	760.5	75	94	...	0	o
Manila, .	"	29.81	757.2	84	71	WNW	3	o	"	29.88	759.0	73	91	NE	1	o
Legaspi, .	"	29.80	756.9	86	78	NE	4	o	"	29.85	758.1	79	84	N	4	b
Tacloban, .	"	29.79	756.6	81	87	...	0	r	"
Iloilo, .	"	29.73	755.1	86	78	NE	6	b	"	29.80	756.9	75	91	N	4	o
Surigao, .	"	29.75	755.7	86	71	ENE	4	o	"	29.78	756.3	77	91	...	0	o
Guam, .	12.20	29.72	754.8	NE	4	r	4.20	29.75	755.7	E	1	r
Yap, .	12.47	29.73	755.1	ENE	6	o	4.47	29.74	755.4	NE	2	o
Labuan, .	14	29.74	755.4	88	75	NE	2	b	6	29.72	754.9	80	91	E	4	b

December 11d. 11h. 35m.—Pressure has increased considerably at Chefoo and slightly from Shanghai to Hongkong. It is nearly stationary at the majority of other reporting stations.

An anticyclone has formed over S.E. Mongolia.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.51 inches, against an average of 82.36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, } N.E. winds, fresh; cloudy.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	11TH DECEMBER, 1923.							12TH DECEMBER, 1923.									
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.			TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.			TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Milrs.	Direct- ion.	Force.					Inches.	Milrs.	Direct- ion.	Force.				
Wladivostock, .	12	30.45	773.5	18	...	N	3	b	6	30.60	777.3	8	o	f
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.46	773.7	42	58	SE	1	b	6	30.37	771.4	38	84	SE	1	b	...
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.45	773.4	54	47	NE	1	b	"	30.30	769.5	46	89	E	1	o	...
Gutzlaff, .	14	30.38	771.6	56	94	NE	2	h	"	30.31	769.9	52	100	E	4	o	...
Sharp Peak, .	"	30.22	767.6	56	87	N	2	o	7	30.19	766.8	58	88	N	1	o	...
Amoy, .	15	30.08	764.0	67	64	ENE	1	b	9	30.13	765.3	62	72	ENE	2	o	...
Swatow, .	"	8
Taiboku, .	11	30.24	768.0	68	73	E	6	o	5	30.13	765.3	64	92	E	4	o	...
Taichu, .	"	30.10	764.4	73	...	NNW	4	b	"	30.06	763.5	63
Tainan, .	"	30.10	764.4	75	...	N	4	b	"	30.05	763.2	61	0	...
Koshun, .	"	30.06	763.5	73	...	NE	7	b	"	30.02	762.6	72	...	NE	4	b	...
Pescadores, .	"	30.15	765.9	68	...	NNE	8	o	"	30.07	763.8	68	...	N	7
Canton, .	14	30.09	764.3	66	68	N	2	o	6
Hongkong, .	"	30.08	764.0	65	73	E	4	o	"	30.08	764.0	62	84	NE	2	o	...
Gap Rock, .	"	30.06	763.5	NE	4	o	"	30.06	763.5	ENE	5	o	...
Macao, .	"	30.07	763.8	61	74	NNE	4	o	"	30.08	764.1	59	89	N	4	o	...
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.05	763.2	68	68	...	0	o	7	30.05	763.2	64	92	NNE	2	of	...
Tourane, .	"	29.92	759.9	75	...	E	6	o	"	29.95	760.8	72	...	ENE	2	o	...
Cape St. James, .	"	29.78	756.3	79	...	ENE	6	o	"	29.81	757.2	73	...	NE	4	o	...
Basco, .	14	29.95	760.8	73	...	N	4	r	6
Aparri, .	"	29.92	759.9	82	77	NE	4	b	"
Manila, .	"	29.81	757.2	86	61	NE	2	o	"	29.86	758.4	68	94	E	1	b	...
Legaspi, .	"	29.80	756.9	84	71	NNE	4	o	"	29.84	757.8	77	91	NNE	4	b	...
Tacloban, .	"	"
Iloilo, .	"	29.74	755.4	84	64	NE	6	o	"	29.79	756.6	75	96	NNE	4	o	...
Surigao, .	"	29.74	755.4	82	77	ENE	4	o	"
Guam, .	12.20	29.73	755.1	E	4	o	4.20
Yap, .	12.47	29.72	754.8	E	4	o	4.47	29.78	756.3	E	4	b	...
Labuan, .	14	29.75	755.6	88	76	E	4	b	6	29.72	754.9	78	93	E	2	b	...

December 12d. 11h. 23m.—Pressure has decreased moderately to slightly at all reporting stations except at Yap and Labuan where it has increased slightly.

The anticyclone is now central over S. Manchuria.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, o.co inch. Total since January 1st, 106.51 inches, against an average of 82.40 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, } N.E. winds, fresh; fair.
- 3.—Hongkong to Gap Rock, }
- 4.—South coast of China between Hongkong and Hainan, . }

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	12TH DECEMBER, 1923.							13TH DECEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPS. 4THRS.	HUMID.	WIND.		WEATHER	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPS. 4THRS.	HUMID.	WIND.		WEATHER
	Hours.	Inches.	Millrs.			Direction.	Force.		Hours.	Inches.	Millrs.			Direction.	Force.	
Vladivostock, .	12	30.46	773.8	24	...	ESE	5	o	6	33	...	E	1	s
Nemuro, .	11	5	...	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.18	766.6	46	86	SSW	1	r	6	30.38	771.6	36	70	NW	6	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.27	768.9	59	68	FSE	2	o	"	30.41	772.5	43	79	NNW	1	b
Gutzlaff, .	14	30.24	768.1	56	100	SSE	4	o	"	30.37	771.4	46	100	NNW	6	o
Sharp Peak, .	"	30.15	765.8	66	84	N	1	o	7	30.16	766.0	62	94	E	2	r
Amoy, .	15	30.06	763.5	75	72	...	0	b	9	30.11	764.8	64	91	WNW	1	o
Swatow, .	"	8
Taihoku, .	11	30.12	765.0	77	68	ENE	4	b	5	30.12	765.0	59	98	...	0	b
Taichu, .	"	30.11	764.7	79	...	NNW	2	bb	"	30.10	764.4	59	0	b
Tainan, .	"	30.11	764.7	79	...	NW	2	bb	"	30.10	764.4	64	...	NNE	2	o
Koshun, .	"	30.08	764.1	79	...	NNE	4	bb	"	30.05	763.2	72	...	NNE	4	b
Pescadores, .	"	30.13	765.3	72	...	NNE	6	o	"	30.10	764.4	68	...	N	6	o
Canton, .	14	30.08	764.0	74	68	NNW	1	c	6
Hongkong, .	"	30.07	763.8	71	64	FSE	3	cc	"	30.12	765.0	65	91	...	0	om
Gap Rock, .	"	30.07	763.8	ENE	5	o	"	30.11	764.8	NE	4	b
Macno, .	"	30.05	763.2	70	74	ENE	4	b	"	30.11	764.7	64	96	NNW	2	o
Wuchow, .	15	"
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.02	762.6	73	79	E	2	o	7	30.11	764.7	68	96	NE	4	of
Tourane, .	"	29.94	760.5	73	...	NNW	2	o	"	29.93	760.2	73	...	E	4	o
Cape St. James, .	"	29.79	756.6	81	...	ENE	6	b	"	29.86	758.4	73	...	NE	4	b
Basco, .	14	6	30.00	762.0	77	...	NE	2	o
Aparri, .	"	29.93	760.2	82	74	ENE	4	b	"
Manila, .	"	29.84	757.8	86	61	ENE	4	o	"	29.86	758.4	70	92	N	2	b
Legaspi, .	"	29.81	757.2	86	78	NE	4	b	"	29.82	757.5	79	92	NNE	4	o
Taoloban, .	"	29.74	755.4	84	58	NE	4	o	"
Illoilo, .	"	29.74	755.4	86	65	NE	6	b	"	29.76	756.0	77	89	N	4	o
Surigao, .	"	29.73	755.1	82	81	ENE	4	o	"
Guam, .	12.20	4.20
Yap, .	12.47	4.47
Labuan, .	14	29.58	751.3	88	75	NW	4	b	6	29.73	755.1	81	74	NE	6	b

December 13d. 10h. 40m.—Pressure has increased considerably from Chefoo to Shanghai and slightly over Tongking. It has decreased slightly over the Philippines and is nearly stationary elsewhere.

A new anticyclone has formed over China.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.51 inches, against an average of 82.43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.
DISTRICT.

FORECAST.

- 1.—Formosa Channel, N. winds, strong.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, } N.E. winds, fresh; fair.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	13TH DECEMBER, 1923.								14TH DECEMBER, 1923.							
	HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME,	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.04	762.9	57	...	N	4	c	6	30.36	771.2	57	...	N	3	b
Nemuro,	11	57	5
Hokodate,	"	57	"
Tokio,	"	57	"
Kochi,	"	57	"
Nagasaki,	"	57	"
Kagoshima,	"	57	"
Oshima,	"	57	"
Nabe,	"	57	"
Ishigakijima,	"	57	"
Bonin Island,	"	57	"
Chefoo,	15	30.45	773.4	34	100	NW	4	b	6	30.53	775.4	32	100	NW	2	b
Hankow,	"	57	"
Ichang,	"	57	"
Changsha,	"	57	"
Shanghai,	11	30.51	774.9	45	51	N	2	b	"	30.51	774.9	37	66	NNW	1	o
Gutzlaff,	14	30.43	772.9	46	100	N	6	o	"	30.47	773.9	42	100	NNE	4	o
Sharp Peak,	"	30.17	766.3	56	93	ENE	4	o	7	30.17	766.3	52	86	NNW	2	o
Amoy,	15	30.09	764.3	68	79	NW	2	o	9	30.18	766.6	56	81	E	4	b
Swatow,	"	8
Taihoku,	11	30.21	767.4	70	74	ENE	6	o	5	30.24	768.0	59	91	E	4	o
Taichu,	"	30.10	764.4	79	...	NNW	4	b	"	30.12	765.0	57	...	N	2	b
Tainan,	"	30.11	764.7	77	...	NNW	4	b	"	30.10	764.4	59	...	N	4	b
Koskun,	"	30.08	764.1	81	...	N	4	b	"	30.05	763.2	70	...	NE	7	b
Pescadores,	"	30.14	765.6	72	...	NNE	6	o	"	30.14	765.6	66	...	NNE	7	o
Canton,	14	30.13	765.3	67	79	N	2	c	6
Hongkong,	"	30.07	763.8	74	72	W	2	c	"	30.14	765.5	63	84	NNE	2	o
Gap Rock,	"	30.07	763.8	NW	4	b	"	30.12	765.0	NE	4	o
Macao,	"	30.07	763.8	70	74	W	4	o	"	30.13	765.3	59	91	NNW	4	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	30.06	763.5	72	82	ENE	4	o	7	30.10	764.4	64	90	ENE	2	o
Tourane,	"	29.98	761.4	75	...	ESE	4	o	"	30.00	762.0	73	...	E	4	b
Cape St. James, .	"	29.80	756.9	79	...	ENE	6	b	"	29.84	757.8	72	...	NE	2	b
Basco,	14	6
Aparri,	"	29.92	759.9	82	74	NE	4	b	"
Manila,	"	29.81	757.2	84	60	NNE	4	o	"	29.86	758.4	72	96	...	o	b
Legaspi,	"	29.79	756.6	84	77	NE	4	b	"	79	90	NNE	4	o
Tacloban,	"	29.78	756.3	81	84	SE	2	r	"
Ililo,	"	29.71	754.5	86	71	NE	6	o	"	29.79	756.6	77	92	NNE	4	o
Surigao,	"	29.72	754.8	84	77	ENE	4	o	"	29.79	756.6	75	94	...	o	o
Guam,	12.20	4.20
Yap,	12.47	4.47
Labuan,	14	29.71	754.6	86	84	N	4	b	6	29.70	754.4	78	91	NE	2	b

December 14d. 11h. 50m.—Pressure is nearly stationary over Indo-China. It has increased slightly in other districts.

The anticyclone has strengthened slightly.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.51 inches, against an average of 82.46 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH
DISTRICT.**

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamocka, }
- 3.—Hongkong to Gap Rock, } N.E. winds, fresh; cloudy.
- 4.—South coast of China between Hongkong and Hainan, ..}

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	14TH DECEMBER, 1923.							15TH DECEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Mills.			Direction.	Force.		Inches.	Mills.			Direction.	Force.	WEATHER.
Vladivostock, .	12	30.35	770.9	17	...	WSW	2	b	6	30.17	766.4	10	o
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.45	773.4	36	83	o	0	b	6	30.35	770.9	34	90	SW	1
Hankow, .	"	"
Jehang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.50	774.6	43	62	N	2	o	"	30.40	772.2	37	79	NNW	1
Gutzlaff, .	14	30.40	772.1	44	100	NNE	4	o	"	30.37	771.4	42	100	N	4
Sharp Peak, .	"	30.20	767.1	56	69	NE	2	o	7	30.18	766.6	56	93	N	1
Amoy, .	15	30.09	764.3	67	64	WNW	2	b	9	30.14	765.1	62	83	N	1
Swatow, .	"	8
Taihoku, .	11	30.25	768.3	64	80	E	6	b	5	30.13	765.3	63	96	E	4
Taichu, .	"	30.12	765.0	70	...	NNW	4	b	"	30.11	764.7	57	o
Tainan, .	"	30.11	764.7	73	...	N	4	b	"	30.06	763.5	59	...	NNE	4
Koshun, .	"	30.07	763.8	75	...	NE	10	b	"	30.05	763.2	70	...	NNE	b
Pescadores, .	"	30.17	766.2	68	...	NNE	8	o	"	30.10	764.4	66	...	NNE	6
Canton, .	14	30.09	764.3	69	70	N	1	b	6
Hongkong, .	"	30.08	764.0	67	76	ESE	3	o	"	30.13	765.3	64	80	NNE	1
Gap Rock, .	"	30.13	765.3	NE	4	o	"	30.10	764.5	NNE	4
Macao, .	"	30.07	763.8	64	71	NNE	4	b	"	30.12	765.0	61	87	NNE	4
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.02	762.6	72	75	ENE	2	o	7	30.07	763.8	66	96	ENE	6
Tourane, .	"	29.98	761.4	75	...	E	4	b	"	29.98	761.4	73	...	E	4
Cape St. James, .	"	29.81	757.2	79	...	ENE	4	b	"	29.82	757.5	73	...	ENE	2
Basco, .	14	6
Aparri, .	"	29.92	759.9	82	74	NE	4	b	"	29.97	761.1	66	96	...	b
Manila, .	"	29.80	756.9	86	49	ENE	4	o	"	29.87	758.7	72	82	N	o
Legaspi, .	"	29.79	756.6	82	70	WSW	4	o	"	29.84	757.8	77	92	NNE	2
Tacloban, .	"	29.80	756.9	81	86	SE	2	r	"	29.81	757.2	77	96	NW	o
Iloilo, .	"	29.73	755.1	84	71	NE	6	o	"	29.79	756.6	75	96	NE	4
Surigao, .	"	29.73	755.1	81	86	NE	1	o	"	29.79	756.6	75	98	SE	o
Quam, .	12.20	4.20
Yap, .	12.47	4.47
Labuan, .	14	29.72	754.9	86	76	E	2	b	6	29.73	755.1	81	87	N	4

December 15d. 11h. 15m.—Pressure has decreased considerably at Vladivostock and moderately from Chefoo to Shanghai. Changes are slight at other reporting stations.

The northern portion of the anticyclone has moved eastward, leaving a separate anticyclone over China.

Fresh monsoon will continue along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, o·oo inch. Total since January 1st, 106.51 inches, against an average of 82.50 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.
DISTRICT.**

- | | |
|--|--------------------------|
| 1.—Formosa Channel, . | N.E. winds, strong. |
| 2.—South coast of China between Hongkong and Lamock, . | N.E. winds, fresh; fair. |
| 3.—Hongkong to Gap Rock, . | |
| 4.—South coast of China between Hongkong and Hainan, . | |

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	15TH DECEMBER, 1923.							16TH DECEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMID.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMID.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.	
Vladivostock, .	12	30.05	763.2	23	...	W	2	b	6	30.13	765.3	9	...	E	2	b
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.29	769.3	40	100	NNW	1	b	6	30.23	767.8	28	88	NNW	1	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.44	773.1	37	90	NNW	1	r	"	30.40	772.2	28	100	NW	1	b
Gutzlaff, .	14	30.34	770.6	38	100	NNW	4	r	"	30.38	771.6	54	100	NW	4	b
Sharp Peak, .	"	30.16	766.0	60	88	E	2	o	7	30.20	767.1	54	89	NE	2	o
Amoy, .	15	30.06	763.5	68	74	WNW	1	o	9
Swatow, .	"	8
Taihoku, .	11	30.13	765.3	72	75	NE	6	b	5	30.19	766.8	61	89	E	4	o
Taichu, .	"	30.11	764.7	77	...	NNW	2	b	"	30.07	763.8	61	...	NNE	2	b
Tainan, .	"	30.08	764.1	75	...	NNE	4	b	"	30.07	763.8	63	...	N	4	o
Koshun, .	"	30.08	764.1	73	...	NNE	4	r	"	30.06	763.5	70	...	N	4	o
Pescadores, .	"	30.13	765.3	79	...	N	6	o	"	30.13	765.3	64	...	N	7	r
Canton, .	14	30.13	765.3	67	69	N	2	c	6
Hongkong, .	"	30.07	763.8	72	63	SW	1	c	"	30.18	766.6	58	68	N	2	o
Gap Rock, .	"	30.07	763.8	NW	4	b	"	30.15	765.8	NNW	4	o
Macao, .	"	30.08	764.1	64	71	N	4	o	"	30.06	763.5	52	80	NNW	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.06	763.5	68	83	ENE	6	o	7
Tourane, .	"	29.97	761.1	75	...	ENE	4	o	"
Cape St. James, .	"	"
Basco, .	14	29.94	760.5	79	...	N	2	o	6	30.01	762.3	75	...	N	2	o
Aparri, .	"	29.93	760.2	79	69	E	4	o	"	29.98	761.4	73	82	ENE	2	o
Manila, .	"	29.81	757.2	82	67	SSE	1	o	"	29.87	758.7	72	92	NNE	1	o
Legaspi, .	"	29.79	756.6	81	87	NE	4	o	"	29.85	758.1	79	89	N	2	b
Tacloban, .	"	29.76	756.0	81	76	S	4	r	"	29.82	757.5	75	96	...	0	o
Illoilo, .	"	"	29.79	756.6	75	89	NNE	4	o
Surigao, .	"	"	29.79	756.6	75	98	...	0	o
Quam, .	12.20	4.20
Yap, .	12.47	4.47
Labuan, .	14	29.74	755.4	86	80	N	2	b	6	29.75	755.6	78	91	N	1	b

December 16d. 12h. 05m.—Pressure has decreased slightly at Chefoo and increased moderately from Hongkong to Haiphong. It is nearly stationary at other reporting stations.

The anticyclone remains stationary.

Fresh monsoon will continue along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.51 inches, against an average of 82.54 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.
DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, }
- 3.—Hongkong to Gap Rock, } N.E. winds, fresh; fine.
- 4.—South coast of China between Hongkong and Hainan, : }

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	16TH DECEMBER, 1923.							17TH DECEMBER, 1923.								
	HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches	Millrs.			Direction.	Force.		Inches	Millrs.			Direction.	Force.		
Wladivostock, .	12	30.02	762.5	23	...	ESE	3	c	6	29.79	756.6	24	...	NNW	2	o
Nemuro,	11	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	15	30.14	765.5	40	91	S	2	b	6	30.13	765.3	36	83	WSW	1	b
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	13	30.41	772.5	46	52	NW	2	b	"	30.40	772.2	32	96	W	1	b
Gutzlaff,	14	30.34	770.6	46	92	WNW	2	b	"	30.40	772.1	40	100	N	2	b
Sharp Peak,	"	30.22	767.6	56	84	N	2	o	7	30.28	769.1	52	92	W	1	b
Amoy,	15	30.15	765.8	64	76	NE	2	o	9	30.26	768.6	56	81	...	0	b
Swatow,	"	8
Taiboku,	11	30.24	768.0	68	73	E	6	o	5	30.33	770.4	57	72	E	4	o
Taichu,	"	30.13	765.3	72	...	N	4	b	"	30.19	766.8	57	...	N	2	b
Tainan,	"	30.12	765.0	73	...	N	4	b	"	30.18	766.5	59	...	N	4	b
Koshun,	"	30.11	764.7	75	...	NNE	6	r	"	30.13	765.3	68	...	NNE	6	b
Pescadores,	"	30.19	766.8	68	...	NNE	7	o	"	30.21	767.4	63	...	NNE	8	b
Canton,	14	30.21	767.3	63	62	N	2	b	6
Hongkong,	"	30.15	765.8	67	57	W	3	b	"	30.24	768.1	53	65	N	3	b
Gap Rock,	"	30.14	765.5	NNW	5	b	"	30.22	767.6	N	4	b
Macao,	"	30.12	765.0	61	59	NNW	4	b	"	30.22	767.7	52	69	NNW	4	o
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	30.18	766.5	68	56	o	7	30.28	769.2	57	62	NE	4	bf
Tourane,	"	30.04	762.9	73	...	ENE	6	o	"	30.08	764.1	70	...	ENE	6	of
Cape St. James,	"	29.84	757.8	79	...	ENE	4	o	"	29.89	759.3	72	...	ENE	4	o
Basco,	14	6
Aparri,	"	29.92	759.9	79	84	NNE	4	o	"
Manila,	"	29.84	757.8	84	74	SW	2	o	"	29.92	759.9	72	96	NNE	1	o
Legaspi,	"	29.84	757.8	86	68	NE	2	b	"	29.88	759.0	77	89	N	2	b
Tacloban,	"	"	29.86	758.4	77	92	NW	2	o
Iloilo,	"	29.76	756.0	86	61	NE	6	b	"	29.86	758.4	75	92	N	4	b
Surigao,	"	29.79	756.6	86	68	ENE	4	b	"
Guam,	12.20	4.20
Yap,	12.47	4.47
Labuan,	14	29.78	756.4	86	76	N	1	b	6	29.78	756.4	80	82	N	2	o

December 17d. 11h. 11m.—Pressure has decreased considerably at Wladivostock and increased slightly from Formosa to Tongking. It is nearly stationary at other reporting stations.

The anticyclonic conditions are uncertain.

The monsoon will be interrupted to the north of Amoy, but will remain fresh over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.51 inches, against an average of 82.58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.
DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks,
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; fine.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	17TH DECEMBER, 1923.							18TH DECEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.	
Wladivostock, .	12	29.84	758.0	25	...	NNE	2	b	6	30.00	761.9	17	...	E	1	c
Nemuro, .	11	5
Hokodate,	2
Tokio,	2
Kochi,	2
Nagasaki,	2
Kagoshima,	2
Oshima,	2
Naba,	2
Ishigakijima,	2
Bonin Island,	2
Chefoo, .	15	30.08	764.0	46	26	W	4	b	6	30.24	768.1	36	70	NW	1	b
Hankow,	2
Ichang,	2
Changsha,	2
Shanghai, .	11	30.43	772.8	48	36	W	2	b	2	30.33	770.4	36	93	SSW	1	b
Gutzlaff, .	14	30.37	771.4	48	100	W	2	b	2	30.35	770.9	46	100	WSW	2	b
Sharp Peak,	30.27	768.8	48	100	E	1	b	2	30.27	768.8	50	72	NW	1	b
Amoy, .	15	30.17	766.3	63	62	NNE	1	b	2	30.21	767.3	54	68	NNE	4	b
Swatow,	2
Taihoku, .	11	30.32	770.1	64	53	E	6	b	5	30.26	768.6	55	77	E	4	b
Taichn,	30.18	766.5	70	...	NNW	2	b	2	30.15	765.9	54	0	0
Tainan,	30.15	765.9	73	...	NNW	4	b	2	30.11	764.7	57	...	NNE	2	o
Koshun,	30.14	765.6	70	...	NE	7	o	2	30.11	764.7	66	...	NE	6	o
Pescadores,	30.21	767.4	68	...	N	7	b	2	30.15	765.9	63	...	NNE	7	o
Canton, .	14	30.21	767.3	68	47	N	1	b	6
Hongkong,	30.18	766.6	66	46	ESE	3	b	2	30.18	766.6	58	62	ENE	1	b
Gap Rock,	30.18	766.6	66	...	ENE	4	b	2	30.19	766.8	ENE	4	c
Macao,	30.18	766.6	61	45	NNE	4	b	2	30.17	766.2	54	66	NNW	4	b
Wuchow, .	15	2
Pakhoi,	2
Hoihow,	2
Phulien,	30.19	766.8	72	42	SSW	2	bf	7	30.19	766.8	57	79	ENE	4	bf
Tourane,	30.05	763.2	72	...	NE	6	o	2	30.05	763.2	66	...	NNW	2	of
Cape St. James,	29.82	757.5	79	...	ENE	2	o	2	29.87	758.7	72	...	NE	2	o
Basco, .	14	6
Aparri,	29.97	761.1	75	86	NE	4	o	2	29.99	761.7	75	89	NE	6	r
Manila,	29.86	758.4	81	80	ENE	2	o	2	29.88	759.0	72	96	NE	1	o
Legaspi,	29.84	757.8	86	68	NE	2	b	2	29.86	758.4	79	87	NNE	4	o
Tacloban,	29.79	756.6	86	61	NE	4	o	2	29.84	757.8	75	91	NW	2	o
Iloilo,	29.76	756.0	86	58	NE	6	b	2	29.82	757.5	75	89	N	4	b
Surigao,	29.78	756.3	79	90	ENE	1	o	2	29.81	757.2	79	84	ENE	4	o
Guam, .	12.20	2	4.20
Yap, .	12.47	2	4.47	29.76	756.0	...	NE	6	o
Labuan, .	14	29.76	755.9	86	84	N	2	b	2	29.74	755.4	78	91	N	1	b

December 18d. 11h. 45m.—Pressure has increased moderately from Wladivostock to Chefoo and decreased slightly at the majority of other reporting stations.

The anticyclone has weakened. It is probably central over the Eastern Sea.

Fresh to moderate monsoon may be expected over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.51 inches, against an average of 82.62 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.
DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamocks,
- 3.—Hongkong to Gap Rock, } N.E. winds, moderate; fine.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	18TH DECEMBER, 1923.							19TH DECEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPR. ATMOS.	Humidity.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPR. ATMOS.	Humidity.	WIND.		
		Inches.	Millrs.			Direct. ion.	Force.		Direct. ion.	Force.			Direct. ion.	Force.	
Wladivostock, .	12	6	
Nemuro, .	11	5	
Hokodate, .	"	"	
Tokio, .	"	"	
Kochi, .	"	"	
Nagasaki, .	"	"	
Kagoshima, .	"	"	
Oshima, .	"	"	
Naha, .	"	"	
Ishigakijima, .	"	"	
Bonin Island, .	"	"	
Chefoo, .	15	30.34	770.6	44	60	E	1	b	6	30.37	771.4	32	38	...	b
Haukow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.40	772.2	52	35	NW	1	b	"	30.39	771.9	36	100	NE	bf
Gutzlaff, .	14	30.37	771.4	54	100	N	2	b	"	30.40	772.1	46	100	N	b
Sharp Peak, .	"	30.23	767.8	67	64	N	2	b	7	30.26	768.6	54	74	NNW	o
Amoy, .	15	30.13	765.3	66	49	NNE	1	b	9	30.19	766.8	58	70	N	o
Swatow, .	"	8
Taihoku, .	11	30.24	768.0	68	56	E	7	o	5	30.20	767.1	63	80	E	o
Taichu, .	"	30.17	766.2	70	0	o	"	30.14	765.6	57	o
Tainan, .	"	30.12	765.0	70	4	o	"	30.11	764.7	63	...	N	o
Koshun, .	"	30.13	765.3	68	...	NE	7	o	"	30.08	764.1	68	...	NE	o
Pescadores, .	"	30.19	766.8	68	...	NNE	7	o	"	30.12	765.0	64	...	NNE	bf
Canton, .	14	30.14	765.5	74	90	NNW	1	b	6
Hongkong, .	"	30.13	765.3	68	50	E	2	b	"	30.16	766.0	61	78	ENE	2
Gap Rock, .	"	30.13	765.3	NE	4	b	"	30.13	765.3	ENE	b
Macao, .	"	30.15	765.9	64	41	NNE	4	b	"	30.14	765.6	55	88	N	o
Wuchow, .	15	9
Pakhoi, .	"
Hoihow, .	"
Phulien, .	"	30.13	765.3	72	54	W	2	bf	7	30.15	765.9	61	59	ENE	2
Tourane, .	"	30.00	762.0	68	...	NNW	2	o	"	30.01	762.3	68	...	NW	o
Cape St. James, .	"	29.80	756.9	79	...	ENE	6	b	"	29.88	759.0	73	...	ENE	2
Basco, .	14	6
Aparsi, .	"
Manila, .	"	29.80	756.9	84	60	NNE	2	o	"	29.88	759.0	72	91	NNE	o
Legaspi, .	"	29.80	756.9	84	71	NE	4	b	"	29.85	758.1	79	99	NNE	b
Taoloban, .	"	29.76	756.0	86	65	NE	4	o	"
Iloilo, .	"	29.74	755.4	86	56	NE	6	b	"	29.81	757.2	75	89	N	o
Surigao, .	"	29.75	755.7	63	75	ENE	4	o	"	29.80	756.9	75	96	...	o
Guam, .	12.20	4.20
Yap, .	12.47	29.68	753.9	NE	6	o	4.47
Labuan, .	14	29.74	755.4	86	76	NE	2	b	6	29.74	755.4	82	79	N	o

December 19d. 11h. 26m.—Pressure changes are slight at all reporting stations.

The anticyclonic conditions are uncertain.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, o.oo inch. Total since January 1st, 106.51 inches, against an average of 82.66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.
 DISTRICT. FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock, N.E. winds, fresh; fine.
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; fine.
- 4.—South coast of China between Hongkong and Hainan,

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	19TH DECEMBER, 1923.								20TH DECEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.24	768.1	26	...	E	3	b	6	30.28	769.1	14	...	E	1	f
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.30	769.6	50	38	S	1	b	6	30.17	766.3	40	85	...	0	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.39	771.9	57	41	ESE	2	b	"	30.20	767.1	46	94	E	1	b
Gutzlaff, .	14	30.34	770.6	54	100	E	2	b	"	30.21	767.3	52	100	ESE	2	o
Sharp Peak, .	"	30.18	766.6	58	70	N	2	o	7	30.12	765.0	56	87	W	2	b
Amoy, .	15	30.09	764.3	70	61	NNE	2	b	9	30.09	764.3	60	94	NNW	1	o
Swatow, .	"	8
Taihoku, .	11	30.21	767.4	68	77	E	6	o	5	30.08	764.1	61	91	...	0	o
Taichu, .	"	30.14	765.6	73	0	o	"	30.10	764.4	59	0	b
Tainan, .	"	30.13	765.3	75	...	NW	2	o	"	30.01	762.3	61	...	N	4	o
Koshun, .	"	30.10	764.4	73	...	NE	7	o	"	29.98	761.4	72	...	N	4	r
Pescadores, .	"	30.17	766.2	70	...	N	6	o	"	30.06	763.5	64	...	N	6	o
Canton, .	14	30.09	764.3	69	52	S	1	c	6
Hongkong, .	"	30.09	764.3	67	60	E	4	c	"	30.06	763.5	64	82	E	3	c
Gap Rock, .	"	30.08	764.1	ENE	5	b	"	30.04	763.0	ENE	4	o
Macao, .	"	30.07	763.8	68	51	ENE	4	b	"	30.05	763.2	63	80	N	2	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.06	763.5	73	55	SE	1	bf	7	30.05	763.2	61	85	NNE	4	of
Tourane, .	"	29.97	761.1	70	...	WNW	4	o	"	29.97	761.1	68	...	NW	2	o
Cape St. James, .	"	29.80	756.9	79	...	ENE	6	b	"	29.84	757.8	73	...	NE	4	b
Basco, .	14	6
Aparri, .	"	29.89	759.3	79	84	NE	4	o	"
Manila, .	"	29.78	756.3	82	70	NE	1	o	"	29.82	757.5	72	94	...	0	o
Legaspi, .	"	29.78	756.3	86	71	NE	4	b	"	29.79	756.6	75	91	N	2	o
Tacloban, .	"	29.78	756.3	82	90	SSE	2	r	"
Iloilo, .	"	29.73	755.1	86	58	NE	6	o	"	29.74	755.4	75	92	N	4	o
Surigao, .	"	"	29.74	755.4	75	96	ENE	1	o
Guam, .	12.20	4.20
Yap, .	12.47	29.72	754.8	ESE	6	o	4.47
Labuan, .	14	29.73	755.1	88	76	N	6	b	6	29.73	755.1	80	91	NE	6	b

December 20d. 11h. 53m.—Pressure has increased slightly at Wladivostock and decreased moderately to slightly at other reporting stations.

The anticyclone is probably central over S.W. Japan.

Moderate monsoon may be expected over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.51 inches, against an average of 82.70 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21ST.
 DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. winds, fresh.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, N.E. winds, moderate; fine.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	20TH DECEMBER, 1923.							21ST DECEMBER, 1923.								
	HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Direction.	Force.			Direction.	Force.		
Wladivostock, .	12	30.19	766.8	28	...	E	2	o	6	29.86	758.3	33	...	SE	4	o
Nemuro.....	11	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima, .	"	"
Bonin Island, ..	"	"
Chefoo,	15	6	30.09	764.3	36	70	WSW	1	b
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.19	766.8	63	56	S	1	b	"	30.12	765.0	43	94	WSW	1	b
Gutzlaff,	14	30.07	763.8	58	100	W	1	of	"	30.10	764.5	48	100	NNW	2	b
Sharp Peak, ..	"	30.06	763.5	75	64	SE	1	b	7	30.04	763.0	58	81	W	1	b
Amoy,	15	29.98	761.5	70	66	WNW	2	b	9	29.99	761.7	58	90	E	1	b
Swatow,	"	8
Taihoku,	11	30.11	764.7	68	77	E	2	o	5	30.00	762.0	57	98	...	0	b
Taichu,	"	30.11	764.7	68	...	NNE	2	r	"	29.99	761.7	57	0	b
Tainan,	"	30.05	763.2	75	...	N	6	o	"	29.93	760.2	63	...	N	4	b
Koshun,	"	30.00	762.0	79	...	N	4	o	"	29.92	759.9	70	...	N	4	b
Pescadores, ..	"	30.10	764.4	66	...	NE	4	r	"	29.97	761.1	64	...	NNE	4	b
Canton,	14	29.98	761.5	77	49	NW	1	b	6
Hongkong,	"	29.98	761.5	71	70	E	2	b	"	29.98	761.5	67	64	E	3	o
Gap Rock,	"	30.00	762.0	ENE	4	b	"	30.00	762.0	48	...	ENE	4	b
Macao,	"	29.98	761.4	72	54	ENE	2	b	"	29.93	760.2	63	84	N	2	of
Wuchow,	15	"
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	29.97	761.1	77	64	SSW	2	bf	7
Tourane,	"	29.93	760.2	72	...	NW	4	o	"
Cape St. James, .	"	29.81	757.2	79	...	ENE	4	b	"
Basco,	14	29.87	758.7	77	0	o	6	29.87	758.7	72	...	N	2	r
Aparri,	"	29.84	757.8	82	74	NE	4	b	"	29.85	758.1	70	96	...	0	b
Manila,	"	29.79	756.9	79	84	SE	2	r	"	29.79	756.6	73	94	NE	1	b
Legaspi,	"	29.76	756.0	86	71	NE	2	b	"	29.75	755.7	77	88	N	2	b
Taoloban,	"	"
Illoilo,	"	29.71	754.5	86	61	NE	6	o	"	29.73	755.1	75	92	NNE	4	b
Surigao,	"	"	29.71	754.5	79	87	NNW	2	o
Guam,	12.20	"	29.78	756.3	ENE	4	o
Yap,	12.47	29.66	753.3	ENE	4	o	4.20	29.75	755.7
Labuan,	14	29.74	755.4	88	73	N	2	b	6	29.74	755.4	76	94	SW	2	r

December 21d. 11h. 10m.—Pressure has decreased considerably at Wladivostock and slightly at the majority of other reporting stations.

Moderate monsoon may be expected over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.51 inches, against an average of 82.74 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.
DISTRICT.**

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamock,
 - 3.—Hongkong to Gap Rock,
 - 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, moderate; fine.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	21ST DECEMBER, 1923.							22ND DECEMBER, 1923.								
	HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.	
Vladivostock, .	12	29.70	754.3	34	..	S	1	0	6	29.80	756.9	15	..	N	4	b
Nemuro,	11	5
Hokodate,	"	5
Tokio,	"	5
Kochi,	"	5
Nagasaki,	"	5
Kagoshima,	"	5
Oshima,	"	5
Naha,	"	5
Ishigakijima,	"	5
Bonin Island,	"	5
Chefoo,	15	30.16	766.0	40	65	NW	4	b	6	30.08	764.0	32	82	WNW	6	o
Hankow,	"	6
Ichang,	"	6
Changsha,	"	6
Shanghai,	11	30.17	766.2	54	70	N	1	0	6	30.25	768.3	32	100	NNW	1	b
Gutzlaff,	14	30.08	764.0	54	100	N	2	0	6	30.24	768.1	42	100	N	4	b
Sharp Peak,	"	29.99	761.7	75	64	..	0	b	7	30.09	764.3	58	85	NE	2	b
Amoy,	15	29.90	759.4	63	83	WNW	1	b	7	30.01	762.2	58	81	E	1	b
Swatow,	"	8
Taiboku,	11	29.93	760.2	73	66	E	4	b	5	30.04	762.9	63	75	E	4	o
Taichu,	"	29.98	761.4	73	..	NNW	2	b	5	29.95	760.8	59	..	NNE	2	b
Tainan,	"	29.95	760.8	75	..	NNW	4	b	5	29.93	760.2	59	..	N	4	b
Koshun,	"	29.93	760.2	79	..	N	4	b	5	29.91	759.6	63	..	o	0	b
Pescadores,	"	30.00	762.0	68	..	N	6	b	5	29.98	761.4	64	..	NNE	6	b
Canton,	14	30.03	762.7	76	60	S	1	b	6
Hongkong,	"	29.92	759.9	72	45	E	4	b	6	29.99	761.7	65	75	E	1	e
Gap Rock,	"	29.93	760.2	ENE	4	b	6	29.98	761.5	NE	4	b
Macao,	"	29.92	759.9	73	58	SE	2	b	6	29.98	761.4	63	80	NNW	2	o
Wuchow,	15	9
Pakhoi,	"	9
Hoikow,	"	9
Phulien,	"	29.89	759.3	73	85	SSW	1	of	7	29.99	761.7	66	100	NNW	2	of
Tourane,	"	29.88	759.0	75	0	b	7	29.94	760.5	72	..	E	4	o
Cape St. James,	"	29.80	756.9	82	..	S	2	b	7	29.82	757.5	73	..	ENE	4	b
Basco,	14	6
Aparri,	"	29.79	756.6	82	74	N	4	b	6	29.82	757.5	75	91	N	4	r
Manila,	"	29.71	754.5	84	71	SW	2	o	6	29.78	756.3	73	94	ENE	1	b
Legaspi,	"	29.68	753.9	86	71	NNE	4	o	6	29.73	755.1	75	91	N	4	b
Tacloban,	"	29.65	753.0	86	75	NNW	4	r	6	29.72	754.8	77	91	NNW	4	o
Ilolo,	"	29.67	753.6	86	68	NE	4	o	6	29.73	755.1	77	89	N	4	o
Surigao,	"	29.63	752.7	84	77	WNW	2	o	6	29.69	754.2	77	92	W	1	o
Guam,	12.20	29.71	754.5	ESE	4	o	6	29.74	755.4	E	4	o
Yap,	12.47	29.69	754.2	NE	2	o	6	29.73	755.1	ENE	4	o
Labuan,	14	29.76	755.9	84	83	N	1	o	6	29.77	756.1	78	91	NE	2	b

December 21d. 17h. 42m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 10° N. Long. 128° E., direction unknown.

December 22d. 11h. 10m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 10° N. Long. 128° E., stationary or very slow.

December 22d. 11h. 22m.—Pressure has increased moderately from Shanghai to N. Formosa and slightly from Hongkong to Haiphong. It is nearly stationary over the Philippines and has decreased slightly at Guam and Labuan.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

An anticyclone is shown over the Yangtze Valley and a typhoon about 100 miles to the East of the southern Visayas. It appears to be nearly stationary.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.51 inches, against an average of 82.78 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.
DISTRICT.**

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lemocks,
- 3.—Hongkong to Gap Rock, } N.E. winds, moderate to fresh, fine.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	22ND DECEMBER, 1923.							23RD DECEMBER, 1923.								
	HONGKONG STANDARD TIME.		BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.	TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	
	Inches	Millrs.	Direct- ion.	Force.			Inches	Millrs.					Direct- ion.	Force.		
Vladivostock, .	12	29.74	755.1	16	...	N	3	b	6	29.86	758.5	12	...	NW	3	o
Nemuro, .	11	5	29.86	758.5	12
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.20	767.1	30	80	NNW	6	o	6	30.26	768.6	30	80	NW	7	o
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.32	770.1	46	39	NW	4	b	"	30.39	771.9	25	100	NW	1	b
Gutzlaff, .	14	30.26	768.6	48	100	NNW	4	b	"	30.34	770.5	34	100	NNW	6	b
Sharp Peak, .	"	30.10	764.5	56	87	ENE	2	o	7	30.19	766.8	54	74	NE	2	o
Amoy, .	15	29.99	761.7	67	64	NNE	1	o	9	30.17	766.3	56	63	NE	2	o
Swatow, .	"	8
Taihoku, .	11	30.12	765.0	64	62	ENE	4	o	5	30.21	767.4	55	60	NE	4	o
Taichu, .	"	29.98	761.4	70	...	NNW	4	b	"	30.05	763.2	55	...	N	2	o
Tainan, .	"	29.97	761.1	72	...	N	4	b	"	30.04	762.9	55	...	N	4	o
Koshun, .	"	29.95	760.8	73	...	N	4	o	"	30.02	762.6	63	...	N	6	b
Pescadores, .	"	30.02	762.6	68	...	NNE	7	b	"	30.08	764.1	59	...	NNE	8	b
Canton, .	14	30.02	762.5	69	56	N	2	o	6
Hongkong, .	"	29.96	761.0	72	61	W	2	o	"	30.13	765.3	56	84	...	o	o
Gap Rock, .	"	29.99	761.7	NE	3	b	"	30.14	765.5	NNE	4	o
Macao, .	"	29.95	760.8	70	61	NNE	2	b	"	30.12	765.0	55	71	NNW	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.97	761.1	70	74	ENE	6	o	7
Tourane, .	"	29.92	759.9	77	...	ESE	2	b	"
Cape St. James, .	"	29.80	750.9	79	...	ENE	6	b	"
Basco, .	14	6
Aparri, .	"	29.80	756.9	79	76	N	4	o	"
Manila, .	"	29.71	754.5	86	71	WSW	2	o	"	29.82	757.5	72	94	...	o	o
Legaspi, .	"	29.68	753.9	86	65	NNE	4	b	"	29.80	756.9	77	79	N	6	b
Tacloban, .	"	29.67	753.6	82	81	NNW	4	o	"
Iloilo, .	"	29.68	753.9	86	68	NE	4	o	"	29.79	756.6	75	89	NNE	4	o
Surigao, .	"	29.66	753.3	86	75	W	2	o	"
Guam, .	12.20	29.71	754.5	SE	4	o	4.20	29.73	755.1	WSW	1	b
Yap, .	12.47	29.71	754.5	SE	4	o	4.47
Labuan, .	14	29.75	755.6	86	76	NE	2	b	6	29.78	756.4	76	94	SW	2	r

December 22d. 17h. 30m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 11° N. Long. 128° E., stationary or very slow.

December 23d. 11h. 30m.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 12° N. Long. 129° E., moving N.E.

December 23d. 11h. 42m.—Pressure has increased slightly to moderately at all reporting stations, except at Yap and Labuan where it is nearly stationary.

The anticyclone has strengthened further.

The typhoon appears to have curved to north-eastward.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.20 inch. Total since January 1st, 106.71 inches, against an average of 82.82 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.
DISTRICT.**

FORECAST.

- 1.—Formosa Channel, N.E. winds, strong.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, N.E. winds, fresh; cloudy.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY. HONGKONG.
DAILY WEATHER REPORT.

STATION.	23RD DECEMBER, 1923.								24TH DECEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.
		INCHES.	MILLRS.			DIRECT. ION.	FORCE.			INCHES.	MILLRS.			DIRECT. ION.	FORCE.	
Vladivostock, .	12	29.87	758.6	16	...	N	4	c.	6	30.01	762.1	9	...	N	2	b
Nemuro, .	11	5
Hokodate,	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.27	768.8	34	60	NW	4	b	6	30	80	NW	1	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shaanghai, .	11	30.44	773.1	37	28	NW	2	b	"	30.32	770.1	21	100	W	1	b
Gutzlaff, .	14	30.37	771.4	40	100	NW	4	b	"	30.32	770.1	32	100	NNW	1	b
Sharp Peak, .	"	30.25	768.3	60	65	ENE	4	b	7	30.21	767.3	46	84	W	2	b
Amoy, .	15	30.11	764.8	64	48	E	4	b	9	30.21	767.3	50	72	NE	2	b
Swatow, .	"	8
Taihoku, .	11	30.27	768.9	55	55	NE	4	o	5	30.21	767.4	41	91	...	0	b
Taichu, .	"	30.13	765.3	59	...	N	4	o	"	30.14	765.6	45	0	b
Tainan, .	"	30.11	764.7	66	...	NNE	4	b	"	30.11	764.7	46	...	NNE	4	b
Kosbun, .	"	30.10	764.4	68	...	NNE	6	o	"	30.08	764.1	64	...	NNE	6	b
Pescadores, .	"	30.19	766.8	61	...	N	8	b	"	30.15	765.9	57	...	NNE	7	b
Canton, .	14	30.15	765.8	68	42	N	2	b	6
Hongkong, .	"	30.14	765.5	64	59	N	1	o	"	30.17	766.3	57	63	NNE	1	b
Gap Rock, .	"	30.13	765.3	NE	4	o	"	30.14	765.5	ENE	4	o
Macao, .	"	30.12	765.0	59	53	N	4	o	"	30.14	765.6	54	76	NNW	4	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.12	765.0	72	51	...	0	bf	7	30.18	766.5	55	88	NE	2	bf
Tourane, .	"	30.00	762.0	72	...	E	2	o	"	ENE	4	...
Cape St. James, .	"	29.85	758.1	77	...	ENE	4	o	"	29.89	759.3	72	...	ENE	4	o
Basco, .	14	29.98	761.4	70	...	N	4	r	6	30.04	762.9	66	...	N	1	o
Aparri, .	"	29.94	760.5	77	64	NE	4	o	"	30.01	762.3	64	96	SE	2	r
Manila, .	"	29.82	757.5	86	58	SW	2	o	"	29.91	759.6	68	91	N	1	o
Legaspi, .	"	"	29.88	759.0	75	79	NNE	4	b
Taoloban, .	"	"
Hoilo, .	"	29.75	755.7	82	74	NE	6	o	"	29.84	757.8	73	89	NNE	4	o
Surigao, .	"	29.75	755.7	81	76	NNW	4	o	"	29.82	757.5	77	85	NNE	4	o
Guam, .	12.20	4.20	29.78	756.3	SE	2	o
Yap, .	12.47	29.73	755.1	SW	4	o	4.47	29.76	756.0	o	...	b
Labuan, .	14	29.77	756.1	82	83	S	2	o	6	29.78	756.4	76	94	S	2	o

December 24d. 104. 43m.—Pressure has decreased moderately from Shanghai to Chefoo and increased slightly over the Philippines. It is nearly stationary from Formosa to Tongking.

The anticyclone has weakened and move eastward. It is now probably central in the vicinity of Shanghai.

The monsoon will remain fresh over the China Sea but will be interrupted to the north of Amoy.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.71 inches, against an average of 82.86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.
DISTRICT.

- 1.—Formosa Channel,
 2.—South coast of China between Hongkong and Lamocks,
 3.—Hongkong to Gap Rock,
 4.—South coast of China between Hongkong and Hainan,

FORECAST.

T. E. CLAXTON Director.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	24TH DECEMBER, 1923.							25TH DECEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Humid.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		Humid.	WEATHER.	WIND.			
		Inches.	Millrs.		Direct. ion.	Force.			Inches.	Millrs.			Direct. ion.	Force.		
Vladivostock, .	12	29.97	761.2	21	...	E	2	b	6	29.83	757.7	22	...	NW	2	f
Nemuro, .	13	5
Hokodate,
Tokio,
Kochi,
Nagasaki,
Kagoshima,
Oshima,
Naba,
Ishigakijima,
Bonin Island,
Chefoo, .	15	29.92	759.9	47	34	S	2	b	6	29.83	757.7	38	72	NW	4	b
Hankow,
Ichang,
Changsha,
Shanghai, .	11	30.31	769.8	45	24	SW	1	b	7	30.15	765.9	36	75	S	1	b
Gutzlaff, .	14	30.26	768.6	46	100	SW	2	b	7	30.17	766.3	47	100	SW	2	b
Sharp Peak,	30.20	767.1	66	68	E	2	b	7	30.18	766.6	48	78	W	2	b
Amoy, .	15	30.11	764.8	63	52	NE	2	b	9	30.17	766.3	52	79	WNW	4	b
Swatow,	8
Taihoku, .	11	30.24	768.0	63	47	ENE	4	b	5	30.18	766.5	41	97	...	0	b
Taichu,	30.15	765.9	66	...	WSW	2	b	5	30.17	766.2	39	0	b
Tainan,	30.13	765.3	68	...	N	4	b	5	30.12	765.0	46	...	NNE	2	b
Koshun,	30.12	765.0	68	...	NNE	6	b	5	30.11	764.7	64	...	NNE	4	b
Pescadores,	30.18	766.5	63	...	NNE	7	b	5	30.14	765.6	59	...	N	4	b
Canton, .	14	30.12	765.0	68	42	N	1	b	6
Hongkong,	30.12	765.0	64	61	E	3	b	6	30.14	765.5	58	81	ENE	2	b
Gap Rock,	30.13	765.3	ENE	4	b	6	30.13	765.3	ENE	4	b
Macao,	30.10	764.4	63	51	NNE	2	b	6	30.11	764.7	59	79	E	4	o
Wuchow, .	15	9
Pakhoi,	9
Hoihow,	9
Phulien,	30.10	764.4	72	42	SSE	1	bf	7
Tourane,	30.01	762.3	70	...	E	4	if	7
Cape St. James,	29.86	758.4	77	...	ENE	4	o	7
Basaco, .	14	30.01	762.3	72	...	N	4	o	6
Aparri,	29.98	761.4	70	77	ENE	4	o	6	30.01	762.3	66	90	S	2	r
Manila,	29.86	758.4	82	57	WSW	2	o	6	29.93	760.2	66	92	ESE	1	o
Legaspi,	6	29.91	759.6	75	76	N	4	b
Tacloban,	29.81	757.5	81	73	NNW	4	o	6
Iloilo,	29.79	756.6	84	60	NE	6	o	6
Surigao,	29.78	756.3	79	76	NNW	4	o	6
Guam, .	12.20	29.73	755.1	SE	4	o	6	4.20
Yap, .	12.47	29.72	754.8	SE	2	o	6	4.47	29.79	756.6	...	SE	4	o
Labuan, .	14	29.76	755.9	86	78	NE	1	b	6	29.83	757.7	76	94	NW	2	o

December 25th, 10A. 44m.—Pressure has decreased moderately from Vladivostock to Shanghai. Changes at other reporting stations are slight.

The anticyclone is probably central over S.W. Japan.

Moderate monsoon may be expected over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.71 inches, against an average of 82.90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

DISTRICT.

FORECAST.

- 1.—Formosa Channel, .
 - 2.—South coast of China between Hongkong and Lamock, .
 - 3.—Hongkong to Gap Rock, .
 - 4.—South coast of China between Hongkong and Hainan, .
- N.E. winds, moderate; fine.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	25TH DECEMBER, 1923.							26TH DECEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMP. ATM.	HUMID.	WIND.			
		Inches.	Mills.			Dir- ec- tion.	Forc.		Inches.	Mills.			Dir- ec- tion.	Forc.		
Wladivostock, .	12	29.70	754.5	28	0	0	6	30.13	765.3	13	..	NNE	3	b
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.08	764.0	40	74	NNW	4	0	6	30.33	770.4	30	88	b
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.20	767.1	59	34	SSW	1	b	"	30.26	768.6	48	82	NE	2	0
Gutzlaff, .	14	30.18	766.6	58	94	SW	2	0	"	30.21	767.3	50	100	ENE	2	0
Sharp Peak, .	"	30.21	767.3	68	79	N	1	b	7	30.15	765.8	56	81	W	1	b
Amoy, .	15	30.10	764.5	66	54	NW	1	b	9	30.15	765.8	56	81	SSE	1	0
Swatow, .	"	8
Taihoku, .	11	30.18	766.5	70	49	E	4	b	5	30.17	766.2	45	94	..	0	b
Taichu, .	"	30.20	767.1	66	0	b	"	30.15	765.9	48	0	0
Tainan, .	"	30.17	766.2	73	..	NNW	2	b	"	30.13	765.3	50	..	ENE	2	0
Koshun, .	"	30.14	765.6	72	..	NE	4	b	"	30.11	764.7	63	0	b
Pescadores, .	"	30.20	767.1	68	..	NNE	4	b	"	30.14	765.6	61	..	NNE	4	0
Canton, .	14	30.11	764.8	69	56	S	1	b	6
Hongkong, .	"	30.11	764.8	64	67	E	4	b	"	30.08	764.0	64	81	E	3	0
Gap Rock, .	"	30.09	764.3	ENE	4	b	"	30.06	763.5	ENE	4	0
Macao, .	"	30.10	764.4	68	60	E	2	b	"	30.06	763.5	63	86	N	4	0
Wuchow, .	15	"
Pakhoi, .	"	"
Hoishow, .	"	"
Phulien, .	"	30.01	762.3	72	65	ESE	2	of rf	7
Tourane, .	"	30.01	762.3	68	0	b	"
Cape St. James, .	"	29.91	759.6	77	..	ENE	6	b	"
Basco, .	14	30.05	763.2	73	..	NNE	4	0	6
Aparri, .	"	30.02	762.6	72	75	E	4	0	"	b
Manila, .	"	29.94	760.5	75	83	E	1	0	"	29.97	761.1	64	92	..	0	b
Legaspi, .	"	29.92	759.9	81	62	N	4	0	"	29.92	759.9	73	85	NNE	4	0
Tacloban, .	"	"
Iloilo, .	"	29.85	758.1	82	57	N	6	0	"	72	84	N	4
Surigao, .	"	29.86	758.4	81	73	ENE	4	0	"
Guam, .	12.20	29.79	756.6	E	4	0	4.20
Yap, .	12.47	29.76	756.0	SE	4	0	4.47	29.84	757.8	NE	4	0
Labuan, .	14	29.80	756.9	84	87	S	2	b	6	29.82	757.4	78	94	N	1	b

December 26d. 11A. com.—Pressure has increased considerably from Wladivostock to Chefoo and slightly at Shanghai. It has decreased slightly over Kwangtung and over the Philippines.

A new anticyclone has formed over S.E. Mongolia.

The monsoon will set in again along the E. coast of China and remain moderate over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.71 inches, against an average of 82.94 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.
DISTRICT.**

- | | | |
|--|---|-------------------------------|
| 1.—Formosa Channel, | } | N.E. winds, moderate; cloudy. |
| 2.—South coast of China between Hongkong and Lamock, | | |
| 3.—Hongkong to Gap Rock, | | |
| 4.—South coast of China between Hongkong and Hainan, | | |

T. F. CRAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	26TH DECEMBER, 1923.							27TH DECEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.	WEATHER.	
Vladivostock,	12	30.15	765.9	24	...	SW	3	b	6	30.37	771.4	NNW	1	b
Nemuro,	11	5
Hokodate,	2
Tokio,	"	2
Kochi,	"	2
Nagasaki,	"	2
Kagoshima,	"	2
Oshima,	"	2
Naha,	"	2
Ishigakijima,	"	2
Bonin Island,	"	2
Chefoo,	15	30.32	770.1	40	65	N	1	b	6	30.35	770.9	34	69	...	0	a
Hankow,	"	2
Ichang,	"	2
Changsha,	"	2
Shanghai,	11	30.25	768.3	50	79	NE	2	o	2	30.17	766.2	50	97	E	1	r o b b
Gutzlaff,	14	30.17	766.3	54	100	ESE	4	o	2	30.10	764.5	54	100	...	0	...
Sharp Peak,	"	30.09	764.3	70	75	...	0	b	7	30.09	764.3	60	76	SSW	1	...
Amoy,	15	30.07	763.8	70	61	SSE	2	b	9	30.10	764.5	60	90
Swatow,	"	8
Taihoku,	11	30.17	766.2	70	53	W	1	h	5	30.14	765.6	48	97	...	0	b
Taichu,	"	30.17	766.2	72	0	b	2	30.13	765.3	46	0	b b b
Tainan,	"	30.14	765.6	75	...	NNE	2	b	2	30.08	764.1	52	...	E	2	...
Kosbun,	"	30.13	765.3	75	...	NNE	4	b	2	30.08	764.1	64	...	NNW	2	...
Pescadores,	"	30.17	766.2	70	...	NNE	4	b	2	30.10	764.4	63	...	N	2	...
Canton,	14	30.05	763.2	69	80	SE	1	o	6
Hongkong,	"	30.05	763.2	68	72	E	4	o	2	30.07	763.8	65	87	E	2	...
Gap Rock,	"	30.05	763.2	ENE	4	o	2	30.07	763.8	ENE	4	...
Macao,	"	30.02	762.6	66	85	NE	2	c	2	30.05	763.2	64	98	NE	4	...
Wuchow,	15	9
Pakhoi,	"	2
Hoihow,	"	2
Phulien,	"	29.99	761.7	72	78	ESE	4	of	7
Tourane,	"	29.98	761.4	73	0	b	2
Cape St. James,	"	29.86	758.4	75	...	ENE	4	o	2
Basco,	14	30.02	762.6	77	...	NE	4	o	6	30.05	763.2	70	...	N	1	b
Aparri,	"	30.00	762.0	77	61	NE	2	b	2
Manila,	"	29.91	759.6	82	54	ESE	1	o	2	29.95	760.8	64	90	N	1	b
Legaspi,	"	29.89	759.3	81	76	NNE	2	o	2	29.92	759.9	75	88	N	4	o
Tacloban,	"	2
Illoilo,	"	29.84	757.8	84	60	NE	6	o	2	29.88	759.0	75	86	ENE	4	o
Surigao,	"	2
Guam,	12.20	29.79	756.6	ENE	4	o	2	4.20
Yap,	12.47	29.78	756.3	NE	6	o	2	4.47
Labuan,	14	29.79	756.6	86	80	NW	2	b	6	29.80	756.9	78	91	E	2	b

December 27d. 11h. com.—Pressure has increased considerably at Vladivostock and decreased moderately at Shanghai. Changes at other reporting stations are slight.

The Mongolian anticyclone is moving eastward.

Moderate monsoon may be expected along the coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.71 inches, against an average of 82.98 inches.

**FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.
DISTRICT.**

FORECAST.

- 1.—Formosa Channel,
 - 2.—South coast of China between Hongkong and Lamocks,
 - 3.—Hongkong to Gap Rock,.....
 - 4.—South coast of China between Hongkong and Hainan,
- N.E. winds, moderate; cloudy.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	27TH DECEMBER, 1923.							28TH DECEMBER, 1923.								
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Inches.	Millrs.			Direction.	Force.		
Wladivostock, .	12	30.28	769.1	21	...	W	4	b	6	30.30	769.6	3	...	NW	4	o
Nemuro, .	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.41	772.4	36	90	NE	2	o	6	30.67	779.0	24	77	NW	6	o
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.24	768.0	50	97	NNE	1	r	"	30.40	772.2	45	86	NNE	1	r
Gutzlaff, .	14	30.18	766.6	52	100	NNW	1	o	"	30.38	771.6	46	100	NNE	6	o
Sharp Peak, .	"	30.09	764.3	75	72	..	0	b	7	30.15	765.8	58	76	NNE	2	o
Amoy, .	15	30.01	762.2	74	63	WNW	2	b	9	30.12	765.0	62	90	ENE	1	b
Swatow, .	"	8
Taihoku, .	11	30.14	765.6	72	57	...	0	b	5	30.14	765.6	52	97	...	0	b
Taichu, .	"	30.13	765.3	75	0	b	"	30.12	765.0	52	0	b
Tainan, .	"	30.13	765.3	77	...	NNW	2	b	"	30.07	763.8	54	...	NE	2	b
Kosbun, .	"	30.11	764.7	79	...	N	4	b	"	30.05	763.2	64	0	b
Pescadores, .	"	30.14	765.6	75	...	N	4	b	"	30.11	764.7	64	...	N	4	b
Canton, .	14	6
Hongkong, .	"	30.05	763.2	71	71	E	4	o	"	30.09	764.3	63	94	...	0	b
Gap Rock, .	"	30.05	763.2	ENE	4	o	"	30.07	763.8	NNE	4	bf
Macao, .	"	30.04	762.9	70	82	ESE	2	o	"	30.06	763.5	64	90	...	0	bf
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	29.99	761.7	75	67	SE	2	o	7	30.05	763.2	66	96	ENE	4	bf
Tourane, .	"	29.98	761.4	72	0	o	"	30.02	762.6	70	0	o
Cape St. James, .	"	29.87	758.7	77	...	ENE	4	o	"	29.93	760.2	73	...	ENE	4	b
Basco, .	14	29.97	761.1	77	...	NE	2	b	6
Aparri, .	"	29.97	761.1	79	66	...	0	o	"	29.98	761.4	70	92	...	0	o
Manila, .	"	29.89	759.3	81	66	WSW	2	o	"	29.91	759.6	68	94	...	0	b
Legaspi, .	"	29.85	758.1	84	77	NNE	4	o	"	29.88	759.0	77	91	...	0	b
Tacloban, .	"	"
Iloilo, .	"	29.81	757.2	82	70	N	2	o	"	29.85	758.1	75	98	NNE	4	o
Surigao, .	"	"
Guam, .	12.20	29.81	757.2	NE	6	o	4.20
Yap, .	12.47	29.76	756.0	ENE	6	o	4.47
Labuan, .	14	29.77	756.1	86	84	N	4	b	6	29.81	757.2	78	93	NE	2	b

December 28d. 11h. 03m.—Pressure has increased considerably from Chefoo to Shanghai and slightly from Foochow to Amoy. It has decreased slightly over N. Luzon and is nearly stationary at other reporting stations.

A new anticyclone has formed over N. China.

Strong monsoon may be expected north of Foochow, and moderate monsoon from Amoy to Cape St. James.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.71 inches, against an average of 83.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

FORECAST.

- 1.—Formosa Channel, N.E. winds, freshening.
- 2.—South coast of China between Hongkong and Lamock,
- 3.—Hongkong to Gap Rock, } N.E. winds, moderate; fine to cloudy.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON Director.

ROYAL OBSERVATORY. HONGKONG.
DAILY WEATHER REPORT.

STATION:	28TH DECEMBER, 1923.							29TH DECEMBER, 1923.								
	HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.			
		Inches.	Millrs.			Direction.	Force.		Direction.	Force.			Direction.	Force.		
Vladivostock, .	12	30.22	767.5	4	---	N	4	o	6	30.22	767.5	-7	---	N	3	b
Nemuro, .	11	---	5	---
Hokodate, .	"	---	"	---
Tokio, .	"	---	"	---
Kochi, .	"	---	"	---
Nagasaki, .	"	---	"	---
Kagoshima, .	"	---	"	---
Oshima, .	"	---	"	---
Naha, .	"	---	"	---
Ishigakijima, .	"	---	"	---
Bonin Island, .	"	---	"	---
Chefoo, .	15	30.69	779.5	24	60	NW	4	o	6	30.57	776.5	24	87	NW	6	o
Hankow, .	"	---	"	---
Ichang, .	"	---	"	---
Changsha, .	"	---	"	---
Shanghai, .	11	30.51	774.9	43	88	NNE	4	r	"	30.65	778.5	28	100	NE	4	b
Gutzlaff, .	14	30.42	772.6	44	100	NNE	4	o	"	30.61	777.5	32	100	N	6	b
Sharp Peak, .	"	30.18	766.6	56	87	NNE	6	o	"	30.37	771.4	50	90	N	1	o
Amoy, .	15	30.11	764.8	68	74	NNE	2	b	"	30.33	769.9	58	76	NE	2	o
Swatow, .	"	---	8	---
Taihoku, .	11	30.21	767.4	64	80	..	0	o	5	30.34	770.7	55	86	E	4	o
Taichu, .	"	30.11	764.7	77	2	N	2	b	"	30.15	765.9	57	...	N	2	b
Tainan, .	"	30.12	765.0	75	...	N	4	b	"	30.14	765.6	57	...	N	4	o
Koshun, .	"	30.08	764.1	81	...	N	4	b	"	30.11	764.7	70	...	NNE	7	o
Pescadores, .	"	30.13	765.3	72	...	NNE	6	of	"	30.20	767.1	63	...	NNE	10	r
Canton, .	14	30.06	763.5	80	58	...	0	b	6	---
Hongkong, .	"	30.05	763.2	77	49	ESE	3	b	"	30.24	768.1	60	59	NE	3	o
Gap Rock, .	"	30.08	764.0	NNE	2	b	"	30.24	768.1	ENE	5	o
Macao, .	"	30.05	763.2	75	49	NNE	2	b	"	30.25	768.3	55	86	NNW	4	o
Wuchow, .	15	---	9	---
Pakhoi, .	"	---	"	---
Hoihow, .	"	---	"	---
Phulien, .	"	30.05	763.2	75	76	E	2	ef	7	30.17	766.2	66	82	ENE	6	o
Tourane, .	"	30.01	762.3	75	...	SE	2	o	"	30.10	764.4	70	...	ENE	4	b
Cape St. James, .	"	29.87	758.7	77	...	ENE	6	b	"	29.93	760.2	70	...	NE	4	b
Basco, .	14	29.98	761.4	73	...	WSW	2	r	6	---
Aparri, .	"	29.95	760.8	75	91	NNE	2	r	"	---
Manila, .	"	29.87	758.7	86	65	SW	2	o	"	---
Legaspi, .	"	29.87	758.7	86	71	NE	6	o	"	---
Tacloban, .	"	29.86	758.4	79	92	...	0	r	"	---
Illoilo, .	"	"	---
Surigao, .	"	29.81	757.2	84	77	ENE	2	..	"	---
Guam, .	12.20	29.79	756.6	N	4	o	4.20	---
Yap, .	12.47	29.76	756.0	ENE	6	o	4.47	---
Labuan, .	14	29.78	756.4	86	78	NE	4	b	6	29.81	757.2	78	91	N	1	o

December 29d. 9h. 20m.—Warning to Hongkong and Coast Ports,—N.N.E. gale in Formosa Channel.

December 29d. 11h. 52m.—Pressure has decreased moderately at Chefoo. It has increased considerably from Shanghai to Hongkong and slightly over Indo-China.

The anticyclone is now intense. It has spread southward.

Strong monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.71 inches, against an average of 83.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.
DISTRICT.

FORECAST.

- 1.—Formosa Channel, N.E. gale.
- 2.—South coast of China between Hongkong and Lamock, .
- 3.—Hongkong to Gap Rock, N.E. winds, strong; cloudy at first, clearing later.
- 4.—South coast of China between Hongkong and Hainan, .

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	29TH DECEMBER, 1923.								30TH DECEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock, .	12	30.13	765.4	4	...	NW	4	b	6	30.10	764.5	-4	0	0
Nemuro.....	11	5
Hokodate, .	"	"
Tokio, .	"	"
Kochi, .	"	"
Nagasaki, .	"	"
Kagoshima, .	"	"
Oshima, .	"	"
Naha, .	"	"
Ishigakijima, .	"	"
Bonin Island, .	"	"
Chefoo, .	15	30.53	775.4	24	77	NW	4	o	6	30.43	772.9	28	88	NW	4	o
Hankow, .	"	"
Ichang, .	"	"
Changsha, .	"	"
Shanghai, .	11	30.71	780.0	32	100	WNW	6	b	"	30.64	778.2	25	...	NW	2	b
Gutzlaff, .	14	30.62	777.7	34	100	NNW	6	b	"	30.60	777.2	26	100	NNW	6	o
Sharp Peak, .	"	30.41	772.4	58	64	ENE	4	b	7	30.40	772.1	47	85	E	6	b
Amoy, .	15	30.26	768.6	62	67	NE	4	o	9	30.36	771.1	50	65	ENE	4	b
Swallow, .	"	8
Taiboku, .	11	30.46	773.7	55	77	ESE	4	o	5	30.41	772.5	48	73	E	4	o
Taichu, .	"	30.25	768.3	63	...	N	4	b	"	30.25	768.3	52	...	NNW	2	o
Taiwan, .	"	30.21	767.4	68	...	N	1	b	"	30.21	767.4	50	...	N	4	b
Koshun, .	"	30.18	766.5	72	...	NNE	8	b	"	30.18	766.5	61	...	NNE	7	o
Pescadores, .	"	30.30	769.5	61	...	N	10	o	"	30.27	768.9	55	...	NNE	7	o
Canton, .	14	30.31	769.9	63	57	N	3	b	6
Hongkong, .	"	30.24	768.1	63	52	N	3	o	"	30.30	769.6	50	53	N	5	o
Gap Rock, .	"	30.23	767.8	NNE	5	o	"	30.28	769.1	NNE	5	o
Macao, .	"	30.22	767.7	57	56	N	4	o	"	30.28	769.2	48	48	N	6	o
Wuchow, .	15	9
Pakhoi, .	"	"
Hoihow, .	"	"
Phulien, .	"	30.19	766.8	61	69	NE	6	e	7
Tourane, .	"	30.06	763.5	70	...	E	6	o	"
Cape St. James, .	"	29.88	759.0	79	...	ENE	4	o	"
Basco, .	14	6
Aparri, .	"	30.01	762.3	72	94	NNE	4	r	"	30.11	764.7	68	91	NE	4	r
Manila, .	"	29.87	758.7	82	77	NE	4	o	"	29.93	760.2	73	92	...	o	o
Legaspi, .	"	29.88	759.0	86	68	NE	4	b	"	29.93	760.2	77	84	NE	4	o
Tacloban, .	"	29.84	757.8	86	61	NE	4	o	"
Iloilo, .	"	29.81	757.2	86	58	NE	6	o	"
Surigao, .	"	29.81	757.2	82	77	ENE	4	b	"
Guam, .	12.20	29.79	756.6	NE	4	o	"
Yap, .	12.47	29.75	755.7	NE	4	o	4.20	NE	4	o
Labuan, .	14	29.80	756.9	84	75	N	2	o	6

December 30d. 11h. 27m.—Pressure has decreased slightly from Chefoo to Shanghai. It is nearly stationary at other reporting stations.

The anticyclone has weakened slightly.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.71 inches, against an average of 83.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31ST.

DISTRICT.

FORECAST.

- | | | | |
|---|-----|---|---------------------------|
| 1.—Formosa Channel, . | ... | } | N.E. winds, strong; fair. |
| 2.—South coast of China between Hongkong and Lamocks, . | ... | | |
| 3.—Hongkong to Gap Rock, . | ... | | |
| 4.—South coast of China between Hongkong and Hainan, . | ... | | |

T. E. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	30TH DECEMBER, 1923.							31ST DECEMBER, 1923.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPER- ATURE.	HUMIDITY.	WIND.		
		Inches.	Millrs.			Direct. ion.	Ion.		Inches.	Millrs.			Direct. ion.	Force.	
Vladivostock, .	12	30.02	762.5	10	0	0	6	30.21	767.2	3	0
Nemuro.....	11	5
Hokodate,	"	"
Tokio,	"	"
Kochi,	"	"
Nagasaki,	"	"
Kagoshima,	"	"
Oshima,	"	"
Naha,	"	"
Ishigakijima,	"	"
Bonin Island,	"	"
Chefoo,	15	30.35	770.9	32	90	WNW	4	b	6	30.38	771.6	26	87	SW	1
Hankow,	"	"
Ichang,	"	"
Changsha,	"	"
Shanghai,	11	30.62	777.9	28	...	WNW	4	b	"	30.53	775.5	21	...	WNW	1
Gutzlaff,	14	30.49	774.4	32	100	NNW	4	o	"	30.51	774.9	30	100	NNW	4
Sharp Peak,	"	30.36	771.1	47	85	NE	2	o	7	30.33	770.4	46	84	NE	2
Amoy,	15	30.28	769.1	56	45	ENE	4	b	9	30.31	769.9	48	56	ENE	4
Swatow,	"	8
Taiboku,	11	30.45	773.4	54	59	ENE	4	o	5	30.36	771.0	50	79	E	4
Taichu,	"	30.27	768.9	57	...	N	4	o	"	30.27	768.9	50
Tainan,	"	30.26	768.6	59	...	N	4	o	"	30.25	768.3	52	...	NNE	4
Koshun,	"	30.22	767.7	64	...	NNE	7	b	"	30.21	767.4	61	...	NNE	4
Pescadores,	"	30.32	770.1	59	...	NNE	8	b	"	30.28	769.2	55	...	N	7
Canton,	14	30.37	771.4	53	54	N	3	o	6
Hongkong,	"	30.30	769.6	56	42	N	2	o	"	30.30	769.6	49	50	N	2
Gap Rock,	"	30.30	769.6	NNE	5	o	"	30.29	769.3	NNE	4
Macao,	"	30.28	769.2	52	41	N	6	o	"	30.32	770.1	45	88	NNW	4
Wuchow,	15	9
Pakhoi,	"	"
Hoihow,	"	"
Phulien,	"	30.34	770.7	52	63	NNE	2	o	7
Tourane,	"	30.11	764.7	68	...	NNE	6	if	"
Cape St. James,	"	29.87	758.7	77	...	ENE	4	o	"
Basco,	14	30.13	765.3	68	...	N	2	r	6	30.17	766.2	66	0
Aparri,	"	30.08	764.1	72	82	NE	2	o	"	30.13	765.3	70	77	ENE	4
Manila,	"	29.91	759.6	79	76	NNE	2	o	"	29.98	761.4	72	89	...	0
Legaspi,	"	29.88	759.0	84	68	NE	4	o	"	29.95	760.8	75	89	NNE	4
Tacloban,	"	"
Iloilo,	"	29.82	757.5	84	60	NE	6	o	"	29.89	759.3	75	89	NNE	4
Surigao,	"	29.82	757.5	82	81	ENE	4	o	"	29.88	759.0	77	94	ENE	4
Guam,	12.20	29.81	757.2	ENE	4	o	"	29.86	758.4	ENE	2
Yap,	12.47	29.78	756.3	ENE	6	o	4.20	29.82	757.5	NE	6
Labuan,	14	29.80	756.9	86	80	N	2	b	6	29.83	757.7	78	94	N	2

December 31st, 11A. 11M.—Pressure has increased slightly from Vladivostock to Chefoo and over Luzon. It has decreased slightly from Shanghai to Hongkong.

The anticyclone has weakened slightly.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inch. Total since January 1st, 106.71 inches, against an average of 83.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1ST.
DISTRICT.

FORECAST.

- 1.—Formosa Channel, N. winds, strong.
- 2.—South coast of China between Hongkong and Lamocks,
- 3.—Hongkong to Gap Rock, } N.E. winds, fresh; fair.
- 4.—South coast of China between Hongkong and Hainan,

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

R E S U L T S

O F

MAGNETIC OBSERVATIONS,

1923.

ABSOLUTE VALUES OF MAGNETIC ELEMENTS, 1923.

Determinations of Magnetic Horizontal Force in the Year 1923.

Hongkong Standard Time, 1923.	* Deflecting Magnet 83.			Observed Deflection.	Temperature. (A.)	C. G. S. Units.				Observer.			
	Corrected Time of Obs. Vibration.	Tempera- ture- (A.)	Effect of 90° Torsion,			Log. $\frac{m}{X}$	Log. $\frac{m}{X}$	m.	X.				
January, ... 17 15 20	2.9961	290.6	1.36	9° 32' 90	4° 0' 91	290.6	49447	35123	837.24	0.37292 C.W.J.			
February, ... 13 15 10	2.9987	296.2	0.65	33° 67	0° 30	296.5	49466	35195	838.11	0.37270 C.W.J.			
March, ... 16 14 32	2.9962	292.7	1.34	34° 25	0° 71	292.3	49477	35183	838.12	0.37279 C.W.J.			
April, 18 14 40	3.0004	299.0	0.73	32° 48	0° 41	298.9	49460	35203	838.15	0.37264 C.W.J.			
May, 16 14 30	3.0006	302.7	1.65	31° 52	3° 59' 63	302.2	49507	35155	838.13	0.37304 C.W.J.			
Mean (5 months)	2.9984	296.2	1.15	9° 32' 96	4° 0' 39	296.1	49471	35172	837.95				
June, 15 15 4	3.6976	302.1	0.85	6° 18' 70	2° 39' 02	302.0	31559	17337	555.24	0.37249 C.W.J.			
July, 16 15 15	3.6985	306.3	1.38	17° 16	38° 55	306.0	31616	17265	555.15	0.37304 C.W.J.			
August, ... 16 14 5	3.6959	300.7	0.77	18° 25	39° 02	300.1	31574	17275	554.94	0.37282 C.W.J.			
September, 14 14 17	3.6968	304.6	1.27	17° 62	38° 54	304.4	31624	17257	555.15	0.37310 C.W.J.			
October, ... 15 14 54	3.6890	296.0	1.81	19° 61	39° 41	295.9	31641	17327	555.70	0.37288 C.W.J.			
November, 19 14 43	3.6944	300.5	3.27	18° 73	39° 13	301.0	31585	17334	555.39	0.37261 C.W.J.			
December, 15 14 31	3.6912	296.3	3.43	19° 10	38° 90	296.1	31581	17232	554.71	0.37304 C.W.J.			
Mean (7 months)	3.6948	300.9	1.83	6° 18' 45	2° 38' 94	300.8	31597	17290	555.18				
Year,										0.37284			

* No. 83 from January to May inclusive, No. 55 from June to December inclusive.

Results of Observations of Magnetic Declination and Dip in the year 1923, with deduced Monthly Values of Vertical Force and Total Force.

Hongkong Standard Time, 1923.	Observed Declination. (West)	Observer.	Hongkong Standard Time, 1923.	Needle.	Observed Dip. (North)	Observer.	Monthly Values of			C. G. S. Units.	
							Dip. (North)	Vertical Force.	Total Force.		
January, ... 17 15 55	0° 22' 3	C.W.J.	16° 15' 2	3	30° 44' 9	B.D.E.	30° 44' 2	0.22176	0.43388		
February, ... 13 16 10	22° 0	C.W.J.	13° 12' 11	7	44° 3	B.D.E.	44° 2	0.22162	0.43362		
March, ... 16 12 22	23° 5	C.W.J.	15° 14' 38	3	44° 1	C.W.J.	44° 8	0.22175	0.43376		
April, 17 15 40	24° 3	C.W.J.	16° 14' 50	3	47° 3	C.W.J.	48° 1	0.22216	0.43384		
May, 16 15 13	23° 6	C.W.J.	15° 14' 30	2	48° 6	C.W.J.	43° 2	0.22167	0.43394		
June, 15 16 0	23° 8	C.W.J.	18° 14' 30	7	44° 3	C.W.J.	47° 8	0.22201	0.43363		
July, 16 15 56	22° 7	C.W.J.	17° 14' 20	7	48° 4	C.W.J.	42° 8	0.22160	0.43390		
August, ... 16 15 0	22° 7	C.W.J.	16° 11' 35	3	48° 1	C.W.J.	47° 3	0.22214	0.43398		
September, 14 14 51	23° 7	C.W.J.	17° 15' 10	7	43° 3	C.W.J.	42° 0	0.22153	0.43392		
October, ... 15 15 12	25° 0	C.W.J.	15° 11' 30	3	48° 3	C.W.J.	40° 8	0.22123	0.43357		
November, 19 15 42	22° 6	C.W.J.	19° 10' 55	7	48° 1	B.D.E.	45° 9	0.22181	0.43364		
December, 15 10 15	22° 8	C.W.J.	15° 11' 51	3	44° 3	B.D.E.	45° 4	0.22199	0.43409		
Year,	0° 23° 2						30° 44' 7	0.22177	0.43381		